

Can't tick? TAP HERE to choose your lines

Works on any phone - numbered lines turn yellow



AVAILABLE OFFSHORE - متوفر في الخارج

Reference: SL123-FM-TL-FL-07.10.2026
7 OCTOBER 2026

Stocklot Report

TOTAL AVAILABLE	SUBSTANCE RANGE	ORIGIN (منشأ)
999.40 MT	80 - 220 GSM	EUROPE

ROLLS

#	QUALITY	GSM	REEL WIDTH (CM)	TONS
☐	FLUTING			469.28 MT
☐	1 FLUTING	80	130	40.90
☐	2 FLUTING	80	160	8.50
☐	3 FLUTING	80	180	3.20
☐	4 FLUTING	80	199.5	2.08
☐	5 FLUTING	80	219.5	4.73
☐	6 FLUTING	80	234.5	4.63
☐	7 FLUTING	80	249.5	8.18
☐	8 FLUTING	80	250	22.52
☐	9 FLUTING	85	125	14.30
☐	10 FLUTING	85	130	29.30
☐	11 FLUTING	85	140	4.80
☐	12 FLUTING	85	145	16.30
☐	13 FLUTING	85	149.5	6.53
☐	14 FLUTING	85	155	1.80
☐	15 FLUTING	85	219.5	2.52
☐	16 FLUTING	90	160	1.80
☐	17 FLUTING	90	174.5	5.25
☐	18 FLUTING	90	190	6.20
☐	19 FLUTING	90	199.5	6.87
☐	20 FLUTING	90	219.5	2.54
☐	21 FLUTING	90	225	2.57
☐	22 FLUTING	90	233	13.15
☐	23 FLUTING	90	239.5	5.62
☐	24 FLUTING	90	244.5	11.89
☐	25 FLUTING	90	245	6.00
☐	26 FLUTING	90	250	61.60
☐	27 FLUTING	95	204	7.18
☐	28 FLUTING	95	219	2.71
☐	29 FLUTING	100	125.5	2.90
☐	30 FLUTING	100	153	1.80
☐	31 FLUTING	100	219	4.75

	#	QUALITY	GSM	REEL WIDTH (CM)	TONS
☐	32	FLUTING	100	234	5.19
☐	33	FLUTING	100	234.5	17.35
☐	34	FLUTING	100	243	2.79
☐	35	FLUTING	100	244.5	2.09
☐	36	FLUTING	100	245	5.18
☐	37	FLUTING	100	249.5	23.55
☐	38	FLUTING	100	250	7.63
☐	39	FLUTING	110	130	1.16
☐	40	FLUTING	110	153	1.47
☐	41	FLUTING	110	180	6.50
☐	42	FLUTING	110	235	2.87
☐	43	FLUTING	110	245	7.81
☐	44	FLUTING	120	140	11.60
☐	45	FLUTING	120	189.2	2.44
☐	46	FLUTING	120	234.5	10.20
☐	47	FLUTING	120	240.7	2.76
☐	48	FLUTING	120	249.5	19.26
☐	49	FLUTING	120	250	2.92
☐	50	FLUTING	125	245	2.92
☐	51	FLUTING	130	180	2.10
☐	52	FLUTING	130	245	5.50
☐	53	FLUTING	135	240	5.13
☐	54	FLUTING	140	209.5	2.30
☐	55	FLUTING	150	259	5.43
☐	TESTLINER III				301.25 MT
☐	56	TESTLINER III	80	227.5	2.77
☐	57	TESTLINER III	90	145	3.40
☐	58	TESTLINER III	90	238	2.68
☐	59	TESTLINER III	90	250	56.77
☐	60	TESTLINER III	100	135	3.10
☐	61	TESTLINER III	100	200	2.49
☐	62	TESTLINER III	100	245	7.44
☐	63	TESTLINER III	100	250	7.84
☐	64	TESTLINER III	110	145	1.70
☐	65	TESTLINER III	110	210	4.60
☐	66	TESTLINER III	110	220	9.49
☐	67	TESTLINER III	110	235	11.07
☐	68	TESTLINER III	110	245	14.39
☐	69	TESTLINER III	110	250	16.02

	#	QUALITY	GSM	REEL WIDTH (CM)	TONS
☐	70	TESTLINER III	115	235	2.71
☐	71	TESTLINER III	120	220	5.32
☐	72	TESTLINER III	120	244	6.13
☐	73	TESTLINER III	120	245	3.09
☐	74	TESTLINER III	125	150	7.10
☐	75	TESTLINER III	125	244	5.74
☐	76	TESTLINER III	130	120	2.90
☐	77	TESTLINER III	130	150	7.00
☐	78	TESTLINER III	130	175	2.22
☐	79	TESTLINER III	130	245	5.10
☐	80	TESTLINER III	130	250	3.07
☐	81	TESTLINER III	135	185	2.23
☐	82	TESTLINER III	135	210	2.33
☐	83	TESTLINER III	135	220	6.77
☐	84	TESTLINER III	135	245	7.09
☐	85	TESTLINER III	140	250	2.94
☐	86	TESTLINER III	150	135	3.03
☐	87	TESTLINER III	150	180	6.40
☐	88	TESTLINER III	150	245	5.66
☐	89	TESTLINER III	150	250	5.58
☐	90	TESTLINER III	160	160	1.50
☐	91	TESTLINER III	175	210	15.44
☐	92	TESTLINER III	175	250	35.21
☐	93	TESTLINER III	190	190	2.06
☐	94	TESTLINER III	190	250	8.74
☐	95	TESTLINER III	220	250	2.14
☐	TESTLINER II				150.81 MT
☐	96	TESTLINER II	110	190	1.61
☐	97	TESTLINER II	110	235	12.84
☐	98	TESTLINER II	110	245	10.69
☐	99	TESTLINER II	115	120	12.60
☐	100	TESTLINER II	125	193	2.20
☐	101	TESTLINER II	125	210	2.38
☐	102	TESTLINER II	125	220	2.48
☐	103	TESTLINER II	125	250	7.23
☐	104	TESTLINER II	135	134	5.10
☐	105	TESTLINER II	140	120	14.00
☐	106	TESTLINER II	140	160	13.50
☐	107	TESTLINER II	140	250	6.91

[illegible]

SL123-FM-TL-FL-07.10.2026 · 7 OCTOBER 2026