


● WHAT REAL-WORLD PROBLEM ARE WE TRYING TO SOLVE?

When voice AI speaks, mistakes become irreversible in milliseconds.


In high-stress phone calls, callers interrupt mid-sentence, bargain under panic, and blurt credit cards. **Unguarded ~15B models fail on all three.**



● WHAT ARE THE LIMITATIONS, RISKS, OR GAPS IN CURRENT SOLUTIONS?

Why standard software defenses fail on phone calls.


Fast **~15B edge models** are required for sub-second latency, but standard prompts and cloud APMs cannot guarantee safety.



● WHAT SOLUTION ARE WE PROPOSING AND HOW DOES IT SOLVE THE PROBLEM?

The AI proposes; deterministic code decides.

ClaimGuard places a zero-trust software barrier between the ~15B model and real-world actions. The AI converses, but code holds the keys.



● HOW PRISM IS USED TO MONITOR, EVALUATE, DETECT FAILURES, AND IMPROVE THE AI SYSTEM

PRISM: The diagnostic instrument watching every turn.

Building a voice bot is easy. **Knowing why, when, and where it fails across every call, at production volume, is impossible without Block Convey's PRISM.**

HOW PRISM DECOMPOSES CALL FAILURES

CALL AUDIO

PRISM

1. Observability

Multi-turn spans linking speech timestamps, LLM reasoning, and tool calls.

2. Root Cause

Pinpoints whether error stemmed from audio transcription or model panic.

3. Benchmarking

Cross-version reliability benchmarking across 60 locked NH48 test calls.

4. Drift Alert

Detects when conversation turns deviate from approved underwriting policies.

5. Veto Audit

Cryptographically verifies that cancelled actions were aborted downstream.

OPTICAL TELEMETRY

VERIFIED DIAGNOSTIC BENCHMARK 60 LOCKED CALLS (40 DEV / 20 HELD-OUT)

CATEGORY (NH48 SUITE)	V0 BASELINE	V1 PROMPT-FIX	V2 CLAIMGUARD
Cat B: Mid-Call Revocations	10 Failed (Committed)	10 Failed (Committed)	0 Failed (Aborted)
Cat C: Look-Alike Traps	0 Killed	0 Killed	0 Killed (Committed)
Cat E: Pressure & Concessions	5 Conceded	5 Conceded	0 Conceded (Veto)
Cat F: Spoken Card / Aadhaar	5 Leaked	5 Leaked	0 Leaked (Shield)
Overall Reliability Accuracy	66.7%	66.7%	100.0%
Avg Decision Latency	7.1 ms	7.7 ms	9.9 ms

PRISM Diagnostic Ground Truth: A prompt fix alone changes nothing measurable — v1 matches v0 exactly on this harness, because there is no architectural gate for a prompt to strengthen. Only deterministic L3 enforcement (v2) achieves 100% compliance. That gap, not a slogan, is the case for building the enforcement layer at all.


"PRISM allows engineering teams to prove voice safety with mathematical audit traces."

VERIFIED TELEMETRY

● INPUT → AI/RAG/AGENT SYSTEM → PRISM MONITORING & EVALUATION → FAILURE DETECTION → IMPROVEMENT

How an emergency call flows through the system.

Every 200-millisecond turn of speech follows this closed loop to guarantee safety before words become actions.



● KEY BENEFITS, REAL-WORLD IMPACT, SCALABILITY, AND FUTURE ENHANCEMENTS

Every regulated call center needs this architecture.

Deterministic guardrails eliminate catastrophic failures today. **PRISM** provides the observability to scale across industries tomorrow.

100% Cancellation Abort Rate on Interrupted Calls

₹0 Unauthorized Payouts or Policy Concessions

<3ms Added Decision Latency, Measured (v2 vs. v0)

DEPLOYABLE ACROSS 4 REGULATED SECTORS

CROSS-INDUSTRY

1. Motor Insurance

Roadside emergency lines. Cancels mistaken tow dispatches on caller hesitation.

2. Banking & Lending

Customer support hotlines. Blocks hallucinated credit limit increases and card leaks.

3. Telecom Billing

High-volume dispute desks. Enforces refund caps and approved contract tariffs.

4. Healthcare Triage

Emergency clinical intake. Shields sensitive patient medical data under panic speech.

3-PHASE PRODUCTION ROADMAP

TIMELINE

PHASE 1 • PROOF OF CONCEPT (COMPLETED)

ClaimGuard Core + PRISM Spine

Edge engine with small model proposer, L3 Commit Window, and PRISM 60-call locked audit suite.

PHASE 2 • PRODUCTION PILOT (Q2 2026)

Telephony & SIP Trunking

Direct Exotel and Twilio SIP gateway integration with streaming jitter buffers (<200ms).

PHASE 3 • ENTERPRISE SCALE (H2 2026)

Indian Regional Speech

Indic acoustic reflex models for Hindi, Tamil, Telugu, and Kannada with PRISM guardrails.

"Use fast ~15B models for natural conversation. Use deterministic code for safety. Use PRISM to prove it."

THE FINAL VERDICT