Top 10 Guidewire Hackathon Ideas — FINAL

Vetted by 160 sub-agents (15 + 60 + 100 assassins). Simple English + Feasibility + Complexity + Why Judges Like It + Kill/Keep Verdict + Fix. Stack: Python ElementTree + Streamlit, offline, no license. Oct 18 2026.

Context: Olos Dec 2025 APD Conversion 6-8 wks/monoline, bring PS/SI for LOB1, SBT cannot convert. Qusar Aug 2026 Agentic + Developer Assistants. GO 100+ templates. No offline pre-check exists. DEVHack: EY 2024 APD+Streamlit winner, PwC GigGuards 2025 winner. Judging: 6x1-5 + bonus +25 Autopilot/Jutro/Rating/Functions, Judges 75% + Audience 25% (5.6k votes 2024, 11.9k 2025).

Final ranked list — what to build

Rank	Idea	Verdict	Why
1	1 APD-Check Scorer + 2 SBT Gate (Tab0)	BUILD CORE — safe win	Only fail-fast + scorer. Feeds CAA. Highest ROI.
2	3 LaunchPad Fixer (Vehicle Repair, mock 201)	BUILD — podium finisher	201 Created beats gauge. Fix VehicleDriver + 10-step prover.
3	10 Crash-to-Draft (FNOL pre-fill, NOT auto-pay)	BUILD as wow tab	30-sec wow. Must be DRAFT $0, never PAID.
4	4 Clickable Quote (Tab4 preview)	BUILD as tab	BA clicks before Generate. Streamlit + 1 Jutro stub.
5	7 Gosu Cloud-Blockers (5 checks + SARIF)	BUILD hire-boost	Proves billable CAA skill. Feeds NEEDS WORK gate.
6	6 State Expander TX/OR/WA only	BUILD 3-state tab	Proves domain. Never 50-state.
7	5 LineageGuard (rename-breaks-IDM)	PARK — 1-row flag only	Synthetic maps fake. Keep as table, kill graph/PSI.
8	8 GUnit Smell Detector (report-only)	PARK — detector only	No runtime claim, no gate mock. CSV to CAA.
9	9 PCF-Jutro Lookup (5 widgets)	PARK — lookup tab	No TS emit. Map.json only.
—	Combo	1+2+3+4 = podium, +10 = 1st push, +7+8 = hire	Never solo linter or solo wow.

How to read each idea: Simple = 1-line plain English. Feasibility = revised after assassins (HIGH/MED/LOW + blocker). Complexity = weeks + stack. Judges = why they vote + score. Assassin = unreasonably hard verdict. Fix = concrete v2.

1. APD-Check Personal Auto Scorer — Score 0-100 + GO diff + patch

Simple: Upload custom Auto XML + APD zip (product/*.json + editions/*-BaseEdition.json) + GO USA Auto. Get score, blockers, Added/Missing/Renamed/Type-changed, fix patch, Keep/Drop/Convert.

Feasibility: Feasibility MED (HIGH engine, LOW baseline): ElementTree+diff offline easy. No public XSD, GO gated, APD JSON unpublished. Must ship synthetic GO surrogate + user BYO template.

Complexity: LOW-MED: 2-3 wks, ~1100 LOC (parser+diff+scorer+Streamlit+fixtures). Precision/recall >=85% on planted fixtures.

Why judges like it: Judges 18/30 alone (clone of EY 2024). Safe only as 1+2 core. Solves billed PS discovery 6-8wks to 5min. Feeds CAA. Copy of winner pattern = safe.

Unreasonably hard assassin: KILL standalone SaaS. KEEP as hackathon wedge IF: synthetic baseline, SBT-gate Tab0, importable patch + SARIF Action, no vanity gauge as hero. Moat 1/10, defend corpus+gate.

Fix to ship: Fix v2: Tab0 SBT gate, go-surrogate/, fix-patch.zip (VehicleDriver->Driver, BaseEdition inject, finishCreate snippet), results.sarif + GitHub Action (NEEDS WORK mirror). Demo: SBT red 10s, Messy 72/100 + patch + SARIF block.

2. SBT-Detect + Template-Lint — Fail-fast gate

Simple: Detect SBT lines that cannot convert + lint zip layout, BaseEdition, 30-char, segment loss, destructive overwrite.

Feasibility: Feasibility VERY HIGH lint / MED SBT: zip+regex offline, no schema. SBT block 1 line (Olos note). Docs gated, version drift.

Complexity: LOW: 1 wk, ~400 LOC, 10 checks. Highest ROI/LOC.

Why judges like it: Judges 15-18/30 alone (linter, no wow). Only fail-fast. Saves weeks PS eval. No competitor. Must be Tab0, never solo.

Unreasonably hard assassin: KILL standalone. KEEP as Tab0 Fail-Fast Gate (50 lines). Red STOP then green score. Add safe-merge preview + PCA handoff. 30-char is WARN not ERROR (APD auto-fixes).

Fix to ship: Fix: app.py Tab0->Score->Diff->Patch. Checks ZIP01/02, ED01, 30-char 45/30 + 47/50 combined, RateFactorType0, segments, SBT, overwrite guard. Require backup checkbox.

3. LaunchPad Fixer — Vehicle Repair + mock 201

Simple: Take APD zip, auto-fix VehicleDriver, emit Cloud API config, run 10-step mock quote, webhook log. Output 201 mock, not live.

Feasibility: Feasibility MED as mock, LOW as real: Jinja+FastAPI mock offline yes. No tenant = mock 201 only. Camel Cloud-only. Must label MOCK.

Complexity: MED: 3-4 wks fixer+prover (~670 LOC). Fixer-only 1 wk. Cut Camel MVP.

Why judges like it: Judges 21 alone, 28 as 1+2+3+4. Green 201 beats gauge. Hits bonus path (Autopilot/Jutro/Rating). Finisher not checker.

Unreasonably hard assassin: CONDITIONAL KEEP fixer-only + labeled mock. KILL live 201 + Camel claim. 201 fake without tenant, Camel needs GWCP. Narrow to APD-Fix Vehicle Repair.

Fix to ship: Fix v2: template_gen_config.pa.yaml + VehicleDriverExtResource.java.patch (finishCreate PALine-link) + quote-10step-mock.json (_mock:true) + webhook-mock.log. UI banner MOCK-OFFLINE. No Camel.

4. Clickable Quote — Visualize without server

Simple: Turn APD JSON into Streamlit wizard Vehicle-Driver-Coverage-Questions-Summary. BAs click before Generate.

Feasibility: Feasibility HIGH demo / LOW faithful: JSON to wizard easy. Availability/FEEL/*PD/ rating hard, no public schema. Must be form viewer, not quote.

Complexity: LOW-MED: 2 wks wizard + availability + composite export. No PC needed.

Why judges like it: Judges 14-21/30 Streamlit only. Votable yes, winnable no without live Jutro (+25 bonus forfeited). Very demoable 90-sec click.

Unreasonably hard assassin: KEEP as Tab4 Preview, KILL standalone. Fake UI not Jutro, no rating = form not quote. Add 1 Jutro stub + availability tests. Jutro Studio EA sherlocks mock.

Fix to ship: Fix: 5 steps + Required/Suggested + jurisdiction gate + composite.json (vars account/job/vehicle/driver). Test: Required blocks, Electable warns, wrong state hides. 1 Jutro Summary stub.

5. LineageGuard — APD rename breaks downstream

Simple: Show APD rename breaks IDM column, Explore Liveboard, Predict feature. Graph + PSI + repair SQL.

Feasibility: Feasibility MED mock / LOW faithful: NetworkX+DuckDB+Evidently offline yes. Synthetic maps fake, needs tenant IDM, no history = no drift.

Complexity: MED: 3 wks (diff+map+graph+drift+MCP). Too complex for 6 wks as full. Narrow to 1-day table.

Why judges like it: Judges 15/30 loses overall, wins Data track (only Data idea, empty lane). Red graph loses to green 201. Combo 1+5 only.

Unreasonably hard assassin: KILL full graph/PSI/SQL. KEEP 1-row flag: Renamed -> likely IDM impact HIGH/MED/LOW -> check manually. Qusar Canvas GA kills viz, Curation EA not guard.

Fix to ship: Fix: static lookup (20 hardcoded mappings from public docs) inside APD-Check. No NetworkX, no Evidently. Label heuristic, verify in tenant.

6. State Expander — TX/OR/WA only (never 50)

Simple: GO Base to 3-state editions + availability + tests. PIP/MedPay/UM-UIM, limits, cancel notice.

Feasibility: Feasibility HIGH 3-state / LOW 50-state: hardcode TX/OR/WA from TDI/WAC/DFR offline. 50 states = suicide + stale + gated GO.

Complexity: LOW-MED: 2 wks (matrix + generator + common-properties + tests). 50-state = unmaintainable.

Why judges like it: Judges 15/30 table (boring, no wow, no bonus). Real pain (edition sprawl Olos just fixed) but spreadsheet demo sleeps.

Unreasonably hard assassin: KILL 50-state. KEEP 3-state tab TX/OR/WA (contrast mandatory/offer/reject). Legal risk if wrong: test helper not legal advice, cite DOI+date.

Fix to ship: Fix v2: state_matrix.csv + editions/TX/OR/WA.json + common Common-PA-Core + availability.json + matrix_generator + test_editions. Demo FL FAIL 422 -> fix -> 201 mock. CA hides PIP.

7. Gosu Cloud-Blockers — 5 checks + SARIF

Simple: Regex Gosu for direct SQL, servlets, secrets, deprecated APIs, plugin messaging. Suggest CDA/Gateway/Secrets/refactor/App Events.

Feasibility: Feasibility HIGH Lite / LOW Secure: rg+Python for 5 structural checks yes. Regex FP high, needs corpus, loses to Sonar/Qusar. Only 1/18 IS-SEC-1289.

Complexity: LOW-MED: 2 wks packs + mapper + SARIF + Action. No AST.

Why judges like it: Judges 21-23/30 finalist never winner. No security winner ever. Best hire-boost (SI billable, feeds NEEDS WORK). Red-to-green gate demo.

Unreasonably hard assassin: KILL generic Secure. KEEP 5 cloud-blockers only (IS-TLS-1238, IS-INT-1268, SEC00-G, IS-TLS-1022/1191, IS-INT-1335). Call Risk Signals not Secure. Sonar+Qusar sherlock generic.

Fix to ship: Fix: GWCP-SQL-001 etc + Drop/Convert + SARIF 2.1.0 + Action (upload-sarif, fail if error). Synthetic .gs corpus + precision harness. Comment/string-aware, allowlist.

8. GUnit Smell Detector — report-only

Simple: Flag DB-coupled GUnit patterns in synthetic .gs. Output table + SARIF CSV to CAA. No runtime, no timer, no gate.

Feasibility: Feasibility HIGH detector / LOW rescue: rg 15 smells offline yes. 15min->40s fake, needs runServer+TeamCity, mocking banned, Karate != fix.

Complexity: MED: 3-4 wks full (killed). Detector-only 1 wk. Must not claim speedup or block.

Why judges like it: Judges 18/30 infra never podiums. Timer doesn't vote. SI tool not insurer product. Zero bonus. Park as sidecar.

Unreasonably hard assassin: KILL Rescue+Gate. KEEP detector-only (15 regex, no exec, CSV to backlog). Timer theater + fake gate = disqualify. Label DETECTOR-ONLY SYNTHETIC MOCK-GATE.

Fix to ship: Fix v2: gunit-smells.yaml (GS01-15) + detect.py stdlib + findings.csv+sarif. Clean 0 FP, Smelly all fire. Feeds CAA questionnaire/CUE, never blocks.

9. PCF-Jutro Lookup — 5 widgets only

Simple: Parse 1 PCF tab to Jutro map + Cloud API hint + S/M/L + 1 NO-MAP. No TS emit.

Feasibility: Feasibility HIGH assessor / LOW converter: lxml parse yes. Full convert needs TS/React/tenant, parity hard, Guidewire assistants ship it.

Complexity: MED 3 wks full (killed). Lookup tab 1 day (~150 LOC).

Why judges like it: Judges 14/30 misses Top-10. Offline parse only, zero Cloud/Jutro live, 0 bonus. Winners ship live Jutro.

Unreasonably hard assassin: KILL transpiler. KEEP 1 lookup tab map.json only (TS-CUT). TextInput->TextField visual-only, lookup->Dropdown never TextField. Jutro Studio EA + Assistants GA sherlock.

Fix to ship: Fix: PALookupTab.sample.pcf (5 MAP +1 NO-MAP FleetHeatmap micro-frontend) + pcf_to_map.py (lxml) + pcf_map.json. S<4h M1-3d L1-2wk. Demo search DROPDOWN live.

10. Crash-to-Draft — FNOL pre-fill (never PAID)

Simple: Shake accel CSV + bumper photo -> DRAFT FNOL.json + coverage check + APD fragment. Propose $750, pay $0.

Feasibility: Feasibility HIGH demo / LOW payable: pandas+opencv+Pillow offline yes. Photo scorer fake, accel naive, no ClaimCenter, regulatory hole. Must be DRAFT.

Complexity: LOW-MED: 2-3 wks (threshold+heuristic+rules+3 exports+mobile UI). Payable = impossible offline.

Why judges like it: Judges 21/30 shake-alone misses finalist. Creativity 5/5 but Tech 2/5 (zero GW). Wow 30s, dead in Q&A.; Needs FNOL 201 + Jutro + Autopilot to reach 26-27.

Unreasonably hard assassin: KEEP as wow tab, KILL standalone + KILL instant payout. Photo fraud + $750 loss-ratio bomb + bad-faith ($0 payable if $1000 deductible). Reframe Crash-to-Cash -> Crash-to-Draft.

Fix to ship: Fix v2: accel peak>=3g + sustained 100ms, photo blur/dark/edge gates, coverage (Collision $1000 -> COVERED-PENDING, else NO-COVERAGE, SBT BLOCK), 5 fraud flags, FNOL.json _status:DRAFT payment:0 + audit why-not-PAID. Banner PROTOTYPE NOT QUOTE.

Demo order that podiums (5:00 + 90-sec cut)

0:00 Hook wall (18-mo, 70% SI, 6-8wks/LOB, no pre-check). 0:20 Tab0 SBT red BLOCKED -> green PASS. 0:50 Score 72/100 + 3 blockers (VehicleDriver fix). 1:40 GO diff 12 customs/4 droppable + patch.zip + SARIF block. 2:30 LaunchPad mock 201 + webhook log. 3:10 Clickable wizard + State 3-state + Secure Lite NEEDS WORK flip. 3:50 Crash-to-Draft DRAFT $0 (never PAID) + confetti only on DRAFT. 4:30 Close offline open-core feeds CAA + vote. 90-sec: STOP 10s -> gauge 15s -> diff 15s -> 201 20s -> DRAFT 15s -> vote 15s. Preload, zoom 125%, offline backup video, airplane-mode rehearsed.

Legal + hiring guardrails (paste into README/UI)

BYO Template (never bundle GO). Unofficial pre-check, not CAA pass, not filing advice. Verify in Studio + backup zip before Update-from-template (cannot be undone). DRAFT only, $0 paid, human adjuster required. Full IS-xxx login-gated cite IDs only. Keywords: Gosu | PolicyCenter Cloud | Product Model+APD+GO | Cloud API+Gateway+App Events | Jutro/React+TS | GUnit+BYOT+CI/CD | Personal Auto. Cert: Associate -> Ace Config/Integration/Jutro + APD Credential via employer coordinator.

References (verified Oct 2026)

APD: https://www.guidewire.com/developers/developer-tools-and-guides/advanced-product-designer | Conversion 6-8wks: https://www.guidewire.com/resources/blog/developers/accelerate-your-cloud-transformation---convert-existing-policycenter-products-to-apd | Olos: https://docs.guidewire.com/cloud/olos/whatsnew/topics/gwcp-release_highlights.html | PA endpoints+finishCreate: https://docs.guidewire.com/cloud/pc/202411/cloudapica/cloudAPI/topics/508-LOBEndpoints/02-generating-endpoints-for-PA/c_generating-endpoints-for-the-Personal-Auto-product.html | IS-SEC-1289: https://docs.guidewire.com/security/gosu-secure-coding-guidelines | CAA: https://docs.guidewire.com/cloud/gcc-guide/insurer-developer/latest/automated-cloud-assurance | DEVHack 2024: https://www.guidewire.com/resources/blog/developers/guidewire-devhack-2024 | GO USA Auto (login-gated): https://marketplace.guidewire.com/product/usa-personal-auto-product-model/01t3n00000GfcrKAAR | Full URLs in APD-Check-Proposal.md + README.md. Login-gated cloud/standards/* verified /gw-login redirect.

FINAL v2 — after 160 agents. Build 1+2+3+4, wow with 10 DRAFT, hire with 7+8. Never solo linter or solo wow, never PAID, never 50-state, never live-tenant claim.