



# **Manage backups**

## **SnapCenter Software**

Archana, Soumik Das  
June 09, 2021

This PDF was generated from [https://docs.netapp.com/us-en/snapcenter/admin/concept\\_manage\\_backups.html](https://docs.netapp.com/us-en/snapcenter/admin/concept_manage_backups.html) on June 18, 2021. Always check docs.netapp.com for the latest.

# Table of Contents

- Manage backups ..... 1
  - Rename backups ..... 1
  - Delete backups ..... 1

# Manage backups

You can rename and delete backups. You can also delete multiple backups simultaneously.

## Rename backups

You can rename backups if you want to provide a better name to improve searchability.

### Steps


1. In the left navigation pane, click **Resources**, and then select the appropriate plug-in from the list.
2. In the Resources page either select the resource or resource group from the **View** drop-down list.
3. Select the resource or resource group from the list.

The resource or resource group topology page is displayed. If the resource or resource group is not configured for data protection, the Protect wizard is displayed instead of the topology page.

4. From the Manage Copies view, select **Backups** from the primary storage systems.

You cannot rename the backups that are on the secondary storage system.

If you have cataloged the backups of Oracle databases using Oracle Recovery Manager (RMAN), you cannot rename those cataloged backups.

5. Select the backup, and then click .
6. In the **Rename backup as** field, enter a new name and click **OK**.

## Delete backups

You can delete backups if you no longer require the backup for other data protection operations.

### What you will need

You must have deleted the associated clones before deleting a backup.



If a backup is associated with a cloned resource, you cannot delete the backup.

### Steps

1. In the left navigation pane, click **Resources**, and then select the appropriate plug-in from the list.
2. In the Resources page either select the resource or resource group from the **View** drop-down list.
3. Select the resource or resource group from the list.

The resource or resource group topology page is displayed.

4. From the Manage Copies view, select **Backups** from the primary storage systems.

You cannot delete the backups that are on the secondary storage system.

5. Select the backup, and then click .

If you are deleting a SAP HANA database backup, the associated SAP HANA catalogs of the backup are also deleted.



If the last remaining backup is deleted, the associated HANA catalog entries cannot be deleted.

6. Click **OK**.



If you have some stale database backups in SnapCenter which do not have corresponding backups on the storage system, you must use `remove-smbbackup` command to clean up these stale backup entries. If the stale backups were cataloged, they will be uncataloged from the recovery catalog database.

## Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system- without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

## Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.