

**PROPOSAL FOR SUPPLY & INSTALLATION OF LV & PFIPs at
BYD Plant**

Commercial Proposal

**A i M
E n g i n e e r i n g**
info@aimengineering.com.pk
hello@0333-3293273




Sound Quality . Sound Engineering

Specialized Manufacture of:

- MCC, LV & PFI Panels
- Mechanical Fabrication, Piping & Structure
- Civil Construction, Sheds Design & Fabrication
- Power Solution & Generator Maintenance
- Elevator Maintenance Services
- Renewable Energy (SOLAR)

www.aimengineering.com.pk



Client	: Mega Motor Company Pvt Ltd
Client Contact Person	: CFO
Client Contact/Ref.	: Email
Aim Ref. No.	: EL-Sup-0084-3-26-rev-0
Date	: 27/march/2026
Project Site	: BYD Plant
Subject	: Proposal for Supply & Installation of LV Distribution Panels

PART A

TECHNO COMMERCIAL PROPOSAL

Supply & Installation

of the

LV Distribution Panels

Submitted

To

MEGA MOTOR COMPANY Pvt. Ltd

B4D

**MEGA
MOTOR
CO**

SUMMARY

S#	Description	Qty	Unit	Unit Supply Rate	Total Supply Rate	Installation Unit Rate	Tot. Installation Rates	Grand Total
1.1.1	1T1-1AN1	1	No.	8499098	8499098	849910	849910	9349007
1.1.2	1T1-1AN2	1	No.	3559028	3559028	355903	355903	3914930
1.1.3	1T1-1AN3	1	No.	3898278	3898278	389828	389828	4288105
1.1.4	1T1-1AN4	1	No.	3559028	3559028	355903	355903	3914930
1.1.5	1T3-3AN1	1	No.	5987173	5987173	598717	598717	6585890
1.1.6	1T3-3AN2	1	No.	4665278	4665278	466528	466528	5131805
1.1.7	1T3-3AN3	1	No.	4511583	4511583	451158	451158	4962741
1.1.8	1T3-3AN4	1	No.	3559028	3559028	355903	355903	3914930
1.1.9	1T3-3AN5	1	No.	3116528	3116528	311653	311653	3428180
1.1.10	1T3-3ALL1	1	No.	5960623	5960623	596062	596062	6556685
1.1.11	1T4-4AN1	1	No.	5149373	5149373	514937	514937	5664310
1.1.12	1T4-4AN2	1	No.	4539903	4539903	453990	453990	4993893
1.1.13	1T4-4AN3	1	No.	3116528	3116528	311653	311653	3428180
1.1.14	1T4-4AN4	1	No.	3955065	3955065	395507	395507	4350572
1.1.15	1T4-4ALL1	1	No.	5149373	5149373	514937	514937	5664310
1.1.16	3T1-1AN1	1	No.	9674673	9674673	967467	967467	10642140
1.1.17	3T1-1AN2	1	No.	4409218	4409218	440922	440922	4850139
1.1.18	3T1-1AN3	1	No.	8042585	8042585	804259	804259	8846844
1.1.19	3T1-1AN4	1	No.	4901425	4901425	490143	490143	5391568
1.1.20	3T1-1AN5	1	No.	5370623	5370623	537062	537062	5907685
1.1.21	3T2-2AN1	1	No.	6215798	6215798	621580	621580	6837377
1.1.22	3T2-2AN2	1	No.	4555833	4555833	455583	455583	5011416
1.1.23	3T2-2AN3	1	No.	4554653	4554653	455465	455465	5010118
1.1.24	3T2-2AN4	1	No.	3882348	3882348	388235	388235	4270582
2.1.1	1T1-1ACC1 & 1T1-1ACC2 (405 KVAR)	2	No.	4087815	8175630	408782	817563	8993193
2.1.2	1T3-3ACC1 & 1T3-3ACC2 (315 KVAR)	2	No.	2799993	5599985	279999	559999	6159984
2.1.3	1T4-4ACC1 (405 KVAR)	1	No.	4087815	4087815	408782	408782	4496597
2.1.4	3T1-1ACC1, 3T1-1ACC2, 3T1-ACC3 (315 KVAR)	3	No.	2799993	8399979	279999	839998	9239977
2.1.5	3T2-2ACC1 (180 KVAR)	1		2086388	2086388	208639	208639	2295027
Total Amount					1,49,182,830.00		14,918,283.00	1,64,101,113.00

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T1-1AN1					
01	ACB-TP	NOS	1	4000A/100KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	4	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	6	4000/5A	FICO
06	SPD-FP	NOS	1	65KA	SCHNEIDER/Chint/Equvt
07	HRC FUSE+BASE	NOS	3	100A	ETI/Equvt.
08	MCB-DP	NOS	1	16A/10KA	SCHNEIDER/Chint/Equvt
09	MCB-DP	NOS	2	20A/10KA	SCHNEIDER/Chint/Equvt
12	PANEL	NOS	01	-	AIM ENGINEERING
	Total	NOS			7202625
	GST (18%)	NOS			1296472.5
	Grand Total	Rs.			8499097.5

Technical DATA		
	Panel size 2200 x 1000 x 1000 mm	
	Cu 100x10mm,03 per phase	
	System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz	
	Rated operational voltage 415 V AC	
	Rated insulation voltage 690V	
	Protection class IP-42	

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T1-1AN2					
01	MCCB/ACB-TP	NOS	1	1250A/100KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER//Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	1600/5A	FICO
06	PANEL	NOS	01	-	AIM ENGINEERING
Total					3016125
GST (18%)			%		54902.5
Grand Total			Rs.		3559027.5

Technical DATA	
Panel size	2200 x1000 x 1000 mm
Cu	10x10mm, 01/phs
System Rating	415/ 240 V, 3Phase, 4 Wire,50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-42

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T1-1AN3					
01	MCCB/ACB-TP	NOS	1	1600A/100KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	1600/5A	FICO
06	PANEL	NOS	01	-	AIM ENGINEERING
Panel Total			Rs.		3303625
GST (18%)			%		594652.5
Grand Total			Rs.		3898277.5

Technical DATA	
Panel size	2200x1000x1000 mm
Cu	60x10mm, 02/phs
System Rating	415/ 240 V, 3Phase, 4 Wire,50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-42

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T1-1AN4					
01	MCCB/ACB-TP	NOS	1	1250A/100KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	1600/5A	FICO
06	PANEL	NOS	01	-	AIM ENGINEERING
Total					3016125
GST (18%)			%		542902.5
Grand Total			Rs.		3559027.5

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T3-3AN1					
01	ACB-TP	NOS	1	3200A/100KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	4	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	6	4000/5A	Fico
06	SPD-FP	NOS	1	65KA	SCHNEIDER/Chint/Equvt
07	HRC FUSE+BASE	NOS	3	100A	SCHNEIDER/Chint/Equvt
08	MCB-DP	NOS	1	16A/10KA	SCHNEIDER/Chint/Equvt
09	MCB-DP	NOS	2	20A/10KA	SCHNEIDER/Chint/Equvt
10	PANEL	NOS	01	-	AIM ENGINEERING
Panel Total			Rs.		5073875
GST (18%)			%		913297.5
Grand Total			Rs.		5987172.5

Technical DATA		
Panel size 2200 x1000 x1000 mm Floor standing		
1AN4 Cu 100x10mm, 01/phs & 3AN1 Cu 100x10mm, 03/phs		
System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz		
Rated operational voltage 415 V AC		
Rated insulation voltage 690V		
Protection class IP-42		

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T3-3AN2					
01	MCCB-TP	NOS	2	125A/70KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	6	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	2	-	SCHNEIDER/Tense/Imported
05	CT	NOS	6	100/5A	FICO
06	MCCB-TP	NOS	3	250A/70KA	SCHNEIDER/Chint/Equvt
07	INDICATION	NOS	9	-	SCHNEIDER/Chint/Equvt
08	CONTROL CB	NOS	9	2A/10KA	SCHNEIDER/Chint/Equvt
09	ENERGY ANALYZER	NOS	3	-	SCHNEIDER/Tense/Imported
10	CT	NOS	9	200/5A	FICO
11	MCCB-TP	NOS	1	400A/70KA	SCHNEIDER/Chint/Equvt
12	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
13	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
14	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
15	CT	NOS	3	400/5A	FICO
16	MCCB-TP	NOS	1	630A/70KA	SCHNEIDER/Chint/Equvt
17	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
18	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
19	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
20	CT	NOS	3	600/5A	FICO
21	PANEL	NOS	01	-	AIM ENGINEERING
Total					3953625
GST (18%)			%		711652.5
Grand Total			Rs.		4665277.5

Technical DATA		
Panel size 2200 x1000 x1000 mm Floor standing		
Cu 100x10mm, 03/phs		
System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz		
Rated operational voltage 415 V AC		
Rated insulation voltage 690V		
Protection class IP-42		

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T3-3AN3					
01	MCCB-TP	NOS	1	125A/50KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	100/5A	FICO
06	MCCB-TP	NOS	2	250A/70KA	SCHNEIDER/Chint/Equvt
07	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
08	CONTROL CB	NOS	6	2A/10KA	SCHNEIDER/Chint/Equvt
09	ENERGY ANALYZER	NOS	2	-	SCHNEIDER/Tense/Imported
10	CT	NOS	6	200/5A	FICO
11	MCCB-TP	NOS	1	400A/50KA	SCHNEIDER/Chint/Equvt
12	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
13	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
14	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
15	CT	NOS	3	400/5A	FICO
16	MCCB-TP	NOS	2	630A/50KA	SCHNEIDER/Chint/Equvt
17	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
18	CONTROL CB	NOS	6	2A/10KA	SCHNEIDER/Chint/Equvt
19	ENERGY ANALYZER	NOS	2	-	SCHNEIDER/Tense/Imported
20	CT	NOS	6	600/5A	FICO
21	PANEL	NOS	01	-	AIM ENGINEERING
	After Discount				3823375
	GST (18%)		%		688207.5
	Grand Total		Rs.		4511582.5

Technical DATA	
Panel size	2200 x1000 x1000 mm Floor standing
Cu	100x10mm, 03/phs
System Rating	415/ 240 V, 3Phase, 4 Wire,50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-42

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T3-3AN4					
01	MCCB-TP	NOS	1	1250A/50KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	1600/5A	FICO
11	PANEL	NOS	01	-	AIM ENGINEERING
Total					3016125
GST (18%)			%		542902.5
Grand Total			Rs.		3559027.5

Technical DATA	
Panel size 2200 x1000 x 1000 mm Floor standing	
Cu 100x10, 01/ phs	
System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz	
Rated operational voltage 415 V AC	
Rated insulation voltage 690V	
Protection class IP-54	

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T3-3AN5					
01	MCCB-TP	NOS	1	800A/50KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	1600/5A	FICO
11	PANEL	NOS	01	-	AIM ENGINEERING
Total					2641125
GST (18%)			%		475402.5
Grand Total			Rs.		3116527.5

Technical DATA	
Panel size 2200 x1000 x 1000 mm Floor standing	
Cu 100x10, 01/ phs	
System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz	
Rated operational voltage 415 V AC	
Rated insulation voltage 690V	
Protection class IP-54	

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T3-3ALL 1 PANEL					
01	ACB-TP	NOS	1	3200A/100KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	4	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	6	4000/5A	FICO
06	SPD-FP	NOS	1	65KA	SCHNEIDER/Chint/Equvt
07	HRC FUSE+BASE	NOS	3	100A	-
08	PANEL	NOS	01	-	AIM ENGINEERING
Panel Total			Rs.		5051375
GST (18%)			%		909247.5
Grand Total			Rs.		5960622.5

Technical DATA		
Panel size 2200 x1000 x 1000 mm Floor standing		
Cu 100x10, 03/ phs		
System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz		
Rated operational voltage 415 V AC		
Rated insulation voltage 690V		
Protection class IP-54		

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T4-4AN2					
01	MCCB-TP	NOS	3	125A/70KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	9	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	9	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	3	-	SCHNEIDER/Tense/Imported
05	CT	NOS	9	100/5A	FICO
06	MCCB-TP	NOS	2	250A/70KA	SCHNEIDER/Chint/Equvt
07	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
08	CONTROL CB	NOS	6	2A/10KA	SCHNEIDER/Chint/Equvt
09	ENERGY ANALYZER	NOS	2	-	SCHNEIDER/Tense/Imported
10	CT	NOS	6	200/5A	FICO
11	MCCB-TP	NOS	1	400A/70KA	SCHNEIDER/Chint/Equvt
12	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
13	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
14	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
15	CT	NOS	3	400/5A	FICO
16	MCCB-TP	NOS	1	630A/70KA	SCHNEIDER/Chint/Equvt
17	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
18	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
19	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
20	CT	NOS	3	600/5A	FICO
21	PANEL	NOS	01	-	AIM ENGINEERING
	Panel Total		Rs.		3847375
	GST (18%)		%		692527.5
	Grand Total		Rs.		4539902.5

Technical DATA	
Panel size	2200 x 1000 x 1000 mm Floor standing
Cu	100x10, 02/ phs
System Rating	415/ 240 V, 3Phase, 4 Wire, 50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-54

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
3T1-1AN2					
01	MCCB-TP	NOS	1	125A/70KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	100/5A	FICO
06	MCCB-TP	NOS	2	250A/70KA	SCHNEIDER/Chint/Equvt
07	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
08	CONTROL CB	NOS	6	2A/10KA	SCHNEIDER/Chint/Equvt
09	ENERGY ANALYZER	NOS	2	-	SCHNEIDER//Tense/Imported
10	CT	NOS	6	200/5A	FICO
11	MCCB-TP	NOS	1	400A/70KA	SCHNEIDER/Chint/Equvt
12	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
13	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
14	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
15	CT	NOS	3	400/5A	FICO
16	MCCB-TP	NOS	1	630A/70KA	SCHNEIDER/Chint/Equvt
17	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
18	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
19	ENERGY ANALYZER	NOS	1	-	SCHNEIDER//Tense/Imported
20	CT	NOS	3	600/5A	FICO
21	PANEL	NOS	01	-	AIM ENGINEERING
Total					3736625
GST (18%)			%		672592.5
Grand Total			Rs.		4409217.5

Technical DATA	
Panel size	2200 x 1000 x 1000 mm
Cu	100x10mm,04 per phase
System Rating	415/ 240 V, 3Phase, 4 Wire,50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-42

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
3T1-1AN3					
01	MCCB-TP	NOS	5	125A/70KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	15	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	15	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	5	-	SCHNEIDER/Tense/Imported
05	CT	NOS	15	100/5A	FICO
06	MCCB-TP	NOS	1	250A/70KA	SCHNEIDER/Chint/Equvt
07	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
08	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
09	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
10	CT	NOS	3	200/5A	FICO
11	MCCB-TP	NOS	1	400A/70KA	SCHNEIDER/Chint/Equvt
12	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
13	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
14	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
15	CT	NOS	3	400/5A	FICO
16	MCCB-TP	NOS	2	630A/70KA	SCHNEIDER/Chint/Equvt
17	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
18	CONTROL CB	NOS	6	2A/10KA	SCHNEIDER/Chint/Equvt
19	ENERGY ANALYZER	NOS	2	-	SCHNEIDER/Tense/Imported
20	CT	NOS	6	600/5A	FICO
21	MCCB-TP	NOS	2	800A/70KA	SCHNEIDER/Chint/Equvt
22	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
23	CONTROL CB	NOS	6	2A/10KA	SCHNEIDER/Chint/Equvt
24	ENERGY ANALYZER	NOS	2	-	SCHNEIDER/Tense/Imported
25	CT	NOS	6	800/5A	FICO
26	PANEL	NOS	01	-	AIM ENGINEERING
Total					6815750
GST (18%)			%		1226835
Grand Total			Rs.		8042585

Technical DATA	
Panel size	2200 x 1000 x 1000 mm
Cu	100x10mm,04 per phase
System Rating	415/ 240 V, 3Phase, 4 Wire,50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-42

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
3T1-1AN4					
01	MCCB-TP	NOS	1	125A/70KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	100/5A	FICO
06	MCCB-TP	NOS	1	250A/70KA	SCHNEIDER/Chint/Equvt
07	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
08	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
09	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
10	CT	NOS	3	200/5A	FICO
11	MCCB-TP	NOS	1	400A/70KA	SCHNEIDER/Chint/Equvt
12	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
13	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
14	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
15	CT	NOS	3	400/5A	FICO
16	MCCB-TP	NOS	1	630A/70KA	SCHNEIDER/Chint/Equvt
17	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
18	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
19	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
20	CT	NOS	3	600/5A	FICO
21	MCCB-TP	NOS	1	800A/70KA	SCHNEIDER/Chint/Equvt
22	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
23	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
24	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
25	CT	NOS	3	800/5A	FICO
26	PANEL	NOS	01	-	AIM ENGINEERING
Total					4153750
GST (18%)			%		747675
Grand Total			Rs.		4901425

Technical DATA	
Panel size	2200 x 1000 x 1000 mm
Cu	100x10mm,04 per phase
System Rating	415/ 240 V, 3Phase, 4 Wire,50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-42

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
3T1-1AN5					
01	MCCB-TP	NOS	1	2500A/65KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	4	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	6	2500/5A	FICO
06	SPD-FP	NOS	1	65KA	SCHNEIDER/Chint/Equvt
07	HRC FUSE+BASE	NOS	3	100A	ETI
08	PANEL	NOS	01	-	AIM ENGINEERING
	Panel Total		Rs.		4551375
	GST (18%)		%		819247.5
	Grand Total		Rs.		5370622.5

Technical DATA	
Panel size	2200 x 1000 x 1000 mm
Cu	100x10mm,03 per phase
System Rating	415/ 240 V, 3Phase, 4 Wire,50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-42

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
3T2-2AN1					
01	ACB-TP	NOS	1	3200A/100KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	4	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER//Tense/Imported
05	CT	NOS	6	4000/5A	FICO
06	SPD-FP	NOS	1	65KA	SCHNEIDER/Chint/Equvt
07	HRC FUSE+BASE	NOS	3	100A	ETI
08	MCB-DP	NOS	1	16A/10KA	SCHNEIDER/Chint/Equvt
09	MCB-DP	NOS	2	20A/10KA	SCHNEIDER/Chint/Equvt
10	PANEL	NOS	01	-	AIM ENGINEERING
		Total			5267625
		GST (18%)	%		948172.5
		Grand Total	Rs.		6215797.5

Technical DATA		
Panel size 2200 x 1000 x 1000 mm		
Cu 100x10mm,02 per phase		
System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz		
Rated operational voltage 415 V AC		
Rated insulation voltage 690V		
Protection class IP-42		

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
3T2-2AN2					
01	MCCB-TP	NOS	1	1600A/70KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	4	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	1600/5A	FICO
06	MCCB TP	NOS	1	125A/36K	SCHNEIDER/Chint/Equvt
07	INDICATION	NOS	3	-	ETI
08	CONTROL CB	NOS	3	2A/10K	SCHNEIDER/Chint/Equvt
09	ENERG ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
10	CT	NOS	3	100/5	
11	PANEL	NOS	01	-	AIM ENGINEERING
		Total			3860875
		GST (18%)			694957.5
		Grand Total			4555832.5

Technical DATA	
Panel size	2200 x 1000 x 1000 mm
Cu	100x10mm,02 per phase
System Rating	415/ 240 V, 3Phase, 4 Wire,50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-42

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
3T2-2AN3					
01	MCCB-TP	NOS	1	125A/25KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	100/5A	FICO
06	MCCB-TP	NOS	4	250A/25KA	SCHNEIDER/Chint/Equvt
07	INDICATION	NOS	12	-	SCHNEIDER/Chint/Equvt
08	CONTROL CB	NOS	12	2A/10KA	SCHNEIDER/Chint/Equvt
09	ENERGY ANALYZER	NOS	4	-	SCHNEIDER/Tense/Imported
10	CT	NOS	12	200/5A	FICO
11	MCCB-TP	NOS	1	400A/50KA	SCHNEIDER/Chint/Equvt
12	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
13	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
14	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
15	CT	NOS	3	400/5A	FICO
16	MCCB-TP	NOS	1	630A/50KA	SCHNEIDER/Chint/Equvt
17	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
18	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
19	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
20	CT	NOS	3	600/5A	FICO
21	PANEL	NOS	01	-	AIM ENGINEERING
Total					3859875
GST (18%)			%		694777.5
Grand Total			Rs.		4554652.5

Technical DATA	
Panel size	2200 x 1000 x 1000 mm
Cu	100x10mm, 02 per phase
System Rating	415/ 240 V, 3Phase, 4 Wire, 50Hz
Rated operational voltage	415 V AC
Rated insulation voltage	690V
Protection class	IP-42

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
3T2-2AN4					
01	MCCB-TP	NOS	1	125A/36KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	100/5A	FICO
06	MCCB-TP	NOS	2	400A/36KA	SCHNEIDER/Chint/Equvt
07	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
08	CONTROL CB	NOS	6	2A/10KA	SCHNEIDER/Chint/Equvt
09	ENERGY ANALYZER	NOS	2	-	SCHNEIDER/Tense/Imported
10	CT	NOS	6	400/5A	FICO
11	MCCB-TP	NOS	2	630A/36KA	SCHNEIDER/Chint/Equvt
12	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
13	CONTROL CB	NOS	6	2A/10KA	SCHNEIDER/Chint/Equvt
14	ENERGY ANALYZER	NOS	2	-	SCHNEIDER/Tense/Imported
15	CT		6	600/5A	FICO
12	PANEL	NOS	01	-	AIM ENGINEERING
	Panel Total		Rs.		3290125
	GST (18%)		%		592222.5
	Grand Total		Rs.		3882347.5

Technical DATA		
	Panel size 2200 x 1000 x 1000 mm	
	Cu 100x10mm,02 per phase	
	System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz	
	Rated operational voltage 415 V AC	
	Rated insulation voltage 690V	
	Protection class IP-42	

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T4-ACC1 405 KVAR (QTY-1)					
01	MCCB-TP	NOS	1	800A/50KA	SCHNEIDER/Chint/Equvt
02	PFI CONTROL RELAY	NOS	1	-	TENSE/ENTES/EQUVT
03	CAPACITOR	NOS	1	5KVAR	KONDAS/NiN/Equvt
04	MEG. CONECTOR	NOS	1	12A	SCHNEIDER/Chint/Equvt
05	CAPACITOR	NOS	2	12.5KVAR	KONDAS/NiN/Equvt
06	MEG. CONECTOR	NOS	2	32A	SCHNEIDER/Chint/Equvt
07	CAPACITOR	NOS	1	25KVAR	KONDAS/NiN/Equvt
08	MEG. CONECTOR	NOS	1	50A	SCHNEIDER/Chint/Equvt
09	CAPACITOR	NOS	7	50KVAR	KONDAS/NiN/Equvt
10	MEG. CONECTOR	NOS	7	95A	SCHNEIDER/Chint/Equvt
11	HRC FUSE WITB BASE	NOS	33	32-100A	ETI/Chint/Equvt
12	PUSH BUTTON ON/OFF	NOS	22		SCHNEIDER/Chint/Equvt
13	M-O-A	NOS	11		SCHNEIDER/Chint/Equvt
14	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
15	CT		1	800/5A	FICO
16	PANEL	NOS	01	-	AIM ENGINEERING
	Panel Total		02	Rs.	3464250
	GST (18%)			%	623565
	Grand Total			Rs.	4087815

Technical DATA		
Panel size	2200 x 1000 x 1000 mm	
Cu	40x10mm,01 per phase	
System Rating	415/ 240 V, 3Phase, 4 Wire,50Hz	
Rated operational voltage	415 V AC	
Rated insulation voltage	690V	
Protection class	IP-42	

Terms & Conditions:

1. 50% advance against of P.O.
2. 30 % Over the delivery of 10 units.
3. 10 % before the delivery of reaming units after FAT.
4. 05 % during the installation.
5. 05% at the completion of job before handover the documents.
6. Rates are subjected to Dollar Variation. (Dollar Exchange Rate – 281/pkr)
7. Validity of rates: 15 working days. (rates will be fluctuating due to the current war situation)
8. Aim Engineering Test reports & required documents will be submitted only.
9. Delivery time 120 working days' subject to the payment schedules.
10. Brands are provided subject to the availability of equipment.
11. Product warranty 12 months. According to the manufacture guidelines.

Variation & Additional Works:

Quoted prices are for items mentioned in this proposal only. Any item or service required additional in the project will be installed after written approval from customer and will be billed accordingly. Any variation & additional works that are not in our scope will charge accordingly.

With Best Regards,
Engr. Syed Ahsan
AiM Engineering

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
1T4-4AN3					
01	MCCB-TP	NOS	1	800A/50KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	3	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	3	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	3	800/5A	FICO
06	PANEL	NOS	01	-	AIM ENGINEERING
Total					2641125
GST (18%)			%		475402.5
Grand Total			Rs.		3116527.5

Technical DATA	
Panel size 2200 x1000 x 1000 mm Floor standing	
Cu 100x10, 01/ phs	
System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz	
Rated operational voltage 415 V AC	
Rated insulation voltage 690V	
Protection class IP-54	

S.NO.	DESCRIPTION	UNIT	QTY	RATING	MAKE
3T1-1AN1					
01	ACB-TP	NOS	1	4000A/100KA	SCHNEIDER/Chint/Equvt
02	INDICATION	NOS	6	-	SCHNEIDER/Chint/Equvt
03	CONTROL CB	NOS	4	2A/10KA	SCHNEIDER/Chint/Equvt
04	ENERGY ANALYZER	NOS	1	-	SCHNEIDER/Tense/Imported
05	CT	NOS	6	4000/5A	FICO
06	SPD-FP	NOS	1	65KA	SCHNEIDER/Chint/Equvt
07	HRC FUSE+BASE	NOS	3	100A	ETI/Chint/Equvt
08	MCB-DP	NOS	1	16A/10KA	SCHNEIDER/Chint/Equvt
09	MCB-DP	NOS	2	20A/10KA	SCHNEIDER/Chint/Equvt
10	PANEL	NOS	01	-	AIM ENGINEERING
		Total			8198875
		GST (18%)	%		1475797.5
		Grand Total	Rs.		9674672.5

Technical DATA		
Panel size 2200 x 1000 x 1000 mm		
Cu 100x10mm,04 per phase		
System Rating 415/ 240 V, 3Phase, 4 Wire,50Hz		
Rated operational voltage 415 V AC		
Rated insulation voltage 690V		
Protection class IP-42		