Skin Lesion Guide

Bulla
Circumscribed Collection Of Free Fluid > 1 Cm

Macule
Circular Flat Discoloration < 1 Cm
Brown, Blue, Red or Hypo Pigmented

Nodule
Circular, Elevated, Solid Lesion > 1cm

Patch
Circumscribed Flat Discoloration > 1cm

Papule
Superficial Solid Elevated, ≤0.5 Cm, Color Varies

Plaque
Superficial Elevated Solid Flat Topped Lesion > 1 Cm

Pustule
Vesicle Containing Pus (Inflammatory Cells)

Vesicle
Circular Collection Of Free Fluid, ≤ 1 Cm

Wheal
Edematous, Transitory Plaque, May Last Few Hours

Scale
Epidermal Thickening; Consists Of Flakes Or Plates of Compacted Desquamated Layers Of Stratum Corneum

Crust
Dried Serum Or Exudate On Skin

Fissure
Crack Or Split

Excoriation
Linear Erosion

Erosion
Loss Of Epidermis (Superficial); Part Or All Of The Epidermis Has Been Lost

Lichenification
Thickening of the epidermis seen with exaggeration of normal skin lines

Scar
Thickening; permanent fibrotic changes that occur on the skin following damage to the dermis

#DRM606 ©2006 Wound Care Education Institute – www.wcei.net

Mnemonic For Describing Skin Lesions: SPECL SCAB

(as in "special scab" or "speckle scab")

S - size

P - pattern (if more than one lesion)

E - elevation (flat, raised, sunken)

C- color

L - location

S - shape (oval, round, irregular)

C - consistency (hard, soft, fluid filled)

A - and

B - borders (regular or irregular)

Skin Disease	Texture	Image
Macule	Macule is a flat, divergent, tarnished 10 mm wide skin area. It does not consist of any skin thickness or texture.	
Patch	A skin area of more than 10 mm is usually called a patch. The patch is based on a flat, divergent, and tarnished form without melancholy.	
Papule	A skin area less than 10 mm wide and distinct and broader.	
Plaque	A skin area of more than 10 mm is in the form of a solid and flat top.	
Vesicle	It is in the form of a small fluid-filled blister and less than 10 mm skin lesion. In this disease, there is redness around these cysts; these blisters break, a crust over, and scabs and heal appear.	
Bulla	Bulla is naturally a giant fluid-filled vesicle with an area greater than 10 mm appearing on the human skin. If it is scraped, it can cause infection, especially for diabetic patients, and if it is left alone, it can heal up after some days. To avoid further infection, cover it with a protective bandage.	
Pustule	Pustules are less than 10 mm, generally in small shunts containing fluid or secretion, and can appear on any body part. They usually appear on the backside of the neck or the chin of the nose and in the form of big-sized white shunts or itchiness with redness around them.	
Nodule	A nodule is in the form of an atypical flesh, and its size is more than 10 mm. Nodules typically appear under the skin and do not contain any pus or fluid.	

PAPULE

NODULE

PUSTULE

ULCER

VESICLE

PLAQUE

MACULE

FISSURE