



Rolls-Royce

Ausfüllanweisung

T O O 2 2 1

Instructions for Completion

Ersatz für Ausgabe / Supersedure for issue: 2022-12

Ausfüllanweisung: Antrag für Teile und Stoffe gemäß RRTI00032

Instructions for Completion: Request for Consumable Materials according to RRTI00032

Fortsetzung Seite / Continued on page 2 bis / to 23

Ausgabe Issue	Bearbeiter Editor	Geprüft Approved
2024-08	Frier, H. (A&T ME-M)	

Die elektronische Fassung ist verbindlich, Papierkopien werden nicht aktualisiert.
Electronic master, printed copies will not be kept up to date.

Rolls-Royce Deutschland Ltd & Co KG

Eschenweg 11, Dahlewitz
15827 Blankenfelde-Mahlow
Germany

Inhalt / Contents

1	Anwendungsbereich und Zweck / <i>Scope and Purpose</i>	3
2	Geltungsbereich / <i>Scope</i>	3
3	Prozessbeteiligte / <i>Process Involved Functions</i>	3
4	Abkürzungen und Definitionen / <i>Abbreviations and Definitions</i>	3
5	Beschreibung / <i>Description</i>	5
5.1	Einleitung / <i>Introduction</i>	5
5.2	Beantragung eines neuen Produkts / <i>Request for a new product</i>	5
5.3	Ausfüllanweisung / <i>Instructions for Completion</i>	5
5.3.1	Allgemein / <i>General</i>	5
5.3.2	Antragsteller / <i>Applicant</i>	6
5.3.3	ChemScan	9
5.3.4	Umweltschutzbeauftragter / <i>Environmental Protection Officer</i>	9
5.3.5	Arbeits- & Gesundheitsschutz / <i>Occupational Health & Safety</i>	10
5.3.6	Fertigungslabor / <i>Manufacturing Laboratory</i>	11
5.3.7	Normstelle/ <i>Standardisation</i>	14
6	Hinweise und Bemerkungen / <i>Explanations and Notes</i>	16
6.1	Änderungsbeschreibung / <i>Description of Changes</i>	16
6.2	Bemerkungen / <i>Remarks</i>	16
6.3	Verteiler / <i>Distribution</i>	16
6.4	Sprache / <i>Language</i>	16
7	Anlagen / <i>Attachments</i>	16

1 Anwendungsbereich und Zweck / Scope and Purpose

Diese Ausfüllanweisung dient als Hilfestellung zum Ausfüllen und Anwenden des Formulars „Antrag für Teile und Stoffe“ (AfTS) (T00221).

These Instructions contain guidelines for the completion and application of form “Request for Consumable Materials” (AfTS) (T00221).

2 Geltungsbereich / Scope

Dieses Dokument gilt für alle Organisationsbereiche der Rolls-Royce Deutschland Ltd & Co KG und ist bei allen eingekauften Produkten von Fremdherstellern, die für die Produktion notwendig sind anzuwenden.

This document applies to all organisational areas of Rolls-Royce Deutschland Ltd & Co KG and shall be applied to all purchased products from third-party manufacturers which are necessary for production.

3 Prozessbeteiligte / Process Involved Functions

Kurzzeichen / Abbreviation	Name der Organisationseinheit / Name of Organisational Unit	Kontakt details / Contact details
HS&E	Health, Safety & Environment	DW: HS-E-TeamDW@Rolls-Royce.com OU: HSE-NewsOU@Rolls-Royce.com
ChemScan	ChemScan	Gefahrstoffmanagement: gefahrstoffmanagement@uub-schwan.de
CBS (HR-FM)	Dokumenten Services und Normstelle (Germany) / Document services and Standardisation Department (Germany)	CBS-Standardisation-Office@Rolls-Royce.com
Fertigungslabor / Manufacturing Laboratory	Fertigungslabor Oberursel und Dahlewitz / Manufacturing Laboratory Function Dahlewitz and Oberursel	DW: RRD-Materials-SPG@Rolls-Royce.com OU: RRD.LAB-OU@Rolls-Royce.com
ME / Planer	Manufacturing Engineering / Planer	-
Einkauf	Indirekte Einkauf / Indirect Purchasing	(Request information through CBS)
MRPC	Material Resource Planning Controller (Dahlewitz only)	DW: HandBStoffe.RRDahlewitz@Rolls-Royce.com
SQE	Supplier Quality Engineer	(Request information through CBS or Einkauf)
Wareneingangsprüfung	Wareneingangsprüfung Dahlewitz und Oberursel / Goods Receipt Inspection Dahlewitz and Oberursel	DW: ILC_WEP@Rolls-Royce.com OU: RRD.WEP-OU@Rolls-Royce.com

4 Abkürzungen und Definitionen / Abbreviations and Definitions

Kurzzeichen / Abbreviation	Beschreibung	Description
AfTS	Antrag für Teile und Stoffe	Request for Parts and Materials
ERC	Umweltemissionskategorie	Environmental Release Category
ERP	Enterprise Resource Planning	Enterprise Resource Planning
PC	Chemische Produktkategorie	Chemical Product Category
PROC	Prozesskategorie	Process Category
PSA / PPE	Persönliche Schutzausrüstung	Personal Protective Equipment
REACH	Registrierung, Bewertung, Zulassung und Beschränkung von Chemikalien	Registration, Evaluation, Authorisation and Restriction of Chemicals
SDB / SDS	Sicherheitsdatenblatt	Safety Data Sheet
TDB / TDS	Technischesdatenblatt	Technical Data Sheet

Kurzzeichen / Abbreviation	Beschreibung	Description
TKZ	Teile-Kennzahl im ERP-System	Part number in the ERP system

Begriff / Term	Beschreibung	Definition
Chargenprüfungen / Batch tests	Prüfungen, die bei jeder Bestellung und/oder Verwendung des Materials durchgeführt werden müssen.	Tests that shall be carried out every time the material is ordered and/or used.
Ersatzstoff / Substitute	Stoff mit geringerem Gefährdungspotential	Material with a lower danger potential
Freigabe / Release	Freigabe eines Stoffes zur weiteren Verwendung	Release of a dangerous material for future use
Hersteller / Manufacturer	Die Organisation, die das Verbrauchsmaterial herstellt.	The organisation which makes the consumable material.
Lieferant / Supplier	Die Organisation, die das Verbrauchsmaterial verkauft (Händler, Verkäufer, Distributor).	The organisation which sells the consumable material (Stockist, Vendor, Distributor).
Normstelle / Standardisation office	Der externe Dienstleister „CBS“ stellt Beratungsdienstleistungen für die Normung zur Verfügung.	The external Service Provider “CBS” shall provide administrative services for standardisation.
Typprüfungen / Type tests	Prüfungen, die nur bei der erstmaligen Bestellung und/oder Verwendung des Materials erforderlich sind.	Tests that shall only be required the <u>first time</u> the material is ordered and/or used.

5 Beschreibung / Description

5.1 Einleitung / Introduction

Mit dem Freigabeprozess von Anträgen für Teile und Stoffe (AfTS) wird eine Bewertung des einzusetzenden Stoffes durchgeführt.

Es ist sicherzustellen, dass bei der Verwendung, Instandhaltung, Lagerung und Entsorgung des Produkts keine Beeinträchtigung der Arbeitssicherheit, der Gesundheit und dem Umweltschutz auftritt und unter welchen Bedingungen dieses Produkt einzusetzen, zu lagern und zu entsorgen ist.

Grundlegend muss sichergestellt sein, dass ein in Verbindung mit Luftfahrtteilen eingesetzter Stoff deren Sicherheit nicht beeinträchtigt. Dies kann sich auf Materialfestigkeiten, Korrosionsschutz etc. beziehen. Das Fertigungslabor kann hierzu Forderungen aufstellen oder auf bestehende Spezifikationen verweisen, die bei einer Bestellung an den Lieferanten weitergegeben werden.

Diese ist ein digitaler Prozess. Weiter Informationen zur digitalen Durchführung des Prozesses sind in RRTI00032 zu finden.

During the approval process of a consumable material request (AfTS), an assessment of the material intended to be used shall be performed.

It shall be assured that for the application, maintenance, storage and disposal of the product, the Health and Safety and the environment protection is not compromised. The restrictions for the product application, storage and disposal shall be indicated.

Fundamentally, it shall be assured that a material does not in any way compromise the safety of engine parts. This can be relevant for material strength, corrosion protection etc. The manufacturing laboratory function may set requirements for a material or refer to established specifications, which are then passed onto the supplier when the product is ordered.

This is a digital process. Further information on how the process will be carried out digitally can be found in RRTI00032.

5.2 Beantragung eines neuen Produkts / Request for a new product

Soll ein neuer Stoff in der Produktion zum Einsatz kommen, ist vom Antragsteller vorab eine Suche im:

OMat Catalogue, MLC 104 und [RRD Consumables Catalogue](#)

nach vergleichbaren, bereits freigegebenen Stoffen durchzuführen.

In diesem Verzeichnis kann auch der Status der Anträge eingesehen werden.

If a new material is to be used in production, the requestor shall first file a search in:

for comparable already approved materials.

The current state of the requests can also be found in the RRD Consumables Catalogue.

5.3 Ausfüllanweisung / Instructions for Completion

5.3.1 Allgemein / General

Für PC-Anwender steht der AfTS (T00221) in RRD Templates & Vorlagen. Diese Ausfüllanweisung ist in das AfTS-Formular eingebettet.

In dem Originalformular sind die Nummern der Felder mit in *Kursivschrift* gesetzten Ziffern gekennzeichnet.

Feld 1: Antragsnummer

Hier trägt die Normstelle eine fortlaufende Nummer zur Identifizierung des AfTS nach dessen Erhalt ein.

Beispiel: 001/2022 (Nummer beinhaltet eine fortlaufende Nummer und das Jahr).

The AfTS form (T00221) is available in RRD Templates & Vorlagen. This instruction for completion is embedded in the AfTS form.

In the original form, the field numbers are identified by numbers printed in *italics*.

Field 1: Request No.

The Standardisation Department shall allocate a unique identification number here, upon receipt of the AfTS.

Example: 001/2022 (number consisting of the consecutive number of the request and the year).

5.3.2 Antragsteller / Applicant

Die folgenden Felder sind vom Antragsteller auszufüllen.

Hinweis: Weitere Informationen des Antragstellers in diesem Abschnitt führen zu einer einfacheren / schnelleren Genehmigung. Bitte geben Sie so viele Informationen wie möglich an.

The following fields shall be completed by the applicant.

Note: More information given by the applicant in this section results in an easier / quicker approval. Please provide as much information as possible.

Feld 2: Name / Datum / Abteilung / Telefon

In diesem Feld ist der Name, das Abteilungskurzzeichen, das Antragerstellungsdatum und die Telefonnummer des Antragstellers einzutragen.

Field 2: Name / Date / Department / Phone

This field shall be populated by the name, department initials, date of preparation and phone number of the applicant.

Feld 3: Benennung

Der Antragsteller trägt hier die eindeutige Benennung für das Teil bzw. den Stoff ein. Es ist die Bezeichnung aus dem SDB oder TDB zu übernehmen.

Field 3: Designation

The applicant shall enter the unique name for the consumable material. This is found in the SDS or the TDS.

Feld 4: Fremdteilenummer

Hier ist (falls vorhanden) die Teilenummer des Lieferanten/Herstellers einzutragen, welche das Teil bzw. den Stoff eindeutig definiert.

Field 4: External Part Number

The supplier / manufacturer part number (if available) uniquely identifying the consumable material, shall be entered here.

Feld 5: Kennzeichnung des Bedarfs

Hier ist anzugeben, ob es sich bei diesem AfTS um einen neuen AfTS (Neubedarf) oder um eine Änderung eines bestehenden AfTS (Bedarfsänderung) handelt.

Bei einer Änderung eines bestehenden AfTS ist in Feld 20 die bisherige AfTS-Nr. anzugeben und in Feld 19 der Änderungsgrund anzugeben.

Field 5: Identification of the Request

Here, it shall be indicated if this AfTS is a new AfTS (New Demand) or a change of an existing AfTS (Change in Demand).

For a change to an existing AfTS, the previous AfTS No. shall be indicated in Field 20, and the reason for the change shall be given in Field 19.

Feld 6: Kennzeichnung des Produkts

Hier ist anzugeben, ob der Stoff ein Teil (z.B. Schleifbänder, Klebebänder, PSA, etc.) oder ein Stoff (Chemikalien) ist.

Field 6: Product classification

Here, it shall be indicated if the material is a part (abrasives, tapes, PPE, etc.) or a compound (chemicals).

Feld 7: REACh-Code

Hier sind die PC-, PROC-, & ERC-Codes nach REACh (wenn vorhanden und bekannt – vgl. Anhang 1 bis 3) anzugeben.

Field 7: REACh-Code

The PC, PROC, & ERC Codes according to REACh shall be indicated here (if applicable and known – see Attachment 1 to 3).

Feld 8: Lieferant

Der Lieferant wird vom Einkauf festgelegt. Hier ist im Normalfall keine Eintragung von Antragsteller notwendig.

Field 8: Supplier

The supplier is chosen by the purchasing department. Normally no entry by the applicant is necessary here.

Feld 9: Hersteller

Hier ist der Hersteller des Stoffes einzutragen.

Field 9: Manufacturer

The manufacturer of the material shall be entered here.

Feld 10: Verwendungszweck, Anforderungsgrund, Prozessbeschreibung, Anwendungsform

Eine genaue Erklärung, was der Stoff ist, warum der Stoff benötigt wird und wie der Stoff verwendet / angewendet wird (einschließlich Beispiele), ist hier zu beschreiben. Das Verfahren, dass die Verwendung des Stoffes dokumentiert, muss ebenfalls angegeben werden (falls möglich).

Feld 11: Triebwerksprogramm

Hier ist (sind) das (die) spezifische(n) Triebwerksprogramm(e) wofür der Stoff verwendet werden soll einzutragen.

Feld 12: Einsatzort / Standort

Hier ist der spezifische Einsatzort – mit Abteilung, Bereich (Gebäude/Etage/Raum) und Arbeitsplatz (DW oder OU) – einzutragen.

Hier ist die Teamleiter*innen (Namen/ E-Mails) des relevanten Bereichs einer Neueinführung/ Änderung zu benennen.

**Feld 13: Erzeugnis relevant
(besteht Kontakt mit Luftfahrtteilen?)**

Hier ist anzugeben, ob der Stoff an Luftfahrtteilen zur Anwendung kommt (OEM oder MRO Engines).

Wenn kein Kontakt mit Luftfahrtteilen besteht, ist für das AfTS keine Genehmigung durch das Fertigungslabor erforderlich. Informationen zur Haltbarkeit finden Sie im TDB.

Feld 14: Nutzung

Hier wird angegeben, ob der Stoff kurz- oder langfristig eingesetzt werden soll.

Feld 15: Lagerhaltung

Hier wird angegeben, ob die Beschaffung und Bestandsverwaltung von der Lagerverwaltung betreut wird und ob der Stoff über SAP bestellbar sein soll.

**Feld 16: Basismengeneinheit SAP:
(Abmessungen, Gewicht, Gebindegröße)**

Hier ist die gewünschte Lieferform anzugeben (z.B. Gramm, Liter, Stück usw.) – daher die Mengeneinheit, in der die Bestände des Stoffe geführt werden und die vom Hersteller / Lieferanten geliefert werden kann.

Bei Verbrauchsmaterialien, Hilfs- und Betriebsstoffen, die in Stücklisten geführt werden (Kleber, Lacke usw.) ist die Stücklisten-Mengeneinheit anzugeben.

Field 10: Purpose, Substantiation, Process description, form of utilization

A brief explanation of what the material is, why the material is required, and how the material will be used/applied (including examples) shall be written here. The procedure which documents the use of the consumable material shall also be stated (if possible).

Field 11: Engine Programme

The specific engine programme(s) for which the material is going to be used shall be entered here.

Field 12: Place of Use / Site

The specific area of use – with department, area (building/floor/room) and work site (DW or OU) – shall be entered here.

The Team Leads (names/ emails) of the relevant Department regarding introduction/ change is to be entered here.

**Field 13: Product relevance
(Is there contact with aviation parts?)**

Here it shall be indicated whether the material is used on aviation parts (OEM or MRO engines).

If the material does not have any contact with aerospace parts, then the AfTS does not require approval by the Manufacturing Laboratory. Shelf-life information can be found in the TDS.

Field 14: Usage

Here it shall be indicated whether the material will be for short-term or long-term use.

Field 15: Stock holding

Here it shall be indicated if the procurement and inventory administration will be handled by the warehouse management and if the material is available to order in SAP.

**Field 16: Base unit of measure SAP:
(Size, Weight, Unit of Supply)**

The desired form of supply shall be specified here (e.g., gram, litre, piece etc.) – meaning the unit of measure in which stocks of the material are managed, and which can be supplied by the manufacturer/supplier.

For consumables, auxiliary and operating materials that are included in a parts list (adhesive, lacquers etc.) the quantity unit of measure according to the parts list shall be indicated.

Feld 17: Monatlicher Bedarf

Hier ist der ungefähre monatliche Bedarf (als Vielfaches der Basismengeneinheit), Häufigkeit der Anwendung und die Menge pro Anwendung einzutragen.

Feld 18: Anlagen

Hier ist die beigefügte Dokumentation zu vermerken. Dem AfTS sind alle notwendigen Unterlagen beizufügen, insbesondere das Sicherheitsdatenblatt (SDB) und das Technische-Datenblatt.

Für Hilfs- und Betriebsstoffe sind in jedem Fall ein Produkt- und ein aktuelles EU-Sicherheitsdatenblatt (nicht älter als 2 Jahre) in deutscher Sprache notwendig (nach § 5 Gefahrstoffverordnung). Wenn der Stoff bereits im Verzeichnis aufgeführt ist und ein SDB, dass diese Anforderungen erfüllt, bereits vorhanden ist, kann dieses vorhandene SDB verwendet werden. Wenn kein SDB verfügbar ist, kann die Einkaufsabteilung dabei helfen, das SDB beim Lieferanten anzufordern.

Für alle Teile und Stoffe, die an Luftfahrtteilen verwendet werden, muss eine Genehmigung von Rolls-Royce (Referenz auf RRMS30031 und/oder OMat), oder eine Spezifikation (MSRR, CSS, OMat usw.), oder ein anderes Kundendokument, das das Material oder seine Anwendung regelt, auf dem AfTS angegeben werden. Wenn mehrere Spezifikationen oder Dokumente gelten, müssen alle aufgeführt werden. Es ist nicht erforderlich, dem AfTS eine Kopie der Spezifikation beizufügen, es sei denn, die maßgebliche Materialspezifikation ist ein Kundendokument (z. B. eine Bombardier-Spezifikation).

Feld 19: Erläuterungen

Hier soll zusätzliche Informationen, die zur Bewertung des Teiles / Stoffes notwendig oder hilfreich sind, angegeben werden.

Bei Änderungen oder Aktualisierungen eines bestehenden AfTS soll hier auch Informationen oder Kontext zur Änderung angegeben werden.

Feld 20: Verweis auf vergangene Anträge

Hier kann auf bereits zugelassene AfTS für denselben Stoff verwiesen werden.

Field 17: Demand per month

The demand per month (as the multiple of the base unit of measure), frequency of use and the amount required for a single use shall be entered here.

Field 18: Enclosures

The documentation enclosed shall be listed here. All relevant documents, especially the SDS and the Technical Data Sheet shall be sent together with the AfTS.

For all consumable materials, a product data sheet and a current EU Safety Data Sheet (no older than 2 years) in German shall be included (according to § 5 Gefahrstoffverordnung). If the material is already listed in the RRD Consumables Catalogue, and an SDS fulfilling these requirements is already available, then this existing SDS may be used. If an SDS is not available, the purchasing department shall assist in requesting the SDS from the supplier.

For all consumable materials used on aviation parts, an approval by Rolls-Royce (in reference to RRMS30031 and/or OMat), or a specification (MSRR, CSS, OMat etc.), or other customer document which controls the material or its application shall be indicated on the AfTS. If multiple specifications or documents apply, then all of them shall be listed. It is not required to attach a copy of the specification to the AfTS, unless the controlling material specification is a customer document (e.g., a Bombardier specification).

Field 19: Explanations

Additional information or specifications for the assessment of the material shall be entered here.

For changes or updates to an existing AfTS, information or context about the change shall also be given here.

Field 20: Reference to past requests

Approved AfTS for the same material shall be referenced here.

Feld 21: Wunschtermin für Produkteinsatz

Hier kann der geplante Einsatztermin für den Stoff angegeben werden. Es ist eine durchschnittliche Durchlaufzeit für die AfTS Freigabe von ca. 3 Wochen zu beachten – für einen vollständig ausgefüllten AfTS, für den alle benötigten Anlagen (siehe Feld 18) vorliegen.

Field 21: Desired date for the application of the product

The planned date of use for the material shall be entered here. An average of approx. 3 weeks shall be allowed for the approval of an AfTS. This corresponds to a fully completed AfTS form with all necessary enclosures (see Field 18) attached to it.

5.3.3 ChemScan

Die folgenden Felder betreffen die Bewertung des Stoffes aus Sicht von ChemScan.

Das Ausfüllen von „ChemScan Teil B“ ist nur erforderlich, wenn das Material in einem Kit mit zwei separaten Teilen geliefert wird.

The following fields are related to the ChemScan evaluation of the material.

Completion of “ChemScan Part B” is only necessary when the material is delivered in a kit with two separate parts.

Feld 22: Name / Unterschrift

Das Gefahrstoffmanagement gibt hier die Ergebnisse der ChemScan-Prüfung an.

Field 22: Name / Signature

Hazardous Substances Management shall indicate the results of the ChemScan check here.

Feld 23: Ergebnis der Prüfung für Arbeitsschutz

Das Gefahrstoffmanagement gibt hier an, für welche Arbeits- und Gesundheitsschutzrichtlinien der Stoff relevant ist.

Field 23: Result of evaluation for Health and Safety

Hazardous Substances Management shall indicate the occupational health and safety guidelines that are relevant to the material.

Feld 24: Ergebnis der Prüfung für Umweltschutz

Das Gefahrstoffmanagement gibt hier an, für welche Umweltschutzrichtlinien der Stoff relevant ist.

Field 24: Result of evaluation for environment protection

Hazardous Substances Management shall indicate the environmental protection guidelines that are relevant to the material.

5.3.4 Umweltschutzbeauftragter / Environmental Protection Officer

Die folgenden Felder betreffen die Bewertung des Stoffes aus Sicht des Umweltschutzes erfordern.

The following fields are related to the environmental protection evaluation of the material.

Feld 25: Name / Unterschrift

Der Umweltschutzbeauftragter gibt hier an, ob und wann eine Prüfung durchgeführt wurde.

Field 25: Name / Signature

The Environmental Protection Officer shall indicate if, and when the check has been accomplished.

Feld 26: Ergebnis der Prüfung für Umweltschutz

Hier ist anzugeben, ob die Anwendung des Stoffes von dem Umweltschutzbeauftragtem genehmigt, nicht genehmigt oder unter Einschränkungen genehmigt wird.

Field 26: Result of evaluation for Environmental Protection

It shall be indicated here if the application of the material according to the Environmental Protection Officer is approved, not approved or the approval is subject to restrictions.

Feld 27: BlmSch-Genehmigung erforderlich?

Der Umweltschutzbeauftragte gibt hier an, ob eine BlmSch-Genehmigung erforderlich ist.

Field 27: BlmSch approval required?

The Environmental Protection Officer shall indicate if BlmSch approval is required here.

Feld 28: AwSV Anlage erforderlich?

Der Umweltschutzbeauftragte gibt hier an, ob eine AwSV Anlage erforderlich ist.

Feld 29: Beteiligung Umweltschutz bei Gefährdungsbeurteilung erforderlich?

Der Umweltschutzbeauftragte gibt hier an, ob Umweltschutzanforderungen in der Gefährdungsbeurteilung erfasst werden sollen.

Feld 30: Zusammenlagerung zu beachten?

Der Umweltschutzbeauftragte gibt hier an, ob und wie das Material zusammen mit anderen Stoffen gelagert werden kann (Mengenbegrenzungen?).

Feld 31: Erläuterungen

Hier können Erläuterungen zur Genehmigung eingetragen werden. Zusätzlich können Hinweise für den Wareneingang angegeben werden.

Field 28: AwSV system required?

The Environmental Protection Officer shall indicate if AwSV system is required here.

Field 29: Involvement of environmental protection in risk assessment required?

The Environmental Protection Officer shall indicate if environmental protection requirements should be recorded in the risk assessment.

Field 30: Consider joint storage?

The environmental protection officer shall indicate whether and how the material can be stored together with other substances (quantity restrictions?).

Field 31: Explanations

This block may be used for further information on the approval (e.g., approval restrictions, reason for no approval etc.). Additionally, notes for the goods receipt / warehouse may be indicated here.

5.3.5 Arbeits- & Gesundheitsschutz / Occupational Health & Safety

Die folgenden Felder betreffen die Bewertung des Stoffes aus der Sicht des Arbeits- & Gesundheitsschutzes erfordern.

The following fields are related to the Occupational Health & Safety evaluation of the material.

Feld 32: Name / Unterschrift

In dieser Feldleiste bestätigt die Abteilung HS&E mit dem Namen, der Unterschrift und Datum die Bearbeitung des AfTS bezüglich des Arbeitsschutzes (siehe Genehmigung in Feld 33).

Field 32: Name / Signature

This field shall be used by the HS&E department to sign for the processing of the AfTS (see approval information in Field 33) according to Health and Safety.

Feld 33: Ergebnis der Prüfung für Arbeits- & Gesundheitsschutz

Hier ist anzugeben, ob die Anwendung des Stoffes bezüglich Arbeitsschutzes und Gesundheitsschutzes genehmigt, nicht genehmigt oder unter Einschränkungen genehmigt wird.

Field 33: Result of evaluation for Occupational Health & Safety

It shall be indicated here if the application of the material according to Health and Safety is approved, not approved or the approval is subject to restrictions.

Feld 34: Produkt ist HS&E-relevant?

Hiermit wird angegeben, ob der Stoff HS&E-relevant ist.

Field 34: Product is HS&E-relevant?

It shall be indicated here whether the material is HS&E-relevant.

Feld 35: Information an Lager erforderlich?

Hier ist anzugeben, ob das Lager über die spätere Genehmigung des Stoffes informiert werden soll.

Field 35: Information for storage required?

It shall be indicated here whether the storage warehouse should be informed about the approval of the material at the end of the process.

Feld 36: Gefahrstoffspezifische Gefährdungsbeurteilung erforderlich?

Hier ist anzugeben, ob vom Anwender für die Anwendung eines HS&E-relevanten Stoffes eine gefahrstoffspezifische Gefährdungsbeurteilung zu erstellen ist.

Feld 37: Betriebsanweisung erforderlich?

Hier ist anzugeben, ob vom Anwender für die Anwendung eines HS&E-relevanten Stoffes eine Betriebsanweisung zu erstellen ist.

Feld 38: Erläuterungen

Hier können Erläuterungen zur Genehmigung eingetragen werden. Zusätzlich können Hinweise für den Wareneingang angegeben werden.

Wenn kein Kontakt mit Luftfahrtteilen besteht, ist für das AftS keine Genehmigung durch das Fertigungslabor erforderlich.

Field 36: Hazardous substance-specific risk assessment for workplace and usage required?

It shall be indicated here if a hazardous substance risk assessment shall be created for the application of a HS&E-relevant material, specific to usage in the workplace.

Field 37: Operating Instruction required?

It shall be indicated here whether an operating instruction shall be created by the user for the application of a HS&E-relevant material.

Field 38: Explanations

This block may be used for further information on the approval. Additionally, notes for the goods receipt / warehouse may be indicated here.

If the material does not have any contact with aerospace parts, then the AftS does not require approval by the Manufacturing Laboratory.

5.3.6 Fertigungslabor / Manufacturing Laboratory

Die Felder 39 bis 49 sind von der Abteilung Fertigungslabor auszufüllen. Feld 39 ist durch Normstelle zu ergänzen, wenn kein Fertigungslabor erforderlich ist.

Für Materialien, die keinen Kontakt mit Luftfahrtteilen haben, ist keine Zulassung durch das Fertigungslabor erforderlich.

The fields 39 through 49 shall be completed by the Manufacturing Laboratory. Field 39 shall be completed by standardisation if a Manufacturing Laboratory is not required.

Manufacturing Laboratory approval is not required for materials that do not have contact with aerospace parts.

Feld 39: Produkt und Lieferantenzulassung

Zutreffendes ist anzukreuzen:

Produktzulassung „ist erforderlich, jedoch nicht vorhanden“, wenn der Stoff zum ersten Mal bestellt wird (neuer Stoff), oder wenn eine der folgenden Änderungen an einer vorherigen AftS vorgenommen wird:

Ein neuer Hersteller
einer neuen Anwendungsart eines Stoffes (Methode / Verwendung)

Dann sollten die Felder 40-46 ausgefüllt werden.

Field 39: Product and Supplier approval

The applicable box shall be ticked:

Product approval “is necessary, but not yet available” shall be ticked for the first-time order of a material (new material), or when any of the following changes are made to a previous AftS:

- New manufacturer
- New type of application (method / use)

If this box is ticked, Fields 40-46 shall be filled out next.

Produktzulassung "ist erforderlich und vorhanden", wenn eine der folgenden Änderungen an einer vorherigen AfTS durchgeführt wird:

- Anwendung in einem neuen Anwendungsbereich (Raum oder Ort / neues Programm)
- Änderung der Basismaßeinheit

In diesem Fall gibt es keine Änderungen an den Produkt- oder Lieferantenanforderungen, und die vorherige AfTS wird auf einen neuen Bereich erweitert. Dann sollten die Felder 41, 43-45 und 47-49 ausgefüllt werden.

Produktzulassung „ist erforderlich und vorhanden“, wenn die erstmalige Bestellung dieser AfTS bereits erfolgt ist. Dann sollten die Felder 47-49 ausgefüllt werden (Felder 41, 43-45 sollten bereits ausgefüllt sein).

Produktzulassung „ist nicht möglich“, wenn der AfTS abgelehnt werden muss. Ein Grund muss angegeben werden.

Produktzulassung „ist nicht erforderlich“, wenn der Stoff kein Kontakt mit Luftfahrtteilen besteht (Feld 13). In diesem Fall geht die AfTS zum Schritt der Unterschrift / Genehmigung der Normstelle über.

Feld 40: Name und Unterschrift

In dieser Feldleiste bestätigt das Fertigungslabor mit Unterschrift die Freigabe zur Erstbestellung zur Produktzulassung.

Feld 41: Haltbarkeit bei Bestellung

Hier ist die Haltbarkeitsforderung einzutragen. Informationen zur Haltbarkeit finden Sie im TDS. Die Forderung wird in das SAP-Quality Agreement übernommen.

Wenn für das Material keine Haltbarkeitsbegrenzung besteht oder bei sachgerechter Langzeitlagerung keine Beeinträchtigung der Materialeigenschaften zu erwarten ist, kreuzen Sie hier „keine Einschränkung“ an.

Feld 42: Zertifikat (nach DIN EN 10204)

Hier ist die Mitlieferung des entsprechenden Zertifikates einzutragen. Die Forderung wird in das SAP-Quality Agreement übernommen.

Hier sollte 3.1-Zertifikat gewählt werden, wenn in der jeweiligen Materialspezifikation Prüfungsanforderungen (Chargen- oder Typprüfungen) angegeben sind.

Product approval "is necessary and available" shall be ticked for any of the following changes to a previous AfTS:

- New scope of work (new area or site / new programme)
- Change of base unit of measurement

In this case, there are no changes to the product or supplier requirements, and the previous AfTS shall be extended to a new area. If this box is ticked, Fields 41, 43-45 and 47-49 shall be filled out next.

Product approval "is necessary and available" shall be ticked once the first-time order of this AfTS has already taken place. If this box is ticked, Fields 47-49 shall be filled out next (Fields 41, 43-45 should already be filled out).

Product approval "is not possible" shall be ticked, and state a reason why shall be stated, if the AfTS is rejected.

Product approval "is not required" shall be ticked if the material does not have any contact with aerospace parts (Field 13). In this case, the AfTS skips to the Standardisation signature / approval step.

Field 40: Name and signature

This field shall be used by the Manufacturing Laboratory to sign for the approval of a first-time order for product approval.

Field 41: Shelf-life when purchased

The shelf-life requirement shall be entered here. Shelf-life information can be found in the TDS. This requirement shall be entered in the SAP Quality Agreement.

When there is no shelf-life limit for the material, or no impairment to the material's features can be expected with proper long-term storage conditions, "keine Einschränkung" shall be ticked.

Field 42: Certificate (according to DIN EN 10204)

The appropriate certificate shall be indicated in this field. This requirement shall be entered in the SAP Quality Agreement.

Here, a 3.1 Certificate shall be chosen if there are any test requirements (batch or type tests) stated in the relevant specification for the material.

2.1-Zertifikat sollte gewählt werden, wenn die relevante Spezifikation für das Material keine Prüfungsanforderungen enthält. Das 2.1-Zertifikat kann auch für Materialien ausgewählt werden, die bereits in MLC104 / OMat aufgeführt sind und nur Anforderungen an die Typprüfung haben.

Das 2.1-Zertifikat kann auch gewählt werden, wenn alle Typprüfungen intern oder durch ein externes Labor durchgeführt werden (wenn nur ein Teil der Tests intern durchgeführt werden kann, muss ein 3.1-Zertifikat gewählt werden). Ein RR-Prüfbericht ist dem Fertigungslabor vorzulegen und mit den Herstellerzertifikaten zu prüfen. Externe oder innerbetriebliche Prüfungen sind nur für Typprüfungen (z. B. Wasserbruchprüfung) zulässig, Chargenprüfungen müssen durch ein 3.1-Zertifikat abgedeckt werden.

Feld 43: MLC104-Eintrag erforderlich?

Hier wird angegeben, ob eine Eintragung in MLC104 erforderlich ist oder ob das Produkt bereits gelistet ist.

Feld 44: OMat-Eintrag erforderlich?

Hier wird angegeben, ob eine Eintragung in OMat erforderlich ist oder ob das Produkt bereits gelistet ist.

Feld 45: Produktzulassung

In dieses Feld werden die Materialspezifikationen für das Verbrauchsprodukt eingegeben. Die Prüfung erfolgt gemäß den anzuwendenden Spezifikationen (z.B. RRMS, MSRR, CSS, usw.) oder den entsprechenden Kundenforderungen. Eine Kopie der entsprechenden Spezifikation kann an dieser Stelle der AfTS beigelegt werden. Die Forderung wird in das SAP-Quality Agreement übernommen.

Feld 46: Zulassungsanforderungen für den Einkaufs-Bestelltext in SAP

Hier sind Produkt-, Hersteller-, und Lieferkette-Zulassungsanforderungen einzutragen. Die Forderung wird in das SAP-Quality Agreement übernommen.

Feld 47: Name und Unterschrift

In dieser Feldleiste bestätigt das Fertigungslabor mit Unterschrift die Freigabe des Stoffes zur Bestellung und Verwendung.

Die Freigabe zur Verwendung erfolgt erst nach Prüfung der Zertifikate der Erstbestellung und falls notwendig, Auflistung des Produkts und Herstellers in MLC104 und/oder OMat.

A 2.1 Certificate shall be chosen if there are no test requirements in the relevant specification for the material. A 2.1 Certificate shall also be selected for materials that are already listed in MLC104 / OMat and only have type test requirements.

A 2.1 Certificate shall be chosen if all type testing will be done in-house or by an external laboratory (if only some of the testing can be done in-house, a 3.1 Certificate must be chosen to cover the remaining tests). A RR test report shall be submitted to the manufacturing laboratory and reviewed with the manufacturer's certificates. External or In-house testing is only permitted for type testing (e.g., water break testing), batch tests must be covered by a 3.1 Certificate.

Field 43: Entry into MLC104 required?

Here it shall be stated if entry into MLC104 is required, or if the product is already listed.

Field 44: Entry into OMat required?

Here it shall be stated if entry into OMat is required, or if the product is already listed.

Field 45: Product approval

This field shall be used to enter the material specifications for the consumable product. Materials are assessed according to relevant specifications (e.g., RRMS, MSRR, CSS, etc.) or customer requirements, respectively. A copy of the relevant specification may be attached to the AfTS at this point. This requirement shall be entered in the SAP Quality Agreement.

Field 46: Approval requirements for the purchase order text

This field shall be used to enter the product, manufacturer, and supply chain approval requirements. This requirement shall be entered in the SAP Quality Agreement.

Field 47: Name and signature

This field shall be used by the Manufacturing Laboratory to sign for the approval of the material for order and use.

Approval for use shall only be given once the certificates from the first order have been checked, and the product and manufacturer listed in MLC104 and/or OMat, if required.

Feld 48: Zertifikat (nach DIN EN 10204)

Hier ist die Mitlieferung des entsprechenden Zertifikates einzutragen. Die Forderung wird in das SAP Quality Agreement übernommen. Hier sollte 3.1-Zertifikat nur gewählt werden, wenn in der jeweiligen Material-spezifikation Chargenprüfungsanforderungen angegeben sind. Andernfalls sollte 2.1-Zertifikat ausgewählt werden.

Feld 49: Zulassungsforderungen für den Einkaufs-Bestelltext in SAP

Hier sind Produkt-, Hersteller-, und Lieferkette-Zulassungsanforderungen einzutragen. Die Prüfung erfolgt gemäß den anzuwendenden Spezifikationen (z.B. RRMS, MSRR, CSS, usw.) oder den entsprechenden Kundenforderungen. Die Forderung wird in das SAP-Quality Agreement übernommen.

5.3.7 Normstelle/ Standardisation

Die folgenden Felder sind von der Normstelle auszufüllen.

Feld 50: Name / Unterschrift

Hiermit wird mit dem Namen, der Unterschrift und dem Datum dokumentiert, dass der Antrag abgeschlossen ist.

Field 48: Certificate (according to DIN EN 10204)

The appropriate certificate shall be indicated in this field. This requirement shall be entered in the SAP Quality Agreement. Here, a 3.1 Certificate shall only be chosen if there are batch testing requirements stated in the relevant specification for the material. Otherwise, a 2.1 Certificate shall be chosen.

Field 49: Approval requirements for the purchase order text

This field shall be used to enter the product, manufacturer, and supply chain approval requirements. Materials shall be assessed according to relevant specifications (e.g., RRMS, MSRR, CSS, etc.) or customer requirements, respectively. This requirement shall be entered in the SAP Quality Agreement.

The following fields shall be completed by the Standards Office.

Field 50: Name / Signature

This field shall be filled out with a name, signature and date, to indicate that the request for the consumable is closed.

Feld 51: Teilenummer

Hier wird eine Teilenummer eingetragen. Neue TKZ werden vergeben:

- Für Produkte, die noch nie bestellt wurden oder für einen bekannten Produkt mit neuem Hersteller, wenn die Zusammensetzung (Inhaltsstoffe, usw.) eine andere ist.
- Für Produkte, die eine alte TKZ haben die mit „1000“ anfängt, wurde eventuell diese TKZ für ein englisches oder amerikanisches Werk angelegt und mittlerweile überschrieben und für ein völlig anderes Produkt verwendet.
- Für Produkte, die eine alte TKZ haben, wo z. B. in SAP kein Reiter für „Quality Management“ vorhanden ist. Diese Entscheidung wird nach Rücksprache mit dem Einkauf und H&B Stoffe RR DW getroffen.
- Wird ein bereits freigegebenes Produkt in einer weiteren Abmessung (Liefergebinde, Form, Größe, etc.) beantragt.
- Falls ein Produkt als KIT geliefert wird (z. B. Basis + Härter) wird eine einzige TKZ vergeben, ansonsten müssen getrennte AFTS mit unterschiedlichen TKZ bewertet werden.
- Bei Bestellungen, die nicht über SAP gelaufen werden, wie z.B. zum Handschuhen, oder Schutzbrillen, in verschiedenen Größen. Dem Produkt wird zunächst generell ein einziges TKZ zugewiesen, aber sobald das Produkt über SAP bestellt werden soll, ist für jede lieferbare Größe ein TKZ zu erstellen.
- Für dasselbe Produkt für unterschiedliche Farben (z.B. Lack (Markierfarben), oder Markierstifte).
- Für dasselbe Produkt wird für einen anderen Standort, falls die Laboranforderungen nicht dieselben sind.

Feld 52: Erläuterungen

Hier können Erläuterungen bzw. Änderungen eingetragen werden.

Field 51: Part Number

A part number shall be entered here. A new TKZ shall be created:

- For products that have never been ordered or known products with a new manufacturer, if the composition (ingredients, etc.) is different.
- For products that have an old TKZ that starts with “1000”, this TKZ could have been created for English or American work and has now been overwritten and used for a completely different product.
- For products that have an old TKZ, where, for example, there is no tab for “Quality Management” in SAP. This decision is made after consultation with purchasing and H&B Stoffe RR DW.
- If a product that has already been released is requested in a different measurement (delivery container, shape, size, etc.).
- If a product is delivered as a KIT (e.g., base + hardener) a single TKZ will be assigned, otherwise separate AFTS must be evaluated with different TKZs.
- For orders that are not purchased through SAP, such as for gloves, or protective goggles, in different sizes. A single TKZ shall initially be assigned to the product in general but, as soon as the product is to be ordered via SAP, a TKZ shall be created for each size that can be delivered.
For the same product, for each different colour (e.g., paint (marking colours) or marking pens).
- For the same product for a different location if the laboratory requirements are not the same.

Field 52: Explanations

This field may be used for explanations or extra information e.g., alteration.

6 Hinweise und Bemerkungen / Explanations and Notes**6.1 Änderungsbeschreibung / Description of Changes**

Ausgabe Issue	Änderungsbeschreibung zur vorherigen Ausgabe	Description of Change to Previous Issue
2010-03	Nicht verfügbar	Not available
2010-10	Anpassung an die neue Formularvorlage des Antrags für Teile und Stoffe.	Adjustment to the new template for the Consumable Material Supply Request.
2011-10	Redaktionelle Änderungen, Wegfall der Felder Kostenstelle und TO-Nummer	Editorial changes, abolition of the blocks Cost Centre and TO-Number
2012-04	Redaktionelle Änderungen, Abschnitte „Beantragung eines neuen Produkts“ und „Nachverfolgung der Anträge“ hinzugefügt, Hinweis zur Notwendigkeit von Gefährdungsbeurteilungen hinzugefügt	Editorial changes, chapter “Request for a new product” and “Tracking of requests” added, remark for the need of endangering evaluations added
2012-04a	Hinweis zu Herstellerangabe hinzugefügt	Remark for indication of manufacturer added
2014-03	Vollständige Überarbeitung, Anpassung an die aktuelle Ausgabe der VA.HS.0301	Complete revision, adjustment to current issue of VA.HS.0301
2019-06	Vollständige Überarbeitung, Anpassung an die aktuelle Ausgabe der WI.SP.0301	Complete revision, adjustment to current issue of WI.SP.0301
2022-12	Vollständige Überarbeitung von T00221, Ersetzung von WI.SP.0301 durch RRTI00032	Complete revision of T00221, supersedure of WI.SP.0301 by RRTI00032

6.2 Bemerkungen / Remarks

Keine

None

6.3 Verteiler / Distribution

Entfällt

N/A

6.4 Sprache / Language

Diese Ausfüllanweisung wurde in deutscher Sprache erstellt.

This is a translation of the German version.

7 Anlagen / Attachments

Anlage 1: Chemical Product Category (PC-Codes)

Attachment 1: Chemical Product Category (PC-Codes)

Anlage 2: Process Category (PROC-Codes)

Attachment 2: Process Category (PROC-Codes)

Anlage 3: Environmental Release Category (ERC-Codes)

Attachment 3: Environmental Release Category (ERC-Codes)

Anlage / Attachment 1

Chemical Product Category (PC-Codes)

ECHA Guidance on Information Requirements and Chemical Safety Assessment – Chapter R.12: Use description
– Table R.12- 10: Descriptor list for Chemical Products Categories (PC)

Code	Name	Explanation and examples
PC1	Adhesives, sealants	
PC2	Adsorbents	
PC3	Air care products	
PC4	Anti-Freeze and de-icing products	
PC7	Base metals and alloys	
PC8	Biocidal products	Includes e.g., disinfectant products, pest control products. Note that the category refers to types of products, not to the technical function of the substance. PC 35 should be assigned to disinfectants being used as a component in a cleaning product.
PC9a	Coatings and paints, thinners, paint removers	
PC9b	Fillers, putties, plasters, modelling clay	
PC9c	Finger paints	
PC11	Explosives	
PC12	Fertilizers	
PC13	Fuels	
PC14	Metal surface treatment products	This covers substances permanently binding with the metal surface. It includes, e.g., galvanic and electroplating products.
PC15	Non-metal-surface treatment products	It includes, e.g., example treatment of walls before painting.
PC16	Heat transfer fluids	
PC17	Hydraulic fluids	
PC18	Ink and toners	
PC19	Intermediates	Removed from PC list and relocated in the technical function list (Table R.12- 15).
PC20	Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents	This category covers processing aids used in the chemical industry.
PC21	Laboratory chemicals	
PC23	Leather treatment products	This category includes dyes, finishing, impregnation and care products.
PC24	Lubricants, greases, release products	
PC25	Metal working fluids	
PC26	Paper and board treatment products	This category includes e.g., bleaches, dye, finishing, impregnation products and other processing aids.
PC27	Plant protection products	
PC28	Perfumes, fragrances	
PC29	Pharmaceuticals	
PC30	Photo-chemicals	
PC31	Polishes and wax blends	
PC32	Polymer preparations and compounds	
PC33	Semiconductors	
PC34	Textile dyes, and impregnating products	This category includes, e.g., bleaches and other processing aids.
PC35	Washing and cleaning products	This category includes water and solvent based products.
PC36	Water softeners	
PC37	Water treatment chemicals	
PC38	Welding and soldering products, flux products	
PC39	Cosmetics, personal care products	This category includes products covered by the Cosmetics Regulation (EU Regulation 1223/2009) and other personal care products. It includes products such as. toothpaste, deodorants, etc.
PC40	Extraction agents	
PC41	Oil and gas exploration or production products	
PC42	Electrolytes for batteries	Mixtures (liquids or pastes) designed to serve as electrolytes in batteries.
PC0	Other	

Anlage / Attachment 2

Process Category (PC-Codes)

ECHA Guidance on Information Requirements and Chemical Safety Assessment – Chapter R.12: Use description
 – Table R.12- 11: Descriptor list for Process categories (PROC)

Code	Name	Explanation and examples
PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	Describes the general nature of processes taking place in sectors where the manufacture of substances or production of mixtures takes place or processes with closed process conditions as applied in chemical industry ²⁵ . The closed transfers inherent to the process including closed sampling are included. Open transfers to charge/discharge the system are not included.
PROC2	Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	Describes the general nature of processes taking place in sectors where the manufacture of substances or production of mixtures takes place (continuous processes that involve limited manual interventions), or processes with equivalent closed process conditions as applied in chemical industry. The closed transfers inherent to the process including closed sampling are included. Open transfers to charge/discharge the system are not included.
PROC3	Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition	Describes the general nature of processes taking place in sectors where the manufacture of substances or production of mixtures takes place (batch processes that involve limited manual interventions) or processes with closed process conditions as applied in chemical industry. The closed transfers inherent to the process including closed sampling are included. Open transfers to charge/discharge are not included.
PROC4	Chemical production where opportunity for exposure arises	Describes the general nature of processes taking place in sectors where the manufacture of substances or production of mixtures takes place (processes where the nature of the design does not exclude exposure). The closed transfers inherent to the process including closed sampling are included. Open transfers to charge/discharge the system are not included.
PROC5	Mixing or blending in batch processes	Covers mixing or blending of solid or liquid materials in the context of manufacturing or formulating sectors, as well as upon end use. Charging/discharging of the blending vessel and sampling are considered separate activities and are not included in this PROC.
PROC6	Calendering operations	Processing of large surfaces at elevated temperature e.g., calendering of textile, rubber or paper
PROC7	Industrial spraying	Air dispersive techniques i.e., dispersion into air (= atomization) by e.g., pressurized air, hydraulic pressure or centrifugation, applicable for liquids and powders. Spraying for surface coating, adhesives, polishes/cleaners, air care products, blasting. The reference to 'industrial' means that workers involved have received specific task training, follow operating procedures and act under supervision. Where engineering controls are in place, they are also operated by trained personnel and regularly maintained according to procedures. It is not meant that the activity can only take place at industrial sites.
PROC8a	Transfer of substance or mixture (charging and discharging) at nondedicated facilities	Covers general transferring operations of large quantities of chemicals from/to vessels, containers, installations or machinery without dedicated engineering controls in place for reducing exposure. Transfer includes loading, filling, dumping, bagging and weighing.
PROC9	Transfer of substance or mixture into small containers (dedicated filling line, including weighing)	Filling lines specifically designed to both capture vapour and aerosol emissions and minimise spillage. This PROC can also be used to cover sampling operations.

PROC10	Roller application or brushing	This includes application of paints, coatings, removers, adhesives or cleaning agents to surfaces with potential exposure arising from splashes. This PROC can also be assigned to tasks such as cleaning of surfaces using long-handle tools.
PROC11	Non-industrial spraying	Air dispersive techniques i.e., dispersion into air (= atomization) by e.g., pressurized air, hydraulic pressure or centrifugation, applicable for liquids and powders. Includes spraying of substances/mixtures for surface coating, adhesives, polishes/cleaners, air care products, blasting. The reference to 'non-industrial' is to differentiate where conditions mentioned in PROC7 cannot be met. It is not meant that the activity can only take place at non-industrial sites.
PROC12	Use of blowing agents in manufacture of foam	Use of substances to facilitate the process of production of foams by forming gas bubbles in a liquid mixture. It can be either a continuous or a batch process.
PROC13	Treatment of articles by dipping and pouring	Treatment of articles by dipping, pouring, immersing, soaking, washing out or washing in substances; Includes handling of treated objects (e.g., from/to treatment basin, after drying, plating). The service life of the article after the treatment needs to be reported separately.
PROC14	Tabletting, compression, extrusion, pelletisation, granulation	This covers processing of mixtures and/or substances into a defined shape for further use.
PROC15	Use as laboratory reagent	Use of substances at small scale in laboratories (less than or equal to 1 l or 1 kg present at workplace). Larger operations in laboratories and R+D installations should be treated as industrial processes. This includes the use in quality control processes.
PROC16	Use of fuels	Covers the use of (solid and liquid) fuel (including additives), including transfers via the closed system, where limited exposure to the product in its unburned form is expected. Assignment of PROC 8 or PROC 9 not needed in this case. The exposure to exhaust gases is not covered.
PROC17	Lubrication at high energy conditions in metal working operations	Covers metal working processes where the lubricants are exposed to high temperature and friction e.g., metal rolling/forming processes, drilling and grinding, etc. Transfers for refilling or discharging from/to reservoirs are not covered.
PROC18	General greasing /lubrication at high kinetic energy conditions	Use of lubricant or greasing agents in high kinetic energy conditions, including manual application. It does not refer to any filling operation.
PROC19	Manual activities involving hand contact	Addresses tasks, where exposure of hands and forearms can be expected; no dedicated tools or specific exposure controls other than PPE can be put in place. Examples are manual mixing of cement and plasters in construction works or mixing of hair dyes and bleaches.
PROC20	Use of functional fluids in small devices	Includes the filling and emptying of systems containing functional fluids (including transfers via the closed system) e.g., heat and pressure transfer fluids; takes place on routine basis Example: charging and discharging of motor and engine oils, brake fluids, home appliances. Assignment of PROCs 8-9 not needed in this case.
PROC21	Low energy manipulation and handling of substances bound in/on materials or articles	Cover activities such as manual cutting, cold rolling or assembly/disassembly of material/article. It can also be used for handling/transfer of massive (metal) objects.
PROC22	Manufacturing and processing of minerals and/or metals at substantially elevated temperature	Describes the general nature of processes taking place at smelters, furnaces, refineries, ovens, excluding casting, tapping and drossing operations. When the temperature has decreased, the handling of the cool material can be covered by PROC21 or PROC26.
PROC23	Open processing and transfer operations at substantially elevated temperature	Describes certain processes taking place at smelters, furnaces and ovens: casting, tapping and drossing operations.

		Covers also hot dip galvanising raking of melted solids in paving and water granulation. When the temperature has decreased, the handling of the cold material can be covered by PROC21 or PROC26.
PROC24	High (mechanical) energy work-up of substances bound in /on materials and/or articles	Substantial thermal or kinetic energy applied to substance by e.g., hot rolling/forming, grinding, mechanical cutting, drilling or sanding, stripping.
PROC25	Other hot work operations with metals	Welding, soldering, gouging, brazing, flame cutting
PROC26	Handling of solid inorganic substances at ambient temperature	Transfer and handling of ores, concentrates, metals and other inorganic substances in solid (but not massive) potentially dusty form. Assignment of PROC8a, PROC8b or PROC9 not needed in this case. The handling of massive objects should be addressed with PROC21.
PROC27a	Production of metal powders (hot processes)	Production of metal powders by hot metallurgical processes (atomisation, dry dispersion).
PROC27b	Production of metal powders (wet processes)	Production of metal powders by wet metallurgical processes (electrolysis, wet dispersion).
PROC28	Manual maintenance (cleaning and repair) of machinery	Covers maintenance activities for uses where the maintenance is not already included in any of the other process categories. The category covers for example: - activities when closed systems are opened and potentially entered for cleaning - generally dedicated/separate cleaning tasks conducted on a shift or less frequent basis (e.g., between individual production batches) - removal of splashes around the machinery removal of filters or material from filters - cleaning of floors that are not directly around the machinery, but still need cleaning for instance because of dust deposition when handling a dusty product
PROC0	Other	

Anlage / Attachment 3

Environmental Release Category (ERC-Codes)

ECHA Guidance on Information Requirements and Chemical Safety Assessment – Chapter R.12: Use description
– Table R.12- 13: Descriptor list for Environmental Release Categories (ERC)

Code	Name	Explanation and examples
ERC1	Manufacture of the substance	
ERC2	Formulation into mixture	Applies to uses in all types of formulating industries; substance is mixed (blended) into (chemical) mixtures Examples: • formulation of paints, household cleaners, lubricants, fuels, bulk chemicals for industrial uses etc.
ERC3	Formulation into solid matrix	Applies to uses in formulating industries; substance is mixed (blended) in order to be physically or chemically bound into or onto a solid matrix Example: • formulation of stabilisers into master-batches for production of polymer pellets
ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)	Examples: • Chemical processing where the substance is used as solvent for crystallisation • Production activities where the substance is used as a cleaning agent (solvent or surfactant) • Polymer moulding/casting where the substance is used as anti-set off agent
ERC5	Use at industrial site leading to inclusion into/onto article	The substance or its transformation products are included into or onto article Examples: • Use of binding agent and process regulators in paints and coatings or adhesives • Use of dyes in textile fabrics and leather products • Use of metals in coatings applied through plating and galvanizing processes • Use of plasticisers, pigments or flame retardants in article matrix or coatings on articles Covers also uses where the substance remains in the article after having previously been used as processing aid (e.g., heat stabilisers in plastic processing).
ERC6a	Use of intermediate	The substance is used in order to manufacture another substance. Examples: • Use of chemical building blocks (feedstock) in the synthesis of agrochemicals, pharmaceuticals etc. • Use of cyclopentanone in the synthesis of cyclopentanol
ERC6b	Use of reactive processing aid at industrial site (no inclusion into or onto article)	The substance or its transformation product(s) are not included into or onto article; substance reacts on use Examples: • Use of bleaching agents in textile and paper industry • Use of catalysts
ERC6c	Use of monomer in polymerisation processes at industrial site (inclusion or not into/onto article)	The substance is used as monomer in the production of polymers (resins, plastics (thermoplastics)) Examples: • Use of vinyl chloride monomer in the production of PVC. • Use of monomers in production of resins
ERC6d	Use of reactive process regulators in polymerisation processes at industrial site (inclusion or not into/onto article)	The substance is used as process regulator (e.g., crosslinking agents, curing agents) for polymerisation process – production of resins, thermosets, rubbers, polymers Examples: • Use of styrene in polyester production • Use of vulcanization agents in the production of rubbers • Use of catalysts
ERC7	Use of functional fluid at industrial site	The substance is used as functional fluid and does not get in contact with products; substance is contained during the use. Examples: • Use of engine and machine oils • Use of fluids in hydraulic systems and heat transfer systems

		Does not cover the case where a substance/mixture is an integral part of an article (e.g., batteries). Does not cover uses where: - substances are used as processing aids or reactants in chemical processes (see ERC 6a to 6d) - articles are treated with processing aids (e.g., metal part cleaning or textile cleaning) (see ERC 4)
ERC8a	Widespread use of nonreactive processing aid (no inclusion into or onto article, indoor)	Applies to uses by the public at large or by professional workers Use (usually) results in release into air or the sewage system Examples: - Down the drain product like e.g., Use of detergents in fabric washing, use of machine wash liquids and lavatory cleaners, use of automotive and bicycle care products (polishes, lubricants, de-icers) - Use of solvents in paints and adhesives - Use of fragrances and aerosol propellants in air fresheners.
ERC8b	Widespread use of reactive processing aid (no inclusion into or onto article, indoor)	Applies to uses by the public at large or by professional workers Example: Use of sodium hypochlorite in lavatory cleaners, bleaching agents in fabric washing products, hydrogen peroxide in dental care products.
ERC8c	Widespread use leading to inclusion into/onto article (indoor)	Applies to uses by the public at large or by professional workers; substance or its transformation products will be physically or chemically bound into or onto article Examples: - Use of binding agent or process regulators in paints and coatings or adhesives - Use of dyes during dyeing of textile fabrics
ERC8d	Widespread use of nonreactive processing aid (no inclusion into or onto article, outdoor)	Applies to uses by the public at large or by professional workers Examples: Use of automotive and bicycle care products (polishes, greases de-icers, detergents), use of highly volatile solvents in paints and adhesives
ERC8e	Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)	Applies to uses by the public at large or by professional workers Example: use of sodium hypochlorite or hydrogen peroxide for surface cleaning (building materials)
ERC8f	Widespread use leading to inclusion into/onto article (outdoor)	Applies to uses by the public at large or by professional workers; substance or its transformation products will be physically or chemically bound into or onto article Example: Use of binding agent or process regulators in paints and coatings or adhesives during application
ERC9a	Widespread use of functional fluid (indoor)	Applies to uses by the public at large or by professional workers; substance is used as functional fluid and does not get in contact with products; substance is contained during the use Example: Use of substance in oil-based electric heaters Does not cover the case where a substance/mixture is an integral part of an article (e.g., batteries)
ERC9b	Widespread use of functional fluid (outdoor)	Applies to uses by the public at large or by professional workers; substance is used as functional fluid and does not get in contact with products; substance is contained during the use Examples: - Motor oils - Break fluids in automotive brake systems - Fluids/gases in air conditioning systems Does not cover the case where a substance/mixture is an integral part of an article (e.g., batteries)
ERC10a	Widespread use of articles with low release (outdoor)	Applies to the use of articles by the public at large or by professional workers where there is no intended release of the registered substance and where the conditions of use do not promote releases. Example:

		• Service life of metal, wooden and plastic construction and building materials (gutters, drains, frames, etc.) • Automotive batteries
ERC10b	Widespread use of articles with high or intended release (outdoor)	Applies to the use of articles by the public at large or by professional workers where the registered substance is intended to be released or where the conditions of use promote releases. Also applies to processing by the public at large or by professional workers where the substances included into or onto articles are released (intended or not) from/with the article matrix as a result of processing. Examples: • Service life of tyres and brake pads in trucks or cars • Substances released from articles during work at elevated temperature
ERC11a	Widespread use of articles with low release (indoor)	Applies to the use of articles by the public at large or by professional workers where there is no intended release of the registered substance and where the conditions of use do not promote releases Examples: • Non-volatile substances in flooring, furniture, toys, construction materials, curtains, footwear, leather products, paper and cardboard products (magazines, books, news paper and packaging paper), electronic equipment (casing)
ERC11b	Widespread use of articles with high or intended release (indoor)	Applies to the use of articles by the public at large or by professional workers where the registered substance is intended to be released or where the conditions of use promote releases. Also applies to processing by the public at large or by professional workers where the substances included into or onto articles are released (intended or not) from/with the article matrix as a result of processing. Examples: • Substances released from fabrics, textiles (clothing, floor rugs) during washing • Fragrance in scented articles (toys, papers, sanitary towels, ...)
ERC12a	Processing of articles at industrial sites with low release	Applies to uses at industrial sites where the substances included into or onto articles are released (intended or not) from/with the article matrix as a result of processing by workers; release remains low Examples: • Cutting of textile, cutting, machining or grinding of metal or polymers in engineering industries
ERC12b	Processing of articles at industrial sites with high release	Applies to uses at industrial sites where the substances included into or onto articles are released (intended or not) from/with the article matrix as a result of processing by workers; release is high Examples: • Substances released from articles during sanding operations or paint stripping by shot-blasting (high amounts of dust expected) • Substances released from articles during processes at elevated temperature
ERC12c	Use of articles at industrial sites with low release	Applies to uses of articles at industrial sites where the substances included into or onto articles are not intended to be released and where the conditions of use do not promote release. Examples: Machinery at industrial sites Note: where an article is used at industrial sites but also in the same conditions by professional workers or consumers (e.g., pens, plates, mobile phones) there is no need to report that use with an ERC12c. That use can be reported with the ERC categories corresponding to widespread use of articles.