

VSME — Basic Module

B3 auto-filled · narrative to complete

Reporting year 2025

VSME-aligned reporting **support** (EFRAG Voluntary SME standard, Basic Module B1–B11). Disclosure **B3**(energy & GHG) is auto-filled from metered building data; the remaining disclosures are written by the company (a guided draft is shown until your own text is saved). Scope 3 is estimated. This is not an audited or assured disclosure.

GENERAL INFORMATION

B1 Basis for preparation

Narrative — to complete

VSME asks: Which module is used, the reporting basis (individual or consolidated), the scope of sites included, any omitted sensitive information, and any sustainability certifications or labels held.

This report follows the VSME Basic Module (EFRAG Voluntary SME standard). It is prepared on a [individual / consolidated] basis for [legal entity] covering the financial year [20YY]. Reporting scope: [list the sites / buildings included]. [State any classified or sensitive information omitted, and any sustainability certifications or labels held — e.g. ISO 50001, EMAS, DGNB.]

B2 Practices, policies and future initiatives for transitioning towards a more sustainable economy

Narrative — to complete

VSME asks: Whether the undertaking has practices, policies and future initiatives addressing the sustainability issues, and for which issues.

EnergyLens evidence: Energy monitoring, anomaly detection and a prioritised retrofit roadmap (heat pump, insulation, solar PV, LED, BMS) with per-building ROI are maintained in EnergyLens.

[Company] maintains an energy & climate policy focused on reducing energy demand, deploying on-site renewables and phasing out fossil heating; EnergyLens provides the monitoring, anomaly detection and prioritised retrofit roadmap that operationalise it. [List any further environmental, social and governance policies, who owns them, and planned initiatives with timelines. State 'none' where a topic is not addressed.]

B3 · ENERGY AND GREENHOUSE GAS EMISSIONS · 2025

TOTAL ENERGY

424 MWh

metered consumption

RENEWABLE SHARE

16.8 %

on-site solar self-consumed

FLOOR AREA

5,200 m²

1/1 buildings

ENERGY INTENSITY

82

kWh/m²·yr

SCOPE 1 3.5 tCO ₂ e — direct combustion	SCOPE 2 (LOCATION) 118.1 tCO ₂ e — grid	SCOPE 2 (MARKET) 235.7 tCO ₂ e — contractual	SCOPE 3 (EST.) 698.7 tCO ₂ e — value chain
TOTAL (LOCATION) 820.3 S1+S2(loc)+S3	TOTAL (MARKET) 937.9 S1+S2(mkt)+S3	GHG INTENSITY 0.158 tCO ₂ e/m ²	DATA QUALITY 0/1 complete · rest estimated

BUILDING	SCOPE 1	SCOPE 2 (LOC)	SCOPE 3	TOTAL (LOC)	INTENSITY
Berliner Bürogebäude Alpha OFFICE	3.5	118.1	698.7	820.3	0.158

Scope 1+2 are disclosure-grade (metered building energy). Scope 3 is a screening estimate (categories 1 + 13 only) and not disclosure-grade. Energy and GHG per unit of revenue (VSME B3 datapoints) require a revenue figure — [add company revenue to complete].

ENVIRONMENTAL — OTHER

B4 Pollution of air, water and soil Narrative — to complete

VSME asks: Pollutants the undertaking is required to report (e.g. under an environmental permit or the E-PRTR register), with amounts.

EnergyLens does not track regulated air, water or soil pollutant releases. [If the undertaking holds an environmental permit or is listed on the E-PRTR register, state the pollutants and quantities emitted; otherwise state that no such reporting obligation applies.]

B5 Biodiversity Narrative — to complete

VSME asks: Number and area of sites owned, leased or managed in or near biodiversity-sensitive areas, and total land use / soil sealing.

[State whether any site is located in or near a biodiversity-sensitive area (e.g. Natura 2000), the number and area (ha) of such sites, and the total sealed / land-use area. For an urban building portfolio this is typically limited or not applicable.]

B6 Water Narrative — to complete

VSME asks: Total annual water withdrawal (m³) and, where applicable, withdrawal in areas of high water stress.

Water withdrawal is not metered by EnergyLens. [Provide total annual water withdrawal (m³) from utility records, and indicate whether any site is located in an area of high water stress.]

B7 Resource use, circular economy and waste management Narrative — to complete

VSME asks: Whether circular-economy principles are applied, the total annual waste generated, and — where available — hazardous waste and recycled content.

[Describe any circular-economy practices (e.g. retrofit-over-replace, material reuse during refurbishment, separated collection) and provide total annual waste generated (tonnes), split hazardous / non-hazardous where available.]

SOCIAL

B8 Workforce — General characteristics Narrative — to complete

VSME asks: Number of employees (headcount or FTE) by contract type (permanent / temporary) and by gender, and the countries of employment.

[State total employees by contract type and gender, and the countries of employment. For a small undertaking, headcount as at the reporting date is sufficient.]

B9 Workforce — Health and safety Narrative — to complete

VSME asks: Number of recordable work-related accidents, any fatalities, and the recordable accident rate.

[Report the number of recordable work-related accidents and any fatalities during the period, and the accident rate. State 'zero' where applicable.]

B10 Workforce — Remuneration, collective bargaining and training Narrative — to complete

VSME asks: Whether all employees are paid at least the applicable minimum wage, the gender pay gap, collective-bargaining coverage, and average training hours.

[Confirm that all employees are paid at or above the applicable minimum / adequate wage, and state the gender pay gap (%), the share of employees covered by collective bargaining, and the average training hours per employee.]

GOVERNANCE

B11 Convictions and fines for corruption and bribery Narrative — to complete

VSME asks: Number of convictions and total amount of fines for violation of anti-corruption and anti-bribery laws.

[State the number of convictions and the total amount of fines for breaches of anti-corruption / anti-bribery laws during the period. State 'none' where applicable.]

Prepared with reference to the VSME Basic Module (EFRAG Voluntary SME standard). Disclosure B3 is auto-filled from metered energy + the GHG inventory (Scope 1+2 disclosure-grade, Scope 3 estimated). The remaining disclosures are written and approved by the company. This document is reporting support — it is not audited, assured, or a regulatory filing. At the Comprehensive level the C-module adds further company-provided disclosures.