

Abstract *Background:* The purpose of this study was to determine the prevalence of self-reported depression and anxiety among a sample of young adults in the United States. *Methods:* Data were obtained from the National Longitudinal Study of Adolescent Health (Add Health), a nationally representative sample of adolescents in grades 7–12 in 1994–1995. The sample included 15,197 adolescents, 11,706 of whom were interviewed in 1996. The prevalence of self-reported depression and anxiety was determined using the Center for Epidemiological Studies Depression Scale (CES-D) and the Generalized Anxiety Disorder (GAD-7) scale. *Results:* The prevalence of self-reported depression was 10.1% and the prevalence of self-reported anxiety was 11.2%. *Conclusions:* The prevalence of self-reported depression and anxiety among young adults in the United States is high. *Keywords:* Depression, Anxiety, Prevalence, Young Adults.

[illegible]

Abstract

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1. *Journal of the American Medical Association*, 2000; 283: 2686-2692.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings visible.

Abstract

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.