h1 Heading

h2 Heading

h3 Heading

h4 Heading

h5 Heading

h6 Heading

Content

- h2 Heading
 - h3 Heading
 - h4 Heading
 - h5 Heading
 - h6 Heading
 - Typographer
 - Inline Formatting
 - Block Formatting
 - Lists
 - Code
 - Special Boxes
 - Tables
 - Links / Images
 - Emoticons
 - Specialities

Typographer

Typographer auto conversion: © © ® ® ™ ™ § § ±

Inline Formatting

Text may be **bold** italic strikethrough

19th or H₂O

Marked Text

Block Formatting

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other.

Lists

- one
- two
 - and two more
- subline
- three
- 1. one
- 2. two
 - 1. and two more
- 3. subline
- 4. three

HTML

Markup language for the web

CSS

Styling language for web pages

JavaScript

Coding not only for web pages

Code

```
// Some comments
line 1 of code
line 2 of code
line 3 of code
```

```
JavaScript Code

var foo = function (bar) {
  return bar++;
};
console.log(foo(5));
```

Special Boxes

Some more details here...

Info

A short note.

Warning

This is important!

Attention

Something went wrong!

Tables

ID	German	English
1	eins	one
2	zwei	two
3	drei	three
12	zwölf	twelve

Links / Images

google

Autoconverted link to http://alinex.github.io



Emoticons

Classic markup: 😉 :crush: 😯 :tear: 😝 😋

Shortcuts (emoticons): 😃 😠 😎 😉

Font Awesome:

Specialities

This is a test^[2] to demonstrate footnotes.

The HTTP protocol is used for transferring web content.

- make new module
- allow html transformation
- □ allow docx transformation
 - 1. simple test only <u>←</u>
 - 2. simple test only <u>←</u>