h1 Heading

h2 Heading

h3 Heading

h4 Heading

h5 Heading

h6 Heading

Typographer

Typographer auto conversion: © © ® ® ™ ™ § § ±

Inline Formatting

Text may be **bold** *italic* ~~strikethrough~~

19th or H$_2$O

<mark>Marked Text</mark>

Block Formatting

> Blockquotes can also be nested…
>
>> …by using additional greater-than signs right next to eac
>> other.

Lists

- one
- two
  - and two more
- subline
- three

1. one
2. two
   1. and two more
3. subline
4. three

HTML
Markup language for the web

CSS
Styling language for web pages

JavaScript
Coding not only for web pages

Code

```
// Some comments
line 1 of code
line 2 of code
line 3 of code
```

JavaScript Code
```javascript
var foo = function (bar) {
  return bar++;
};
console.log(foo(5));
```

Special Boxes

Some more details here…

Info

A short note.

Warning

This is important!

Attention

Something went wrong!

Tables

ID	German	English
1	eins	one
2	zwei	two
3	drei	three
12	zwölf	twelve

Links / Images

google

Autoconverted link to http://alinex.github.io

Emoticons

Classic markup: 😉 :crush: 😢 :tear: 😆 😋

Shortcuts (emoticons): 😃 🙁 😎 😉

[Font Awesome](): 🏴

Specialities

This is a test[1] to demonstrate footnotes.

The HTTP protocol is used for transferring web content.

☑ make new module
☑ allow html transformation
☐ allow docx transformation

---

1. simple test only ↩