

## Index↑

- [h2 Heading](#)
  - [h3 Heading](#)
    - [h4 Heading](#)
      - [h5 Heading](#)
      - [h6 Heading](#)
  - [Typographer](#)
  - [Inline Formatting](#)
  - [Block Formatting](#)
  - [Lists](#)
  - [Code](#)
  - [Special Boxes](#)
  - [Tables](#)
  - [Links / Images](#)
  - [Emoticons](#)
  - [Specialities](#)

# h1 Heading

---

## h2 Heading

---

### h3 Heading

---

#### h4 Heading

---

##### h5 Heading

###### h6 Heading

---

## Typographer

---

## Inline Formatting

---

Text may be **bold** *italic* ~~strikethrough~~

19<sup>th</sup> or H<sub>2</sub>O

**Marked Text**

## Block Formatting

---

Blockquotes can also be nested...

...by using additional greater-than signs right next to each other.

## Lists

---

- one
- two
  - and two more
- subline
- three

1. one
2. two
  1. and two more
3. subline
4. three

## HTML

Markup language for the web

## CSS

Styling language for web pages

# JavaScript

Coding not only for web pages

## Code

```
// Some comments  
line 1 of code  
line 2 of code  
line 3 of code
```

```
1 var foo = function (bar) {  
2   return bar++;  
3 };  
4 console.log(foo(5));
```

## Special Boxes

Details

Info

Warning

Attention

Some more details here...

A short note.

This is important!

Something went wrong!

## Tables

ID	German	English
1	eins	one
2	zwei	two
3	drei	three

12	zwölf	twelve
----	-------	--------

## Links / Images

---

[google](#)

Autoconverted link to <http://alinux.github.io>



## Emoticons

---

Classic markup: 😍 :crush: 😭 :tear: 😊 😜

Shortcuts (emoticons): 😊 😞 😎 😜

[Font Awesome](#): 🚩

## Specialities

---

This is a test<sup>[1]</sup> to demonstrate footnotes.

The HTTP protocol is used for transferring web content.

- ☒ make new module
- ☒ allow html transformation
- ☐ allow docx transformation

---

1. simple test only ↩