```
base_liquid = ["watter", "milk"]
extra_flavour = ["ginger"]
full_liquid_list = base_liquid
                   + extra_flavour
print(f"Liquid mix: {full_liquid}")
        ⇓
["water", "milk", "ginger"]
strong_brew = ["black_tea"] * 3
print(f"String brew: {strong_brew}")
        ⇓
["black_tea", "black_tea", "black_tea"]
```

string_brew = ["black tea", "water"] * 3

print(f"string: {string_brew}")

⇓

["black tea", "water", "black tea", "water", "black tea", "water"]

---

from operator import itm

raw_spice_data = bytearray(b"CINNAMON")

print(f"Bytes: {raw_spice_data}")

⇓

bytearray(b'CINNAMON')

OPERATOR OVERLOADING

Ce este?

Operator overloading = posibilitatea de a *defini cum se comport   operatorii (+, -, , etc.) pentru obiecte personalizate.

În Python, putem suprascrie operatorii în clase.

Operatorul +

```
l1 = [1, 2]

l2 = [3, 4]

l3 = l1 + l2

print(l3)

#    [1, 2, 3, 4]
```

nu modific   listele originale

Operatorul *

repet   lista

```
l = [1, 2]

print(l * 3)

#    [1, 2, 1, 2, 1, 2]
```

Operatorul ==

compar   con inutul

```
[1, 2] == [1, 2]  # True
```

Operatorul in

verific   existen a

```
l = [10, 20, 30]

print(20 in l)  # True
```

CONCATENARE = LIPIRE