Core Flight Executive Users Guide

Generated by Doxygen 1.8.13

CONTENTS

Contents

Core	Flight	Executive Documentation	1
1.1	Backgr	round	2
1.2	Applica	able Documents	3
1.3	Version	n Numbers	4
1.4	Depend	dencies	5
1.5	Acrony	rms	5
1.6	cFE Ex	xecutive Services Overview	7
	1.6.1	Terminology	8
	1.6.2	Software Reset	10
	1.6.3	Reset Types and Subtypes	10
	1.6.4	Exception and Reset (ER) Log	11
	1.6.5	Application and Child Task Management	11
	1.6.6	Starting an Application	11
	1.6.7	Stopping an Application	12
	1.6.8	Restarting an Application	12
	1.6.9	Reloading an Application	12
	1.6.10	Listing Current Applications	13
	1.6.11	Listing Current Tasks	14
	1.6.12	Loading Common Libraries	14
	1.6.13	Basic File System	14
	1.6.14	Performance Data Collection	15
	1.6.15	Critical Data Store	16
	1.6.16	Memory Pool	17
	1.6.17	System Log	19
	1.6.18	Version Identification	19
	1.6.19	Executive Services Frequently Asked Questions	20

ii CONTENTS

1.7	cFE Executive Services Commands	20
1.8	cFE Executive Services Telemetry	21
1.9	cFE Executive Services Configuration Parameters	22
1.10	cFE Event Services Overview	25
	1.10.1 Event Message Format	26
	1.10.2 Local Event Log	27
	1.10.3 Event Message Control	27
	1.10.4 Event Message Filtering	29
	1.10.5 EVS Registry	29
	1.10.6 EVS Counters	30
	1.10.7 Resetting EVS Counters	31
	1.10.8 Effects of a Processor Reset on EVS	31
	1.10.9 EVS squelching of misbehaving apps	32
	1.10.10 Frequently Asked Questions about Event Services	32
1.11	cFE Event Services Commands	33
1.12	cFE Event Services Telemetry	35
1.13	cFE Event Services Configuration Parameters	35
1.14	cFE Software Bus Overview	36
	1.14.1 Software Bus Terminology	36
	1.14.2 Autonomous Actions	39
	1.14.3 Operation of the SB Software	39
	1.14.4 Frequently Asked Questions about Software Bus	43
1.15	cFE Software Bus Commands	45
1.16	cFE Software Bus Telemetry	46
1.17	cFE Software Bus Configuration Parameters	46
1.18	cFE Table Services Overview	47
	1.18.1 Managing Tables	48
	1.18.2 cFE Table Types and Table Options	49

CONTENTS

	1.18.3 Table Registry	51
	1.18.4 Table Services Telemetry	52
	1.18.5 Effects of Processor Reset on Tables	52
	1.18.6 Frequently Asked Questions about Table Services	52
1.19	cFE Table Services Commands	54
1.20	cFE Table Services Telemetry	55
1.21	cFE Table Services Configuration Parameters	55
1.22	cFE Time Services Overview	56
	1.22.1 Time Components	58
	1.22.2 Time Structure	59
	1.22.3 Time Formats	59
	1.22.4 Time Configuration	60
	1.22.5 Time Format Selection	65
	1.22.6 Enabling Fake Tone Signal	66
	1.22.7 Selecting Tone and Data Ordering	66
	1.22.8 Specifying Tone and Data Window	67
	1.22.9 Specifying Time Server/Client	67
	1.22.10 Specifying Time Tone Byte Order	68
	1.22.11 Virtual MET	68
	1.22.12 Specifying Time Source	68
	1.22.13 Specifying Time Signal	69
	1.22.14 Time Services Paradigm(s)	70
	1.22.15 Flywheeling	70
	1.22.16 Time State	71
	1.22.17 Initialization	71
	1.22.18 Power-On Reset	72
	1.22.19 Processor Reset	73
	1.22.20 Initialization	73

iv CONTENTS

		1.22.21 Power-On Reset	. 74
		1.22.22 Processor Reset	. 75
		1.22.23 Normal Operation	. 75
		1.22.24 Client	. 77
		1.22.25 Server	. 78
		1.22.26 Setting Time	. 79
		1.22.27 Adjusting Time	. 80
		1.22.28 Setting MET	. 80
		1.22.29 Frequently Asked Questions	. 80
	1.23	cFE Time Services Commands	. 81
	1.24	cFE Time Services Telemetry	. 82
	1.25	cFE Time Services Configuration Parameters	. 82
	1.26	cFE Event Message Cross Reference	. 83
	1.27	cFE Command Mnemonic Cross Reference	. 83
	1.28	cFE Telemetry Mnemonic Cross Reference	. 87
2	Glos	ssary of Terms	98
3	cFE	Application Programmer's Interface (API) Reference	99
4	Osa	I API Documentation	106
	4.1	OSAL Introduction	. 108
	4.2	File System Overview	. 108
	4.3	File Descriptors In Osal	. 109
	4.4	Timer Overview	. 110
5	cFE	Mission Configuration Parameters	110
6	Mod	lule Index	110
	6.1	Modules	. 110

CONTENTS

7	Data	Struct	ure Index	113
	7.1	Data S	Structures	. 113
8	File	Index		120
	8.1	File Lis	st	. 120
9	Mod	lule Dod	cumentation	123
	9.1	cFE R	eturn Code Defines	. 123
		9.1.1	Detailed Description	. 129
		9.1.2	Macro Definition Documentation	. 129
	9.2	cFE R	esource ID APIs	. 161
		9.2.1	Detailed Description	. 161
		9.2.2	Function Documentation	. 161
	9.3	cFE E	ntry/Exit APIs	. 165
		9.3.1	Detailed Description	. 165
		9.3.2	Function Documentation	. 165
	9.4	cFE A	pplication Control APIs	. 167
		9.4.1	Detailed Description	. 167
		9.4.2	Function Documentation	. 167
	9.5	cFE A	pplication Behavior APIs	. 170
		9.5.1	Detailed Description	. 170
		9.5.2	Function Documentation	. 170
	9.6	cFE In	formation APIs	. 175
		9.6.1	Detailed Description	. 175
		9.6.2	Function Documentation	. 175
	9.7	cFE C	hild Task APIs	. 185
		9.7.1	Detailed Description	. 185
		9.7.2	Function Documentation	. 185
	9.8	cFE M	liscellaneous APIs	. 190

vi CONTENTS

	9.8.1	Detailed Description	0
	9.8.2	Function Documentation	0
9.9	cFE Cr	ical Data Store APIs	4
	9.9.1	Detailed Description	4
	9.9.2	Function Documentation	4
9.10	cFE Me	mory Manager APIs	9
	9.10.1	Detailed Description	9
	9.10.2	Function Documentation	9
9.11	cFE Pe	formance Monitor APIs	7
	9.11.1	Detailed Description	7
	9.11.2	Macro Definition Documentation	7
	9.11.3	Function Documentation	8
9.12	cFE Ge	neric Counter APIs	0
	9.12.1	Detailed Description	0
	9.12.2	Function Documentation	0
9.13	cFE Re	gistration APIs	8
	9.13.1	Detailed Description	8
	9.13.2	Function Documentation	8
9.14	cFE Se	nd Event APIs	0
	9.14.1	Detailed Description	0
	9.14.2	Function Documentation	0
9.15	cFE Re	set Event Filter APIs	5
	9.15.1	Detailed Description	5
	9.15.2	Function Documentation	5
9.16	cFE Fil	Header Management APIs	7
	9.16.1	Detailed Description	7
	9.16.2	Function Documentation	7
9.17	cFE Fil	Utility APIs	2

CONTENTS vii

	9.17.1 Detailed Description	:32
	9.17.2 Function Documentation	232
9.18	cFE Generic Message APIs	238
	9.18.1 Detailed Description	238
	9.18.2 Function Documentation	238
9.19	cFE Message Primary Header APIs	239
	9.19.1 Detailed Description	239
	9.19.2 Function Documentation	239
9.20	cFE Message Extended Header APIs	249
	9.20.1 Detailed Description	<u>2</u> 49
	9.20.2 Function Documentation	<u>2</u> 49
9.21	cFE Message Secondary Header APIs	256
	9.21.1 Detailed Description	256
	9.21.2 Function Documentation	256
9.22	cFE Message Id APIs	:62
	9.22.1 Detailed Description	:62
	9.22.2 Function Documentation	262
9.23	cFE Pipe Management APIs	:65
	9.23.1 Detailed Description	<u>2</u> 65
	9.23.2 Function Documentation	:65
9.24	cFE Message Subscription Control APIs	272
	9.24.1 Detailed Description	272
	9.24.2 Function Documentation	272
9.25	cFE Send/Receive Message APIs	278
	9.25.1 Detailed Description	278
	9.25.2 Function Documentation	278
9.26	cFE Zero Copy APIs	281
	9.26.1 Detailed Description	281

VIII CONTENTS

	9.26.2 Function Documentation	31
9.27	cFE Message Characteristics APIs	}4
	9.27.1 Detailed Description	}4
	9.27.2 Function Documentation	}4
9.28	cFE Message ID APIs	}9
	9.28.1 Detailed Description	}9
	9.28.2 Function Documentation	}9
9.29	cFE SB Pipe options	12
	9.29.1 Detailed Description	12
	9.29.2 Macro Definition Documentation	12
9.30	cFE Registration APIs	3
	9.30.1 Detailed Description	3
	9.30.2 Function Documentation	3
9.31	cFE Manage Table Content APIs	9
	9.31.1 Detailed Description	9
	9.31.2 Function Documentation	9
9.32	cFE Access Table Content APIs)7
	9.32.1 Detailed Description)7
	9.32.2 Function Documentation)7
9.33	cFE Get Table Information APIs	2
	9.33.1 Detailed Description	2
	9.33.2 Function Documentation	2
9.34	cFE Table Type Defines	6
	9.34.1 Detailed Description	6
	9.34.2 Macro Definition Documentation	6
9.35	cFE Get Current Time APIs	9
	9.35.1 Detailed Description	9
	9.35.2 Function Documentation	9

CONTENTS ix

9.36	cFE Get Time Information APIs	23
	9.36.1 Detailed Description	23
	9.36.2 Function Documentation	23
9.37	cFE Time Arithmetic APIs	26
	9.37.1 Detailed Description	26
	9.37.2 Function Documentation	26
9.38	cFE Time Conversion APIs	29
	9.38.1 Detailed Description	29
	9.38.2 Function Documentation	29
9.39	cFE External Time Source APIs	32
	9.39.1 Detailed Description	32
	9.39.2 Function Documentation	32
9.40	cFE Miscellaneous Time APIs	37
	9.40.1 Detailed Description	37
	9.40.2 Function Documentation	37
9.41	cFE Resource ID base values	39
	9.41.1 Detailed Description	39
	9.41.2 Enumeration Type Documentation	39
9.42	cFE Clock State Flag Defines	41
	9.42.1 Detailed Description	41
	9.42.2 Macro Definition Documentation	41
9.43	OSAL Semaphore State Defines	14
	9.43.1 Detailed Description	14
	9.43.2 Macro Definition Documentation	14
9.44	OSAL Binary Semaphore APIs	45
	9.44.1 Detailed Description	45
	9.44.2 Function Documentation	45
9.45	OSAL BSP low level access APIs	51

X CONTENTS

	9.45.1 Detailed Description	51
	9.45.2 Function Documentation	51
9.46	OSAL Real Time Clock APIs	52
	9.46.1 Detailed Description	52
	9.46.2 Function Documentation	52
9.47	OSAL Core Operation APIs	64
	9.47.1 Detailed Description	64
	9.47.2 Function Documentation	64
9.48	OSAL Counting Semaphore APIs	68
	9.48.1 Detailed Description	68
	9.48.2 Function Documentation	68
9.49	OSAL Directory APIs	74
	9.49.1 Detailed Description	74
	9.49.2 Function Documentation	74
9.50	OSAL Return Code Defines	79
	9.50.1 Detailed Description	80
	9.50.2 Macro Definition Documentation	81
9.51	OSAL Error Info APIs	90
	9.51.1 Detailed Description	90
	9.51.2 Function Documentation	90
9.52	OSAL File Access Option Defines	93
	9.52.1 Detailed Description	93
	9.52.2 Macro Definition Documentation	93
9.53	OSAL Reference Point For Seek Offset Defines	94
	9.53.1 Detailed Description	94
	9.53.2 Macro Definition Documentation	94
9.54	OSAL Standard File APIs	95
	9.54.1 Detailed Description	95

CONTENTS xi

	9.54.2 Function Documentation)5
9.55	OSAL File System Level APIs)8
	9.55.1 Detailed Description)8
	9.55.2 Function Documentation)8
9.56	OSAL Heap APIs	7
	9.56.1 Detailed Description	7
	9.56.2 Function Documentation	7
9.57	OSAL Object Type Defines	8
	9.57.1 Detailed Description	8
	9.57.2 Macro Definition Documentation	8
9.58	OSAL Object ID Utility APIs	22
	9.58.1 Detailed Description	22
	9.58.2 Function Documentation	22
9.59	OSAL Dynamic Loader and Symbol APIs	29
	9.59.1 Detailed Description	29
	9.59.2 Function Documentation	29
9.60	OSAL Mutex APIs	}4
	9.60.1 Detailed Description	}4
	9.60.2 Function Documentation	}4
9.61	OSAL Network ID APIs	}9
	9.61.1 Detailed Description	}9
	9.61.2 Function Documentation	39
9.62	OSAL Printf APIs	11
	9.62.1 Detailed Description	l 1
	9.62.2 Function Documentation	l 1
9.63	OSAL Message Queue APIs	13
	9.63.1 Detailed Description	13
	9.63.2 Function Documentation	13

xii CONTENTS

9.64	OSAL Select APIs
	9.64.1 Detailed Description
	9.64.2 Function Documentation
9.65	OSAL Shell APIs
	9.65.1 Detailed Description
	9.65.2 Function Documentation
9.66	OSAL Socket Address APIs
	9.66.1 Detailed Description
	9.66.2 Function Documentation
9.67	OSAL Socket Management APIs
	9.67.1 Detailed Description
	9.67.2 Function Documentation
9.68	OSAL Task APIs
	9.68.1 Detailed Description
	9.68.2 Function Documentation
9.69	OSAL Time Base APIs
	9.69.1 Detailed Description
	9.69.2 Function Documentation
9.70	OSAL Timer APIs
	9.70.1 Detailed Description
	9.70.2 Function Documentation

CONTENTS xiii

10	Data	Structure Documentation	486
	10.1	CCSDS_ExtendedHeader Struct Reference	486
		10.1.1 Detailed Description	486
		10.1.2 Field Documentation	486
	10.2	CCSDS_PrimaryHeader Struct Reference	487
		10.2.1 Detailed Description	. 487
		10.2.2 Field Documentation	. 487
	10.3	CFE_ES_AppInfo Struct Reference	488
		10.3.1 Detailed Description	489
		10.3.2 Field Documentation	489
	10.4	CFE_ES_AppNameCmd Struct Reference	494
		10.4.1 Detailed Description	495
		10.4.2 Field Documentation	495
	10.5	CFE_ES_AppNameCmd_Payload Struct Reference	495
		10.5.1 Detailed Description	496
		10.5.2 Field Documentation	496
	10.6	CFE_ES_AppReloadCmd_Payload Struct Reference	496
		10.6.1 Detailed Description	. 497
		10.6.2 Field Documentation	. 497
	10.7	CFE_ES_BlockStats Struct Reference	. 497
		10.7.1 Detailed Description	498
		10.7.2 Field Documentation	498
	10.8	CFE_ES_CDSRegDumpRec Struct Reference	498
		10.8.1 Detailed Description	499
		10.8.2 Field Documentation	499
	10.9	CFE_ES_DeleteCDSCmd Struct Reference	500
		10.9.1 Detailed Description	501
		10.9.2 Field Documentation	. 501

xiv CONTENTS

10.10CFE_ES_DeleteCDSCmd_Payload Struct Reference
10.10.1 Detailed Description
10.10.2 Field Documentation
10.11CFE_ES_DumpCDSRegistryCmd Struct Reference
10.11.1 Detailed Description
10.11.2 Field Documentation
10.12CFE_ES_DumpCDSRegistryCmd_Payload Struct Reference
10.12.1 Detailed Description
10.12.2 Field Documentation
10.13CFE_ES_FileNameCmd Struct Reference
10.13.1 Detailed Description
10.13.2 Field Documentation
10.14CFE_ES_FileNameCmd_Payload Struct Reference
10.14.1 Detailed Description
10.14.2 Field Documentation
10.15CFE_ES_HousekeepingTlm Struct Reference
10.15.1 Detailed Description
10.15.2 Field Documentation
10.16CFE_ES_HousekeepingTlm_Payload Struct Reference
10.16.1 Detailed Description
10.16.2 Field Documentation
10.17CFE_ES_MemPoolStats Struct Reference
10.17.1 Detailed Description
10.17.2 Field Documentation
10.18CFE_ES_MemStatsTlm Struct Reference
10.18.1 Detailed Description
10.18.2 Field Documentation
10.19CFE_ES_NoArgsCmd Struct Reference

CONTENTS xv

10.19.1 Detailed Description
10.19.2 Field Documentation
10.20CFE_ES_OneAppTlm Struct Reference
10.20.1 Detailed Description
10.20.2 Field Documentation
10.21 CFE_ES_OneAppTIm_Payload Struct Reference
10.21.1 Detailed Description
10.21.2 Field Documentation
10.22CFE_ES_OverWriteSysLogCmd Struct Reference
10.22.1 Detailed Description
10.22.2 Field Documentation
10.23CFE_ES_OverWriteSysLogCmd_Payload Struct Reference
10.23.1 Detailed Description
10.23.2 Field Documentation
10.24CFE_ES_PoolAlign Union Reference
10.24.1 Detailed Description
10.24.2 Field Documentation
10.25CFE_ES_PoolStatsTIm_Payload Struct Reference
10.25.1 Detailed Description
10.25.2 Field Documentation
10.26CFE_ES_ReloadAppCmd Struct Reference
10.26.1 Detailed Description
10.26.2 Field Documentation
10.27CFE_ES_RestartCmd Struct Reference
10.27.1 Detailed Description
10.27.2 Field Documentation
10.28CFE_ES_RestartCmd_Payload Struct Reference
10.28.1 Detailed Description

xvi CONTENTS

10.28.2 Field Documentation
10.29CFE_ES_SendMemPoolStatsCmd Struct Reference
10.29.1 Detailed Description
10.29.2 Field Documentation
10.30CFE_ES_SendMemPoolStatsCmd_Payload Struct Reference
10.30.1 Detailed Description
10.30.2 Field Documentation
10.31CFE_ES_SetMaxPRCountCmd Struct Reference
10.31.1 Detailed Description
10.31.2 Field Documentation
10.32CFE_ES_SetMaxPRCountCmd_Payload Struct Reference
10.32.1 Detailed Description
10.32.2 Field Documentation
10.33CFE_ES_SetPerfFilterMaskCmd Struct Reference
10.33.1 Detailed Description
10.33.2 Field Documentation
10.34CFE_ES_SetPerfFilterMaskCmd_Payload Struct Reference
10.34.1 Detailed Description
10.34.2 Field Documentation
10.35CFE_ES_SetPerfTriggerMaskCmd Struct Reference
10.35.1 Detailed Description
10.35.2 Field Documentation
10.36CFE_ES_SetPerfTrigMaskCmd_Payload Struct Reference
10.36.1 Detailed Description
10.36.2 Field Documentation
10.37CFE_ES_StartApp Struct Reference
10.37.1 Detailed Description
10.37.2 Field Documentation

CONTENTS xvii

10.38CFE_ES_StartAppCmd_Payload Struct Reference
10.38.1 Detailed Description
10.38.2 Field Documentation
10.39CFE_ES_StartPerfCmd_Payload Struct Reference
10.39.1 Detailed Description
10.39.2 Field Documentation
10.40CFE_ES_StartPerfDataCmd Struct Reference
10.40.1 Detailed Description
10.40.2 Field Documentation
10.41CFE_ES_StopPerfCmd_Payload Struct Reference
10.41.1 Detailed Description
10.41.2 Field Documentation
10.42CFE_ES_StopPerfDataCmd Struct Reference
10.42.1 Detailed Description
10.42.2 Field Documentation
10.43CFE_ES_TaskInfo Struct Reference
10.43.1 Detailed Description
10.43.2 Field Documentation
10.44CFE_EVS_AppDataCmd_Payload Struct Reference
10.44.1 Detailed Description
10.44.2 Field Documentation
10.45CFE_EVS_AppNameBitMaskCmd Struct Reference
10.45.1 Detailed Description
10.45.2 Field Documentation
10.46CFE_EVS_AppNameBitMaskCmd_Payload Struct Reference
10.46.1 Detailed Description
10.46.2 Field Documentation
10.47CFE EVS AppNameCmd Struct Reference

xviii CONTENTS

10.47.1 Detailed Description
10.47.2 Field Documentation
10.48CFE_EVS_AppNameCmd_Payload Struct Reference
10.48.1 Detailed Description
10.48.2 Field Documentation
10.49CFE_EVS_AppNameEventIDCmd Struct Reference
10.49.1 Detailed Description
10.49.2 Field Documentation
10.50CFE_EVS_AppNameEventIDCmd_Payload Struct Reference
10.50.1 Detailed Description
10.50.2 Field Documentation
10.51CFE_EVS_AppNameEventIDMaskCmd Struct Reference
10.51.1 Detailed Description
10.51.2 Field Documentation
10.52CFE_EVS_AppNameEventIDMaskCmd_Payload Struct Reference
10.52.1 Detailed Description
10.52.2 Field Documentation
10.53CFE_EVS_AppTImData Struct Reference
10.53.1 Detailed Description
10.53.2 Field Documentation
10.54CFE_EVS_BinFilter Struct Reference
10.54.1 Detailed Description
10.54.2 Field Documentation
10.55CFE_EVS_BitMaskCmd Struct Reference
10.55.1 Detailed Description
10.55.2 Field Documentation
10.56CFE_EVS_BitMaskCmd_Payload Struct Reference

CONTENTS xix

10.56.2 Field Documentation
10.57CFE_EVS_HousekeepingTlm Struct Reference
10.57.1 Detailed Description
10.57.2 Field Documentation
10.58CFE_EVS_HousekeepingTlm_Payload Struct Reference
10.58.1 Detailed Description
10.58.2 Field Documentation
10.59CFE_EVS_LogFileCmd_Payload Struct Reference
10.59.1 Detailed Description
10.59.2 Field Documentation
10.60CFE_EVS_LongEventTlm Struct Reference
10.60.1 Detailed Description
10.60.2 Field Documentation
10.61CFE_EVS_LongEventTlm_Payload Struct Reference
10.61.1 Detailed Description
10.61.2 Field Documentation
10.62CFE_EVS_NoArgsCmd Struct Reference
10.62.1 Detailed Description
10.62.2 Field Documentation
10.63CFE_EVS_PacketID Struct Reference
10.63.1 Detailed Description
10.63.2 Field Documentation
10.64CFE_EVS_SetEventFormatCode_Payload Struct Reference
10.64.1 Detailed Description
10.64.2 Field Documentation
10.65CFE_EVS_SetEventFormatModeCmd Struct Reference
10.65.1 Detailed Description
10.65.2 Field Documentation

XX CONTENTS

10.66CFE_EVS_SetLogMode_Payload Struct Reference
10.66.1 Detailed Description
10.66.2 Field Documentation
10.67CFE_EVS_SetLogModeCmd Struct Reference
10.67.1 Detailed Description
10.67.2 Field Documentation
10.68CFE_EVS_ShortEventTlm Struct Reference
10.68.1 Detailed Description
10.68.2 Field Documentation
10.69CFE_EVS_ShortEventTlm_Payload Struct Reference
10.69.1 Detailed Description
10.69.2 Field Documentation
10.70CFE_EVS_WriteAppDataFileCmd Struct Reference
10.70.1 Detailed Description
10.70.2 Field Documentation
10.71CFE_EVS_WriteLogDataFileCmd Struct Reference
10.71.1 Detailed Description
10.71.2 Field Documentation
10.72CFE_FS_FileWriteMetaData Struct Reference
10.72.1 Detailed Description
10.72.2 Field Documentation
10.73CFE_FS_Header Struct Reference
10.73.1 Detailed Description
10.73.2 Field Documentation
10.74CFE_SB_AllSubscriptionsTlm Struct Reference
10.74.1 Detailed Description
10.74.2 Field Documentation
10.75CFE_SB_AllSubscriptionsTlm_Payload Struct Reference

CONTENTS xxi

10.75.1 Detailed Description
10.75.2 Field Documentation
10.76CFE_SB_HousekeepingTlm Struct Reference
10.76.1 Detailed Description
10.76.2 Field Documentation
10.77CFE_SB_HousekeepingTlm_Payload Struct Reference
10.77.1 Detailed Description
10.77.2 Field Documentation
10.78CFE_SB_Msg Union Reference
10.78.1 Detailed Description
10.78.2 Field Documentation
10.79CFE_SB_Msgld_t Struct Reference
10.79.1 Detailed Description
10.79.2 Field Documentation
10.80CFE_SB_MsgMapFileEntry Struct Reference
10.80.1 Detailed Description
10.80.2 Field Documentation
10.81CFE_SB_PipeDepthStats Struct Reference
10.81.1 Detailed Description
10.81.2 Field Documentation
10.82CFE_SB_PipeInfoEntry Struct Reference
10.82.1 Detailed Description
10.82.2 Field Documentation
10.83CFE_SB_Qos_t Struct Reference
10.83.1 Detailed Description
10.83.2 Field Documentation
10.84CFE_SB_RouteCmd Struct Reference
10.84.1 Detailed Description

xxii CONTENTS

10.84.2 Field Documentation
10.85CFE_SB_RouteCmd_Payload Struct Reference
10.85.1 Detailed Description
10.85.2 Field Documentation
10.86CFE_SB_RoutingFileEntry Struct Reference
10.86.1 Detailed Description
10.86.2 Field Documentation
10.87CFE_SB_SingleSubscriptionTlm Struct Reference
10.87.1 Detailed Description
10.87.2 Field Documentation
10.88CFE_SB_SingleSubscriptionTlm_Payload Struct Reference
10.88.1 Detailed Description
10.88.2 Field Documentation
10.89CFE_SB_StatsTlm Struct Reference
10.89.1 Detailed Description
10.89.2 Field Documentation
10.90CFE_SB_StatsTlm_Payload Struct Reference
10.90.1 Detailed Description
10.90.2 Field Documentation
10.91CFE_SB_SubEntries Struct Reference
10.91.1 Detailed Description
10.91.2 Field Documentation
10.92CFE_SB_WriteFileInfoCmd Struct Reference
10.92.1 Detailed Description
10.92.2 Field Documentation
10.93CFE_SB_WriteFileInfoCmd_Payload Struct Reference
10.93.1 Detailed Description
10.93.2 Field Documentation

CONTENTS xxiii

10.94CFE_TBL_AbortLoadCmd Struct Reference
10.94.1 Detailed Description
10.94.2 Field Documentation
10.95CFE_TBL_AbortLoadCmd_Payload Struct Reference
10.95.1 Detailed Description
10.95.2 Field Documentation
10.96CFE_TBL_ActivateCmd Struct Reference
10.96.1 Detailed Description
10.96.2 Field Documentation
10.97CFE_TBL_ActivateCmd_Payload Struct Reference
10.97.1 Detailed Description
10.97.2 Field Documentation
10.98CFE_TBL_DelCDSCmd_Payload Struct Reference
10.98.1 Detailed Description
10.98.2 Field Documentation
10.99CFE_TBL_DeleteCDSCmd Struct Reference
10.99.1 Detailed Description
10.99.2 Field Documentation
10.10 © FE_TBL_DumpCmd Struct Reference
10.100. Detailed Description
10.100. Field Documentation
10.10CFE_TBL_DumpCmd_Payload Struct Reference
10.101. Detailed Description
10.101. Field Documentation
10.10©FE_TBL_DumpRegistryCmd Struct Reference
10.102. Detailed Description
10.102. Field Documentation
10.10 S FE_TBL_DumpRegistryCmd_Payload Struct Reference

xxiv CONTENTS

10.103. Detailed Description
10.103. Field Documentation
10.10 © FE_TBL_File_Hdr Struct Reference
10.104. Detailed Description
10.104. Field Documentation
10.10 SFE_TBL_FileDef Struct Reference
10.105. Detailed Description
10.105. Field Documentation
10.10 6 FE_TBL_HousekeepingTlm Struct Reference
10.106. Detailed Description
10.106. Field Documentation
10.10©FE_TBL_HousekeepingTlm_Payload Struct Reference
10.107. Detailed Description
10.107. Field Documentation
10.10 & FE_TBL_Info Struct Reference
10.108. Detailed Description
10.108. Field Documentation
10.10@FE_TBL_LoadCmd Struct Reference
10.109. Detailed Description
10.109. Field Documentation
10.11 © FE_TBL_LoadCmd_Payload Struct Reference
10.110. Detailed Description
10.110.2Field Documentation
10.11 CFE_TBL_NoArgsCmd Struct Reference
10.111. Detailed Description
10.111.2Field Documentation
10.112FE_TBL_NotifyCmd Struct Reference
10.112. Detailed Description

CONTENTS XXV

10.112.2Field Documentation
10.118 FE_TBL_NotifyCmd_Payload Struct Reference
10.113. Detailed Description
10.113. Field Documentation
10.11 CFE_TBL_SendRegistryCmd Struct Reference
10.114. Detailed Description
10.114. Field Documentation
10.116 FE_TBL_SendRegistryCmd_Payload Struct Reference
10.115. Detailed Description
10.115. Field Documentation
10.116FE_TBL_TableRegistryTlm Struct Reference
10.116. Detailed Description
10.116. Field Documentation
10.11©FE_TBL_TblRegPacket_Payload Struct Reference
10.117. Detailed Description
10.117. Field Documentation
10.11&FE_TBL_ValidateCmd Struct Reference
10.118. Detailed Description
10.118. Field Documentation
10.119 FE_TBL_ValidateCmd_Payload Struct Reference
10.119. Detailed Description
10.119.2Field Documentation
10.12 © FE_TIME_DiagnosticTlm Struct Reference
10.120. Detailed Description
10.120.2Field Documentation
10.12CFE_TIME_DiagnosticTIm_Payload Struct Reference
10.121. Detailed Description
10.121. Field Documentation

XXVI CONTENTS

10.12©FE_TIME_HousekeepingTlm Struct Reference
10.122. Detailed Description
10.122. Field Documentation
10.12 S FE_TIME_HousekeepingTIm_Payload Struct Reference
10.123. Detailed Description
10.123. Field Documentation
10.12 © FE_TIME_LeapsCmd_Payload Struct Reference
10.124. Detailed Description
10.124. Field Documentation
10.126FE_TIME_NoArgsCmd Struct Reference
10.125. Detailed Description
10.125. Field Documentation
10.12 6 FE_TIME_OneHzAdjustmentCmd Struct Reference
10.126. Detailed Description
10.126. Field Documentation
10.12©FE_TIME_OneHzAdjustmentCmd_Payload Struct Reference
10.127. Detailed Description
10.127. Field Documentation
10.12&FE_TIME_SetLeapSecondsCmd Struct Reference
10.128. Detailed Description
10.128. Field Documentation
10.12 © FE_TIME_SetSignalCmd Struct Reference
10.129. Detailed Description
10.129. Field Documentation
10.13 C FE_TIME_SetSourceCmd Struct Reference
10.130. Detailed Description
10.130. Field Documentation
10.13 CFE_TIME_SetStateCmd Struct Reference

CONTENTS xxvii

10.131. Detailed Description
10.131. Field Documentation
10.132FE_TIME_SignalCmd_Payload Struct Reference
10.132. Detailed Description
10.132. Field Documentation
10.13&FE_TIME_SourceCmd_Payload Struct Reference
10.133. Detailed Description
10.133. Field Documentation
10.13 CFE_TIME_StateCmd_Payload Struct Reference
10.134. Detailed Description
10.134. Field Documentation
10.136FE_TIME_SysTime Struct Reference
10.135. Detailed Description
10.135. Field Documentation
10.136FE_TIME_TimeCmd Struct Reference
10.136. Detailed Description
10.136. Field Documentation
10.13©FE_TIME_TimeCmd_Payload Struct Reference
10.137. Detailed Description
10.137. Field Documentation
10.13&FE_TIME_ToneDataCmd Struct Reference
10.138. Detailed Description
10.138. Field Documentation
10.13@FE_TIME_ToneDataCmd_Payload Struct Reference
10.139. Detailed Description
10.139. Field Documentation
10.14 0 S_bin_sem_prop_t Struct Reference
10.140. Detailed Description

xxviii CONTENTS

10.140. Field Documentation
10.14OS_count_sem_prop_t Struct Reference
10.141. Detailed Description
10.141. Field Documentation
10.14@s_dirent_t Struct Reference
10.142. Detailed Description
10.142. Field Documentation
10.14 © S_FdSet Struct Reference
10.143. Detailed Description
10.143. Field Documentation
10.14 © S_file_prop_t Struct Reference
10.144. Detailed Description
10.144. Field Documentation
10.14 5 s_fsinfo_t Struct Reference
10.145. Detailed Description
10.145. Field Documentation
10.14 6 s_fstat_t Struct Reference
10.146. Detailed Description
10.146. Field Documentation
10.14ØS_heap_prop_t Struct Reference
10.147. Detailed Description
10.147. Field Documentation
10.14 8 S_module_address_t Struct Reference
10.148. Detailed Description
10.148. Field Documentation
10.14 9 S_module_prop_t Struct Reference
10.149. Detailed Description
10.149. Field Documentation

CONTENTS xxix

10.15 0 S_mut_sem_prop_t Struct Reference
10.150. Detailed Description
10.150. Field Documentation
10.15@S_queue_prop_t Struct Reference
10.151. Detailed Description
10.151. Field Documentation
10.15@S_SockAddr_t Struct Reference
10.152. Detailed Description
10.152. Field Documentation
10.15®S_SockAddrData_t Union Reference
10.153. Detailed Description
10.153. Field Documentation
10.15 © S_socket_prop_t Struct Reference
10.154. Detailed Description
10.154. Field Documentation
10.15 S_static_symbol_record_t Struct Reference
10.155. Detailed Description
10.155. Field Documentation
10.15 © S_statvfs_t Struct Reference
10.156. Detailed Description
10.156. Field Documentation
10.15®S_task_prop_t Struct Reference
10.157. Detailed Description
10.157. Field Documentation
10.15 © S_time_t Struct Reference
10.158. Detailed Description
10.158. Field Documentation
10.15@S_timebase_prop_t Struct Reference
10.159. Detailed Description
10.159. Field Documentation
10.16 © S_timer_prop_t Struct Reference
10.160. Detailed Description
10.160.2Field Documentation

CONTENTS

11 File Documentation	717
11.1 build/docs/osconfig-example.h File Reference	717
11.1.1 Macro Definition Documentation	718
11.2 cpu1_msgids.h File Reference	726
11.2.1 Detailed Description	727
11.2.2 Macro Definition Documentation	727
11.3 cpu1_platform_cfg.h File Reference	734
11.3.1 Detailed Description	737
11.3.2 Macro Definition Documentation	737
11.4 sample_mission_cfg.h File Reference	791
11.4.1 Detailed Description	793
11.4.2 Macro Definition Documentation	793
11.5 sample_perfids.h File Reference	812
11.5.1 Detailed Description	813
11.5.2 Macro Definition Documentation	813
11.6 cfe/docs/src/cfe_api.dox File Reference	816
11.7 cfe/docs/src/cfe_es.dox File Reference	816
11.8 cfe/docs/src/cfe_evs.dox File Reference	816
11.9 cfe/docs/src/cfe_frontpage.dox File Reference	816
11.10cfe/docs/src/cfe_glossary.dox File Reference	816
11.11cfe/docs/src/cfe_sb.dox File Reference	816
11.12cfe/docs/src/cfe_tbl.dox File Reference	816
11.13cfe/docs/src/cfe_time.dox File Reference	816
11.14cfe/docs/src/cfe_xref.dox File Reference	816
11.15cfe/docs/src/cfs_versions.dox File Reference	816
11.16cfe/modules/core_api/fsw/inc/cfe.h File Reference	816
11.16.1 Detailed Description	816
11.17cfe/modules/core_api/fsw/inc/cfe_config.h File Reference	817

CONTENTS xxxi

11.17.1 Detailed Description
11.17.2 Function Documentation
11.18cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h File Reference
11.18.1 Detailed Description
11.18.2 Macro Definition Documentation
11.18.3 Typedef Documentation
11.19cfe/modules/core_api/fsw/inc/cfe_endian.h File Reference
11.19.1 Detailed Description
11.19.2 Macro Definition Documentation
11.20cfe/modules/core_api/fsw/inc/cfe_error.h File Reference
11.20.1 Detailed Description
11.20.2 Macro Definition Documentation
11.20.3 Typedef Documentation
11.20.4 Function Documentation
11.21cfe/modules/core_api/fsw/inc/cfe_es.h File Reference
11.21.1 Detailed Description
11.21.2 Macro Definition Documentation
11.22cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h File Reference
11.22.1 Detailed Description
11.22.2 Macro Definition Documentation
11.22.3 Typedef Documentation
11.23cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h File Reference
11.23.1 Detailed Description
11.23.2 Macro Definition Documentation
11.23.3 Typedef Documentation
11.23.4 Enumeration Type Documentation
11.24cfe/modules/core_api/fsw/inc/cfe_evs.h File Reference
11.24.1 Detailed Description

xxxii CONTENTS

11.24.2 Macro Definition Documentation
11.25cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h File Reference
11.25.1 Detailed Description
11.25.2 Macro Definition Documentation
11.25.3 Typedef Documentation
11.26cfe/modules/core_api/fsw/inc/cfe_evs_extern_typedefs.h File Reference
11.26.1 Detailed Description
11.26.2 Typedef Documentation
11.26.3 Enumeration Type Documentation
11.27cfe/modules/core_api/fsw/inc/cfe_fs.h File Reference
11.27.1 Detailed Description
11.28cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h File Reference
11.28.1 Detailed Description
11.28.2 Typedef Documentation
11.28.3 Enumeration Type Documentation
11.29cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h File Reference
11.29.1 Detailed Description
11.29.2 Macro Definition Documentation
11.29.3 Typedef Documentation
11.29.4 Enumeration Type Documentation
11.30cfe/modules/core_api/fsw/inc/cfe_msg.h File Reference
11.30.1 Detailed Description
11.31cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h File Reference
11.31.1 Detailed Description
11.31.2 Macro Definition Documentation
11.31.3 Typedef Documentation
11.31.4 Enumeration Type Documentation
11.32cfe/modules/core_api/fsw/inc/cfe_resourceid.h File Reference

CONTENTS xxxiii

11.32.1 Detailed Description
11.32.2 Macro Definition Documentation
11.32.3 Function Documentation
11.33cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h File Reference
11.33.1 Detailed Description
11.33.2 Macro Definition Documentation
11.34cfe/modules/core_api/fsw/inc/cfe_sb.h File Reference
11.34.1 Detailed Description
11.34.2 Macro Definition Documentation
11.35cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h File Reference
11.35.1 Detailed Description
11.35.2 Macro Definition Documentation
11.35.3 Typedef Documentation
11.36cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h File Reference
11.36.1 Detailed Description
11.36.2 Macro Definition Documentation
11.36.3 Typedef Documentation
11.36.4 Enumeration Type Documentation
11.37cfe/modules/core_api/fsw/inc/cfe_tbl.h File Reference
11.37.1 Detailed Description
11.38cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h File Reference
11.38.1 Detailed Description
11.38.2 Macro Definition Documentation
11.38.3 Typedef Documentation
11.38.4 Enumeration Type Documentation
11.39cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h File Reference
11.39.1 Detailed Description
11.39.2 Typedef Documentation

XXXIV CONTENTS

11.39.3 Enumeration Type Documentation
11.40cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h File Reference
11.40.1 Detailed Description
11.40.2 Macro Definition Documentation
11.40.3 Typedef Documentation
11.41cfe/modules/core_api/fsw/inc/cfe_time.h File Reference
11.41.1 Detailed Description
11.41.2 Macro Definition Documentation
11.42cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h File Reference
11.42.1 Detailed Description
11.42.2 Macro Definition Documentation
11.42.3 Typedef Documentation
11.42.4 Enumeration Type Documentation
11.43cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h File Reference
11.43.1 Detailed Description
11.43.2 Typedef Documentation
11.43.3 Enumeration Type Documentation
11.44cfe/modules/core_api/fsw/inc/cfe_version.h File Reference
11.44.1 Detailed Description
11.44.2 Macro Definition Documentation
11.45cfe/modules/es/fsw/inc/cfe_es_events.h File Reference
11.45.1 Detailed Description
11.45.2 Macro Definition Documentation
11.46cfe/modules/es/fsw/inc/cfe_es_msg.h File Reference
11.46.1 Detailed Description
11.46.2 Macro Definition Documentation
11.46.3 Typedef Documentation
11.47cfe/modules/evs/fsw/inc/cfe_evs_events.h File Reference

CONTENTS XXXV

11.47.1 Detailed Description
11.47.2 Macro Definition Documentation
11.48cfe/modules/evs/fsw/inc/cfe_evs_msg.h File Reference
11.48.1 Detailed Description
11.48.2 Macro Definition Documentation
11.48.3 Typedef Documentation
11.49cfe/modules/msg/fsw/inc/ccsds_hdr.h File Reference
11.49.1 Detailed Description
11.49.2 Typedef Documentation
11.50cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h File Reference
11.50.1 Detailed Description
11.51cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h File Reference
11.51.1 Detailed Description
11.51.2 Macro Definition Documentation
11.52cfe/modules/sb/fsw/inc/cfe_sb_events.h File Reference
11.52.1 Detailed Description
11.52.2 Macro Definition Documentation
11.53cfe/modules/sb/fsw/inc/cfe_sb_msg.h File Reference
11.53.1 Detailed Description
11.53.2 Macro Definition Documentation
11.53.3 Typedef Documentation
11.54cfe/modules/tbl/fsw/inc/cfe_tbl_events.h File Reference
11.54.1 Detailed Description
11.54.2 Macro Definition Documentation
11.55cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h File Reference
11.55.1 Detailed Description
11.55.2 Macro Definition Documentation
11.55.3 Typedef Documentation

XXXVI

11.56cfe/modules/time/fsw/inc/cfe_time_events.h File Reference
11.56.1 Detailed Description
11.56.2 Macro Definition Documentation
11.57cfe/modules/time/fsw/inc/cfe_time_msg.h File Reference
11.57.1 Detailed Description
11.57.2 Macro Definition Documentation
11.57.3 Typedef Documentation
11.58osal/docs/src/osal_frontpage.dox File Reference
11.59osal/docs/src/osal_fs.dox File Reference
11.60osal/docs/src/osal_timer.dox File Reference
11.61osal/src/os/inc/common_types.h File Reference
11.61.1 Detailed Description
11.61.2 Macro Definition Documentation
11.61.3 Typedef Documentation
11.61.4 Function Documentation
11.62osal/src/os/inc/osapi-binsem.h File Reference
11.62.1 Detailed Description
11.63osal/src/os/inc/osapi-bsp.h File Reference
11.63.1 Detailed Description
11.64osal/src/os/inc/osapi-clock.h File Reference
11.64.1 Detailed Description
11.64.2 Enumeration Type Documentation
11.65osal/src/os/inc/osapi-common.h File Reference
11.65.1 Detailed Description
11.65.2 Typedef Documentation
11.65.3 Enumeration Type Documentation
11.66osal/src/os/inc/osapi-constants.h File Reference
11.66.1 Detailed Description

CONTENTS xxxviii

11.66.2 Macro Definition Documentation
11.67osal/src/os/inc/osapi-countsem.h File Reference
11.67.1 Detailed Description
11.68osal/src/os/inc/osapi-dir.h File Reference
11.68.1 Detailed Description
11.68.2 Macro Definition Documentation
11.69osal/src/os/inc/osapi-error.h File Reference
11.69.1 Detailed Description
11.69.2 Macro Definition Documentation
11.69.3 Typedef Documentation
11.70osal/src/os/inc/osapi-file.h File Reference
11.70.1 Detailed Description
11.70.2 Macro Definition Documentation
11.70.3 Enumeration Type Documentation
11.71 osal/src/os/inc/osapi-filesys.h File Reference
11.71.1 Detailed Description
11.71.2 Macro Definition Documentation
11.72osal/src/os/inc/osapi-heap.h File Reference
11.72.1 Detailed Description
11.73osal/src/os/inc/osapi-idmap.h File Reference
11.73.1 Detailed Description
11.73.2 Macro Definition Documentation
11.74osal/src/os/inc/osapi-macros.h File Reference
11.74.1 Detailed Description
11.74.2 Macro Definition Documentation
11.75osal/src/os/inc/osapi-module.h File Reference
11.75.1 Detailed Description
11.75.2 Macro Definition Documentation

xxxviii CONTENTS

11.76osal/src/os/inc/osapi-mutex.h File Reference
11.76.1 Detailed Description
11.77osal/src/os/inc/osapi-network.h File Reference
11.77.1 Detailed Description
11.78osal/src/os/inc/osapi-printf.h File Reference
11.78.1 Detailed Description
11.79osal/src/os/inc/osapi-queue.h File Reference
11.79.1 Detailed Description
11.80osal/src/os/inc/osapi-select.h File Reference
11.80.1 Detailed Description
11.80.2 Enumeration Type Documentation
11.81osal/src/os/inc/osapi-shell.h File Reference
11.81.1 Detailed Description
11.82osal/src/os/inc/osapi-sockets.h File Reference
11.82.1 Detailed Description
11.82.2 Macro Definition Documentation
11.82.3 Enumeration Type Documentation
11.83osal/src/os/inc/osapi-task.h File Reference
11.83.1 Detailed Description
11.83.2 Macro Definition Documentation
11.83.3 Typedef Documentation
11.83.4 Function Documentation
11.84osal/src/os/inc/osapi-timebase.h File Reference
11.84.1 Detailed Description
11.84.2 Typedef Documentation
11.85osal/src/os/inc/osapi-timer.h File Reference
11.85.1 Detailed Description
11.85.2 Typedef Documentation

11.86osal/src/os/inc/osapi-version.h File Reference	216
11.86.1 Detailed Description	217
11.86.2 Macro Definition Documentation	217
11.86.3 Function Documentation	220
11.87osal/src/os/inc/osapi.h File Reference	221
11.87.1 Detailed Description	222
11.88psp/fsw/inc/cfe_psp.h File Reference	222
11.88.1 Macro Definition Documentation	224
11.88.2 Function Documentation	231
11.89psp/fsw/inc/cfe_psp_error.h File Reference	243
11.89.1 Detailed Description	244
11.89.2 Macro Definition Documentation	244
11.89.3 Typedef Documentation	247
11.89.4 Function Documentation	247
Index 1	249
IIIUGA I	4 7

1 Core Flight Executive Documentation

- · General Information and Concepts
 - Background
 - Applicable Documents
 - Version Numbers
 - Dependencies
 - Acronyms
 - Glossary of Terms
- Executive Services (ES)
 - cFE Executive Services Overview
 - cFE Executive Services Commands
 - cFE Executive Services Telemetry
 - ES Event Message Reference
 - cFE Executive Services Configuration Parameters
- Events Services (EVS)

- cFE Event Services Overview
- cFE Event Services Commands
- cFE Event Services Telemetry
- EVS Event Message Reference
- cFE Event Services Configuration Parameters
- Software Bus Services (SB)
 - cFE Software Bus Overview
 - cFE Software Bus Commands
 - cFE Software Bus Telemetry
 - SB Event Message Reference
 - cFE Software Bus Configuration Parameters
- Table Services (TBL)
 - cFE Table Services Overview
 - cFE Table Services Commands
 - cFE Table Services Telemetry
 - TBL Event Message Reference
 - cFE Table Services Configuration Parameters
- Time Services (TIME)
 - cFE Time Services Overview
 - cFE Time Services Commands
 - cFE Time Services Telemetry
 - TIME Event Message Reference
 - cFE Time Services Configuration Parameters
- cFE Event Message Cross Reference
- cFE Command Mnemonic Cross Reference
- cFE Telemetry Mnemonic Cross Reference
- cFE Application Programmer's Interface (API) Reference

1.1 Background

The Core Flight Executive (cFE) is an application development and run-time environment. The cFE provides a set of core services including Software Bus (messaging), Time, Event (Alerts), Executive (startup and runtime), and Table services. The cFE defines an application programming interface (API) for each service which serves as the basis for application development.

The cFE Software Bus service provides a publish and subscribe messaging system that allows applications to easily plug and play into the system. Applications subscribe to cFE services at runtime, making system modifications easy. Facilitating rapid prototyping, new applications can be compiled, linked, loaded, and started without requiring the entire system to be rebuilt.

Each service comes complete with a built in application that allows users to interface with each service. To support reuse and project independence, the cFE contains a configurable set of requirements and code. The configurable parameters allow the cFE to be tailored for each environment including desk-top and closed loop simulation environments. This provides the ability to run and test software applications on a developer's desktop and then deploy that same software without changes to the embedded system. In addition the cFE includes the following software development tools:

- · Unit Test Framework (UTF) for unit testing applications developed via the cFE
- · Software Timing Analyzer that provides visibility into the real-time performance of embedded systems software
- · Table Builder
- · Command and Telemetry utilities

The cFE is one of the components of the Core Flight System (cFS), a platform and project independent reusable software framework and set of reusable software applications. There are three key aspects to the cFS architecture: a dynamic run-time environment, layered software, and a component based design. The combination of these key aspects along with an implementation targeted to the embedded software domain makes it suitable for reuse on any number of NASA flight projects and/or embedded software systems.

The pivotal design feature, abstracting the software architecture from the hardware and forming the basis of reuse, is component layering. Each layer of the architecture "hides" its implementation and technology details from the other layers by defining and using standard Application Programming Interfaces (APIs). The internals of a layer can be changed without affecting other layers' internals and components.

The layers include an OS Abstraction Layer (OSAL), Platform Support Package (PSP) layer, core Flight Executive (cFE) layer, and an Application layer. The cFE layer runs on top of the PSP and OSAL layers. The cFE comes complete with a build environment, deployment guide, API reference guide, and provides a sample PSP. The OSAL is available open source and once integrated into the cFE build environment, developers will be ready to build and run the system and start developing their mission/project specific applications that easily plug and play into the system.

Core Flight Executive (cFE) Goals

The main long term goal of the cFE is to form the basis for a platform and project independent reusable software framework. The cFE with the OSAL allow the development of portable embedded system software that is independent of a particular Real Time Operating System and hardware platform. A secondary long term goal is to create a standardized, product-line approach for development of embedded aerospace flight software.

Functional and Community Goals

The cFE allows embedded system software to be developed and tested on desktop workstations and ported to the target platform without changing a single line of code, providing a shorter development and debug time. The cFE is an enabler of software collaboration amongst all users promoting the growth of the application and library layers where new applications, libraries, tools, and lessons learned can be contributed and shared.

It is important for application developers to realize the long term and functional goals of the cFE. With a standard set of services providing a standard API, all applications developed with the cFE have an opportunity to become useful on future missions through code reuse. In order to achieve this goal, applications must be written with care to ensure that their code does not have dependencies on specific hardware, software or compilers. The cFE and the underlying generic operating system API (OS API) have been designed to insulate the cFE Application developer from hardware and software dependencies. The developer, however, must make the effort to identify the proper methods through the cFE and OS API to satisfy their software requirements and not be tempted to take a "short-cut" and accomplish their goal with a direct hardware or operating system software interface.

1.2 Applicable Documents

Document Title	Link
cFE System (L4) Requirements Document	cfe/docs/'cfe requirements.docx'
cFE Functional (L5) Requirements Document	cfe/docs/cFE_FunctionalRequirements.csv
cFE Application Developers Guide	cfe/docs/'cFE Application Developers Guide.md'
cFE User's Guide (includes API)	Autogenerated from code, provided with releases in cFE repository
OS Abstraction Layer (OSAL) API	Autogenerated from code, provided with releases in OSAL repository

1.3 Version Numbers

Version Number Semantics

The version number is a sequence of four numbers, generally separated by dots when written. These are, in order, the Major number, the Minor number, the Revision number, and the Mission Revision number.

It is important to note that version numbers are only updated upon official releases of tagged versions, **NOT** on development builds. We aim to follow the Semantic Versioning v2.0 specification with our versioning.

The MAJOR number is incremented on release to indicate when there is a change to an API that may cause existing, correctly-written cFS components to stop working. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual changes to the API.

The MINOR number is incremented on release to indicate the addition of features to the API which do not break the existing code. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual updates to the API.

The REVISION number shall be incremented on changes that benefit from unique identification such as bug fixes or major documentation updates. The Revision number may also be updated if there are other changes contained within a release that make it desirable for applications to distinguish one release from another. WARNING: The revision number is set to the number 99 in development builds. To distinguish between development builds refer to the BUILD_NUMBER and BUILD_BASELINE detailed in the section "Identifying Development Builds".

The Mission Rev Version number is set to zero in all official releases, and is reserved for the mission use.

How and Where Defined

The version numbers are provided as simple macros defined in the cfe_version.h header file as part of the API definition; these macros must expand to simple integer values, so that they can be used in simple if directives by the macro preprocessor.

Note the Mission Rev number is provided for missions to be able to identify unique changes they have made to the released software (via clone and own). Specicifally, the values 1-254 are reserved for mission use to denote patches/customizations while 0 and 0xFF are reserved for cFS open-source development use (pending resolution of nasa/cFS#440).

1.4 Dependencies 5

Identifying Development Builds

In order to distinguish between development versions, we also provide a BUILD NUMBER.

The BUILD_NUMBER reflects the number of commits since the BUILD_BASELINE, a baseline git tag, for each particular component. The BUILD_NUMBER integer monotonically increases for a given baseline. The BUILD_BASELINE identifies the current development cycle and is a git tag with format vMAJOR.MINOR.REVISION. The Codename used in the version string also refers to the current development cycle. When a new baseline tag and codename are created, the BUILD_NUMBER resets to zero and begins increasing from a new baseline.

Templates for the short and long version string

See cfe_version.h for the standard layout and definition of version information. The apps and repositories follow the same pattern by replacing the CFE_ prefix with the appropriate name; for example, osal uses OS_, psp uses CFE_P← SP IMPL, and so on.

Suggested pattern for development:

- CFSCOMPONENT SRC VERSION: REFERENCE GIT TAG"+dev"BUILD NUMBER
 - Example: "v6.8.0-rc1+dev123"
- CFSCOMPONENT_VERSION_STRING: "CFSCOMPONENT DEVELOPMENT BUILD "CFSCOMPONENT_S

 RC_VERSION" (Codename: CFSCONSTELLATION), Last Official Release: MAJOR.MINOR.REVISION"
 - Example: "cFE DEVELOPMENT BUILD v6.8.0-rc1+dev123 (Codename: Bootes), Last Official Release: cfe v6.7.0"

Suggested pattern for official releases:

- CFSCOMPONENT_SRC_VERSION: OFFICIAL_GIT_TAG
 - Example: "v7.0.0"
- COMPONENT_VERSION_STRING: "CFSCOMPONENT OFFICIAL RELEASE "CFSCOMPONENT_SRC_VE ← RSION" (Codename: CFSCONSTELLATION)"
 - Example: "cFE OFFICIAL RELEASE v7.0.0 (Codename: Caelum)"

1.4 Dependencies

The Core Flight Executive (cFE) is required to be built with the Operating System Abstraction Layer (OSAL) and Platform Support Package (PSP) components of the Core Flight System (cFS). It is always recommended to build with the latest versions of each of the components as backward compatibility may not be supported.

Several internal data structures within the cFE use the "char" data type. This data type is typically 1 byte in storage size with a value range -128 to 127 or 0 to 255. The size of the "char" data type and whether or not the type is signed or unsigned can change across platforms. The cFE assumes use of the "char" data type as an **8-bit type**.

1.5 Acronyms

Acronym	Description
AC	Attitude Control
ACE	Attitude Control Electronics
ACS	Attitude Control System
API	Application Programming Interface
APID	CCSDS Application ID
Арр	Application
CCSDS	Consultative Committee for Space Data Systems
CDH, C&DH	Command and Data Handling
cFE	core Flight Executive
cFS	core Flight System
CM	Configuration Management
CMD	Command
CPU	Central Processing Unit
EDAC	Error Detection and Correction
EEPROM	Electrically Erasable Programmable Read-Only Memory
ES	Executive Services
EVS	Event Services
FC	Function Code
FDC	Failure Detection and Correction
FSW	Flight Software
HW, H/W	Hardware
ICD	Interface Control Document
MET	Mission Elapsed Time
MID	Message ID
OS	Operating System
OSAL	Operating System Abstraction Layer
PID	Pipeline ID
PKT	Packet
PSP	Platform Support Package
RAM	Random-Access Memory
SB	Software Bus
SDO	Solar Dynamics Observatory
ST5	Space Technology Five
STCF	Spacecraft Time Correlation Factor
SW, S/W	Software
TAI	International Atomic Time
TBD	To Be Determined
TBL	Table Services
TID	Task ID
TIME	Time Services
TLM	Telemetry
UTC	Coordinated Universal Time

1.6 cFE Executive Services Overview

Executive Services (ES) is one of the five core Flight Executive components. ES is the primary interface to the underlying Operating System, providing a high level interface to system control facilities. The ES component is responsible for starting up and restarting the cFE, starting up, shutting down, and restarting cFE Applications, logging errors and performance data, and providing a persistent memory store for cFE Applications.

The interfaces to the ES task include the Ground Interface (commands and telemetry) and the Application Programmer Interfaces (APIs). The ES task interfaces to the OS through the OS Abstraction Layer (OSAL) and platform through the Platform Support Package (PSP).

The functionality provided by the ES task include Software Reset, Application and Child Task Management, Basic File System, Performance Data Collection, Critical Data Store, Memory Pool, System Log, Shell Command.

For additional detail on Executive Services, see the following sections:

- Terminology
- · Software Reset
 - Reset Types and Subtypes
 - Exception and Reset (ER) Log
- Application and Child Task Management
 - Starting an Application
 - Stopping an Application
 - Restarting an Application
 - Reloading an Application
 - Listing Current Applications
 - Listing Current Tasks
 - Loading Common Libraries
- · Basic File System
- · Performance Data Collection
- · Critical Data Store

- · Memory Pool
- · System Log
- · Version Identification
- Executive Services Frequently Asked Questions

1.6.1 Terminology

The following sections describe terminology that is very relevant to understanding the Executive Services:

- "Application" and "cFE Application"
- · "Task"
- "Startup Script"

Next: "Application" and "cFE Application" Up To: cFE Executive Services Overview

1.6.1.1 "Application" and "cFE Application"

Application

The term 'Application' as defined in the Glossary of Terms is a set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.

cFE Application

A 'cFE Application' is an application that is external to the cFE and designed to interface to the cFE through the APIs. It is created through an entry in the "Startup Script" (with the 'Object Type' field set to CFE_APP) or by way of the CFE_ES_START_APP_CC ground command.

When referring to one of the five applications internal to the cFE (ES, EVS, SB, TIME or TBL), the term 'Service' or 'Core Application' is typically used.

A listing of cFE applications can be acquired by using the CFE_ES_QUERY_ALL_CC ground command. This listing will include the cFE internal applications as well as cFE applications that are loaded and running.

Next: "Task"
Up To: Terminology

1.6.1.2 "Task"

A Task is a thread of execution in the operating system, often associated with a cFE Application. Each cFE Application has a Main task providing its CPU context, stack and other OS resources. In addition, each cFE Application can create multiple Child Tasks which are closely associated with the Parent Task and cFE Application.

In a traditional Real Time Operating System such as vxWorks, the cFE Application Main task and child tasks end up being mapped to these OS tasks in the same shared memory space. For example, a Stored Command cFE Application that consists of a cFE Main Task and 10 Relative Time Sequence Child Tasks would have 11 tasks on a vxWorks system. The only association between these tasks exists in the cFE.

In a memory protected process oriented Operating System, the intention is to have a cFE Application implemented as a memory protected process with its own virtual address space. In this Process Model, each cFE Child Task would be a thread in the parent Process, much like a Unix process with multiple threads. In this model, the Stored Command example with a cFE Main Task and 10 Relative Time Sequence Child Tasks would consist of a Unix Process and 10 pthreads, all under the same virtual address space.

Next: "Startup Script"

Prev: "Application" and "cFE Application"

Up To: Terminology

1.6.1.3 "Startup Script"

The startup script is a text file, written by the user that contains a list of entries (one entry for each application) and is used by the ES application for automating the startup of applications. For a processor reset, ES checks for the CFE_

PLATFORM_ES_VOLATILE_STARTUP_FILE first, and if it doesn't exist or for a power on reset ES uses the file passed in to CFE_ES_Main (typically CFE_PLATFORM_ES_NONVOL_STARTUP_FILE but dependent on the PSP).

The fields in a single entry include:

Object Type	CFE_APP for an Application, or CFE_LIB for a library.
Path/Filename	This is a cFE Virtual filename, not a vxWorks device/pathname
Entry Point	This is the name of the "main" function for App.
CFE Name	The cFE name for the APP or Library
Priority	This is the Priority of the App, not used for a Library
Stack Size	This is the Stack size for the App, not used for a Library
Load Address	This is the Optional Load Address for the App or Library. It is currently not implemented so it should always be 0x0.
Exception Action	This is the Action the cFE should take if the Application has an exception. • 0 = Do a cFE Processor Reset
	Non-Zero = Just restart the Application

Immediately after the cFE completes its initialization, the ES Application first looks for the volatile startup script. The location in the file system is defined by the cFE platform configuration parameter named CFE_PLATFORM_ES_V OLATILE_STARTUP_FILE. This configuration parameter contains a path as well as a filename. If the file is found, ES begins to startup the applications that are listed in the file. If ES does not find the file, it attempts to open the CFE_PLATFORM_ES_NONVOL_STARTUP_FILE.

If ES finds the volatile startup script, the attempt to open the nonvolatile startup script is bypassed.

Any errors encountered in the startup script processing are written to the System Log. The System Log may also contain positive acknowledge messages regarding the startup script processing.

The startup script delivered with the cFE (cfe_es_startup.scr) also has some detailed information about the fields and the settings.

Next: Software Reset Prev: Starting an Application

Up To: Terminology

1.6.2 Software Reset

The ES Software Reset provides a command to reset the cFE as well as resetting individual applications. Because applications are dependent on the cFE services, it is not possible to reset the cFE without affecting the applications. Therefore, a command to reset the cFE will also reset every application that is running at the time the command is received.

Also include is the Exception and Reset (ER) Log, which has a command for dumping or clearing the log and telemetry to show the number of entries in the log. In addition to the ER log, the user may find information about the most recent reset in the ES task housekeeping telemetry.

The ES Software Reset also provides a command to set the maximum number of processor resets before ES issues a power-on reset. There is a corresponding 'processor resets' counter in ES housekeeping telemetry that may be reset through another ES command.

Next: Reset Types and Subtypes

Prev: Terminology

Up To: cFE Executive Services Overview

1.6.3 Reset Types and Subtypes

The Reset Type is sent to the ground in the ES housekeeping packet and tells how the current running version of the cFE was invoked. The possible Reset Types expected in the telemetry field are CFE_PSP_RST_TYPE_POWERON and CFE_PSP_RST_TYPE_PROCESSOR. There is a third Reset Type defined in the ES code as CFE_ES_APP_
RESTART which applies only to restarting an individual application and is covered in more detail in the section titled Application and Child Task.

The Reset Subtype is also sent in the ES housekeeping packet and gives more detail about the type of reset that started the execution of the current running version of the cFE. The possible Reset Subtypes are CFE_PSP_RST_ UBTYPE_PUSH_BUTTON, CFE_PSP_RST_SUBTYPE_HW_SPE_CIAL_COMMAND, CFE_PSP_RST_SUBTYPE_HW_WATCHDOG, CFE_PSP_RST_SUBTYPE_RESET_COMMAND, CFE_PSP_RST_SUBTYPE_EXCEPTION, CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET, CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET, CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET.

Next: Exception and Reset (ER) Log

Prev: Software Reset

Up To: cFE Executive Services Overview

1.6.4 Exception and Reset (ER) Log

The Exception and Reset Log contains detailed information about past resets and exceptions. To view the information the CFE_ES_WRITE_ER_LOG_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. There is also a command to clear the ER log, CFE_E⇔ S CLEAR ER LOG CC.

The size of the ER log is defined by the platform configuration parameter CFE_PLATFORM_ES_ER_LOG_ENTRIES This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry. This count can be used with the configuration parameter CFE_PLATFORM_ES_ER_LOG_ENTRIES to calculate the fullness of the log.

The information contained in a single log entry is defined by the structure CFE ES ERLog t.

Next: Application and Child Task Management

Prev: Reset Types and Subtypes

Up To: cFE Executive Services Overview

1.6.5 Application and Child Task Management

The ES Application and Child Task Management provides the user with full control over starting and stopping applications as well as querying information regarding applications, tasks and library routines.

There is no command to start or stop a child task. Child tasks can be controlled (started, stopped or deleted) only by the parent application through an API call.

This provides a way for the user to load a set of library routines, (via the startup script) without starting a corresponding task. See the section related to library routines for more detail.

The ES task maintains a counter for the number of registered applications, number of registered child tasks and the number of registered libraries in the ES housekeeping data.

Next: Starting an Application Prev: Software Reset

Up To: cFE Executive Services Overview

1.6.6 Starting an Application

There are two ways to start an application, through the ground command CFE_ES_START_APP_CC or through the startup script. In either case, the object file must be loaded on board before the command is sent or before the startup script is executed. The startup script contains a list of applications and library routines to load and start immediately after the cFE finishes its startup sequence. The parameters in the command, match the elements of an entry in the startup script.

The format of the Start Application command, is defined in the structure CFE_ES_StartAppCmd_t. The members of the structure include, application name, entry point, filename, stack size, load address, exception action and priority.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After starting an application, the ES task sends an informational event message displaying the application name, filename of the object and the application ID. The new application will then show up in the query list downloaded in response to the CFE ES QUERY ALL CC command.

Next: Stopping an Application

1.6.7 Stopping an Application

Stopping an application can be done through the ground command CFE_ES_STOP_APP_CC. This command will terminate the application execution and all child tasks created by the application, free the system resources that it allocated and delete the corresponding object file.

The process of stopping an application is done in a controlled manner when the application is properly using the return code from the call to the CFE_ES_RunLoop. When the application properly uses this function, the ES task starts a timer and (via the return code) tells the application to exit at its own convenience. This gives the application time to free its own resources and do any cleanup that may be required before terminating itself by calling CFE_ES_ExitApp. If the timer expires and the application still exists, then ES must 'kill' the application. When the application is killed, ES attempts to cleanup the applications resources as best it could. In this case there is no guarantee that all the system resources are properly released.

The format of the Stop Application command, is defined in the structure CFE_ES_AppNameCmd_t. The only parameter in the command is an application name.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After stopping an application, the ES task sends a debug message stating the name of the application. After executing the command, the application (or any resources it allocated) should no longer be listed in any cFE tables or files.

Next: Restarting an Application Prev: Starting an Application

Up To: Application and Child Task Management

1.6.8 Restarting an Application

The CFE_ES_RESTART_APP_CC command is used to restart an application using the same file name as the last start.

This command checks for file existence, the application is running, and the application is not a core app. If valid, the application restart is requested.

When requested, ES stops the application, unloads the object file, loads the object file using the previous file name, and restarts an application using the parameters defined when the application was previously started, either through the startup script or by way of the CFE ES START APP CC command.

Next: Reloading an Application Prev: Stopping an Application

Up To: Application and Child Task Management

1.6.9 Reloading an Application

The CFE_ES_RELOAD_APP_CC command is used to reload an application using a new file name.

This command performs the same actions as CFE_ES_RESTART_APP_CC only using the new file.

Next: Listing Current Applications Prev: Restarting an Application

1.6.10 Listing Current Applications

There are two options for receiving information about applications, the CFE_ES_QUERY_ONE_CC command can be used to get details about a single application. This command takes an application name as its only parameter and the application information is sent as a software bus packet that can be telemetered to the ground.

Or the CFE_ES_QUERY_ALL_CC command can be used to get information about all the applications that are currently registered with ES. This command writes the application data to a file and has a one parameter which specifies the path and filename of the output file.

For either command, the following Application information is made available:

- Application ID The Application ID assigned by the cFE to the Application
- Type Identifier Identifies whether the Application is a CORE App or an EXTERNAL App
- · Name The Application Name
- Entry Point The symbolic name for the entry point into the Application
- Filename The name of the file the Application was loaded from
- Stack Size The number of bytes allocated for the Application's stack
- · Load Address The starting address of memory where the Application was loaded
- · Load Size The size, in bytes, of the Application when loaded into memory
- · Start Address The physical address that maps to the Entry Point
- Exception Action A flag that identifies whether the Processor should undergo a Restart or whether just the Application should restart upon an exception condition within the Application
- · Priority The assigned priority for the Application
- Main Task ID The Task ID assigned to the main task associated with the Application
- Main Task Name The name of the main task associated with the Application
- Number of Child Tasks The number of child tasks spawned by the main task

For a description of the format in which this data is dumped, see CFE_ES_AppInfo_t.

Next: Listing Current Tasks
Prev: Reloading an Application

1.6.11 Listing Current Tasks

The CFE_ES_QUERY_ALL_TASKS_CC command is used to get a list of child tasks that are currently registered with ES. The following information is provided for each registered task:

- · Task ID The Task ID associated with the specified task
- · Task Name The name of the Task
- · Application ID The ID for the Application the Task is associated with
- · Application Name The name of the Application the Task is associated with

Next: Loading Common Libraries Prev: Listing Current Applications

Up To: Application and Child Task Management

1.6.12 Loading Common Libraries

Library routines may be loaded only through the startup script. There is an option that allows a library routine initialization function to be executed after the library is loaded. Refer to the cFE Application Developers Guide for more information regarding Library Routines and startup scripts. The startup script delivered with the cFE (cfe_es_startup.scr) also has some detailed information about library routines.

Next: Basic File System
Prev: Listing Current Tasks

Up To: Application and Child Task Management

1.6.13 Basic File System

ES provides minimal functionality to initialize, read, and write cfe File headers.

Next: Performance Data Collection Prev: Loading Common Libraries

1.6.14 Performance Data Collection

The Performance Data Collection provides precise timing information for each software application similar to how a logic analyzer can trigger and filter data.

API calls are inserted by the development team at key points in the code. The basic operation is to start the data collection, wait some amount of time, then send the command to stop the data collection. When the stop command is received, the ES task writes all the data from the buffer to a file. The file can then be imported to analysis tools for viewing. The size of the buffer is configurable through the CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE platform configuration parameter.

Additional information follows:

- Performance Data Collection Trigger Masks
- · Starting to Collect Performance Data
- Stopping the Collection of Performance Data
- Viewing the Collection of Performance Data

Next: Performance Data Collection Trigger Masks

Prev: Basic File System

Up To: cFE Executive Services Overview

1.6.14.1 Performance Data Collection Trigger Masks

The trigger mask is used to control precisely when to start collecting the data. There is a bit in the trigger mask for every marker used in the code. After a start command is received, the trigger mask is read and dictates when to begin storing data in the buffer.

If the trigger mask is set to all zeros, then the collection will begin immediately after the start command and continue until a stop command is received. In this case the buffer behaves in a 'circular' manner.

Next: Starting to Collect Performance Data

Prev: Performance Data Collection Up To: Performance Data Collection

1.6.14.2 Starting to Collect Performance Data

The CFE_ES_START_PERF_DATA_CC command is used to start the data collection process. The ES task sends a debug event when the command is received. It is not possible to start a collection if the buffer-to-file write is in process from an earlier collection. There is an ES telemetry point that can be used to ensure there is not a buffer-to-file write in progress. This ES telemetry point is called 'Perf Data to Write' and begins counting down from 'Data Count' to zero. If this counter is zero, it is ok to send the start command. If any errors are encountered when the start command is received, the details will be displayed in an error event message.

Next: Stopping the Collection of Performance Data Prev: Performance Data Collection Trigger Masks

Up To: Performance Data Collection

1.6.14.3 Stopping the Collection of Performance Data

The CFE_ES_STOP_PERF_DATA_CC command is used to stop the data collection process and write the buffer data to a file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME is used to specify the path and filename. The number of entries written to the file is determined by the 'data count' variable, which is sent in the ES housekeeping telemetry packet. To ensure cpu hogging does not occur during the write process, ES creates a low priority child task to perform the file write operation. This child task will write a number of entries, then sleep for a short time to give tasks of lower priority a chance to run. The number of entries between delays, and the delay time is displayed in the debug event at the time the stop command is received.

Next: Viewing the Collection of Performance Data
Prev: Starting to Collect Performance Data

Up To: Performance Data Collection

1.6.14.4 Viewing the Collection of Performance Data

To view the performance data, the file created as a result of the stop command must be transferred to the ground and imported into a viewing tool. See https://github.com/nasa/perfutils-java as an example.

Next: Critical Data Store

Prev: Stopping the Collection of Performance Data

Up To: Performance Data Collection

1.6.15 Critical Data Store

Some missions are required, for health, safety and mission success criteria, to survive Processor Resets. These mission requirements frequently flow down to Attitude Control and/or Command and Data Handling requirements that force an Application developer to design a mechanism for retaining software state information through a Processor Reset. The cFE provides the Critical Data Store to assist the developer in meeting these requirements.

The Critical Data Store is an area of memory that is not cleared during a Processor Reset. In addition, the contents of memory are validated when accessed with a Data Integrity Value that helps to ensure the contents have not been corrupted. Each processor platform, through the design of its Board Support Package, can implement this area of memory in a number of ways to ensure the contents survive a Processor Reset. Applications can allocate a section of this memory for their use in a way similar to the cFE Table Services Overview.

When an Application registers a Critical Data Store (CDS), the Executive Services allocates a section of the Critical Data Store memory for the application's use and assigns the Application specified name to the memory area. The operator can find and learn the characteristics of these Critical Data Stores by using the Dump CDS Registry Command. This command will dump the contents of the CDS Registry maintained by the Executive Services into a file that can be downlinked and examined by the operator.

The CDS Registry dump will identify the following information for each registered CDS:

- Handle the numeric identifier used by an Application to access the contents of the CDS
- · Size the number of bytes allocated to the specified CDS

- Table Flag a flag that indicates whether the CDS is associated with a Critical Tables (when non-zero) or not (when equal to zero).
- Name a processor specific name that uniquely identifies the CDS. The name comes in two parts, "AppName. ← CDSName". AppName identifies which Application registered the CDS. CDSName is the name the Application assigned to the CDS.

The format of the CDS Registry Dump File is a cFE Standard File header (see CFE_FS_Header_t) followed by one or more CDS Registry Dump File Records (see CFE_ES_CDSRegDumpRec_t).

Next: Memory Pool

Prev: Performance Data Collection
Up To: cFE Executive Services Overview

1.6.16 Memory Pool

Refer to the cFE Application Developers Guide for additional information.

Applications that are designed for generic missions, frequently have to wait until run-time before allocating memory for buffers, data records, etc.

The cFE provides a memory allocation algorithm that may be used by an application to manage its block of memory. The user provides a pointer to its memory block and a list of block sizes and the cFE provides 'get' and 'put' API's to the user for managing its memory pool.

Run-time memory allocation in an embedded system can be risky because of the potential problem of memory fragmentation. Memory fragmentation is also referred to as External Fragmentation and is defined in the wikipedia as:

External fragmentation is the phenomenon in which free storage becomes divided into many small pieces over time. It is a weakness of certain storage allocation algorithms, occurring when an application allocates and deallocates ("frees") regions of storage of varying sizes, and the allocation algorithm responds by leaving the allocated and deallocated regions interspersed. The result is that, although free storage is available, it is effectively unusable because it is divided into pieces that are too small to satisfy the demands of the application. The term "external" refers to the fact that the unusable storage is outside the allocated regions.

To help prevent this from happening, the cFE has integrated a memory allocation algorithm that is designed to create blocks at run-time, based on the size of the blocks requested. After a reset, there are no blocks created, the memory pool is said to be unconfigured. As requests for memory blocks are made, the memory pool first tries to use blocks that have been created but are no longer in use. If it cannot find an available block, it will create a new one. The created blocks remain until a reset occurs.

This algorithm is recommended when the size of the requests and the peak rate of requests can be pre-determined. It is highly recommended that adequate margin is designed into the pool size. The memory pool should never get close to being fully configured (i.e. not enough memory to create a new block). If the memory does become fully configured, requests for new size blocks will fail, regardless of whether the created blocks are in-use or not. The margin on the memory pool can be monitored by viewing the 'free bytes' member of the memory pool statistics. The memory pool statistics are dumped only when commanded by way of the ES command CFE_ES_SEND_MEM_POOL_STATS_CC.

A user of the ES memory pool begins by tailoring the memory pool for the particular use, by defining a list of block sizes and allocating a block of memory. These block size definitions simply give the memory pool a set of sizes to choose

from. They do not configure the memory pool in any way and they do not affect the size of the pool. The cFE defines a default set of block sizes in the cfe platform cfg.h file.

If the default block sizes are used, the application will create the pool using the simpler CFE_ES_PoolCreate API. This API takes a pointer to the first byte of the memory pool (allocated by the application) and a size parameter. The API returns a handle to be used for the get and put requests.

If the defaults are not sufficient, the user must define the block sizes and use the CFE ES PoolCreateEx API.

After receiving a positive response from the PoolCreate API, the memory pool is ready to accept requests, but at this point it is completely unconfigured (meaning there are no blocks created). The first valid request (via CFE_ES_Get← PoolBuf API) after creating the pool will always cause the memory pool to create a block and return a pointer to the new block. The size of the block depends on the size definitions mentioned earlier. If there is not an exact match between the requested and defined sizes, then the memory pool will create and return the smallest block that meets the following criteria: is a defined size and large enough to hold the request.

If another request for that size comes in before the first block was released through the CFE_ES_PutPoolBuf API, then the memory pool will create a second block of that size and return a pointer to the second block. If both blocks were then released through the CFE_ES_PutPoolBuf API and the memory pool statistics were dumped via the CFE_ES_ CEND_MEM_POOL_STATS_CC command, the number of blocks created would be two. The number of 'free bytes' in the pool would be the size of the pool minus the sum of the following items:

- the size of the two blocks created (even though they are not 'in-use').
- a buffer descriptor for each of the two blocks created (2 * 12 bytes)
- a 168 byte pool descriptor Refer to the cFE Applications Developers Guide for more details.

This allocation algorithm does have its limits. There are certain conditions that can place the memory pool in an undesired state. For instance, if a burst of get requests were received for the same block size, the memory pool may create a large number of blocks of that size. If this is a one-time burst, the memory pool would be configured with this large number of blocks that may no longer be needed. This scenario would use up the 'free bytes' margin in an undesired way. It should be noted that once the blocks are created, they cannot be deleted by any means other than a processor or power-on reset. It is highly recommended that the memory pool statistics be carefully monitored to ensure that the 'free-bytes' margin is sufficient (which is typically dictated by mission requirements).

An operator can obtain information about an Application's Memory Pool by using the Telemeter Memory Pool Statistics Command.

This command will cause Executive Services to extract pertinent statistics from the data used to manage the Memory Pool and telemeter them to the ground in the Memory Pool Statistics Telemetry Packet.

In order to obtain the statistics associated with a memory pool, the operator **MUST** have the correct Memory Handle as reported by the Application who owns the Memory Pool. **It should be noted that an inappropriate Memory Pool Handle can** *(and likely will)* **cause the system software to crash!** Within the cFE itself, there are three cFE Core Applications that make use of the Executive Services Memory Pool API. These are Software Bus (SB), Event Services (EVS) and Table Services (TBL). Each of these cFE Core Applications report their memory pool handles in telemetry.

The Memory Pool Statistics Telemetry Packet contains the following information:

• **Memory Pool Handle** - the handle, as provided by the operator in the Telemeter Memory Pool Statistics Command. This repeating of the handle in telemetry ensures the operator knows which Memory Pool Statistics are being viewed

- Pool Size The total size of the memory pool (in bytes)
- Number Blocks Requested The total number of memory blocks requested for allocation
- Number of Errors The total number of errors encountered when a block was released
- Number of Free Bytes The total number of bytes in the Memory Pool that have never been allocated to a Memory Block
- Block Statistics For each specified size of memory block (of which there are CFE_MISSION_ES_POOL_M

 AX BUCKETS), the following statistics are kept
 - Block Size The size, in bytes, of all blocks of this type
 - Number of Blocks Allocated The number of this sized block which are currently allocated and in use
 - Number of Blocks Free The number of this size block which have been in use previously but are no longer being used

Next: System Log
Prev: Critical Data Store

Up To: cFE Executive Services Overview

1.6.17 System Log

The System Log is an array of bytes that contains back-to-back printf type messages from applications. The cFE internal applications use this log when errors are encountered during initialization before the Event Manager is fully initialized. To view the information the CFE_ES_WRITE_SYSLOG_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. The CFE_ES_CLEAR_SYSLOG_CC is used to clear the System log.

The size of the System log is defined by the platform configuration parameter CFE_PLATFORM_ES_SYSTEM_LOG← _SIZE. This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry.

Next: Version Identification Prev: Memory Pool

Up To: cFE Executive Services Overview

1.6.18 Version Identification

Version information is reported at startup, and upon receipt of a No-op command

Next: Executive Services Frequently Asked Questions

Prev: System Log

Up To: cFE Executive Services Overview

1.6.19 Executive Services Frequently Asked Questions

Prev: Version Identification

Up To: cFE Executive Services Overview

1.7 cFE Executive Services Commands

Upon receipt of any command, the Executive Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, ES will generate the CFE_ES_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_ES_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Executive Services Task.

Global CFE ES CLEAR ER LOG CC

Clears the contents of the Exception and Reset Log

Global CFE_ES_CLEAR_SYSLOG_CC

Clear Executive Services System Log

Global CFE ES DELETE CDS CC

Delete Critical Data Store

Global CFE ES DUMP CDS REGISTRY CC

Dump Critical Data Store Registry to a File

Global CFE_ES_NOOP_CC

Executive Services No-Op

Global CFE ES OVER WRITE SYSLOG CC

Set Executive Services System Log Mode to Discard/Overwrite

Global CFE ES QUERY ALL CC

Writes all Executive Services Information on all loaded modules to a File

Global CFE ES QUERY ALL TASKS CC

Writes a list of All Executive Services Tasks to a File

Global CFE ES QUERY ONE CC

Request Executive Services Information on a specified module

Global CFE_ES_RELOAD_APP_CC

Stops, Unloads, Loads from the command specified File and Restarts an Application

Global CFE ES RESET COUNTERS CC

Executive Services Reset Counters

Global CFE ES RESET PR COUNT CC

Resets the Processor Reset Counter to Zero

Global CFE ES RESTART APP CC

Stops, Unloads, Loads using the previous File name, and Restarts an Application

Global CFE ES RESTART CC

Executive Services Processor / Power-On Reset

Global CFE_ES_SEND_MEM_POOL_STATS_CC

Telemeter Memory Pool Statistics

Global CFE_ES_SET_MAX_PR_COUNT_CC

Configure the Maximum Number of Processor Resets before a Power-On Reset

Global CFE ES SET PERF FILTER MASK CC

Set Performance Analyzer's Filter Masks

Global CFE_ES_SET_PERF_TRIGGER_MASK_CC

Set Performance Analyzer's Trigger Masks

Global CFE ES START APP CC

Load and Start an Application

Global CFE ES START PERF DATA CC

Start Performance Analyzer

Global CFE ES STOP APP CC

Stop and Unload Application

Global CFE_ES_STOP_PERF_DATA_CC

Stop Performance Analyzer and write data file

Global CFE_ES_WRITE_ER_LOG_CC

Writes Exception and Reset Log to a File

Global CFE ES WRITE SYSLOG CC

Writes contents of Executive Services System Log to a File

1.8 cFE Executive Services Telemetry

The following are telemetry packets generated by the cFE Executive Services Task.

Global CFE ES HousekeepingTlm Payload t

Executive Services Housekeeping Packet

Global CFE_ES_HousekeepingTlm_Payload_t

Executive Services Housekeeping Packet

Global CFE_ES_OneAppTIm_Payload_t

Single Application Information Packet

Global CFE ES OneAppTIm Payload t

Single Application Information Packet

Global CFE_ES_PoolStatsTIm_Payload_t

Memory Pool Statistics Packet

Global CFE_ES_PoolStatsTlm_Payload_t

Memory Pool Statistics Packet

1.9 cFE Executive Services Configuration Parameters

The following are configuration parameters used to configure the cFE Executive Services either for each platform or for a mission as a whole.

Global CFE MISSION ES CDS MAX FULL NAME LEN

Maximum Length of Full CDS Name in messages

Global CFE_MISSION_ES_CDS_MAX_NAME_LENGTH

Maximum Length of CDS Name

Global CFE_MISSION_ES_DEFAULT_CRC

Mission Default CRC algorithm

Global CFE MISSION ES MAX APPLICATIONS

Mission Max Apps in a message

Global CFE MISSION ES PERF MAX IDS

Define Max Number of Performance IDs for messages

Global CFE MISSION ES POOL MAX BUCKETS

Maximum number of block sizes in pool structures

Global CFE PLATFORM CORE MAX STARTUP MSEC

CFE core application startup timeout

Global CFE_PLATFORM_ES_APP_KILL_TIMEOUT

Define ES Application Kill Timeout

Global CFE_PLATFORM_ES_APP_SCAN_RATE

Define ES Application Control Scan Rate

Global CFE PLATFORM ES CDS MAX NUM ENTRIES

Define Maximum Number of Registered CDS Blocks

Global CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01

Define ES Critical Data Store Memory Pool Block Sizes

Global CFE_PLATFORM_ES_CDS_SIZE

Define Critical Data Store Size

Global CFE PLATFORM ES DEFAULT APP LOG FILE

Default Application Information Filename

Global CFE PLATFORM ES DEFAULT CDS REG DUMP FILE

Default Critical Data Store Registry Filename

Global CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE

Default Exception and Reset (ER) Log Filename

Global CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME

Default Performance Data Filename

Global CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE

Define Default System Log Mode following Power On Reset

Global CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE

Define Default System Log Mode following Processor Reset

Global CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Define Default Stack Size for an Application

Global CFE PLATFORM ES DEFAULT SYSLOG FILE

Default System Log Filename

Global CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE

Default Application Information Filename

Global CFE PLATFORM ES ER LOG ENTRIES

Define Max Number of ER (Exception and Reset) log entries

Global CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE

Maximum size of CPU Context in ES Error Log

Global CFE_PLATFORM_ES_MAX_APPLICATIONS

Define Max Number of Applications

Global CFE PLATFORM ES MAX GEN COUNTERS

Define Max Number of Generic Counters

Global CFE PLATFORM ES MAX LIBRARIES

Define Max Number of Shared libraries

Global CFE PLATFORM ES MAX MEMORY POOLS

Maximum number of memory pools

Global CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS

Define Number of Processor Resets Before a Power On Reset

Global CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01

Define Default ES Memory Pool Block Sizes

Global CFE PLATFORM ES MEMPOOL ALIGN SIZE MIN

Define Memory Pool Alignment Size

${\bf Global\ CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING}$

Default virtual path for persistent storage

Global CFE_PLATFORM_ES_NONVOL_STARTUP_FILE

ES Nonvolatile Startup Filename

Global CFE_PLATFORM_ES_OBJECT_TABLE_SIZE

Define Number of entries in the ES Object table

Global CFE PLATFORM ES PERF CHILD MS DELAY

Define Performance Analyzer Child Task Delay

Global CFE_PLATFORM_ES_PERF_CHILD_PRIORITY

Define Performance Analyzer Child Task Priority

Global CFE PLATFORM ES PERF CHILD STACK SIZE

Define Performance Analyzer Child Task Stack Size

Global CFE PLATFORM ES PERF DATA BUFFER SIZE

Define Max Size of Performance Data Buffer

Global CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS

Define Performance Analyzer Child Task Number of Entries Between Delay

Global CFE PLATFORM ES PERF FILTMASK ALL

Define Filter Mask Setting for Enabling All Performance Entries

Global CFE PLATFORM ES PERF FILTMASK INIT

Define Default Filter Mask Setting for Performance Data Buffer

Global CFE PLATFORM ES PERF FILTMASK NONE

Define Filter Mask Setting for Disabling All Performance Entries

Global CFE PLATFORM ES PERF TRIGMASK ALL

Define Filter Trigger Setting for Enabling All Performance Entries

Global CFE_PLATFORM_ES_PERF_TRIGMASK_INIT

Define Default Filter Trigger Setting for Performance Data Buffer

Global CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Define Default Filter Trigger Setting for Disabling All Performance Entries

Global CFE PLATFORM ES POOL MAX BUCKETS

Maximum number of block sizes in pool structures

Global CFE PLATFORM ES RAM DISK MOUNT STRING

Default virtual path for volatile storage

Global CFE PLATFORM ES RAM DISK NUM SECTORS

ES Ram Disk Number of Sectors

Global CFE PLATFORM ES RAM DISK PERCENT RESERVED

Percentage of Ram Disk Reserved for Decompressing Apps

Global CFE PLATFORM ES RAM DISK SECTOR SIZE

ES Ram Disk Sector Size

Global CFE_PLATFORM_ES_RESET_AREA_SIZE

Define ES Reset Area Size

Global CFE PLATFORM ES START TASK PRIORITY

Define ES Task Priority

Global CFE PLATFORM ES START TASK STACK SIZE

Define ES Task Stack Size

Global CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC

Startup script timeout

Global CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC

Poll timer for startup sync delay

Global CFE_PLATFORM_ES_SYSTEM_LOG_SIZE

Define Size of the cFE System Log.

Global CFE_PLATFORM_ES_USER_RESERVED_SIZE

Define User Reserved Memory Size

Global CFE PLATFORM ES VOLATILE STARTUP FILE

ES Volatile Startup Filename

Global CFE PLATFORM EVS START TASK PRIORITY

Define EVS Task Priority

Global CFE PLATFORM EVS START TASK STACK SIZE

Define EVS Task Stack Size

Global CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01

Define SB Memory Pool Block Sizes

Global CFE_PLATFORM_SB_START_TASK_PRIORITY

Define SB Task Priority

Global CFE_PLATFORM_SB_START_TASK_STACK_SIZE

Define SB Task Stack Size

Global CFE_PLATFORM_TBL_START_TASK_PRIORITY

Define TBL Task Priority

Global CFE_PLATFORM_TBL_START_TASK_STACK_SIZE

Define TBL Task Stack Size

1.10 cFE Event Services Overview

Event Services (EVS) provides centralized control for the processing of event messages originating from the EVS task itself, other cFE core applications (ES, SB, TIME, and TBL), and from cFE applications. Event messages are asynchronous messages that are used to inform the operator of a significant event from within the context of a registered application or core service. EVS provides various ways to filter event messages in order to manage event message generation.

Note for messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE ES WriteToSysLog can be used for reporting.

For more information on cFE Event Services, see the following sections:

- Event Message Format
- · Local Event Log
- · Event Message Control
- · Event Message Filtering
- EVS Registry
- EVS Counters
- Resetting EVS Counters
- · Effects of a Processor Reset on EVS
- · EVS squelching of misbehaving apps
- Frequently Asked Questions about Event Services

1.10.1 Event Message Format

Event messages are software bus messages that contain the following fields:

- Timestamp
- Event Type
- Spacecraft ID
- · Processor ID
- Application Name
- · Event ID
- Message

The *Timestamp* corresponds to when the event was generated, in spacecraft time. The *Event Type* is one of the following: DEBUG, INFO, ERROR or CRITICAL. The *Spacecraft ID* and *Processor ID* identify the spacecraft and processor from which the event was generated. Note that the *Spacecraft ID* is defined in the cfe_mission_cfg.h file; The *Processor ID* is defined in the appropriate cfe_platform_cfg.h file. The *Application Name* refers to the Application that issued the event message as specified on application startup (either startup script or app start command). The *Event ID* is an Application unique number that identifies the event. The *Message* is an ASCII text string describing the event. Event messages may have parameters associated with the event message. EVS formats the parameters such that they are part of the ASCII text string that make up the event message.

In order to accommodate missions that have limited telemetry bandwidth, EVS can be configured such that the ASCII text string part of the event message is omitted, thus reducing the size of each event message. This is referred to as *Short Format*; Event messages including the ASCII text string are referred to as *Long Format*. The default setting is specified in the cfe_platform_cfg.h file. EVS also provides commands in order to set the mode (short or long).

Since the design of the cFE's Software Bus is based on run-time registration, no predetermined message routing is defined, hence it is not truly correct to say that events are generated as telemetry. Technically, EVS generates events in the form of software bus messages. Applications such as Telemetry Output and Data Storage can then subscribe to these messages making them telemetry. For the purposes of this document, any references to telemetry assumes that a telemetry application subscribes to the EVS event software bus message and routes it to the ground as telemetry. Note that short format event messages on the Software Bus have different message lengths than long form messages and do not include any part of the long format message string.

The EVS can be configured via ground command to send event messages out one or more message ports. These message ports may include ports such as debug, console, and UART. Messages sent out of the message ports will be in ASCII text format. This is generally used for lab purposes. Note that the event mode (short or long) does affect the event message content sent out these message ports.

Next: Local Event Log

Up To: cFE Event Services Overview

1.10.2 Local Event Log

In addition to generating a software bus message, EVS logs the event message to a Local Event Log. Note that this is an optional feature that must be enabled via the cfe_platform_cfg.h file. The Local Event Log resides on the same processor as the EVS which is used to store events without relying on an external bus. In multi-processor cFE configurations the Local Event Buffer preserves event messages during non-deterministic processor initialization sequences and during failure scenarios. In order to obtain the contents of the Local Event Log, a command must be sent to write the contents of the buffer to a file which can then be sent to the ground via a file transfer mechanism. Note that event messages stored in the EVS Local Event Log are always long format messages and are not affected by the event mode (short or long).

EVS provides a command in order to clear the Local Event Log.

Local Event Log Mode

EVS can be configured to control the Local Event Log to either discard or overwrite the contents of the log when it becomes full. If the mode is set to overwrite, the log is treated like a circular buffer, overwriting the oldest event message contained in the log first. This control is configured by default in the cfe_platform_cfg.h file but can be modified by a command.

Next: Event Message Control Prev: Event Message Format

Up To: cFE Event Services Overview

1.10.3 Event Message Control

In order for an application to be serviced by EVS, it must be registered with EVS. EVS provides various commands in order to control the event messages that are generated as software bus messages.

Event Message Control - By Type

The highest level of event message control that EVS provides is the ability to enable and disable event message types. As mentioned above, there are four event types. They are:

- 1. DEBUG
- 2. INFORMATION
- 3. ERROR
- 4. CRITICAL

When commands are sent to enable or disable a particular type of event message, ALL event messages of the specified type are affected. Typically, event messages of type DEBUG are disabled on-orbit. Note that EVS provides the capability to affect multiple types within one command using a bit mask. Note also that the configuration parameter CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG in the cfe_platform_cfg.h file specifies which event message types are enabled/disabled by default.

Event Message Control - By Application

Commands are available to enable and disable the generation of event messages for a particular application. The result is that ALL event messages for the specified Application are affected (i.e. enabled or disabled).

Event Message Control - By Event Type for an Application

EVS also provides the capability to enable / disable an event type for a particular application. Note that EVS provides the capability to affect multiple event types within one command using a bit mask.

Event Message Control - Individual Events

There are two ways to control the generation of individual events depending on whether the application's event message has been registered with EVS or not.

Modifying a registered event message filter

When an application registers with EVS, the application has the option of specifying the events that it wants to register for filtering along with the Event Message Filtering (only the Binary Filtering Scheme exists currently). Note that applications are limited in the number of events that they can register for filtering (see CFE_PLATFORM_EVS_MAX_EVENT_FIL TERS in cfe_platform_cfg.h for the mission defined limit). The filtering method uses a mask to determine if the message is forwarded to the software bus, making it available in telemetry (see Event Message Filtering for a description on filtering). Commands are available to modify the filter mask for any registered event.

An on-orbit mission, for example, might be experiencing a problem resulting in an application's event message being repeatedly issued, flooding the downlink. If the event message for the application is registered with EVS, then a command can be issued to set the event message filter to the specified value in order to prevent flooding of the downlink.

Adding/Removing an event message for filtering

Commands are also available to add filtering for those events that are not registered for filtering. Once an event is registered for filtering, the filter can be modified (see above) or removed.

An on-orbit mission, for example, might be experiencing a problem resulting in an event message being repeatedly issued, flooding the downlink. If the event message was not registered with EVS for filtering then the ground can add (i.e. register) the offending application's event for filtering (much like an application registers the event during initialization).

EVS also supports the ability to remove (i.e. unregister) an application's event message. Once it is removed, the event will no longer be filtered. Note that commands issued to disable events by event type, by application or by event type for an application are still valid and could affect this particular event.

Next: Event Message Filtering Prev: Local Event Log

Up To: cFE Event Services Overview

1.10.4 Event Message Filtering

EVS uses a hexadecimal bit mask that controls how often a message is filtered. An event's filter mask is bit-wise ANDed with the event's event counter. There is one event counter for each event ID. If the result of the ANDing is zero then the message is sent.

Filter masks can be set so that one out of 1, 2, 4, 8 events are sent. Some examples of masks that use this pattern are: (0x0000, Every one), (0x0001, One of every 2), (0x0003, One of every 4), and (0x0007, One of every 8.

Filter masks can also be set so that only the first n events are sent. For example, the mask 0xFFFF generates one event message and then stops. Note that when the filter counter is reset to zero by command, this will restart the counting and enable n more events to be sent.

Event messages will be filtered until CFE_EVS_MAX_FILTER_COUNT events of the filtered event ID from the application have been received. After this, the filtering will become locked (no more of that event will be received by the ground) until the filter is either reset or deleted by ground command. This is to prevent the counter from rolling over, which would cause some filters to behave improperly. An event message will be sent when this maximum count is reached.

The following shows an example of how filtering works using a filter mask of x'0001', resulting in sending every other event:

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'0001'	x'0001'	x'0001'	x'0001'	x'0001'	
Bitwise AND results	x'0000'	x'0001'	x'0000'	x'0001'	x'0000'	
Send event?	Yes	No	Yes	No	Yes	

In this example, the ground uses a filter mask of x'FFFE' resulting in the first two events being sent and then no more.

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	
Bitwise AND results	x'0000'	x'0000'	x'0002'	x'0002'	x'0004'	
Send event?	Yes	Yes	No	No	No	

See cfe evs.h for predefined macro values which can be used for masks.

Next: EVS Registry

Prev: Event Message Control

Up To: cFE Event Services Overview

1.10.5 EVS Registry

EVS maintains information on each registered application and all events registered for an application.

The registry contains the following information for each Registered Application:

· Active Flag - If equal to FALSE (0), all events from this Application are Filtered

• Event Count - Total number of events issued by this Application. Note that this value stop incrementing at 65535.

The following information for each Filtered Event (up to CFE_PLATFORM_EVS_MAX_EVENT_FILTERS) ←:

- Event ID Event ID for event whose filter has been defined
- Mask Binary Filter mask value (see Event Message Filtering for an explanation)
- Count Current number of times this Event ID has been issued by this Application

Next: EVS Counters

Prev: Event Message Filtering
Up To: cFE Event Services Overview

1.10.6 EVS Counters

There are 2 types of counters in EVS housekeeping telemetry:

- · Total events sent counter
- Number of events sent for each Application

The difference is that the first one is the sum of all of the event messages sent. Both of these represent events that are actually sent (by EVS to the software bus). If an event message is filtered or disabled, neither counter is incremented.

There are other counters available that show how many event messages were generated by an App, however, these are only available for those events that are registered for filtering hence if you have a message that is not registered for filtering and the message type (e.g. DEBUG) is disabled then you won't know if the event was ever issued by an application. These counters are available by sending a command to write the EVS Application Data and transferring the file to the ground.

Next: Resetting EVS Counters

Prev: EVS Registry

Up To: cFE Event Services Overview

1.10.7 Resetting EVS Counters

As far as reset commands, there are 4 commands available:

- Reset the total events sent counter
- 2. Reset the events sent counter for a particular Application e.g. reset the LC application events counter
- 3. Reset all of the event counters for a particular registered event for a particular Application e.g. Reset event counter for Event ID 5 for the LC Application.
- 4. Reset all of the event counters for ALL registered events for a particular App e.g. Reset all registered event counters for LC.

Note that there is currently no way to reset ALL of the events sent counters for all of the Apps with one command.

Next: Effects of a Processor Reset on EVS

Prev: EVS Counters

Up To: cFE Event Services Overview

1.10.8 Effects of a Processor Reset on EVS

On a processor reset, the EVS Registry is cleared such that applications must re-register with EVS in order to use EVS services. All counters are also cleared with the exceptions of those listed below.

On a processor reset, the following EVS data is preserved (if the cFE is configured to include an Local Event Log):

- Local Event Log if the Local Event Log Mode is configured to Discard (1). If the Local Event Log Mode is configured to Overwrite (0), the contents of the log may be overwritten depending on the size and contents of the log prior to the reset.
- · Local Event Log Full Flag
- · Local Event Log overflow counter

The Local Event Log Mode (overwrite/discard) is set to the configured value specified in the cfe_platform_cfg.h file. The default value is Discard (1). Discard mode will guarantee the contents of the event log are preserved over a processor restart.

This provides the ground with the capability to write the Local Event Log to a file and transfer it to the ground in order to help debug a reset.

Next: EVS squelching of misbehaving apps

Prev: Resetting EVS Counters

Up To: cFE Event Services Overview

1.10.9 EVS squelching of misbehaving apps

Event squelching is an optional feature for suppressing excessive events from misbehaving apps. It is enabled by setting CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST to a nonzero positive value, and CFE_PLATFORM_EVS_APP
_EVENTS_PER_SEC equal to or less than that value.

CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST controls the maximum events that can be sent at a given moment, and CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC is the sustained event throughput per second.

The suppression mechanism initializes with CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST * 1000 credits. Each event costs 1000 credits. Credits are restored at a rate of CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC * 1000 up to a maximum balance of CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST*1000, and the maximum "debt" is -CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST * 1000. When the credit count crosses from positive to negative, a squelched event message is emitted and events are supppressed, until the credit count becomes positive again.

Figure EVS-1 is a notional state diagram of the event squelching mechanism.




Figure 1 Figure EVS-1: EVS Squelching State Diagram

Next: Frequently Asked Questions about Event Services

Prev: Effects of a Processor Reset on EVS Up To: cFE Event Services Overview

1.10.10 Frequently Asked Questions about Event Services

(Q) My telemetry stream is being flooded with the same event message. How do I make it stop?

The most direct way to stop an event message from flooding your downlink stream is to send a command to EVS to filter the offending event (see Event Message Control or \$sc_\$cpu_EVS_SetBinFltrMask). In order to stop the event message from being sent, a bit mask of '0xFFFF' should be used. If the event is not currently registered for filtering, the event message must be added using the command \$sc_\$cpu_EVS_AddEvtFltr.

(Q) I filtered an event message and would now like to see it again. What do I do in order to see those events again?

If the event message that you are interested is registered with EVS for filtering, then you have 2 options:

1. You can use the \$sc_\$cpu_EVS_SetBinFltrMask command using a bit mask of '0x0000' which will result in getting all of the events for that Event Id

or

2. You can remove the registration of that event with EVS (see \$sc_\$cpu_EVS_DelEvtFltr). Note that option (1) is the preferred method.

(Q) What is the purpose of DEBUG event messages?

Event message of type "DEBUG" are primarily used during flight software development in order to provide information that is most likely not needed on orbit. Some commands send debug event messages as verification that a command request was received. When writing the EVS local event log to a file, for example, an event message of type DEBUG is issued. On orbit, this event message is probably not needed. Instead, the command counter is used for command verification.

(Q) How do I find out which events are registered for filtering?

EVS provides a command (\$sc_\$cpu_EVS_WriteAppData2File) which generates a file containing all of the applications that have registered with EVS and all of the filters that are registered for each application. Note that EVS merely generates the file. The file must be transferred to the ground in order to view it.

(Q) Why do I see event messages in my console window?

By default, the events are configured to transmit out a "port" that shows event messages in the console

(Q) What is the difference between event services and the ES System Log

Events are within the context of an App or cFE Service (requires registration with ES). The system log can be written to outside of the Application or cFE Service context, for example during application startup to report errors before registration.

Prev: Effects of a Processor Reset on EVS Up To: cFE Event Services Overview

1.11 cFE Event Services Commands

Upon receipt of any command, the Event Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, EVS will generate the CFE_EVS_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_EVS_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Event Services Task.

Global CFE_EVS_ADD_EVENT_FILTER_CC Add Application Event Filter Global CFE EVS CLEAR LOG CC Clear Event Log Global CFE EVS DELETE EVENT FILTER CC Delete Application Event Filter Global CFE_EVS_DISABLE_APP_EVENT_TYPE_CC Disable Application Event Type Global CFE EVS DISABLE APP EVENTS CC Disable Event Services for an Application Global CFE EVS DISABLE EVENT TYPE CC Disable Event Type Global CFE EVS DISABLE PORTS CC Disable Event Services Output Ports Global CFE EVS ENABLE APP EVENT TYPE CC **Enable Application Event Type** Global CFE EVS ENABLE APP EVENTS CC Enable Event Services for an Application Global CFE_EVS_ENABLE_EVENT_TYPE_CC **Enable Event Type** Global CFE_EVS_ENABLE_PORTS_CC **Enable Event Services Output Ports** Global CFE EVS NOOP CC **Event Services No-Op** Global CFE EVS RESET ALL FILTERS CC Reset All Event Filters for an Application Global CFE_EVS_RESET_APP_COUNTER_CC Reset Application Event Counters Global CFE_EVS_RESET_COUNTERS_CC **Event Services Reset Counters** Global CFE EVS RESET FILTER CC Reset an Event Filter for an Application Global CFE_EVS_SET_EVENT_FORMAT_MODE_CC Set Event Format Mode Global CFE EVS SET FILTER CC Set Application Event Filter Global CFE EVS SET LOG MODE CC Set Logging Mode Global CFE EVS WRITE APP DATA FILE CC Write Event Services Application Information to File Global CFE EVS WRITE LOG DATA FILE CC

Write Event Log to File

1.12 cFE Event Services Telemetry

The following are telemetry packets generated by the cFE Event Services Task.

Global CFE EVS HousekeepingTlm Payload t

Event Services Housekeeping Telemetry Packet

Global CFE_EVS_HousekeepingTlm_Payload_t

Event Services Housekeeping Telemetry Packet

Global CFE_EVS_LongEventTlm_Payload_t

Event Message Telemetry Packet (Long format)

Global CFE_EVS_LongEventTIm_Payload_t

Event Message Telemetry Packet (Long format)

Global CFE_EVS_ShortEventTlm_Payload_t

Event Message Telemetry Packet (Short format)

Global CFE_EVS_ShortEventTlm_Payload_t

Event Message Telemetry Packet (Short format)

1.13 cFE Event Services Configuration Parameters

The following are configuration parameters used to configure the cFE Event Services either for each platform or for a mission as a whole.

Global CFE_MISSION_EVS_MAX_MESSAGE_LENGTH

Maximum Event Message Length

Global CFE PLATFORM EVS APP EVENTS PER SEC

Sustained number of event messages per second per app before squelching

Global CFE PLATFORM EVS DEFAULT APP DATA FILE

Default EVS Application Data Filename

Global CFE PLATFORM EVS DEFAULT LOG FILE

Default Event Log Filename

Global CFE_PLATFORM_EVS_DEFAULT_LOG_MODE

Default EVS Local Event Log Mode

Global CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE

Default EVS Message Format Mode

Global CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG

Default EVS Event Type Filter Mask

Global CFE_PLATFORM_EVS_LOG_MAX

Maximum Number of Events in EVS Local Event Log

Global CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST

Maximum number of event before squelching

Global CFE_PLATFORM_EVS_MAX_EVENT_FILTERS

Define Maximum Number of Event Filters per Application

Global CFE_PLATFORM_EVS_PORT_DEFAULT

Default EVS Output Port State

1.14 cFE Software Bus Overview

The Software Bus (SB) handles communication between software tasks on a processor. All tasks communicate with each other, with hardware devices, and with the ground by sending command and telemetry messages. The software bus provides an application programming interface (API) to other tasks for sending and receiving messages. This API is independent of the underlying operating system so that tasks can use the same interface regardless of which processor they reside on. Refer to the cFE Application Programmer's Interface (API) Reference for detailed information about the API functions.

The software bus is used internally by the flight software, and normally does not require attention from the ground. However, because of the scalability and the dynamic nature of the software bus, it is strongly recommended that each project carefully review the SB statistics and SB memory pool to be sure adequate margin is met on the configurable items.

The cFE software bus uses a dynamic protocol and builds its routing table at run-time through the SB subscribe API's. Also the cFE software bus pipes are created at run-time through the CFE_SB_CreatePipe API. Because the routing is established, and pipes are created at run-time, it is necessary to have a clear view of the routing details on command. The cFE software bus allows the user to dump the routing table, the pipe table, the message map and the statistics packet. Each of these items are described in detail in the corresponding section of this document.

- Software Bus Terminology
- · Autonomous Actions
- · Operation of the SB Software
- Frequently Asked Questions about Software Bus

1.14.1 Software Bus Terminology

In order to fully understand the Software Bus, it is imperative that the basic terms used to describe its features are also understood. Below are the critical terms that help identify what the Software Bus accomplishes for each Application:

- Messages
- Pipes
- Subscriptions
- Memory

Next: Messages

Up To: cFE Software Bus Overview

1.14.1.1 Messages

The sole purpose of the software bus is to provide applications a way to send messages to each other. The term message and the term packet are used interchangeably throughout this document. A message is a combined set of bytes with a predefined format that is used as the basis of communication on a spacecraft. All commands, telemetry, and other data that are passed between the ground and the spacecraft, and between subsystems of the spacecraft, are considered to be messages. The most common message format is CCSDS (Consultative Committee for Space Data Systems) in CCSDS Space Packet Protocol, but can be customized by replacing the message module.

There are two general types of messages - commands (or command packets) and telemetry (or telemetry packets). Command packets are sent to a particular software task from the ground (or another task). Telemetry packets are sent from a particular software task to the ground (or other tasks).

The concept of a message identifier is utilized to provide abstraction from header implementation, often abbreviated as message ID, Msgld, or MID. Header and message identifier values should not be accessed directly to avoid implementation specific dependencies.

Telemetry packets typically contain a timestamp that indicates when the packet was produced. Command packets typically contain a command code that identifies the particular type of command.

The message module provides APIs for 'setting' and 'getting' the fields in the header of the message. The message module was separated from software bus to enable users to customize message headers without requiring clone and own of the entire cfe repository. To customize, remove the built in msg module from the build and replace with custom implementation. See sample target definitions folder for examples.

Following the header is the user defined message data.

Next: Pipes

Up To: Software Bus Terminology

1.14.1.2 Pipes

The destinations to which messages are sent are called pipes. These are queues that can hold messages until they are read out and processed by a task. Each pipe is created at run-time through the CFE_SB_CreatePipe API. The pipe name and the pipe depth are given as arguments in the API. The pipe identifier (or Pipeld) is given back to the caller after the API is executed. Each pipe can be read by only one task, but a task may read more than one pipe. Only the pipe owner is allowed to subscribe to messages on the pipe.

The Pipe IDs are specific to a particular processor (that is, the same ID number may refer to a different pipe on each processor). The pipe information for all pipes that have been created, may be requested at anytime by sending the 'Write Pipe Info' SB command . The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to pipes. This information may be requested by sending the command to dump the SB statistics packet .

Next: Subscriptions Prev: Messages

Up To: Software Bus Terminology

1.14.1.3 Subscriptions

A subscription is a run-time request for a particular message to be sent to a particular pipe. If the caller of the subscribe API is not the owner of the pipe, the request is rejected and an error event is sent. The application that creates the pipe is considered the owner of the pipe. The pipe specified in the subscription is sometimes referred to as the destination of the message. There are a maximum number of destinations for a particular message. This value is specified by the platform configuration parameter CFE_PLATFORM_SB_MAX_DEST_PER_PKT.

As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

The message limit specifies the maximum number of messages (with the specified Message ID) that are allowed on the specified pipe at any time. This limit is specified by the application at the time of the subscription. If the application uses the CFE_SB_Subscribe API, a message limit default value of four is used. If this default value is not sufficient, the caller would use the CFE_SB_SubscribeEx API that allows the message limit to be specified.

The software bus also provides the user with an option to unsubscribe to a message. The unsubscribe API takes two parameters, Message ID and Pipe ID. Only the owner of a pipe may unsubscribe to messages on that pipe.

Next: Memory Prev: Pipes

Up To: Software Bus Terminology

1.14.1.4 Memory

The software bus statically allocates a block of memory for message buffers and subscription blocks. The size of this memory block is defined by the platform configuration parameter CFE_PLATFORM_SB_BUF_MEMORY_BYTES. The memory is managed by the cFE ES memory pool and is used only by the software bus. The ES memory pool allows an application to define the block sizes for the pool at compile time. These sizes are defined by the platform configuration parameters prefixed with CFE_SB_MEM_BLOCK_SIZE (for example, CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01). It is recommended that a project tailor these values for the mission, based on the software bus packet sizes.

At the time a message is sent, two buffers are allocated from the pool. One for a buffer descriptor (CFE_SB_BufferD_t) and one for the size of the packet. Both buffers are returned to the pool when the message has been received by all recipients. More precisely, if there is one recipient for a message, the message buffers will be released on the following call to CFE_SB_ReceiveBuffer for the pipe that received the buffer.

Also when subscriptions are received through the subscribe API's, the software bus allocates a subscription block ($C \leftarrow FE_SB_DestinationD_t$) from the pool. The subscription blocks are returned to the pool if and when the subscription is nullified through a $CFE_SB_Unsubscribe$ call.

The software bus provides a set of figures regarding memory capacity, current memory utilization and high water marks relevant to the SB memory pool. This information may be requested by sending the command to dump the SB statistics packet. In addition, the current memory utilization value and the 'unmarked memory' value (CFE_PLATFORM_SB_ BUF_MEMORY_BYTES minus peak memory in use) are sent in software bus housekeeping telemetry. The unmarked memory value should be monitored regularly to ensure that the value (in bytes) does not continue to decline or approach zero. If this value were to approach zero, there is a possibility that memory requests would fail which may inhibit the sending of a message. The current memory utilization value should also be monitored to ensure the system contains no memory leaks. The value (in bytes) should remain stable under nominal conditions. Refer to the ES users guide for more information regarding the ES Memory Pool.

Next: Autonomous Actions Prev: Subscriptions

Up To: Software Bus Terminology

1.14.2 Autonomous Actions

The software bus is primarily a set of library routines that are called by other software tasks to send and receive packets. The software bus does not perform any operations autonomously, except for sending event messages if errors are detected during the transfer of packets.

As do other tasks, the SB task sends out housekeeping telemetry when requested through the 'Send Housekeeping Data' command.

Next: Operation of the SB Software Prev: Software Bus Terminology Up To: cFE Software Bus Overview

1.14.3 Operation of the SB Software

- · Initialization
- All Resets
- Message Routing
- Packet Sequence Values
- · Message Limit Error
- Pipe Overflow Error
- SB Event Filtering
- · Diagnostic Data
- · Control of Packet Routing
- · Quality of Service
- Known Problem

Next: Initialization

Prev: Autonomous Actions

Up To: cFE Software Bus Overview

1.14.3.1 Initialization

No action is required by the ground to initialize the software bus. The software bus initializes internal data structures and tables the same way regardless of the type of reset.

Next: All Resets

Up To: Operation of the SB Software

1.14.3.2 All Resets

The software bus does not preserve any information across a reset of any kind. The software bus initializes internal data structures and tables the same way regardless of the type of reset. The routing is reestablished as the system initializes. It is normal procedure for each task of the system to create the pipe or pipes it needs and do all of its subscriptions during task initialization.

After any reset the following statements are true:

- · The routing table is cleared and does not contain any routes.
- All subscriptions are lost and must be regenerated.
- The pipe table contains no data, all pipes must be recreated.
- Any packets in transit at the time of the reset are lost.
- The sequence counters for telemetry packets will begin again with a value of one.

Next: Message Routing Prev: Initialization

Up To: Operation of the SB Software

1.14.3.3 Message Routing

In the software bus, all messages are processed in a similar way. The software bus uses the Message ID and the packet length fields (contained in the header) for routing the message to the destination pipe. If either of these two fields do not pass validation, the software bus generates an error event and aborts the delivery process. The software bus performs some validation checks by simply checking message header values against mission or platform configuration parameters. Messages originating from various tasks or instruments are routed to one or more pipes, where they wait until read by a task. The routing configuration for each message is established when applications call one of the SB subscribe APIs. The subscribe APIs take a Message ID and a Pipe ID as parameters. The routing for each packet is stored in SB memory and may be requested at any time by sending the 'Send Routing Info' command. The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to the routing. This information may be requested by sending the command to dump the SB statistics packet.

Next: Packet Sequence Values

Prev: All Resets

Up To: Operation of the SB Software

1.14.3.4 Packet Sequence Values

The sequence count behavior depends on if the message is a command type or telemetry type.

The sequence counter for command messages is not altered by the software bus.

For a telemetry message, the behavior is controlled via API input parameters when sending. When enabled, the software bus will populate the packet sequence counter using an internal counter that gets initialized upon the first subscription to the message (first message will have a packet sequence counter value of 1). From that point on each send request will increment the counter by one, regardless of the number of destinations or if there is an active subscription.

After a rollover condition the sequence counter will be a value of zero for one instance. The sequence counter is incremented after all the checks have passed prior to the actual sending of the message. This includes the parameter checks and the memory allocation check.

When disabled, the original message will not be altered. This method of message delivery is recommended for situations where the sender did not generate the packet, such as a network interface application passing a packet from a remote system to the local software bus.

Next: Message Limit Error Prev: Message Routing

Up To: Operation of the SB Software

1.14.3.5 Message Limit Error

Before placing a message on a pipe, the software bus checks the message limit to ensure the maximum number of packets in transit to the destination is not exceeded. If placing the message on the pipe would exceed the message limit, then the action of sending to that pipe is aborted and the 'Message Limit Error' event is sent. This condition will typically occur when an application that receives the packets does not respond quickly enough, or if the sender of the packets produces them too quickly.

This condition occurs often during development and during integration, for example when a remote processor gets reset or a 1553 cable becomes disconnected. Because of the common occurrences, the event may have filtering associated with it. Any filtering for this event would be performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes.

A related failure is the pipe overflow condition, which can occur if the total number of packets (of all kinds) sent to a particular pipe is too large.

Next: Pipe Overflow Error
Prev: Packet Sequence Values
Up To: Operation of the SB Software

1.14.3.6 Pipe Overflow Error

Another common error that occurs during the send process is the pipe overflow error. This condition occurs if the total number of packets (of all kinds) sent to a particular pipe is too large. If this error occurs too frequently, it may be an indication that the pipe depth is not set correctly. The pipe depth is given at the time the pipe is created as a parameter in the CFE SB CreatePipe API.

Next: SB Event Filtering Prev: Message Limit Error

Up To: Operation of the SB Software

1.14.3.7 SB Event Filtering

Most filtering for SB events is performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes. There is no SB event log that limits the number of events based on the capacity of the log, as in the heritage software bus.

There is one case in which events are filtered by the software bus instead of event services. This occurs when the software bus needs to suppress events so that a fatal recursive event condition does not transpire. Because error cases encountered when sending a message generate an event, and events cause a message to be sent a calling sequence could cause a stack overflow if the recursion is not properly terminated. The cFE software bus detects this condition and properly terminates the recursion. This is done by using a set of flags (one flag per event in the Send API) which determine whether an API has relinquished its stack. If the software bus needs to send an event that may cause recursion, the flag is set and the event is sent. If sending the event would cause the same event again, the event call will be bypassed, terminating the recursion. The result is that the user will see only one event instead of the many events that would normally occur without the protection. The heritage software bus did not have this condition because it stored events in the software bus event log and another thread would read them out at a later time.

Next: Diagnostic Data Prev: Pipe Overflow Error

Up To: Operation of the SB Software

1.14.3.8 Diagnostic Data

The cFE software bus provides a set of commands to dump SB diagnostic data to help troubleshoot problems or check configuration settings. These commands allow the user to view the routing table, the pipe table or the message map. The message map is a lookup table used during a send operation to give fast access to the routing table index that corresponds to the message being sent.

The software bus also provides a statistics packet that can be used to tune the configuration parameters. This information is sent to the ground in the form of an SB packet when the corresponding command is received. The cFE limits the number of system pipes, unique Message IDs, buffer memory, messages on a pipe and subscriptions per Message ID. These limits are configurable through cFE platform and mission configuration parameters. The statistics packet was designed to let the project verify that these user settings provide the necessary margin to meet requirements.

The SB statistics information shows 'Currently In Use' figures, 'High Water Mark' figures and 'Max Allowed' figures for the following: buffer memory, messages on each pipe (pipe depth stats), System Pipes, Unique Message IDs and total subscriptions.

Depending on the task-scheduling implementation details of the operating system, it is possible to see the peak messages on a pipe occasionally exceed the depth of the pipe. The "Peak Messages In Use" parameter is included in the SB statistics packet under the pipe depth stats.

Next: Control of Packet Routing Prev: SB Event Filtering

Up To: Operation of the SB Software

1.14.3.9 Control of Packet Routing

The software bus allows the ground to disable and enable the sending of packets of a specified Message ID to a specified pipe. All destinations that are needed for normal operation are enabled by default. Modifying the routing of packets may be required for the following reasons:

- In flight, one can enable diagnostic packets to see them on the ground.
- During testing, one can disable a destination to simulate an anomaly.

Next: Quality of Service Prev: Diagnostic Data

Up To: Operation of the SB Software

1.14.3.10 Quality of Service

The software bus has a parameter in the CFE_SB_SubscribeEx API named Quality, which means Quality of Service (QOS) for off-board routing and is of the type CFE_SB_Qos_t. This structure has two members named priority and reliability. The Quality parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Although currently the software bus does not implement quality of service.

A default quality of services is provided via the CFE SB DEFAULT QOS macro.

Next: Known Problem

Prev: Control of Packet Routing
Up To: Operation of the SB Software

1.14.3.11 Known Problem

The software bus may perform unexpectedly under an unlikely corner-case scenario. This scenario was revealed in a stress test. The stress test was designed to deplete the Software Bus memory pool by having a high priority application continuously send 1000 byte packets to a lower priority application until the memory pool code returned an error code and sent the following event. "CFE_ES:getPoolBuf err:Request won't fit in remaining memory" At this point the higher priority sending application would stop executing. This would allow the lower priority receiving application to begin receiving the 1000 byte packets. After the receiving app processed all of the packets, the memory was restored to the memory pool as expected. The SB memory-in-use telemetry was zero because there were no software bus packets in transit. At this point any attempt to send a new-sized packet on the software bus was be rejected. The ES memory pool stated that the "... Request won't fit in remaining memory" even though there was currently no memory in use.

The simplest way to prevent this behavior is to ensure that there is margin when sizing the SB memory pool. To check the margin, monitor the "Peak Memory in Use" vs. the configuration parameter CFE_PLATFORM_SB_BUF_MEMO← RY_BYTES which indicates the amount allocated.

Next: Frequently Asked Questions about Software Bus

Prev: Quality of Service

Up To: Operation of the SB Software

1.14.4 Frequently Asked Questions about Software Bus

(Q) How is the memory pool handle (sent in SB housekeeping telemetry) intended to be used?

The memory pool handle is used to analyze the SB memory pool statistics. The cFE ES command (CFE_E← S_SEND_MEM_POOL_STATS_CC) to dump the memory pool statistics takes the pool handle as a parameter. These statistics tell how the SB memory pool is configured and gives details on margin. An improperly configured SB memory pool may inhibit communication. This may occur if there is not enough margin to create a block of the size needed for a transfer. Refer to the ES memory pool users guide for more details. Memory Pool

(Q) When sending a message, what message header fields are critical for routing the message?

To route the message properly, the software bus uses only the Message ID and packet length fields from the header of the message. If the packet length field is incorrect, then the buffer allocation for the message will also be incorrect. This may appear to the receiver as a truncated message or a message with unknown data added to the end of the message.

(Q) How many copies of the message are performed in a typical message delivery?

There is a single copy of the message performed when sending a message (from the callers memory space) using CFE_SB_TransmitMsg. When transmitting the message, the software bus copies the message from the callers memory space into a buffer in the software bus memory space. There is also the option to request a buffer from SB, write directly to the buffer and send via CFE_SB_TransmitBuffer. This is equivalent to the previous zero copy implementation. The CFE_SB_ReceiveBuffer API gives the user back a pointer to the buffer. When working with the buffers, the additional complexity to be aware of is the buffer is only available to the app from the request to send (on the sending side), or from the receive until the next receive on the same pipe on the receiving side. If the data is required outside that scope, the app needs a local copy.

(Q) When does the software bus free the buffer during a typical message delivery process? Or how long is the message, and the pointer to the buffer in the CFE SB ReceiveBuffer valid?

After receiving a buffer by calling CFE_SB_ReceiveBuffer, the buffer received is valid until the next call to CFE
_SB_ReceiveBuffer with the same Pipe Id. If the caller needs the message longer than the next call to CFE_S

B_ReceiveBuffer, the caller must copy the message to its memory space.

(Q) The first parameter in the CFE_SB_ReceiveBuffer API is a pointer to a pointer which can get confusing. How can I be sure that the correct address is given for this parameter.

Typically a caller declares a ptr of type CFE_SB_Buffer_t (i.e. CFE_SB_Buffer_t *Ptr) then gives the address of that pointer (&Ptr) as this parameter. After a successful call to CFE_SB_ReceiveBuffer, Ptr will point to the first byte of the software bus buffer. This should be used as a read-only pointer. In systems with an MMU, writes to this pointer may cause a memory protection fault.

(Q) Why am I not seeing expected Message Limit error events or Pipe Overflow events?

It is possible the events are being filtered by cFE Event Services. The filtering for this event may be specified in the platform configuration file or it may have been commanded after the system initializes.

There is a corresponding counter for each of these conditions. First verify that the condition is happening by viewing the counter in SB HK telemetry. If the condition is happening, you can view the SB filter information through the EVS App Data Main page by clicking the 'go to' button for SB. The event Id for these events can be learned through a previous event or from the cfe sb events.h file.

(Q) Why does the SB provide event filtering through the platform configuration file?

To give the user the ability to filter events before an EVS command can be sent. During system initialization, there are many conditions occurring that can cause a flood of SB events such as No Subscribers, Pipe Overflow and Msgld to Pipe errors. This gives the user a way to limit these events.

(Q) Why does SB have so many debug event messages?

The SB debug messages are positive acknowledgments that an action (like receiving a cmd, creating a pipe or subscribing to a message) has occurred. They are intended to help isolate system problems. For instance, if an expected response to a command is not happening, it may be possible to repeat the scenario with the debug event turned on to verify that the command was successfully received.

(Q) How is the QOS parameter in the CFE_SB_SubscribeEx used by the software bus?

The QOS parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Setting the QOS as CFE_SB_DEFAULT_QOS will ensure seamless integration when the software bus is expanded to support inter-processor communication.

(Q) Can I confirm my software bus buffer was delivered?

There is no built in mechanism for confirming delivery (it could span systems). This could be accomplished by generating a response message from the receiver.

Prev: Operation of the SB Software Up To: cFE Software Bus Overview

1.15 cFE Software Bus Commands

Upon receipt of any command, the Software Bus application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, SB will generate the CFE_SB_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_SB_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Software Bus Task.

```
Global CFE SB DISABLE ROUTE CC
```

Disable Software Bus Route

Global CFE_SB_DISABLE_SUB_REPORTING_CC

Disable Subscription Reporting Command

Global CFE_SB_ENABLE_ROUTE_CC

Enable Software Bus Route

Global CFE SB ENABLE SUB REPORTING CC

Enable Subscription Reporting Command

Global CFE_SB_NOOP_CC

Software Bus No-Op

Global CFE_SB_RESET_COUNTERS_CC

Software Bus Reset Counters

Global CFE_SB_SEND_PREV_SUBS_CC

Send Previous Subscriptions Command

Global CFE SB SEND SB STATS CC

Send Software Bus Statistics

Global CFE_SB_WRITE_MAP_INFO_CC

Write Map Info to a File

Global CFE_SB_WRITE_PIPE_INFO_CC

Write Pipe Info to a File

Global CFE_SB_WRITE_ROUTING_INFO_CC

Write Software Bus Routing Info to a File

1.16 cFE Software Bus Telemetry

The following are telemetry packets generated by the cFE Software Bus Task.

Global CFE SB AllSubscriptionsTlm Payload t SB Previous Subscriptions Packet Global CFE SB AllSubscriptionsTlm Payload t SB Previous Subscriptions Packet Global CFE_SB_HousekeepingTlm_Payload_t Software Bus task housekeeping Packet Global CFE_SB_HousekeepingTlm_Payload_t Software Bus task housekeeping Packet Global CFE_SB_SingleSubscriptionTIm_Payload_t SB Subscription Report Packet Global CFE_SB_SingleSubscriptionTIm_Payload_t SB Subscription Report Packet Global CFE SB StatsTlm Payload t SB Statistics Telemetry Packet Global CFE SB StatsTlm Payload t SB Statistics Telemetry Packet

1.17 cFE Software Bus Configuration Parameters

The following are configuration parameters used to configure the cFE Software Bus either for each platform or for a mission as a whole.

```
Global CFE_MISSION_SB_MAX_PIPES

Maximum Number of pipes that SB command/telemetry messages may hold

Global CFE_MISSION_SB_MAX_SB_MSG_SIZE

Maximum SB Message Size

Global CFE_PLATFORM_ENDIAN

Platform Endian Indicator

Global CFE_PLATFORM_SB_BUF_MEMORY_BYTES

Size of the SB buffer memory pool

Global CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME

Default Message Map Filename
```

Global CFE PLATFORM SB DEFAULT PIPE FILENAME

Global CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT

Default Pipe Information Filename

Default Subscription Message Limit

Global CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME

Default Routing Information Filename

Global CFE_PLATFORM_SB_FILTERED_EVENT1

SB Event Filtering

Global CFE_PLATFORM_SB_HIGHEST_VALID_MSGID

Highest Valid Message Id

Global CFE PLATFORM SB MAX DEST PER PKT

Maximum Number of unique local destinations a single Msgld can have

Global CFE PLATFORM SB MAX MSG IDS

Maximum Number of Unique Message IDs SB Routing Table can hold

Global CFE PLATFORM SB MAX PIPES

Maximum Number of Unique Pipes SB Routing Table can hold

1.18 cFE Table Services Overview

Applications often organize sets of their parameters into logical units called tables. These are typically constant parameters that can change the behavior of a flight software algorithm and are only intended to be modified by operations personnel. Examples of this would be attitude control gains, sensor scalefactors, telemetry filter settings, etc.

Table Services (TBL) provides a centralized control of flight software tables. Operations personnel would interact with TBL in order to dump the contents of current tables, load new table images, verify the contents of a table image and manage Critical tables.

None of the cFE core applications (EVS, SB, ES, TIME, or TBL) use tables, and it is possible to build cFE without Table Services if not needed or an alternative parameter management mechanism is to be utilized.

For additional detail on Tables and how to manage them, see the following sections:

- · Managing Tables
- cFE Table Types and Table Options
- · Table Registry
- Table Services Telemetry
- · Effects of Processor Reset on Tables
- Frequently Asked Questions about Table Services

1.18.1 Managing Tables

In order to effectively manage tables, an operator needs to understand how cFE Applications manage tables from their end. There are a number of methods that cFE Applications typically use to manage their tables. Each method is appropriate based upon the nature of the contents of the table.

cFE Applications are required to periodically check to see if their table is to be validated, updated (or in the case of dump-only tables, dumped). Most Applications perform this periodic management at the same time as housekeeping requests are processed. This table management is performed by the cFE Application that "owns" a table (ie - the cFE Application that registered the table with cFE Table Services). It is possible for cFE Applications to "share" a table with other cFE Applications. An Application that shares a table does not typically perform any of the management duties associated with that table.

A table can have one of two different types and a number of different options. These are discussed further in later sections. An operator should understand the chosen type and selected options for a particular table before attempting to modify a table's contents.

To understand the methods of maintaining a table, it is important that the terminology be clear. A table has two images: "Active" and "Inactive". The Active table is the one that a cFE Application is currently accessing when it executes. The Inactive table is a copy of the Active table that an operator (or on-board process such as a stored command processor) can manipulate and change to have a newly desired set of data.

To create an Inactive table image on board, the operator would be required to perform a "Load" to the table. Loads are table images stored in on-board files. The Load can contain either a complete table image or just a part of a table image. If the Load contains just a portion, the Inactive image is first initialized with the contents of the Active image and then the portion identified in the Load file is written on top of the Active image. After the initial Load, an operator can continue to manipulate the Inactive table image with additional partial table load images. This allows the operator to reconfigure the contents of multiple portions of the table before deciding to "Validate" and/or "Activate" it.

Some cFE Applications provide special functions that will examine a table image to determine if the contents are logically sound. This function is referred to as the "Validation Function." When a cFE Application assigns a Validation Function to a table during the table registration process, it is then requiring that a Validation be performed before the table can be Activated. When an operator requests a Validation of a table image, they are sending a request to the owning Application to execute the associated Validation Function on that image. The results of this function are then reported in telemetry. If the Validation is successful, the operator is free to perform a table Activation. If the Validation fails, the operator would be required to make additional changes to the Inactive table image and attempt another Validation before commanding an Activation.

To change an Inactive table image into the Active table image, an operator must Activate a table. When an operator sends the table Activation command, they are notifying the table's owning Application that a new table image is available. It is then up to the Application to determine when is the best time to perform the "Update" of the table. When an Application performs an Update, the contents of the Inactive table image become the Active table image.

Next: cFE Table Types and Table Options
Up To: cFE Table Services Overview

1.18.2 cFE Table Types and Table Options

A cFE Application Developer has several choices when creating a cFE Application. There are two basic types of tables: single buffered and double buffered. In addition to these two basic types there are a small variety of options possible with each table. These options control special characteristics of the table such as whether it is dump-only, critical or whether it has an application defined location in memory.

Each choice has its advantages and disadvantages. The developer chooses the appropriate type based upon the requirements of the application. Anyone operating a particular cFE Application must understand the nature of the type and options selected for a particular table before they can successfully understand how to perform updates, validations, etc.

For more information on the different types of tables available, see the following sections:

- · Table Types
 - Single Buffered Tables
 - Double Buffered Tables
- · Table Options
 - Tables with Validation Functions
 - Critical Tables
 - User Defined Address Tables
 - Dump Only Tables

Next: Single Buffered Tables Prev: Managing Tables

Up To: cFE Table Services Overview

1.18.2.1 Single Buffered Tables

The default table type for a cFE Application to use is a single buffered table. The principle advantage of a single buffered table is that it can share one of several shared table buffers for uploaded and pending table images. Since many cFE Applications have relatively small tables that are not changed at time critical moments or are not changed very often during a mission, single buffered tables represent the most memory resource efficient method of being managed.

The number of single buffered tables that can have inactive table images being manipulated at one time is specified by a TBL Services configuration parameter (CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS) found in the cfe—platform_cfg.h file associated with the processor in question. This parameter identifies the number of shared table buffers that are available.

Since inactive single buffered table images share a common resource, it may not be prudent for an operator to load an image and then delay on the image's activation for an extended period of time.

Single buffered tables are allowed to be critical (see Critical Tables), dump-only (see Dump Only Tables) and/or have a user-defined address (see User Defined Address Tables).

Next: Double Buffered Tables

Up To: cFE Table Types and Table Options

1.18.2.2 Double Buffered Tables

Under certain conditions, a cFE Application Developer may choose to use a double buffered table type within their application. Double buffered tables retain a dedicated inactive image of the table data. With a dedicated inactive table image available, double buffered tables are then capable of efficiently swapping table contents and/or delaying the activation of a table's contents for an indeterminate amount of time.

Some cFE Applications prefer to delay the Activation of a table until a specified time (e.g. - a Spacecraft Ephemeris). These tables are typically defined as double buffered tables so that the Inactive image can be left sitting untouched for an extended period of time without interfering with shared resources for other tables. Then the Application can perform the Update when the time is right.

Applications which have unusually large tables may decide to conserve memory resources by making them double buffered. This is because the shared buffers used by single buffered tables must be sized to match the largest table. If there is one table that is unusually large, there is little reason to allocate up to CFE_PLATFORM_TBL_MAX_SIM ULTANEOUS_LOADS number of buffers that size. A double buffered table will only allocate ONE extra buffer of that size.

Performance minded Applications that are required to perform processing with tight timing deadlines may choose to use double buffered tables because the Update for a double buffered table is deterministic and quick.

Next: Tables with Validation Functions

Prev: Single Buffered Tables

Up To: cFE Table Types and Table Options

1.18.2.3 Tables with Validation Functions

Applications that associate Validation Functions with their tables when the tables are registered are effectively requiring that the contents of a table be logically Validated before it is Activated. The cFE will refuse to let a table with an associated Validation Function be Activated until a successful Validation on the Inactive table image has occurred.

Tables that are NOT assigned a Validation Function are assumed to be valid regardless of the contents of the table image. These tables do not require a Validation Command prior to Activation.

Next: Critical Tables

Prev: Double Buffered Tables

Up To: cFE Table Types and Table Options

1.18.2.4 Critical Tables

Applications that must be able to recover quickly from a Processor Reset may select the "Critical" table option when registering their table. Table Services automatically creates a Critical Data Store for the table and ensures that the contents of the Critical Data Store are updated whenever a Table Activation occurs.

If a Processor Reset happens, when the Application attempts to Register the table again, Table Services automatically locates the associated Critical Data Store and initializes the Table with the saved contents.

Next: User Defined Address Tables
Prev: Tables with Validation Functions
Up To: cFE Table Types and Table Options

1.18.2.5 User Defined Address Tables

In order to provide a mechanism for Flight Software Maintenance teams to quickly create a table image for dumping contents of memory that isn't normally loaded by the ground, there is an option to create User-Defined Address tables. These tables, when they are first registered, provide a memory address where the Active image of the table is to be maintained. Normally, the address is specified by Table Services from its memory pool.

By specifying the address, the Flight Software Maintenance team can create a Dump-Only table that contains the contents of a data structure that is not normally accessible via telemetry or table dumps. Then, on command, the Flight Software Maintenance team can periodically dump the data structure's contents to an on-board file(s) that can then be transferred to the ground for later analysis.

Next: Dump Only Tables
Prev: Critical Tables

Up To: cFE Table Types and Table Options

1.18.2.6 Dump Only Tables

On occasion, cFE Applications require a segment of memory in which the Application writes data. The typical cFE Table is not normally modified directly by an Application but only via Load and Activate commands from either the Ground or Stored Command Processor. However, for those situations where an Application wishes to modify the contents of a data structure and the Application is limited in its telemetry bandwidth so that the modified data cannot be telemetered, the Application can create a Dump-Only table.

Dump-Only tables are not allowed to be modified via the Load/Validate/Activate process most other tables are. They are only supposed to be modified by onboard Applications. The Operator can still command a Dump which will be processed by the table's owning Application when it manages its tables. By letting the Application perform the dump, the Operator can feel confident that the table contents are a complete snapshot in time and not corrupted by taking a snapshot while the Application was in the process of modifying its contents.

Next: Table Registry

Prev: User Defined Address Tables
Up To: cFE Table Types and Table Options

1.18.3 Table Registry

When Applications register tables, Table Services retains pertinent information on the table in the Table Registry. The following information (along with other information that is less important for an operator) is kept for each table:

- · The Application ID of the Application that Registered the table
- · The full name of the table
- · The size, in bytes, of the table
- · Pointers to the start addresses of the Table's image buffers, Active and Inactive (if appropriate)
- A pointer to the start address of a Validation Function
- · A flag indicating whether a table image has been loaded into an Inactive buffer
- A flag indicating whether the table is Critical and its associated CDS Handle if it is

- A flag indicating whether the table has ever been loaded (initialized)
- · A flag indicating whether the table is Dump Only
- · A flag indicating whether the table has an Update Pending
- · A flag indicating whether the table is double buffered or not
- · The System Time when the Table was last Updated
- The filename of the last file loaded into the table
- The File Creation Time for the last file used to load the contents of the table

This information can be obtained by either sending the Dump Registry command which will put all of the information from the Table Registry into an onboard file for later downlink or the operator can send a command to Telemeter the Registry Entry for a single table. This will cause the pertinent registry entry for a single table to be sent via a telemetry packet.

The API function CFE_TBL_Register() returns either CFE_SUCCESS or CFE_TBL_INFO_RECOVERED_TBL to indicate that the table was successfully registered. The difference is whether the table data was recovered from CDS as part of the registration. There are several error return values that describe why the function failed to register the table but nothing related to why the restoration from CDS might have failed. There is, however, a message written to the System Error Log by Table Services that can be dumped by the ground to get this information. Note that failure to restore a table from CDS is not an expected error and requires some sort of data corruption to occur.

Next: Table Services Telemetry

Prev: cFE Table Types and Table Options Up To: cFE Table Services Overview

1.18.4 Table Services Telemetry

Table Services produces two different telemetry packets. The first packet, referred to as the Table Services Housekeeping Packet, is routinely produced by Table Services upon receipt of the Housekeeping Request message that is typically sent to all Applications by an on board scheduler. The contents and format of this packet are described in detail at CFE_TBL_HousekeepingTlm_t.

Next: Effects of Processor Reset on Tables

Prev: Table Registry

Up To: cFE Table Services Overview

1.18.5 Effects of Processor Reset on Tables

When a processor resets, the Table Registry is re-initialized. All Applications must, therefore, re-register and re-initialize their tables. The one exception, however, is if the Application has previously tagged a table as "Critical" during Table Registration, then Table Services will attempt to locate a table image for that table stored in the Critical Data Store. Table Services also attempts to locate the Critical Table Registry which is also maintained in the Critical Data Store.

If Table Services is able to find a valid table image for a Critical table in the Critical Data Store, the contents of the table are automatically loaded into the table and the Application is notified that the table does not require additional initialization.

Next: Frequently Asked Questions about Table Services

Prev: Table Services Telemetry
Up To: cFE Table Services Overview

1.18.6 Frequently Asked Questions about Table Services

(Q) Is it an error to load a table image that is smaller than the registered size?

Table images that are smaller than the declared size of a table fall into one of two categories.

If the starting offset of the table image (as specified in the Table Image secondary file header) is not equal to zero, then the table image is considered to be a "partial" table load. Partial loads are valid as long as a table has been previously loaded with a non-"partial" table image.

If the starting offset of the table image is zero and the size is less than the declared size of the table, the image is considered "short" but valid. This feature allows application developers to use variable length tables.

(Q) I tried to validate a table and received the following event message that said the event failed:

"MyApp validation failed for Inactive 'MyApp.MyTable', Status=0x####"

What happened?

The event message indicates the application who owns the table has discovered a problem with the contents of the image. The code number following the 'Status' keyword is defined by the Application. The documentation for the specified Application should be referred to in order to identify the exact nature of the problem.

(Q) What commands do I use to load a table with a new image?

There are a number of steps required to load a table.

- 1. The operator needs to create a cFE Table Services compatible table image file with the desired data contained in it. This can be accomplished by creating a 'C' source file, compiling it with the appropriate cross compiler for the onboard platform and then running the elf2cfetbl utility on the resultant object file.
- 2. The file needs to be loaded into the onboard processor's filesystem using whichever file transfer protocol is used for that mission.
- 3. The Load Command is sent next to tell Table Services to load the table image file into the Inactive Table Image Buffer for the table identified in the file.
- 4. The Validate Command is then sent to validate the contents of the inactive table image. This will ensure the file was not corrupted or improperly defined. The results of the validation are reported in Table Services Housekeeping Telemetry. If a table does not have a validation function associated with it, the operator may wish to compare the computed CRC to verify the table contents match what was intended.
- 5. Upon successful validation, the operator then sends the Activate Command. The application owning the table should, within a reasonable amount of time, perform a table update and send an event message.

(Q) What causes cFE Table Services to generate the following sys log message: CFE_TBL:GetAddressInternal-App(%d) attempt to access unowned Tbl Handle=%d

When an application sharing its table(s) with one or more applications is reloaded, the reloaded application's table handle(s) are released. cFE Table Services sees that the table(s) are shared and keeps a 'shadow' version of the table in the Table Services registry. The registry will show the released, shared tables with no name. When the applications sharing the table attempt to access the table via the 'old', released handle, Table Services will return an error code to the applications and generate the sys log message. The applications may then unregister the 'old' handle(s) in order to remove the released, shared table(s) from the Table Services registry and share the newly loaded application table(s).

(Q) When does the Table Services Abort Table Load command need to be issued?

The Abort command should be used whenever a table image has been loaded but the application has not yet activated it and the operator no longer wants the table to be loaded.

The purpose of the Abort command is to free a previously allocated table buffer. It should be noted, however, that multiple table loads to the SAME table without an intervening activation or abort, will simply OVERWRITE the previous table load using the SAME buffer.

Therefore, the most likely scenarios that would lead to a needed abort are as follows:

- 1. Operator loads a table and realizes immediately that the load is not wanted.
- 2. Operator loads a table and performs a validation on it. Regardless of whether the table passes or fails the validation, if the operator no longer wants to activate the table, the abort command should be issued.
 - It should be noted that a table image that fails activation is retained in the inactive buffer for diagnosis, if necessary. It is NOT released until it is aborted or overwritten and successfully validated and activated.
- 3. A table image was loaded; the image was successfully validated; the command for activation was sent; but the application fails to perform the activation.

The Abort command will free the table buffer and clear the activation request.

This situation can occur when either the application is improperly designed and fails to adequately manage its tables (sometimes seen in the lab during development) or the application is "hung" and not performing as it should.

Prev: Effects of Processor Reset on Tables Up To: cFE Table Services Overview

1.19 cFE Table Services Commands

Upon receipt of any command, the Table Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, TBL will generate the CFE_TBL_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_TBL_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Table Services Task.

```
Global CFE_TBL_ABORT_LOAD_CC
Abort Table Load

Global CFE_TBL_ACTIVATE_CC
Activate Table

Global CFE_TBL_DELETE_CDS_CC
Delete Critical Table from Critical Data Store

Global CFE_TBL_DUMP_CC
Dump Table

Global CFE_TBL_DUMP_REGISTRY_CC
Dump Table Registry

Global CFE_TBL_LOAD_CC
```

Load Table

Global CFE_TBL_NOOP_CC Table No-Op

Global CFE_TBL_RESET_COUNTERS_CC

Table Reset Counters

Global CFE_TBL_SEND_REGISTRY_CC

Telemeter One Table Registry Entry

Global CFE_TBL_VALIDATE_CC

Validate Table

1.20 cFE Table Services Telemetry

The following are telemetry packets generated by the cFE Table Services Task.

Global CFE TBL HousekeepingTlm Payload t

Table Services Housekeeping Packet

Global CFE_TBL_HousekeepingTlm_Payload_t

Table Services Housekeeping Packet

Global CFE_TBL_TblRegPacket_Payload_t

Table Registry Info Packet

Global CFE_TBL_TblRegPacket_Payload_t

Table Registry Info Packet

1.21 cFE Table Services Configuration Parameters

The following are configuration parameters used to configure the cFE Table Services either for each platform or for a mission as a whole.

Global CFE MISSION TBL MAX FULL NAME LEN

Maximum Length of Full Table Name in messages

Global CFE MISSION TBL MAX NAME LENGTH

Maximum Table Name Length

Global CFE PLATFORM TBL BUF MEMORY BYTES

Size of Table Services Table Memory Pool

Global CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE

Default Filename for a Table Registry Dump

Global CFE PLATFORM TBL MAX CRITICAL TABLES

Maximum Number of Critical Tables that can be Registered

Global CFE PLATFORM TBL MAX DBL TABLE SIZE

Maximum Size Allowed for a Double Buffered Table

Global CFE PLATFORM TBL MAX NUM HANDLES

Maximum Number of Table Handles

Global CFE_PLATFORM_TBL_MAX_NUM_TABLES

Maximum Number of Tables Allowed to be Registered

Global CFE PLATFORM TBL MAX NUM VALIDATIONS

Maximum Number of Simultaneous Table Validations

Global CFE PLATFORM TBL MAX SIMULTANEOUS LOADS

Maximum Number of Simultaneous Loads to Support

Global CFE PLATFORM TBL MAX SNGL TABLE SIZE

Maximum Size Allowed for a Single Buffered Table

Global CFE PLATFORM TBL VALID PRID 1

Processor ID values used for table load validation

Global CFE PLATFORM TBL VALID PRID COUNT

Number of Processor ID's specified for validation

Global CFE PLATFORM TBL VALID SCID 1

Spacecraft ID values used for table load validation

Global CFE PLATFORM TBL VALID SCID COUNT

Number of Spacecraft ID's specified for validation

1.22 cFE Time Services Overview

The cFE Time Service (TIME) is one of the cFE core services. TIME provides time correlation, distribution and synchronization services. TIME exists in two varieties: a Time Server responsible for maintaining the master time reference for all remote systems, and a Time Client responsible for synchronizing to that master time reference.

Since TIME is a generic implementation aimed to meet the needs of a variety of mission configurations, there are numerous configuration parameters, which dictate the behavior of TIME (see cfe_mission_cfg.h and cfe_platform_cfg.h for the specific mission configuration).

With the exception of those sections specific to Time Clients and Servers, this document assumes the most common physical environment - one instantiation of cFE installed on a single processor. Therefore, TIME represents cFE Time Services configured as a Time Server.

For additional detail on Time Services and how to manage it, see the following sections:

- Time Components
- Time Structure
- · Time Formats
- · Time Configuration
 - Time Format Selection

- Enabling Fake Tone Signal - Selecting Tone and Data Ordering - Specifying Tone and Data Window - Specifying Time Server/Client - Specifying Time Tone Byte Order - Virtual MET - Specifying Time Source - Specifying Time Signal • Time Services Paradigm(s) Flywheeling • Time State · Initialization - Power-On Reset - Processor Reset · Initialization - Power-On Reset

* Setting Time

- Processor Reset

Normal Operation

- Client

- Server

- * Setting MET
- · Frequently Asked Questions

1.22.1 Time Components

Time knowledge is stored in several pieces, so that the time information can more easily be manipulated and utilized. These components include:

The **Ground Epoch** is an arbitrary date and time that establishes the zero point for spacecraft time calculations. The selection of the epoch is mission specific, although in the past, it was common to select the same epoch as defined for the Operating System used by the computers hosting the ground system software. Recent mission epoch selections have also included using zero seconds after midnight, Jan 1, 2001.

Spacecraft Time is the number of seconds (and fraction of a second) since the ground epoch. Spacecraft time is the sum of **Mission Elapsed Time** (MET) and the **Spacecraft Time Correlation Factor** (STCF). By definition, MET is a measure of time since launch or separation. However, for most missions the MET actually represents the amount of time since powering on the hardware containing the MET timer. The STCF correlates the MET to the ground epoch.

The **Tone** is the signal that MET seconds have incremented. In most hardware configurations, the tone is synonymous with the **1 PPS** signal. The tone signal may be generated by a local hardware timer, or by an external event ($G \leftarrow PS$ receiver, spacewire time tick, 1553 bus signal, etc). TIME may also be configured to simulate the tone for lab environments that do not have the necessary hardware to provide a tone signal. Note that MET sub-seconds will be zero at the instant of the tone.

Time at the Tone is the spacecraft time at the most recent "valid" tone.

Time since the Tone is the amount of time since the tone (usually less than one second). This value is often measured using the local processor clock. Upon detecting the tone signal, TIME stores the contents of the local processor clock to facilitate this measurement.

Thus, Current Spacecraft Time is the sum of "time at the tone" and "time since the tone".

Leap Seconds occur to keep clocks correlated to astronomical observations. The modern definition of a second (9,192,631,770 oscillations of a cesium-133 atom) is constant while the earth's rotation has been slow by a small fraction of a second per day. The **International Earth Rotation and Reference System Service** (IERS) maintains the count of leap seconds as a signed whole number that is subject to update twice a year. Although it is possible to have a negative leap second count if the earth rotates too fast, it is highly unlikely. The initial count of leap seconds (10) was established in January of 1972 and the first leap second was added to the initial count in June of 1972. The most recent leap seconds are announced by the International Earth Rotation Service (IERS): https://www.iers.org in IERS Bulletin C (leap second announcements). Search the IERS site for "Bulletin C" to obtain the latest issue/announcement.

Next: Time Structure

Up To: cFE Time Services Overview

1.22.2 Time Structure

The cFE implementation of the **System Time Structure** is a modified version of the CCSDS Unsegmented Time Code (CUC) which includes 4 bytes of seconds, and 4 bytes of subseconds, where a subsecond is equivalent to $1/(2^32)$ seconds. The system time structure is used by TIME to store current time, time at the tone, time since the tone, the MET, the STCF and command arguments for time adjustments. Note that typically the 32 bits of seconds and the upper 16 bits of subseconds are used for time stamping Software bus messages, but this is dependent on the underlying definition.

The system time structure is defined as follows:

Next: Time Formats
Prev: Time Components

Up To: cFE Time Services Overview

1.22.3 Time Formats

International Atomic Time (TAI) is one of two time formats supported by cFE TIME. TAI is the number of seconds and sub-seconds elapsed since the ground epoch as measured with the atomic clock previously described. TAI has no reference to leap seconds and is calculated using the following equation:

```
TAT = MET + STCF
```

It should be noted that TAI is only "true" TAI when the selected ground epoch is the same as the TAI epoch (zero seconds after midnight, January 1, 1958). However, nothing precludes configuring cFE TIME to calculate time in the TAI format and setting the STCF to correlate to any other epoch definition.

Coordinated Universal Time (UTC) is the other time format supported by cFE TIME. UTC differs from TAI in the fact that UTC includes a leap seconds adjustment. TIME computes UTC using the following equation:

```
UTC = TAI - Leap Seconds.
```

The preceding UTC equation might seem to imply that TAI includes leap seconds and UTC does not - which is not the case. In fact, the UTC calculation includes a leap seconds adjustment that subtracts leap seconds from the same time components used to create TAI. Alternatively, it might be less confusing to express the UTC equation as follows:

```
UTC = MET + STCF - Leap Seconds
```

Next: Time Configuration Prev: Time Components

Up To: cFE Time Services Overview

1.22.4 Time Configuration

All configurations of TIME require a local processor source for a 1Hz interrupt and access to a local clock with a resolution fine enough that it can be used to measure short periods of elapsed time. The local interrupt is used to wake-up TIME at a regular interval for the purpose of verifying that the tone is being received. The local clock is used to measure time since the tone and to provide coarse verification that the tone is occurring at approximately one second intervals. The presumption is that the tone is the most accurate timer in the system and, within reason, is to be trusted. Note that nothing precludes the use of the MET as the local clock, assuming the MET is both local and provides sub-second data. However, the tone must not be used as the source for the local 1Hz interrupt.

Consider the following brief description of three hypothetical hardware configurations. These sample systems may be used as reference examples to help clarify the descriptions of the various TIME configuration selections.

In the first system, there is no MET timer and therefore no tone signal. The MET is a count of the number of "fake" tones generated by TIME software. There is no validation performed regarding the quality of time data. This hardware configuration is a common lab environment using COTS equipment.

In the second system, the MET timer is a hardware register that is directly accessible by TIME. When MET seconds increment, a processor interrupt signals the tone. Upon detecting the tone, TIME can read the MET to establish the time at the tone. To verify that the tone is valid, TIME need only validate that this tone signal occurred approximately one second after the previous tone signal (as measured with the local clock).

In the third system, the MET is located on hardware connected via spacewire. When MET seconds increment, a spacewire time tick triggers a local processor interrupt to signal the tone. Shortly after announcing the tone, the hardware containing the MET also generates a spacewire data packet containing the MET value corresponding to the tone. To IME must wait until both the tone and data packet have been received before validating the tone. The tone must have occurred approximately one second after the previous tone signal and the data packet must have been received within a specified window in time following the tone.

The hardware design choice for how the tone signal is distributed is not material to TIME configuration. The software detecting the tone need only call the cFE API function announcing the arrival of the tone. This function is designed to be called from interrupt handlers.

For detail on each of the individual configuration settings for cFE Time Services, see the following sections:

- Time Format Selection
- Enabling Fake Tone Signal
- Selecting Tone and Data Ordering
- Specifying Tone and Data Window
- · Specifying Time Server/Client
- Specifying Time Tone Byte Order
- Virtual MET

- · Specifying Time Source
- · Specifying Time Signal

Next: Time Services Paradigm(s)

Prev: Time Formats

Up To: cFE Time Services Overview

1.22.4.1 Time Format Selection

Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC FALSE
```

or

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI FALSE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC TRUE
```

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

See also

```
CFE_MISSION_TIME_CFG_DEFAULT_TAI, CFE_MISSION_TIME_CFG_DEFAULT_UTC
```

Next: Enabling Fake Tone Signal Up To: Time Configuration

1.22.4.2 Enabling Fake Tone Signal

The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_MISSION_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

```
CFE_MISSION_TIME_CFG_FAKE_TONE
```

Next: Selecting Tone and Data Ordering

Prev: Time Format Selection Up To: Time Configuration

1.22.4.3 Selecting Tone and Data Ordering

Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_MISSION_TIME_AT_TONE_WAS #define CFE_MISSION_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

```
CFE MISSION TIME AT TONE WAS, CFE MISSION TIME AT TONE WILL BE
```

Next: Specifying Tone and Data Window Prev: Enabling Fake Tone Signal

Up To: Time Configuration

1.22.4.4 Specifying Tone and Data Window

The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
#define CFE_MISSION_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

See also

CFE_MISSION_TIME_MIN_ELAPSED, CFE_MISSION_TIME_MAX_ELAPSED

Next: Specifying Time Server/Client Prev: Selecting Tone and Data Ordering

1.22.4.5 Specifying Time Server/Client

Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_PLATFORM_TIME_CFG_SERVER TRUE
#define CFE_PLATFORM_TIME_CFG_CLIENT FALSE

Or

#define CFE_PLATFORM_TIME_CFG_SERVER FALSE
#define CFE_PLATFORM_TIME_CFG_CLIENT TRUE
```

See also

CFE PLATFORM TIME CFG SERVER, CFE PLATFORM TIME CFG CLIENT

Next: Specifying Time Tone Byte Order Prev: Specifying Tone and Data Window

Up To: Time Configuration

1.22.4.6 Specifying Time Tone Byte Order

By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order—particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

```
#define CFE_PLATFORM_TIME_CFG_BIGENDIAN
```

Next: Virtual MET

Prev: Specifying Time Server/Client

Up To: Time Configuration

1.22.4.7 Virtual MET

This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

Next: Specifying Time Source

Prev: Specifying Time Tone Byte Order

1.22.4.8 Specifying Time Source

TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

```
#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE
```

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe_platform_cfg.h file contains "#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE_TIME_SET_SOURCE_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

See also

CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TIME_CFG_SRC_GPS, CFE_PLATFORM_TI

ME CFG_SRC_TIME

Next: Specifying Time Signal

Prev: Virtual MET

1.22.4.9 Specifying Time Signal

Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_PLATFORM_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

See also

```
CFE_PLATFORM_TIME_CFG_SIGNAL
```

Next: Time Services Paradigm(s) Prev: Specifying Time Source Up To: Time Configuration

1.22.5 Time Format Selection

Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC FALSE
```

or

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI FALSE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC TRUE
```

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

See also

```
CFE MISSION TIME CFG DEFAULT TAI, CFE MISSION TIME CFG DEFAULT UTC
```

Next: Enabling Fake Tone Signal Up To: Time Configuration

1.22.6 Enabling Fake Tone Signal

The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_MISSION_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

```
CFE_MISSION_TIME_CFG_FAKE_TONE
```

Next: Selecting Tone and Data Ordering

Prev: Time Format Selection Up To: Time Configuration

1.22.7 Selecting Tone and Data Ordering

Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_MISSION_TIME_AT_TONE_WAS #define CFE_MISSION_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

CFE_MISSION_TIME_AT_TONE_WAS, CFE_MISSION_TIME_AT_TONE_WILL_BE

Next: Specifying Tone and Data Window

Prev: Enabling Fake Tone Signal Up To: Time Configuration

1.22.8 Specifying Tone and Data Window

The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
#define CFE_MISSION_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

See also

```
CFE_MISSION_TIME_MIN_ELAPSED, CFE_MISSION_TIME_MAX_ELAPSED
```

Next: Specifying Time Server/Client Prev: Selecting Tone and Data Ordering

Up To: Time Configuration

1.22.9 Specifying Time Server/Client

Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_PLATFORM_TIME_CFG_SERVER TRUE
#define CFE_PLATFORM_TIME_CFG_CLIENT FALSE

Or
```

```
#define CFE_PLATFORM_TIME_CFG_SERVER FALSE
#define CFE_PLATFORM_TIME_CFG_CLIENT TRUE
```

See also

CFE_PLATFORM_TIME_CFG_SERVER, CFE_PLATFORM_TIME_CFG_CLIENT

Next: Specifying Time Tone Byte Order Prev: Specifying Tone and Data Window

1.22.10 Specifying Time Tone Byte Order

By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order—particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

#define CFE_PLATFORM_TIME_CFG_BIGENDIAN

Next: Virtual MET

Prev: Specifying Time Server/Client

Up To: Time Configuration

1.22.11 Virtual MET

This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

Next: Specifying Time Source

Prev: Specifying Time Tone Byte Order

Up To: Time Configuration

1.22.12 Specifying Time Source

TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

```
#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE
```

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe_platform_cfg.h file contains "#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE_TIME_SET_SOURCE_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

See also

```
CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TIME_CFG_SRC_GPS, CFE_PLATFORM_TI

ME_CFG_SRC_TIME
```

Next: Specifying Time Signal

Prev: Virtual MET

Up To: Time Configuration

1.22.13 Specifying Time Signal

Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_PLATFORM_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

See also

```
CFE PLATFORM TIME CFG SIGNAL
```

Next: Time Services Paradigm(s) Prev: Specifying Time Source Up To: Time Configuration

1.22.14 Time Services Paradigm(s)

In order for the cFE Time Services to work for a particular mission, the methods of obtaining time, distributing time and translating time must follow some standard paradigms used in previous missions. The following describes this expected context:

Mission dependent hardware provides the Tone. When this Tone message is received, TIME latches the local time based on the local clock. Note that in lab environments, a simulated Tone capability exists which uses an SB message. Mission dependent hardware also provides the "time at the tone" message based on the hardware latched time and the reference times stored by TIME Server. The TIME Client then updates its local reference time based on the local hardware latched time at the Tone and the provided Time-at-Tone message packet when certain checks (such as the Validity bit being set) pass.

When used in an environment that includes multiple processors, each running a separate instantiation of cFE software, the presumption is that TIME will be distributed in a client/server relationship. In this model, one processor will have TIME configured as the server and the other processors as clients. The TIME server will maintain the various time components and publish a "time at the tone" message to provide synchronized time to the TIME clients. Environments that have only a single instance of TIME must be configured as a TIME server.

In all configurations, the final step in calculating the time "right now" for any instantiation of TIME is to use a local processor clock to measure the "time since the tone".

The specific MET hardware properties will determine whether the MET value can be modified. However, the cFE design is such that there should never be a need to purposefully change or reset the MET.

Regardless of the physical hardware implementation for the MET (elapsed seconds, elapsed ticks, etc.), cFE TIME will convert the hardware MET value into a System Time Format structure for time calculations and will report the converted value in telemetry. cFE TIME will also maintain and report the STCF in a System Time Format structure.

cFE TIME has no knowledge of the current epoch; it is up to the user to keep time on the spacecraft correlated to an epoch. An exception might appear to be the epoch definition required in the cFE mission configuration definition file. However, this definition is for use only by the API functions that convert spacecraft time and file system time, and the API function that prints spacecraft time as a date and time text string. The cFE "get time" functions are independent of the ground epoch.

The mission configuration parameters, CFE_MISSION_TIME_CFG_DEFAULT_TAI and CFE_MISSION_TIME_CFG.

_DEFAULT_UTC specify the default time format. Applications are encouraged to use the CFE_TIME_GetTime API, which returns time in the format specified by this configuration parameter.

Next: Flywheeling Prev: Time Components

Up To: cFE Time Services Overview

1.22.15 Flywheeling

Flywheeling occurs when TIME is not getting a valid tone signal or external "time at the tone" message. While this has minimal impact on internal operations, it can result in the drifting apart of times being stored by different spacecraft systems.

Flywheeling occurs when at least one of the following conditions is true:

- · loss of tone signal
- · loss of "time at the tone" data packet
- · signal and packet not within valid window
- · commanded into fly-wheel mode

If the TIME server is in Flywheel mode then the TIME client is also in flywheel mode.

Next: Time State

Prev: Time Services Paradigm(s)
Up To: cFE Time Services Overview

1.22.16 Time State

Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set and whether Time Service is operating in FLYWHEEL mode. A ground command is provided to set the state to reflect when the ground has determined the spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems. If time has not been set then TIME services reports the state of time as invalid, regardless of whether time is flywheeling or not. Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of FLYWHEEL mode is mainly for debug purposes although, in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL. Note also that setting the clock state to VALID or INV ALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

Next: Initialization Prev: Flywheeling

Up To: cFE Time Services Overview

1.22.17 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- · Power-On Reset
- Processor Reset

Next: Power-On Reset Prev: Time State

Up To: cFE Time Services Overview

1.22.17.1 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

1.22.17.2 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

1.22.18 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

1.22.19 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

1.22.20 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- Power-On Reset
- Processor Reset

Next: Power-On Reset Prev: Time State

Up To: cFE Time Services Overview

1.22.20.1 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

1.22.20.2 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

1.22.21 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

1.22.22 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

1.22.23 Normal Operation

The following sections describe the operator's responsibilities for maintaining time under nominal conditions:

- Client
- Server

Next: Client Prev: Initialization

Up To: cFE Time Services Overview

1.22.23.1 Client

Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

Next: Server

Up To: Normal Operation

1.22.23.2 Server

TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- · Setting Time
- · Adjusting Time
- · Setting MET

Next: Setting Time Prev: Client

Up To: Normal Operation

1.22.23.2.1 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET
current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

See also

```
CFE_TIME_SET_TIME_CC
```

Next: Adjusting Time Up To: Server

1.22.23.2.2 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_1HZ_ADJUSTMENT_CC and CFE_TIME_SUB_1HZ_\Leftarrow ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TA\Leftarrow I-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_A⇔ DD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECOND⇔ S_CC

Next: Setting MET Prev: Setting Time Up To: Server

1.22.23.2.3 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

CFE_TIME_SET_MET_CC

Next: Frequently Asked Questions

Prev: Adjusting Time Up To: Server

1.22.24 Client

Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

Next: Server

Up To: Normal Operation

1.22.25 Server

TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- · Setting Time
- · Adjusting Time
- Setting MET

Next: Setting Time Prev: Client

Up To: Normal Operation

1.22.25.0.1 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

See also

CFE_TIME_SET_TIME_CC

Next: Adjusting Time Up To: Server

1.22.25.0.2 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_1HZ_ADJUSTMENT_CC and CFE_TIME_SUB_1HZ_
ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TA
I-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_A \leftarrow DD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECOND \leftarrow S CC

Next: Setting MET Prev: Setting Time Up To: Server

1.22.25.0.3 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

```
CFE_TIME_SET_MET_CC
```

Next: Frequently Asked Questions

Prev: Adjusting Time Up To: Server

1.22.26 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

```
STCF = ((new time) - (current MET)) + Leap Seconds current time = ((current MET) + STCF) - Leap Seconds
```

See also

CFE_TIME_SET_TIME_CC

Next: Adjusting Time Up To: Server

1.22.27 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_1HZ_ADJUSTMENT_CC and CFE_TIME_SUB_1HZ_
ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TA
I-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_A \leftarrow DD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECOND \leftarrow S_CC

Next: Setting MET Prev: Setting Time Up To: Server

1.22.28 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

CFE TIME SET MET CC

Next: Frequently Asked Questions

Prev: Adjusting Time

Up To: Server

1.22.29 Frequently Asked Questions

(Q)

Prev: Normal Operation

Up To: cFE Time Services Overview

1.23 cFE Time Services Commands

Upon receipt of any command, the Time Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, TIME will generate the CFE_TIME_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_TIME_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Time Services Task.

```
Global CFE_TIME_ADD_1HZ_ADJUSTMENT_CC
```

Add Delta to Spacecraft Time Correlation Factor each 1Hz

Global CFE_TIME_ADD_ADJUST_CC

Add Delta to Spacecraft Time Correlation Factor

Global CFE TIME ADD DELAY CC

Add Time to Tone Time Delay

Global CFE TIME NOOP CC

Time No-Op

Global CFE_TIME_RESET_COUNTERS_CC

Time Reset Counters

Global CFE TIME SEND DIAGNOSTIC TLM CC

Request TIME Diagnostic Telemetry

Global CFE_TIME_SET_LEAP_SECONDS_CC

Set Leap Seconds

Global CFE_TIME_SET_MET_CC

Set Mission Elapsed Time

Global CFE TIME SET SIGNAL CC

Set Tone Signal Source

Global CFE_TIME_SET_SOURCE_CC

Set Time Source

Global CFE_TIME_SET_STATE_CC

Set Time State

Global CFE_TIME_SET_STCF_CC

Set Spacecraft Time Correlation Factor

Global CFE_TIME_SET_TIME_CC

Set Spacecraft Time

Global CFE TIME SUB 1HZ ADJUSTMENT CC

Subtract Delta from Spacecraft Time Correlation Factor each 1Hz

Global CFE TIME SUB ADJUST CC

Subtract Delta from Spacecraft Time Correlation Factor

Global CFE TIME SUB DELAY CC

Subtract Time from Tone Time Delay

1.24 cFE Time Services Telemetry

The following are telemetry packets generated by the cFE Time Services Task.

Global CFE TIME DiagnosticTIm Payload t

Time Services Diagnostics Packet

Global CFE_TIME_DiagnosticTIm_Payload_t

Time Services Diagnostics Packet

Global CFE_TIME_HousekeepingTIm_Payload_t

Time Services Housekeeping Packet

Global CFE_TIME_HousekeepingTlm_Payload_t

Time Services Housekeeping Packet

1.25 cFE Time Services Configuration Parameters

The following are configuration parameters used to configure the cFE Time Services either for each platform or for a mission as a whole.

Global CFE MISSION TIME AT TONE WAS

Default Time and Tone Order

Global CFE MISSION TIME CFG DEFAULT TAI

Default Time Format

Global CFE_MISSION_TIME_CFG_FAKE_TONE

Default Time Format

Global CFE_MISSION_TIME_DEF_MET_SECS

Default Time Values

Global CFE_MISSION_TIME_EPOCH_YEAR

Default EPOCH Values

Global CFE_MISSION_TIME_FS_FACTOR

Time File System Factor

Global CFE_MISSION_TIME_MIN_ELAPSED

Min and Max Time Elapsed

Global CFE_PLATFORM_TIME_CFG_LATCH_FLY

Define Periodic Time to Update Local Clock Tone Latch

Global CFE PLATFORM TIME CFG SERVER

Time Server or Time Client Selection

Global CFE PLATFORM TIME CFG SIGNAL

Include or Exclude the Primary/Redundant Tone Selection Cmd

Global CFE PLATFORM TIME CFG SOURCE

Include or Exclude the Internal/External Time Source Selection Cmd

Global CFE PLATFORM TIME CFG SRC MET

Choose the External Time Source for Server only

Global CFE PLATFORM TIME CFG START FLY

Define Time to Start Flywheel Since Last Tone

Global CFE_PLATFORM_TIME_CFG_TONE_LIMIT

Define Timing Limits From One Tone To The Next

Global CFE PLATFORM TIME CFG VIRTUAL

Time Tone In Big-Endian Order

Local MET or Virtual MET Selection for Time Servers

Global CFE_PLATFORM_TIME_MAX_DELTA_SECS

Define the Max Delta Limits for Time Servers using an Ext Time Source

Global CFE_PLATFORM_TIME_MAX_LOCAL_SECS

Define the Local Clock Rollover Value in seconds and subseconds

Global CFE_PLATFORM_TIME_START_TASK_PRIORITY

Define TIME Task Priorities

Global CFE_PLATFORM_TIME_START_TASK_STACK_SIZE

Define TIME Task Stack Sizes

1.26 cFE Event Message Cross Reference

The following cross reference maps the text associated with each cFE Event Message to its Event Message Identifier. A user can search this page for the text of the message they wish to learn more about and then click on the associated Event Message Identifier to obtain more information.

1.27 cFE Command Mnemonic Cross Reference

The following cross reference maps the cFE command codes to Command Mnemonics. To learn about the details of a particular command, click on its associated command code.

Global CFE_ES_CLEAR_ER_LOG_CC

\$sc_\$cpu_ES_ClearERLog

Global CFE_ES_CLEAR_SYSLOG_CC

\$sc \$cpu ES ClearSysLog

```
Global CFE_ES_DELETE_CDS_CC
  $sc $cpu ES DeleteCDS
Global CFE ES DUMP CDS REGISTRY CC
  $sc_$cpu_ES_WriteCDS2File
Global CFE ES NOOP CC
  $sc $cpu ES NOOP
Global CFE_ES_OVER_WRITE_SYSLOG_CC
   $sc $cpu ES OverwriteSysLogMode
Global CFE ES QUERY ALL CC
   $sc $cpu ES WriteAppInfo2File
Global CFE ES QUERY ALL TASKS CC
  $sc_$cpu_ES_WriteTaskInfo2File
Global CFE_ES_QUERY_ONE_CC
  $sc_$cpu_ES_QueryApp
Global CFE ES RELOAD APP CC
  $sc_$cpu_ES_ReloadApp
Global CFE ES RESET COUNTERS CC
  $sc_$cpu_ES_ResetCtrs
Global CFE_ES_RESET_PR_COUNT_CC
  $sc_$cpu_ES_ResetPRCnt
Global CFE_ES_RESTART_APP_CC
  $sc_$cpu_ES_ResetApp
Global CFE ES RESTART CC
  $sc $cpu ES ProcessorReset, $sc $cpu ES PowerOnReset
Global CFE ES SEND MEM POOL STATS CC
  $sc_$cpu_ES_PoolStats
Global CFE_ES_SET_MAX_PR_COUNT_CC
  $sc $cpu ES SetMaxPRCnt
Global CFE_ES_SET_PERF_FILTER_MASK_CC
  $sc_$cpu_ES_LAFilterMask
Global CFE ES SET PERF TRIGGER MASK CC
  $sc_$cpu_ES_LATriggerMask
Global CFE_ES_START_APP_CC
  $sc_$cpu_ES_StartApp
Global CFE ES START PERF DATA CC
  $sc_$cpu_ES_StartLAData
Global CFE ES STOP APP CC
  $sc_$cpu_ES_StopApp
Global CFE ES STOP PERF DATA CC
  $sc_$cpu_ES_StopLAData
Global CFE_ES_WRITE_ER_LOG_CC
```

\$sc_\$cpu_ES_WriteERLog2File

```
Global CFE_ES_WRITE_SYSLOG_CC
  $sc $cpu ES WriteSysLog2File
Global CFE EVS ADD EVENT FILTER CC
  $sc_$cpu_EVS_AddEvtFltr
Global CFE EVS CLEAR LOG CC
  $sc $cpu EVS ClrLog
Global CFE_EVS_DELETE_EVENT_FILTER_CC
   $sc $cpu EVS DelEvtFltr
Global CFE EVS DISABLE APP EVENT TYPE CC
   $sc $cpu EVS DisAppEvtType, $sc $cpu EVS DisAppEvtTypeMask
Global CFE EVS DISABLE APP EVENTS CC
  $sc_$cpu_EVS_DisAppEvGen
Global CFE_EVS_DISABLE_EVENT_TYPE_CC
  $sc_$cpu_EVS_DisEventType, $sc_$cpu_EVS_DisEventTypeMask
Global CFE EVS DISABLE PORTS CC
  $sc_$cpu_EVS_DisPort, $sc_$cpu_EVS_DisPortMask
Global CFE EVS ENABLE APP EVENT TYPE CC
  $sc_$cpu_EVS_EnaAppEvtType, $sc_$cpu_EVS_EnaAppEvtTypeMask
Global CFE_EVS_ENABLE_APP_EVENTS_CC
  $sc_$cpu_EVS_EnaAppEvGen
Global CFE_EVS_ENABLE_EVENT_TYPE_CC
  $sc $cpu EVS EnaEventType, $sc $cpu EVS EnaEventTypeMask
Global CFE EVS ENABLE PORTS CC
  $sc $cpu EVS EnaPort, $sc $cpu EVS EnaPortMask
Global CFE EVS NOOP CC
  $sc_$cpu_EVS_NOOP
Global CFE_EVS_RESET_ALL_FILTERS_CC
  $sc $cpu EVS RstAllFltrs
Global CFE_EVS_RESET_APP_COUNTER_CC
  $sc_$cpu_EVS_RstAppCtrs
Global CFE EVS RESET COUNTERS CC
  $sc_$cpu_EVS_ResetCtrs
Global CFE_EVS_RESET_FILTER_CC
  $sc_$cpu_EVS_RstBinFltrCtr
Global CFE_EVS_SET_EVENT_FORMAT_MODE_CC
  $sc_$cpu_EVS_SetEvtFmt
Global CFE EVS SET FILTER CC
  $sc_$cpu_EVS_SetBinFltrMask
Global CFE EVS SET LOG MODE CC
  $sc_$cpu_EVS_SetLogMode
Global CFE EVS WRITE APP DATA FILE CC
  $sc_$cpu_EVS_WriteAppData2File
```

```
Global CFE_EVS_WRITE_LOG_DATA_FILE_CC
  $sc_$cpu_EVS_WriteLog2File
Global CFE SB DISABLE ROUTE CC
  $sc_$cpu_SB_DisRoute
Global CFE SB DISABLE SUB REPORTING CC
   $sc_$cpu_SB_DisSubRptg
Global CFE_SB_ENABLE_ROUTE_CC
   $sc $cpu SB EnaRoute
Global CFE_SB_ENABLE_SUB_REPORTING_CC
   $sc $cpu SB EnaSubRptg
Global CFE SB NOOP CC
  $sc_$cpu_SB_NOOP
Global CFE_SB_RESET_COUNTERS_CC
  $sc_$cpu_SB_ResetCtrs
Global CFE SB SEND PREV SUBS CC
  $sc_$cpu_SB_SendPrevSubs
Global CFE SB SEND SB STATS CC
  $sc_$cpu_SB_DumpStats
Global CFE_SB_WRITE_MAP_INFO_CC
  $sc_$cpu_SB_WriteMap2File
Global CFE_SB_WRITE_PIPE_INFO_CC
  $sc_$cpu_SB_WritePipe2File
Global CFE SB WRITE ROUTING INFO CC
  $sc $cpu SB WriteRouting2File
Global CFE TBL ABORT LOAD CC
  $sc_$cpu_TBL_LOADABORT
Global CFE_TBL_ACTIVATE_CC
  $sc_$cpu_TBL_ACTIVATE
Global CFE_TBL_DELETE_CDS_CC
  $sc_$cpu_TBL_DeleteCDS
Global CFE TBL DUMP CC
  $sc_$cpu_TBL_DUMP
Global CFE_TBL_DUMP_REGISTRY_CC
  $sc_$cpu_TBL_WriteReg2File
Global CFE TBL LOAD CC
  $sc_$cpu_TBL_Load
Global CFE TBL NOOP CC
  $sc_$cpu_TBL_NOOP
Global CFE TBL RESET COUNTERS CC
  $sc_$cpu_TBL_ResetCtrs
Global CFE_TBL_SEND_REGISTRY_CC
  $sc_$cpu_TBL_TLMReg
```

```
Global CFE_TBL_VALIDATE_CC
  $sc $cpu TBL VALIDATE
Global CFE TIME ADD 1HZ ADJUSTMENT CC
  $sc_$cpu_TIME_Add1HzSTCF
Global CFE TIME ADD ADJUST CC
  $sc_$cpu_TIME_AddSTCFAdj
Global CFE_TIME_ADD_DELAY_CC
  $sc_$cpu_TIME_AddClockLat
Global CFE TIME NOOP CC
  $sc $cpu TIME NOOP
Global CFE TIME RESET COUNTERS CC
  $sc_$cpu_TIME_ResetCtrs
Global CFE_TIME_SEND_DIAGNOSTIC_TLM_CC
  $sc_$cpu_TIME_RequestDiag
Global CFE TIME SET LEAP SECONDS CC
  $sc_$cpu_TIME_SetClockLeap
Global CFE TIME SET MET CC
  $sc_$cpu_TIME_SetClockMET
Global CFE TIME SET SIGNAL CC
  $sc_$cpu_TIME_SetSignal
Global CFE_TIME_SET_SOURCE_CC
  $sc_$cpu_TIME_SetSource
Global CFE_TIME_SET_STATE_CC
  $sc $cpu TIME SetState
Global CFE TIME SET STCF CC
  $sc_$cpu_TIME_SetClockSTCF
Global CFE_TIME_SET_TIME_CC
  $sc_$cpu_TIME_SetClock
Global CFE_TIME_SUB_1HZ_ADJUSTMENT_CC
  $sc $cpu TIME Sub1HzSTCF
Global CFE TIME SUB ADJUST CC
  $sc_$cpu_TIME_SubSTCFAdj
Global CFE TIME SUB DELAY CC
  $sc_$cpu_TIME_SubClockLat
```

1.28 cFE Telemetry Mnemonic Cross Reference

The following cross reference maps the cFE telemetry packet members to their associated ground system telemetry mnemonics.

Global CFE_ES_AppInfo::AddressesAreValid

\$sc \$cpu ES AddrsValid

```
Global CFE ES Appinfo::BSSAddress
   $sc $cpu ES BSSAddress
Global CFE ES AppInfo::BSSSize
   $sc $cpu ES BSSSize
Global CFE_ES_AppInfo::CodeAddress
   $sc $cpu ES CodeAddress
Global CFE_ES_AppInfo::CodeSize
   $sc $cpu ES CodeSize
Global CFE ES Applnfo::DataAddress
   $sc $cpu ES DataAddress
Global CFE ES Applnfo::DataSize
   $sc_$cpu_ES_DataSize
Global CFE ES Applnfo::EntryPoint [CFE MISSION MAX API LEN]
   $sc_$cpu_ES_AppEntryPt[OS_MAX_API_NAME]
Global CFE ES AppInfo::ExceptionAction
   $sc_$cpu_ES_ExceptnActn
Global CFE ES Applnfo::ExecutionCounter
   $sc_$cpu_ES_ExecutionCtr
Global CFE_ES_AppInfo::FileName [CFE_MISSION_MAX_PATH_LEN]
   $sc $cpu ES AppFilename[OS MAX PATH LEN]
Global CFE ES Applnfo::MainTaskld
   $sc $cpu ES MainTaskId
Global CFE_ES_AppInfo::MainTaskName [CFE_MISSION_MAX_API_LEN]
   $sc_$cpu_ES_MainTaskName[OS_MAX_API_NAME]
Global CFE ES Appinfo::Name [CFE MISSION MAX API LEN]
   $sc $cpu ES AppName[OS MAX API NAME]
Global CFE_ES_AppInfo::NumOfChildTasks
   $sc $cpu ES ChildTasks
Global CFE ES Applnfo::Priority
   $sc_$cpu_ES_Priority
Global CFE ES Applnfo::Resourceld
   $sc_$cpu_ES_AppID
Global CFE ES Applnfo::StackSize
   $sc_$cpu_ES_StackSize
Global CFE ES AppInfo::StartAddress
   $sc_$cpu_ES_StartAddr
Global CFE ES Applnfo::Type
   $sc_$cpu_ES_AppType
Global CFE_ES_HousekeepingTlm_Payload::BootSource
   $sc $cpu ES BootSource
Global CFE_ES_HousekeepingTlm_Payload::CFECoreChecksum
   $sc $cpu ES CKSUM
```

```
Global CFE ES HousekeepingTlm Payload::CFEMajorVersion
   $sc $cpu ES CFEMAJORVER
Global CFE ES HousekeepingTlm Payload::CFEMinorVersion
   $sc $cpu ES CFEMINORVER
Global CFE_ES_HousekeepingTlm_Payload::CFEMissionRevision
   $sc $cpu ES CFEMISSIONREV
Global CFE_ES_HousekeepingTlm_Payload::CFERevision
   $sc $cpu ES CFEREVISION
Global CFE ES HousekeepingTlm Payload::CommandCounter
   $sc $cpu ES CMDPC
Global CFE ES HousekeepingTlm Payload::CommandErrorCounter
   $sc_$cpu_ES_CMDEC
Global CFE ES HousekeepingTlm Payload::ERLogEntries
   $sc_$cpu_ES_ERLOGENTRIES
Global CFE ES HousekeepingTlm Payload::ERLogIndex
   $sc_$cpu_ES_ERLOGINDEX
Global CFE ES HousekeepingTlm Payload::HeapBlocksFree
   $sc_$cpu_ES_HeapBlocksFree
Global CFE_ES_HousekeepingTlm_Payload::HeapBytesFree
   $sc_$cpu_ES_HeapBytesFree
Global CFE_ES_HousekeepingTlm_Payload::HeapMaxBlockSize
   $sc $cpu ES HeapMaxBlkSize
Global CFE_ES_HousekeepingTlm_Payload::MaxProcessorResets
   $sc $cpu ES MaxProcResets
Global CFE_ES_HousekeepingTlm_Payload::OSALMajorVersion
   $sc $cpu ES OSMAJORVER
Global CFE_ES_HousekeepingTIm_Payload::OSALMinorVersion
   $sc $cpu ES OSMINORVER
Global CFE_ES_HousekeepingTIm_Payload::OSALMissionRevision
   $sc $cpu ES OSMISSIONREV
Global CFE ES HousekeepingTlm Payload::OSALRevision
   $sc_$cpu_ES_OSREVISION
Global CFE ES HousekeepingTlm Payload::PerfDataCount
   $sc_$cpu_ES_PerfDataCnt
Global CFE ES HousekeepingTlm Payload::PerfDataEnd
   $sc $cpu ES PerfDataEnd
Global CFE ES HousekeepingTlm Payload::PerfDataStart
   $sc_$cpu_ES_PerfDataStart
Global CFE_ES_HousekeepingTIm_Payload::PerfDataToWrite
   $sc $cpu ES PerfData2Write
Global CFE_ES_HousekeepingTlm_Payload::PerfFilterMask [CFE_MISSION_ES_PERF_MAX_IDS/32]
   $sc $cpu ES PerfFltrMask[MaskCnt]
```

```
Global CFE ES HousekeepingTlm Payload::PerfMode
   $sc $cpu ES PerfMode
Global CFE ES HousekeepingTlm Payload::PerfState
   $sc $cpu ES PerfState
Global CFE_ES_HousekeepingTlm_Payload::PerfTriggerCount
   $sc $cpu ES PerfTrigCnt
Global CFE ES HousekeepingTlm Payload::PerfTriggerMask [CFE MISSION ES PERF MAX IDS/32]
   $sc $cpu ES PerfTrigMask[MaskCnt]
Global CFE ES HousekeepingTlm Payload::ProcessorResets
   $sc $cpu ES ProcResetCnt
Global CFE ES HousekeepingTlm Payload::PSPMajorVersion
   $sc_$cpu_ES_PSPMAJORVER
Global CFE ES HousekeepingTlm Payload::PSPMinorVersion
   $sc_$cpu_ES_PSPMINORVER
Global CFE ES HousekeepingTlm Payload::PSPMissionRevision
   $sc $cpu ES PSPMISSIONREV
Global CFE ES HousekeepingTlm Payload::PSPRevision
   $sc_$cpu_ES_PSPREVISION
Global CFE_ES_HousekeepingTIm_Payload::RegisteredCoreApps
   $sc_$cpu_ES_RegCoreApps
Global CFE_ES_HousekeepingTIm_Payload::RegisteredExternalApps
   $sc $cpu ES RegExtApps
Global CFE_ES_HousekeepingTIm_Payload::RegisteredLibs
   $sc $cpu ES RegLibs
Global CFE ES HousekeepingTlm Payload::RegisteredTasks
   $sc $cpu ES RegTasks
Global CFE_ES_HousekeepingTIm_Payload::ResetSubtype
   $sc $cpu ES ResetSubtype
Global CFE_ES_HousekeepingTlm_Payload::ResetType
   $sc_$cpu_ES_ResetType
Global CFE ES HousekeepingTlm Payload::SysLogBytesUsed
   $sc_$cpu_ES_SYSLOGBYTEUSED
Global CFE ES HousekeepingTlm Payload::SysLogEntries
   $sc_$cpu_ES_SYSLOGENTRIES
Global CFE ES HousekeepingTlm Payload::SysLogMode
   $sc $cpu ES SYSLOGMODE
Global CFE ES HousekeepingTlm Payload::SysLogSize
   $sc_$cpu_ES_SYSLOGSIZE
Global CFE_ES_MemPoolStats::BlockStats [CFE_MISSION_ES_POOL_MAX_BUCKETS]
   $sc $cpu ES BlkStats[BLK SIZES]
Global CFE ES MemPoolStats::CheckErrCtr
   $sc $cpu ES BlkErrCTR
```

```
Global CFE ES MemPoolStats::NumBlocksRequested
   $sc $cpu ES BlksREQ
Global CFE ES MemPoolStats::NumFreeBytes
   $sc $cpu ES FreeBytes
Global CFE ES MemPoolStats::PoolSize
   $sc $cpu ES PoolSize
Global CFE_ES_PoolStatsTIm_Payload::PoolHandle
   $sc $cpu ES PoolHandle
Global CFE EVS AppTImData::AppEnableStatus
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].APPENASTAT
Global CFE EVS AppTImData::AppID
  $sc_$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPID
Global CFE EVS AppTImData::AppMessageSentCounter
  $sc_$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPMSGSENTC
Global CFE EVS AppTImData::AppMessageSquelchedCounter
   $sc_$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].SQUELCHEDC
Global CFE EVS HousekeepingTim Payload::AppData [CFE MISSION ES MAX APPLICATIONS]
   $sc_$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS]
Global CFE_EVS_HousekeepingTIm_Payload::CommandCounter
   $sc $cpu EVS CMDPC
Global CFE_EVS_HousekeepingTIm_Payload::CommandErrorCounter
  $sc $cpu EVS CMDEC
Global CFE_EVS_HousekeepingTlm_Payload::LogEnabled
  $sc $cpu EVS LOGENABLED
Global CFE EVS HousekeepingTlm Payload::LogFullFlag
  $sc $cpu EVS LOGFULL
Global CFE_EVS_HousekeepingTlm_Payload::LogMode
  $sc $cpu EVS LOGMODE
Global CFE_EVS_HousekeepingTlm_Payload::LogOverflowCounter
  $sc_$cpu_EVS_LOGOVERFLOWC
Global CFE EVS HousekeepingTlm Payload::MessageFormatMode
  $sc_$cpu_EVS_MSGFMTMODE
Global CFE EVS HousekeepingTlm Payload::MessageSendCounter
  $sc_$cpu_EVS_MSGSENTC
Global CFE EVS HousekeepingTlm Payload::MessageTruncCounter
  $sc $cpu EVS MSGTRUNC
Global CFE EVS HousekeepingTlm Payload::OutputPort
  $sc_$cpu_EVS_OUTPUTPORT
Global CFE_EVS_HousekeepingTlm_Payload::Spare1
   $sc $cpu EVS HK SPARE1
Global CFE_EVS_HousekeepingTlm_Payload::Spare2
   $sc $cpu EVS HK SPARE2
```

```
Global CFE EVS HousekeepingTlm Payload::Spare3
   $sc $cpu EVS HK SPARE3
Global CFE_EVS_HousekeepingTlm_Payload::UnregisteredAppCounter
   $sc $cpu EVS UNREGAPPC
Global CFE_EVS_LongEventTim_Payload::Message [CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]
   $sc $cpu EVS EVENT[CFE MISSION EVS MAX MESSAGE LENGTH]
Global CFE EVS LongEventTlm Payload::Spare1
   $sc $cpu EVS SPARE1
Global CFE_EVS_LongEventTlm_Payload::Spare2
   $sc $cpu EVS SPARE2
Global CFE EVS PacketID::AppName [CFE MISSION MAX API LEN]
   $sc_$cpu_EVS_APPNAME[OS_MAX_API_NAME]
Global CFE EVS PacketID::EventID
   $sc_$cpu_EVS_EVENTID
Global CFE EVS PacketID::EventType
   $sc_$cpu_EVS_EVENTTYPE
Global CFE EVS PacketID::ProcessorID
   $sc_$cpu_EVS_PROCESSORID
Global CFE EVS PacketID::SpacecraftID
   $sc $cpu EVS SCID
Global CFE_SB_HousekeepingTIm_Payload::CommandCounter
   $sc $cpu SB CMDPC
Global CFE_SB_HousekeepingTlm_Payload::CommandErrorCounter
   $sc $cpu SB CMDEC
Global CFE SB HousekeepingTlm Payload::CreatePipeErrorCounter
   $sc $cpu SB NewPipeEC
Global CFE_SB_HousekeepingTIm_Payload::DuplicateSubscriptionsCounter
   $sc $cpu SB DupSubCnt
Global CFE SB HousekeepingTlm Payload::GetPipeldByNameErrorCounter
   $sc_$cpu_SB_GetPipeIDByNameEC
Global CFE SB HousekeepingTlm Payload::InternalErrorCounter
   $sc_$cpu_SB_InternalEC
Global CFE SB HousekeepingTlm Payload::MemInUse
   $sc_$cpu_SB_MemInUse
Global CFE SB HousekeepingTlm Payload::MemPoolHandle
   $sc $cpu SB MemPoolHdl
Global CFE SB HousekeepingTlm Payload::MsgLimitErrorCounter
   $sc_$cpu_SB_MsgLimEC
Global CFE_SB_HousekeepingTlm_Payload::MsgReceiveErrorCounter
   $sc $cpu SB MsgRecEC
Global CFE_SB_HousekeepingTIm_Payload::MsgSendErrorCounter
   $sc $cpu SB MsgSndEC
```

```
Global CFE SB HousekeepingTlm Payload::NoSubscribersCounter
   $sc $cpu SB NoSubEC
Global CFE SB HousekeepingTlm Payload::PipeOptsErrorCounter
   $sc $cpu SB PipeOptsEC
Global CFE_SB_HousekeepingTlm_Payload::PipeOverflowErrorCounter
   $sc $cpu SB PipeOvrEC
Global CFE_SB_HousekeepingTlm_Payload::Spare2Align [1]
   $sc $cpu SB Spare2Align[2]
Global CFE SB HousekeepingTlm Payload::SubscribeErrorCounter
   $sc $cpu SB SubscrEC
Global CFE SB HousekeepingTlm Payload::UnmarkedMem
   $sc_$cpu_SB_UnMarkedMem
Global CFE SB PipeDepthStats::CurrentQueueDepth
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDINUSE
Global CFE SB PipeDepthStats::MaxQueueDepth
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDDEPTH
Global CFE SB PipeDepthStats::PeakQueueDepth
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPKINUSE
Global CFE SB PipeDepthStats::PipeId
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPIPEID
Global CFE SB PipeDepthStats::Spare
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDSPARE
Global CFE SB StatsTlm Payload::MaxMemAllowed
   $sc $cpu SB Stat.SB SMMBMALW
Global CFE SB StatsTlm Payload::MaxMsgldsAllowed
   $sc $cpu SB Stat.SB SMMMIDALW
Global CFE_SB_StatsTIm_Payload::MaxPipeDepthAllowed
   $sc $cpu SB Stat.SB SMMPDALW
Global CFE_SB_StatsTIm_Payload::MaxPipesAllowed
   $sc_$cpu_SB_Stat.SB_SMMPALW
Global CFE SB StatsTlm Payload::MaxSubscriptionsAllowed
   $sc_$cpu_SB_Stat.SB_SMMSALW
Global CFE SB StatsTlm Payload::MemInUse
   $sc_$cpu_SB_Stat.SB_SMBMIU
Global CFE SB StatsTlm Payload::MsgldsInUse
   $sc_$cpu_SB_Stat.SB_SMMIDIU
Global CFE SB StatsTlm Payload::PeakMemInUse
   $sc_$cpu_SB_Stat.SB_SMPBMIU
Global CFE_SB_StatsTIm_Payload::PeakMsgldsInUse
   $sc_$cpu_SB_Stat.SB_SMPMIDIU
Global CFE_SB_StatsTIm_Payload::PeakPipesInUse
   $sc $cpu SB Stat.SB SMPPIU
```

```
Global CFE SB StatsTlm Payload::PeakSBBuffersInUse
   $sc $cpu SB Stat.SB SMPSBBIU
Global CFE SB StatsTlm Payload::PeakSubscriptionsInUse
   $sc_$cpu_SB_Stat.SB_SMPSIU
Global CFE SB StatsTlm Payload::PipeDepthStats [CFE MISSION SB MAX PIPES]
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES]
Global CFE SB StatsTlm Payload::PipesInUse
   $sc_$cpu_SB_Stat.SB_SMPIU
Global CFE SB StatsTlm Payload::SBBuffersInUse
   $sc $cpu SB Stat.SB SMSBBIU
Global CFE SB StatsTlm Payload::SubscriptionsInUse
   $sc_$cpu_SB_Stat.SB_SMSIU
Global CFE TBL HousekeepingTlm Payload::ActiveBuffer
   $sc_$cpu_TBL_LastValBuf
Global CFE TBL HousekeepingTlm Payload::ByteAlignPad1
   $sc_$cpu_TBL_ByteAlignPad1
Global CFE_TBL_HousekeepingTlm_Payload::CommandCounter
   $sc_$cpu_TBL_CMDPC
Global CFE TBL HousekeepingTlm Payload::CommandErrorCounter
   $sc $cpu TBL CMDEC
Global CFE TBL HousekeepingTlm Payload::FailedValCounter
   $sc_$cpu_TBL_ValFailedCtr
Global CFE TBL HousekeepingTlm Payload::LastFileDumped [CFE MISSION MAX PATH LEN]
   $sc_$cpu_TBL_LastFileDumped[OS_MAX_PATH_LEN]
Global CFE TBL HousekeepingTlm Payload::LastFileLoaded [CFE MISSION MAX PATH LEN]
   $sc_$cpu_TBL_LastFileLoaded[OS_MAX_PATH_LEN]
Global CFE_TBL_HousekeepingTIm_Payload::LastTableLoaded [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
   $sc_$cpu_TBL_LastTableLoaded[CFE_TBL_MAX_FULL_NAME LEN]
Global CFE TBL HousekeepingTlm Payload::LastUpdatedTable [CFE MISSION TBL MAX FULL NAME L↔
   EN]
   $sc $cpu TBL LastUpdTblName[CFE TB MAX FULL NAME LEN]
Global CFE_TBL_HousekeepingTlm_Payload::LastUpdateTime
   $sc $cpu TBL LastUpdTime, $sc $cpu TBL SECONDS, $sc $cpu TBL SUBSECONDS
Global CFE TBL HousekeepingTlm Payload::LastValCrc
   $sc_$cpu_TBL_LastValCRC
Global CFE TBL HousekeepingTlm Payload::LastValStatus
   $sc_$cpu_TBI_LastValS
Global CFE TBL HousekeepingTlm Payload::LastValTableName [CFE MISSION TBL MAX FULL NAME L↔
   EN]
   $sc $cpu TBL LastValTblName[CFE TB MAX FULL NAME LEN]
Global CFE_TBL_HousekeepingTlm_Payload::MemPoolHandle
   $sc $cpu TBL MemPoolHandle
```

```
Global CFE TBL HousekeepingTlm Payload::NumFreeSharedBufs
   $sc $cpu TBL NumFreeShrBuf
Global CFE TBL HousekeepingTlm Payload::NumLoadPending
   $sc $cpu TBL NumUpdatesPend
Global CFE_TBL_HousekeepingTlm_Payload::NumTables
   $sc $cpu TBL NumTables
Global CFE_TBL_HousekeepingTIm_Payload::NumValRequests
   $sc $cpu TBL ValReqCtr
Global CFE TBL HousekeepingTlm Payload::SuccessValCounter
   $sc $cpu TBL ValSuccessCtr
Global CFE_TBL_HousekeepingTlm_Payload::ValidationCounter
   $sc_$cpu_TBL_ValCompltdCtr
Global CFE TBL TblRegPacket Payload::ActiveBufferAddr
   $sc_$cpu_TBL_ActBufAdd
Global CFE TBL TblRegPacket Payload::ByteAlign4
   $sc_$cpu_TBL_Spare4
Global CFE TBL TblRegPacket Payload::Crc
   $sc_$cpu_TBL_CRC
Global CFE_TBL_TblRegPacket_Payload::Critical
   $sc_$cpu_TBL_Spare3
Global CFE_TBL_TblRegPacket_Payload::DoubleBuffered
   $sc $cpu TBL DblBuffered
Global CFE_TBL_TblRegPacket_Payload::DumpOnly
   $sc $cpu TBL DumpOnly
Global CFE TBL TblRegPacket Payload::FileCreateTimeSecs
   $sc $cpu TBL FILECSECONDS
Global CFE_TBL_TblRegPacket_Payload::FileCreateTimeSubSecs
   $sc $cpu TBL FILECSUBSECONDS
Global CFE TBL TblRegPacket Payload::InactiveBufferAddr
   $sc_$cpu_TBL_IActBufAdd
Global CFE TBL TblRegPacket Payload::LastFileLoaded [CFE MISSION MAX PATH LEN]
   $sc_$cpu_TBL_LastFileUpd[OS_MAX_PATH_LEN]
Global CFE TBL TblRegPacket Payload::LoadPending
   $sc_$cpu_TBL_UpdatePndng
Global CFE TBL TblRegPacket Payload::Name [CFE MISSION TBL MAX FULL NAME LEN]
   $sc_$cpu_TBL_Name[CFE_TB_MAX_FULL_NAME_LEN]
Global CFE TBL TblRegPacket Payload::OwnerAppName [CFE MISSION MAX API LEN]
   $sc_$cpu_TBL_OwnerApp[OS_MAX_API_NAME]
Global CFE_TBL_TblRegPacket_Payload::Size
   $sc_$cpu_TBL_SIZE
Global CFE_TBL_TblRegPacket_Payload::TableLoadedOnce
   $sc $cpu TBL LoadedOnce
```

```
Global CFE TBL TblRegPacket Payload::TimeOfLastUpdate
   $sc $cpu TBL TimeLastUpd, $sc $cpu TBL TLUSECONDS, $sc $cpu TBL TLUSUBSECONDS
Global CFE TBL TblRegPacket Payload::ValidationFuncPtr
   $sc $cpu TBL ValFuncPtr
Global CFE_TIME_DiagnosticTIm_Payload::AtToneDelay
   $sc $cpu TIME DLatentS, $sc $cpu TIME DLatentSs
Global CFE TIME DiagnosticTlm Payload::AtToneLatch
   $sc $cpu TIME DTValidS, $sc $cpu TIME DTValidSs
Global CFE_TIME_DiagnosticTIm_Payload::AtToneLeapSeconds
   $sc $cpu TIME DLeapS
Global CFE TIME DiagnosticTIm Payload::AtToneMET
   $sc_$cpu_TIME_DTMETS, $sc_$cpu_TIME_DTMETSs
Global CFE TIME DiagnosticTlm Payload::AtToneSTCF
   $sc $cpu TIME DSTCFS, $sc $cpu TIME DSTCFSS
Global CFE TIME DiagnosticTlm Payload::ClockFlyState
   $sc $cpu TIME DFlywheel
Global CFE TIME DiagnosticTlm Payload::ClockSetState
   $sc $cpu TIME DValid
Global CFE TIME DiagnosticTIm Payload::ClockSignal
   $sc $cpu TIME DSignal
Global CFE TIME DiagnosticTlm Payload::ClockSource
   $sc $cpu TIME DSource
Global CFE TIME DiagnosticTlm Payload::ClockStateAPI
   $sc $cpu TIME DAPIState
Global CFE TIME DiagnosticTlm Payload::ClockStateFlags
   $sc $cpu TIME DStateFlags, $sc $cpu TIME DFlagSet, $sc $cpu TIME DFlagFly, $sc $cpu TIME DFlagSrc,
   $sc $cpu TIME DFlagPri, $sc $cpu TIME DFlagSfly, $sc $cpu TIME DFlagCfly, $sc $cpu TIME DFlagAdid,
   $sc $cpu TIME DFlag1Hzd, $sc $cpu TIME DFlagClat, $sc $cpu TIME DFlagSorC, $sc $cpu TIME DFlag←
   NIU
Global CFE TIME DiagnosticTIm Payload::CurrentLatch
   $sc_$cpu_TIME_DLocalS, $sc_$cpu_TIME_DLocalSs
Global CFE TIME DiagnosticTIm Payload::CurrentMET
   $sc_$cpu_TIME_DMETS, $sc_$cpu_TIME_DMETSs
Global CFE TIME DiagnosticTIm Payload::CurrentTAI
   $sc_$cpu_TIME_DTAIS, $sc_$cpu_TIME_DTAISS
Global CFE TIME DiagnosticTIm Payload::CurrentUTC
   $sc $cpu TIME DUTCS, $sc $cpu TIME DUTCSS
Global CFE_TIME_DiagnosticTIm_Payload::DataStoreStatus
   $sc $cpu TIME DataStStat
Global CFE_TIME_DiagnosticTIm_Payload::DelayDirection
   $sc $cpu TIME DLatentDir
```

```
Global CFE_TIME_DiagnosticTIm_Payload::Forced2Fly
   $sc $cpu TIME DCMD2Fly
Global CFE TIME DiagnosticTlm Payload::LocalIntCounter
   $sc $cpu TIME D1HzISRCNT
Global CFE_TIME_DiagnosticTIm_Payload::LocalTaskCounter
   $sc $cpu TIME D1HzTaskCNT
Global CFE TIME DiagnosticTlm Payload::MaxElapsed
   $sc $cpu TIME DMaxWindow
Global CFE TIME DiagnosticTlm Payload::MaxLocalClock
   $sc $cpu TIME DWrapS, $sc $cpu TIME DWrapSs
Global CFE TIME DiagnosticTlm Payload::MinElapsed
   $sc_$cpu_TIME_DMinWindow
Global CFE TIME DiagnosticTIm Payload::OneHzAdjust
   $sc_$cpu_TIME_D1HzAdjS, $sc_$cpu_TIME_D1HzAdjSs
Global CFE TIME DiagnosticTIm Payload::OneHzDirection
   $sc_$cpu_TIME_D1HzAdjDir
Global CFE TIME DiagnosticTlm Payload::OneTimeAdjust
   $sc_$cpu_TIME_DAdjustS, $sc_$cpu_TIME_DAdjustSs
Global CFE_TIME_DiagnosticTIm_Payload::OneTimeDirection
   $sc_$cpu_TIME_DAdjustDir
Global CFE_TIME_DiagnosticTIm_Payload::ServerFlyState
   $sc $cpu TIME DSrvFly
Global CFE TIME DiagnosticTlm Payload::TimeSinceTone
   $sc $cpu TIME DElapsedS, $sc $cpu TIME DElapsedSs
Global CFE TIME DiagnosticTlm Payload::ToneDataCounter
   $sc $cpu TIME DTatTCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneDataLatch
   $sc $cpu TIME DTDS, $sc $cpu TIME DTDSs
Global CFE TIME DiagnosticTIm Payload::ToneIntCounter
   $sc_$cpu_TIME_DTsISRCNT
Global CFE TIME DiagnosticTlm Payload::ToneIntErrorCounter
   $sc_$cpu_TIME_DTsISRERR
Global CFE_TIME_DiagnosticTIm_Payload::ToneMatchCounter
   $sc_$cpu_TIME_DVerifyCNT
Global CFE TIME DiagnosticTlm Payload::ToneMatchErrorCounter
   $sc_$cpu_TIME_DVerifyER
Global CFE TIME DiagnosticTlm Payload::ToneOverLimit
   $sc_$cpu_TIME_DMaxSs
Global CFE_TIME_DiagnosticTIm_Payload::ToneSignalCounter
   $sc $cpu TIME DTSDetCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneSignalLatch
   $sc $cpu TIME DTTS, $sc $cpu TIME DTTSs
```

```
Global CFE TIME DiagnosticTIm Payload::ToneTaskCounter
   $sc $cpu TIME DTsTaskCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneUnderLimit
   $sc_$cpu_TIME_DMinSs
Global CFE TIME DiagnosticTIm Payload::VersionCounter
   $sc $cpu TIME DVersionCNT
Global CFE_TIME_DiagnosticTIm_Payload::VirtualMET
   $sc_$cpu_TIME_DLogicalMET
Global CFE TIME HousekeepingTlm Payload::ClockStateAPI
   $sc $cpu TIME DAPIState
Global CFE TIME HousekeepingTlm Payload::ClockStateFlags
   $sc $cpu TIME StateFlg, $sc $cpu TIME FlagSet, $sc $cpu TIME FlagFly, $sc $cpu TIME FlagSrc, $sc ↔
   $cpu TIME FlagPri, $sc $cpu TIME FlagSfly, $sc $cpu TIME FlagCfly, $sc $cpu TIME FlagAdjd, $sc $cpu ←
   _TIME_Flag1Hzd, $sc_$cpu_TIME_FlagClat, $sc_$cpu_TIME_FlagSorC, $sc_$cpu_TIME_FlagNIU
Global CFE TIME HousekeepingTlm Payload::CommandCounter
   $sc $cpu TIME CMDPC
Global CFE_TIME HousekeepingTlm Payload::CommandErrorCounter
   $sc $cpu TIME CMDEC
Global CFE TIME HousekeepingTlm Payload::LeapSeconds
   $sc $cpu TIME LeapSecs
Global CFE TIME HousekeepingTlm Payload::Seconds1HzAdj
   $sc_$cpu_TIME_1HzAdjSecs
Global CFE_TIME_HousekeepingTIm_Payload::SecondsDelay
   $sc $cpu TIME 1HzAdjSecs
Global CFE_TIME_HousekeepingTIm_Payload::SecondsMET
   $sc $cpu TIME METSecs
Global CFE_TIME_HousekeepingTIm_Payload::SecondsSTCF
   $sc $cpu TIME STCFSecs
Global CFE TIME HousekeepingTlm Payload::Subsecs1HzAdj
   $sc_$cpu_TIME_1HzAdjSSecs
Global CFE TIME HousekeepingTlm Payload::SubsecsDelay
   $sc_$cpu_TIME_1HzAdjSSecs
Global CFE_TIME_HousekeepingTIm_Payload::SubsecsMET
   $sc_$cpu_TIME_METSubsecs
Global CFE TIME HousekeepingTlm Payload::SubsecsSTCF
   $sc $cpu TIME STCFSubsecs
```

2 Glossary of Terms

Term	Definition
Application (or App)	A set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.
Application ID	A processor unique reference to an Application. NOTE: This is different from a CCSDS Application ID which is referred to as an "APID."
Application Programmer's Interface (API)	A set of routines, protocols, and tools for building software applications
Platform Support Package (PSP)	A collection of user-provided facilities that interface an OS and the cFE with a specific hardware platform. The PSP is responsible for hardware initialization.
Child Task	A separate thread of execution that is spawned by an Application's Main Task.
Command	A Software Bus Message defined by the receiving Application. Commands can originate from other onboard Applications or from the ground.
Core Flight Executive (cFE)	A runtime environment and a set of services for hosting FSW Applications
Critical Data Store (CDS)	A collection of data that is not modified by the OS or cFE following a Processor Reset.
Cyclic Redundancy Check	A polynomial based method for checking that a data set has remained unchanged from one time period to another.
Developer	Anyone who is coding a cFE Application.
Event Data	Data describing an Event that is supplied to the cFE Event Service. The cFE includes this data in an Event Message.
Event Filter	A numeric value (bit mask) used to determine how frequently to output an application Event Message defined by its Event ID.
Event Format Mode	Defines the Event Message Format downlink option: short or long. The short format is used when there is limited telemetry bandwidth and is binary. The long format is in ASCII and is used for logging to a Local Event Log and to an Event Message Port.
Event ID	A numeric literal used to uniquely name an Application event.
Event Type	A numeric literal used to identify the type of an Application event. An event type may be CFE_EVS_EventType_DEBUG, CFE_EVS_Event ← Type_INFORMATION, CFE_EVS_EventType_ERROR, or CFE_EVS ← LeventType_CRITICAL.
Event Message	A data item used to notify the user and/or an external Application of a significant event. Event Messages include a time-stamp of when the message was generated, a processor unique identifier, an Application ID, the Event Type (DEBUG,INFO,ERROR or CRITICAL), and Event Data. An Event Message can either be real-time or playback from a Local Event Log.

3 cFE Application Programmer's Interface (API) Reference

Executive Services API

• cFE Entry/Exit APIs

- CFE_ES_Main cFE Main Entry Point used by Board Support Package to start cFE
- CFE_ES_ResetCFE Reset the cFE Core and all cFE Applications.

· cFE Application Control APIs

- CFE ES RestartApp Restart a single cFE Application.
- CFE ES ReloadApp Reload a single cFE Application.
- CFE_ES_DeleteApp Delete a cFE Application.

· cFE Application Behavior APIs

- CFE_ES_RunLoop Check for Exit, Restart, or Reload commands.
- CFE_ES_WaitForStartupSync Allow an Application to Wait for the "OPERATIONAL" global system state.
- CFE ES WaitForSystemState Allow an Application to Wait for a minimum global system state.
- CFE_ES_IncrementTaskCounter Increments the execution counter for the calling task.
- CFE ES ExitApp Exit a cFE Application.

cFE Information APIs

- CFE_ES_GetResetType Return the most recent Reset Type.
- CFE_ES_GetAppID Get an Application ID for the calling Application.
- CFE ES GetTaskID Get the task ID of the calling context.
- CFE_ES_GetAppIDByName Get an Application ID associated with a specified Application name.
- CFE_ES_GetLibIDByName Get a Library ID associated with a specified Library name.
- CFE_ES_GetAppName Get an Application name for a specified Application ID.
- CFE_ES_GetLibName Get a Library name for a specified Library ID.
- CFE_ES_GetAppInfo Get Application Information given a specified App ID.
- CFE ES GetTaskInfo Get Task Information given a specified Task ID.
- CFE ES GetLibInfo Get Library Information given a specified Resource ID.
- CFE_ES_GetModuleInfo Get Information given a specified Resource ID.

· cFE Child Task APIs

- CFE_ES_CreateChildTask Creates a new task under an existing Application.
- CFE_ES_GetTaskIDByName Get a Task ID associated with a specified Task name.
- CFE ES GetTaskName Get a Task name for a specified Task ID.
- CFE ES DeleteChildTask Deletes a task under an existing Application.
- CFE_ES_ExitChildTask Exits a child task.

· cFE Critical Data Store APIs

- CFE_ES_RegisterCDS Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)
- CFE_ES_GetCDSBlockIDByName Get a CDS Block ID associated with a specified CDS Block name.
- CFE_ES_GetCDSBlockName Get a Block name for a specified Block ID.
- CFE_ES_CopyToCDS Save a block of data in the Critical Data Store (CDS)
- CFE_ES_RestoreFromCDS Recover a block of data from the Critical Data Store (CDS)

cFE Memory Manager APIs

- CFE_ES_PoolCreate Initializes a memory pool created by an application while using a semaphore during processing.
- CFE_ES_PoolCreateEx Initializes a memory pool created by an application with application specified block sizes.
- CFE_ES_PoolCreateNoSem Initializes a memory pool created by an application without using a semaphore during processing.
- CFE ES PoolDelete Deletes a memory pool that was previously created.
- CFE_ES_GetPoolBuf Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES
 — PoolCreateNoSem.
- CFE_ES_PutPoolBuf Releases a buffer from the memory pool that was previously allocated via CFE_E
 S GetPoolBuf.
- CFE_ES_GetMemPoolStats Extracts the statistics maintained by the memory pool software.
- CFE_ES_GetPoolBufInfo Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.

• cFE Performance Monitor APIs

- CFE_ES_PerfLogEntry Entry marker for use with Software Performance Analysis Tool.
- CFE ES PerfLogExit Exit marker for use with Software Performance Analysis Tool.
- CFE ES PerfLogAdd Adds a new entry to the data buffer.

· cFE Generic Counter APIs

- CFE ES RegisterGenCounter Register a generic counter.
- CFE_ES_DeleteGenCounter Delete a generic counter.
- CFE ES IncrementGenCounter Increments the specified generic counter.
- CFE_ES_SetGenCount Set the specified generic counter.
- CFE_ES_GetGenCount Get the specified generic counter count.
- CFE ES GetGenCounterIDByName Get the Id associated with a generic counter name.
- CFE_ES_GetGenCounterName Get a Counter name for a specified Counter ID.

· cFE Miscellaneous APIs

- CFE_ES_BackgroundWakeup Wakes up the CFE background task.
- CFE_ES_CalculateCRC Calculate a CRC on a block of memory.
- CFE ES WriteToSysLog Write a string to the cFE System Log.
- CFE_ES_ProcessAsyncEvent Notification that an asynchronous event was detected by the underlying OS/PSP.
- CFE ES StatusToString Convert status to a string.

• cFE Resource ID APIs

- CFE ES AppID ToIndex Obtain an index value correlating to an ES Application ID.
- CFE_ES_LibID_ToIndex Obtain an index value correlating to an ES Library ID.
- CFE ES TaskID Tolndex Obtain an index value correlating to an ES Task ID.
- CFE ES CounterID Tolndex Obtain an index value correlating to an ES Counter ID.

Events Services API

- cFE Registration APIs
 - CFE EVS Register Register an application for receiving event services.
- cFE Send Event APIs
 - CFE EVS SendEvent Generate a software event.
 - CFE EVS SendEventWithAppID Generate a software event given the specified Application ID.
 - CFE EVS SendTimedEvent Generate a software event with a specific time tag.
- · cFE Reset Event Filter APIs
 - CFE_EVS_ResetFilter Resets the calling application's event filter for a single event ID.
 - CFE EVS ResetAllFilters Resets all of the calling application's event filters.

File Services API

- · cFE File Header Management APIs
 - CFE FS ReadHeader Read the contents of the Standard cFE File Header.
 - CFE FS InitHeader Initializes the contents of the Standard cFE File Header.
 - CFE_FS_WriteHeader Write the specified Standard cFE File Header to the specified file.
 - CFE_FS_SetTimestamp Modifies the Time Stamp field in the Standard cFE File Header for the specified file.
- · cFE File Utility APIs
 - CFE FS GetDefaultMountPoint Get the default virtual mount point for a file category.
 - CFE_FS_GetDefaultExtension Get the default filename extension for a file category.
 - CFE FS ParseInputFileNameEx Parse a filename input from an input buffer into a local buffer.
 - CFE FS ParseInputFileName Parse a filename string from the user into a local buffer.
 - CFE_FS_ExtractFilenameFromPath Extracts the filename from a unix style path and filename string.
 - CFE_FS_BackgroundFileDumpRequest Register a background file dump request.
 - CFE_FS_BackgroundFileDumpIsPending Query if a background file write request is currently pending.

Message API

- cFE Generic Message APIs
 - CFE_MSG_Init Initialize a message.
- · cFE Message Primary Header APIs
 - CFE_MSG_GetSize Gets the total size of a message.
 - CFE_MSG_SetSize Sets the total size of a message.
 - CFE_MSG_GetType Gets the message type.
 - CFE MSG SetType Sets the message type.
 - CFE MSG GetHeaderVersion Gets the message header version.
 - CFE MSG SetHeaderVersion Sets the message header version.

- CFE_MSG_GetHasSecondaryHeader Gets the message secondary header boolean.
- CFE_MSG_SetHasSecondaryHeader Sets the message secondary header boolean.
- CFE_MSG_GetApId Gets the message application ID.
- CFE MSG SetApId Sets the message application ID.
- CFE_MSG_GetSegmentationFlag Gets the message segmentation flag.
- CFE_MSG_SetSegmentationFlag Sets the message segmentation flag.
- CFE_MSG_GetSequenceCount Gets the message sequence count.
- CFE_MSG_SetSequenceCount Sets the message sequence count.
- CFE MSG GetNextSequenceCount Gets the next sequence count value (rolls over if appropriate)

cFE Message Extended Header APIs

- CFE MSG GetEDSVersion Gets the message EDS version.
- CFE MSG SetEDSVersion Sets the message EDS version.
- CFE MSG GetEndian Gets the message endian.
- CFE_MSG_SetEndian Sets the message endian.
- CFE_MSG_GetPlaybackFlag Gets the message playback flag.
- CFE MSG SetPlaybackFlag Sets the message playback flag.
- CFE_MSG_GetSubsystem Gets the message subsystem.
- CFE_MSG_SetSubsystem Sets the message subsystem.
- CFE_MSG_GetSystem Gets the message system.
- CFE_MSG_SetSystem Sets the message system.

cFE Message Secondary Header APIs

- CFE_MSG_GenerateChecksum Calculates and sets the checksum of a message.
- CFE MSG ValidateChecksum Validates the checksum of a message.
- CFE_MSG_SetFcnCode Sets the function code field in a message.
- CFE MSG GetFcnCode Gets the function code field from a message.
- CFE_MSG_GetMsgTime Gets the time field from a message.
- CFE MSG SetMsgTime Sets the time field in a message.

· cFE Message Id APIs

- CFE MSG GetMsgld Gets the message id from a message.
- CFE MSG SetMsgld Sets the message id bits in a message.
- CFE_MSG_GetTypeFromMsgld Gets message type using message ID.

Resource ID API

· cFE Resource Misc APIs

- CFE_ResourceId_ToInteger Convert a resource ID to an integer.
- CFE Resourceld FromInteger Convert an integer to a resource ID.
- CFE ResourceId Equal Compare two Resource ID values for equality.
- CFE_ResourceId_IsDefined Check if a resource ID value is defined.
- CFE_ResourceId_GetBase Get the Base value (type/category) from a resource ID value.
- CFE_ResourceId_GetSerial Get the Serial Number (sequential ID) from a resource ID value.
- CFE_ResourceId_FindNext Locate the next resource ID which does not map to an in-use table entry.
- CFE Resourceld Tolndex Internal routine to aid in converting an ES resource ID to an array index.

Software Bus Services API

cFE Pipe Management APIs

- CFE SB CreatePipe Creates a new software bus pipe.
- CFE SB DeletePipe Delete a software bus pipe.
- CFE_SB_PipeId_ToIndex Obtain an index value correlating to an SB Pipe ID.
- CFE_SB_SetPipeOpts Set options on a pipe.
- CFE SB GetPipeOpts Get options on a pipe.
- CFE SB GetPipeName Get the pipe name for a given id.
- CFE SB GetPipeIdByName Get pipe id by pipe name.

cFE Message Subscription Control APIs

- CFE_SB_Subscribe Subscribe to a message on the software bus with default parameters.
- CFE_SB_SubscribeEx Subscribe to a message on the software bus.
- CFE_SB_SubscribeLocal Subscribe to a message while keeping the request local to a cpu.
- CFE_SB_Unsubscribe Remove a subscription to a message on the software bus.
- CFE SB UnsubscribeLocal Remove a subscription to a message on the software bus on the current CPU.

• cFE Send/Receive Message APIs

- CFE SB TransmitMsg Transmit a message.
- CFE_SB_ReceiveBuffer Receive a message from a software bus pipe.

cFE Zero Copy APIs

- CFE SB AllocateMessageBuffer Get a buffer pointer to use for "zero copy" SB sends.
- CFE_SB_ReleaseMessageBuffer Release an unused "zero copy" buffer pointer.
- CFE SB TransmitBuffer Transmit a buffer.

• cFE Message Characteristics APIs

- CFE SB SetUserDataLength Sets the length of user data in a software bus message.
- CFE_SB_TimeStampMsg Sets the time field in a software bus message with the current spacecraft time.
- CFE SB MessageStringSet Copies a string into a software bus message.
- CFE SB GetUserData Get a pointer to the user data portion of a software bus message.
- CFE SB GetUserDataLength Gets the length of user data in a software bus message.
- CFE_SB_MessageStringGet Copies a string out of a software bus message.

· cFE Message ID APIs

- CFE_SB_IsValidMsgId Identifies whether a given CFE_SB_MsgId_t is valid.
- CFE SB Msgld Equal Identifies whether two CFE SB Msgld t values are equal.
- CFE_SB_MsgldToValue Converts a CFE_SB_Msgld_t to a normal integer.
- CFE SB ValueToMsgld Converts a normal integer into a CFE SB Msgld t.

Table Services API

- cFE Registration APIs
 - CFE_TBL_Register Register a table with cFE to obtain Table Management Services.
 - CFE_TBL_Share Obtain handle of table registered by another application.
 - CFE_TBL_Unregister Unregister a table.
- cFE Manage Table Content APIs
 - CFE TBL Load Load a specified table with data from specified source.
 - CFE_TBL_Update Update contents of a specified table, if an update is pending.
 - CFE_TBL_Validate Perform steps to validate the contents of a table image.
 - CFE TBL Manage Perform standard operations to maintain a table.
 - CFE TBL DumpToBuffer Copies the contents of a Dump Only Table to a shared buffer.
 - CFE TBL Modified Notify cFE Table Services that table contents have been modified by the Application.
- · cFE Access Table Content APIs
 - CFE_TBL_GetAddress Obtain the current address of the contents of the specified table.
 - CFE_TBL_GetAddresses Obtain the current addresses of an array of specified tables.
 - CFE TBL ReleaseAddress Release previously obtained pointer to the contents of the specified table.
 - CFE_TBL_ReleaseAddresses Release the addresses of an array of specified tables.
- cFE Get Table Information APIs
 - CFE TBL_GetStatus Obtain current status of pending actions for a table.
 - CFE_TBL_GetInfo Obtain characteristics/information of/about a specified table.
 - CFE_TBL_NotifyByMessage Instruct cFE Table Services to notify Application via message when table requires management.

Time Services API

- · cFE Get Current Time APIs
 - CFE TIME GetTime Get the current spacecraft time.
 - CFE TIME GetTAI Get the current TAI (MET + SCTF) time.
 - CFE TIME GetUTC Get the current UTC (MET + SCTF Leap Seconds) time.
 - CFE_TIME_GetMET Get the current value of the Mission Elapsed Time (MET).
 - CFE_TIME_GetMETseconds Get the current seconds count of the mission-elapsed time.
 - CFE_TIME_GetMETsubsecs Get the current sub-seconds count of the mission-elapsed time.
- cFE Get Time Information APIs
 - CFE TIME GetSTCF Get the current value of the spacecraft time correction factor (STCF).
 - CFE TIME GetLeapSeconds Get the current value of the leap seconds counter.
 - CFE_TIME_GetClockState Get the current state of the spacecraft clock.
 - CFE TIME GetClockInfo Provides information about the spacecraft clock.
- cFE Time Arithmetic APIs
 - CFE TIME Add Adds two time values.

- CFE_TIME_Subtract Subtracts two time values.
- CFE_TIME_Compare Compares two time values.
- cFE Time Conversion APIs
 - CFE TIME MET2SCTime Convert specified MET into Spacecraft Time.
 - CFE TIME Sub2MicroSecs Converts a sub-seconds count to an equivalent number of microseconds.
 - CFE_TIME_Micro2SubSecs Converts a number of microseconds to an equivalent sub-seconds count.
- cFE External Time Source APIs
 - CFE TIME ExternalTone Provides the 1 Hz signal from an external source.
 - CFE_TIME_ExternalMET Provides the Mission Elapsed Time from an external source.
 - CFE_TIME_ExternalGPS Provide the time from an external source that has data common to GPS receivers.
 - CFE_TIME_ExternalTime Provide the time from an external source that measures time relative to a known epoch.
 - CFE_TIME_RegisterSynchCallback Registers a callback function that is called whenever time synchronization occurs.
 - CFE_TIME_UnregisterSynchCallback Unregisters a callback function that is called whenever time synchronization occurs.
- · cFE Miscellaneous Time APIs
 - CFE_TIME_Print Print a time value as a string.
 - CFE_TIME_Local1HzISR This function is called via a timer callback set up at initialization of the TIME service.

4 Osal API Documentation

- · General Information and Concepts
 - OSAL Introduction
- Core
 - OSAL Return Code Defines
 - OSAL Object Type Defines
 - APIs
 - * OSAL Core Operation APIs
 - * OSAL Object ID Utility APIs
 - * OSAL Task APIs
 - * OSAL Message Queue APIs
 - * OSAL Heap APIs
 - * OSAL Error Info APIs
 - * OSAL Select APIs
 - * OSAL Printf APIs
 - * OSAL BSP low level access APIs
 - * OSAL Real Time Clock APIs

4 Osal API Documentation 107

- * OSAL Shell APIs
- Common Reference
- Return Code Reference
- Id Map Reference
- Clock Reference
- Task Reference
- Message Queue Reference
- Heap Reference
- Select Reference
- Printf Reference
- BSP Reference
- Shell Reference
- · File System
 - File System Overview
 - File Descriptors In Osal
 - OSAL File Access Option Defines
 - OSAL Reference Point For Seek Offset Defines
 - APIs
 - * OSAL Standard File APIs
 - * OSAL Directory APIs
 - * OSAL File System Level APIs
 - File System Reference
 - File Reference
 - Directory Reference
- · Object File Loader
 - APIs
 - * OSAL Dynamic Loader and Symbol APIs
 - File Loader Reference
- Network
 - APIs
 - * OSAL Network ID APIs
 - * OSAL Socket Address APIs
 - * OSAL Socket Management APIs
 - Network Reference
 - Socket Reference
- Timer
 - Timer Overview
 - APIs
 - * OSAL Time Base APIs
 - * OSAL Timer APIs

- Timer Reference
- Time Base Reference
- · Semaphore and Mutex
 - OSAL Semaphore State Defines
 - APIs
 - * OSAL Binary Semaphore APIs
 - * OSAL Counting Semaphore APIs
 - * OSAL Mutex APIs
 - Binary Semaphore Reference
 - Counting Semaphore Reference
 - Mutex Reference

4.1 OSAL Introduction

The goal of this library is to promote the creation of portable and reusable real time embedded system software. Given the necessary OS abstraction layer implementations, the same embedded software should compile and run on a number of platforms ranging from spacecraft computer systems to desktop PCs.

The OS Application Program Interfaces (APIs) are broken up into core, file system, loader, network, and timer APIs. See the related document sections for full descriptions.

Note

The majority of these APIs should be called from a task running in the context of an OSAL application and in general should not be called from an ISR. There are a few exceptions, such as the ability to give a binary semaphore from an ISR.

4.2 File System Overview

The File System API is a thin wrapper around a selection of POSIX file APIs. In addition the File System API presents a common directory structure and volume view regardless of the underlying system type. For example, vxWorks uses MS-DOS style volume names and directories where a vxWorks RAM disk might have the volume "RAM:0". With this File System API, volumes are represented as Unix-style paths where each volume is mounted on the root file system:

- RAM:0/file1.dat becomes /mnt/ram/file1.dat
- FL:0/file2.dat becomes /mnt/fl/file2.dat

This abstraction allows the applications to use the same paths regardless of the implementation and it also allows file systems to be simulated on a desktop system for testing. On a desktop Linux system, the file system abstraction can be set up to map virtual devices to a regular directory. This is accomplished through the OS_mkfs call, OS_mount call, and a BSP specific volume table that maps the virtual devices to real devices or underlying file systems.

In order to make this file system volume abstraction work, a "Volume Table" needs to be provided in the Board Support Package of the application. The table has the following fields:

- Device Name: This is the name of the virtual device that the Application uses. Common names are "ramdisk1", "flash1", or "volatile1" etc. But the name can be any unique string.
- Physical Device Name: This is an implementation specific field. For vxWorks it is not needed and can be left blank. For a File system based implementation, it is the "mount point" on the root file system where all of the volume will be mounted. A common place for this on Linux could be a user's home directory, "/tmp", or even the current working directory ".". In the example of "/tmp" all of the directories created for the volumes would be under "/tmp" on the Linux file system. For a real disk device in Linux, such as a RAM disk, this field is the device name "/dev/ram0".
- Volume Type: This field defines the type of volume. The types are: FS_BASED which uses the existing file system,
 RAM_DISK which uses a RAM_DISK device in vxWorks, RTEMS, or Linux, FLASH_DISK_FORMAT which uses
 a flash disk that is to be formatted before use, FLASH_DISK_INIT which uses a flash disk with an existing format
 that is just to be initialized before it's use, EEPROM which is for an EEPROM or PROM based system.
- Volatile Flag: This flag indicates that the volume or disk is a volatile disk (RAM disk) or a non-volatile disk, that
 retains its contents when the system is rebooted. This should be set to TRUE or FALSE.
- Free Flag: This is an internal flag that should be set to FALSE or zero.
- · Volume Name: This is an internal field and should be set to a space character " ".
- Mount Point Field: This is an internal field and should be set to a space character " ".
- Block Size Field: This is used to record the block size of the device and does not need to be set by the user.

4.3 File Descriptors In Osal

The OSAL uses abstracted file descriptors. This means that the file descriptors passed back from the OS_open and OS creat calls will only work with other OSAL OS * calls. The reasoning for this is as follows:

Because the OSAL now keeps track of all file descriptors, OSAL specific information can be associated with a specific file descriptor in an OS independent way. For instance, the path of the file that the file descriptor points to can be easily retrieved. Also, the OSAL task ID of the task that opened the file can also be retrieved easily. Both of these pieces of information are very useful when trying to determine statistics for a task, or the entire system. This information can all be retrieved with a single API, OS FDGetInfo.

All of the possible file system calls are not implemented. "Special" files requiring OS specific control/operations are by nature not portable. Abstraction in this case is not possible, so the raw OS calls should be used (including open/close/etc). Mixing with OSAL calls is not supported for such cases. OS_TranslatePath is available to support using open directly by an app and maintain abstraction on the file system.

There are some small drawbacks with the OSAL file descriptors. Because the related information is kept in a table, there is a define called OS_MAX_NUM_OPEN_FILES that defines the maximum number of file descriptors available. This is a configuration parameter, and can be changed to fit your needs.

Also, if you open or create a file not using the OSAL calls (OS_open or OS_creat) then none of the other OS_* calls that accept a file descriptor as a parameter will work (the results of doing so are undefined). Therefore, if you open a file with the underlying OS's open call, you must continue to use the OS's calls until you close the file descriptor. Be aware that by doing this your software may no longer be OS agnostic.

4.4 Timer Overview

The timer API is a generic interface to the OS timer facilities. It is implemented using the POSIX timers on Linux and vxWorks and the native timer API on RTEMS. The number of timers supported is controlled by the configuration parameter OS_MAX_TIMERS.

5 cFE Mission Configuration Parameters

Global CFE MISSION ES HK TLM MSG

cFE Portable Message Numbers for Telemetry

Global CFE_MISSION_EVS_CMD_MSG

cFE Portable Message Numbers for Commands

Global CFE_MISSION_MAX_API_LEN

cFE Maximum length for API names within data exchange structures

Global CFE_MISSION_MAX_FILE_LEN

cFE Maximum length for filenames within data exchange structures

Global CFE MISSION MAX PATH LEN

cFE Maximum length for pathnames within data exchange structures

Global CFE_MISSION_TIME_DATA_CMD_MSG

cFE Portable Message Numbers for Global Messages

6 Module Index

6.1 Modules

Here is a list of all modules:

aEE Batuum Cada Dafinaa

CFE Return Code Defines	123
cFE Resource ID APIs	161
cFE Entry/Exit APIs	165
cFE Application Control APIs	167
cFE Application Behavior APIs	170
cFE Information APIs	175
cFE Child Task APIs	185
cFE Miscellaneous APIs	190
cFE Critical Data Store APIs	194
cFE Memory Manager APIs	199

6.1 Modules 111

cFE Performance Monitor APIs	207
cFE Generic Counter APIs	210
cFE Registration APIs	218
cFE Send Event APIs	220
cFE Reset Event Filter APIs	225
cFE File Header Management APIs	227
cFE File Utility APIs	232
cFE Generic Message APIs	238
cFE Message Primary Header APIs	239
cFE Message Extended Header APIs	249
cFE Message Secondary Header APIs	256
cFE Message Id APIs	262
cFE Pipe Management APIs	265
cFE Message Subscription Control APIs	272
cFE Send/Receive Message APIs	278
cFE Zero Copy APIs	281
cFE Message Characteristics APIs	284
cFE Message ID APIs	289
cFE SB Pipe options	292
cFE Registration APIs	293
cFE Manage Table Content APIs	299
cFE Access Table Content APIs	307
cFE Get Table Information APIs	312
cFE Table Type Defines	316
cFE Get Current Time APIs	319
cFE Get Time Information APIs	323
cFE Time Arithmetic APIs	326
cFE Time Conversion APIs	329
cFE External Time Source APIs	332
cFE Miscellaneous Time APIs	337

cFE Resource ID base values	339
cFE Clock State Flag Defines	341
OSAL Semaphore State Defines	344
OSAL Binary Semaphore APIs	345
OSAL BSP low level access APIs	351
OSAL Real Time Clock APIs	352
OSAL Core Operation APIs	364
OSAL Counting Semaphore APIs	368
OSAL Directory APIs	374
OSAL Return Code Defines	379
OSAL Error Info APIs	390
OSAL File Access Option Defines	393
OSAL Reference Point For Seek Offset Defines	394
OSAL Standard File APIs	395
OSAL File System Level APIs	408
OSAL Heap APIs	417
OSAL Object Type Defines	418
OSAL Object ID Utility APIs	422
OSAL Dynamic Loader and Symbol APIs	429
OSAL Mutex APIs	434
OSAL Network ID APIs	439
OSAL Printf APIs	441
OSAL Message Queue APIs	443
OSAL Select APIs	448
OSAL Shell APIs	453
OSAL Socket Address APIs	454
OSAL Socket Management APIs	458
OSAL Task APIs	466
OSAL Time Base APIs	473
OSAL Timer APIs	479

7 Data Structure Index 113

7 Data Structure Index

7.1 Data Structures

Here are the data structures with brief descriptions:

CCCDC ExtendedHeader	
CCSDS_ExtendedHeader CCSDS packet extended header	486
CCSDS_PrimaryHeader CCSDS packet primary header	487
CFE_ES_AppInfo Application Information	488
CFE_ES_AppNameCmd Generic application name command	494
CFE_ES_AppNameCmd_Payload Generic application name command payload	495
CFE_ES_AppReloadCmd_Payload Reload Application Command Payload	496
CFE_ES_BlockStats Block statistics	497
CFE_ES_CDSRegDumpRec CDS Register Dump Record	498
CFE_ES_DeleteCDSCmd Delete Critical Data Store Command	500
CFE_ES_DeleteCDSCmd_Payload Delete Critical Data Store Command Payload	50 1
CFE_ES_DumpCDSRegistryCmd Dump CDS Registry Command	502
CFE_ES_DumpCDSRegistryCmd_Payload Dump CDS Registry Command Payload	503
CFE_ES_FileNameCmd Generic file name command	504
CFE_ES_FileNameCmd_Payload Generic file name command payload	505
CFE_ES_HousekeepingTIm	506
CFE_ES_HousekeepingTIm_Payload	506
CFE_ES_MemPoolStats Memory Pool Statistics	519
CFE_ES_MemStatsTlm	52 1

CFE_ES_NoArgsCmd Generic "no arguments" command	522
CFE_ES_OneAppTIm	523
CFE_ES_OneAppTIm_Payload	524
CFE_ES_OverWriteSysLogCmd Overwrite/Discard System Log Configuration Command Payload	525
CFE_ES_OverWriteSysLogCmd_Payload Overwrite/Discard System Log Configuration Command Payload	526
CFE_ES_PoolAlign Pool Alignment	527
CFE_ES_PoolStatsTlm_Payload	528
CFE_ES_ReloadAppCmd Reload Application Command	529
CFE_ES_RestartCmd Restart cFE Command	530
CFE_ES_RestartCmd_Payload Restart cFE Command Payload	531
CFE_ES_SendMemPoolStatsCmd Send Memory Pool Statistics Command	532
CFE_ES_SendMemPoolStatsCmd_Payload Send Memory Pool Statistics Command Payload	533
CFE_ES_SetMaxPRCountCmd Set Maximum Processor Reset Count Command	534
CFE_ES_SetMaxPRCountCmd_Payload Set Maximum Processor Reset Count Command Payload	535
CFE_ES_SetPerfFilterMaskCmd Set Performance Analyzer Filter Mask Command	535
CFE_ES_SetPerfFilterMaskCmd_Payload Set Performance Analyzer Filter Mask Command Payload	536
CFE_ES_SetPerfTriggerMaskCmd Set Performance Analyzer Trigger Mask Command	537
CFE_ES_SetPerfTrigMaskCmd_Payload Set Performance Analyzer Trigger Mask Command Payload	538
CFE_ES_StartApp Start Application Command	539
CFE_ES_StartAppCmd_Payload Start Application Command Payload	540

7.1 Data Structures 115

CFE_ES_StartPerfCmd_Payload Start Performance Analyzer Command Payload	542
CFE_ES_StartPerfDataCmd Start Performance Analyzer Command	543
CFE_ES_StopPerfCmd_Payload Stop Performance Analyzer Command Payload	544
CFE_ES_StopPerfDataCmd Stop Performance Analyzer Command	545
CFE_ES_TaskInfo Task Information	546
CFE_EVS_AppDataCmd_Payload Write Event Services Application Information to File Command Payload	549
CFE_EVS_AppNameBitMaskCmd Generic App Name and Bitmask Command	549
CFE_EVS_AppNameBitMaskCmd_Payload Generic App Name and Bitmask Command Payload	550
CFE_EVS_AppNameCmd Generic App Name Command	552
CFE_EVS_AppNameCmd_Payload Generic App Name Command Payload	553
CFE_EVS_AppNameEventIDCmd Generic App Name and Event ID Command	554
CFE_EVS_AppNameEventIDCmd_Payload Generic App Name and Event ID Command Payload	555
CFE_EVS_AppNameEventIDMaskCmd Generic App Name, Event ID, Mask Command	556
CFE_EVS_AppNameEventIDMaskCmd_Payload Generic App Name, Event ID, Mask Command Payload	557
CFE_EVS_AppTImData	558
CFE_EVS_BinFilter Event message filter definition structure	559
CFE_EVS_BitMaskCmd Generic Bitmask Command	560
CFE_EVS_BitMaskCmd_Payload Generic Bitmask Command Payload	561
CFE_EVS_HousekeepingTlm	562
CFE_EVS_HousekeepingTlm_Payload	563

CFE_EVS_LogFileCmd_Payload Write Event Log to File Command Payload	568
CFE_EVS_LongEventTIm	569
CFE_EVS_LongEventTlm_Payload	570
CFE_EVS_NoArgsCmd Command with no additional arguments	572
CFE_EVS_PacketID	572
CFE_EVS_SetEventFormatCode_Payload Set Event Format Mode Command Payload	574
CFE_EVS_SetEventFormatModeCmd Set Event Format Mode Command	575
CFE_EVS_SetLogMode_Payload Set Log Mode Command Payload	576
CFE_EVS_SetLogModeCmd Set Log Mode Command	577
CFE_EVS_ShortEventTIm	578
CFE_EVS_ShortEventTIm_Payload	579
CFE_EVS_WriteAppDataFileCmd Write Event Services Application Information to File Command	580
CFE_EVS_WriteLogDataFileCmd Write Event Log to File Command	581
CFE_FS_FileWriteMetaData External Metadata/State object associated with background file writes	582
CFE_FS_Header Standard cFE File header structure definition	584
CFE_SB_AllSubscriptionsTlm	586
CFE_SB_AllSubscriptionsTlm_Payload	587
CFE_SB_HousekeepingTlm	589
CFE_SB_HousekeepingTlm_Payload	590
CFE_SB_Msg Software Bus generic message	595
CFE_SB_Msgld_t CFE_SB_Msgld_t type definition	596
CFE_SB_MsgMapFileEntry SB Map File Entry	597

7.1 Data Structures 117

CFE_SB_PipeDepthStats SB Pipe Depth Statistics	598
CFE_SB_PipeInfoEntry SB Pipe Information File Entry	600
CFE_SB_Qos_t Quality Of Service Type Definition	603
CFE_SB_RouteCmd Enable/Disable Route Command	604
CFE_SB_RouteCmd_Payload Enable/Disable Route Command Payload	605
CFE_SB_RoutingFileEntry SB Routing File Entry	607
CFE_SB_SingleSubscriptionTIm	609
CFE_SB_SingleSubscriptionTlm_Payload	609
CFE_SB_StatsTlm	611
CFE_SB_StatsTlm_Payload	612
CFE_SB_SubEntries SB Previous Subscriptions Entry	617
CFE_SB_WriteFileInfoCmd Write File Info Command	619
CFE_SB_WriteFileInfoCmd_Payload Write File Info Command Payload	620
CFE_TBL_AbortLoadCmd Abort Load Command	620
CFE_TBL_AbortLoadCmd_Payload Abort Load Command Payload	621
CFE_TBL_ActivateCmd Activate Table Command	622
CFE_TBL_ActivateCmd_Payload Activate Table Command Payload	623
CFE_TBL_DelCDSCmd_Payload Delete Critical Table CDS Command Payload	624
CFE_TBL_DeleteCDSCmd Delete Critical Table CDS Command	625
CFE_TBL_DumpCmd	626
CFE_TBL_DumpCmd_Payload Dump Table Command Payload	627

CFE_TBL_DumpRegistryCmd Dump Registry Command	628
CFE_TBL_DumpRegistryCmd_Payload Dump Registry Command Payload	629
CFE_TBL_File_Hdr The definition of the header fields that are included in CFE Table Data files	630
CFE_TBL_FileDef	632
CFE_TBL_HousekeepingTlm	633
CFE_TBL_HousekeepingTlm_Payload	634
CFE_TBL_Info Table Info	640
CFE_TBL_LoadCmd Load Table Command	644
CFE_TBL_LoadCmd_Payload Load Table Command Payload	645
CFE_TBL_NoArgsCmd Generic "no arguments" command	646
CFE_TBL_NotifyCmd	646
CFE_TBL_NotifyCmd_Payload Table Management Notification Command Payload	647
CFE_TBL_SendRegistryCmd Send Table Registry Command	648
CFE_TBL_SendRegistryCmd_Payload Send Table Registry Command Payload	649
CFE_TBL_TableRegistryTlm	650
CFE_TBL_TblRegPacket_Payload	651
CFE_TBL_ValidateCmd Validate Table Command	657
CFE_TBL_ValidateCmd_Payload Validate Table Command Payload	658
CFE_TIME_DiagnosticTIm	659
CFE_TIME_DiagnosticTIm_Payload	659
CFE_TIME_HousekeepingTlm	672
CFE_TIME_HousekeepingTIm_Payload	673
CFE_TIME_LeapsCmd_Payload Set leap seconds command payload	677

7.1 Data Structures 119

CFE_TIME_NoArgsCmd Generic no argument command	678
CFE_TIME_OneHzAdjustmentCmd	
Generic seconds, subseconds adjustment command	679
CFE_TIME_OneHzAdjustmentCmd_Payload Generic seconds, subseconds command payload	680
CFE_TIME_SetLeapSecondsCmd	
Set leap seconds command	681
CFE_TIME_SetSignalCmd Set tone signal source command	682
CFE_TIME_SetSourceCmd	
Set time data source command	683
CFE_TIME_SetStateCmd	
Set clock state command	684
CFE_TIME_SignalCmd_Payload	
Set tone signal source command payload	685
CFE_TIME_SourceCmd_Payload	
Set time data source command payload	686
CFE_TIME_StateCmd_Payload Set clock state command payload	686
CFE_TIME_SysTime	
Data structure used to hold system time values	687
CFE_TIME_TimeCmd Generic seconds, microseconds argument command	688
CFE_TIME_TimeCmd_Payload	
Generic seconds, microseconds command payload	689
CFE_TIME_ToneDataCmd Time at tone data command	690
CFE_TIME_ToneDataCmd_Payload	
Time at tone data command payload	691
OS_bin_sem_prop_t OSAL binary semaphore properties	693
OS_count_sem_prop_t OSAL counting semaphore properties	694
os_dirent_t Directory entry	695
OS_FdSet An abstract structure capable of holding several OSAL IDs	695

OS_file_prop_t OSAL file properties	696
os_fsinfo_t OSAL file system info	697
os_fstat_t File system status	699
OS_heap_prop_t OSAL heap properties	700
OS_module_address_t OSAL module address properties	701
OS_module_prop_t OSAL module properties	703
OS_mut_sem_prop_t OSAL mutex properties	704
OS_queue_prop_t OSAL queue properties	705
OS_SockAddr_t Encapsulates a generic network address	706
OS_SockAddrData_t Storage buffer for generic network address	707
OS_socket_prop_t Encapsulates socket properties	709
OS_static_symbol_record_t Associates a single symbol name with a memory address	710
OS_statvfs_t	711
OS_task_prop_t OSAL task properties	712
OS_time_t OSAL time interval structure	713
OS_timebase_prop_t Time base properties	714
OS_timer_prop_t Timer properties	715
8 File Index	
8.1 File List	

Here is a list of all files with brief descriptions:

8.1 File List 121

build/docs/osconfig-example.h	717
cpu1_msgids.h	726
cpu1_platform_cfg.h	734
sample_mission_cfg.h	79 1
sample_perfids.h	812
cfe/modules/core_api/fsw/inc/cfe.h	816
cfe/modules/core_api/fsw/inc/cfe_config.h	817
cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h	82 1
cfe/modules/core_api/fsw/inc/cfe_endian.h	823
cfe/modules/core_api/fsw/inc/cfe_error.h	823
cfe/modules/core_api/fsw/inc/cfe_es.h	834
cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h	838
cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h	844
cfe/modules/core_api/fsw/inc/cfe_evs.h	856
cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h	858
cfe/modules/core_api/fsw/inc/cfe_evs_extern_typedefs.h	861
cfe/modules/core_api/fsw/inc/cfe_fs.h	866
cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h	867
cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h	870
cfe/modules/core_api/fsw/inc/cfe_msg.h	873
cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h	875
cfe/modules/core_api/fsw/inc/cfe_resourceid.h	883
cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h	890
cfe/modules/core_api/fsw/inc/cfe_sb.h	892
cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h	894
cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h	899
cfe/modules/core_api/fsw/inc/cfe_tbl.h	903
cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h	904
cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h	907
cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h	909

cfe/modules/core_api/fsw/inc/cfe_time.h	911
cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h	913
cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h	915
cfe/modules/core_api/fsw/inc/cfe_version.h	921
cfe/modules/es/fsw/inc/cfe_es_events.h	924
cfe/modules/es/fsw/inc/cfe_es_msg.h	957
cfe/modules/evs/fsw/inc/cfe_evs_events.h	993
cfe/modules/evs/fsw/inc/cfe_evs_msg.h	1008
cfe/modules/msg/fsw/inc/ccsds_hdr.h	1040
cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h	1041
cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h	1042
cfe/modules/sb/fsw/inc/cfe_sb_events.h	1044
cfe/modules/sb/fsw/inc/cfe_sb_msg.h	1068
cfe/modules/tbl/fsw/inc/cfe_tbl_events.h	1086
cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h	1112
cfe/modules/time/fsw/inc/cfe_time_events.h	1129
cfe/modules/time/fsw/inc/cfe_time_msg.h	1143
osal/src/os/inc/common_types.h	1169
osal/src/os/inc/osapi-binsem.h	1177
osal/src/os/inc/osapi-bsp.h	1178
osal/src/os/inc/osapi-clock.h	1179
osal/src/os/inc/osapi-common.h	1181
osal/src/os/inc/osapi-constants.h	1184
osal/src/os/inc/osapi-countsem.h	1185
osal/src/os/inc/osapi-dir.h	1186
osal/src/os/inc/osapi-error.h	1187
osal/src/os/inc/osapi-file.h	1190
osal/src/os/inc/osapi-filesys.h	1196
osal/src/os/inc/osapi-heap.h	1197
osal/src/os/inc/osapi-idmap.h	1198

9 Module Documentation 123

osal/src/os/inc/osapi-macros.h	1200
osal/src/os/inc/osapi-module.h	1202
osal/src/os/inc/osapi-mutex.h	1203
osal/src/os/inc/osapi-network.h	1204
osal/src/os/inc/osapi-printf.h	1205
osal/src/os/inc/osapi-queue.h	1205
osal/src/os/inc/osapi-select.h	1206
osal/src/os/inc/osapi-shell.h	1207
osal/src/os/inc/osapi-sockets.h	1207
osal/src/os/inc/osapi-task.h	1210
osal/src/os/inc/osapi-timebase.h	1214
osal/src/os/inc/osapi-timer.h	1215
osal/src/os/inc/osapi-version.h	1216
osal/src/os/inc/osapi.h	1221
psp/fsw/inc/cfe_psp.h	1222
psp/fsw/inc/cfe_psp_error.h CFE PSP Error header	1243

9 Module Documentation

9.1 cFE Return Code Defines

Macros

• #define CFE_SUCCESS ((CFE_Status_t)0)

Successful execution.

• #define CFE_STATUS_NO_COUNTER_INCREMENT ((CFE_Status_t)0x48000001)

No Counter Increment.

#define CFE_STATUS_WRONG_MSG_LENGTH ((CFE_Status_t)0xc8000002)
 Wrong Message Length.

#define CFE_STATUS_UNKNOWN_MSG_ID ((CFE_Status_t)0xc8000003)

Unknown Message ID.

• #define CFE_STATUS_BAD_COMMAND_CODE ((CFE_Status_t)0xc8000004)

Bad Command Code.

• #define CFE_STATUS_EXTERNAL_RESOURCE_FAIL ((CFE_Status_t)0xc8000005)

External failure.

```
    #define CFE_STATUS_REQUEST_ALREADY_PENDING ((int32)0xc8000006)
    Request already pending.
```

#define CFE_STATUS_NOT_IMPLEMENTED ((CFE_Status_t)0xc800ffff)

Not Implemented.

#define CFE_EVS_UNKNOWN_FILTER ((CFE_Status_t)0xc2000001)

Unknown Filter.

- #define CFE_EVS_APP_NOT_REGISTERED ((CFE_Status_t)0xc2000002)
 Application Not Registered.
- #define CFE_EVS_APP_ILLEGAL_APP_ID ((CFE_Status_t)0xc2000003)

Illegal Application ID.

#define CFE_EVS_APP_FILTER_OVERLOAD ((CFE_Status_t)0xc2000004)

Application Filter Overload.

#define CFE_EVS_RESET_AREA_POINTER ((CFE_Status_t)0xc2000005)

Reset Area Pointer Failure.

- #define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006)
 Event Not Reaistered.
- #define CFE_EVS_FILE_WRITE_ERROR ((CFE_Status_t)0xc2000007)

File Write Error.

- #define CFE_EVS_INVALID_PARAMETER ((CFE_Status_t)0xc2000008)
 Invalid Pointer.
- #define CFE_EVS_APP_SQUELCHED ((CFE_Status_t)0xc2000009)

Event squelched.

#define CFE_EVS_NOT_IMPLEMENTED ((CFE_Status_t)0xc200ffff)

Not Implemented.

#define CFE_ES_ERR_RESOURCEID_NOT_VALID ((CFE_Status_t)0xc4000001)

Resource ID is not valid.

#define CFE_ES_ERR_NAME_NOT_FOUND ((CFE_Status_t)0xc4000002)

Resource Name Error.

#define CFE_ES_ERR_APP_CREATE ((CFE_Status_t)0xc4000004)

Application Create Error.

#define CFE_ES_ERR_CHILD_TASK_CREATE ((CFE_Status_t)0xc4000005)

Child Task Create Error.

#define CFE_ES_ERR_SYS_LOG_FULL ((CFE_Status_t)0xc4000006)

System Log Full.

#define CFE ES ERR MEM BLOCK SIZE ((CFE Status t)0xc4000008)

Memory Block Size Error.

#define CFE_ES_ERR_LOAD_LIB ((CFE_Status_t)0xc4000009)

Load Library Error.

#define CFE ES BAD ARGUMENT ((CFE Status t)0xc400000a)

Bad Argument.

#define CFE ES ERR CHILD TASK REGISTER ((CFE Status t)0xc400000b)

Child Task Register Error.

#define CFE_ES_CDS_ALREADY_EXISTS ((CFE_Status_t)0x4400000d)

CDS Already Exists.

• #define CFE ES CDS INSUFFICIENT MEMORY ((CFE Status t)0xc400000e)

CDS Insufficient Memory.

#define CFE ES CDS INVALID NAME ((CFE Status t)0xc400000f)

CDS Invalid Name. • #define CFE_ES_CDS_INVALID_SIZE ((CFE_Status_t)0xc4000010) CDS Invalid Size. #define CFE ES CDS INVALID ((CFE Status t)0xc4000012) CDS Invalid. #define CFE_ES_CDS_ACCESS_ERROR ((CFE_Status_t)0xc4000013) CDS Access Error. #define CFE ES FILE IO ERR ((CFE Status t)0xc4000014) File IO Error. #define CFE_ES_RST_ACCESS_ERR ((CFE_Status_t)0xc4000015) Reset Area Access Error. #define CFE_ES_ERR_APP_REGISTER ((CFE_Status_t)0xc4000017) Application Register Error. #define CFE_ES_ERR_CHILD_TASK_DELETE ((CFE_Status_t)0xc4000018) Child Task Delete Error. #define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((CFE_Status_t)0xc4000019) Child Task Delete Passed Main Task. #define CFE_ES_CDS_BLOCK_CRC_ERR ((CFE_Status_t)0xc400001A) CDS Block CRC Error. #define CFE_ES_MUT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001B) Mutex Semaphore Delete Error. #define CFE_ES_BIN_SEM_DELETE_ERR ((CFE_Status_t)0xc400001C) Binary Semaphore Delete Error. #define CFE_ES_COUNT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001D) Counting Semaphore Delete Error. #define CFE_ES_QUEUE_DELETE_ERR ((CFE_Status_t)0xc400001E) Queue Delete Error. #define CFE_ES_FILE_CLOSE_ERR ((CFE_Status_t)0xc400001F) File Close Error. #define CFE_ES_CDS_WRONG_TYPE_ERR ((CFE_Status_t)0xc4000020) CDS Wrong Type Error. #define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022) CDS Owner Active Error. • #define CFE_ES_APP_CLEANUP_ERR ((CFE_Status_t)0xc4000023) Application Cleanup Error. • #define CFE_ES_TIMER_DELETE_ERR ((CFE_Status_t)0xc4000024) Timer Delete Error. #define CFE_ES_BUFFER_NOT_IN_POOL ((CFE_Status_t)0xc4000025) Buffer Not In Pool. #define CFE_ES_TASK_DELETE_ERR ((CFE_Status_t)0xc4000026) Task Delete Error. #define CFE ES OPERATION TIMED OUT ((CFE Status t)0xc4000027) Operation Timed Out.

System Log Message Truncated.

Library Already Loaded.

#define CFE_ES_LIB_ALREADY_LOADED ((CFE_Status_t)0x44000028)

#define CFE ES ERR SYS LOG TRUNCATED ((CFE Status t)0x44000029)

```
    #define CFE_ES_NO_RESOURCE_IDS_AVAILABLE ((CFE_Status_t)0xc400002B)
        Resource ID is not available.
    #define CFE_ES_POOL_BLOCK_INVALID ((CFE_Status_t)0xc400002C)
```

Invalid pool block.

#define CFE_ES_ERR_DUPLICATE_NAME ((CFE_Status_t)0xc400002E)

Duplicate Name Error.

#define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff)
 Not Implemented.

#define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001)

Bad Argument.

#define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002)

Invalid Path.

#define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003)
 Filename Too Long.

#define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff)

Not Implemented.

#define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001)

Time Out.

#define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002)
 No Message.

#define CFE_SB_BAD_ARGUMENT ((CFE_Status_t)0xca000003)
 Bad Argument.

#define CFE_SB_MAX_PIPES_MET ((CFE_Status_t)0xca000004)

Max Pipes Met.

#define CFE_SB_PIPE_CR_ERR ((CFE_Status_t)0xca000005)

Pipe Create Error.

• #define CFE_SB_PIPE_RD_ERR ((CFE_Status_t)0xca000006)

Pipe Read Error.

#define CFE_SB_MSG_TOO_BIG ((CFE_Status_t)0xca000007)

Message Too Big.

• #define CFE_SB_BUF_ALOC_ERR ((CFE_Status_t)0xca000008)

Buffer Allocation Error.

#define CFE_SB_MAX_MSGS_MET ((CFE_Status_t)0xca000009)

Max Messages Met.

#define CFE SB MAX DESTS MET ((CFE Status t)0xca00000a)

Max Destinations Met.

#define CFE_SB_INTERNAL_ERR ((CFE_Status_t)0xca00000c)

Internal Error.

#define CFE SB WRONG MSG TYPE ((CFE Status t)0xca00000d)

Wrong Message Type.

#define CFE_SB_BUFFER_INVALID ((CFE_Status_t)0xca00000e)

Buffer Invalid.

#define CFE SB NOT IMPLEMENTED ((CFE Status t)0xca00ffff)

Not Implemented.

#define CFE TBL ERR INVALID HANDLE ((CFE Status t)0xcc000001)

Invalid Handle.

#define CFE TBL ERR INVALID NAME ((CFE Status t)0xcc000002)

```
Invalid Name.
```

- #define CFE_TBL_ERR_INVALID_SIZE ((CFE_Status_t)0xcc000003)

 Invalid Size.
- #define CFE_TBL_INFO_UPDATE_PENDING ((CFE_Status_t)0x4c000004)
 Update Pending.
- #define CFE_TBL_ERR_NEVER_LOADED ((CFE_Status_t)0xcc000005)
 Never Loaded.
- #define CFE_TBL_ERR_REGISTRY_FULL ((CFE_Status_t)0xcc000006)
 Registry Full.
- #define CFE_TBL_WARN_DUPLICATE ((CFE_Status_t)0x4c000007)
 Duplicate Warning.
- #define CFE_TBL_ERR_NO_ACCESS ((CFE_Status_t)0xcc000008)
- #define CFE_TBL_ERR_UNREGISTERED ((CFE_Status_t)0xcc000009)
 Unregistered.
- #define CFE_TBL_ERR_HANDLES_FULL ((CFE_Status_t)0xcc00000B)
 Handles Full.
- #define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((CFE_Status_t)0xcc00000C)

 Duplicate Table With Different Size.
- #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t)0xcc00000D)
 Duplicate Table And Not Owned.
- #define CFE_TBL_INFO_UPDATED ((CFE_Status_t)0x4c00000E)
 Updated.
- #define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t)0xcc00000F)
 No Buffer Available.
- #define CFE_TBL_ERR_DUMP_ONLY ((CFE_Status_t)0xcc000010)
 Dump Only Error.
- #define CFE_TBL_ERR_ILLEGAL_SRC_TYPE ((CFE_Status_t)0xcc000011)

 Illegal Source Type.
- #define CFE_TBL_ERR_LOAD_IN_PROGRESS ((CFE_Status_t)0xcc000012)

 Load In Progress.
- #define CFE_TBL_ERR_FILE_TOO_LARGE ((CFE_Status_t)0xcc000014)
 File Too Large.
- #define CFE_TBL_WARN_SHORT_FILE ((CFE_Status_t)0x4c000015)
 Short File Warning.
- #define CFE_TBL_ERR_BAD_CONTENT_ID ((CFE_Status_t)0xcc000016)
 Bad Content ID.
- #define CFE_TBL_INFO_NO_UPDATE_PENDING ((CFE_Status_t)0x4c000017)
 No Update Pending.
- #define CFE_TBL_INFO_TABLE_LOCKED ((CFE_Status_t)0x4c000018)
 Table Locked.
- #define CFE_TBL_INFO_VALIDATION_PENDING ((CFE_Status_t)0x4c000019)
- #define CFE TBL INFO NO VALIDATION PENDING ((CFE Status t)0x4c00001A)
- #define CFE_TBL_ERR_BAD_SUBTYPE_ID ((CFE_Status_t)0xcc00001B)
- #define CFE_TBL_ERR_FILE_SIZE_INCONSISTENT ((CFE_Status_t)0xcc00001C)
 File Size Inconsistent.

Bad Subtype ID.

```
    #define CFE_TBL_ERR_NO_STD_HEADER ((CFE_Status_t)0xcc00001D)

     No Standard Header.

    #define CFE_TBL_ERR_NO_TBL_HEADER ((CFE_Status_t)0xcc00001E)

     No Table Header.

    #define CFE_TBL_ERR_FILENAME_TOO_LONG ((CFE_Status_t)0xcc00001F)

     Filename Too Long.
• #define CFE TBL ERR_FILE_FOR_WRONG_TABLE ((CFE_Status_t)0xcc000020)
     File For Wrong Table.

    #define CFE_TBL_ERR_LOAD_INCOMPLETE ((CFE_Status_t)0xcc000021)

     Load Incomplete.
• #define CFE_TBL_WARN_PARTIAL_LOAD ((CFE_Status_t)0x4c000022)
     Partial Load Warning.

    #define CFE_TBL_ERR_PARTIAL_LOAD ((CFE_Status_t)0xcc000023)

     Partial Load Error.

    #define CFE TBL INFO DUMP PENDING ((CFE Status t)0x4c000024)

     Dump Pending.

    #define CFE TBL ERR INVALID OPTIONS ((CFE Status t)0xcc000025)

     Invalid Options.

    #define CFE_TBL_WARN_NOT_CRITICAL ((CFE_Status_t)0x4c000026)

     Not Critical Warning.

    #define CFE_TBL_INFO_RECOVERED_TBL ((CFE_Status_t)0x4c000027)

     Recovered Table.

    #define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((CFE_Status_t)0xcc000028)

     Bad Spacecraft ID.

    #define CFE TBL ERR BAD PROCESSOR ID ((CFE Status t)0xcc000029)

     Bad Processor ID.

    #define CFE TBL MESSAGE ERROR ((CFE Status t)0xcc00002a)

     Message Error.
• #define CFE_TBL_ERR_SHORT_FILE ((CFE_Status_t)0xcc00002b)

    #define CFE_TBL_ERR_ACCESS ((CFE_Status_t)0xcc00002c)

    #define CFE_TBL_BAD_ARGUMENT ((CFE_Status_t)0xcc00002d)

     Bad Argument.

    #define CFE_TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff)

     Not Implemented.

    #define CFE_TIME_NOT_IMPLEMENTED ((CFE_Status_t)0xce00ffff)

     Not Implemented.

    #define CFE_TIME_INTERNAL_ONLY ((CFE_Status_t)0xce000001)

     Internal Only.

    #define CFE TIME OUT OF RANGE ((CFE Status t)0xce000002)

     Out Of Range.

    #define CFE TIME TOO MANY SYNCH CALLBACKS ((CFE Status t)0xce000003)

     Too Many Sync Callbacks.

    #define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000004)

     Callback Not Registered.
```

#define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t)0xce000005)

Bad Argument.

- 9.1.1 Detailed Description
- 9.1.2 Macro Definition Documentation

9.1.2.1 CFE_ES_APP_CLEANUP_ERR

```
#define CFE_ES_APP_CLEANUP_ERR ((CFE_Status_t)0xc4000023)
```

Application Cleanup Error.

Occurs when an attempt was made to Clean Up an application which involves calling Table, EVS, and SB cleanup functions, then deleting all ES resources, child tasks, and unloading the object module. The approach here is to keep going even though one of these steps had an error. There will be syslog messages detailing each problem.

Definition at line 564 of file cfe error.h.

9.1.2.2 CFE_ES_BAD_ARGUMENT

```
#define CFE_ES_BAD_ARGUMENT ((CFE_Status_t)0xc400000a)
```

Bad Argument.

Bad parameter passed into an ES API.

Definition at line 375 of file cfe_error.h.

9.1.2.3 CFE_ES_BIN_SEM_DELETE_ERR

```
#define CFE_ES_BIN_SEM_DELETE_ERR ((CFE_Status_t)0xc400001C)
```

Binary Semaphore Delete Error.

Occurs when trying to delete a Binary Semaphore that belongs to a task that ES is cleaning up.

Definition at line 503 of file cfe error.h.

9.1.2.4 CFE_ES_BUFFER_NOT_IN_POOL

```
#define CFE_ES_BUFFER_NOT_IN_POOL ((CFE_Status_t)0xc4000025)
```

Buffer Not In Pool.

The specified address is not in the memory pool.

Definition at line 581 of file cfe error.h.

9.1.2.5 CFE_ES_CDS_ACCESS_ERROR

```
#define CFE_ES_CDS_ACCESS_ERROR ((CFE_Status_t)0xc4000013)
```

CDS Access Error.

The CDS was inaccessible

Definition at line 434 of file cfe_error.h.

9.1.2.6 CFE_ES_CDS_ALREADY_EXISTS

```
#define CFE_ES_CDS_ALREADY_EXISTS ((CFE_Status_t)0x4400000d)
```

CDS Already Exists.

The Application is receiving the pointer to a CDS that was already present.

Definition at line 391 of file cfe_error.h.

9.1.2.7 CFE_ES_CDS_BLOCK_CRC_ERR

```
#define CFE_ES_CDS_BLOCK_CRC_ERR ((CFE_Status_t)0xc400001A)
```

CDS Block CRC Error.

Occurs when trying to read a CDS Data block and the CRC of the current data does not match the stored CRC for the data. Either the contents of the CDS Data Block are corrupted or the CDS Control Block is corrupted.

Definition at line 485 of file cfe_error.h.

9.1.2.8 CFE_ES_CDS_INSUFFICIENT_MEMORY

```
#define CFE_ES_CDS_INSUFFICIENT_MEMORY ((CFE_Status_t)0xc400000e)
```

CDS Insufficient Memory.

The Application is requesting a CDS Block that is larger than the remaining CDS memory.

Definition at line 400 of file cfe_error.h.

9.1.2.9 CFE_ES_CDS_INVALID

```
#define CFE_ES_CDS_INVALID ((CFE_Status_t)0xc4000012)
```

CDS Invalid.

The CDS contents are invalid.

Definition at line 426 of file cfe error.h.

9.1.2.10 CFE_ES_CDS_INVALID_NAME

```
#define CFE_ES_CDS_INVALID_NAME ((CFE_Status_t)0xc400000f)
```

CDS Invalid Name.

The Application is requesting a CDS Block with an invalid ASCII string name. Either the name is too long (> CFE_MI ← SSION_ES_CDS_MAX_NAME_LENGTH) or was an empty string.

Definition at line 409 of file cfe_error.h.

9.1.2.11 CFE_ES_CDS_INVALID_SIZE

```
#define CFE_ES_CDS_INVALID_SIZE ((CFE_Status_t)0xc4000010)
```

CDS Invalid Size.

The Application is requesting a CDS Block or Pool with a size beyond the applicable limits, either too large or too small/zero.

Definition at line 418 of file cfe_error.h.

9.1.2.12 CFE_ES_CDS_OWNER_ACTIVE_ERR

```
#define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022)
```

CDS Owner Active Error.

Occurs when an attempt was made to delete a CDS when an application with the same name associated with the CDS is still present. CDSs can ONLY be deleted when Applications that created them are not present in the system.

Definition at line 551 of file cfe_error.h.

9.1.2.13 CFE_ES_CDS_WRONG_TYPE_ERR

```
#define CFE_ES_CDS_WRONG_TYPE_ERR ((CFE_Status_t)0xc4000020)
```

CDS Wrong Type Error.

Occurs when Table Services is trying to delete a Critical Data Store that is not a Critical Table Image or when Executive Services is trying to delete a Critical Table Image.

Definition at line 540 of file cfe_error.h.

9.1.2.14 CFE_ES_COUNT_SEM_DELETE_ERR

```
#define CFE_ES_COUNT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001D)
```

Counting Semaphore Delete Error.

Occurs when trying to delete a Counting Semaphore that belongs to a task that ES is cleaning up.

Definition at line 512 of file cfe_error.h.

9.1.2.15 CFE ES ERR APP CREATE

```
#define CFE_ES_ERR_APP_CREATE ((CFE_Status_t)0xc4000004)
```

Application Create Error.

There was an error loading or creating the App.

Definition at line 334 of file cfe_error.h.

9.1.2.16 CFE_ES_ERR_APP_REGISTER

```
#define CFE_ES_ERR_APP_REGISTER ((CFE_Status_t)0xc4000017)
```

Application Register Error.

Occurs when a task cannot be registered in ES global tables

Definition at line 458 of file cfe_error.h.

9.1.2.17 CFE_ES_ERR_CHILD_TASK_CREATE

```
#define CFE_ES_ERR_CHILD_TASK_CREATE ((CFE_Status_t)0xc4000005)
```

Child Task Create Error.

There was an error creating a child task.

Definition at line 342 of file cfe_error.h.

9.1.2.18 CFE_ES_ERR_CHILD_TASK_DELETE

```
#define CFE_ES_ERR_CHILD_TASK_DELETE ((CFE_Status_t)0xc4000018)
```

Child Task Delete Error.

There was an error deleting a child task.

Definition at line 466 of file cfe_error.h.

9.1.2.19 CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK

```
#define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((CFE_Status_t)0xc4000019)
```

Child Task Delete Passed Main Task.

There was an attempt to delete a cFE App Main Task with the CFE_ES_DeleteChildTask API.

Definition at line 475 of file cfe_error.h.

9.1.2.20 CFE_ES_ERR_CHILD_TASK_REGISTER

```
#define CFE_ES_ERR_CHILD_TASK_REGISTER ((CFE_Status_t)0xc400000b)
```

Child Task Register Error.

Errors occurred when trying to register a child task.

Definition at line 383 of file cfe_error.h.

9.1.2.21 CFE_ES_ERR_DUPLICATE_NAME

```
#define CFE_ES_ERR_DUPLICATE_NAME ((CFE_Status_t)0xc400002E)
```

Duplicate Name Error.

Resource creation failed due to the name already existing in the system.

Definition at line 644 of file cfe_error.h.

9.1.2.22 CFE_ES_ERR_LOAD_LIB

```
#define CFE_ES_ERR_LOAD_LIB ((CFE_Status_t)0xc4000009)
```

Load Library Error.

Could not load the shared library.

Definition at line 367 of file cfe_error.h.

9.1.2.23 CFE_ES_ERR_MEM_BLOCK_SIZE

```
#define CFE_ES_ERR_MEM_BLOCK_SIZE ((CFE_Status_t)0xc4000008)
```

Memory Block Size Error.

The block size requested is invalid.

Definition at line 359 of file cfe_error.h.

9.1.2.24 CFE_ES_ERR_NAME_NOT_FOUND

```
#define CFE_ES_ERR_NAME_NOT_FOUND ((CFE_Status_t)0xc4000002)
```

Resource Name Error.

There is no match in the system for the given name.

Definition at line 326 of file cfe_error.h.

9.1.2.25 CFE_ES_ERR_RESOURCEID_NOT_VALID

```
#define CFE_ES_ERR_RESOURCEID_NOT_VALID ((CFE_Status_t)0xc4000001)
```

Resource ID is not valid.

This error indicates that the passed in resource identifier (App ID, Lib ID, Counter ID, etc) did not validate.

Definition at line 318 of file cfe_error.h.

9.1.2.26 CFE_ES_ERR_SYS_LOG_FULL

```
#define CFE_ES_ERR_SYS_LOG_FULL ((CFE_Status_t)0xc4000006)
```

System Log Full.

The cFE system Log is full. This error means the message was not logged at all

Definition at line 351 of file cfe_error.h.

9.1.2.27 CFE_ES_ERR_SYS_LOG_TRUNCATED

```
#define CFE_ES_ERR_SYS_LOG_TRUNCATED ((CFE_Status_t)0x44000029)
```

System Log Message Truncated.

This information code means the last syslog message was truncated due to insufficient space in the log buffer.

Definition at line 616 of file cfe_error.h.

9.1.2.28 CFE_ES_FILE_CLOSE_ERR

```
#define CFE_ES_FILE_CLOSE_ERR ((CFE_Status_t)0xc400001F)
```

File Close Error.

Occurs when trying to close a file that belongs to a task that ES is cleaning up.

Definition at line 530 of file cfe_error.h.

9.1.2.29 CFE_ES_FILE_IO_ERR

```
#define CFE_ES_FILE_IO_ERR ((CFE_Status_t)0xc4000014)
```

File IO Error.

Occurs when a file operation fails

Definition at line 442 of file cfe_error.h.

9.1.2.30 CFE_ES_LIB_ALREADY_LOADED

```
#define CFE_ES_LIB_ALREADY_LOADED ((CFE_Status_t)0x44000028)
```

Library Already Loaded.

Occurs if CFE_ES_LoadLibrary detects that the requested library name is already loaded.

Definition at line 607 of file cfe_error.h.

9.1.2.31 CFE_ES_MUT_SEM_DELETE_ERR

```
#define CFE_ES_MUT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001B)
```

Mutex Semaphore Delete Error.

Occurs when trying to delete a Mutex that belongs to a task that ES is cleaning up.

Definition at line 494 of file cfe_error.h.

9.1.2.32 CFE_ES_NO_RESOURCE_IDS_AVAILABLE

```
#define CFE_ES_NO_RESOURCE_IDS_AVAILABLE ((CFE_Status_t)0xc400002B)
```

Resource ID is not available.

This error indicates that the maximum resource identifiers (App ID, Lib ID, Counter ID, etc) has already been reached and a new ID cannot be allocated.

Definition at line 626 of file cfe_error.h.

9.1.2.33 CFE_ES_NOT_IMPLEMENTED

```
#define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 655 of file cfe_error.h.

9.1.2.34 CFE_ES_OPERATION_TIMED_OUT

```
#define CFE_ES_OPERATION_TIMED_OUT ((CFE_Status_t)0xc4000027)
```

Operation Timed Out.

Occurs if the timeout for a given operation was exceeded

Definition at line 598 of file cfe_error.h.

9.1.2.35 CFE_ES_POOL_BLOCK_INVALID

```
#define CFE_ES_POOL_BLOCK_INVALID ((CFE_Status_t)0xc400002C)
```

Invalid pool block.

Software attempted to "put" a block back into a pool which does not appear to belong to that pool. This may mean the pool has become unusable due to memory corruption.

Definition at line 636 of file cfe_error.h.

9.1.2.36 CFE_ES_QUEUE_DELETE_ERR

```
#define CFE_ES_QUEUE_DELETE_ERR ((CFE_Status_t)0xc400001E)
```

Queue Delete Error.

Occurs when trying to delete a Queue that belongs to a task that ES is cleaning up.

Definition at line 521 of file cfe_error.h.

```
9.1.2.37 CFE_ES_RST_ACCESS_ERR
```

```
#define CFE_ES_RST_ACCESS_ERR ((CFE_Status_t)0xc4000015)
```

Reset Area Access Error.

Occurs when the BSP is not successful in returning the reset area address.

Definition at line 450 of file cfe_error.h.

9.1.2.38 CFE_ES_TASK_DELETE_ERR

```
#define CFE_ES_TASK_DELETE_ERR ((CFE_Status_t)0xc4000026)
```

Task Delete Error.

Occurs when trying to delete a task that ES is cleaning up.

Definition at line 590 of file cfe_error.h.

9.1.2.39 CFE_ES_TIMER_DELETE_ERR

```
#define CFE_ES_TIMER_DELETE_ERR ((CFE_Status_t)0xc4000024)
```

Timer Delete Error.

Occurs when trying to delete a Timer that belongs to a task that ES is cleaning up.

Definition at line 573 of file cfe_error.h.

9.1.2.40 CFE_EVS_APP_FILTER_OVERLOAD

```
#define CFE_EVS_APP_FILTER_OVERLOAD ((CFE_Status_t)0xc2000004)
```

Application Filter Overload.

Number of Application event filters input upon registration is greater than CFE_PLATFORM_EVS_MAX_EVENT_FIL← TERS

Definition at line 252 of file cfe_error.h.

9.1.2.41 CFE_EVS_APP_ILLEGAL_APP_ID

```
#define CFE_EVS_APP_ILLEGAL_APP_ID ((CFE_Status_t)0xc2000003)
```

Illegal Application ID.

Application ID returned by CFE_ES_GetAppIDByName is greater than CFE_PLATFORM_ES_MAX_APPLICATIONS

Definition at line 243 of file cfe_error.h.

9.1.2.42 CFE_EVS_APP_NOT_REGISTERED

```
#define CFE_EVS_APP_NOT_REGISTERED ((CFE_Status_t)0xc2000002)
```

Application Not Registered.

Calling application never previously called CFE_EVS_Register

Definition at line 234 of file cfe_error.h.

9.1.2.43 CFE_EVS_APP_SQUELCHED

```
#define CFE_EVS_APP_SQUELCHED ((CFE_Status_t)0xc2000009)
```

Event squelched.

Event squelched due to being sent at too high a rate

Definition at line 294 of file cfe_error.h.

9.1.2.44 CFE_EVS_EVT_NOT_REGISTERED

```
#define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006)
```

Event Not Registered.

CFE_EVS_ResetFilter EventID argument was not found in any event filter registered by the calling application.

Definition at line 270 of file cfe_error.h.

9.1.2.45 CFE_EVS_FILE_WRITE_ERROR

```
#define CFE_EVS_FILE_WRITE_ERROR ((CFE_Status_t)0xc2000007)
```

File Write Error.

A file write error occurred while processing an EVS command

Definition at line 278 of file cfe_error.h.

9.1.2.46 CFE_EVS_INVALID_PARAMETER

```
#define CFE_EVS_INVALID_PARAMETER ((CFE_Status_t)0xc2000008)
```

Invalid Pointer.

Invalid parameter supplied to EVS command

Definition at line 286 of file cfe_error.h.

9.1.2.47 CFE_EVS_NOT_IMPLEMENTED

```
#define CFE_EVS_NOT_IMPLEMENTED ((CFE_Status_t)0xc200ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 305 of file cfe_error.h.

9.1.2.48 CFE_EVS_RESET_AREA_POINTER

```
#define CFE_EVS_RESET_AREA_POINTER ((CFE_Status_t)0xc2000005)
```

Reset Area Pointer Failure.

Could not get pointer to the ES Reset area, so we could not get the pointer to the EVS Log.

Definition at line 261 of file cfe_error.h.

9.1.2.49 CFE_EVS_UNKNOWN_FILTER

```
#define CFE_EVS_UNKNOWN_FILTER ((CFE_Status_t)0xc2000001)
```

Unknown Filter.

CFE_EVS_Register FilterScheme parameter was illegal

Definition at line 226 of file cfe_error.h.

9.1.2.50 CFE_FS_BAD_ARGUMENT

```
#define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001)
```

Bad Argument.

A parameter given by a caller to a File Services API did not pass validation checks.

Definition at line 668 of file cfe_error.h.

9.1.2.51 CFE_FS_FNAME_TOO_LONG

```
#define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003)
```

Filename Too Long.

FS filename string is too long

Definition at line 684 of file cfe_error.h.

9.1.2.52 CFE_FS_INVALID_PATH

```
#define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002)
```

Invalid Path.

FS was unable to extract a filename from a path string

Definition at line 676 of file cfe_error.h.

9.1.2.53 CFE_FS_NOT_IMPLEMENTED

```
#define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 695 of file cfe error.h.

9.1.2.54 CFE_SB_BAD_ARGUMENT

```
#define CFE_SB_BAD_ARGUMENT ((CFE_Status_t)0xca000003)
```

Bad Argument.

A parameter given by a caller to a Software Bus API did not pass validation checks.

Definition at line 726 of file cfe_error.h.

9.1.2.55 CFE_SB_BUF_ALOC_ERR

```
#define CFE_SB_BUF_ALOC_ERR ((CFE_Status_t)0xca000008)
```

Buffer Allocation Error.

Returned when the memory in the SB message buffer pool has been depleted. The amount of memory in the pool is dictated by the configuration parameter CFE_PLATFORM_SB_BUF_MEMORY_BYTES specified in the cfe_platform cfg.h file. Also the memory statistics, including current utilization figures and high water marks for the SB Buffer memory pool can be monitored by sending a Software Bus command to send the SB statistics packet.

Definition at line 784 of file cfe error.h.

9.1.2.56 CFE_SB_BUFFER_INVALID

```
#define CFE_SB_BUFFER_INVALID ((CFE_Status_t)0xca00000e)
```

Buffer Invalid.

This error code will be returned when a request to release or send a zero copy buffer is invalid, such as if the handle or buffer is not correct or the buffer was previously released.

Definition at line 835 of file cfe error.h.

9.1.2.57 CFE_SB_INTERNAL_ERR

```
#define CFE_SB_INTERNAL_ERR ((CFE_Status_t)0xca00000c)
```

Internal Error.

This error code will be returned by the CFE_SB_Subscribe API if the code detects an internal index is out of range. The most likely cause would be a Single Event Upset.

Definition at line 816 of file cfe_error.h.

9.1.2.58 CFE_SB_MAX_DESTS_MET

```
#define CFE_SB_MAX_DESTS_MET ((CFE_Status_t)0xca00000a)
```

Max Destinations Met.

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another destination for a particular the given message ID. This occurs when the number of destinations in use meets the platform configuration parameter CFE PLATFORM SB MAX DEST PER PKT.

Definition at line 806 of file cfe_error.h.

9.1.2.59 CFE_SB_MAX_MSGS_MET

```
#define CFE_SB_MAX_MSGS_MET ((CFE_Status_t)0xca000009)
```

Max Messages Met.

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another unique message ID because the platform configuration parameter CFE_PLATFORM_SB_MAX_MSG_IDS has been met.

Definition at line 794 of file cfe_error.h.

9.1.2.60 CFE_SB_MAX_PIPES_MET

```
#define CFE_SB_MAX_PIPES_MET ((CFE_Status_t)0xca000004)
```

Max Pipes Met.

This error code will be returned from CFE_SB_CreatePipe when the SB cannot accommodate the request to create a pipe because the maximum number of pipes (CFE_PLATFORM_SB_MAX_PIPES) are in use. This configuration parameter is defined in the cfe_platform_cfg.h file.

Definition at line 737 of file cfe_error.h.

9.1.2.61 CFE_SB_MSG_TOO_BIG

```
#define CFE_SB_MSG_TOO_BIG ((CFE_Status_t)0xca000007)
```

Message Too Big.

The size field in the message header indicates the message exceeds the max Software Bus message size. The max size is defined by configuration parameter CFE_MISSION_SB_MAX_SB_MSG_SIZE in cfe_mission_cfg.h

Definition at line 771 of file cfe error.h.

9.1.2.62 CFE_SB_NO_MESSAGE

```
#define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002)
```

No Message.

When "Polling" a pipe for a message in CFE_SB_ReceiveBuffer, this return value indicates that there was not a message on the pipe.

Definition at line 717 of file cfe error.h.

9.1.2.63 CFE_SB_NOT_IMPLEMENTED

```
#define CFE_SB_NOT_IMPLEMENTED ((CFE_Status_t)0xca00ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 846 of file cfe error.h.

9.1.2.64 CFE SB PIPE CR ERR

```
#define CFE_SB_PIPE_CR_ERR ((CFE_Status_t)0xca000005)
```

Pipe Create Error.

The maximum number of queues(OS_MAX_QUEUES) are in use. Or possibly a lower level problem with creating the underlying queue has occurred such as a lack of memory. If the latter is the problem, the status code displayed in the event must be tracked.

Definition at line 748 of file cfe error.h.

9.1.2.65 CFE_SB_PIPE_RD_ERR

```
#define CFE_SB_PIPE_RD_ERR ((CFE_Status_t)0xca000006)
```

Pipe Read Error.

This return value indicates an error at the Queue read level. This error typically cannot be corrected by the caller. Some possible causes are: queue was not properly initialized or created, the number of bytes read from the queue was not the number of bytes requested in the read. The queue id is invalid. Similar errors regarding the pipe will be caught by higher level code in the Software Bus.

Definition at line 761 of file cfe error.h.

9.1.2.66 CFE_SB_TIME_OUT

```
#define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001)
```

Time Out.

In CFE_SB_ReceiveBuffer, this return value indicates that a packet has not been received in the time given in the "timeout" parameter.

Definition at line 708 of file cfe_error.h.

9.1.2.67 CFE_SB_WRONG_MSG_TYPE

```
#define CFE_SB_WRONG_MSG_TYPE ((CFE_Status_t)0xca00000d)
```

Wrong Message Type.

This error code will be returned when a request such as CFE_MSG_SetMsgTime is made on a packet that does not include a field for msg time.

Definition at line 825 of file cfe_error.h.

9.1.2.68 CFE_STATUS_BAD_COMMAND_CODE

```
#define CFE_STATUS_BAD_COMMAND_CODE ((CFE_Status_t) 0xc8000004)
```

Bad Command Code.

This error code will be returned when a message identification process determined that the command code is does not correspond to any known value

Definition at line 182 of file cfe_error.h.

9.1.2.69 CFE_STATUS_EXTERNAL_RESOURCE_FAIL

```
#define CFE_STATUS_EXTERNAL_RESOURCE_FAIL ((CFE_Status_t)0xc8000005)
```

External failure.

This error indicates that the operation failed for some reason outside the scope of CFE. The real failure may have been in OSAL, PSP, or another dependent library.

Details of the original failure should be written to syslog and/or a system event before returning this error.

Definition at line 194 of file cfe error.h.

9.1.2.70 CFE_STATUS_NO_COUNTER_INCREMENT

```
#define CFE_STATUS_NO_COUNTER_INCREMENT ((CFE_Status_t)0x48000001)
```

No Counter Increment.

Informational code indicating that a command was processed successfully but that the command counter should *not* be incremented.

Definition at line 155 of file cfe error.h.

9.1.2.71 CFE_STATUS_NOT_IMPLEMENTED

```
#define CFE_STATUS_NOT_IMPLEMENTED ((CFE_Status_t)0xc800ffff)
```

Not Implemented.

Current version does not have the function or the feature of the function implemented. This could be due to either an early build for this platform or the platform does not support the specified feature.

Definition at line 214 of file cfe_error.h.

9.1.2.72 CFE_STATUS_REQUEST_ALREADY_PENDING

```
#define CFE_STATUS_REQUEST_ALREADY_PENDING ((int32)0xc8000006)
```

Request already pending.

Commands or requests are already pending or the pending request limit has been reached. No more requests can be made until the current request(s) complete.

Definition at line 203 of file cfe_error.h.

9.1.2.73 CFE_STATUS_UNKNOWN_MSG_ID

```
#define CFE_STATUS_UNKNOWN_MSG_ID ((CFE_Status_t)0xc8000003)
```

Unknown Message ID.

This error code will be returned when a message identification process determined that the message ID does not correspond to a known value

Definition at line 173 of file cfe_error.h.

9.1.2.74 CFE_STATUS_WRONG_MSG_LENGTH

```
#define CFE_STATUS_WRONG_MSG_LENGTH ((CFE_Status_t)0xc8000002)
```

Wrong Message Length.

This error code will be returned when a message validation process determined that the message length is incorrect

Definition at line 164 of file cfe_error.h.

9.1.2.75 CFE_SUCCESS

```
#define CFE_SUCCESS ((CFE_Status_t)0)
```

Successful execution.

Operation was performed successfully

Definition at line 147 of file cfe_error.h.

9.1.2.76 CFE_TBL_BAD_ARGUMENT

```
#define CFE_TBL_BAD_ARGUMENT ((CFE_Status_t)0xcc00002d)
```

Bad Argument.

A parameter given by a caller to a Table API did not pass validation checks.

Definition at line 1257 of file cfe_error.h.

9.1.2.77 CFE_TBL_ERR_ACCESS

```
#define CFE_TBL_ERR_ACCESS ((CFE_Status_t)0xcc00002c)
```

Error code indicating that the TBL file could not be opened by the OS.

Definition at line 1248 of file cfe_error.h.

9.1.2.78 CFE_TBL_ERR_BAD_CONTENT_ID

```
#define CFE_TBL_ERR_BAD_CONTENT_ID ((CFE_Status_t)0xcc000016)
```

Bad Content ID.

The calling Application called CFE_TBL_Load with a filename that specified a file whose content ID was not that of a table image.

Definition at line 1040 of file cfe_error.h.

9.1.2.79 CFE_TBL_ERR_BAD_PROCESSOR_ID

```
#define CFE_TBL_ERR_BAD_PROCESSOR_ID ((CFE_Status_t)0xcc000029)
```

Bad Processor ID.

The selected table file failed validation for Processor ID. The platform configuration file has verification of table files enabled for Processor ID and an attempt was made to load a table with an invalid Processor ID in the table file header.

Definition at line 1228 of file cfe_error.h.

9.1.2.80 CFE_TBL_ERR_BAD_SPACECRAFT_ID

```
#define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((CFE_Status_t)0xcc000028)
```

Bad Spacecraft ID.

The selected table file failed validation for Spacecraft ID. The platform configuration file has verification of table files enabled for Spacecraft ID and an attempt was made to load a table with an invalid Spacecraft ID in the table file header.

Definition at line 1217 of file cfe_error.h.

9.1.2.81 CFE_TBL_ERR_BAD_SUBTYPE_ID

```
#define CFE_TBL_ERR_BAD_SUBTYPE_ID ((CFE_Status_t)0xcc00001B)
```

Bad Subtype ID.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file.

Definition at line 1081 of file cfe error.h.

9.1.2.82 CFE_TBL_ERR_DUMP_ONLY

```
#define CFE_TBL_ERR_DUMP_ONLY ((CFE_Status_t)0xcc000010)
```

Dump Only Error.

The calling Application has attempted to perform a load on a table that was created with "Dump Only" attributes.

Definition at line 992 of file cfe_error.h.

9.1.2.83 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE

```
#define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((CFE_Status_t)0xcc00000C)
```

Duplicate Table With Different Size.

An application attempted to register a table with the same name as a table that is already in the registry. The size of the new table is different from the size already in the registry.

Definition at line 953 of file cfe_error.h.

9.1.2.84 CFE_TBL_ERR_DUPLICATE_NOT_OWNED

```
#define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t)0xcc00000D)
```

Duplicate Table And Not Owned.

An application attempted to register a table with the same name as a table that is already in the registry. The previously registered table is owned by a different application.

Definition at line 963 of file cfe_error.h.

9.1.2.85 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE

```
#define CFE_TBL_ERR_FILE_FOR_WRONG_TABLE ((CFE_Status_t)0xcc000020)
```

File For Wrong Table.

The calling Application tried to load a table using a file whose header indicated that it was for a different table.

Definition at line 1125 of file cfe_error.h.

9.1.2.86 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT

```
#define CFE_TBL_ERR_FILE_SIZE_INCONSISTENT ((CFE_Status_t)0xcc00001C)
```

File Size Inconsistent.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file.

Definition at line 1090 of file cfe_error.h.

9.1.2.87 CFE_TBL_ERR_FILE_TOO_LARGE

```
#define CFE_TBL_ERR_FILE_TOO_LARGE ((CFE_Status_t)0xcc000014)
```

File Too Large.

The calling Application called CFE_TBL_Load with a filename that specified a file that contained more data than the size of the table OR which contained more data than specified in the table header.

Definition at line 1020 of file cfe_error.h.

9.1.2.88 CFE_TBL_ERR_FILENAME_TOO_LONG

```
#define CFE_TBL_ERR_FILENAME_TOO_LONG ((CFE_Status_t)0xcc00001F)
```

Filename Too Long.

The calling Application tried to load a table using a filename that was too long.

Definition at line 1116 of file cfe_error.h.

9.1.2.89 CFE_TBL_ERR_HANDLES_FULL

```
#define CFE_TBL_ERR_HANDLES_FULL ((CFE_Status_t) 0xcc00000B)
```

Handles Full.

An application attempted to create a table and the Table Handle Array already used all CFE_PLATFORM_TBL_MAX — _NUM_HANDLES in it.

Definition at line 943 of file cfe_error.h.

9.1.2.90 CFE_TBL_ERR_ILLEGAL_SRC_TYPE

```
#define CFE_TBL_ERR_ILLEGAL_SRC_TYPE ((CFE_Status_t)0xcc000011)
```

Illegal Source Type.

The calling Application called CFE_TBL_Load with an illegal value for the second parameter.

Definition at line 1001 of file cfe_error.h.

9.1.2.91 CFE_TBL_ERR_INVALID_HANDLE

```
#define CFE_TBL_ERR_INVALID_HANDLE ((CFE_Status_t)0xcc000001)
```

Invalid Handle.

The calling Application attempted to pass a Table handle that represented too large an index or identified a Table Access Descriptor that was not used.

Definition at line 860 of file cfe_error.h.

9.1.2.92 CFE_TBL_ERR_INVALID_NAME

```
#define CFE_TBL_ERR_INVALID_NAME ((CFE_Status_t) 0xcc000002)
```

Invalid Name.

The calling Application attempted to register a table whose name length exceeded the platform configuration value of CFE_MISSION_TBL_MAX_NAME_LENGTH or was zero characters long.

Definition at line 870 of file cfe_error.h.

9.1.2.93 CFE_TBL_ERR_INVALID_OPTIONS

```
#define CFE_TBL_ERR_INVALID_OPTIONS ((CFE_Status_t)0xcc000025)
```

Invalid Options.

The calling Application has used an illegal combination of table options. A summary of the illegal combinations are as follows:

#CFE_TBL_OPT_USR_DEF_ADDR cannot be combined with any of the following:

- 1. CFE_TBL_OPT_DBL_BUFFER
- 2. CFE TBL OPT LOAD DUMP
- 3. CFE_TBL_OPT_CRITICAL

#CFE_TBL_OPT_DBL_BUFFER cannot be combined with the following:

- 1. CFE TBL OPT USR DEF ADDR
- 2. CFE TBL OPT DUMP ONLY

Definition at line 1182 of file cfe_error.h.

9.1.2.94 CFE TBL ERR INVALID SIZE

```
#define CFE_TBL_ERR_INVALID_SIZE ((CFE_Status_t)0xcc000003)
```

Invalid Size.

The calling Application attempted to register a table: a) that was a double buffered table with size greater than CFE_← PLATFORM_TBL_MAX_DBL_TABLE_SIZE b) that was a single buffered table with size greater than CFE_PLATFO← RM_TBL_MAX_SNGL_TABLE_SIZE c) that had a size of zero

Definition at line 881 of file cfe_error.h.

9.1.2.95 CFE_TBL_ERR_LOAD_IN_PROGRESS

```
#define CFE_TBL_ERR_LOAD_IN_PROGRESS ((CFE_Status_t)0xcc000012)
```

Load In Progress.

The calling Application called CFE_TBL_Load when another Application was trying to load the table.

Definition at line 1010 of file cfe_error.h.

9.1.2.96 CFE_TBL_ERR_LOAD_INCOMPLETE

```
#define CFE_TBL_ERR_LOAD_INCOMPLETE ((CFE_Status_t)0xcc000021)
```

Load Incomplete.

The calling Application tried to load a table file whose header claimed the load was larger than what was actually read from the file.

Definition at line 1134 of file cfe_error.h.

9.1.2.97 CFE_TBL_ERR_NEVER_LOADED

```
#define CFE_TBL_ERR_NEVER_LOADED ((CFE_Status_t)0xcc000005)
```

Never Loaded.

Table has not been loaded with data.

Definition at line 897 of file cfe_error.h.

9.1.2.98 CFE_TBL_ERR_NO_ACCESS

```
#define CFE_TBL_ERR_NO_ACCESS ((CFE_Status_t)0xcc000008)
```

No Access.

The calling application either failed when calling CFE_TBL_Register, failed when calling CFE_TBL_Share or forgot to call either one.

Definition at line 925 of file cfe_error.h.

9.1.2.99 CFE_TBL_ERR_NO_BUFFER_AVAIL

```
#define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t)0xcc00000F)
```

No Buffer Available.

The calling Application has tried to allocate a working buffer but none were available.

Definition at line 983 of file cfe_error.h.

```
9.1.2.100 CFE_TBL_ERR_NO_STD_HEADER
```

```
#define CFE_TBL_ERR_NO_STD_HEADER ((CFE_Status_t)0xcc00001D)
```

No Standard Header.

The calling Application tried to access a table file whose standard cFE File Header was the wrong size, etc.

Definition at line 1098 of file cfe error.h.

```
9.1.2.101 CFE_TBL_ERR_NO_TBL_HEADER
```

```
#define CFE_TBL_ERR_NO_TBL_HEADER ((CFE_Status_t)0xcc00001E)
```

No Table Header.

The calling Application tried to access a table file whose standard cFE Table File Header was the wrong size, etc.

Definition at line 1107 of file cfe_error.h.

9.1.2.102 CFE_TBL_ERR_PARTIAL_LOAD

```
#define CFE_TBL_ERR_PARTIAL_LOAD ((CFE_Status_t)0xcc000023)
```

Partial Load Error.

The calling Application tried to load a table file whose header claimed the load did not start with the first byte and the table image had NEVER been loaded before. Partial loads are not allowed on uninitialized tables. It should be noted that CFE_TBL_WARN_SHORT_FILE also indicates a partial load.

Definition at line 1156 of file cfe_error.h.

9.1.2.103 CFE_TBL_ERR_REGISTRY_FULL

```
#define CFE_TBL_ERR_REGISTRY_FULL ((CFE_Status_t)0xcc000006)
```

Registry Full.

An application attempted to create a table and the Table registry already contained CFE_PLATFORM_TBL_MAX_N ← UM_TABLES in it.

Definition at line 906 of file cfe_error.h.

9.1.2.104 CFE_TBL_ERR_SHORT_FILE

```
#define CFE_TBL_ERR_SHORT_FILE ((CFE_Status_t)0xcc00002b)
```

Error code indicating that the TBL file is shorter than indicated in the file header.

Definition at line 1242 of file cfe_error.h.

9.1.2.105 CFE_TBL_ERR_UNREGISTERED

```
#define CFE_TBL_ERR_UNREGISTERED ((CFE_Status_t)0xcc000009)
```

Unregistered.

The calling application is trying to access a table that has been unregistered.

Definition at line 934 of file cfe_error.h.

9.1.2.106 CFE_TBL_INFO_DUMP_PENDING

```
#define CFE_TBL_INFO_DUMP_PENDING ((CFE_Status_t)0x4c000024)
```

Dump Pending.

The calling Application should call CFE_TBL_Manage for the specified table. The ground has requested a dump of the Dump-Only table and needs to synchronize with the owning application.

Definition at line 1166 of file cfe_error.h.

9.1.2.107 CFE_TBL_INFO_NO_UPDATE_PENDING

```
#define CFE_TBL_INFO_NO_UPDATE_PENDING ((CFE_Status_t)0x4c000017)
```

No Update Pending.

The calling Application has attempted to update a table without a pending load.

Definition at line 1048 of file cfe_error.h.

9.1.2.108 CFE_TBL_INFO_NO_VALIDATION_PENDING

```
#define CFE_TBL_INFO_NO_VALIDATION_PENDING ((CFE_Status_t)0x4c00001A)
```

No Validation Pending

The calling Application tried to validate a table that did not have a validation request pending.

Definition at line 1072 of file cfe error.h.

9.1.2.109 CFE_TBL_INFO_RECOVERED_TBL

```
#define CFE_TBL_INFO_RECOVERED_TBL ((CFE_Status_t)0x4c000027)
```

Recovered Table.

The calling Application registered a critical table whose previous contents were discovered in the Critical Data Store. The discovered contents were copied back into the newly registered table as the table's initial contents.

NOTE: In this situation, the contents of the table are NOT validated using the table's validation function.

Definition at line 1206 of file cfe_error.h.

9.1.2.110 CFE_TBL_INFO_TABLE_LOCKED

```
#define CFE_TBL_INFO_TABLE_LOCKED ((CFE_Status_t)0x4c000018)
```

Table Locked.

The calling Application tried to update a table that is locked by another user.

Definition at line 1056 of file cfe_error.h.

9.1.2.111 CFE_TBL_INFO_UPDATE_PENDING

```
#define CFE_TBL_INFO_UPDATE_PENDING ((CFE_Status_t)0x4c000004)
```

Update Pending.

The calling Application has identified a table that has a load pending.

Definition at line 889 of file cfe_error.h.

9.1.2.112 CFE_TBL_INFO_UPDATED

```
#define CFE_TBL_INFO_UPDATED ((CFE_Status_t)0x4c00000E)
```

Updated.

The calling Application has identified a table that has been updated.

NOTE: This is a nominal return code informing the calling application that the table identified in the call has had its contents updated since the last time the application obtained its address or status.

Definition at line 974 of file cfe_error.h.

9.1.2.113 CFE_TBL_INFO_VALIDATION_PENDING

```
#define CFE_TBL_INFO_VALIDATION_PENDING ((CFE_Status_t) 0x4c000019)
```

Validation Pending

The calling Application should call CFE_TBL_Validate for the specified table.

Definition at line 1064 of file cfe error.h.

9.1.2.114 CFE_TBL_MESSAGE_ERROR

```
#define CFE_TBL_MESSAGE_ERROR ((CFE_Status_t)0xcc00002a)
```

Message Error.

Error code indicating that the TBL command was not processed successfully and that the error counter should be incremented.

Definition at line 1236 of file cfe_error.h.

9.1.2.115 CFE_TBL_NOT_IMPLEMENTED

```
#define CFE_TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 1268 of file cfe_error.h.

9.1.2.116 CFE_TBL_WARN_DUPLICATE

```
#define CFE_TBL_WARN_DUPLICATE ((CFE_Status_t)0x4c000007)
```

Duplicate Warning.

This is an error that the registration is trying to replace an existing table with the same name. The previous table stays in place and the new table is rejected.

Definition at line 916 of file cfe_error.h.

9.1.2.117 CFE_TBL_WARN_NOT_CRITICAL

```
#define CFE_TBL_WARN_NOT_CRITICAL ((CFE_Status_t)0x4c000026)
```

Not Critical Warning.

The calling Application attempted to register a table as "Critical". Table Services failed to create an appropriate Critical Data Store (See System Log for reason) to save the table contents. The table will be treated as a normal table from now on.

Definition at line 1193 of file cfe_error.h.

9.1.2.118 CFE_TBL_WARN_PARTIAL_LOAD

```
#define CFE_TBL_WARN_PARTIAL_LOAD ((CFE_Status_t)0x4c000022)
```

Partial Load Warning.

The calling Application tried to load a table file whose header claimed the load did not start with the first byte. It should be noted that CFE TBL WARN SHORT FILE also indicates a partial load.

Definition at line 1144 of file cfe_error.h.

9.1.2.119 CFE_TBL_WARN_SHORT_FILE

```
#define CFE_TBL_WARN_SHORT_FILE ((CFE_Status_t)0x4c000015)
```

Short File Warning.

The calling Application called CFE_TBL_Load with a filename that specified a file that started with the first byte of the table but contained less data than the size of the table. It should be noted that CFE_TBL_WARN_PARTIAL_LOAD also indicates a partial load (one that starts at a non-zero offset).

Definition at line 1031 of file cfe_error.h.

9.1.2.120 CFE_TIME_BAD_ARGUMENT

```
#define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t)0xce000005)
```

Bad Argument.

A parameter given by a caller to a TIME Services API did not pass validation checks.

Definition at line 1340 of file cfe_error.h.

9.1.2.121 CFE_TIME_CALLBACK_NOT_REGISTERED

```
#define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000004)
```

Callback Not Registered.

An attempt to unregister a cFE Time Services Synchronization callback has failed because the specified callback function was not located in the Synchronization Callback Registry.

Definition at line 1331 of file cfe_error.h.

9.1.2.122 CFE_TIME_INTERNAL_ONLY

```
#define CFE_TIME_INTERNAL_ONLY ((CFE_Status_t)0xce000001)
```

Internal Only.

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has been commanded to not accept external time data. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Definition at line 1295 of file cfe_error.h.

9.1.2.123 CFE_TIME_NOT_IMPLEMENTED

```
#define CFE_TIME_NOT_IMPLEMENTED ((CFE_Status_t)0xce00ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 1283 of file cfe_error.h.

9.1.2.124 CFE_TIME_OUT_OF_RANGE

```
#define CFE_TIME_OUT_OF_RANGE ((CFE_Status_t)0xce000002)
```

Out Of Range.

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has determined that the new time data is invalid. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Note that the test for invalid time update data only occurs if TIME Services has previously been commanded to set the clock state to "valid".

Definition at line 1310 of file cfe_error.h.

9.1.2.125 CFE_TIME_TOO_MANY_SYNCH_CALLBACKS

```
#define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((CFE_Status_t)0xce0000003)
```

Too Many Sync Callbacks.

An attempt to register too many cFE Time Services Synchronization callbacks has been made. Only one callback function is allowed per application. It is expected that the application itself will distribute the single callback to child threads as needed.

Definition at line 1321 of file cfe error.h.

9.2 cFE Resource ID APIs 161

9.2 cFE Resource ID APIs

Functions

CFE_Status_t CFE_ES_AppID_ToIndex (CFE_ES_AppId_t AppID, uint32 *Idx)

Obtain an index value correlating to an ES Application ID.

• int32 CFE_ES_LibID_ToIndex (CFE_ES_LibId_t LibId, uint32 *Idx)

Obtain an index value correlating to an ES Library ID.

CFE_Status_t CFE_ES_TaskID_ToIndex (CFE_ES_TaskId_t TaskID, uint32 *Idx)

Obtain an index value correlating to an ES Task ID.

CFE_Status_t CFE_ES_CounterID_ToIndex (CFE_ES_CounterId_t CounterId, uint32 *Idx)

Obtain an index value correlating to an ES Counter ID.

- 9.2.1 Detailed Description
- 9.2.2 Function Documentation

9.2.2.1 CFE_ES_AppID_ToIndex()

Obtain an index value correlating to an ES Application ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] application IDs will never overlap, but the index of an application and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original AppID value. The caller should retain the original ID for future use.

Parameters

in	AppID	Application ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

9.2.2.2 CFE_ES_CounterID_ToIndex()

Obtain an index value correlating to an ES Counter ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Counter IDs will never overlap, but the index of a Counter and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original CounterID value. The caller should retain the original ID for future use.

Parameters

in	Counter←	Counter ID to convert
	ld	
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

9.2.2.3 CFE_ES_LibID_ToIndex()

9.2 cFE Resource ID APIs 163

Obtain an index value correlating to an ES Library ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Library IDs will never overlap, but the index of an Library and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original LibID value. The caller should retain the original ID for future use.

Parameters

in	Lib⊷	Library ID to convert
	ld	
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

9.2.2.4 CFE_ES_TaskID_ToIndex()

Obtain an index value correlating to an ES Task ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Task IDs will never overlap, but the index of a Task and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original TaskID value. The caller should retain the original ID for future use.

Parameters

in	TaskID	Task ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.3 cFE Entry/Exit APIs

Functions

• void CFE_ES_Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char *StartFilePath)

cFE Main Entry Point used by Board Support Package to start cFE

CFE_Status_t CFE_ES_ResetCFE (uint32 ResetType)

Reset the cFE Core and all cFE Applications.

- 9.3.1 Detailed Description
- 9.3.2 Function Documentation

9.3.2.1 CFE_ES_Main()

cFE Main Entry Point used by Board Support Package to start cFE

Description

cFE main entry point. This is the entry point into the cFE software. It is called only by the Board Support Package software.

Assumptions, External Events, and Notes:

None

Parameters

in	StartType	Identifies whether this was a CFE_PSP_RST_TYPE_POWERON or CFE_PSP_RST_TYPE_PROCESSOR.
in	StartSubtype	Specifies, in more detail, what caused the StartType identified above. See CFE_PSP_RST_SUBTYPE_POWER_CYCLE for possible examples.
in	Modeld	Identifies the source of the Boot as determined by the BSP.
in	StartFilePath	Identifies the startup file to use to initialize the cFE apps.

See also

CFE ES ResetCFE

9.3.2.2 CFE_ES_ResetCFE()

Reset the cFE Core and all cFE Applications.

Description

This API causes an immediate reset of the cFE Kernel and all cFE Applications. The caller can specify whether the reset should clear all memory (CFE_PSP_RST_TYPE_POWERON) or try to retain volatile memory areas (CFE ← _PSP_RST_TYPE_PROCESSOR).

Assumptions, External Events, and Notes:

None

Parameters

in	ResetType	Identifies the type of reset desired. Allowable settings are:	
		CFE_PSP_RST_TYPE_POWERON - Causes all memory to be cleared	
		 CFE_PSP_RST_TYPE_PROCESSOR - Attempts to retain volatile disk, critical data store and user reserved memory. 	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	Not Implemented.

See also

CFE_ES_Main

9.4 cFE Application Control APIs

Functions

CFE_Status_t CFE_ES_RestartApp (CFE_ES_Appld_t ApplD)

Restart a single cFE Application.

• CFE_Status_t CFE_ES_ReloadApp (CFE_ES_Appld_t ApplD, const char *AppFileName)

Reload a single cFE Application.

CFE_Status_t CFE_ES_DeleteApp (CFE_ES_Appld_t ApplD)

Delete a cFE Application.

- 9.4.1 Detailed Description
- 9.4.2 Function Documentation

9.4.2.1 CFE_ES_DeleteApp()

Delete a cFE Application.

Description

This API causes a cFE Application to be stopped deleted.

Assumptions, External Events, and Notes:

None

Parameters

-	in	AppID	Identifies the application to be reset.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_SUCCESS	Successful execution.

See also

```
CFE_ES_RestartApp, CFE_ES_ReloadApp
```

9.4.2.2 CFE_ES_ReloadApp()

Reload a single cFE Application.

Description

This API causes a cFE Application to be stopped and restarted from the specified file.

Assumptions, External Events, and Notes:

The filename is checked for existence prior to load. A missing file will be reported and the reload operation will be aborted prior to unloading the app.

Goes through the standard CFE_ES_CleanUpApp which unloads, then attempts a load using the specified file name.

In the event that an application cannot be reloaded due to a corrupt file, the application may no longer be reloaded when given a valid load file (it has been deleted and no longer exists). To recover, the application may be started by loading the application via the ES_STARTAPP command (CFE_ES_START_APP_CC).

Parameters

j	in <i>AppID</i>		Identifies the application to be reset.
i	in	AppFileName	Identifies the new file to start (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_SUCCESS	Successful execution.
CFE_ES_FILE_IO_ERR	File IO Error.

See also

CFE_ES_RestartApp, CFE_ES_DeleteApp, CFE_ES_START_APP_CC

9.4.2.3 CFE_ES_RestartApp()

Restart a single cFE Application.

Description

This API causes a cFE Application to be unloaded and restarted from the same file name as the last start.

Assumptions, External Events, and Notes:

The filename is checked for existence prior to load. A missing file will be reported and the reload operation will be aborted prior to unloading the app.

Goes through the standard CFE ES CleanUpApp which unloads, then attempts a load using the original file name.

In the event that an application cannot be reloaded due to a missing file or any other load issue, the application may no longer be restarted or reloaded when given a valid load file (the app has been deleted and no longer exists). To recover, the application may be started by loading the application via the ES_STARTAPP command (CFE_ES_START_APP CCC).

Parameters

in	AppID	Identifies the application to be reset.
----	-------	---

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_FILE_IO_ERR	File IO Error.
CFE_SUCCESS	Successful execution.

See also

CFE_ES_ReloadApp, CFE_ES_DeleteApp

9.5 cFE Application Behavior APIs

Functions

• void CFE_ES_ExitApp (uint32 ExitStatus)

Exit a cFE Application.

• bool CFE_ES_RunLoop (uint32 *RunStatus)

Check for Exit, Restart, or Reload commands.

CFE_Status_t CFE_ES_WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds)

Allow an Application to Wait for a minimum global system state.

void CFE_ES_WaitForStartupSync (uint32 TimeOutMilliseconds)

Allow an Application to Wait for the "OPERATIONAL" global system state.

void CFE_ES_IncrementTaskCounter (void)

Increments the execution counter for the calling task.

- 9.5.1 Detailed Description
- 9.5.2 Function Documentation

9.5.2.1 CFE_ES_ExitApp()

Exit a cFE Application.

Description

This API is the "Exit Point" for the cFE application

Assumptions, External Events, and Notes:

None

Parameters

in	ExitStatus	Acceptable values are:
		CFE_ES_RunStatus_APP_EXIT - Indicates that the Application wants to exit normally.
		CFE_ES_RunStatus_APP_ERROR - Indicates that the Application is quitting with an error.
		CFE_ES_RunStatus_CORE_APP_INIT_ERROR - Indicates that the Core Application could not Init.
		CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR - Indicates that the Core Application had a runtime failure.

See also

CFE_ES_RunLoop

9.5.2.2 CFE_ES_IncrementTaskCounter()

Increments the execution counter for the calling task.

Description

This routine increments the execution counter that is stored for the calling task. It can be called from cFE Application main tasks, child tasks, or cFE Core application main tasks. Normally, the call is not necessary from a cFE Application, since the CFE_ES_RunLoop call increments the counter for the Application.

Assumptions, External Events, and Notes:

NOTE: This API is not needed for Applications that call the CFE_ES_RunLoop call.

See also

CFE_ES_RunLoop

9.5.2.3 CFE_ES_RunLoop()

Check for Exit, Restart, or Reload commands.

Description

This is the API that allows an app to check for exit requests from the system, or request shutdown from the system.

Assumptions, External Events, and Notes:

This API updates the internal task counter tracked by ES for the calling task. For ES to report application counters correctly this API should be called from the main app task as part of it's main processing loop.

In the event of a externally initiated app shutdown request (such as the APP_STOP, APP_RELOAD, and APP_RES TART commands) or if a system error occurs requiring the app to be shut down administratively, this function returns "false" and optionally sets the "RunStatus" output to further indicate the specific application state.

If "RunStatus" is passed as non-NULL, it should point to a local status variable containing the requested status to ES. Normally, this should be initialized to CFE_ES_RunStatus_APP_RUN during application start up, and should remain as this value during normal operation.

If "RunStatus" is set to CFE_ES_RunStatus_APP_EXIT or CFE_ES_RunStatus_APP_ERROR on input, this acts as a shutdown request - CFE_ES_RunLoop() function will return "false", and a shutdown will be initiated similar to if ES had been externally commanded to shut down the app.

If "RunStatus" is not used, it should be passed as NULL. In this mode, only the boolean return value is relevant, which will indicate if an externally-initiated shutdown request is pending.

Parameters

in,o	ut	RunStatus	Optional pointer to a variable containing the desired run status	
------	----	-----------	--	--

Returns

Boolean indicating application should continue running

Return values

true	Application should continue running
false	Application should not continue running

See also

CFE_ES_ExitApp

9.5.2.4 CFE_ES_WaitForStartupSync()

Allow an Application to Wait for the "OPERATIONAL" global system state.

Description

This is the API that allows an app to wait for the rest of the apps to complete their entire initialization before continuing. It is most useful for applications such as Health and Safety or the Scheduler that need to wait until applications exist and are running before sending out packets to them.

This is a specialized wrapper for CFE_ES_WaitForSystemState for compatibility with applications using this API.

Assumptions, External Events, and Notes:

This API should only be called as the last item of an Apps initialization. In addition, this API should only be called by an App that is started from the ES Startup file. It should not be used by an App that is started after the system is running. (Although it will cause no harm)

Parameters

in	TimeOutMilliseconds	The timeout value in Milliseconds. This parameter must be at least 1000. Lower
		values will be rounded up. There is not an option to wait indefinitely to avoid hanging
		a critical application because a non-critical app did not start.

See also

CFE_ES_RunLoop

9.5.2.5 CFE_ES_WaitForSystemState()

Allow an Application to Wait for a minimum global system state.

Description

This is the API that allows an app to wait for the rest of the apps to complete a given stage of initialization before continuing.

This gives finer grained control than CFE_ES_WaitForStartupSync

Assumptions, External Events, and Notes:

This API assumes that the caller has also been initialized sufficiently to satisfy the global system state it is waiting for, and the apps own state will be updated accordingly.

Parameters

in	MinSystemState	Determine the state of the App
in	TimeOutMilliseconds	The timeout value in Milliseconds. There is not an option to wait indefinitely to avoid
		hanging a critical application because a non-critical app did not start.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	State successfully achieved
CFE_ES_OPERATION_TIMED_OUT	(return value only verified in coverage test) Timeout was reached

See also

CFE_ES_RunLoop

9.6 cFE Information APIs 175

9.6 cFE Information APIs

```
Functions
```

```
    int32 CFE ES GetResetType (uint32 *ResetSubtypePtr)
```

Return the most recent Reset Type.

CFE_Status_t CFE_ES_GetAppID (CFE_ES_AppId_t *AppIdPtr)

Get an Application ID for the calling Application.

CFE Status t CFE ES GetTaskID (CFE ES TaskId t *TaskIdPtr)

Get the task ID of the calling context.

• CFE_Status_t CFE_ES_GetAppIDByName (CFE_ES_AppId_t *AppIdPtr, const char *AppName)

Get an Application ID associated with a specified Application name.

CFE_Status_t CFE_ES_GetLibIDByName (CFE_ES_LibId_t *LibIdPtr, const char *LibName)

Get a Library ID associated with a specified Library name.

- CFE_Status_t CFE_ES_GetAppName (char *AppName, CFE_ES_AppId_t AppId, size_t BufferLength)

 Get an Application name for a specified Application ID.
- CFE_Status_t CFE_ES_GetLibName (char *LibName, CFE_ES_LibId_t LibId, size_t BufferLength)

 Get a Library name for a specified Library ID.
- CFE_Status_t CFE_ES_GetAppInfo (CFE_ES_AppInfo_t *AppInfo, CFE_ES_AppId_t AppId)

Get Application Information given a specified App ID.

CFE_Status_t CFE_ES_GetTaskInfo (CFE_ES_TaskInfo_t *TaskInfo, CFE_ES_TaskId_t TaskId)

Get Task Information given a specified Task ID.

int32 CFE_ES_GetLibInfo (CFE_ES_AppInfo_t *LibInfo, CFE_ES_LibId_t LibId)

Get Library Information given a specified Resource ID.

- int32 CFE_ES_GetModuleInfo (CFE_ES_AppInfo_t *ModuleInfo, CFE_ResourceId_t ResourceId)

 Get Information given a specified Resource ID.
- 9.6.1 Detailed Description
- 9.6.2 Function Documentation

9.6.2.1 CFE_ES_GetAppID()

Get an Application ID for the calling Application.

Description

This routine retrieves the cFE Application ID for the calling Application.

Assumptions, External Events, and Notes:

NOTE: All tasks associated with the Application would return the same Application ID.

Parameters

out	<i>AppldPtr</i>	Pointer to variable that is to receive the Application's ID (must not be null). *AppldPtr will be set
		to the application ID of the calling Application.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetResetType, CFE_ES_GetAppIDByName, CFE_ES_GetAppName, CFE_ES_GetTaskInfo

9.6.2.2 CFE_ES_GetAppIDByName()

Get an Application ID associated with a specified Application name.

Description

This routine retrieves the cFE Application ID associated with a specified Application name.

Assumptions, External Events, and Notes:

None

Parameters

out	AppldPtr	Pointer to variable that is to receive the Application's ID (must not be null).	
in AppName Pointer to null terminated character string containing an Application name (must not be			

Returns

Execution status, see cFE Return Code Defines

9.6 cFE Information APIs

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

```
CFE_ES_GetAppID, CFE_ES_GetAppName, CFE_ES_GetAppInfo
```

9.6.2.3 CFE_ES_GetAppInfo()

Get Application Information given a specified App ID.

Description

This routine retrieves the information about an App associated with a specified App ID. The information includes all of the information ES maintains for an application (documented in the CFE_ES_AppInfo_t type)

Assumptions, External Events, and Notes:

None

Parameters

out	AppInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory addresses information.	
in	Appld	ID of application to obtain information about	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_ES_GetAppID}, {\sf CFE_ES_GetAppIDByName}, {\sf CFE_ES_GetAppName}$

9.6.2.4 CFE_ES_GetAppName()

Get an Application name for a specified Application ID.

Description

This routine retrieves the cFE Application name associated with a specified Application ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

Parameters

out	AppName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the appropriate Application name.
in	Appld	Application ID of Application whose name is being requested.
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the AppName buffer. This routine will truncate the name to this length, if necessary.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetAppID, CFE_ES_GetAppIDByName, CFE_ES_GetAppInfo

9.6 cFE Information APIs 179

9.6.2.5 CFE_ES_GetLibIDByName()

Get a Library ID associated with a specified Library name.

Description

This routine retrieves the cFE Library ID associated with a specified Library name.

Assumptions, External Events, and Notes:

None

Parameters

out	LibldPtr	Pointer to variable that is to receive the Library's ID (must not be null).
in	LibName	Pointer to null terminated character string containing a Library name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

```
CFE_ES_GetLibName
```

9.6.2.6 CFE_ES_GetLibInfo()

Get Library Information given a specified Resource ID.

Description

This routine retrieves the information about a Library associated with a specified ID. The information includes all of the information ES maintains for this resource type (documented in the CFE_ES_AppInfo_t type).

This shares the same output structure as CFE_ES_GetAppInfo, such that informational commands can be executed against either applications or libraries. When applied to a library, the task information in the structure will be omitted, as libraries do not have tasks associated.

Assumptions, External Events, and Notes:

None

Parameters

	out	LibInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory
			addresses information.
Ī	in	Libld	ID of application to obtain information about

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_ES_GetLibIDByName,\,CFE_ES_GetLibName}$

9.6.2.7 CFE_ES_GetLibName()

Get a Library name for a specified Library ID.

Description

This routine retrieves the cFE Library name associated with a specified Library ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

9.6 cFE Information APIs 181

Parameters

out	LibName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the Library name.
in	Libld	Library ID of Library whose name is being requested.
in	BufferLength	The maximum number of characters (must not be zero), including the null terminator, that can be put into the LibName buffer. This routine will truncate the name to this length, if necessary.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibIDByName

9.6.2.8 CFE_ES_GetModuleInfo()

Get Information given a specified Resource ID.

Description

This routine retrieves the information about an Application or Library associated with a specified ID.

This is a wrapper API that in turn calls either CFE_ES_GetAppInfo or CFE_ES_GetLibInfo if passed an AppId or LibId, respectively.

This allows commands originally targeted to operate on ApplDs to be easily ported to operate on either Libraries or Applications, where relevant.

Assumptions, External Events, and Notes:

None

Parameters

out	ModuleInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory
		addresses information.
in	Resource⊷	ID of application or library to obtain information about
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibInfo, CFE_ES_GetAppInfo

9.6.2.9 CFE_ES_GetResetType()

Return the most recent Reset Type.

Description

Provides the caller with codes that identifies the type of Reset the processor most recently underwent. The caller can also obtain information on what caused the reset by supplying a pointer to a variable that will be filled with the Reset Sub-Type.

Assumptions, External Events, and Notes:

None

Parameters

in,out	ResetSubtypePtr	Pointer to uint32 type variable in which the Reset Sub-Type will be stored. The
		caller can set this pointer to NULL if the Sub-Type is of no interest.
		ResetSubtypePtr If the provided pointer was not NULL, the Reset Sub-Type is
		stored at the given address. For a list of possible Sub-Type values, see "Reset
		Sub-Types".

9.6 cFE Information APIs 183

Returns

Processor reset type

Return values

```
CFE_PSP_RST_TYPE_POWERON
CFE_PSP_RST_TYPE_PROCESSOR
```

See also

CFE_ES_GetAppID, CFE_ES_GetAppIDByName, CFE_ES_GetAppName, CFE_ES_GetTaskInfo

9.6.2.10 CFE_ES_GetTaskID()

Get the task ID of the calling context.

Description

This retrieves the current task context from OSAL

Assumptions, External Events, and Notes:

Applications which desire to call other CFE ES services such as CFE_ES_TaskGetInfo() should use this API rather than getting the ID from OSAL directly via OS_TaskGetId().

Parameters

out	TaskldPtr	Pointer to variable that is to receive the ID (must not be null). Will be set to the ID of the calling	
		task.	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.6.2.11 CFE_ES_GetTaskInfo()

Get Task Information given a specified Task ID.

Description

This routine retrieves the information about a Task associated with a specified Task ID. The information includes Task Name, and Parent/Creator Application ID.

Assumptions, External Events, and Notes:

None

Parameters

	out	TaskInfo	information. *TaskInfo is the filled out CFE_ES_TaskInfo_t structure containing the Task	
ļ			Name, Parent App Name, Parent App ID among other fields.	
	in	Taskld	Application ID of Application whose name is being requested.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetTaskID, CFE_ES_GetTaskIDByName, CFE_ES_GetTaskName

9.7 cFE Child Task APIs 185

9.7 cFE Child Task APIs

Functions

CFE_Status_t CFE_ES_CreateChildTask (CFE_ES_TaskId_t *TaskIdPtr, const char *TaskName, CFE_ES
 — ChildTaskMainFuncPtr_t FunctionPtr, CFE_ES_StackPointer_t StackPtr, size_t StackSize, CFE_ES_Task
 — Priority_Atom_t Priority, uint32 Flags)

Creates a new task under an existing Application.

CFE_Status_t CFE_ES_GetTaskIDByName (CFE_ES_TaskId_t *TaskIdPtr, const char *TaskName)

Get a Task ID associated with a specified Task name.

CFE_Status_t CFE_ES_GetTaskName (char *TaskName, CFE_ES_TaskId_t TaskId, size_t BufferLength)

Get a Task name for a specified Task ID.

CFE_Status_t CFE_ES_DeleteChildTask (CFE_ES_TaskId_t TaskId)

Deletes a task under an existing Application.

void CFE_ES_ExitChildTask (void)

Exits a child task.

- 9.7.1 Detailed Description
- 9.7.2 Function Documentation

9.7.2.1 CFE_ES_CreateChildTask()

Creates a new task under an existing Application.

Description

This routine creates a new task (a separate execution thread) owned by the calling Application.

Assumptions, External Events, and Notes:

None

Parameters

out	TaskldPtr	A pointer to a variable that will be filled in with the new task's ID (must not be null). TaskIdPtr is the Task ID of the newly created child task.	
in	TaskName	A pointer to a string containing the desired name of the new task (must not be null). This can be up to OS_MAX_API_NAME characters, including the trailing null.	
in	FunctionPtr	A pointer to the function that will be spawned as a new task (must not be null).	
in	StackPtr	A pointer to the location where the child task's stack pointer should start. NOTE: Not all underlying operating systems support this parameter. The CFE_ES_TASK_STACK_ALLOCATE constant may be passed to indicate that the stack should be dynamically allocated.	
in	StackSize	The number of bytes to allocate for the new task's stack (must not be zero).	
in	Priority	The priority for the new task. Lower numbers are higher priority, with 0 being the highest priority.	
in	Flags	Reserved for future expansion.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_CHILD_TASK_CREATE	Child Task Create Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

See also

CFE_ES_DeleteChildTask, CFE_ES_ExitChildTask

9.7.2.2 CFE_ES_DeleteChildTask()

Deletes a task under an existing Application.

Description

This routine deletes a task under an Application specified by the TaskId obtained when the child task was created using the CFE_ES_CreateChildTask API.

Assumptions, External Events, and Notes:

None

9.7 cFE Child Task APIs 187

Parameters

in	Task⊷	The task ID previously obtained when the Child Task was created with the
	ld	CFE_ES_CreateChildTask API.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_CHILD_TASK_DELETE	(return value only verified in coverage test) Child Task
	Delete Error.
CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK	Child Task Delete Passed Main Task.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

See also

CFE_ES_CreateChildTask, CFE_ES_ExitChildTask

9.7.2.3 CFE_ES_ExitChildTask()

Exits a child task.

Description

This routine allows the current executing child task to exit and be deleted by ES.

Assumptions, External Events, and Notes:

This function cannot be called from an Application's Main Task.

Note

This function does not return a value, but if it does return at all, it is assumed that the Task was either unregistered or this function was called from a cFE Application's main task.

See also

 $CFE_ES_CreateChildTask, CFE_ES_DeleteChildTask$

9.7.2.4 CFE_ES_GetTaskIDByName()

Get a Task ID associated with a specified Task name.

Description

This routine retrieves the cFE Task ID associated with a specified Task name.

Assumptions, External Events, and Notes:

None

Parameters

out	TaskldPtr	Pointer to variable that is to receive the Task's ID (must not be null).
in	TaskName	Pointer to null terminated character string containing a Task name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetTaskName

9.7.2.5 CFE_ES_GetTaskName()

Get a Task name for a specified Task ID.

9.7 cFE Child Task APIs 189

Description

This routine retrieves the cFE Task name associated with a specified Task ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

Parameters

out	TaskName	Pointer to a character array (must not be null) of at least BufferLength in size that will	
		be filled with the Task name.	
in	Taskld	Task ID of Task whose name is being requested.	
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the	
		TaskName buffer. This routine will truncate the name to this length, if necessary.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetTaskIDByName

9.8 cFE Miscellaneous APIs

Functions

void CFE_ES_BackgroundWakeup (void)

Wakes up the CFE background task.

• CFE_Status_t CFE_ES_WriteToSysLog (const char *SpecStringPtr,...) OS_PRINTF(1

Write a string to the cFE System Log.

CFE_Status_t uint32 CFE_ES_CalculateCRC (const void *DataPtr, size_t DataLength, uint32 InputCRC, uint32 TypeCRC)

Calculate a CRC on a block of memory.

void CFE ES ProcessAsyncEvent (void)

Notification that an asynchronous event was detected by the underlying OS/PSP.

- 9.8.1 Detailed Description
- 9.8.2 Function Documentation

9.8.2.1 CFE_ES_BackgroundWakeup()

Wakes up the CFE background task.

Description

Normally the ES background task wakes up at a periodic interval. Whenever new background work is added, this can be used to wake the task early, which may reduce the delay between adding the job and the job getting processed.

Assumptions, External Events, and Notes:

Note the amount of work that the background task will perform is pro-rated based on the amount of time elapsed since the last wakeup. Waking the task early will not cause the background task to do more work than it otherwise would - it just reduces the delay before work starts initially.

9.8.2.2 CFE_ES_CalculateCRC()

Calculate a CRC on a block of memory.

Description

This routine calculates a cyclic redundancy check (CRC) on a block of memory. The CRC algorithm used is determined by the last parameter.

Assumptions, External Events, and Notes:

None

Parameters

in	DataPtr	Pointer to the base of the memory block.
in	DataLength	The number of bytes in the memory block.
in	InputCRC	A starting value for use in the CRC calculation. This parameter allows the user to calculate the CRC of non-contiguous blocks as a single value. Nominally, the user should set this value to zero.
in	TypeCRC	One of the following CRC algorithm selections: • CFE_MISSION_ES_CRC_8 - (Not currently implemented) • CFE_MISSION_ES_CRC_16 - CRC-16/ARC Polynomial: 0x8005 Initialization: 0x0000 Reflect Input/Output: true XorOut: 0x0000 • CFE_MISSION_ES_CRC_32 - (not currently implemented)

Returns

The result of the CRC calculation on the specified memory block. If the TypeCRC is unimplemented will return 0. If DataPtr is null or DataLength is 0, will return InputCRC

9.8.2.3 CFE_ES_ProcessAsyncEvent()

Notification that an asynchronous event was detected by the underlying OS/PSP.

Description

This hook routine is called from the PSP when an exception or other asynchronous system event occurs

Assumptions, External Events, and Notes:

The PSP must guarantee that this function is only invoked from a context which may use OSAL primitives. In general this means that it shouldn't be *directly* invoked from an ISR/signal context.

9.8.2.4 CFE_ES_WriteToSysLog()

Write a string to the cFE System Log.

Description

This routine writes a formatted string to the cFE system log. This can be used to record very low-level errors that can't be reported using the Event Services. This function is used in place of printf for flight software. It should be used for significant startup events, critical errors, and conditionally compiled debug software.

Assumptions, External Events, and Notes:

None

Parameters

in	SpecStringPtr	The format string for the log message (must not be null). This is similar to the format string
		for a printf() call.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_SYS_LOG_FULL	System Log Full.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.9 cFE Critical Data Store APIs

Functions

CFE_Status_t CFE_ES_RegisterCDS (CFE_ES_CDSHandle_t *CDSHandlePtr, size_t BlockSize, const char *Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

- CFE_Status_t CFE_ES_GetCDSBlockIDByName (CFE_ES_CDSHandle_t *BlockIdPtr, const char *BlockName)

 Get a CDS Block ID associated with a specified CDS Block name.
- CFE_Status_t CFE_ES_GetCDSBlockName (char *BlockName, CFE_ES_CDSHandle_t BlockId, size_t Buffer
 Length)

Get a Block name for a specified Block ID.

- CFE_Status_t CFE_ES_CopyToCDS (CFE_ES_CDSHandle_t Handle, const void *DataToCopy)
 - Save a block of data in the Critical Data Store (CDS)
- CFE_Status_t CFE_ES_RestoreFromCDS (void *RestoreToMemory, CFE_ES_CDSHandle_t Handle)

Recover a block of data from the Critical Data Store (CDS)

- 9.9.1 Detailed Description
- 9.9.2 Function Documentation

9.9.2.1 CFE_ES_CopyToCDS()

Save a block of data in the Critical Data Store (CDS)

Description

This routine copies a specified block of memory into the Critical Data Store that had been previously registered via CFE_ES_RegisterCDS. The block of memory to be copied must be at least as big as the size specified when registering the CDS.

Assumptions, External Events, and Notes:

None

Parameters

i	n	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.
i	in DataToCopy A Pointer to the block of memory to be copied into the CDS (must not be null).		

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_RegisterCDS, CFE_ES_RestoreFromCDS

9.9.2.2 CFE_ES_GetCDSBlockIDByName()

Get a CDS Block ID associated with a specified CDS Block name.

Description

This routine retrieves the CDS Block ID associated with a specified CDS Block name.

Assumptions, External Events, and Notes:

None

Parameters

out	BlockldPtr	Pointer to variable that is to receive the CDS Block ID (must not be null).	
in	BlockName	ockName Pointer to null terminated character string containing a CDS Block name (must not be null	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.

See also

CFE_ES_GetCDSBlockName

9.9.2.3 CFE_ES_GetCDSBlockName()

Get a Block name for a specified Block ID.

Description

This routine retrieves the cFE Block name associated with a specified Block ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

Parameters

out	BlockName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the CDS Block name.	
in	Blockld	Block ID/Handle of CDS registry entry whose name is being requested.	
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the	
		BlockName buffer. This routine will truncate the name to this length, if necessary.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.

See also

CFE_ES_GetCDSBlockIDByName

9.9.2.4 CFE_ES_RegisterCDS()

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

Description

This routine allocates a block of memory in the Critical Data Store and associates it with the calling Application. The memory can survive an Application restart as well as a Processor Reset.

Assumptions, External Events, and Notes:

This function does *not* clear or otherwise initialize/modify the data within the CDS block. If this function returns CFE_ES_CDS_ALREADY_EXISTS the block may already have valid data in it.

If a new CDS block is reserved (either because the name did not exist, or existed as a different size) it is the responsibility of the calling application to fill the CDS block with valid data. This is indicated by a CFE_SUCCESS return code, and in this case the calling application should ensure that it also calls CFE_ES_CopyToCDS() to fill the block with valid data.

Parameters

out	CDSHandlePtr	Pointer Application's variable that will contain the CDS Memory Block Handle (must not be null). HandlePtr is the handle of the CDS block that can be used in CFE_ES_CopyToCDS and CFE_ES_RestoreFromCDS.	
in	BlockSize	The number of bytes needed in the CDS (must not be zero).	
in	Name	A pointer to a character string (must not be null) containing an application unique name of CFE_MISSION_ES_CDS_MAX_NAME_LENGTH characters or less.	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	The memory block was successfully created in the CDS.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.
CFE_ES_CDS_ALREADY_EXISTS	CDS Already Exists.
CFE_ES_CDS_INVALID_SIZE	CDS Invalid Size.
CFE_ES_CDS_INVALID_NAME	CDS Invalid Name.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_CDS_INVALID	(return value only verified in coverage test) CDS Invalid.

See also

CFE_ES_CopyToCDS, CFE_ES_RestoreFromCDS

9.9.2.5 CFE_ES_RestoreFromCDS()

Recover a block of data from the Critical Data Store (CDS)

Description

This routine copies data from the Critical Data Store identified with the <code>Handle</code> into the area of memory pointed to by the <code>RestoreToMemory</code> pointer. The area of memory to be copied into must be at least as big as the size specified when registering the CDS. The recovery will indicate an error if the data integrity check maintained by the CDS indicates the contents of the CDS have changed. However, the contents will still be copied into the specified area of memory.

Assumptions, External Events, and Notes:

None

Parameters

in	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.	
out	RestoreToMemory	A Pointer to the block of memory (must not be null) that is to be restored with the contents of the CDS. *RestoreToMemory is the contents of the specified CDS.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_CDS_BLOCK_CRC_ERR	(return value only verified in coverage test) CDS Block CRC Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_RegisterCDS, CFE_ES_CopyToCDS

9.10 cFE Memory Manager APIs

Functions

• CFE_Status_t CFE_ES_PoolCreateNoSem (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size)

Initializes a memory pool created by an application without using a semaphore during processing.

 $\bullet \ \ \mathsf{CFE_Status_t} \ \mathsf{CFE_ES_PoolCreate} \ (\mathsf{CFE_ES_MemHandle_t} \ * \mathsf{PoolID}, void \ * \mathsf{MemPtr}, \ \mathsf{size_t} \ \mathsf{Size})$

Initializes a memory pool created by an application while using a semaphore during processing.

CFE_Status_t CFE_ES_PoolCreateEx (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size, uint16
 NumBlockSizes, const size_t *BlockSizes, bool UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

int32 CFE_ES_PoolDelete (CFE_ES_MemHandle_t PoolID)

Deletes a memory pool that was previously created.

- int32 CFE_ES_GetPoolBuf (CFE_ES_MemPoolBuf_t *BufPtr, CFE_ES_MemHandle_t Handle, size_t Size)
 - Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.
- CFE_Status_t CFE_ES_GetPoolBufInfo (CFE_ES_MemHandle_t Handle, CFE_ES_MemPoolBuf_t BufPtr)
 Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.
- int32 CFE_ES_PutPoolBuf (CFE_ES_MemHandle_t Handle, CFE_ES_MemPoolBuf_t BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

• CFE_Status_t CFE_ES_GetMemPoolStats (CFE_ES_MemPoolStats_t *BufPtr, CFE_ES_MemHandle_t Handle)

Extracts the statistics maintained by the memory pool software.

- 9.10.1 Detailed Description
- 9.10.2 Function Documentation
- 9.10.2.1 CFE_ES_GetMemPoolStats()

Extracts the statistics maintained by the memory pool software.

Description

This routine fills the CFE_ES_MemPoolStats_t data structure with the statistics maintained by the memory pool software. These statistics can then be telemetered by the calling Application.

Assumptions, External Events, and Notes:

None

Parameters

	out	BufPtr	Pointer to CFE_ES_MemPoolStats_t data structure (must not be null) to be filled with memory	
			statistics. *BufPtr is the Memory Pool Statistics stored in given data structure.	
Ī	in	Handle	The handle to the memory pool whose statistics are desired.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

9.10.2.2 CFE_ES_GetPoolBuf()

Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.

Description

This routine obtains a block of memory from the memory pool supplied by the calling application.

Assumptions, External Events, and Notes:

1. The size allocated from the memory pool is, at a minimum, 12 bytes more than requested.

Parameters

out	BufPtr	A pointer to the Application's pointer (must not be null) in which will be stored the address of the allocated memory buffer. *BufPtr is the address of the requested buffer.	
in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or	
		CFE_ES_PoolCreateNoSem.	
in	Size	The size of the buffer requested. NOTE: The size allocated may be larger.	

Returns

Bytes Allocated, or error code cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_ERR_MEM_BLOCK_SIZE	Memory Block Size Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_polCreate} CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats, CFE_ES_GetPoolBufInfo$

9.10.2.3 CFE_ES_GetPoolBufInfo()

Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.

Description

This routine gets info on a buffer in the memory pool.

Assumptions, External Events, and Notes:

None

Parameters

in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.	
in	BufPtr	A pointer to the memory buffer to provide status for (must not be null).	

Returns

Size of the buffer if successful, or status code if not successful, see cFE Return Code Defines

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BUFFER_NOT_IN_POOL	Buffer Not In Pool.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_pool} CFE_ES_PoolCreate No Sem, \ CFE_ES_PoolCreate Ex, \ CFE_ES_Get PoolBuf, \ CFE_ES_ \\ Get Mem PoolStats, \ CFE_ES_Put PoolBuf$

9.10.2.4 CFE_ES_PoolCreate()

Initializes a memory pool created by an application while using a semaphore during processing.

Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, mutex handling will be performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

Parameters

out	PooIID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be	
		null). PoolID is the memory pool handle.	
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.	
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_← GetMemPoolStats

9.10.2.5 CFE_ES_PoolCreateEx()

Initializes a memory pool created by an application with application specified block sizes.

Description

This routine initializes a pool of memory supplied by the calling application.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

Parameters

out	PoolID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be null). PoolID is the memory pool handle.	
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.	
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.	
in	NumBlockSizes	The number of different block sizes specified in the BlockSizes array. If set larger than CFE_PLATFORM_ES_POOL_MAX_BUCKETS, CFE_ES_BAD_ARGUMENT will be returned. If BlockSizes is null and NumBlockSizes is 0, NubBlockSizes will be set to CFE_PLATFORM_ES_POOL_MAX_BUCKETS.	
in	BlockSizes	Pointer to an array of sizes to be used instead of the default block sizes specified by CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 through CFE_PLATFORM_ES_MAX_BLOCK_SIZE. If the pointer is equal to NULL, the default block sizes are used.	
in	UseMutex	Flag indicating whether the new memory pool will be processing with mutex handling or not. Valid parameter values are CFE_ES_USE_MUTEX and CFE_ES_NO_MUTEX	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NO_RESOURCE_IDS_AVAILABLE	Resource ID is not available.
CFE_STATUS_EXTERNAL_RESOURCE_F↔	(return value only verified in coverage test) External failure.
AIL	

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_← GetMemPoolStats

9.10.2.6 CFE_ES_PoolCreateNoSem()

Initializes a memory pool created by an application without using a semaphore during processing.

Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, no mutex handling is performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

Parameters

out	PooIID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be
		null). PoolID is the memory pool handle.
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $CFE_ES_PoolCreateEx, \ CFE_ES_GetPoolBuf, \ CFE_ES_PutPoolBuf, \ CFE_ES_GetPoolBuf, \ CFE_E$

9.10.2.7 CFE_ES_PoolDelete()

Deletes a memory pool that was previously created.

Description

This routine removes the pool ID and frees the global table entry for future re-use.

Assumptions, External Events, and Notes:

All buffers associated with the pool become invalid after this call. The application should ensure that buffers/references to the pool are returned before deleting the pool.

Parameters

ſ	in	PooIID	The ID of the pool to delete
---	----	--------	------------------------------

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

See also

 ${\sf CFE_ES_PoolCreate}, \ {\sf CFE_ES_PoolCreate}, \ {\sf CFE_ES_PoolBuf}, \ {\sf CFE_ES_PutPoolBuf}, \ {\sf CFE_ES_PutPoolBuf}, \ {\sf CFE_ES_PoolCreate}, \ {\sf CFE_ES_PoolCreate},$

9.10.2.8 CFE_ES_PutPoolBuf()

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

Description

This routine releases a buffer back into the memory pool.

Assumptions, External Events, and Notes:

None

Parameters

in	Handle	andle The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNo	
in	BufPtr	A pointer to the memory buffer to be released (must not be null).	

Returns

Bytes released, or error code cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_BUFFER_NOT_IN_POOL	Buffer Not In Pool.
CFE_ES_POOL_BLOCK_INVALID	Invalid pool block.

See also

 $\label{lem:cfe_es_pool} CFE_ES_PoolCreate No Sem, \ CFE_ES_PoolCreate Ex, \ CFE_ES_Get PoolBuf, \ CFE_ES_Get PoolBuf, \ CFE_ES_Get PoolBuf Info$

9.11 cFE Performance Monitor APIs

Macros

#define CFE_ES_PerfLogEntry(id) (CFE_ES_PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

• #define CFE_ES_PerfLogExit(id) (CFE_ES_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

Functions

void CFE_ES_PerfLogAdd (uint32 Marker, uint32 EntryExit)
 Adds a new entry to the data buffer.

9.11.1 Detailed Description

9.11.2 Macro Definition Documentation

9.11.2.1 CFE_ES_PerfLogEntry

Entry marker for use with Software Performance Analysis Tool.

Description

This macro logs the entry or start event/marker for the specified entry id. This macro, in conjunction with the CFE_ES_PerfLogExit, is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

None

Parameters

in	id	Identifier of the specific event or marker.
----	----	---

See also

```
CFE_ES_PerfLogExit, CFE_ES_PerfLogAdd
```

Definition at line 1471 of file cfe_es.h.

9.11.2.2 CFE_ES_PerfLogExit

Exit marker for use with Software Performance Analysis Tool.

Description

This macro logs the exit or end event/marker for the specified entry id. This macro, in conjunction with the CFE← _ES_PerfLogEntry, is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

None

Parameters

in	id	Identifier of the specific event or marker.
----	----	---

See also

```
CFE_ES_PerfLogEntry, CFE_ES_PerfLogAdd
```

Definition at line 1490 of file cfe_es.h.

9.11.3 Function Documentation

9.11.3.1 CFE_ES_PerfLogAdd()

Adds a new entry to the data buffer.

Function called by CFE_ES_PerfLogEntry and CFE_ES_PerfLogExit macros

Description

This function logs the entry and exit marker for the specified id. This function is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

This function implements a circular buffer using an array. DataStart points to first stored entry DataEnd points to next available entry if DataStart == DataEnd then the buffer is either empty or full depending on the value of the DataCount

Time is stored as 2 32 bit integers, (TimerLower32, TimerUpper32): TimerLower32 is the current value of the hardware timer register. TimerUpper32 is the number of times the timer has rolled over.

Parameters

in	Marker	Identifier of the specific event or marker.
in	EntryExit	Used to specify Entry(0) or Exit(1)

See also

 ${\sf CFE_ES_PerfLogEntry}, {\sf CFE_ES_PerfLogExit}$

9.12 cFE Generic Counter APIs

Functions

CFE_Status_t CFE_ES_RegisterGenCounter (CFE_ES_CounterId_t *CounterIdPtr, const char *CounterName)
 Register a generic counter.

• CFE_Status_t CFE_ES_DeleteGenCounter (CFE_ES_CounterId_t CounterId)

Delete a generic counter.

CFE Status t CFE ES IncrementGenCounter (CFE ES Counterld t Counterld)

Increments the specified generic counter.

CFE_Status_t CFE_ES_SetGenCount (CFE_ES_CounterId_t CounterId, uint32 Count)

Set the specified generic counter.

• CFE_Status_t CFE_ES_GetGenCount (CFE_ES_CounterId_t CounterId, uint32 *Count)

Get the specified generic counter count.

 CFE_Status_t CFE_ES_GetGenCounterIDByName (CFE_ES_CounterId_t *CounterIdPtr, const cha *CounterName)

Get the Id associated with a generic counter name.

CFE_Status_t CFE_ES_GetGenCounterName (char *CounterName, CFE_ES_CounterId_t CounterId, size_
 t BufferLength)

Get a Counter name for a specified Counter ID.

- 9.12.1 Detailed Description
- 9.12.2 Function Documentation

9.12.2.1 CFE_ES_DeleteGenCounter()

Delete a generic counter.

Description

This routine deletes a previously registered generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter←	The Counter Id of the newly created counter.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_encounter} CFE_ES_IncrementGenCounter, \ CFE_ES_IncrementGenCounter, \ CFE_ES_SetGenCount, \ CFE_ES_GetGenCounter, \ CFE_ES_GetGen$

9.12.2.2 CFE_ES_GetGenCount()

Get the specified generic counter count.

Description

This routine gets the value of a generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter← Id	The Counter to get the value from.
out	Count	Buffer to store value of the Counter (must not be null).

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_register} CFE_ES_RegisterGenCounter, \ \ CFE_ES_SetGenCount, \ \ CFE_ES_Increment \leftarrow GenCounter, \ \ CFE_ES_GetGenCounterIDByName$

9.12.2.3 CFE_ES_GetGenCounterIDByName()

Get the Id associated with a generic counter name.

Description

This routine gets the Counter Id for a generic counter specified by name.

Assumptions, External Events, and Notes:

None.

Parameters

out	CounterIdPtr	Pointer to variable that is to receive the Counter's ID (must not be null).
in	CounterName	Pointer to null terminated character string containing a Counter name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetGenCounterName

9.12.2.4 CFE_ES_GetGenCounterName()

```
CFE_ES_CounterId_t CounterId,
size_t BufferLength )
```

Get a Counter name for a specified Counter ID.

Description

This routine retrieves the cFE Counter name associated with a specified Counter ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

Parameters

out	CounterName	Pointer to a character array (must not be null) of at least BufferLength in size that will
		be filled with the Counter name.
in	CounterId	ID of Counter whose name is being requested.
in	BufferLength	The maximum number of characters, including the null terminator (must not be zero), that can be put into the CounterName buffer. This routine will truncate the name to this length, if necessary.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetGenCounterIDByName

9.12.2.5 CFE_ES_IncrementGenCounter()

Increments the specified generic counter.

Description

This routine increments the specified generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter⊷	The Counter to be incremented.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_RegisterGenCounter, CFE_ES_DeleteGenCounter, CFE_ES_SetGenCount, CFE_ES_GetGenCount, CFE_ES_GetGenCounterIDByName

9.12.2.6 CFE_ES_RegisterGenCounter()

Register a generic counter.

Description

This routine registers a generic thread-safe counter which can be used for inter-task management.

Assumptions, External Events, and Notes:

The initial value of all newly registered counters is 0.

Parameters

out	CounterIdPtr	Buffer to store the Counter Id of the newly created counter (must not be null).
in	CounterName	The Name of the generic counter (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_DUPLICATE_NAME	Duplicate Name Error.
CFE_ES_NO_RESOURCE_IDS_AVAILABLE	Resource ID is not available.

See also

 $\label{lem:cfe_es_def} \mbox{CFE_ES_IncrementGenCounter}, \ \ \mbox{CFE_ES_DeleteGenCounter}, \ \ \mbox{CFE_ES_SetGenCount}, \ \ \mbox{CFE_ES_GetGenCounter} \ \mbox{Count}, \ \mbox{CFE_ES_GetGenCounter} \ \mbox{DByName}$

9.12.2.7 CFE_ES_SetGenCount()

Set the specified generic counter.

Description

This routine sets the specified generic counter to the specified value.

Assumptions, External Events, and Notes:

None.

Parameters

	in	Counter⊷	The Counter to be set.
		ld	
ĺ	in	Count	The new value of the Counter.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_register} CFE_ES_DeleteGenCounter, \ CFE_ES_IncrementGenCounter, \ CFE_ES_Get \\ GenCount, \ CFE_ES_GetGenCounterIDByName$

9.13 cFE Registration APIs

Functions

• CFE_Status_t CFE_EVS_Register (const void *Filters, uint16 NumEventFilters, uint16 FilterScheme)

Register an application for receiving event services.

- 9.13.1 Detailed Description
- 9.13.2 Function Documentation

```
9.13.2.1 CFE_EVS_Register()
```

Register an application for receiving event services.

Description

This routine registers an application with event services and allocates/initializes the internal data structures used to support this application's events. An application may not send events unless it has called this routine. The routine also accepts a filter array structure for applications requiring event filtering. In the current implementation of the EVS, only the binary filtering scheme is supported. See section TBD of the cFE Application Programmer's Guide for a description of the behavior of binary filters. Applications may call CFE_EVS_Register more than once, but each call will wipe out all filters registered by previous calls (filter registration is NOT cumulative).

Assumptions, External Events, and Notes:

Note: Event filters can be added, deleted or modified by ground commands. All filtering schemes include a default setting that results in no filtering (such as CFE_EVS_NO_FILTER for binary filters).

Filter Scheme: Binary

Code: CFE_EVS_EventFilter_BINARY

Filter Structure:

```
typedef struct CFE_EVS_BinFilter {
    uint16    EventID,
    uint16    Mask;
} CFE_EVS_BinFilter_t;
```

Parameters

in	Filters	Pointer to an array of event message filters, or NULL if no filtering is desired. The structure of an event message filter depends on the FilterScheme selected. (see Filter Schemes mentioned above)
in	NumEventFilters	The number of event message filters included in this call. This must be less than or equal to the maximum number of events allowed per application (CFE_PLATFORM_EVS_MAX_EVENT_FILTERS).
in	FilterScheme	The event filtering scheme that this application will use. For the first implementation of the event services, only filter type CFE_EVS_EventFilter_BINARY will be supported.

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_FILTER_OVERLOAD	Application Filter Overload.
CFE_EVS_UNKNOWN_FILTER	Unknown Filter.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.14 cFE Send Event APIs

Functions

 CFE_Status_t CFE_EVS_SendEvent (uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(3
 Generate a software event.

CFE_Status_t CFE_Status_t CFE_EVS_SendEventWithAppID (uint16 EventID, uint16 EventType, CFE_ES_
 — AppId t AppID, const char *Spec,...) OS PRINTF(4

Generate a software event given the specified Application ID.

 CFE_Status_t CFE_Status_t CFE_EVS_SendTimedEvent (CFE_TIME_SysTime_t Time, uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(4

Generate a software event with a specific time tag.

- 9.14.1 Detailed Description
- 9.14.2 Function Documentation

9.14.2.1 CFE_EVS_SendEvent()

Generate a software event.

Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s).

Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and
		supplied by the application sending the event.

9.14 cFE Send Event APIs 221

Parameters

in	EventType	A numeric literal used to classify an event, one of:
		CFE_EVS_EventType_DEBUG
		CFE_EVS_EventType_INFORMATION
		CFE_EVS_EventType_ERROR
		CFE_EVS_EventType_CRITICAL
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

See also

CFE_EVS_SendEventWithAppID, CFE_EVS_SendTimedEvent

9.14.2.2 CFE_EVS_SendEventWithAppID()

Generate a software event given the specified Application ID.

Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s). Note that this function should really only be used from within an API in order to preserve the context of an Application's event. In general, CFE_EVS_SendEvent should be used.

Assumptions, External Events, and Notes:

The Application ID must correspond to a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.
in	EventType	A numeric literal used to classify an event, one of:
		CFE_EVS_EventType_DEBUG
		CFE_EVS_EventType_INFORMATION
		CFE_EVS_EventType_ERROR
		CFE_EVS_EventType_CRITICAL
in	AppID	The Application ID from which the event message should appear.
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

See also

CFE EVS SendEvent, CFE EVS SendTimedEvent

9.14 cFE Send Event APIs 223

9.14.2.3 CFE_EVS_SendTimedEvent()

Generate a software event with a specific time tag.

Description

This routine is the same as CFE_EVS_SendEvent except that the caller specifies the event time instead of having the EVS use the current spacecraft time. This routine should be used in situations where an error condition is detected at one time, but the event message is reported at a later time.

Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	Time	The time to include in the event. This will usually be a time returned by the function CFE_TIME_GetTime.	
in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.	
in	EventType	A numeric literal used to classify an event, one of:	
		CFE_EVS_EventType_DEBUG	
		CFE_EVS_EventType_INFORMATION	
		CFE_EVS_EventType_ERROR	
		CFE_EVS_EventType_CRITICAL	
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

See also

 ${\sf CFE_EVS_SendEventWithAppID}$

9.15 cFE Reset Event Filter APIs

Functions

CFE_Status_t CFE_EVS_ResetFilter (uint16 EventID)

Resets the calling application's event filter for a single event ID.

CFE_Status_t CFE_EVS_ResetAllFilters (void)

Resets all of the calling application's event filters.

- 9.15.1 Detailed Description
- 9.15.2 Function Documentation

9.15.2.1 CFE_EVS_ResetAllFilters()

Resets all of the calling application's event filters.

Description

This routine resets all the calling application's event filter counters to zero, providing a quick and convenient method for resetting event filters.

Assumptions, External Events, and Notes:

None

Returns

Execution status below or from CFE ES GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_ResetFilter

9.15.2.2 CFE_EVS_ResetFilter()

Resets the calling application's event filter for a single event ID.

Description

Resets the filter such that the next event is treated like the first. For example, if the filter was set to only send the first event, the next event following the reset would be sent.

Assumptions, External Events, and Notes:

None

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and	
		supplied by the application sending the event.	

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_EVT_NOT_REGISTERED	Event Not Registered.

See also

CFE_EVS_ResetAllFilters

9.16 cFE File Header Management APIs

Functions

• CFE Status t CFE FS ReadHeader (CFE FS Header t *Hdr, osal id t FileDes)

Read the contents of the Standard cFE File Header.

• void CFE_FS_InitHeader (CFE_FS_Header_t *Hdr, const char *Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

CFE_Status_t CFE_FS_WriteHeader (osal_id_t FileDes, CFE_FS_Header_t *Hdr)

Write the specified Standard cFE File Header to the specified file.

CFE_Status_t CFE_FS_SetTimestamp (osal_id_t FileDes, CFE_TIME_SysTime_t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

- 9.16.1 Detailed Description
- 9.16.2 Function Documentation

9.16.2.1 CFE_FS_InitHeader()

Initializes the contents of the Standard cFE File Header.

Description

This API will clear the specified CFE_FS_Header_t variable and initialize the description field with the specified value

Parameters

in	Hdr Pointer to a variable of type CFE_FS_Header_t that will be cleared and initialized	
in	Description Initializes Header's Description (must not be null)	
in	SubType	Initializes Header's SubType

See also

CFE_FS_WriteHeader

9.16.2.2 CFE_FS_ReadHeader()

Read the contents of the Standard cFE File Header.

Description

This API will fill the specified CFE_FS_Header_t variable with the contents of the Standard cFE File Header of the file identified by the given File Descriptor.

Assumptions, External Events, and Notes:

- 1. The File has already been successfully opened using OS_OpenCreate and the caller has a legitimate File Descriptor.
- 2. File offset behavior: Agnostic on entry since it will move the offset to the start of the file, on success the offset will be at the end of the header, undefined offset behavior for error cases.

Parameters

out	Hdr	Pointer to a variable of type CFE_FS_Header_t (must not be null) that will be filled with the contents of the Standard cFE File Header. *Hdr is the contents of the Standard cFE File Header for the specified file.
in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the file whose header is to be read.

Returns

Bytes read or error status from OSAL

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
---------------------	---------------

Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

See also

CFE_FS_WriteHeader

9.16.2.3 CFE_FS_SetTimestamp()

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

Description

This API will modify the timestamp found in the Standard cFE File Header of the specified file. The timestamp will be replaced with the time specified by the caller.

Assumptions, External Events, and Notes:

- The File has already been successfully opened using OS_OpenCreate and the caller has a legitimate File Descriptor.
- 2. The NewTimestamp field has been filled appropriately by the Application.
- 3. File offset behavior: Agnostic on entry since it will move the offset, on success the offset will be at the end of the time stamp, undefined offset behavior for error cases.

Parameters

in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the	
		file whose header is to be read.	
in	NewTimestamp	A CFE_TIME_SysTime_t data structure containing the desired time to be put into the file's	
		Standard cFE File Header.	

Returns

Execution status, see cFE Return Code Defines, or OSAL status

Return values

CFE_STATUS_EXTERNAL_RESOURCE_F↔	(return value only verified in coverage test) External failure.
AIL	
CFE_SUCCESS	Successful execution.

Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

9.16.2.4 CFE_FS_WriteHeader()

Write the specified Standard cFE File Header to the specified file.

Description

This API will output the specified CFE_FS_Header_t variable, with some fields automatically updated, to the specified file as the Standard cFE File Header. This API will automatically populate the following fields in the specified CFE_FS_Header_t:

- 1. ContentType Filled with 0x63464531 ('cFE1')
- 2. Length Filled with the sizeof(CFE FS Header t)
- 3. Spacecraft ID Filled with the Spacecraft ID
- 4. ProcessorID Filled with the Processor ID
- 5. ApplicationID Filled with the Application ID
- 6. TimeSeconds Filled with the Time, in seconds, as obtained by CFE TIME GetTime
- 7. TimeSubSeconds Filled with the Time, subseconds, as obtained by CFE TIME GetTime

Assumptions, External Events, and Notes:

- 1. The File has already been successfully opened using OS_OpenCreate and the caller has a legitimate File Descriptor.
- 2. The SubType field has been filled appropriately by the Application.
- 3. The Description field has been filled appropriately by the Application.
- 4. File offset behavior: Agnostic on entry since it will move the offset to the start of the file, on success the offset will be at the end of the header, undefined offset behavior for error cases.

Parameters

in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the file
		whose header is to be read.
out	Hdr	Pointer to a variable of type CFE_FS_Header_t (must not be null) that will be filled with the contents of the Standard cFE File Header. *Hdr is the contents of the Standard cFE File Header for the specified file.

Returns

Bytes read or error status from OSAL

Return values

CFE_FS_BAD_ARGUMENT | Bad Argument.

Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

See also

CFE_FS_ReadHeader

9.17 cFE File Utility APIs

Functions

const char * CFE FS GetDefaultMountPoint (CFE FS FileCategory t FileCategory)

Get the default virtual mount point for a file category.

const char * CFE_FS_GetDefaultExtension (CFE_FS_FileCategory_t FileCategory)

Get the default filename extension for a file category.

int32 CFE_FS_ParseInputFileNameEx (char *OutputBuffer, const char *InputBuffer, size_t OutputBufSize, size
 _t InputBufSize, const char *DefaultInput, const char *DefaultPath, const char *DefaultExtension)

Parse a filename input from an input buffer into a local buffer.

int32 CFE_FS_ParseInputFileName (char *OutputBuffer, const char *InputName, size_t OutputBufSize, CFE_←
FS_FileCategory_t FileCategory)

Parse a filename string from the user into a local buffer.

CFE_Status_t CFE_FS_ExtractFilenameFromPath (const char *OriginalPath, char *FileNameOnly)

Extracts the filename from a unix style path and filename string.

int32 CFE_FS_BackgroundFileDumpRequest (CFE_FS_FileWriteMetaData_t *Meta)

Register a background file dump request.

bool CFE FS BackgroundFileDumplsPending (const CFE FS FileWriteMetaData t *Meta)

Query if a background file write request is currently pending.

- 9.17.1 Detailed Description
- 9.17.2 Function Documentation

9.17.2.1 CFE_FS_BackgroundFileDumplsPending()

Query if a background file write request is currently pending.

Description

This returns "true" while the request is on the background work queue This returns "false" once the request is complete and removed from the queue.

Assumptions, External Events, and Notes:

None

Parameters

in,out	Meta	The background file write persistent state object (must not be null)	1
--------	------	--	---

Returns

boolean value indicating if request is already pending

Return values

true	if request is pending
false	if request is not pending

9.17.2.2 CFE_FS_BackgroundFileDumpRequest()

Register a background file dump request.

Description

Puts the previously-initialized metadata into the pending request queue

Assumptions, External Events, and Notes:

Metadata structure should be stored in a persistent memory area (not on stack) as it must remain accessible by the file writer task throughout the asynchronous job operation.

Parameters

in,out	Meta	The background file write persistent state object (must not be null)	
--------	------	--	--

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_STATUS_REQUEST_ALREADY_PENDING	Request already pending.
CFE_SUCCESS	Successful execution.

9.17.2.3 CFE_FS_ExtractFilenameFromPath()

```
CFE_Status_t CFE_FS_ExtractFilenameFromPath (
```

```
const char * OriginalPath,
char * FileNameOnly )
```

Extracts the filename from a unix style path and filename string.

Description

This API will take the original unix path/filename combination and extract the base filename. Example: Given the path/filename: "/cf/apps/myapp.o.gz" this function will return the filename: "myapp.o.gz".

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are the standard unix style filenames separated by "/" characters.
- 2. The extracted filename (including terminator) is no longer than OS_MAX_PATH_LEN

Parameters

in	OriginalPath	The original path (must not be null)
out	FileNameOnly	The filename that is extracted from the path (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_FNAME_TOO_LONG	Filename Too Long.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_SUCCESS	Successful execution.

9.17.2.4 CFE_FS_GetDefaultExtension()

Get the default filename extension for a file category.

Certain file types may have an extension that varies from system to system. This is primarily an issue for application modules which are ".so" on Linux systems, ".dll" on Windows, ".o" on VxWorks, ".obj" on RTEMS, and so on.

This uses a combination of compile-time configuration and hints from the build environment to get the default/expected extension for a given file category.

Returns

String containing the extension

Return values

NULL if no default extension is known for the given file category

9.17.2.5 CFE_FS_GetDefaultMountPoint()

Get the default virtual mount point for a file category.

Certain classes of files generally reside in a common directory, mainly either the persistent storage (/cf typically) or ram disk (/ram typically).

Ephemeral status files are generally in the ram disk while application modules and scripts are generally in the persistent storage.

This returns the expected directory for a given class of files in the form of a virtual OSAL mount point string.

Returns

String containing the mount point

Return values

NULL | if no mount point is known for the given file category

9.17.2.6 CFE_FS_ParseInputFileName()

Parse a filename string from the user into a local buffer.

Description

Simplified API for CFE_FS_ParseInputFileNameEx() where input is always known to be a non-empty, null terminated string and the fixed-length input buffer not needed. For instance this may be used where the input is a fixed string from cfe platform cfg.h or similar.

Assumptions, External Events, and Notes:

The parameters are organized such that this is basically like strncpy() with an extra argument, and existing file name accesses which use a direct copy can easily change to use this instead.

See also

CFE_FS_ParseInputFileNameEx()

Parameters

out	OutputBuffer	Buffer to store result (must not be null).
in	InputName	A null terminated input string (must not be null).
in	OutputBufSize	Maximum Size of output buffer (must not be zero).
in	FileCategory	The generalized category of file (implies default path/extension)

Returns

Execution status, see cFE Return Code Defines

9.17.2.7 CFE_FS_ParseInputFileNameEx()

Parse a filename input from an input buffer into a local buffer.

Description

This provides a more user friendly way to specify file names, using default values for the path and extension, which can vary from system to system.

If InputBuffer is null or its length is zero, then DefaultInput is used as if it was the content of the input buffer.

If either the pathname or extension is missing from the input, it will be added from defaults, with the complete fully-qualified filename stored in the output buffer.

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are the standard unix style filenames separated by "/" (path) and "." (extension) characters.
- 2. Input Buffer has a fixed max length. Parsing will not exceed InputBufSize, and does not need to be null terminated. However parsing will stop at the first null char, when the input is shorter than the maximum.

Parameters

out	OutputBuffer	Buffer to store result (must not be null).
in	InputBuffer	A input buffer that may contain a file name (e.g. from command) (must not be null).
in	OutputBufSize	Maximum Size of output buffer (must not be zero).
in	InputBufSize	Maximum Size of input buffer.
in	DefaultInput	Default value to use for input if InputBffer is empty
in	DefaultPath	Default value to use for pathname if omitted from input
in	DefaultExtension	Default value to use for extension if omitted from input

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_FNAME_TOO_LONG	Filename Too Long.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_SUCCESS	Successful execution.

9.18 cFE Generic Message APIs

Functions

CFE_Status_t CFE_MSG_Init (CFE_MSG_Message_t *MsgPtr, CFE_SB_MsgId_t MsgId, CFE_MSG_Size_
 t Size)

Initialize a message.

- 9.18.1 Detailed Description
- 9.18.2 Function Documentation

9.18.2.1 CFE_MSG_Init()

Initialize a message.

Description

This routine initialize a message. The entire message is set to zero (based on size), defaults are set, then the size and bits from Msgld are set.

Parameters

out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Msgld	Msgld that corresponds to message
in	Size	Total size of the message (used to set length field)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19 cFE Message Primary Header APIs

Functions

- CFE_Status_t CFE_MSG_GetSize (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t *Size)

 Gets the total size of a message.
- CFE_Status_t CFE_MSG_SetSize (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t Size)
 Sets the total size of a message.
- CFE_Status_t CFE_MSG_GetType (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t *Type)
 Gets the message type.
- CFE_Status_t CFE_MSG_SetType (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t Type)

 Sets the message type.

Gets the message header version.

 CFE_Status_t CFE_MSG_SetHeaderVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_HeaderVersion_← t Version)

Sets the message header version.

CFE_Status_t CFE_MSG_GetHasSecondaryHeader (const CFE_MSG_Message_t *MsgPtr, bool *Has← Secondary)

Gets the message secondary header boolean.

- CFE_Status_t CFE_MSG_SetHasSecondaryHeader (CFE_MSG_Message_t *MsgPtr, bool HasSecondary)
 Sets the message secondary header boolean.
- CFE_Status_t CFE_MSG_GetApId (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t *ApId)
 Gets the message application ID.
- CFE_Status_t CFE_MSG_SetApId (CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t ApId)
 Sets the message application ID.
- CFE_Status_t CFE_MSG_GetSegmentationFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_← SegmentationFlag_t *SegFlag)

Gets the message segmentation flag.

CFE_Status_t CFE_MSG_SetSegmentationFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Segmentation←
 Flag t SegFlag)

Sets the message segmentation flag.

CFE_Status_t CFE_MSG_GetSequenceCount (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Sequence ← Count t *SeqCnt)

Gets the message sequence count.

CFE_Status_t CFE_MSG_SetSequenceCount (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount
 _t SeqCnt)

Sets the message sequence count.

- CFE_MSG_SequenceCount_t CFE_MSG_GetNextSequenceCount (CFE_MSG_SequenceCount_t SeqCnt)
 Gets the next sequence count value (rolls over if appropriate)
- 9.19.1 Detailed Description
- 9.19.2 Function Documentation

9.19.2.1 CFE_MSG_GetApId()

Gets the message application ID.

Description

This routine gets the message application ID.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Apld	Application ID (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.2 CFE_MSG_GetHasSecondaryHeader()

Gets the message secondary header boolean.

Description

This routine gets the message secondary header boolean.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	HasSecondary	Has secondary header flag (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.3 CFE_MSG_GetHeaderVersion()

Gets the message header version.

Description

This routine gets the message header version.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Version	Header version (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

	CFE_SUCCESS	Successful execution.
CFE_M	SG_BAD_ARGUMENT	Error - bad argument.

9.19.2.4 CFE_MSG_GetNextSequenceCount()

```
\label{eq:cfe_MSG_SequenceCount_t} \mbox{CFE\_MSG\_GetNextSequenceCount} \  \  ( \mbox{CFE\_MSG\_SequenceCount\_t } \mbox{ SeqCnt })
```

Gets the next sequence count value (rolls over if appropriate)

Description

Abstract method to get the next valid sequence count value. Will roll over to zero for any input value greater than or equal to the maximum possible sequence count value given the field in the header.

Parameters

in SeqCnt Sequence of	count
---------------------------	-------

Returns

The next valid sequence count value

9.19.2.5 CFE_MSG_GetSegmentationFlag()

Gets the message segmentation flag.

Description

This routine gets the message segmentation flag

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	SegFlag	Segmentation flag (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.6 CFE_MSG_GetSequenceCount()

```
CFE_Status_t CFE_MSG_GetSequenceCount (
```

```
const CFE_MSG_Message_t * MsgPtr,
CFE_MSG_SequenceCount_t * SeqCnt )
```

Gets the message sequence count.

Description

This routine gets the message sequence count.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	SeqCnt	Sequence count (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.7 CFE_MSG_GetSize()

Gets the total size of a message.

Description

This routine gets the total size of the message.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Size	Total message size (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.8 CFE_MSG_GetType()

Gets the message type.

Description

This routine gets the message type.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	Туре	Message type (must not be null)	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.9 CFE_MSG_SetApId()

Sets the message application ID.

Description

This routine sets the message application ID. Typically set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Apld	Application ID

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.10 CFE_MSG_SetHasSecondaryHeader()

Sets the message secondary header boolean.

Description

This routine sets the message secondary header boolean. Typically only set within message initialization and not used by APPs.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	HasSecondary	Has secondary header flag

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.11 CFE_MSG_SetHeaderVersion()

Sets the message header version.

Description

This routine sets the message header version. Typically only set within message initialization and not used by APPs.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message.
in	Version	Header version

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.12 CFE_MSG_SetSegmentationFlag()

Sets the message segmentation flag.

Description

This routine sets the message segmentation flag.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	SegFlag	Segmentation flag

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.13 CFE_MSG_SetSequenceCount()

Sets the message sequence count.

Description

This routine sets the message sequence count.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	SeqCnt	Sequence count

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.14 CFE_MSG_SetSize()

Sets the total size of a message.

Description

This routine sets the total size of the message.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Size	Total message size

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.15 CFE_MSG_SetType()

Sets the message type.

Description

This routine sets the message type.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Туре	Message type

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20 cFE Message Extended Header APIs

Functions

CFE_Status_t CFE_MSG_GetEDSVersion (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_

 t *Version)

Gets the message EDS version.

- CFE_Status_t CFE_MSG_SetEDSVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t Version)
 Sets the message EDS version.
- CFE_Status_t CFE_MSG_GetEndian (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t *Endian)

 Gets the message endian.
- CFE_Status_t CFE_MSG_SetEndian (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t Endian)
 Sets the message endian.
- CFE_Status_t CFE_MSG_GetPlaybackFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag
 — t *PlayFlag)

Gets the message playback flag.

CFE_Status_t CFE_MSG_SetPlaybackFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_
 t PlayFlag)

Sets the message playback flag.

CFE_Status_t CFE_MSG_GetSubsystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_
 t *Subsystem)

Gets the message subsystem.

CFE_Status_t CFE_MSG_SetSubsystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t Subsystem)

Sets the message subsystem.

- CFE_Status_t CFE_MSG_GetSystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t *System)

 Gets the message system.
- CFE_Status_t CFE_MSG_SetSystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t System)

 Sets the message system.
- 9.20.1 Detailed Description
- 9.20.2 Function Documentation

9.20.2.1 CFE MSG GetEDSVersion()

Gets the message EDS version.

Description

This routine gets the message EDS version.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	Version	EDS Version (must not be null)	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20.2.2 CFE_MSG_GetEndian()

Gets the message endian.

Description

This routine gets the message endian.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Endian	Endian (must not be null)

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20.2.3 CFE_MSG_GetPlaybackFlag()

Gets the message playback flag.

Description

This routine gets the message playback flag.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	PlayFlag	Playback Flag (must not be null)	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20.2.4 CFE_MSG_GetSubsystem()

Gets the message subsystem.

Description

This routine gets the message subsystem

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Subsystem	Subsystem (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20.2.5 CFE_MSG_GetSystem()

Gets the message system.

Description

This routine gets the message system id

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	System	System (must not be null)	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20.2.6 CFE_MSG_SetEDSVersion()

Sets the message EDS version.

Description

This routine sets the message EDS version.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Version	EDS Version

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20.2.7 CFE_MSG_SetEndian()

Sets the message endian.

Description

This routine sets the message endian. Invalid endian selection will set big endian.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Endian	Endian

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20.2.8 CFE_MSG_SetPlaybackFlag()

Sets the message playback flag.

Description

This routine sets the message playback flag.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	PlayFlag	Playback Flag

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20.2.9 CFE_MSG_SetSubsystem()

Sets the message subsystem.

Description

This routine sets the message subsystem. Some bits may be set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Subsystem	Subsystem

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20.2.10 CFE_MSG_SetSystem()

Sets the message system.

Description

This routine sets the message system id. Some bits may be set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	System	System

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.21 cFE Message Secondary Header APIs

Functions

CFE_Status_t CFE_MSG_GenerateChecksum (CFE_MSG_Message_t *MsgPtr)

Calculates and sets the checksum of a message.

- CFE_Status_t CFE_MSG_ValidateChecksum (const CFE_MSG_Message_t *MsgPtr, bool *IsValid)
 Validates the checksum of a message.
- CFE_Status_t CFE_MSG_SetFcnCode (CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t FcnCode)
 Sets the function code field in a message.
- CFE_Status_t CFE_MSG_GetFcnCode (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t *Fcn← Code)

Gets the function code field from a message.

- CFE_Status_t CFE_MSG_GetMsgTime (const CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t *Time)

 Gets the time field from a message.
- CFE_Status_t CFE_MSG_SetMsgTime (CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t NewTime)

 Sets the time field in a message.
- 9.21.1 Detailed Description
- 9.21.2 Function Documentation
- 9.21.2.1 CFE_MSG_GenerateChecksum()

Calculates and sets the checksum of a message.

Description

This routine calculates the checksum of a message according to an implementation-defined algorithm. Then, it sets the checksum field in the message with the calculated value. The contents and location of this field will depend on the underlying implementation of messages. It may be a checksum, a CRC, or some other algorithm.

Assumptions, External Events, and Notes:

 If the underlying implementation of messages does not include a checksum field, then this routine will return CFE MSG WRONG MSG TYPE

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
--------	--------	---

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

9.21.2.2 CFE_MSG_GetFcnCode()

Gets the function code field from a message.

Description

This routine gets the function code from a message.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a function code field, then this routine will set FcnCode to zero and return CFE_MSG_WRONG_MSG_TYPE

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	FcnCode	The function code from the message (must not be null)

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

9.21.2.3 CFE_MSG_GetMsgTime()

Gets the time field from a message.

Description

This routine gets the time from a message.

Assumptions, External Events, and Notes:

- If the underlying implementation of messages does not include a time field, then this routine will set Time to zero and return CFE_MSG_WRONG_MSG_TYPE
- Note default implementation of command messages do not have a time field.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be not	
out	ut Time Time from the message (must not be null)		

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

9.21.2.4 CFE_MSG_SetFcnCode()

Sets the function code field in a message.

Description

This routine sets the function code of a message.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a function code field, then this routine will do nothing to the message contents and will return CFE_MSG_WRONG_MSG_TYPE.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
in FcnCode The		The function code to include in the message.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

9.21.2.5 CFE_MSG_SetMsgTime()

Sets the time field in a message.

Description

This routine sets the time of a message. Most applications will want to use CFE_SB_TimeStampMsg instead of this function. But, when needed, this API can be used to set multiple messages with identical time stamps.

Assumptions, External Events, and Notes:

- If the underlying implementation of messages does not include a time field, then this routine will do nothing to the message contents and will return CFE_MSG_WRONG_MSG_TYPE.
- Note default implementation of command messages do not have a time field.

Parameters

in,out	MsgPtr	A pointer to the message (must not be null).	
in	NewTime	The time to include in the message. This will usually be a time from CFE_TIME_GetTime.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

9.21.2.6 CFE_MSG_ValidateChecksum()

Validates the checksum of a message.

Description

This routine validates the checksum of a message according to an implementation-defined algorithm.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a checksum field, then this routine will return CFE_MSG_WRONG_MSG_TYPE and set the IsValid parameter false.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null). This must point to the first byte of the message header.	
out	IsValid	Checksum validation result (must not be null)	
		true - validfalse - invalid or not supported/implemented	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

9.22 cFE Message Id APIs

Functions

- CFE_Status_t CFE_MSG_GetMsgld (const CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t *Msgld)

 Gets the message id from a message.
- CFE_Status_t CFE_MSG_SetMsgld (CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t Msgld)

 Sets the message id bits in a message.
- CFE_Status_t CFE_MSG_GetTypeFromMsgld (CFE_SB_Msgld_t Msgld, CFE_MSG_Type_t *Type)

 Gets message type using message ID.
- 9.22.1 Detailed Description
- 9.22.2 Function Documentation

9.22.2.1 CFE_MSG_GetMsgld()

Gets the message id from a message.

Description

This routine gets the message id from a message. The message id is a hash of bits in the message header, used by the software bus for routing. Message id needs to be unique for each endpoint in the system.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null)	
out Msgld Message id (must not be null)		Message id (must not be null)	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.22.2.2 CFE_MSG_GetTypeFromMsgld()

Gets message type using message ID.

Description

This routine gets the message type using the message ID

Parameters

in	Msg← Id	Message id
out	Туре	Message type (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.22.2.3 CFE_MSG_SetMsgld()

Sets the message id bits in a message.

Description

This routine sets the message id bits in a message. The message id is a hash of bits in the message header, used by the software bus for routing. Message id needs to be unique for each endpoint in the system.

Note

This API only sets the bits in the header that make up the message ID. No other values in the header are modified.

The user should ensure that this function is only called with a valid Msgld parameter value. If called with an invalid value, the results are implementation-defined. The implementation may or may not return the error code CFE_MSG_BAD_ \leftarrow ARGUMENT in this case.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Msgld	Message id

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.23 cFE Pipe Management APIs

Functions

- CFE_Status_t CFE_SB_CreatePipe (CFE_SB_PipeId_t *PipeIdPtr, uint16 Depth, const char *PipeName)
 Creates a new software bus pipe.
- CFE_Status_t CFE_SB_DeletePipe (CFE_SB_PipeId_t PipeId)

Delete a software bus pipe.

• CFE_Status_t CFE_SB_PipeId_ToIndex (CFE_SB_PipeId_t PipeID, uint32 *Idx)

Obtain an index value correlating to an SB Pipe ID.

CFE_Status_t CFE_SB_SetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 Opts)

Set options on a pipe.

• CFE_Status_t CFE_SB_GetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 *OptsPtr)

Get options on a pipe.

- CFE_Status_t CFE_SB_GetPipeName (char *PipeNameBuf, size_t PipeNameSize, CFE_SB_PipeId_t PipeId)

 Get the pipe name for a given id.
- CFE_Status_t CFE_SB_GetPipeIdByName (CFE_SB_PipeId_t *PipeIdPtr, const char *PipeName)

 Get pipe id by pipe name.
- 9.23.1 Detailed Description
- 9.23.2 Function Documentation

9.23.2.1 CFE_SB_CreatePipe()

Creates a new software bus pipe.

Description

This routine creates and initializes an input pipe that the calling application can use to receive software bus messages. By default, no messages are routed to the new pipe. So, the application must use CFE_SB_Subscribe to specify which messages it wants to receive on this pipe.

Assumptions, External Events, and Notes:

None

Parameters

out	PipeldPtr	A pointer to a variable of type CFE_SB_Pipeld_t (must not be null), which will be filled in with
		the pipe ID information by the CFE_SB_CreatePipe routine. *PipeIdPtr is the identifier for the created pipe.
		created pipe.
in	Depth	The maximum number of messages that will be allowed on this pipe at one time.
in	PipeName	A string (must not be null) to be used to identify this pipe in error messages and routing information telemetry. The string must be no longer than OS_MAX_API_NAME (including
		terminator). Longer strings will be truncated.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MAX_PIPES_MET	Max Pipes Met.
CFE_SB_PIPE_CR_ERR	Pipe Create Error.

See also

CFE_SB_DeletePipe CFE_SB_GetPipeOpts CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

9.23.2.2 CFE_SB_DeletePipe()

Delete a software bus pipe.

Description

This routine deletes an input pipe and cleans up all data structures associated with the pipe. All subscriptions made for this pipe by calls to CFE_SB_Subscribe will be automatically removed from the SB routing tables. Any messages in the pipe will be discarded.

Applications should not call this routine for all of their SB pipes as part of their orderly shutdown process, as the pipe will be deleted by the support framework at the appropriate time.

Assumptions, External Events, and Notes:

None

Parameters

in	Pipe⊷	The pipe ID (obtained previously from CFE_SB_CreatePipe) of the pipe to be deleted.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_SB_CreatePipe\ CFE_SB_GetPipe\ Opts\ CFE_SB_SetPipe\ Opts\ CFE_SB_GetPipe\ IdBy\ Name}$

9.23.2.3 CFE_SB_GetPipeIdByName()

Get pipe id by pipe name.

Description

This routine finds the pipe id for a pipe name.

Parameters

in	PipeName	The name of the pipe (must not be null).
out	PipeldPtr	The Pipeld for that name (must not be null).

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_PIPEOPTS_IGNOREMINE

9.23.2.4 CFE_SB_GetPipeName()

Get the pipe name for a given id.

Description

This routine finds the pipe name for a pipe id.

Parameters

out	PipeNameBuf	The buffer to receive the pipe name (must not be null).
in	PipeNameSize	The size (in chars) of the PipeName buffer (must not be zero).
in	Pipeld	The Pipeld for that name.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

9.23.2.5 CFE_SB_GetPipeOpts()

Get options on a pipe.

Des		

This routine gets the current options on a pipe.

Parameters

in	Pipeld	The pipe ID of the pipe to get options from.
out	<i>OptsPtr</i>	A bit field of options: cFE SB Pipe options (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName CFE_SB_PIP← EOPTS_IGNOREMINE

9.23.2.6 CFE_SB_Pipeld_ToIndex()

Obtain an index value correlating to an SB Pipe ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] application IDs will never overlap, but the index of a pipe ID and an app ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original PipeID value. The caller should retain the original ID for future use.

in	PipeID	Pipe ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

9.23.2.7 CFE_SB_SetPipeOpts()

Set options on a pipe.

Description

This routine sets (or clears) options to alter the pipe's behavior. Options are (re)set every call to this routine.

Parameters

in	Pipe⊷	The pipe ID of the pipe to set options on.
	ld	
in	Opts	A bit field of options: cFE SB Pipe options

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

 ${\it CFE_SB_CreatePipe\ CFE_SB_DeletePipe\ CFE_SB_GetPipeOpts\ CFE_SB_GetPipeIdByName\ CFE_SB_PIP} \leftarrow {\it EOPTS_IGNOREMINE}$

9.24 cFE Message Subscription Control APIs

Functions

CFE_Status_t CFE_SB_SubscribeEx (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, CFE_SB_Qos_
 t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

CFE Status t CFE SB Subscribe (CFE SB Msgld t Msgld, CFE SB Pipeld t Pipeld)

Subscribe to a message on the software bus with default parameters.

- CFE_Status_t CFE_SB_SubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, uint16 MsgLim)
 Subscribe to a message while keeping the request local to a cpu.
- CFE_Status_t CFE_SB_Unsubscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus.

CFE_Status_t CFE_SB_UnsubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

- 9.24.1 Detailed Description
- 9.24.2 Function Documentation

9.24.2.1 CFE_SB_Subscribe()

Subscribe to a message on the software bus with default parameters.

Description

This routine adds the specified pipe to the destination list for the specified message ID. This is the same as CFE
_SB_SubscribeEx with the Quality field set to CFE_SB_DEFAULT_QOS and MsgLim set to CFE_PLATFORM_
SB_DEFAULT_MSG_LIMIT (4).

Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

in	Msg⇔	The message ID of the message to be subscribed to.
	ld	
in	Pipe⊷	The pipe ID of the pipe the subscribed message should be sent to.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

See also

CFE SB SubscribeEx, CFE SB SubscribeLocal, CFE SB Unsubscribe, CFE SB UnsubscribeLocal

9.24.2.2 CFE_SB_SubscribeEx()

Subscribe to a message on the software bus.

Description

This routine adds the specified pipe to the destination list associated with the specified message ID.

Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

in	Msgld	The message ID of the message to be subscribed to.
in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.
in	Quality	The requested Quality of Service (QoS) required of the messages. Most callers will use CFE_SB_DEFAULT_QOS for this parameter.
in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

See also

CFE SB Subscribe, CFE SB SubscribeLocal, CFE SB Unsubscribe, CFE SB UnsubscribeLocal

9.24.2.3 CFE_SB_SubscribeLocal()

Subscribe to a message while keeping the request local to a cpu.

Description

This routine adds the specified pipe to the destination list for the specified message ID. This is similar to CFE_S← B_SubscribeEx with the Quality field set to CFE_SB_DEFAULT_QOS and MsgLim set to CFE_PLATFORM_SB← __DEFAULT_MSG_LIMIT, but will not report the subscription.

Software Bus Network (SBN) application is an example use case, where local subscriptions should not be reported to peers.

Assumptions, External Events, and Notes:

• This API is typically only used by Software Bus Network (SBN) Application

	in	Msgld	The message ID of the message to be subscribed to.
ſ	in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.
Ī	in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

See also

CFE SB Subscribe, CFE SB SubscribeEx, CFE SB Unsubscribe, CFE SB UnsubscribeLocal

9.24.2.4 CFE_SB_Unsubscribe()

Remove a subscription to a message on the software bus.

Description

This routine removes the specified pipe from the destination list for the specified message ID.

Assumptions, External Events, and Notes:

If the Pipe is not subscribed to MsgId, the CFE_SB_UNSUB_NO_SUBS_EID event will be generated and CFE_← SUCCESS will be returned

Parameters

in	Msg⇔	The message ID of the message to be unsubscribed.
	ld	
in	Pipe⊷	The pipe ID of the pipe the subscribed message should no longer be sent to.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeEx, CFE_SB_SubscribeLocal, CFE_SB_UnsubscribeLocal

9.24.2.5 CFE_SB_UnsubscribeLocal()

Remove a subscription to a message on the software bus on the current CPU.

Description

This routine removes the specified pipe from the destination list for the specified message ID on the current CPU.

Assumptions, External Events, and Notes:

This API is typically only used by Software Bus Network (SBN) Application. If the Pipe is not subscribed to MsgId, the CFE_SB_UNSUB_NO_SUBS_EID event will be generated and CFE_SUCCESS will be returned

Parameters

	in	Msg⊷	The message ID of the message to be unsubscribed.
		ld	
ſ	in	Pipe⊷	The pipe ID of the pipe the subscribed message should no longer be sent to.
		ld	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_SB_SubscribeEx,\,CFE_SB_SubscribeEx,\,CFE_SB_SubscribeLocal,\,CFE_SB_UnsubscribeEx,\,CFE_SB_Subscribe$

9.25 cFE Send/Receive Message APIs

Functions

- CFE_Status_t CFE_SB_TransmitMsg (const CFE_MSG_Message_t *MsgPtr, bool IncrementSequenceCount)
 Transmit a message.
- CFE_Status_t CFE_SB_ReceiveBuffer (CFE_SB_Buffer_t **BufPtr, CFE_SB_PipeId_t PipeId, int32 TimeOut)

 *Receive a message from a software bus pipe.
- 9.25.1 Detailed Description
- 9.25.2 Function Documentation

9.25.2.1 CFE_SB_ReceiveBuffer()

Receive a message from a software bus pipe.

Description

This routine retrieves the next message from the specified pipe. If the pipe is empty, this routine will block until either a new message comes in or the timeout value is reached.

Assumptions, External Events, and Notes:

Note - If an error occurs in this API, the *BufPtr value may be NULL or random. Therefore, it is recommended that the return code be tested for CFE_SUCCESS before processing the message.

in,out	BufPtr	A pointer to the software bus buffer to receive to (must not be null). Typically a caller declares a ptr of type CFE_SB_Buffer_t (i.e. CFE_SB_Buffer_t *Ptr) then gives the address of that pointer (&Ptr) as this parameter. After a successful receipt of a message, *BufPtr will point to the first byte of the software bus buffer. This should be used as a read-only pointer (in systems with an MMU, writes to this pointer may cause a memory protection fault). The *BufPtr is valid only until the next call to CFE_SB_ReceiveBuffer for the same pipe.	
in	Pipeld	The pipe ID of the pipe containing the message to be obtained.	
in	TimeOut	The number of milliseconds to wait for a new message if the pipe is empty at the time of the call. This can also be set to CFE_SB_POLL for a non-blocking receive or CFE_SB_PEND_FOREVER to wait forever for a message to arrive.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_TIME_OUT	Time Out.
CFE_SB_PIPE_RD_ERR	(return value only verified in coverage test) Pipe Read Error.
CFE_SB_NO_MESSAGE	No Message.

9.25.2.2 CFE_SB_TransmitMsg()

Transmit a message.

Description

This routine copies the specified message into a software bus buffer which is then transmitted to all subscribers. The software bus will read the message ID from the message header to determine which pipes should receive the message.

Assumptions, External Events, and Notes:

- This routine will not normally wait for the receiver tasks to process the message before returning control to the caller's task.
- However, if a higher priority task is pending and subscribed to this message, that task may get to run before returning control to the caller.

Parameters

in	MsgPtr	A pointer to the message to be sent (must not be null). This must point to the first byte of the message header.
in	IncrementSequenceCount	Boolean to increment the internally tracked sequence count and update the message if the buffer contains a telemetry message

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.	
CFE_SB_BAD_ARGUMENT	Bad Argument.	
CFE_SB_MSG_TOO_BIG	Message Too Big.	
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.	

9.26 cFE Zero Copy APIs

Functions

CFE SB Buffer t * CFE SB AllocateMessageBuffer (size t MsgSize)

Get a buffer pointer to use for "zero copy" SB sends.

• CFE_Status_t CFE_SB_ReleaseMessageBuffer (CFE_SB_Buffer_t *BufPtr)

Release an unused "zero copy" buffer pointer.

• CFE_Status_t CFE_SB_TransmitBuffer (CFE_SB_Buffer_t *BufPtr, bool IncrementSequenceCount)

Transmit a buffer.

- 9.26.1 Detailed Description
- 9.26.2 Function Documentation

9.26.2.1 CFE_SB_AllocateMessageBuffer()

Get a buffer pointer to use for "zero copy" SB sends.

Description

This routine can be used to get a pointer to one of the software bus' internal memory buffers that are used for sending messages. The caller can use this memory buffer to build an SB message, then send it using the CFE_
SB_TransmitBuffer() function. This interface avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer.

Assumptions, External Events, and Notes:

- The pointer returned by CFE_SB_AllocateMessageBuffer() is only good for one call to CFE_SB_Transmit
 —
 Buffer().
- 2. Once a buffer has been successfully transmitted (as indicated by a successful return from CFE_SB_← TransmitBuffer()) the buffer becomes owned by the SB application. It will automatically be freed by SB once all recipients have finished reading it.
- 3. Applications must not de-reference the message pointer (for reading or writing) after the call to CFE_SB_← TransmitBuffer().
- 4. If CFE_SB_ReleaseMessageBuffer should be used only if a message is not transmitted

in	MsgSize	The size of the SB message buffer the caller wants (including the SB message header).
----	---------	---

Returns

A pointer to a memory buffer that message data can be written to for use with CFE_SB_TransmitBuffer().

9.26.2.2 CFE_SB_ReleaseMessageBuffer()

Release an unused "zero copy" buffer pointer.

Description

This routine can be used to release a pointer to one of the software bus' internal memory buffers.

Assumptions, External Events, and Notes:

1. This function is not needed for normal "zero copy" transfers. It is needed only for cleanup when an application gets a pointer using CFE_SB_AllocateMessageBuffer(), but (due to some error condition) never uses that pointer in a call to CFE_SB_TransmitBuffer().

Parameters

in	BufPtr	A pointer to the SB internal buffer (must not be null). This must be a pointer returned by a call to
		CFE_SB_AllocateMessageBuffer(), but never used in a call to CFE_SB_TransmitBuffer().

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BUFFER_INVALID	Buffer Invalid.

9.26.2.3 CFE_SB_TransmitBuffer()

Transmit a buffer.

Description

This routine sends a message that has been created directly in an internal SB message buffer by an application (after a call to CFE_SB_AllocateMessageBuffer). This interface is more complicated than the normal CFE_SB_
TransmitMsg interface, but it avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer. The "zero copy" interface can be used to improve performance in high-rate, high-volume software bus traffic.

Assumptions, External Events, and Notes:

- A handle returned by CFE_SB_AllocateMessageBuffer is "consumed" by a successful call to CFE_SB_←
 TransmitBuffer.
- 2. If this function returns CFE_SUCCESS, this indicates the zero copy handle is now owned by software bus, and is no longer owned by the calling application, and should not be re-used.
- 3. However if this function fails (returns any error status) it does not change the state of the buffer at all, meaning the calling application still owns it. (a failure means the buffer is left in the same state it was before the call).
- 4. Applications should be written as if CFE_SB_AllocateMessageBuffer is equivalent to a malloc() and a successful call to CFE_SB_TransmitBuffer is equivalent to a free().
- Applications must not de-reference the message pointer (for reading or writing) after a successful call to C← FE SB TransmitBuffer.
- 6. This function will increment and apply the internally tracked sequence counter if set to do so.

Parameters

in	BufPtr	A pointer to the buffer to be sent (must not be null).	
in	IncrementSequenceCount	Boolean to increment the internally tracked sequence count and update the message if the buffer contains a telemetry message	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.

9.27 cFE Message Characteristics APIs

Functions

void CFE SB SetUserDataLength (CFE MSG Message t *MsgPtr, size t DataLength)

Sets the length of user data in a software bus message.

void CFE_SB_TimeStampMsg (CFE_MSG_Message_t *MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

int32 CFE_SB_MessageStringSet (char *DestStringPtr, const char *SourceStringPtr, size_t DestMaxSize, size
 t SourceMaxSize)

Copies a string into a software bus message.

void * CFE_SB_GetUserData (CFE_MSG_Message_t *MsgPtr)

Get a pointer to the user data portion of a software bus message.

• size t CFE_SB_GetUserDataLength (const CFE_MSG_Message_t *MsgPtr)

Gets the length of user data in a software bus message.

• int32 CFE_SB_MessageStringGet (char *DestStringPtr, const char *SourceStringPtr, const char *DefaultString, size_t DestMaxSize, size_t SourceMaxSize)

Copies a string out of a software bus message.

- 9.27.1 Detailed Description
- 9.27.2 Function Documentation

9.27.2.1 CFE_SB_GetUserData()

Get a pointer to the user data portion of a software bus message.

Description

This routine returns a pointer to the user data portion of a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function and avoid hard coding offsets into their SB message buffers.

Assumptions, External Events, and Notes:

None

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null).
----	--------	--

Returns

A pointer to the first byte of user data within the software bus message.

9.27.2.2 CFE_SB_GetUserDataLength()

Gets the length of user data in a software bus message.

Description

This routine returns the size of the user data in a software bus message.

Assumptions, External Events, and Notes:

None

Parameters

ir	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point to
		the first byte of the message header.

Returns

The size (in bytes) of the user data in the software bus message.

Return values

0 if an error occurs, such as if the MsgPtr argument is not valid.

9.27.2.3 CFE_SB_MessageStringGet()

Copies a string out of a software bus message.

Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This function should replace use of C library functions such as strcpy/strncpy when copying strings out of software bus messages to local storage buffers.

Up to [SourceMaxSize] or [DestMaxSize-1] (whichever is smaller) characters will be copied from the source buffer to the destination buffer, and a NUL termination character will be written to the destination buffer as the last character.

If the DefaultString pointer is non-NULL, it will be used in place of the source string if the source is an empty string. This is typically a string constant that comes from the platform configuration, allowing default values to be assumed for fields that are unspecified.

IMPORTANT - the default string, if specified, must be null terminated. This will be the case if a string literal is passed in (the typical/expected use case).

If the default is NULL, then only the source string will be copied, and the result will be an empty string if the source was empty.

If the destination buffer is too small to store the entire string, it will be truncated, but it will still be null terminated.

Parameters

out	DestStringPtr Pointer to destination buffer (must not be null)	
in SourceStringPtr Pointer to source buffer (component of SB message definit		Pointer to source buffer (component of SB message definition)
in	DefaultString Default string to use if source is empty	
in	DestMaxSize Size of destination storage buffer (must not be zero)	
in	n SourceMaxSize Size of source buffer as defined by the message definition	

Returns

Number of characters copied or error code, see cFE Return Code Defines

Return values

```
CFE_SB_BAD_ARGUMENT | Bad Argument.
```

9.27.2.4 CFE_SB_MessageStringSet()

Copies a string into a software bus message.

Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This performs a very similar function to "strncpy()" except that the sizes of *both* buffers are passed in. Neither buffer is required to be null-terminated, but copying will stop after the first termination character is encountered.

If the destination buffer is not completely filled by the source data (such as if the supplied string was shorter than the allotted length) the destination buffer will be padded with NUL characters up to the size of the buffer, similar to what strncpy() does. This ensures that the entire destination buffer is set.

Note

If the source string buffer is already guaranteed to be null terminated, then there is no difference between the C library "strncpy()" function and this implementation. It is only necessary to use this when termination of the source buffer is not guaranteed.

Parameters

out	DestStringPtr	Pointer to destination buffer (component of SB message definition) (must not be null)	
in	SourceStringPtr	SourceStringPtr Pointer to source buffer (must not be null)	
in	DestMaxSize	Size of destination buffer as defined by the message definition	
in	SourceMaxSize	Size of source buffer	

Returns

Number of characters copied or error code, see cFE Return Code Defines

Return values

```
CFE_SB_BAD_ARGUMENT Bad Argument.
```

9.27.2.5 CFE_SB_SetUserDataLength()

Sets the length of user data in a software bus message.

Description

This routine sets the field in the SB message header that determines the size of the user data in a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function rather than trying to poke a length value directly into their SB message buffers.

Assumptions, External Events, and Notes:

• You must set a valid message ID in the SB message header before calling this function.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point to the first byte of the message header.	
in DataLength The length to set (size of the user data, in bytes).			

9.27.2.6 CFE_SB_TimeStampMsg()

Sets the time field in a software bus message with the current spacecraft time.

Description

This routine sets the time of a software bus message with the current spacecraft time. This will be the same time that is returned by the function CFE_TIME_GetTime.

Assumptions, External Events, and Notes:

• If the underlying implementation of software bus messages does not include a time field, then this routine will do nothing.

I	in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point to	
			the first byte of the message header.	

9.28 cFE Message ID APIs

Functions

```
    bool CFE_SB_IsValidMsgld (CFE_SB_Msgld_t Msgld)
```

Identifies whether a given CFE_SB_Msgld_t is valid.

• static bool CFE_SB_Msgld_Equal (CFE_SB_Msgld_t Msgld1, CFE_SB_Msgld_t Msgld2)

Identifies whether two CFE_SB_Msgld_t values are equal.

static CFE_SB_Msgld_Atom_t CFE_SB_MsgldToValue (CFE_SB_Msgld_t Msgld)

Converts a CFE_SB_Msgld_t to a normal integer.

static CFE_SB_Msgld_t CFE_SB_ValueToMsgld (CFE_SB_Msgld_Atom_t MsgldValue)

Converts a normal integer into a CFE_SB_Msgld_t.

9.28.1 Detailed Description

9.28.2 Function Documentation

9.28.2.1 CFE_SB_lsValidMsgld()

Identifies whether a given CFE_SB_Msgld_t is valid.

Description

Implements a basic sanity check on the value provided

Returns

Boolean message ID validity indicator

Return values

true	Message ID is within the valid range
false	Message ID is not within the valid range

9.28.2.2 CFE_SB_Msgld_Equal()

Identifies whether two CFE_SB_Msgld_t values are equal.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it may not be possible to do a direct equality check. This inline function provides an abstraction for the equality check between two CFE_SB_Msgld_t values.

Applications should transition to using this function to compare Msgld values for equality to remain compatible with future versions of cFE.

Returns

Boolean message ID equality indicator

Return values

true	Message IDs are Equal
false	Message IDs are not Equal

Definition at line 766 of file cfe sb.h.

References CFE_SB_MSGID_UNWRAP_VALUE.

9.28.2.3 CFE_SB_MsgldToValue()

Converts a CFE SB Msgld t to a normal integer.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it is not possible to directly display the value in a printf-style statement, use it in a switch() statement, or other similar use cases.

This inline function provides the ability to map a CFE_SB_Msgld_t type back into a simple integer value.

Applications should transition to using this function wherever a CFE_SB_Msgld_t type needs to be used as an integer.

Assumptions and Notes:

This negates the type safety that was gained by using a non- integer type for the CFE_SB_Msgld_t value. This should only be used in specific cases such as UI display (printf, events, etc) where the value is being sent externally. Any internal API calls should be updated to use the CFE_SB_Msgld_t type directly, rather than an integer type.

Returns

Integer representation of the CFE_SB_Msgld_t

Definition at line 797 of file cfe_sb.h.

References CFE SB MSGID UNWRAP VALUE.

9.28.2.4 CFE_SB_ValueToMsgld()

Converts a normal integer into a CFE_SB_Msgld_t.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it is not possible to directly use an integer value supplied via a define or similar method.

This inline function provides the ability to map an integer value into a corresponding CFE_SB_Msgld_t value.

Applications should transition to using this function wherever an integer needs to be used for a CFE_SB_Msgld_t.

Assumptions and Notes:

This negates the type safety that was gained by using a non- integer type for the CFE_SB_Msgld_t value. This should only be used in specific cases where the value is coming from an external source. Any internal API calls should be updated to return the CFE_SB_Msgld_t type directly, rather than an integer type.

Returns

```
CFE SB Msgld t representation of the integer
```

Definition at line 826 of file cfe_sb.h.

References CFE_SB_MSGID_C.

9.29 cFE SB Pipe options

Macros

#define CFE_SB_PIPEOPTS_IGNOREMINE 0x00000001
 Messages sent by the app that owns this pipe will not be sent to this pipe.

- 9.29.1 Detailed Description
- 9.29.2 Macro Definition Documentation

9.29.2.1 CFE_SB_PIPEOPTS_IGNOREMINE

#define CFE_SB_PIPEOPTS_IGNOREMINE 0x00000001

Messages sent by the app that owns this pipe will not be sent to this pipe.

Definition at line 131 of file cfe_sb_api_typedefs.h.

9.30 cFE Registration APIs

Functions

CFE_Status_t CFE_TBL_Register (CFE_TBL_Handle_t *TblHandlePtr, const char *Name, size_t Size, uint16
 TblOptionFlags, CFE_TBL_CallbackFuncPtr_t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

• CFE_Status_t CFE_TBL_Share (CFE_TBL_Handle_t *TblHandlePtr, const char *TblName)

Obtain handle of table registered by another application.

CFE_Status_t CFE_TBL_Unregister (CFE_TBL_Handle_t TblHandle)
 Unregister a table.

9.30.1 Detailed Description

9.30.2 Function Documentation

9.30.2.1 CFE_TBL_Register()

Register a table with cFE to obtain Table Management Services.

Description

When an application is created and initialized, it is responsible for creating its table images via the TBL API. The application must inform the Table Service of the table name, table size and selection of optional table features.

Assumptions, External Events, and Notes:

Note: This function call can block. Therefore, interrupt service routines should NOT create their own tables. An application should create any table(s) and provide the handle(s) to the interrupt service routine.

out	TblHandlePtr	a pointer to a CFE_TBL_Handle_t type variable (must not be null) that will be assigned the table's handle. The table handle is required for other API calls when accessing the data contained in the table. *TblHandlePtr is the handle used to identify table to cFE when performing Table operations. This value is returned at address specified by TblHandlePtr.	
in	Name	The raw table name. This name will be combined with the name of the application to produce a name of the form "AppName.RawTableName". This application specific name will be used in commands for modifying or viewing the contents of the table.	

in	Size	The size, in bytes, of the table to be created (must not be zero). This is the size that	
		will be allocated as a shared memory resource between the Table Management	
		Service and the calling application.	

Parameters

TblOptionFlags Flag bits indicating selected options for table. A bitwise OR of the following option in flags: • CFE TBL OPT DEFAULT - The default setting for table options is a combination of CFE TBL OPT SNGL BUFFER and CFE TBL OPT LOAD DUMP. See below for a description of these two options. This option is mutually exclusive with the CFE TBL OPT DBL BUFFER, CFE TBL OPT DUMP ONLY and CFE_TBL_OPT_USR_DEF_ADDR options. CFE TBL OPT SNGL BUFFER - When this option is selected, the table will use a shared session table for performing table modifications and a memory copy from the session table to the "active" table buffer will occur when the table is updated. This is the preferred option since it will minimize memory usage. This option is mutually exclusive with the CFE TBL OPT DBL BUFFER option • CFE_TBL_OPT_DBL_BUFFER - When this option is selected, two instances of the table are created. One is considered the "active" table and the other the "inactive" table. Whenever table modifications occur, they do not require the use of a common session table. Modifications occur in the "inactive" buffer. Then, when it is time to update the table, the pointer to the "active" table is changed to point to the "inactive" buffer thus making it the new "active" buffer. This feature is most useful for time critical applications (ie - interrupt service routines, etc). This option is mutually exclusive with the CFE TBL OPT SNGL BUFFER and CFE TBL OPT DEFAULT option. • CFE TBL OPT LOAD DUMP - When this option is selected, the Table Service is allowed to perform all operations on the specified table. This option is mutually exclusive with the CFE_TBL_OPT_DUMP_ONLY option. CFE TBL OPT DUMP ONLY - When this option is selected, the Table Service will not perform table loads to this table. This does not prevent, however, a task from writing to the table via an address obtained with the CFE TBL GetAddress API function. This option is mutually exclusive with the CFE TBL OPT LOAD DUMP and CFE TBL OPT DEFAULT options. If the Application wishes to specify their own block of memory as the Dump Only table, they need to also include the CFE TBL OPT USR DEF ADDR option explained below. • CFE TBL OPT NOT USR DEF - When this option is selected, Table Services allocates memory for the table and, in the case of a double buffered table, it allocates the same amount of memory again for the second buffer. This option is mutually exclusive with the CFE TBL OPT USR DEF ADDR option. • CFE TBL OPT USR DEF ADDR- When this option is selected, the Table Service will not allocate memory for the table. Table Services will require the Application to identify the location of the active table buffer via the CFE TBL Load function. This option implies the CFE TBL OPT DUMP ONLY and the CFE TBL OPT SNGL BUFFER options and is mutually exclusive of the CFE_TBL_OPT_DBL_BUFFER option. • CFE_TBL_OPT_CRITICAL- When this option is selected, the Table Service will automatically allocate space in the Critical Data Store (CDS) for the table and ensure that the contents in the CDS are the same as the contents of the currently active buffer for the table. This option is mutually exclusive of the Generated by Doxygen CFE TBL OPT USR DEF ADDR and CFE TBL OPT DUMP ONLY

options. It should also be noted that the use of this option with double buffered tables will prevent the update of the double buffered table from being

Parameters

in	TblValidationFuncPtr	is a pointer to a function that will be executed in the context of the Table
		Management Service when the contents of a table need to be validated. If set to
		NULL, then the Table Management Service will assume any data is valid. If the
		value is not NULL, it must be a pointer to a function with the following prototype:
		int32 CallbackFunc(void *TblPtr);
		where
		TblPtr will be a pointer to the table data that is to be verified. When the function
		returns CFE_SUCCESS, the data is considered valid and ready for a commit. When
		the function returns a negative value, the data is considered invalid and an Event
		Message will be issued containing the returned value. If the function should return a
		positive number, the table is considered invalid and the return code is considered
		invalid. Validation functions must return either CFE_SUCCESS or a negative
		number (whose value is at the developer's discretion). The validation function will be
		executed in the Application's context so that Event Messages describing the
		validation failure are possible from within the function.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_RECOVERED_TBL	Recovered Table.
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE	Duplicate Table With Different Size.
CFE_TBL_ERR_DUPLICATE_NOT_OWNED	Duplicate Table And Not Owned.
CFE_TBL_ERR_REGISTRY_FULL	Registry Full.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_SIZE	Invalid Size.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_BAD_ARGUMENT	Bad Argument.
CFE_TBL_ERR_INVALID_OPTIONS	Invalid Options.
CFE_TBL_WARN_DUPLICATE	Duplicate Warning.
CFE_TBL_WARN_NOT_CRITICAL	Not Critical Warning.

See also

CFE_TBL_Unregister, CFE_TBL_Share

9.30.2.2 CFE_TBL_Share()

Obtain handle of table registered by another application.

Description

After a table has been created, other applications can gain access to that table via the table handle. In order for two or more applications to share a table, the applications that do not create the table must obtain the handle using this function.

Assumptions, External Events, and Notes:

None

Parameters

out	TblHandlePtr	A pointer to a CFE_TBL_Handle_t type variable (must not be null) that will be assigned the table's handle. The table handle is required for other API calls when accessing the data contained in the table. *TblHandlePtr is the handle used to identify table to cFE when performing Table operations. This value is returned at the address specified by TblHandlePtr.
in	TblName	The application specific name of the table of the form "AppName.RawTableName", where RawTableName is the name specified in the CFE_TBL_Register API call. Example: "ACS.TamParams" for a table called "TamParams" that was registered by the application called "ACS".

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

```
CFE_TBL_Unregister, CFE_TBL_Register
```

9.30.2.3 CFE_TBL_Unregister()

Unregister a table.

Description

When an application is being removed from the system, ES will clean up/free all the application related resources including tables so apps are not required to call this function.

A valid use-case for this API is to unregister a shared table if access is no longer needed or the owning application was removed from the system (CS app is an example).

Typically apps should only register tables during initialization and registration/unregistration by the owning application during operation should be avoided. If unavoidable, special care needs to be taken (especially for shared tables) to avoid race conditions due to competing requests from multiple tasks.

Note the table will not be removed from memory until all table access links have been removed (registration and all shared access).

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be unregistered.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE TBL Share, CFE TBL Register

9.31 cFE Manage Table Content APIs

Functions

 CFE_Status_t CFE_TBL_Load (CFE_TBL_Handle_t TblHandle, CFE_TBL_SrcEnum_t SrcType, const void *SrcDataPtr)

Load a specified table with data from specified source.

CFE_Status_t CFE_TBL_Update (CFE_TBL_Handle_t TblHandle)

Update contents of a specified table, if an update is pending.

CFE_Status_t CFE_TBL_Validate (CFE_TBL_Handle_t TblHandle)

Perform steps to validate the contents of a table image.

CFE_Status_t CFE_TBL_Manage (CFE_TBL_Handle_t TblHandle)

Perform standard operations to maintain a table.

• CFE_Status_t CFE_TBL_DumpToBuffer (CFE_TBL_Handle_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

• CFE_Status_t CFE_TBL_Modified (CFE_TBL_Handle_t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

- 9.31.1 Detailed Description
- 9.31.2 Function Documentation

9.31.2.1 CFE_TBL_DumpToBuffer()

Copies the contents of a Dump Only Table to a shared buffer.

Description

Typically, apps should just call CFE_TBL_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just a dump should be performed.

Assumptions, External Events, and Notes:

If the table does not have a dump pending status, nothing will occur (no error, no dump)

in	TblHandle	Handle of Table to be dumped.
----	-----------	-------------------------------

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.

See also

CFE_TBL_Manage

9.31.2.2 CFE_TBL_Load()

Load a specified table with data from specified source.

Description

Once an application has created a table (CFE_TBL_Register), it must provide the values that initialize the contents of that table. The application accomplishes this with one of two different TBL API calls. This function call initializes the table with values that are held in a data structure.

Assumptions, External Events, and Notes:

This function call can block. Therefore, interrupt service routines should NOT initialize their own tables. An application should initialize any table(s) prior to providing the handle(s) to the interrupt service routine.

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be loaded.
in	SrcType	Flag indicating the nature of the given SrcDataPtr below. This value can be any one of the
		following:
		CFE_TBL_SRC_FILE - File source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a null terminated character string. The string should specify the full path and filename of the file containing the initial data contents of the table.
		CFE_TBL_SRC_ADDRESS - Address source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a memory location that is the beginning of the initialization data for loading the table OR, in the case of a "user defined" dump
		only table, the address of the active table itself. The block of memory is a Security to the same size specified in the CFE_TBL_Register function Size parameter.

Parameters

Ī	in	SrcDataPtr	Pointer (must not be null) to either a character string specifying a filename or a memory
			address of a block of binary data to be loaded into a table or, if the table was registered with the
			CFE_TBL_OPT_USR_DEF_ADDR option, the address of the active table buffer.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_DUMP_ONLY	Dump Only Error.
CFE_TBL_ERR_ILLEGAL_SRC_TYPE	Illegal Source Type.
CFE_TBL_ERR_LOAD_IN_PROGRESS	Load In Progress.
CFE_TBL_ERR_LOAD_INCOMPLETE	Load Incomplete.
CFE_TBL_ERR_NO_BUFFER_AVAIL	No Buffer Available.
CFE_TBL_ERR_ACCESS	
CFE_TBL_ERR_FILE_TOO_LARGE	File Too Large.
CFE_TBL_ERR_BAD_CONTENT_ID	Bad Content ID.
CFE_TBL_ERR_BAD_SUBTYPE_ID	Bad Subtype ID.
CFE_TBL_ERR_NO_STD_HEADER	No Standard Header.
CFE_TBL_ERR_NO_TBL_HEADER	No Table Header.
CFE_TBL_ERR_PARTIAL_LOAD	Partial Load Error.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

```
CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_Manage
```

Perform standard operations to maintain a table.

Description

Applications should call this API periodically to process pending requests for update, validation, or dump to buffer. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.
CFE_TBL_INFO_UPDATE_PENDING	Update Pending.
CFE_TBL_INFO_VALIDATION_PENDING	

See also

CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_Load, CFE_TBL_DumpToBuffer

9.31.2.4 CFE_TBL_Modified()

Notify cFE Table Services that table contents have been modified by the Application.

Description

This API notifies Table Services that the contents of the specified table has been modified by the Application. This notification is important when a table has been registered as "Critical" because Table Services can then update the contents of the table kept in the Critical Data Store.

Assumptions, External Events, and Notes:

None

in	TblHandle	Handle of Table that was modified.
----	-----------	------------------------------------

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Manage

9.31.2.5 CFE_TBL_Update()

Update contents of a specified table, if an update is pending.

Description

Typically, apps should just call CFE_TBL_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just an update should be performed.

Assumptions, External Events, and Notes:

None

Parameters

iı	1 TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be updated.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_NO_UPDATE_PENDING	No Update Pending.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Return values

CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

```
CFE_TBL_Load, CFE_TBL_Validate, CFE_TBL_Manage
```

9.31.2.6 CFE_TBL_Validate()

Perform steps to validate the contents of a table image.

Description

Typically, apps should just call CFE_TBL_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just a validation should be performed.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_NO_VALIDATION_PENDING	
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Update, CFE_TBL_Manage, CFE_TBL_Load

9.32 cFE Access Table Content APIs

Functions

• CFE Status t CFE TBL GetAddress (void **TblPtr, CFE TBL Handle t TblHandle)

Obtain the current address of the contents of the specified table.

CFE_Status_t CFE_TBL_ReleaseAddress (CFE_TBL_Handle_t TblHandle)

Release previously obtained pointer to the contents of the specified table.

CFE_Status_t CFE_TBL_GetAddresses (void **TblPtrs[], uint16 NumTables, const CFE_TBL_Handle_t Tbl
 Handles[])

Obtain the current addresses of an array of specified tables.

CFE_Status_t CFE_TBL_ReleaseAddresses (uint16 NumTables, const CFE_TBL_Handle_t TblHandles[])

Release the addresses of an array of specified tables.

- 9.32.1 Detailed Description
- 9.32.2 Function Documentation

9.32.2.1 CFE_TBL_GetAddress()

Obtain the current address of the contents of the specified table.

Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE_TBL_Get← Addresses.

Assumptions, External Events, and Notes:

- This call can be a blocking call when the table is not double buffered and is shared with another application
 of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs,
 the application performing the table update will automatically have its priority elevated in order to release the
 resource as soon as possible.
- 2. An application must always release the returned table address using the CFE_TBL_ReleaseAddress or CF

 E_TBL_ReleaseAddresses function prior to either a CFE_TBL_Update call or any blocking call (e.g. pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- 3. CFE_TBL_ERR_NEVER_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer must be released with the CFE_TBL_ReleaseAddress API before the table can be loaded with data.

Parameters

out	TblPtr	The address of a pointer (must not be null) that will be loaded with the address of the first byte of the table. This pointer can then be typecast by the calling application to the appropriate table data structure. *TblPtr is the address of the first byte of data associated with the specified table.
in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the Table whose address is to be returned.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

 $CFE_TBL_Release Address, CFE_TBL_Get Addresses, CFE_TBL_Release Addresses$

9.32.2.2 CFE_TBL_GetAddresses()

Obtain the current addresses of an array of specified tables.

Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE_TBL_Get← Address.

Assumptions, External Events, and Notes:

1. This call can be a blocking call when the table is not double buffered and is shared with another application of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs, the application performing the table update will automatically have its priority elevated in order to release the resource as soon as possible.

- An application must always release the returned table address using the CFE_TBL_ReleaseAddress or CF

 E_TBL_ReleaseAddresses function prior to either a CFE_TBL_Update call or any blocking call (e.g. pending
 on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- 3. CFE_TBL_ERR_NEVER_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer must be released with the CFE_TBL_ReleaseAddress API before the table can be loaded with data.

Parameters

out	TblPtrs	Array of Pointers (must not be null) to variables that calling Application wishes to hold the start addresses of the Tables. *TblPtrs is an array of addresses of the first byte of data associated with the specified tables.
in	NumTables	Size of TblPtrs and TblHandles arrays.
in	TblHandles	Array of Table Handles, previously obtained from CFE_TBL_Register or CFE_TBL_Share, of
		those tables whose start addresses are to be obtained.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_GetAddress, CFE_TBL_ReleaseAddress, CFE_TBL_ReleaseAddresses

9.32.2.3 CFE_TBL_ReleaseAddress()

Release previously obtained pointer to the contents of the specified table.

Description

Each application is required to release a table address obtained through the CFE TBL GetAddress function.

Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE_TBL_ReleaseAddress function prior to either a CFE_TBL_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table whose address is to be released.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.

See also

CFE_TBL_GetAddress, CFE_TBL_GetAddresses, CFE_TBL_ReleaseAddresses

9.32.2.4 CFE_TBL_ReleaseAddresses()

Release the addresses of an array of specified tables.

Description

Each application is **required** to release a table address obtained through the CFE_TBL_GetAddress function.

Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE_TBL_ReleaseAddress function prior to either a CFE_TBL_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

Parameters

iı	NumTables	Size of TblHandles array.	
i	TblHandles	Array of Table Handles (must not be null), previously obtained from CFE_TBL_Register or	
		CFE_TBL_Share, of those tables whose start addresses are to be released.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_GetAddress, CFE_TBL_ReleaseAddress, CFE_TBL_GetAddresses

9.33 cFE Get Table Information APIs

Functions

• CFE Status t CFE TBL GetStatus (CFE TBL Handle t TblHandle)

Obtain current status of pending actions for a table.

• CFE_Status_t CFE_TBL_GetInfo (CFE_TBL_Info_t *TbIInfoPtr, const char *TbIName)

Obtain characteristics/information of/about a specified table.

CFE_Status_t CFE_TBL_NotifyByMessage (CFE_TBL_Handle_t TblHandle, CFE_SB_Msgld_t Msgld, CFE_
 MSG_FcnCode_t CommandCode, uint32 Parameter)

Instruct cFE Table Services to notify Application via message when table requires management.

- 9.33.1 Detailed Description
- 9.33.2 Function Documentation

9.33.2.1 CFE_TBL_GetInfo()

Obtain characteristics/information of/about a specified table.

Description

This API provides the registry information associated with the specified table. The function fills the given data structure with the data found in the Table Registry.

Assumptions, External Events, and Notes:

None

out	TblInfoPtr	A pointer to a CFE_TBL_Info_t data structure (must not be null) that is to be populated with
		table characteristics and information. *TblInfoPtr is the description of the tables characteristics
		and registry information stored in the CFE_TBL_Info_t data structure format.
in	TblName	The application specific name (must not be null) of the table of the form
		"AppName.RawTableName", where RawTableName is the name specified in the
		CFE_TBL_Register API call. Example: "ACS.TamParams" for a table called "TamParams" that
		was registered by the application called "ACS".

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_GetStatus

9.33.2.2 CFE_TBL_GetStatus()

Obtain current status of pending actions for a table.

Description

An application is **required** to perform a periodic check for an update or a validation request for all the tables that it creates. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle. If a table update or validation request is pending, the Application should follow up with a call to CFE_TBL_Update or CFE_TBL_Validate respectively.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATE_PENDING	Update Pending.

Return values

CFE_TBL_INFO_VALIDATION_PENDING	
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

Note

Some status return codes are "success" while being non-zero. This behavior will change in the future.

See also

```
CFE TBL Manage, CFE TBL Update, CFE TBL Validate, CFE TBL GetInfo
```

9.33.2.3 CFE_TBL_NotifyByMessage()

Instruct cFE Table Services to notify Application via message when table requires management.

Description

This API instructs Table Services to send a message to the calling Application whenever the specified table requires management by the application. This feature allows applications to avoid polling table services via the CFE_TB L_Manage call to determine whether a table requires updates, validation, etc. This API should be called following the CFE_TBL_Register API whenever the owning application requires this feature.

Assumptions, External Events, and Notes:

- · Only the application that owns the table is allowed to register a notification message
- Recommend NOT using the ground command MID which typically impacts command counters. The typical
 approach is to use a unique MID for inter-task communications similar to how schedulers typically trigger
 application housekeeping messages.

in	TblHandle	Handle of Table with which the message should be associated.
in	Msgld	Message ID to be used in notification message sent by Table Services.
in	CommandCode	Command Code value to be placed in secondary header of message sent by Table
		Services.
in	Parameter	Application defined value to be passed as a parameter in the message sent by Table
		Services. Suggested use includes an application's table index that allows the same Modified
		and Command Code to be used for all table management notifications.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Register

9.34 cFE Table Type Defines

```
Macros
```

#define CFE TBL OPT BUFFER MSK (0x0001)

Table buffer mask.

• #define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

#define CFE TBL OPT DBL BUFFER (0x0001)

Double buffer table.

#define CFE_TBL_OPT_LD_DMP_MSK (0x0002)

Table load/dump mask.

#define CFE TBL OPT LOAD DUMP (0x0000)

Load/Dump table.

#define CFE_TBL_OPT_DUMP_ONLY (0x0002)

Dump only table.

#define CFE_TBL_OPT_USR_DEF_MSK (0x0004)

Table user defined mask.

#define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

#define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

#define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

• #define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

#define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

#define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)
 Default table options.

9.34.1 Detailed Description

9.34.2 Macro Definition Documentation

9.34.2.1 CFE_TBL_OPT_BUFFER_MSK

```
#define CFE_TBL_OPT_BUFFER_MSK (0x0001)
```

Table buffer mask.

Definition at line 48 of file cfe_tbl_api_typedefs.h.

9.34.2.2 CFE_TBL_OPT_CRITICAL

#define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

Definition at line 63 of file cfe_tbl_api_typedefs.h.

9.34.2.3 CFE_TBL_OPT_CRITICAL_MSK

#define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

Definition at line 61 of file cfe_tbl_api_typedefs.h.

9.34.2.4 CFE_TBL_OPT_DBL_BUFFER

#define CFE_TBL_OPT_DBL_BUFFER (0x0001)

Double buffer table.

Definition at line 50 of file cfe_tbl_api_typedefs.h.

9.34.2.5 CFE_TBL_OPT_DEFAULT

#define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)

Default table options.

Definition at line 66 of file cfe_tbl_api_typedefs.h.

9.34.2.6 CFE_TBL_OPT_DUMP_ONLY

#define CFE_TBL_OPT_DUMP_ONLY (0x0002)

Dump only table.

Definition at line 54 of file cfe_tbl_api_typedefs.h.

9.34.2.7 CFE_TBL_OPT_LD_DMP_MSK

#define CFE_TBL_OPT_LD_DMP_MSK (0x0002)

Table load/dump mask.

Definition at line 52 of file cfe tbl api typedefs.h.

9.34.2.8 CFE_TBL_OPT_LOAD_DUMP

#define CFE_TBL_OPT_LOAD_DUMP (0x0000)

Load/Dump table.

Definition at line 53 of file cfe_tbl_api_typedefs.h.

9.34.2.9 CFE_TBL_OPT_NOT_CRITICAL

#define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

Definition at line 62 of file cfe_tbl_api_typedefs.h.

9.34.2.10 CFE_TBL_OPT_NOT_USR_DEF

#define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

Definition at line 57 of file cfe_tbl_api_typedefs.h.

9.34.2.11 CFE_TBL_OPT_SNGL_BUFFER

#define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

Definition at line 49 of file cfe_tbl_api_typedefs.h.

9.34.2.12 CFE_TBL_OPT_USR_DEF_ADDR

#define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

Note

Automatically includes CFE_TBL_OPT_DUMP_ONLY option

Definition at line 58 of file cfe_tbl_api_typedefs.h.

9.34.2.13 CFE_TBL_OPT_USR_DEF_MSK

#define CFE_TBL_OPT_USR_DEF_MSK (0x0004)

Table user defined mask.

Definition at line 56 of file cfe tbl api typedefs.h.

9.35 cFE Get Current Time APIs

Functions

CFE TIME SysTime t CFE TIME GetTime (void)

Get the current spacecraft time.

CFE TIME SysTime t CFE TIME GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE_TIME_SysTime_t CFE_TIME_GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

• CFE_TIME_SysTime_t CFE_TIME_GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

• uint32 CFE_TIME_GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

uint32 CFE_TIME_GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

- 9.35.1 Detailed Description
- 9.35.2 Function Documentation

```
9.35.2.1 CFE_TIME_GetMET()
```

Get the current value of the Mission Elapsed Time (MET).

Description

This routine returns the current mission-elapsed time (MET). MET is usually derived from a hardware-based clock that is not adjusted during normal operations. Callers of this routine should not assume that the MET return value has any specific relationship to any ground-based time standard.

Assumptions, External Events, and Notes:

None

Returns

The current MET

See also

 $\label{lem:cfe_time_get} CFE_TIME_GetTAI, \ CFE_TIME_GetUTC, \ CFE_TIME_GetMETseconds, \ CFE_TIME_ \\ GetMETsubsecs, \ CFE_TIME_MET2SCTime$

```
9.35.2.2 CFE_TIME_GetMETseconds()
```

Get the current seconds count of the mission-elapsed time.

Description

This routine is the same as CFE_TIME_GetMET, except that it returns only the integer seconds portion of the MET time.

Assumptions, External Events, and Notes:

None

Returns

The current MET seconds

See also

CFE_TIME_GetTime, CFE_TIME_GetTAI, CFE_TIME_GetUTC, CFE_TIME_GetMET, CFE_TIME_GetME ← Tsubsecs, CFE_TIME_MET2SCTime

```
9.35.2.3 CFE_TIME_GetMETsubsecs()
```

Get the current sub-seconds count of the mission-elapsed time.

Description

This routine is the same as CFE_TIME_GetMET, except that it returns only the integer sub-seconds portion of the MET time. Each count is equal to $2^{(-32)}$ seconds.

Assumptions, External Events, and Notes:

None

Returns

The current MET sub-seconds

See also

 $\label{lem:cfe_time_get} CFE_TIME_GetTIME_GetTIME_GetMET, \ CFE_TIME_GetMEC GetMEC G$

9.35.2.4 CFE_TIME_GetTAI()

Get the current TAI (MET + SCTF) time.

Description

This routine returns the current TAI time to the caller. TAI is an international time standard that does not include leap seconds. This routine should only be used in situations where TAI is absolutely required. Applications that call CFE_TIME_GetTAI may not be portable to all missions. Maintenance of correct TAI in flight is not guaranteed under all mission operations scenarios. To maintain re-usability across missions, most applications should be using CFE_TIME_GetTime, rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

- 1. The "TAI" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard TAI epoch.
- 2. Even though TAI does not include leap seconds, the time returned by this function can still jump forward or backward without warning when the spacecraft clock is set or adjusted by operators. Applications using this function must be able to handle these time discontinuities gracefully.

Returns

The current spacecraft time in TAI

See also

 $\label{lem:cfe_time_get} \begin{cal} CFE_TIME_GetTIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_GetME$

9.35.2.5 CFE_TIME_GetTime()

Get the current spacecraft time.

Description

This routine returns the current spacecraft time, which is the amount of time elapsed since the epoch as set in mission configuration. The time returned is either TAI (no leap seconds) or UTC (including leap seconds). This choice is made in the mission configuration file by defining either CFE_MISSION_TIME_CFG_DEFAULT_TAI or CFE_MISSION_TIME_CFG_DEFAULT_UTC as true at compile time. To maintain re-usability across missions, most applications should be using this function rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft time in default format

See also

CFE_TIME_GetTAI, CFE_TIME_GetUTC, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_←
GetMETsubsecs

9.35.2.6 CFE_TIME_GetUTC()

Get the current UTC (MET + SCTF - Leap Seconds) time.

Description

This routine returns the current UTC time to the caller. This routine should only be used in situations where UTC is absolutely required. Applications that call CFE_TIME_GetUTC may not be portable to all missions. Maintenance of correct UTC in flight is not guaranteed under all mission operations scenarios. If UTC is maintained in flight, it will jump backwards occasionally due to leap second adjustments. To maintain re-usability across missions, most applications should be using CFE_TIME_GetTime, rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

Note: The "UTC" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard UTC epoch.

Returns

The current spacecraft time in UTC

See also

CFE_TIME_GetTIME_GetTAI, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_←
GetMETsubsecs

9.36 cFE Get Time Information APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE_TIME_GetLeapSeconds (void)

Get the current value of the leap seconds counter.

CFE_TIME_ClockState_Enum_t CFE_TIME_GetClockState (void)

Get the current state of the spacecraft clock.

• uint16 CFE TIME GetClockInfo (void)

Provides information about the spacecraft clock.

- 9.36.1 Detailed Description
- 9.36.2 Function Documentation

9.36.2.1 CFE_TIME_GetClockInfo()

Provides information about the spacecraft clock.

Description

This routine returns information on the spacecraft clock in a bit mask.

Assumptions, External Events, and Notes:

None

Returns

Spacecraft clock information, cFE Clock State Flag Defines. To extract the information from the returned value, the flags can be used as in the following:

```
if ((ReturnValue & CFE_TIME_FLAG_xxxxxx) == CFE_TIME_FLAG_xxxxxx) then the following definition of the CFE_TIME_FLAG_xxxxxx is true.
```

See also

```
CFE_TIME_GetSTCF, CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockState
```

```
9.36.2.2 CFE_TIME_GetClockState()
```

Get the current state of the spacecraft clock.

Description

This routine returns the spacecraft clock state. Applications that are highly dependent on valid time may want to call this routine before taking actions based on the times returned by the various clock routines

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft clock state

See also

CFE_TIME_GetSTCF, CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockInfo

```
9.36.2.3 CFE_TIME_GetLeapSeconds()
```

Get the current value of the leap seconds counter.

Description

This routine returns the current value of the leap seconds counter. This is the delta seconds between international atomic time (TAI) and universal coordinated time (UTC). There is no API provided to set or adjust leap seconds or SCTF, those actions should be done by command only. This API is provided for applications to be able to include leap seconds in their data products to aid in time correlation during downstream science data processing. Note that some mission operations teams do not maintain the leap seconds count, preferring to adjust the STCF instead. Users of this function should check with their mission ops team to see how they are planning to handle leap seconds.

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft leap seconds.

See also

CFE_TIME_GetSTCF, CFE_TIME_GetClockState, CFE_TIME_GetClockInfo

9.36.2.4 CFE_TIME_GetSTCF()

Get the current value of the spacecraft time correction factor (STCF).

Description

This routine returns the current value of the spacecraft time correction factor. This is the delta time between the MET and the TAI time. There is no API provided to set or adjust leap seconds or SCTF, those actions should be done by command only. This API is provided for applications to be able to include STCF in their data products to aid in time correlation during downstream science data processing.

Assumptions, External Events, and Notes:

Does not include leap seconds

Returns

The current SCTF

See also

CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockState, CFE_TIME_GetClockInfo

9.37 cFE Time Arithmetic APIs

Functions

- CFE_TIME_SysTime_t CFE_TIME_Add (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
 Adds two time values.
- CFE_TIME_SysTime_t CFE_TIME_Subtract (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
 Subtracts two time values.
- CFE_TIME_Compare_t CFE_TIME_Compare (CFE_TIME_SysTime_t TimeA, CFE_TIME_SysTime_t TimeB)
 Compares two time values.
- 9.37.1 Detailed Description
- 9.37.2 Function Documentation

9.37.2.1 CFE_TIME_Add()

```
CFE_TIME_SysTime_t CFE_TIME_Add (

CFE_TIME_SysTime_t Time1,

CFE_TIME_SysTime_t Time2)
```

Adds two time values.

Description

This routine adds the two specified times and returns the result. Normally, at least one of the input times should be a value representing a delta time. Adding two absolute times together will not cause an error, but the result will probably be meaningless.

Assumptions, External Events, and Notes:

None

Parameters

in	Time1	The first time to be added.
in	Time2	The second time to be added.

Returns

The sum of the two times. If the sum is greater than the maximum value that can be stored in a CFE_TIME_Sys← Time_t, the result will roll over (this is not considered an error).

See also

```
CFE_TIME_Subtract, CFE_TIME_Compare
```

9.37.2.2 CFE_TIME_Compare()

```
CFE_TIME_Compare_t CFE_TIME_Compare (

CFE_TIME_SysTime_t TimeA,

CFE_TIME_SysTime_t TimeB)
```

Compares two time values.

Description

This routine compares two time values to see which is "greater". It is important that applications use this function rather than trying to directly compare the component pieces of times. This function will handle roll-over cases seamlessly, which may not be intuitively obvious. The cFE's internal representation of time "rolls over" when the 32 bit seconds count reaches 0xFFFFFFF. Also, subtracting a delta time from an absolute time close to the epoch could result in "roll under". The strange cases that result from these situations can be handled by defining the comparison function for times as follows: Plot the two times on the circumference of a circle where 0 is at the top and 0x80000000 is at the bottom. If the shortest arc from time A to time B runs clockwise around the circle, then time A is less than time B. If the shortest arc from A to B runs counter-clockwise, then time A is greater than time B.

Assumptions, External Events, and Notes:

None

Parameters

in	TimeA	The first time to compare.
in	TimeB	The second time to compare.

Returns

The result of comparing the two times.

Return values

CFE_TIME_EQUAL	The two specified times are considered to be equal.
CFE_TIME_A_GT↔	The first specified time is considered to be after the second specified time.
_B	
CFE_TIME_A_LT↔	The first specified time is considered to be before the second specified time.
_ <i>B</i>	

See also

```
CFE_TIME_Add, CFE_TIME_Subtract
```

9.37.2.3 CFE_TIME_Subtract()

Subtracts two time values.

Description

This routine subtracts time2 from time1 and returns the result. The time values can represent either absolute or delta times, but not all combinations make sense.

- AbsTime AbsTime = DeltaTime
- AbsTime DeltaTime = AbsTime
- DeltaTime DeltaTime = DeltaTime
- DeltaTime AbsTime = garbage

Assumptions, External Events, and Notes:

None

Parameters

in	Time1	The base time.
in	Time2	The time to be subtracted from the base time.

Returns

The result of subtracting the two times. If the subtraction results in an underflow, the result will roll over (this is not considered an error).

See also

CFE_TIME_Add, CFE_TIME_Compare

9.38 cFE Time Conversion APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_MET2SCTime (CFE_TIME_SysTime_t METTime)

Convert specified MET into Spacecraft Time.

• uint32 CFE_TIME_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

uint32 CFE TIME Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

- 9.38.1 Detailed Description
- 9.38.2 Function Documentation

9.38.2.1 CFE_TIME_MET2SCTime()

Convert specified MET into Spacecraft Time.

Description

This function returns Spacecraft Time given MET. Note that Spacecraft Time is returned as either UTC or TAI depending on whether the mission configuration parameter CFE_MISSION_TIME_CFG_DEFAULT_UTC or CF← E_MISSION_TIME_CFG_DEFAULT_TAI was set to true at compile time.

Assumptions, External Events, and Notes:

None

Parameters

```
in METTime The MET to be converted.
```

Returns

Spacecraft Time (UTC or TAI) corresponding to the specified MET

See also

CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs, CFE_TIME_Sub2MicroSecs, CFE_TIME_Micro2SubSecs

9.38.2.2 CFE_TIME_Micro2SubSecs()

Converts a number of microseconds to an equivalent sub-seconds count.

Description

This routine converts from microseconds (each tick is 1e-06 seconds) to a subseconds count (each tick is $1/2^32$ seconds).

Assumptions, External Events, and Notes:

None

Parameters

MicroSeconds The sub-seconds count to conve	ert.
---	------

Returns

The equivalent number of subseconds. If the number of microseconds passed in is greater than one second, (i.e. > 999,999), the return value is equal to 0xfffffff.

See also

CFE_TIME_MET2SCTime, CFE_TIME_Sub2MicroSecs,

9.38.2.3 CFE_TIME_Sub2MicroSecs()

Converts a sub-seconds count to an equivalent number of microseconds.

Description

This routine converts from a sub-seconds count (each tick is $1/2^3$ 2 seconds) to microseconds (each tick is 1e-06 seconds).

Assumptions, External Events, and Notes:

None

Parameters

in	SubSeconds	The sub-seconds count to convert.	
----	------------	-----------------------------------	--

Returns

The equivalent number of microseconds.

See also

CFE_TIME_MET2SCTime, CFE_TIME_Micro2SubSecs,

9.39 cFE External Time Source APIs

Functions

void CFE TIME ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE TIME ExternalMET (CFE TIME SysTime t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE TIME ExternalGPS (CFE TIME SysTime t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE_TIME_ExternalTime (CFE_TIME_SysTime_t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

CFE_Status_t CFE_TIME_RegisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

CFE_Status_t CFE_TIME_UnregisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

- 9.39.1 Detailed Description
- 9.39.2 Function Documentation

9.39.2.1 CFE_TIME_ExternalGPS()

Provide the time from an external source that has data common to GPS receivers.

Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the space-craft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is C← FE_PLATFORM_TIME_CFG_SRC_GPS, which indicates that the external time data consists of a time value relative to a known epoch, plus a leap seconds value.

Parameters

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.
in	NewLeaps	The Leap Seconds value used to calculate time as UTC.

See also

CFE_TIME_ExternalTone, CFE_TIME_ExternalMET, CFE_TIME_ExternalTime

9.39.2.2 CFE_TIME_ExternalMET()

Provides the Mission Elapsed Time from an external source.

Description

This routine provides a method to provide cFE TIME with MET acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

The MET value at the tone "should" have zero subseconds. Although the interface accepts non-zero values for sub-seconds, it may be harmful to other applications that expect zero subseconds at the moment of the tone. Any decision to use non-zero subseconds should be carefully considered.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CF← E_PLATFORM_TIME_CFG_SRC_MET, which indicates that the external time data consists of MET.

Parameters

in	NewMET	The MET value at the next (or previous) 1 Hz tone signal.
----	--------	---

See also

CFE_TIME_ExternalTone, CFE_TIME_ExternalGPS, CFE_TIME_ExternalTime

9.39.2.3 CFE_TIME_ExternalTime()

Provide the time from an external source that measures time relative to a known epoch.

Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the space-craft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CF← E_PLATFORM_TIME_CFG_SRC_TIME, which indicates that the external time data consists of a time value relative to a known epoch.

Parameters

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.
----	---------	---

See also

CFE TIME ExternalTone, CFE TIME ExternalMET, CFE TIME ExternalGPS

9.39.2.4 CFE_TIME_ExternalTone()

Provides the 1 Hz signal from an external source.

Description

This routine provides a method for cFE TIME software to be notified of the occurrence of the 1Hz tone signal without knowledge of the specific hardware design. Regardless of the source of the tone, this routine should be called as soon as possible after detection to allow cFE TIME software the opportunity to latch the local clock as close as possible to the instant of the tone.

Assumptions, External Events, and Notes:

• This routine may be called directly from within the context of an interrupt handler.

See also

```
CFE_TIME_ExternalMET, CFE_TIME_ExternalGPS, CFE_TIME_ExternalTime
```

9.39.2.5 CFE_TIME_RegisterSynchCallback()

Registers a callback function that is called whenever time synchronization occurs.

Description

This routine passes a callback function pointer for an Application that wishes to be notified whenever a legitimate time synchronization signal (typically a 1 Hz) is received.

Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread). If an application requires triggering multiple child tasks at 1Hz, it should distribute the timing signal internally, rather than registering for multiple callbacks.

Parameters

in	CallbackFuncPtr	Function to call at synchronization interval (must not be null)
----	-----------------	---

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TIME_TOO_MANY_SYNCH_CALLBACKS	Too Many Sync Callbacks.
CFE_TIME_BAD_ARGUMENT	Bad Argument.

See also

CFE_TIME_UnregisterSynchCallback

9.39.2.6 CFE_TIME_UnregisterSynchCallback()

```
\label{local_continuous} \begin{tabular}{ll} CFE\_Status\_t & CFE\_TIME\_UnregisterSynchCallback ( & CFE\_TIME\_SynchCallbackPtr\_t & CallbackFuncPtr ) \\ \end{tabular}
```

Unregisters a callback function that is called whenever time synchronization occurs.

Description

This routine removes the specified callback function pointer from the list of Callback functions that are called whenever a time synchronization (typically the 1Hz signal) is received.

Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread).

Parameters

in	CallbackFuncPtr	Function to remove from synchronization call list (must not be null)]
----	-----------------	--	---

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TIME_CALLBACK_NOT_REGISTERED	Callback Not Registered.
CFE_TIME_BAD_ARGUMENT	Bad Argument.

See also

CFE_TIME_RegisterSynchCallback

9.40 cFE Miscellaneous Time APIs

Functions

```
    void CFE_TIME_Print (char *PrintBuffer, CFE_TIME_SysTime_t TimeToPrint)
    Print a time value as a string.
```

void CFE_TIME_Local1HzISR (void)

This function is called via a timer callback set up at initialization of the TIME service.

- 9.40.1 Detailed Description
- 9.40.2 Function Documentation

9.40.2.1 CFE_TIME_Local1HzISR()

This function is called via a timer callback set up at initialization of the TIME service.

Description

Drives the time processing logic from the system PSP layer. This must be called once per second based on a hardware interrupt or OS kernel signal.

Assumptions, External Events, and Notes:

This will update the global data structures accordingly, incrementing each by the 1Hz amount.

9.40.2.2 CFE_TIME_Print()

Print a time value as a string.

Description

This routine prints the specified time to the specified string buffer in the following format:

```
yyyy-ddd-hh:mm:ss.xxxxx\0
```

where:

- yyyy = **year**
- ddd = Julian day of the year
- hh = hour of the day (0 to 23)
- mm = minute (0 to 59)
- ss = second (0 to 59)
- xxxxx = subsecond formatted as a decimal fraction (1/4 second = 0.25000)
- \0 = trailing null

Assumptions, External Events, and Notes:

- The value of the time argument is simply added to the configuration definitions for the ground epoch and converted into a fixed length string in the buffer provided by the caller.
- A loss of data during the string conversion will occur if the computed year exceeds 9999. However, a year that large would require an unrealistic definition for the ground epoch since the maximum amount of time represented by a CFE_TIME_SysTime structure is approximately 136 years.

Parameters

out	PrintBuffer	Pointer to a character array (must not be null) of at least CFE_TIME_PRINTED_STRING_SIZE characters in length. *PrintBuffer is the time as a character string as described above.
in	TimeToPrint	The time to print into the character array.

9.41 cFE Resource ID base values

Enumerations

enum {

CFE_RESOURCEID_ES_TASKID_BASE_OFFSET = OS_OBJECT_TYPE_OS_TASK, CFE_RESOURCEID_←
ES_APPID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 1, CFE_RESOURCEID_ES_LIBID_BASE_OFF←
SET = OS_OBJECT_TYPE_USER + 2, CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET = OS_OBJECT←
TYPE_USER + 3,

CFE_RESOURCEID_ES_POOLID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 4, CFE_RESOURCEID ← _ES_CDSBLOCKID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 5, CFE_RESOURCEID_SB_PIPEID_R ← ESOURCE_BASE_OFFSET = OS_OBJECT_TYPE_USER + 6, CFE_RESOURCEID_CONFIGID_BASE_OF ← FSET = OS_OBJECT_TYPE_USER + 7}

enum {

CFE_ES_TASKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_TASKID_BASE_O← FFSET), CFE_ES_APPID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_APPID_BA⇔ SE_OFFSET), CFE_ES_LIBID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_LIBID↔ BASE_OFFSET), CFE_ES_COUNTID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_E⇔ S_COUNTID_BASE_OFFSET),

CFE_ES_POOLID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_POOLID_BASE_O ← FFSET), CFE_ES_CDSBLOCKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_CD ← SBLOCKID_BASE_OFFSET), CFE_SB_PIPEID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOUR ← CEID_SB_PIPEID_RESOURCE_BASE_OFFSET), CFE_CONFIGID_BASE = CFE_RESOURCEID_MAKE_B ← ASE(CFE_RESOURCEID_CONFIGID_BASE_OFFSET) }

- 9.41.1 Detailed Description
- 9.41.2 Enumeration Type Documentation

9.41.2.1 anonymous enum

anonymous enum

Enumerator

Definition at line 48 of file cfe core resourceid basevalues.h.

9.41.2.2 anonymous enum

anonymous enum

Enumerator

CFE_ES_TASKID_BASE	
CFE_ES_APPID_BASE	
CFE_ES_LIBID_BASE	
CFE_ES_COUNTID_BASE	
CFE_ES_POOLID_BASE	
CFE_ES_CDSBLOCKID_BASE	
CFE_SB_PIPEID_BASE	
CFE_CONFIGID_BASE	

Definition at line 81 of file cfe_core_resourceid_basevalues.h.

9.42 cFE Clock State Flag Defines

Macros

#define CFE TIME FLAG CLKSET 0x8000

The spacecraft time has been set.

#define CFE_TIME_FLAG_FLYING 0x4000

This instance of Time Services is flywheeling.

#define CFE_TIME_FLAG_SRCINT 0x2000

The clock source is set to "internal".

#define CFE_TIME_FLAG_SIGPRI 0x1000

The clock signal is set to "primary".

#define CFE TIME FLAG SRVFLY 0x0800

The Time Server is in flywheel mode.

#define CFE_TIME_FLAG_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

• #define CFE_TIME_FLAG_ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

• #define CFE_TIME_FLAG_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

• #define CFE_TIME_FLAG_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

• #define CFE_TIME_FLAG_SERVER 0x0040

This instance of Time Services is a Time Server.

#define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

#define CFE_TIME_FLAG_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

#define CFE_TIME_FLAG_UNUSED 0x000F

Reserved flags - should be zero.

- 9.42.1 Detailed Description
- 9.42.2 Macro Definition Documentation

9.42.2.1 CFE_TIME_FLAG_ADD1HZ

#define CFE_TIME_FLAG_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

Definition at line 715 of file cfe_time_msg.h.

9.42.2.2 CFE_TIME_FLAG_ADDADJ

#define CFE_TIME_FLAG_ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

Definition at line 714 of file cfe_time_msg.h.

9.42.2.3 CFE_TIME_FLAG_ADDTCL

#define CFE_TIME_FLAG_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

Definition at line 716 of file cfe_time_msg.h.

9.42.2.4 CFE_TIME_FLAG_CLKSET

#define CFE_TIME_FLAG_CLKSET 0x8000

The spacecraft time has been set.

Definition at line 708 of file cfe time msg.h.

9.42.2.5 CFE_TIME_FLAG_CMDFLY

#define CFE_TIME_FLAG_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

Definition at line 713 of file cfe_time_msg.h.

9.42.2.6 CFE_TIME_FLAG_FLYING

#define CFE_TIME_FLAG_FLYING 0x4000

This instance of Time Services is flywheeling.

Definition at line 709 of file cfe_time_msg.h.

9.42.2.7 CFE_TIME_FLAG_GDTONE

#define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

Definition at line 718 of file cfe_time_msg.h.

9.42.2.8 CFE_TIME_FLAG_REFERR

#define CFE_TIME_FLAG_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

Definition at line 719 of file cfe_time_msg.h.

9.42.2.9 CFE_TIME_FLAG_SERVER

#define CFE_TIME_FLAG_SERVER 0x0040

This instance of Time Services is a Time Server.

Definition at line 717 of file cfe time msg.h.

9.42.2.10 CFE_TIME_FLAG_SIGPRI

#define CFE_TIME_FLAG_SIGPRI 0x1000

The clock signal is set to "primary".

Definition at line 711 of file cfe_time_msg.h.

9.42.2.11 CFE_TIME_FLAG_SRCINT

#define CFE_TIME_FLAG_SRCINT 0x2000

The clock source is set to "internal".

Definition at line 710 of file cfe_time_msg.h.

9.42.2.12 CFE_TIME_FLAG_SRVFLY

#define CFE_TIME_FLAG_SRVFLY 0x0800

The Time Server is in flywheel mode.

Definition at line 712 of file cfe_time_msg.h.

9.42.2.13 CFE_TIME_FLAG_UNUSED

#define CFE_TIME_FLAG_UNUSED 0x000F

Reserved flags - should be zero.

Definition at line 721 of file cfe_time_msg.h.

9.43 OSAL Semaphore State Defines

Macros

• #define OS_SEM_FULL 1

Semaphore full state.

• #define OS_SEM_EMPTY 0

Semaphore empty state.

- 9.43.1 Detailed Description
- 9.43.2 Macro Definition Documentation

9.43.2.1 OS_SEM_EMPTY

#define OS_SEM_EMPTY 0

Semaphore empty state.

Definition at line 35 of file osapi-binsem.h.

9.43.2.2 OS_SEM_FULL

#define OS_SEM_FULL 1

Semaphore full state.

Definition at line 34 of file osapi-binsem.h.

9.44 OSAL Binary Semaphore APIs

Functions

• int32 OS_BinSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

Creates a binary semaphore.

• int32 OS_BinSemFlush (osal_id_t sem_id)

Unblock all tasks pending on the specified semaphore.

int32 OS_BinSemGive (osal_id_t sem_id)

Increment the semaphore value.

int32 OS_BinSemTake (osal_id_t sem_id)

Decrement the semaphore value.

int32 OS_BinSemTimedWait (osal_id_t sem_id, uint32 msecs)

Decrement the semaphore value with a timeout.

int32 OS_BinSemDelete (osal_id_t sem_id)

Deletes the specified Binary Semaphore.

• int32 OS_BinSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

• int32 OS_BinSemGetInfo (osal_id_t sem_id, OS_bin_sem_prop_t *bin_prop)

Fill a property object buffer with details regarding the resource.

9.44.1 Detailed Description

9.44.2 Function Documentation

9.44.2.1 OS_BinSemCreate()

Creates a binary semaphore.

Creates a binary semaphore with initial value specified by sem_initial_value and name specified by sem_name. sem_id will be returned to the caller

Parameters

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	sem_name	the name of the new resource to create (must not be null)
in	sem_initial_value	the initial value of the binary semaphore
in	options	Reserved for future use, should be passed as 0.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sen name or sem_id are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken
OS_ERR_NAME_TAKEN	if this is already the name of a binary semaphore
OS_SEM_FAILURE	if the OS call failed (return value only verified in coverage test)

9.44.2.2 OS_BinSemDelete()

Deletes the specified Binary Semaphore.

This is the function used to delete a binary semaphore in the operating system. This also frees the respective sem_id to be used again when another semaphore is created.

Parameters

in	sem⇔	The object ID to delete
	id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a valid binary semaphore	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

9.44.2.3 OS_BinSemFlush()

Unblock all tasks pending on the specified semaphore.

The function unblocks all tasks pending on the specified semaphore. However, this function does not change the state of the semaphore.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a binary semaphore	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

9.44.2.4 OS_BinSemGetIdByName()

Find an existing semaphore ID by name.

This function tries to find a binary sem Id given the name of a bin_sem The id is returned through sem_id

Parameters

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

9.44.2.5 OS_BinSemGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified binary semaphore.

Parameters

ĺ	in	sem_id	The object ID to operate on
	out	bin_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the bin_prop pointer is null

9.44.2.6 OS_BinSemGive()

Increment the semaphore value.

The function unlocks the semaphore referenced by sem_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

Parameters

in	sem⊷	The object ID to operate on
	id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	OS_SUCCESS Successful execution.	
OS_ERR_INVALID_ID if the id passed in is not a binary semaphore		
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

9.44.2.7 OS_BinSemTake()

Decrement the semaphore value.

The locks the semaphore referenced by sem_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS Successful execution.		
OS_ERR_INVALID_ID	the Id passed in is not a valid binary semaphore	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

9.44.2.8 OS_BinSemTimedWait()

Decrement the semaphore value with a timeout.

The function locks the semaphore referenced by sem_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

Parameters

in	sem← _id	The object ID to operate on
in	msecs	The maximum amount of time to block, in milliseconds

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_SEM_TIMEOUT if semaphore was not relinquished in time		
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

9.45 OSAL BSP low level access APIs

Functions

- void OS_BSP_SetResourceTypeConfig (uint32 ResourceType, uint32 ConfigOptionValue)
- uint32 OS_BSP_GetResourceTypeConfig (uint32 ResourceType)
- uint32 OS_BSP_GetArgC (void)
- char *const * OS BSP GetArgV (void)
- void OS_BSP_SetExitCode (int32 code)

9.45.1 Detailed Description

These are for OSAL internal BSP information access to pass any BSP-specific boot/command line/startup arguments through to the application, and return a status code back to the OS after exit.

Not intended for user application use

9.45.2 Function Documentation

9.45.2.1 OS_BSP_GetArgC()

9.45.2.2 OS_BSP_GetArgV()

9.45.2.3 OS_BSP_GetResourceTypeConfig()

9.45.2.4 OS_BSP_SetExitCode()

9.45.2.5 OS_BSP_SetResourceTypeConfig()

9.46 OSAL Real Time Clock APIs

Functions

int32 OS GetLocalTime (OS time t *time struct)

Get the local time.

int32 OS_SetLocalTime (const OS_time_t *time_struct)

Set the local time.

static int64 OS TimeGetTotalSeconds (OS time t tm)

Get interval from an OS_time_t object normalized to whole number of seconds.

static int64 OS TimeGetTotalMilliseconds (OS time t tm)

Get interval from an OS_time_t object normalized to millisecond units.

static int64 OS_TimeGetTotalMicroseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to microsecond units.

static int64 OS TimeGetTotalNanoseconds (OS time t tm)

Get interval from an OS time t object normalized to nanosecond units.

static int64 OS TimeGetFractionalPart (OS time t tm)

Get subseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS TimeGetSubsecondsPart (OS time t tm)

Get 32-bit normalized subseconds (fractional part only) from an OS_time_t object.

static uint32 OS TimeGetMillisecondsPart (OS time t tm)

Get milliseconds portion (fractional part only) from an OS time t object.

static uint32 OS_TimeGetMicrosecondsPart (OS_time_t tm)

Get microseconds portion (fractional part only) from an OS time t object.

• static uint32 OS TimeGetNanosecondsPart (OS time t tm)

Get nanoseconds portion (fractional part only) from an OS time t object.

static OS_time_t OS_TimeAssembleFromNanoseconds (int64 seconds, uint32 nanoseconds)

Assemble/Convert a number of seconds + nanoseconds into an OS_time_t interval.

static OS time t OS TimeAssembleFromMicroseconds (int64 seconds, uint32 microseconds)

Assemble/Convert a number of seconds + microseconds into an OS_time_t interval.

• static OS_time_t OS_TimeAssembleFromMilliseconds (int64 seconds, uint32 milliseconds)

Assemble/Convert a number of seconds + milliseconds into an OS_time_t interval.

• static OS_time_t OS_TimeAssembleFromSubseconds (int64 seconds, uint32 subseconds)

Assemble/Convert a number of seconds + subseconds into an OS time t interval.

static OS_time_t OS_TimeAdd (OS_time_t time1, OS_time_t time2)

Computes the sum of two time intervals.

static OS_time_t OS_TimeSubtract (OS_time_t time1, OS_time_t time2)

Computes the difference between two time intervals.

- 9.46.1 Detailed Description
- 9.46.2 Function Documentation

9.46.2.1 OS_GetLocalTime()

Get the local time.

This function gets the local time from the underlying OS.

Note

Mission time management typically uses the cFE Time Service

Parameters

out	time_struct	An OS_time_t that will be set to the current time (must not be null)
-----	-------------	--

Returns

Get local time status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if time_struct is null

9.46.2.2 OS_SetLocalTime()

Set the local time.

This function sets the local time on the underlying OS.

Note

Mission time management typically uses the cFE Time Services

Parameters

in	time_struct	An OS_time_t containing the current time (must not be null)
----	-------------	---

Returns

Set local time status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if time_struct is null

9.46.2.3 OS_TimeAdd()

Computes the sum of two time intervals.

Parameters

in	time1	The first interval
in	time2	The second interval

Returns

The sum of the two intervals (time1 + time2)

Definition at line 388 of file osapi-clock.h.

References OS_time_t::ticks.

9.46.2.4 OS_TimeAssembleFromMicroseconds()

Assemble/Convert a number of seconds + microseconds into an OS_time_t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of microseconds. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetMicrosecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS_TimeGetTotalSeconds(), OS_TimeGetMicrosecondsPart()

Parameters

in	seconds	Whole number of seconds
in	microseconds	Number of microseconds (fractional part only)

Returns

The input arguments represented as an OS_time_t interval

Definition at line 323 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, OS_TIME_TICKS_PER_USEC, and OS_time_t::ticks.

9.46.2.5 OS_TimeAssembleFromMilliseconds()

Assemble/Convert a number of seconds + milliseconds into an OS_time_t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of milliseconds. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetMillisecondsPart(), and should recreate the original O S_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS_TimeGetTotalSeconds(), OS_TimeGetMillisecondsPart()

Parameters

in	seconds	Whole number of seconds
in	milliseconds	Number of milliseconds (fractional part only)

Returns

The input arguments represented as an OS_time_t interval

Definition at line 347 of file osapi-clock.h.

References OS_TIME_TICKS_PER_MSEC, OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

9.46.2.6 OS_TimeAssembleFromNanoseconds()

Assemble/Convert a number of seconds + nanoseconds into an OS time t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of nanoseconds. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetNanosecondsPart(), and should recreate the original O _ S_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

```
OS_TimeGetTotalSeconds(), OS_TimeGetNanosecondsPart()
```

Parameters

in	seconds	Whole number of seconds
in	nanoseconds	Number of nanoseconds (fractional part only)

Returns

The input arguments represented as an OS time t interval

Definition at line 299 of file osapi-clock.h.

References OS TIME TICK RESOLUTION NS, OS TIME TICKS PER SECOND, and OS time t::ticks.

9.46.2.7 OS_TimeAssembleFromSubseconds()

Assemble/Convert a number of seconds + subseconds into an OS_time_t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of sub-seconds $(1/2^32)$. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetSubsecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS_TimeGetTotalSeconds(), OS_TimeGetNanosecondsPart()

Parameters

in	seconds	Whole number of seconds
in	subseconds	Number of subseconds (32 bit fixed point fractional part)

Returns

The input arguments represented as an OS_time_t interval

Definition at line 370 of file osapi-clock.h.

References OS TIME TICKS PER SECOND, and OS time t::ticks.

9.46.2.8 OS_TimeGetFractionalPart()

Get subseconds portion (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS_time_t object. Units returned are in ticks, not normalized to any standard time unit.

Parameters

in	tm	Time interval value

Returns

Fractional/subsecond portion of time interval in ticks

Definition at line 191 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

Referenced by OS_TimeGetMicrosecondsPart(), OS_TimeGetMillisecondsPart(), OS_TimeGetNanosecondsPart(), and OS_TimeGetSubsecondsPart().

9.46.2.9 OS_TimeGetMicrosecondsPart()

Get microseconds portion (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS_time_t object normalized to units of microseconds.

This function may be used to adapt applications initially implemented using an older OSAL version where OS_time_t was a structure containing a "seconds" and "microsecs" field.

This function will obtain a value that is compatible with the "microsecs" field of OS_time_t as it was defined in previous versions of OSAL, as well as the "tv_usec" field of POSIX-style "struct timeval" values.

See also

OS_TimeGetTotalSeconds()

Parameters

in tm Time interval value	in
-------------------------------	----

Returns

Number of microseconds in time interval

Definition at line 259 of file osapi-clock.h.

References OS_TIME_TICKS_PER_USEC, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



9.46.2.10 OS_TimeGetMillisecondsPart()

Get milliseconds portion (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS_time_t object normalized to units of milliseconds.

See also

OS_TimeGetTotalSeconds()

Parameters

in	tm	Time interval value

Returns

Number of milliseconds in time interval

Definition at line 234 of file osapi-clock.h.

References OS_TIME_TICKS_PER_MSEC, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



9.46.2.11 OS_TimeGetNanosecondsPart()

Get nanoseconds portion (fractional part only) from an OS_time_t object.

Extracts the only number of nanoseconds from a given OS_time_t object.

This function will obtain a value that is compatible with the "tv_nsec" field of POSIX-style "struct timespec" values.

See also

OS_TimeGetTotalSeconds()

Parameters

in	tm	Time interval value

Returns

Number of nanoseconds in time interval

Definition at line 278 of file osapi-clock.h.

References OS_TIME_TICK_RESOLUTION_NS, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



9.46.2.12 OS_TimeGetSubsecondsPart()

Get 32-bit normalized subseconds (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS_time_t object in maximum precision, with units of 2^{\land} (-32) sec. This is a base-2 fixed-point fractional value with the point left-justified in the 32-bit value (i.e. left of MSB).

This is (mostly) compatible with the CFE "subseconds" value, where 0x80000000 represents exactly one half second, and 0 represents a full second.

Parameters

in	tm	Time interval value
----	----	---------------------

Returns

Fractional/subsecond portion of time interval as 32-bit fixed point value

Definition at line 210 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



9.46.2.13 OS_TimeGetTotalMicroseconds()

Get interval from an OS_time_t object normalized to microsecond units.

Note this refers to the complete interval, not just the fractional part.

Parameters

in tm Time interval	value
---------------------	-------

Returns

Whole number of microseconds in time interval

Definition at line 158 of file osapi-clock.h.

References OS_TIME_TICKS_PER_USEC, and OS_time_t::ticks.

9.46.2.14 OS_TimeGetTotalMilliseconds()

Get interval from an OS_time_t object normalized to millisecond units.

Note this refers to the complete interval, not just the fractional part.

Parameters

in	tm	Time interval value
----	----	---------------------

Returns

Whole number of milliseconds in time interval

Definition at line 144 of file osapi-clock.h.

References OS_TIME_TICKS_PER_MSEC, and OS_time_t::ticks.

9.46.2.15 OS_TimeGetTotalNanoseconds()

Get interval from an OS_time_t object normalized to nanosecond units.

Note this refers to the complete interval, not just the fractional part.

Note

There is no protection against overflow of the 64-bit return value. Applications must use caution to ensure that the interval does not exceed the representable range of a signed 64 bit integer - approximately 140 years.

Parameters

in tm Time interval va	lue
------------------------	-----

Returns

Whole number of microseconds in time interval

Definition at line 176 of file osapi-clock.h.

References OS_TIME_TICK_RESOLUTION_NS, and OS_time_t::ticks.

9.46.2.16 OS_TimeGetTotalSeconds()

Get interval from an OS_time_t object normalized to whole number of seconds.

Extracts the number of whole seconds from a given OS_time_t object, discarding any fractional component.

This may also replace a direct read of the "seconds" field from the OS_time_t object from previous versions of OSAL, where the structure was defined with separate seconds/microseconds fields.

See also

OS_TimeGetMicrosecondsPart()

Parameters

_			
	in	tm	Time interval value

Returns

Whole number of seconds in time interval

Definition at line 130 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

9.46.2.17 OS_TimeSubtract()

Computes the difference between two time intervals.

Parameters

in	time1	The first interval
in	time2	The second interval

Returns

The difference of the two intervals (time1 - time2)

Definition at line 402 of file osapi-clock.h.

References OS_time_t::ticks.

9.47 OSAL Core Operation APIs

Functions

void OS Application Startup (void)

Application startup.

void OS Application Run (void)

Application run.

int32 OS API Init (void)

Initialization of API.

void OS_API_Teardown (void)

Teardown/de-initialization of OSAL API.

void OS_IdleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS_DeleteAllObjects (void)

delete all resources created in OSAL.

void OS_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS_ApplicationExit (int32 Status)

Exit/Abort the application.

int32 OS_RegisterEventHandler (OS_EventHandler_t handler)

Callback routine registration.

9.47.1 Detailed Description

These are for OSAL core operations for startup/initialization, running, and shutdown. Typically only used in bsps, unit tests, psps, etc.

Not intended for user application use

9.47.2 Function Documentation

9.47.2.1 OS_API_Init()

Initialization of API.

This function returns initializes the internal data structures of the OS Abstraction Layer. It must be called in the application startup code before calling any other OS routines.

Returns

Execution status, see OSAL Return Code Defines. Any error code (negative) means the OSAL can not be initialized. Typical platform specific response is to abort since additional OSAL calls will have undefined behavior.

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	Failed execution. (return value only verified in coverage test)

9.47.2.2 OS_API_Teardown()

Teardown/de-initialization of OSAL API.

This is the inverse of OS_API_Init(). It will release all OS resources and return the system to a state similar to what it was prior to invoking OS_API_Init() initially.

Normally for embedded applications, the OSAL is initialized after boot and will remain initialized in memory until the processor is rebooted. However for testing and development purposes, it is potentially useful to reset back to initial conditions.

For testing purposes, this API is designed/intended to be compatible with the UtTest_AddTeardown() routine provided by the UT-Assert subsystem.

Note

This is a "best-effort" routine and it may not always be possible/guaranteed to recover all resources, particularly in the case of off-nominal conditions, or if a resource is used outside of OSAL.

For example, while this will attempt to unload all dynamically-loaded modules, doing so may not be possible and/or may induce undefined behavior if resources are in use by tasks/functions outside of OSAL.

9.47.2.3 OS_Application_Run()

Application run.

Run abstraction such that the same BSP can be used for operations and testing.

9.47.2.4 OS_Application_Startup()

Application startup.

Startup abstraction such that the same BSP can be used for operations and testing.

9.47.2.5 OS_ApplicationExit()

Exit/Abort the application.

Indicates that the OSAL application should exit and return control to the OS This is intended for e.g. scripted unit testing where the test needs to end without user intervention.

This function does not return. Production code typically should not ever call this.

Note

This exits the entire process including tasks that have been created.

9.47.2.6 OS_ApplicationShutdown()

Initiate orderly shutdown.

Indicates that the OSAL application should perform an orderly shutdown of ALL tasks, clean up all resources, and exit the application.

This allows the task currently blocked in OS_IdleLoop() to wake up, and for that function to return to its caller.

This is preferred over e.g. OS_ApplicationExit() which exits immediately and does not provide for any means to clean up first.

Parameters

```
in flag set to true to initiate shutdown, false to cancel
```

9.47.2.7 OS_DeleteAllObjects()

delete all resources created in OSAL.

provides a means to clean up all resources allocated by this instance of OSAL. It would typically be used during an orderly shutdown but may also be helpful for testing purposes.

9.47.2.8 OS_IdleLoop()

```
void OS_IdleLoop (
     void )
```

Background thread implementation - waits forever for events to occur.

This should be called from the BSP main routine or initial thread after all other board and application initialization has taken place and all other tasks are running.

Typically just waits forever until "OS shutdown" flag becomes true.

9.47.2.9 OS_RegisterEventHandler()

Callback routine registration.

This hook enables the application code to perform extra platform-specific operations on various system events such as resource creation/deletion.

Note

Some events are invoked while the resource is "locked" and therefore application-defined handlers for these events should not block or attempt to access other OSAL resources.

Parameters

in	handler	The application-provided event handler (must not be null)
		The approximate provided at the control of the co

Returns

Execution status, see OSAL Return Code Defines.

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if handler is NULL

9.48 OSAL Counting Semaphore APIs

Functions

• int32 OS_CountSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

Creates a counting semaphore.

• int32 OS CountSemGive (osal id t sem id)

Increment the semaphore value.

• int32 OS CountSemTake (osal id t sem id)

Decrement the semaphore value.

int32 OS_CountSemTimedWait (osal_id_t sem_id, uint32 msecs)

Decrement the semaphore value with timeout.

int32 OS_CountSemDelete (osal_id_t sem_id)

Deletes the specified counting Semaphore.

• int32 OS CountSemGetIdByName (osal id t *sem id, const char *sem name)

Find an existing semaphore ID by name.

• int32 OS_CountSemGetInfo (osal_id_t sem_id, OS_count_sem_prop_t *count_prop)

Fill a property object buffer with details regarding the resource.

- 9.48.1 Detailed Description
- 9.48.2 Function Documentation

9.48.2.1 OS_CountSemCreate()

Creates a counting semaphore.

Creates a counting semaphore with initial value specified by sem_initial_value and name specified by sem_name. sem_id will be returned to the caller.

Note

Underlying RTOS implementations may or may not impose a specific upper limit to the value of a counting semaphore. If the OS has a specific limit and the sem_initial_value exceeds this limit, then OS_INVALID_S EM_VALUE is returned. On other implementations, any 32-bit integer value may be acceptable. For maximum portability, it is recommended to keep counting semaphore values within the range of a "short int" (i.e. between 0 and 32767). Many platforms do accept larger values, but may not be guaranteed.

Parameters

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	sem_name	the name of the new resource to create (must not be null)
in	sem_initial_value	the initial value of the counting semaphore
in	options	Reserved for future use, should be passed as 0.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sen name or sem_id are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken
OS_ERR_NAME_TAKEN	if this is already the name of a counting semaphore
OS_INVALID_SEM_VALUE	if the semaphore value is too high (return value only verified in coverage test)
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in
	coverage test)

9.48.2.2 OS_CountSemDelete()

Deletes the specified counting Semaphore.

Parameters

in	sem←	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid counting semaphore
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

9.48.2.3 OS_CountSemGetIdByName()

Find an existing semaphore ID by name.

This function tries to find a counting sem Id given the name of a count_sem The id is returned through sem_id

Parameters

ou	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

9.48.2.4 OS_CountSemGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified counting semaphore.

Parameters

in	sem_id	The object ID to operate on
out	count_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null

9.48.2.5 OS_CountSemGive()

Increment the semaphore value.

The function unlocks the semaphore referenced by sem_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a counting semaphore
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

9.48.2.6 OS_CountSemTake()

Decrement the semaphore value.

The locks the semaphore referenced by sem_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the ld passed in is not a valid counting semaphore
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

9.48.2.7 OS_CountSemTimedWait()

Decrement the semaphore value with timeout.

The function locks the semaphore referenced by sem_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

Parameters

in	sem⇔	The object ID to operate on	
	_id		
in	msecs	The maximum amount of time to block, in milliseconds	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_SEM_TIMEOUT	if semaphore was not relinquished in time	
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID	
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)	

9.49 OSAL Directory APIs

Functions

• int32 OS_DirectoryOpen (osal_id_t *dir_id, const char *path)

Opens a directory.

int32 OS_DirectoryClose (osal_id_t dir_id)

Closes an open directory.

int32 OS_DirectoryRewind (osal_id_t dir_id)

Rewinds an open directory.

int32 OS_DirectoryRead (osal_id_t dir_id, os_dirent_t *dirent)

Reads the next name in the directory.

• int32 OS_mkdir (const char *path, uint32 access)

Makes a new directory.

• int32 OS_rmdir (const char *path)

Removes a directory from the file system.

9.49.1 Detailed Description

9.49.2 Function Documentation

9.49.2.1 OS_DirectoryClose()

Closes an open directory.

The directory referred to by dir_id will be closed

Parameters

in	dir⊷	The handle ID of the directory
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the directory handle is invalid

9.49.2.2 OS_DirectoryOpen()

Opens a directory.

Prepares for reading the files within a directory

Parameters

out	dir⊷	Location to store handle ID of the directory (must not be null)
	_id	
in	path	The directory to open (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if dir_id or path is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path argument exceeds the maximum length
OS_FS_ERR_PATH_INVALID	if the path argument is not valid
OS_ERROR	if the directory could not be opened

9.49.2.3 OS_DirectoryRead()

Reads the next name in the directory.

Obtains directory entry data for the next file from an open directory

Parameters

in	dir⊷ _id	The handle ID of the directory	
out	dirent	Buffer to store directory entry information (must not be null)	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if dirent argument is NULL
OS_ERR_INVALID_ID	if the directory handle is invalid
OS_ERROR	at the end of the directory or if the OS call otherwise fails

9.49.2.4 OS_DirectoryRewind()

Rewinds an open directory.

Resets a directory read handle back to the first file.

Parameters

in	dir←	The handle ID of the directory
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the directory handle is invalid

9.49.2.5 OS_mkdir()

Makes a new directory.

Makes a directory specified by path.

Parameters

in	path	The new directory name (must not be null)	
in	access	The permissions for the directory (reserved for future use)	

Note

Current implementations do not utilize the "access" parameter. Applications should still pass the intended value (OS_READ_WRITE or OS_READ_ONLY) to be compatible with future implementations.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call fails (return value only verified in coverage test)

9.49.2.6 OS_rmdir()

Removes a directory from the file system.

Removes a directory from the structure. The directory must be empty prior to this operation.

Parameters

in	path	The directory to remove

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed

Return values

OS_FS_ERR_PATH_TOO_LONG	
OS_ERROR	if the directory remove operation failed (return value only verified in coverage
	test)

9.50 OSAL Return Code Defines

```
Macros
```

```
    #define OS SUCCESS (0)

     Successful execution.

    #define OS_ERROR (-1)

     Failed execution.

    #define OS INVALID POINTER (-2)

     Invalid pointer.

    #define OS_ERROR_ADDRESS_MISALIGNED (-3)

     Address misalignment.

    #define OS_ERROR_TIMEOUT (-4)

     Error timeout.

    #define OS_INVALID_INT_NUM (-5)

     Invalid Interrupt number.

    #define OS_SEM_FAILURE (-6)

     Semaphore failure.

    #define OS_SEM_TIMEOUT (-7)

     Semaphore timeout.
• #define OS_QUEUE_EMPTY (-8)
     Queue empty.
• #define OS_QUEUE_FULL (-9)
     Queue full.
• #define OS_QUEUE_TIMEOUT (-10)
     Queue timeout.

    #define OS_QUEUE_INVALID_SIZE (-11)

     Queue invalid size.

    #define OS_QUEUE_ID_ERROR (-12)

     Queue ID error.

    #define OS_ERR_NAME_TOO_LONG (-13)

     name length including null terminator greater than OS_MAX_API_NAME

    #define OS_ERR_NO_FREE_IDS (-14)

     No free IDs.
• #define OS ERR NAME TAKEN (-15)
     Name taken.

    #define OS_ERR_INVALID_ID (-16)

    #define OS_ERR_NAME_NOT_FOUND (-17)

     Name not found.

    #define OS_ERR_SEM_NOT_FULL (-18)

     Semaphore not full.

    #define OS ERR INVALID PRIORITY (-19)

     Invalid priority.
• #define OS_INVALID_SEM_VALUE (-20)
     Invalid semaphore value.
```

#define OS_ERR_FILE (-27)

File error.

• #define OS ERR NOT IMPLEMENTED (-28)

Not implemented.

#define OS_TIMER_ERR_INVALID_ARGS (-29)

Timer invalid arguments.

• #define OS_TIMER_ERR_TIMER_ID (-30)

Timer ID error.

• #define OS TIMER ERR UNAVAILABLE (-31)

Timer unavailable.

• #define OS_TIMER_ERR_INTERNAL (-32)

Timer internal error.

• #define OS_ERR_OBJECT_IN_USE (-33)

Object in use.

#define OS_ERR_BAD_ADDRESS (-34)

Bad address.

#define OS_ERR_INCORRECT_OBJ_STATE (-35)

Incorrect object state.

#define OS_ERR_INCORRECT_OBJ_TYPE (-36)

Incorrect object type.

• #define OS_ERR_STREAM_DISCONNECTED (-37)

Stream disconnected.

#define OS_ERR_OPERATION_NOT_SUPPORTED (-38)

Requested operation not support on supplied object(s)

• #define OS ERR INVALID SIZE (-40)

Invalid Size.

• #define OS_ERR_OUTPUT_TOO_LARGE (-41)

Size of output exceeds limit.

• #define OS_ERR_INVALID_ARGUMENT (-42)

Invalid argument value (other than ID or size)

#define OS_FS_ERR_PATH_TOO_LONG (-103)

FS path too long.

#define OS_FS_ERR_NAME_TOO_LONG (-104)

FS name too long.

#define OS_FS_ERR_DRIVE_NOT_CREATED (-106)

FS drive not created.

#define OS_FS_ERR_DEVICE_NOT_FREE (-107)

FS device not free.

#define OS_FS_ERR_PATH_INVALID (-108)

FS path invalid.

9.50.1 Detailed Description

The specific status/return code definitions listed in this section may be extended or refined in future versions of OSAL.

Note

Application developers should assume that any OSAL API may return any status value listed here. While the documentation of each OSAL API function indicates the return/status values that function may directly generate, functions may also pass through other status codes from related functions, so that list should not be considered absolute/exhaustive.

The int32 data type should be used to store an OSAL status code. Negative values will always represent errors, while non-negative values indicate success. Most APIs specifically return OS_SUCCESS (0) upon successful execution, but some return a nonzero value, such as data size.

Ideally, in order to more easily adapt to future OSAL versions and status code extensions/refinements, applications should typically check for errors as follows:

```
int32 status;
status = OS_TaskCreate(...); (or any other API)
if (status < OS_SUCCESS)
{
    handle or report error...
    may also check for specific codes here.
}
else
{
    handle normal/successful status...
}</pre>
```

9.50.2 Macro Definition Documentation

9.50.2.1 OS_ERR_BAD_ADDRESS

```
#define OS_ERR_BAD_ADDRESS (-34)
```

Bad address.

Definition at line 124 of file osapi-error.h.

9.50.2.2 OS_ERR_FILE

```
\#define OS\_ERR\_FILE (-27)
```

File error.

Definition at line 117 of file osapi-error.h.

9.50.2.3 OS_ERR_INCORRECT_OBJ_STATE

```
#define OS_ERR_INCORRECT_OBJ_STATE (-35)
```

Incorrect object state.

Definition at line 125 of file osapi-error.h.

9.50.2.4 OS_ERR_INCORRECT_OBJ_TYPE

```
#define OS_ERR_INCORRECT_OBJ_TYPE (-36)
```

Incorrect object type.

Definition at line 126 of file osapi-error.h.

9.50.2.5 OS_ERR_INVALID_ARGUMENT

```
#define OS_ERR_INVALID_ARGUMENT (-42)
```

Invalid argument value (other than ID or size)

Definition at line 131 of file osapi-error.h.

9.50.2.6 OS_ERR_INVALID_ID

```
#define OS_ERR_INVALID_ID (-16)
```

Invalid ID.

Definition at line 112 of file osapi-error.h.

9.50.2.7 OS_ERR_INVALID_PRIORITY

```
#define OS_ERR_INVALID_PRIORITY (-19)
```

Invalid priority.

Definition at line 115 of file osapi-error.h.

9.50.2.8 OS_ERR_INVALID_SIZE

#define OS_ERR_INVALID_SIZE (-40)

Invalid Size.

Definition at line 129 of file osapi-error.h.

9.50.2.9 OS_ERR_NAME_NOT_FOUND

#define OS_ERR_NAME_NOT_FOUND (-17)

Name not found.

Definition at line 113 of file osapi-error.h.

9.50.2.10 OS_ERR_NAME_TAKEN

#define OS_ERR_NAME_TAKEN (-15)

Name taken.

Definition at line 111 of file osapi-error.h.

9.50.2.11 OS_ERR_NAME_TOO_LONG

#define OS_ERR_NAME_TOO_LONG (-13)

name length including null terminator greater than OS_MAX_API_NAME

Definition at line 109 of file osapi-error.h.

9.50.2.12 OS_ERR_NO_FREE_IDS

#define OS_ERR_NO_FREE_IDS (-14)

No free IDs.

Definition at line 110 of file osapi-error.h.

9.50.2.13 OS_ERR_NOT_IMPLEMENTED

```
#define OS_ERR_NOT_IMPLEMENTED (-28)
```

Not implemented.

Definition at line 118 of file osapi-error.h.

9.50.2.14 OS_ERR_OBJECT_IN_USE

```
#define OS_ERR_OBJECT_IN_USE (-33)
```

Object in use.

Definition at line 123 of file osapi-error.h.

9.50.2.15 OS_ERR_OPERATION_NOT_SUPPORTED

```
#define OS_ERR_OPERATION_NOT_SUPPORTED (-38)
```

Requested operation not support on supplied object(s)

Definition at line 128 of file osapi-error.h.

9.50.2.16 OS_ERR_OUTPUT_TOO_LARGE

```
#define OS_ERR_OUTPUT_TOO_LARGE (-41)
```

Size of output exceeds limit.

Definition at line 130 of file osapi-error.h.

9.50.2.17 OS_ERR_SEM_NOT_FULL

```
#define OS_ERR_SEM_NOT_FULL (-18)
```

Semaphore not full.

Definition at line 114 of file osapi-error.h.

9.50.2.18 OS_ERR_STREAM_DISCONNECTED

#define OS_ERR_STREAM_DISCONNECTED (-37)

Stream disconnected.

Definition at line 127 of file osapi-error.h.

9.50.2.19 OS_ERROR

#define OS_ERROR (-1)

Failed execution.

Definition at line 97 of file osapi-error.h.

9.50.2.20 OS_ERROR_ADDRESS_MISALIGNED

#define OS_ERROR_ADDRESS_MISALIGNED (-3)

Address misalignment.

Definition at line 99 of file osapi-error.h.

9.50.2.21 OS_ERROR_TIMEOUT

#define OS_ERROR_TIMEOUT (-4)

Error timeout.

Definition at line 100 of file osapi-error.h.

9.50.2.22 OS_FS_ERR_DEVICE_NOT_FREE

#define OS_FS_ERR_DEVICE_NOT_FREE (-107)

FS device not free.

Definition at line 144 of file osapi-error.h.

9.50.2.23 OS_FS_ERR_DRIVE_NOT_CREATED

```
#define OS_FS_ERR_DRIVE_NOT_CREATED (-106)
```

FS drive not created.

Definition at line 143 of file osapi-error.h.

9.50.2.24 OS_FS_ERR_NAME_TOO_LONG

```
#define OS_FS_ERR_NAME_TOO_LONG (-104)
```

FS name too long.

Definition at line 142 of file osapi-error.h.

9.50.2.25 OS_FS_ERR_PATH_INVALID

```
#define OS_FS_ERR_PATH_INVALID (-108)
```

FS path invalid.

Definition at line 145 of file osapi-error.h.

9.50.2.26 OS_FS_ERR_PATH_TOO_LONG

```
#define OS_FS_ERR_PATH_TOO_LONG (-103)
```

FS path too long.

Definition at line 141 of file osapi-error.h.

9.50.2.27 OS_INVALID_INT_NUM

```
#define OS_INVALID_INT_NUM (-5)
```

Invalid Interrupt number.

Definition at line 101 of file osapi-error.h.

9.50.2.28 OS_INVALID_POINTER

#define OS_INVALID_POINTER (-2)

Invalid pointer.

Definition at line 98 of file osapi-error.h.

9.50.2.29 OS_INVALID_SEM_VALUE

#define OS_INVALID_SEM_VALUE (-20)

Invalid semaphore value.

Definition at line 116 of file osapi-error.h.

9.50.2.30 OS_QUEUE_EMPTY

#define OS_QUEUE_EMPTY (-8)

Queue empty.

Definition at line 104 of file osapi-error.h.

9.50.2.31 OS_QUEUE_FULL

#define OS_QUEUE_FULL (-9)

Queue full.

Definition at line 105 of file osapi-error.h.

9.50.2.32 OS_QUEUE_ID_ERROR

#define OS_QUEUE_ID_ERROR (-12)

Queue ID error.

Definition at line 108 of file osapi-error.h.

9.50.2.33 OS_QUEUE_INVALID_SIZE

```
#define OS_QUEUE_INVALID_SIZE (-11)
```

Queue invalid size.

Definition at line 107 of file osapi-error.h.

9.50.2.34 OS_QUEUE_TIMEOUT

```
#define OS_QUEUE_TIMEOUT (-10)
```

Queue timeout.

Definition at line 106 of file osapi-error.h.

9.50.2.35 OS_SEM_FAILURE

```
#define OS_SEM_FAILURE (-6)
```

Semaphore failure.

Definition at line 102 of file osapi-error.h.

9.50.2.36 OS_SEM_TIMEOUT

```
#define OS_SEM_TIMEOUT (-7)
```

Semaphore timeout.

Definition at line 103 of file osapi-error.h.

9.50.2.37 OS_SUCCESS

```
#define OS_SUCCESS (0)
```

Successful execution.

Definition at line 96 of file osapi-error.h.

9.50.2.38 OS_TIMER_ERR_INTERNAL

#define OS_TIMER_ERR_INTERNAL (-32)

Timer internal error.

Definition at line 122 of file osapi-error.h.

9.50.2.39 OS_TIMER_ERR_INVALID_ARGS

#define OS_TIMER_ERR_INVALID_ARGS (-29)

Timer invalid arguments.

Definition at line 119 of file osapi-error.h.

9.50.2.40 OS_TIMER_ERR_TIMER_ID

#define OS_TIMER_ERR_TIMER_ID (-30)

Timer ID error.

Definition at line 120 of file osapi-error.h.

9.50.2.41 OS_TIMER_ERR_UNAVAILABLE

#define OS_TIMER_ERR_UNAVAILABLE (-31)

Timer unavailable.

Definition at line 121 of file osapi-error.h.

9.51 OSAL Error Info APIs

Functions

• static long OS_StatusToInteger (osal_status_t Status)

Convert a status code to a native "long" type.

• int32 OS_GetErrorName (int32 error_num, os_err_name_t *err_name)

Convert an error number to a string.

char * OS_StatusToString (osal_status_t status, os_status_string_t *status_string)

Convert status to a string.

9.51.1 Detailed Description

9.51.2 Function Documentation

9.51.2.1 OS_GetErrorName()

Convert an error number to a string.

Parameters

in	error_num	Error number to convert
out	err_name	Buffer to store error string

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	if successfully converted to a string
OS_INVALID_POINTER	if err_name is NULL
OS_ERROR	if error could not be converted

Referenced by OS_StatusToInteger().

9.51 OSAL Error Info APIs 391

9.51.2.2 OS_StatusToInteger()

Convert a status code to a native "long" type.

For printing or logging purposes, this converts the given status code to a "long" (signed integer) value. It should be used in conjunction with the "%ld" conversion specifier in printf-style statements.

Parameters

	in	Status	Execution status, see OSAL Return Code Defines	
--	----	--------	--	--


Returns

Same status value converted to the "long" data type

Definition at line 164 of file osapi-error.h.

References OS_GetErrorName(), and OS_StatusToString().

Here is the call graph for this function:



9.51.2.3 OS_StatusToString()

Convert status to a string.

Parameters

in	status	Status value to convert
out	status_string	Buffer to store status converted to string

Returns

Passed in string pointer

Referenced by OS_StatusToInteger().

9.52 OSAL File Access Option Defines

Macros

- #define OS_READ_ONLY 0
- #define OS_WRITE_ONLY 1
- #define OS_READ_WRITE 2
- 9.52.1 Detailed Description
- 9.52.2 Macro Definition Documentation

9.52.2.1 OS_READ_ONLY

```
#define OS_READ_ONLY 0
```

Read only file access

Definition at line 35 of file osapi-file.h.

9.52.2.2 OS_READ_WRITE

```
#define OS_READ_WRITE 2
```

Read write file access

Definition at line 37 of file osapi-file.h.

9.52.2.3 OS_WRITE_ONLY

```
#define OS_WRITE_ONLY 1
```

Write only file access

Definition at line 36 of file osapi-file.h.

9.53 OSAL Reference Point For Seek Offset Defines

Macros

- #define OS_SEEK_SET 0
- #define OS_SEEK_CUR 1
- #define OS_SEEK_END 2
- 9.53.1 Detailed Description
- 9.53.2 Macro Definition Documentation

9.53.2.1 OS_SEEK_CUR

#define OS_SEEK_CUR 1

Seek offset current

Definition at line 44 of file osapi-file.h.

9.53.2.2 OS_SEEK_END

#define OS_SEEK_END 2

Seek offset end

Definition at line 45 of file osapi-file.h.

9.53.2.3 OS_SEEK_SET

#define OS_SEEK_SET 0

Seek offset set

Definition at line 43 of file osapi-file.h.

9.54 OSAL Standard File APIs

```
Functions
```

```
    int32 OS_OpenCreate (osal_id_t *filedes, const char *path, int32 flags, int32 access_mode)
```

Open or create a file.

int32 OS_close (osal_id_t filedes)

Closes an open file handle.

• int32 OS_read (osal_id_t filedes, void *buffer, size_t nbytes)

Read from a file handle.

int32 OS_write (osal_id_t filedes, const void *buffer, size_t nbytes)

Write to a file handle.

int32 OS TimedRead (osal id t filedes, void *buffer, size t nbytes, int32 timeout)

File/Stream input read with a timeout.

int32 OS_TimedWrite (osal_id_t filedes, const void *buffer, size_t nbytes, int32 timeout)

File/Stream output write with a timeout.

int32 OS_chmod (const char *path, uint32 access_mode)

Changes the permissions of a file.

int32 OS stat (const char *path, os fstat t *filestats)

Obtain information about a file or directory.

int32 OS_lseek (osal_id_t filedes, int32 offset, uint32 whence)

Seeks to the specified position of an open file.

int32 OS_remove (const char *path)

Removes a file from the file system.

• int32 OS_rename (const char *old_filename, const char *new_filename)

Renames a file.

• int32 OS_cp (const char *src, const char *dest)

Copies a single file from src to dest.

int32 OS_mv (const char *src, const char *dest)

Move a single file from src to dest.

int32 OS_FDGetInfo (osal_id_t filedes, OS_file_prop_t *fd_prop)

Obtain information about an open file.

int32 OS_FileOpenCheck (const char *Filename)

Checks to see if a file is open.

int32 OS_CloseAllFiles (void)

Close all open files.

• int32 OS_CloseFileByName (const char *Filename)

Close a file by filename.

- 9.54.1 Detailed Description
- 9.54.2 Function Documentation

9.54.2.1 OS_chmod()

Changes the permissions of a file.

Parameters

in	path	File to change (must not be null)
in	access_mode	Desired access mode - see OSAL File Access Option Defines

Note

Some file systems do not implement permissions. If the underlying OS does not support this operation, then OS_ERR_NOT_IMPLEMENTED is returned.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_ERR_NOT_IMPLEMENTED	if the filesystem does not support this call
OS_INVALID_POINTER	if the path argument is NULL

9.54.2.2 OS_close()

Closes an open file handle.

This closes regular file handles and any other file-like resource, such as network streams or pipes.

Parameters

in	filedes	The handle ID to operate on
----	---------	-----------------------------

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERROR	if an unexpected/unhandled error occurs (return value only verified in coverage test)

9.54.2.3 OS_CloseAllFiles()

Close all open files.

Closes All open files that were opened through the OSAL

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if one or more file close returned an error (return value only verified in coverage test)

9.54.2.4 OS_CloseFileByName()

Close a file by filename.

Allows a file to be closed by name. This will only work if the name passed in is the same name used to open the file.

Parameters

in	Filename	The file to close (must not be null)
----	----------	--------------------------------------

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_FS_ERR_PATH_INVALID	if the file is not found
OS_ERROR	if the file close returned an error (return value only verified in coverage test)
OS_INVALID_POINTER	if the filename argument is NULL

9.54.2.5 OS_cp()

Copies a single file from src to dest.

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	src	The source file to operate on (must not be null)
in	dest	The destination file (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be accessed
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

9.54.2.6 OS_FDGetInfo()

Obtain information about an open file.

Copies the information of the given file descriptor into a structure passed in

Parameters

in	filedes	The handle ID to operate on
out	fd_prop	Storage buffer for file information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_INVALID_POINTER	if the fd_prop argument is NULL

9.54.2.7 OS_FileOpenCheck()

Checks to see if a file is open.

This function takes a filename and determines if the file is open. The function will return success if the file is open.

Parameters

in	Filename	The file to operate on (must not be null)
----	----------	---

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	if the file is open
OS_ERROR	if the file is not open
OS_INVALID_POINTER	if the filename argument is NULL

9.54.2.8 OS_lseek()

```
int32 offset,
uint32 whence )
```

Seeks to the specified position of an open file.

Sets the read/write pointer to a specific offset in a specific file.

Parameters

in	filedes	The handle ID to operate on
in	offset	The file offset to seek to
in	whence	The reference point for offset, see OSAL Reference Point For Seek Offset Defines

Returns

Byte offset from the beginning of the file or appropriate error code, see OSAL Return Code Defines

Return values

OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERROR	if OS call failed (return value only verified in coverage test)

9.54.2.9 OS_mv()

Move a single file from src to dest.

This first attempts to rename the file, which is faster if the source and destination reside on the same file system.

If this fails, it falls back to copying the file and removing the original.

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

	in	src	The source file to operate on (must not be null)
ĺ	in	dest	The destination file (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be renamed.
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

9.54.2.10 OS_OpenCreate()

Open or create a file.

Implements the same as OS_open/OS_creat but follows the OSAL paradigm of outputting the ID/descriptor separately from the return value, rather than relying on the user to convert it back.

Parameters

out	filedes	The handle ID (OS_OBJECT_ID_UNDEFINED on failure) (must not be null)
in	path	File name to create or open (must not be null)
in	flags	The file permissions - see OS_file_flag_t
in	access_mode	Intended access mode - see OSAL File Access Option Defines

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the command was not executed properly
OS_INVALID_POINTER	if pointer argument was NULL
OS_ERR_NO_FREE_IDS	if all available file handles are in use
OS_FS_ERR_NAME_TOO_LONG	if the filename portion of the path exceeds OS_MAX_FILE_NAME
OS_FS_ERR_PATH_INVALID	if the path argument is not valid
OS_FS_ERR_PATH_TOO_LONG	if the path argument exceeds OS_MAX_PATH_LEN

9.54.2.11 OS_read()

Read from a file handle.

Reads up to nbytes from a file, and puts them into buffer.

If the file position is at the end of file (or beyond, if the OS allows) then this function will return 0.

Parameters

in	in filedes The handle ID to operate on	
out	buffer	Storage location for file data (must not be null)
in	in <i>nbytes</i> Maximum number of bytes to read (must not be ze	

Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0.

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if buffer is a null pointer
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_ERROR	if OS call failed (return value only verified in coverage test)
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
0	if at end of file/stream data

9.54.2.12 OS_remove()

```
int32 OS_remove ( {\tt const\ char\ *\ path\ )}
```

Removes a file from the file system.

Removes a given filename from the drive

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	path	The file to operate on (must not be null)
----	------	---

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if there is no device or the driver returns error
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_NAME_TOO_LONG	if the name of the file to remove is too long

9.54.2.13 OS_rename()

Renames a file.

Changes the name of a file, where the source and destination reside on the same file system.

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	old_filename	The original filename (must not be null)
in	new_filename	The desired filename (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be opened or renamed.
OS_INVALID_POINTER	if old or new are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the new name is too long to be stored locally

9.54.2.14 OS_stat()

Obtain information about a file or directory.

Returns information about a file or directory in an os_fstat_t structure

Parameters

ſ	in	path	The file to operate on (must not be null)
	out	filestats	Buffer to store file information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path or filestats is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the name of the file is too long to be stored
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call failed

9.54.2.15 OS_TimedRead()

File/Stream input read with a timeout.

This implements a time-limited read and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports, such as pipes or special devices.

If data is immediately available on the file/socket, this will return that data along with the actual number of bytes that were immediately available. It will not block.

If the file position is at the end of file or end of stream data (e.g. if the remote end has closed the connection), then this function will immediately return 0 without blocking for the timeout period.

If no data is immediately available, but the underlying resource/stream is still connected to a peer, this will wait up to the given timeout for additional data to appear. If no data appears within the timeout period, then this returns the O—S_ERROR_TIMEOUT status code. This allows the caller to differentiate an open (but idle) socket connection from a connection which has been closed by the remote peer.

In all cases this will return successfully as soon as at least 1 byte of actual data is available. It will not attempt to read the entire input buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

Parameters

in	filedes	The handle ID to operate on
out	buffer	Storage location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)

Returns

Byte count on success or appropriate error code, see OSAL Return Code Defines

OS_ERROR_TIMEOUT	if no data became available during timeout period
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_INVALID_POINTER	if the passed-in buffer is not valid
0	if at end of file/stream data

9.54.2.16 OS_TimedWrite()

File/Stream output write with a timeout.

This implements a time-limited write and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports.

If output buffer space is immediately available on the file/socket, this will place data into the buffer and return the actual number of bytes that were queued for output. It will not block.

If no output buffer space is immediately available, this will wait up to the given timeout for space to become available. If no space becomes available within the timeout period, then this returns an error code (not zero).

In all cases this will return successfully as soon as at least 1 byte of actual data is output. It will *not* attempt to write the entire output buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

Parameters

in	filedes	The handle ID to operate on
in	buffer	Source location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

Return values

OS_ERROR_TIMEOUT	if no data became available during timeout period
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_INVALID_POINTER	if the passed-in buffer is not valid
0	if file/stream cannot accept any more data

9.54.2.17 OS_write()

```
const void * buffer,
size_t nbytes )
```

Write to a file handle.

Writes to a file. copies up to a maximum of nbytes of buffer to the file described in filedes

Parameters

in	filedes	The handle ID to operate on
in	buffer	Source location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)

Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0.

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

OS_INVALID_POINTER	if buffer is NULL
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_ERROR	if OS call failed (return value only verified in coverage test)
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
0	if file/stream cannot accept any more data

9.55 OSAL File System Level APIs

Functions

• int32 OS_FileSysAddFixedMap (osal_id_t *filesys_id, const char *phys_path, const char *virt_path)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

 int32 OS_mkfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Makes a file system on the target.

int32 OS mount (const char *devname, const char *mountpoint)

Mounts a file system.

• int32 OS_initfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Initializes an existing file system.

int32 OS rmfs (const char *devname)

Removes a file system.

int32 OS_unmount (const char *mountpoint)

Unmounts a mounted file system.

• int32 OS_FileSysStatVolume (const char *name, OS_statvfs_t *statbuf)

Obtains information about size and free space in a volume.

int32 OS_chkfs (const char *name, bool repair)

Checks the health of a file system and repairs it if necessary.

int32 OS FS GetPhysDriveName (char *PhysDriveName, const char *MountPoint)

Obtains the physical drive name associated with a mount point.

int32 OS TranslatePath (const char *VirtualPath, char *LocalPath)

Translates an OSAL Virtual file system path to a host Local path.

int32 OS_GetFsInfo (os_fsinfo_t *filesys_info)

Returns information about the file system.

- 9.55.1 Detailed Description
- 9.55.2 Function Documentation

```
9.55.2.1 OS_chkfs()
```

Checks the health of a file system and repairs it if necessary.

Checks the drives for inconsistencies and optionally also repairs it

Note

not all operating systems implement this function. If the underlying OS does not provide a facility to check the volume, then OS_ERR_NOT_IMPLEMENTED will be returned.

Parameters

in	name	The device/path to operate on (must not be null)
in	repair	Whether to also repair inconsistencies

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_INVALID_POINTER	Name is NULL
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	Failed execution. (return value only verified in coverage test)

9.55.2.2 OS_FileSysAddFixedMap()

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

This mimics the behavior of a "FS_BASED" entry in the VolumeTable but is registered at runtime. It is intended to be called by the PSP/BSP prior to starting the application.

Note

OSAL virtual mount points are required to be a single, non-empty top-level directory name. Virtual path names always follow the form /<virt_mount_point>/<relative_path>/<file>. Only the relative path may be omitted/empty (i.e. /<virt_mount_point>/<file>) but the virtual mount point must be present and not an empty string. In particular this means it is not possible to directly refer to files in the "root" of the native file system from OSAL. However it is possible to create a virtual map to the root, such as by calling:

```
OS_FileSysAddFixedMap(&fs_id, "/", "/root");
```

Parameters

out	filesys_id	A buffer to store the ID of the file system mapping (must not be null)
in	phys_path	The native system directory (an existing mount point) (must not be null)
in	virt_path	The virtual mount point of this filesystem (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_FS_ERR_PATH_TOO_LONG	if the overall phys_path is too long
OS_ERR_NAME_TOO_LONG	if the phys_path basename (filesystem name) is too long
OS_INVALID_POINTER	if any argument is NULL

9.55.2.3 OS_FileSysStatVolume()

Obtains information about size and free space in a volume.

Populates the supplied OS_statvfs_t structure, which includes the block size and total/free blocks in a file system volume.

This replaces two older OSAL calls:

OS_fsBlocksFree() is determined by reading the blocks_free output struct member OS_fsBytesFree() is determined by multiplying blocks_free by the block_size member

Parameters

in	name	The device/path to operate on (must not be null)
out	statbuf	Output structure to populate (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if name or statbuf is NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

9.55.2.4 OS_FS_GetPhysDriveName()

Obtains the physical drive name associated with a mount point.

Returns the name of the physical volume associated with the drive, when given the OSAL mount point of the drive

Parameters

out	PhysDriveName	Buffer to store physical drive name (must not be null)
in	MountPoint 4 1	OSAL mount point (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL
OS_ERR_NAME_NOT_FOUND	if the MountPoint is not mounted in OSAL
OS_FS_ERR_PATH_TOO_LONG	if the MountPoint is too long

9.55.2.5 OS_GetFsInfo()

Returns information about the file system.

Returns information about the file system in an os_fsinfo_t. This includes the number of open files and file systems

Parameters

out	filesys_info	Buffer to store filesystem information (must not be null)
-----	--------------	---

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if filesys_info is NULL

9.55.2.6 OS_initfs()

Initializes an existing file system.

Initializes a file system on the target.

Note

The "volname" parameter of RAM disks should always begin with the string "RAM", e.g. "RAMDISK" or "RA ← M0", "RAM1", etc if multiple devices are created. The underlying implementation uses this to select the correct filesystem type/format, and this may also be used to differentiate between RAM disks and real physical disks.

Parameters

in	address	The address at which to start the new disk. If address == 0, then space will be allocated by the OS
in	devname	The underlying kernel device to use, if applicable. (must not be null)
in	volname	The name of the volume (see note) (must not be null)
in	blocksize	The size of a single block on the drive
in	numblocks	The number of blocks to allocate for the drive

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname or volname are NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_FS_ERR_DRIVE_NOT_CREATED	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)

9.55.2.7 OS_mkfs()

Makes a file system on the target.

Makes a file system on the target. Highly dependent on underlying OS and dependent on OS volume table definition.

Note

The "volname" parameter of RAM disks should always begin with the string "RAM", e.g. "RAMDISK" or "RA⊷ M0","RAM1", etc if multiple devices are created. The underlying implementation uses this to select the correct filesystem type/format, and this may also be used to differentiate between RAM disks and real physical disks.

Parameters

in	address	The address at which to start the new disk. If address == 0 space will be allocated by the OS.
in	devname	The underlying kernel device to use, if applicable. (must not be null)
in	volname	The name of the volume (see note) (must not be null)
in	blocksize	The size of a single block on the drive
in	numblocks	The number of blocks to allocate for the drive

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname or volname is NULL
OS_FS_ERR_PATH_TOO_LONG	if the overall devname or volname is too long
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_FS_ERR_DRIVE_NOT_CREATED	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

9.55.2.8 OS_mount()

```
int32 OS_mount (
```

```
const char * devname,
const char * mountpoint )
```

Mounts a file system.

Mounts a file system / block device at the given mount point.

Parameters

ir	devname	The name of the drive to mount. devname is the same from OS_mkfs (must not be null)
ir	mountpoint	The name to call this disk from now on (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_NAME_NOT_FOUND	if the device name does not exist in OSAL	
OS_FS_ERR_PATH_TOO_LONG	if the mount point string is too long	
OS_INVALID_POINTER	if any argument is NULL	
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)	

9.55.2.9 OS_rmfs()

Removes a file system.

This function will remove or un-map the target file system. Note that this is not the same as un-mounting the file system.

Parameters

in	devname	The name of the "generic" drive (must not be null)
----	---------	--

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
------------	-----------------------

Return values

OS_INVALID_POINTER	if devname is NULL	
OS_FS_ERR_PATH_TOO_LONG	if the devname is too long	
OS_ERR_NAME_NOT_FOUND	if the devname does not exist in OSAL	
OS_ERROR	OR if an unexpected/unhandled OS error occurs (return value only verified in	
	coverage test)	

9.55.2.10 OS_TranslatePath()

Translates an OSAL Virtual file system path to a host Local path.

Translates a virtual path to an actual system path name

Note

The buffer provided in the LocalPath argument is required to be at least OS_MAX_PATH_LEN characters in length.

Parameters

in	VirtualPath	OSAL virtual path name (must not be null)
out	LocalPath	Buffer to store native/translated path name (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL
OS_FS_ERR_NAME_TOO_LONG	if the filename component is too long
OS_FS_ERR_PATH_INVALID	if either parameter cannot be interpreted as a path
OS_FS_ERR_PATH_TOO_LONG	if either input or output pathnames are too long

9.55.2.11 OS_unmount()

Unmounts a mounted file system.

This function will unmount a drive from the file system and make all open file descriptors useless.

Note

Any open file descriptors referencing this file system should be closed prior to unmounting a drive

Parameters

- 1		mountpoint	The mount point to remove from OC mount (must not be pull)
	T11	тибинфонц	The mount point to remove from OS_mount (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.	
OS_INVALID_POINTER	if name is NULL	
OS_FS_ERR_PATH_TOO_LONG	if the absolute path given is too long	
OS_ERR_NAME_NOT_FOUND	if the mountpoint is not mounted in OSAL	
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)	

417

9.56 OSAL Heap APIs

Functions

• int32 OS_HeapGetInfo (OS_heap_prop_t *heap_prop)

Return current info on the heap.

- 9.56.1 Detailed Description
- 9.56.2 Function Documentation

9.56.2.1 OS_HeapGetInfo()

Return current info on the heap.

Parameters

out	heap_prop	Storage buffer for heap info
-----	-----------	------------------------------

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the heap_prop argument is NULL

9.57 OSAL Object Type Defines

Macros

• #define OS_OBJECT_TYPE_UNDEFINED 0x00

Object type undefined.

• #define OS_OBJECT_TYPE_OS_TASK 0x01

Object task type.

• #define OS_OBJECT_TYPE_OS_QUEUE 0x02

Object queue type.

#define OS_OBJECT_TYPE_OS_COUNTSEM 0x03
 Object counting semaphore type.

• #define OS_OBJECT_TYPE_OS_BINSEM 0x04

Object binary semaphore type.

#define OS_OBJECT_TYPE_OS_MUTEX 0x05
 Object mutex type.

#define OS_OBJECT_TYPE_OS_STREAM 0x06
 Object stream type.

• #define OS_OBJECT_TYPE_OS_DIR 0x07

Object directory type.

#define OS_OBJECT_TYPE_OS_TIMEBASE 0x08
 Object timebase type.

• #define OS_OBJECT_TYPE_OS_TIMECB 0x09

Object timer callback type.

#define OS_OBJECT_TYPE_OS_MODULE 0x0A
 Object module type.

#define OS_OBJECT_TYPE_OS_FILESYS 0x0B
 Object file system type.

• #define OS_OBJECT_TYPE_OS_CONSOLE 0x0C

Object console type.

#define OS_OBJECT_TYPE_USER 0x10
 Object user type.

9.57.1 Detailed Description

9.57.2 Macro Definition Documentation

9.57.2.1 OS_OBJECT_TYPE_OS_BINSEM

#define OS_OBJECT_TYPE_OS_BINSEM 0x04

Object binary semaphore type.

Definition at line 42 of file osapi-idmap.h.

9.57.2.2 OS_OBJECT_TYPE_OS_CONSOLE

#define OS_OBJECT_TYPE_OS_CONSOLE 0x0C

Object console type.

Definition at line 50 of file osapi-idmap.h.

9.57.2.3 OS_OBJECT_TYPE_OS_COUNTSEM

#define OS_OBJECT_TYPE_OS_COUNTSEM 0x03

Object counting semaphore type.

Definition at line 41 of file osapi-idmap.h.

9.57.2.4 OS_OBJECT_TYPE_OS_DIR

#define OS_OBJECT_TYPE_OS_DIR 0x07

Object directory type.

Definition at line 45 of file osapi-idmap.h.

9.57.2.5 OS_OBJECT_TYPE_OS_FILESYS

#define OS_OBJECT_TYPE_OS_FILESYS 0x0B

Object file system type.

Definition at line 49 of file osapi-idmap.h.

9.57.2.6 OS_OBJECT_TYPE_OS_MODULE

#define OS_OBJECT_TYPE_OS_MODULE 0x0A

Object module type.

Definition at line 48 of file osapi-idmap.h.

9.57.2.7 OS_OBJECT_TYPE_OS_MUTEX

#define OS_OBJECT_TYPE_OS_MUTEX 0x05

Object mutex type.

Definition at line 43 of file osapi-idmap.h.

9.57.2.8 OS_OBJECT_TYPE_OS_QUEUE

#define OS_OBJECT_TYPE_OS_QUEUE 0x02

Object queue type.

Definition at line 40 of file osapi-idmap.h.

9.57.2.9 OS_OBJECT_TYPE_OS_STREAM

#define OS_OBJECT_TYPE_OS_STREAM 0x06

Object stream type.

Definition at line 44 of file osapi-idmap.h.

9.57.2.10 OS_OBJECT_TYPE_OS_TASK

#define OS_OBJECT_TYPE_OS_TASK 0x01

Object task type.

Definition at line 39 of file osapi-idmap.h.

9.57.2.11 OS_OBJECT_TYPE_OS_TIMEBASE

#define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

Object timebase type.

Definition at line 46 of file osapi-idmap.h.

9.57.2.12 OS_OBJECT_TYPE_OS_TIMECB

#define OS_OBJECT_TYPE_OS_TIMECB 0x09

Object timer callback type.

Definition at line 47 of file osapi-idmap.h.

9.57.2.13 OS_OBJECT_TYPE_UNDEFINED

#define OS_OBJECT_TYPE_UNDEFINED 0x00

Object type undefined.

Definition at line 38 of file osapi-idmap.h.

9.57.2.14 OS_OBJECT_TYPE_USER

#define OS_OBJECT_TYPE_USER 0x10

Object user type.

Definition at line 51 of file osapi-idmap.h.

9.58 OSAL Object ID Utility APIs

Functions

static unsigned long OS ObjectIdToInteger (osal id t object id)

Obtain an integer value corresponding to an object ID.

static osal id t OS ObjectIdFromInteger (unsigned long value)

Obtain an osal ID corresponding to an integer value.

static bool OS ObjectIdEqual (osal id t object id1, osal id t object id2)

Check two OSAL object ID values for equality.

static bool OS_ObjectIdDefined (osal_id_t object_id)

Check if an object ID is defined.

• int32 OS_GetResourceName (osal_id_t object_id, char *buffer, size_t buffer_size)

Obtain the name of an object given an arbitrary object ID.

osal_objtype_t OS_IdentifyObject (osal_id_t object_id)

Obtain the type of an object given an arbitrary object ID.

int32 OS_ConvertToArrayIndex (osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

int32 OS_ObjectIdToArrayIndex (osal_objtype_t idtype, osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

void OS_ForEachObject (osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for all valid object IDs

void OS_ForEachObjectOfType (osal_objtype_t objtype, osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback arg)

call the supplied callback function for valid object IDs of a specific type

- 9.58.1 Detailed Description
- 9.58.2 Function Documentation

9.58.2.1 OS_ConvertToArrayIndex()

Converts an abstract ID into a number suitable for use as an array index.

This will return a unique zero-based integer number in the range of [0,MAX) for any valid object ID. This may be used by application code as an array index for indexing into local tables.

Note

This does NOT verify the validity of the ID, that is left to the caller. This is only the conversion logic.

This routine accepts any object type, and returns a value based on the maximum number of objects for that type. This is equivalent to invoking OS_ObjectIdToArrayIndex() with the idtype set to OS_OBJECT_TYPE_UNDEFINED.

See also

OS_ObjectIdToArrayIndex

Parameters

in	object_id	The object ID to operate on
out	*ArrayIndex	The Index to return (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the object_id argument is not valid
OS_INVALID_POINTER	if the ArrayIndex is NULL

Referenced by OS_ObjectIdDefined().

9.58.2.2 OS_ForEachObject()

call the supplied callback function for all valid object IDs

Loops through all defined OSAL objects of all types and calls callback_ptr on each one If creator_id is nonzero then only objects with matching creator id are processed.

Parameters

in	creator_id	Filter objects to those created by a specific task This may be passed as OS_OBJECT_CREATOR_ANY to return all objects	
in	callback_ptr	Function to invoke for each matching object ID	
in	callback_arg	Opaque Argument to pass to callback function (may be NULL)	

Referenced by OS_ObjectIdDefined().

9.58.2.3 OS_ForEachObjectOfType()

```
osal_id_t creator_id,
OS_ArgCallback_t callback_ptr,
void * callback_arg )
```

call the supplied callback function for valid object IDs of a specific type

Loops through all defined OSAL objects of a specific type and calls callback_ptr on each one If creator_id is nonzero then only objects with matching creator id are processed.

Parameters

in	objtype	The type of objects to iterate	
in	creator_id	Filter objects to those created by a specific task This may be passed as	
		OS_OBJECT_CREATOR_ANY to return all objects	
in	callback_ptr	Function to invoke for each matching object ID	
in	callback_arg	Opaque Argument to pass to callback function (may be NULL)	

Referenced by OS_ObjectIdDefined().

9.58.2.4 OS_GetResourceName()

Obtain the name of an object given an arbitrary object ID.

All OSAL resources generally have a name associated with them. This allows application code to retrieve the name of any valid OSAL object ID.

Parameters

in	object_id	The object ID to operate on
out	buffer	Buffer in which to store the name (must not be null)
in	buffer_size	Size of the output storage buffer (must not be zero)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the passed-in ID is not a valid OSAL ID
OS_INVALID_POINTER	if the passed-in buffer is invalid
OS_ERR_NAME_TOO_LONG	if the name will not fit in the buffer provided

Referenced by OS_ObjectIdDefined().

9.58.2.5 OS_IdentifyObject()

Obtain the type of an object given an arbitrary object ID.

Given an arbitrary object ID, get the type of the object

Parameters

in	object⊷	The object ID to operate on
	_id	

Returns

The object type portion of the object_id, see OSAL Object Type Defines for expected values

Referenced by OS_ObjectIdDefined().

9.58.2.6 OS_ObjectIdDefined()

Check if an object ID is defined.

The OSAL ID values should be treated as abstract values by applications, and not directly manipulated using standard C operators.

This returns false if the ID is NOT a defined resource (i.e. free/empty/invalid).

Note

OS_ObjectIdDefined(OS_OBJECT_ID_UNDEFINED) is always guaranteed to be false.

Parameters

in	object⊷	The first object ID
	_id	

Definition at line 147 of file osapi-idmap.h.

References OS_ConvertToArrayIndex(), OS_ForEachObject(), OS_ForEachObjectOfType(), OS_GetResourceName(), OS_IdentifyObject(), OS_ObjectIdToArrayIndex(), and OS_ObjectIdToInteger().

9.58.2.7 OS_ObjectIdEqual()

Check two OSAL object ID values for equality.

The OSAL ID values should be treated as abstract values by applications, and not directly manipulated using standard C operators.

This checks two values for equality, replacing the "==" operator.

Parameters

in	object_id1	The first object ID
in	object_id2	The second object ID

Returns

true if the object IDs are equal

Definition at line 126 of file osapi-idmap.h.

References OS_ObjectIdToInteger().

9.58.2.8 OS_ObjectIdFromInteger()

```
static osal_id_t OS_ObjectIdFromInteger (
          unsigned long value ) [inline], [static]
```

Obtain an osal ID corresponding to an integer value.

Provides the inverse of OS_ObjectIdToInteger(). Reconstitutes the original osal_id_t type from an integer representation.

Parameters

in value The integer representation of an OSA	. ID
---	------

Returns

The ID value converted to an osal id t

Definition at line 101 of file osapi-idmap.h.

9.58.2.9 OS_ObjectIdToArrayIndex()

Converts an abstract ID into a number suitable for use as an array index.

This will return a unique zero-based integer number in the range of [0,MAX) for any valid object ID. This may be used by application code as an array index for indexing into local tables.

This routine operates on a specific object type, and returns a value based on the maximum number of objects for that type.

If the idtype is passed as OS_OBJECT_TYPE_UNDEFINED, then object type verification is skipped and any object ID will be accepted and converted to an index. In this mode, the range of the output depends on the actual passed-in object type.

If the idtype is passed as any other value, the passed-in ID value is first confirmed to be the correct type. This check will guarantee that the output is within an expected range; for instance, if the type is passed as OS_OBJECT_TYPE_OS ← _TASK, then the output index is guaranteed to be between 0 and OS_MAX_TASKS-1 after successful conversion.

Parameters

in	idtype	The object type to convert
in	object_id	The object ID to operate on
out	*ArrayIndex	The Index to return (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the object_id argument is not valid
OS_INVALID_POINTER	if the ArrayIndex is NULL

Referenced by OS_ObjectIdDefined().

9.58.2.10 OS_ObjectIdToInteger()

Obtain an integer value corresponding to an object ID.

Obtains an integer representation of an object id, generally for the purpose of printing to the console or system logs.

The returned value is of the type "unsigned long" for direct use with printf-style functions. It is recommended to use the "%lx" conversion specifier as the hexadecimal encoding clearly delineates the internal fields.

Note

This provides the raw integer value and is *not* suitable for use as an array index, as the result is not zero-based. See the OS_ConvertToArrayIndex() to obtain a zero-based index value.

Parameters

in	object⊷	The object ID
	_id	

Returns

integer value representation of object ID

Definition at line 79 of file osapi-idmap.h.

Referenced by OS_ObjectIdDefined(), and OS_ObjectIdEqual().

9.59 OSAL Dynamic Loader and Symbol APIs

Functions

- int32 OS_SymbolLookup (cpuaddr *symbol_address, const char *symbol_name)
 Find the Address of a Symbol.
- int32 OS_ModuleSymbolLookup (osal_id_t module_id, cpuaddr *symbol_address, const char *symbol_name)

 Find the Address of a Symbol within a module.
- int32 OS_SymbolTableDump (const char *filename, size_t size_limit)

Dumps the system symbol table to a file.

- int32 OS_ModuleLoad (osal_id_t *module_id, const char *module_name, const char *filename, uint32 flags)

 Loads an object file.
- int32 OS_ModuleUnload (osal_id_t module_id)

Unloads the module file.

• int32 OS_ModuleInfo (osal_id_t module_id, OS_module_prop_t *module_info)

Obtain information about a module.

- 9.59.1 Detailed Description
- 9.59.2 Function Documentation

9.59.2.1 OS_ModuleInfo()

Obtain information about a module.

Returns information about the loadable module

Parameters

in	module_id	OSAL ID of the previously the loaded module
out	module_info	Buffer to store module information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the module id invalid

Return values

OS_INVALID_POINTER	if the pointer to the ModuleInfo structure is invalid
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

9.59.2.2 OS_ModuleLoad()

Loads an object file.

Loads an object file into the running operating system

The "flags" parameter may influence how the loaded module symbols are made available for use in the application. See OS_MODULE_FLAG_LOCAL_SYMBOLS and OS_MODULE_FLAG_GLOBAL_SYMBOLS for descriptions.

Parameters

out	module_id	Non-zero OSAL ID corresponding to the loaded module
in	module_name	Name of module (must not be null)
in	filename	File containing the object code to load (must not be null)
in	flags	Options for the loaded module

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if one of the parameters is NULL
OS_ERR_NO_FREE_IDS	if the module table is full
OS_ERR_NAME_TAKEN	if the name is in use
OS_ERR_NAME_TOO_LONG	if the module_name is too long
OS_FS_ERR_PATH_INVALID	if the filename argument is not valid
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

9.59.2.3 OS_ModuleSymbolLookup()

Find the Address of a Symbol within a module.

This is similar to OS_SymbolLookup() but for a specific module ID. This should be used to look up a symbol in a module that has been loaded with the OS_MODULE_FLAG_LOCAL_SYMBOLS flag.

Parameters

in	module_id	Module ID that should contain the symbol
out	symbol_address	Set to the address of the symbol (must not be null)
in symbol_name		Name of the symbol to look up (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the symbol could not be found
OS_INVALID_POINTER	if one of the pointers passed in are NULL

9.59.2.4 OS_ModuleUnload()

Unloads the module file.

Unloads the module file from the running operating system

Parameters

i	.n	module⇔	OSAL ID of the previously the loaded module
		_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the module id invalid	
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)	

9.59.2.5 OS_SymbolLookup()

Find the Address of a Symbol.

This calls to the OS dynamic symbol lookup implementation, and/or checks a static symbol table for a matching symbol name.

The static table is intended to support embedded targets that do not have module loading capability or have it disabled.

Parameters

out	symbol_address	Set to the address of the symbol (must not be null)
in	symbol_name	Name of the symbol to look up (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the symbol could not be found
OS_INVALID_POINTER	if one of the pointers passed in are NULL

9.59.2.6 OS_SymbolTableDump()

Dumps the system symbol table to a file.

Dumps the system symbol table to the specified filename

Note

Not all RTOS implementations support this API. If the underlying module subsystem does not provide a facility to iterate through the symbol table, then the OS_ERR_NOT_IMPLEMENTED status code is returned.

Parameters

in	filename	File to write to (must not be null)
in size_limit		Maximum number of bytes to write

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_INVALID_POINTER	if the filename argument is NULL
OS_FS_ERR_PATH_INVALID	if the filename argument is not valid
OS_ERR_NAME_TOO_LONG	if any of the symbol names are too long (return value only verified in coverage
	test)
OS_ERR_OUTPUT_TOO_LARGE	if the size_limit was reached before completing all symbols (return value only verified in coverage test)
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage
	test)

9.60 OSAL Mutex APIs

Functions

• int32 OS_MutSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 options)

Creates a mutex semaphore.

int32 OS_MutSemGive (osal_id_t sem_id)

Releases the mutex object referenced by sem_id.

int32 OS_MutSemTake (osal_id_t sem_id)

Acquire the mutex object referenced by sem_id.

int32 OS_MutSemDelete (osal_id_t sem_id)

Deletes the specified Mutex Semaphore.

• int32 OS_MutSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing mutex ID by name.

• int32 OS_MutSemGetInfo (osal_id_t sem_id, OS_mut_sem_prop_t *mut_prop)

Fill a property object buffer with details regarding the resource.

9.60.1 Detailed Description

9.60.2 Function Documentation

9.60.2.1 OS_MutSemCreate()

Creates a mutex semaphore.

Mutex semaphores are always created in the unlocked (full) state.

Parameters

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	sem_name	the name of the new resource to create (must not be null)
in	options	reserved for future use. Should be passed as 0.

Returns

Execution status, see OSAL Return Code Defines

9.60 OSAL Mutex APIs 435

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sem_id or sem_name are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if there are no more free mutex lds
OS_ERR_NAME_TAKEN	if there is already a mutex with the same name
OS_SEM_FAILURE	if the OS call failed (return value only verified in coverage test)

9.60.2.2 OS_MutSemDelete()

Deletes the specified Mutex Semaphore.

Delete the semaphore. This also frees the respective sem_id such that it can be used again when another is created.

Parameters

in	sem⊷	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

9.60.2.3 OS_MutSemGetIdByName()

Find an existing mutex ID by name.

This function tries to find a mutex sem Id given the name of a mut_sem. The id is returned through sem_id

Parameters

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

9.60.2.4 OS_MutSemGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified mutex semaphore.

Parameters

in	sem_id	The object ID to operate on
out	mut_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the mut_prop pointer is null

9.60 OSAL Mutex APIs 437

9.60.2.5 OS_MutSemGive()

Releases the mutex object referenced by sem_id.

If there are threads blocked on the mutex object referenced by mutex when this function is called, resulting in the mutex becoming available, the scheduling policy shall determine which thread shall acquire the mutex.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

9.60.2.6 OS_MutSemTake()

Acquire the mutex object referenced by sem_id.

If the mutex is already locked, the calling thread shall block until the mutex becomes available. This operation shall return with the mutex object referenced by mutex in the locked state with the calling thread as its owner.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

9.61 OSAL Network ID APIs

Functions

• int32 OS NetworkGetID (void)

Gets the network ID of the local machine.

• int32 OS_NetworkGetHostName (char *host_name, size_t name_len)

Gets the local machine network host name.

9.61.1 Detailed Description

Provides some basic methods to query a network host name and ID

9.61.2 Function Documentation

9.61.2.1 OS_NetworkGetHostName()

Gets the local machine network host name.

If configured in the underlying network stack, this function retrieves the local hostname of the system.

Parameters

out	host_name	Buffer to hold name information (must not be null)
in	name_len	Maximum length of host name buffer (must not be zero)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_SIZE	if the name_len is zero
OS_INVALID_POINTER	if the host_name is NULL

9.61.2.2 OS_NetworkGetID()

Gets the network ID of the local machine.

The ID is an implementation-defined value and may not be consistent in meaning across different platform types.

Note

This API may be removed in a future version of OSAL due to inconsistencies between platforms.

Returns

The ID or fixed value of -1 if the host id could not be found. Note it is not possible to differentiate between error codes and valid network IDs here. It is assumed, however, that -1 is never a valid ID.

9.62 OSAL Printf APIs 441

9.62 OSAL Printf APIs

Functions

void OS_printf (const char *string,...) OS_PRINTF(1
 Abstraction for the system printf() call.

• void void OS_printf_disable (void)

This function disables the output from OS_printf.

void OS printf enable (void)

This function enables the output from OS_printf.

- 9.62.1 Detailed Description
- 9.62.2 Function Documentation

9.62.2.1 OS_printf()

Abstraction for the system printf() call.

This function abstracts out the printf type statements. This is useful for using OS- specific thats that will allow non-polled print statements for the real time systems.

Operates in a manner similar to the printf() call defined by the standard C library and takes all the parameters and formatting options of printf. This abstraction may implement additional buffering, if necessary, to improve the real-time performance of the call.

Strings (including terminator) longer than OS_BUFFER_SIZE will be truncated.

The output of this routine also may be dynamically enabled or disabled by the OS_printf_enable() and OS_printf_edisable() calls, respectively.

Parameters

```
in string Format string, followed by additional arguments
```

9.62.2.2 OS_printf_disable()

This function disables the output from OS_printf.

9.62.2.3 OS_printf_enable()

This function enables the output from OS_printf.

9.63 OSAL Message Queue APIs

Functions

int32 OS_QueueCreate (osal_id_t *queue_id, const char *queue_name, osal_blockcount_t queue_depth, size
 —t data_size, uint32 flags)

Create a message queue.

int32 OS QueueDelete (osal id t queue id)

Deletes the specified message queue.

• int32 OS_QueueGet (osal_id_t queue_id, void *data, size_t size, size_t *size_copied, int32 timeout)

Receive a message on a message queue.

• int32 OS_QueuePut (osal_id_t queue_id, const void *data, size_t size, uint32 flags)

Put a message on a message queue.

• int32 OS_QueueGetIdByName (osal_id_t *queue_id, const char *queue_name)

Find an existing queue ID by name.

• int32 OS_QueueGetInfo (osal_id_t queue_id, OS_queue_prop_t *queue_prop)

Fill a property object buffer with details regarding the resource.

9.63.1 Detailed Description

9.63.2 Function Documentation

9.63.2.1 OS_QueueCreate()

Create a message queue.

This is the function used to create a queue in the operating system. Depending on the underlying operating system, the memory for the queue will be allocated automatically or allocated by the code that sets up the queue. Queue names must be unique; if the name already exists this function fails. Names cannot be NULL.

Parameters

out	queue_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	queue_name	the name of the new resource to create (must not be null)
in	queue_depth	the maximum depth of the queue
in	data_size	the size of each entry in the queue (must not be zero)
in	flags	options for the queue (reserved for future use, pass as 0)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if a pointer passed in is NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if there are already the max queues created
OS_ERR_NAME_TAKEN	if the name is already being used on another queue
OS_ERR_INVALID_SIZE	if data_size is 0
OS_QUEUE_INVALID_SIZE	if the queue depth exceeds the limit
OS_ERROR	if the OS create call fails

9.63.2.2 OS_QueueDelete()

Deletes the specified message queue.

This is the function used to delete a queue in the operating system. This also frees the respective queue_id to be used again when another queue is created.

Note

If There are messages on the queue, they will be lost and any subsequent calls to QueueGet or QueuePut to this queue will result in errors

Parameters

in	queue←	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in does not exist
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

9.63.2.3 OS_QueueGet()

Receive a message on a message queue.

If a message is pending, it is returned immediately. Otherwise the calling task will block until a message arrives or the timeout expires.

Parameters

in	queue_id	The object ID to operate on
out	data	The buffer to store the received message (must not be null)
in	size	The size of the data buffer (must not be zero)
out	size_copied	Set to the actual size of the message (must not be null)
in	timeout	The maximum amount of time to block, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the given ID does not exist
OS_INVALID_POINTER	if a pointer passed in is NULL
OS_QUEUE_EMPTY	if the Queue has no messages on it to be received
OS_QUEUE_TIMEOUT	if the timeout was OS_PEND and the time expired
OS_QUEUE_INVALID_SIZE	if the size copied from the queue was not correct
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

9.63.2.4 OS_QueueGetIdByName()

Find an existing queue ID by name.

This function tries to find a queue Id given the name of the queue. The id of the queue is passed back in queue_id.

Parameters

out	queue_id	will be set to the ID of the existing resource
in	queue_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the name or id pointers are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	the name was not found in the table

9.63.2.5 OS_QueueGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (name and creator) about the specified queue.

Parameters

in	queue_id	The object ID to operate on
out	queue_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if queue_prop is NULL
OS_ERR_INVALID_ID	if the ID given is not a valid queue

9.63.2.6 OS_QueuePut()

Put a message on a message queue.

Parameters

in	queue⊷	The object ID to operate on
	_id	
in	data	The buffer containing the message to put (must not be null)
in	size	The size of the data buffer (must not be zero)
in	flags	Currently reserved/unused, should be passed as 0

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the queue id passed in is not a valid queue
OS_INVALID_POINTER	if the data pointer is NULL
OS_QUEUE_INVALID_SIZE	if the data message is too large for the queue
OS_QUEUE_FULL	if the queue cannot accept another message
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

9.64 OSAL Select APIs

Functions

• int32 OS SelectMultiple (OS FdSet *ReadSet, OS FdSet *WriteSet, int32 msecs)

Wait for events across multiple file handles.

• int32 OS_SelectSingle (osal_id_t objid, uint32 *StateFlags, int32 msecs)

Wait for events on a single file handle.

int32 OS_SelectFdZero (OS_FdSet *Set)

Clear a FdSet structure.

int32 OS_SelectFdAdd (OS_FdSet *Set, osal_id_t objid)

Add an ID to an FdSet structure.

int32 OS_SelectFdClear (OS_FdSet *Set, osal_id_t objid)

Clear an ID from an FdSet structure.

bool OS_SelectFdlsSet (const OS_FdSet *Set, osal_id_t objid)

Check if an FdSet structure contains a given ID.

9.64.1 Detailed Description

9.64.2 Function Documentation

9.64.2.1 OS_SelectFdAdd()

Add an ID to an FdSet structure.

After this call the set will contain the given OSAL ID

Parameters

in,out	Set	Pointer to OS_FdSet object to operate on (must not be null)	
in	objid	The handle ID to add to the set	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS ERR INVALID ID	if the objid is not a valid handle

9.64 OSAL Select APIs 449

9.64.2.2 OS_SelectFdClear()

Clear an ID from an FdSet structure.

After this call the set will no longer contain the given OSAL ID

Parameters

in,out	Set	Pointer to OS_FdSet object to operate on (must not be null)
in	objid	The handle ID to remove from the set

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the objid is not a valid handle

9.64.2.3 OS_SelectFdlsSet()

Check if an FdSet structure contains a given ID.

Parameters

in	Set	Pointer to OS_FdSet object to operate on (must not be null)
in	objid	The handle ID to check for in the set

Returns

Boolean set status

Return values

true	FdSet structure contains ID
false	FDSet structure does not contain ID

9.64.2.4 OS_SelectFdZero()

Clear a FdSet structure.

After this call the set will contain no OSAL IDs

Parameters

	out	Set	Pointer to OS_FdSet object to clear (must not be null)	Pointer to OS)
--	-----	-----	--	---------------	---

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL

9.64.2.5 OS_SelectMultiple()

Wait for events across multiple file handles.

Wait for any of the given sets of IDs to become readable or writable

This function will block until any of the following occurs:

- · At least one OSAL ID in the ReadSet is readable
- · At least one OSAL ID in the WriteSet is writable

9.64 OSAL Select APIs 451

· The timeout has elapsed

The sets are input/output parameters. On entry, these indicate the file handle(s) to wait for. On exit, these are set to the actual file handle(s) that have activity.

If the timeout occurs this returns an error code and all output sets should be empty.

Note

This does not lock or otherwise protect the file handles in the given sets. If a filehandle supplied via one of the FdSet arguments is closed or modified by another while this function is in progress, the results are undefined. Because of this limitation, it is recommended to use OS SelectSingle() whenever possible.

Parameters

in,out	ReadSet	Set of handles to check/wait to become readable
in,out	WriteSet	Set of handles to check/wait to become writable
in	msecs	Indicates the timeout. Positive values will wait up to that many milliseconds. Zero will not wait (poll). Negative values will wait forever (pend)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	If any handle in the ReadSet or WriteSet is readable or writable, respectively
OS_ERROR_TIMEOUT	If no handles in the ReadSet or WriteSet became readable or
	writable within the timeout
OS_ERR_OPERATION_NOT_SUPPORTED	if a specified handle does not support select
OS_ERR_INVALID_ID	if no valid handles were contained in the ReadSet/WriteSet

9.64.2.6 OS_SelectSingle()

Wait for events on a single file handle.

Wait for a single OSAL filehandle to change state

This function can be used to wait for a single OSAL stream ID to become readable or writable. On entry, the "StateFlags" parameter should be set to the desired state (OS_STREAM_STATE_READABLE and/or OS_STREAM_STATE_WR ← ITABLE) and upon return the flags will be set to the state actually detected.

As this operates on a single ID, the filehandle is protected during this call, such that another thread accessing the same handle will return an error. However, it is important to note that once the call returns then other threads may then also read/write and affect the state before the current thread can service it.

To mitigate this risk the application may prefer to use the OS_TimedRead/OS_TimedWrite calls.

Parameters

in	objid	The handle ID to select on
in,out	StateFlags	State flag(s) (readable or writable) (must not be null)
in	msecs	Indicates the timeout. Positive values will wait up to that many milliseconds. Zero will not wait (poll). Negative values will wait forever (pend)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	If the handle is readable and/or writable, as requested
OS_ERROR_TIMEOUT	If the handle did not become readable or writable within the timeout
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the objid is not a valid handle

9.65 OSAL Shell APIs 453

9.65 OSAL Shell APIs

Functions

• int32 OS_ShellOutputToFile (const char *Cmd, osal_id_t filedes)

Executes the command and sends output to a file.

9.65.1 Detailed Description

9.65.2 Function Documentation

9.65.2.1 OS_ShellOutputToFile()

Executes the command and sends output to a file.

Takes a shell command in and writes the output of that command to the specified file The output file must be opened previously with write access (OS_WRITE_ONLY or OS_READ_WRITE).

Parameters

in	Cmd	Command to pass to shell (must not be null)
in	filedes	File to send output to.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the command was not executed properly
OS_INVALID_POINTER	if Cmd argument is NULL
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid

9.66 OSAL Socket Address APIs

Functions

```
    int32 OS_SocketAddrInit (OS_SockAddr_t *Addr, OS_SocketDomain_t Domain)
```

Initialize a socket address structure to hold an address of the given family.

int32 OS SocketAddrToString (char *buffer, size t buflen, const OS SockAddr t *Addr)

Get a string representation of a network host address.

int32 OS SocketAddrFromString (OS SockAddr t *Addr, const char *string)

Set a network host address from a string representation.

int32 OS_SocketAddrGetPort (uint16 *PortNum, const OS_SockAddr_t *Addr)

Get the port number of a network address.

int32 OS_SocketAddrSetPort (OS_SockAddr_t *Addr, uint16 PortNum)

Set the port number of a network address.

9.66.1 Detailed Description

These functions provide a means to manipulate network addresses in a manner that is (mostly) agnostic to the actual network address type.

Every network address should be representable as a string (i.e. dotted decimal IP, etc). This can serve as the "common denominator" to all address types.

9.66.2 Function Documentation

9.66.2.1 OS_SocketAddrFromString()

Set a network host address from a string representation.

The specific format of the output string depends on the address family.

The address structure should have been previously initialized using OS_SocketAddrInit() to set the address family type.

Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X). It is up to the discretion of the underlying implementation whether to accept hostnames, as this depends on the availability of DNS services. Since many embedded deployments do not have name services, this should not be relied upon.

Parameters

out	Addr	The address buffer to initialize (must not be null)
in	string	The string to initialize the address from (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERROR	if the string cannot be converted to an address

9.66.2.2 OS_SocketAddrGetPort()

Get the port number of a network address.

For network protocols that have the concept of a port number (such as TCP/IP and UDP/IP) this function gets the port number from the address structure.

Parameters

out	PortNum	Buffer to store the port number (must not be null)
in	Addr	The network address buffer (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_BAD_ADDRESS	if the address domain is not compatible

9.66.2.3 OS_SocketAddrInit()

Initialize a socket address structure to hold an address of the given family.

The address is set to a suitable default value for the family.

Parameters

out	Addr	The address buffer to initialize (must not be null)
in	Domain	The address family

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if Addr argument is NULL
OS_ERR_NOT_IMPLEMENTED	if the system does not implement the requested domain

9.66.2.4 OS_SocketAddrSetPort()

Set the port number of a network address.

For network protocols that have the concept of a port number (such as TCP/IP and UDP/IP) this function sets the port number from the address structure.

Parameters

out	Addr	The network address buffer (must not be null)
in	PortNum	The port number to set

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_BAD_ADDRESS	if the address domain is not compatible

9.66.2.5 OS_SocketAddrToString()

Get a string representation of a network host address.

The specific format of the output string depends on the address family.

This string should be suitable to pass back into OS_SocketAddrFromString() which should recreate the same network address, and it should also be meaningful to a user of printed or logged as a C string.

Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X).

Parameters

out	buffer	Buffer to hold the output string (must not be null)
in	buflen	Maximum length of the output string (must not be zero)
in	Addr	The network address buffer to convert (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERROR	if the address cannot be converted to string, or string buffer too small

9.67 OSAL Socket Management APIs

Functions

int32 OS_SocketOpen (osal_id_t *sock_id, OS_SocketDomain_t Domain, OS_SocketType_t Type)

Opens a socket

int32 OS_SocketBind (osal_id_t sock_id, const OS_SockAddr_t *Addr)

Binds a socket to a given local address.

int32 OS SocketConnect (osal id t sock id, const OS SockAddr t *Addr, int32 timeout)

Connects a socket to a given remote address.

int32 OS_SocketShutdown (osal_id_t sock_id, OS_SocketShutdownMode_t Mode)

Implement graceful shutdown of a stream socket.

int32 OS_SocketAccept (osal_id_t sock_id, osal_id_t *connsock_id, OS_SockAddr_t *Addr, int32 timeout)
 Waits for and accept the next incoming connection on the given socket.

• int32 OS_SocketRecvFrom (osal_id_t sock_id, void *buffer, size_t buflen, OS_SockAddr_t *RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

int32 OS_SocketSendTo (osal_id_t sock_id, const void *buffer, size_t buflen, const OS_SockAddr_t *Remote
 — Addr)

Sends data to a message-oriented (datagram) socket.

int32 OS_SocketGetIdByName (osal_id_t *sock_id, const char *sock_name)

Gets an OSAL ID from a given name.

int32 OS SocketGetInfo (osal id t sock id, OS socket prop t *sock prop)

Gets information about an OSAL Socket ID.

9.67.1 Detailed Description

These functions are loosely related to the BSD Sockets API but made to be more consistent with other OSAL API functions. That is, they operate on OSAL IDs (32-bit opaque number values) and return an OSAL error code.

OSAL Socket IDs are very closely related to File IDs and share the same ID number space. Additionally, the file OS_\(\rightarrow\) read() / OS_write() / OS_close() calls also work on sockets.

Note that all of functions may return OS_ERR_NOT_IMPLEMENTED if network support is not configured at compile time.

9.67.2 Function Documentation

9.67.2.1 OS_SocketAccept()

Waits for and accept the next incoming connection on the given socket.

This is used for sockets operating in a "server" role. The socket must be a stream type (connection-oriented) and previously bound to a local address using OS_SocketBind(). This will block the caller up to the given timeout or until an incoming connection request occurs, whichever happens first.

The new stream connection is then returned to the caller and the original server socket ID can be reused for the next connection.

Parameters

in	sock_id	The server socket ID, previously bound using OS_SocketBind()
out	connsock⊷	The connection socket, a new ID that can be read/written (must not be null)
	_id	
in	Addr	The remote address of the incoming connection (must not be null)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_ERR_INCORRECT_OBJ_STATE	if the socket is not bound or already connected

9.67.2.2 OS_SocketBind()

Binds a socket to a given local address.

The specified socket will be bound to the local address and port, if available.

If the socket is connectionless, then it only binds to the local address.

If the socket is connection-oriented (stream), then this will also put the socket into a listening state for incoming connections at the local address.

Parameters

ir	sock← _id	The socket ID
ir	Addr	The local address to bind to (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already bound
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

9.67.2.3 OS_SocketConnect()

Connects a socket to a given remote address.

The socket will be connected to the remote address and port, if available. This only applies to stream-oriented sockets. Calling this on a datagram socket will return an error (these sockets should use SendTo/RecvFrom).

Parameters

in	sock← id	The socket ID
in	Addr	The remote address to connect to (must not be null)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already connected
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_INVALID_POINTER	if Addr argument is NULL

9.67.2.4 OS_SocketGetIdByName()

Gets an OSAL ID from a given name.

Note

OSAL Sockets use generated names according to the address and type.

See also

```
OS_SocketGetInfo()
```

Parameters

out	sock_id	Buffer to hold result (must not be null)
in	sock_name	Name of socket to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is id or name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

9.67.2.5 OS_SocketGetInfo()

Gets information about an OSAL Socket ID.

OSAL Sockets use generated names according to the address and type. This allows applications to find the name of a given socket.

Parameters

in	sock_id	The socket ID
out	sock_prop	Buffer to hold socket information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null

9.67.2.6 OS_SocketOpen()

Opens a socket.

A new, unconnected and unbound socket is allocated of the given domain and type.

Parameters

out	sock⊷ _id	Buffer to hold the non-zero OSAL ID (must not be null)
in	Domain	The domain / address family of the socket (INET or INET6, etc)
in	Туре	The type of the socket (STREAM or DATAGRAM)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_NOT_IMPLEMENTED	if the system does not implement the requested socket/address domain

9.67.2.7 OS_SocketRecvFrom()

```
void * buffer,
size_t buflen,
OS_SockAddr_t * RemoteAddr,
int32 timeout )
```

Reads data from a message-oriented (datagram) socket.

If a message is already available on the socket, this should immediately return that data without blocking. Otherwise, it may block up to the given timeout.

Parameters

in	sock_id	The socket ID, previously bound using OS_SocketBind()
out	buffer	Pointer to message data receive buffer (must not be null)
in	buflen	The maximum length of the message data to receive (must not be zero)
out	RemoteAddr	Buffer to store the remote network address (may be NULL)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Count of actual bytes received or error status, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

9.67.2.8 OS_SocketSendTo()

Sends data to a message-oriented (datagram) socket.

This sends data in a non-blocking mode. If the socket is not currently able to queue the message, such as if its outbound buffer is full, then this returns an error code.

Parameters

in	sock_id	The socket ID, which must be of the datagram type
in	buffer	Pointer to message data to send (must not be null)
in	buflen	The length of the message data to send (must not be zero)
in	RemoteAddr	Buffer containing the remote network address to send to

Returns

Count of actual bytes sent or error status, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

9.67.2.9 OS_SocketShutdown()

Implement graceful shutdown of a stream socket.

This can be utilized to indicate the end of data stream without immediately closing the socket, giving the remote side an indication that the data transfer is complete.

Parameters

in	sock⊷	The socket ID
	_id	
in	Mode	Whether to shutdown reading, writing, or both.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INVALID_ARGUMENT	if the Mode argument is not one of the valid options
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_ERR_INCORRECT_OBJ_STATE	if the socket is not connected

9.68 OSAL Task APIs

Functions

int32 OS_TaskCreate (osal_id_t *task_id, const char *task_name, osal_task_entry function_pointer, osal_
 stackptr t stack pointer, size t stack size, osal priority t priority, uint32 flags)

Creates a task and starts running it.

int32 OS TaskDelete (osal id t task id)

Deletes the specified Task.

void OS TaskExit (void)

Exits the calling task.

• int32 OS TaskInstallDeleteHandler (osal task entry function pointer)

Installs a handler for when the task is deleted.

int32 OS_TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

int32 OS_TaskSetPriority (osal_id_t task_id, osal_priority_t new_priority)

Sets the given task to a new priority.

osal_id_t OS_TaskGetId (void)

Obtain the task id of the calling task.

int32 OS_TaskGetIdByName (osal_id_t *task_id, const char *task_name)

Find an existing task ID by name.

int32 OS_TaskGetInfo (osal_id_t task_id, OS_task_prop_t *task_prop)

Fill a property object buffer with details regarding the resource.

int32 OS_TaskFindIdBySystemData (osal_id_t *task_id, const void *sysdata, size_t sysdata_size)

Reverse-lookup the OSAL task ID from an operating system ID.

- 9.68.1 Detailed Description
- 9.68.2 Function Documentation

9.68.2.1 OS_TaskCreate()

Creates a task and starts running it.

Creates a task and passes back the id of the task created. Task names must be unique; if the name already exists this function fails. Names cannot be NULL.

Portable applications should always specify the actual stack size in the stack_size parameter, not 0. This size value is not enforced/checked by OSAL, but is simply passed through to the RTOS for stack creation. Some RTOS implementations may assume 0 means a default stack size while others may actually create a task with no stack.

Unlike stack_size, the stack_pointer is optional and can be specified as NULL. In that case, a stack of the requested size will be dynamically allocated from the system heap.

9.68 OSAL Task APIs 467

Parameters

out	task_id	will be set to the non-zero ID of the newly-created resource (must not be null)	
in	task_name	the name of the new resource to create (must not be null)	
in	function_pointer	the entry point of the new task (must not be null)	
in	stack_pointer	pointer to the stack for the task, or NULL to allocate a stack from the system memory heap	
in	stack_size	the size of the stack (must not be zero)	
in	priority	initial priority of the new task	
in	flags	initial options for the new task	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER if any of the necessary pointers are NULL	
OS_ERR_INVALID_SIZE	if the stack_size argument is zero
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_INVALID_PRIORITY	if the priority is bad (return value only verified in coverage test)
OS_ERR_NO_FREE_IDS	if there can be no more tasks created
OS_ERR_NAME_TAKEN	if the name specified is already used by a task
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

9.68.2.2 OS_TaskDelay()

Delay a task for specified amount of milliseconds.

Causes the current thread to be suspended from execution for the period of millisecond. This is a scheduled wait (clock_nanosleep/rtems_task_wake_after/taskDelay), not a "busy" wait.

Parameters

_			
	in	millisecond	Amount of time to delay

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

9.68.2.3 OS_TaskDelete()

Deletes the specified Task.

The task will be removed from the local tables. and the OS will be configured to stop executing the task at the next opportunity.

Parameters

in	task⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the ID given to it is invalid	
OS_ERROR	if the OS delete call fails (return value only verified in coverage test)	

9.68.2.4 OS_TaskExit()

```
void OS_TaskExit (
    void )
```

Exits the calling task.

The calling thread is terminated. This function does not return.

9.68 OSAL Task APIs 469

9.68.2.5 OS_TaskFindIdBySystemData()

Reverse-lookup the OSAL task ID from an operating system ID.

This provides a method by which an external entity may find the OSAL task ID corresponding to a system-defined identifier (e.g. TASK_ID, pthread_t, rtems_id, etc).

Normally OSAL does not expose the underlying OS-specific values to the application, but in some circumstances, such as exception handling, the OS may provide this information directly to a BSP handler outside of the normal OSAL API.

Parameters

out	task_id	The buffer where the task id output is stored (must not be null)	
in	sysdata	Pointer to the system-provided identification data	
in	sysdata_size	Size of the system-provided identification data	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_INVALID_POINTER	if a pointer argument is NULL

9.68.2.6 OS_TaskGetId()

Obtain the task id of the calling task.

This function returns the task id of the calling task

Returns

Task ID, or zero if the operation failed (zero is never a valid task ID)

9.68.2.7 OS_TaskGetIdByName()

Find an existing task ID by name.

This function tries to find a task Id given the name of a task

Parameters

out	task_id	will be set to the ID of the existing resource
in	task_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the pointers passed in are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name wasn't found in the table

9.68.2.8 OS_TaskGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (creator, stack size, priority, name) about the specified task.

Parameters

in	task_id	The object ID to operate on
out	task_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

9.68 OSAL Task APIs 471

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid
OS_INVALID_POINTER	if the task_prop pointer is NULL

9.68.2.9 OS_TaskInstallDeleteHandler()

Installs a handler for when the task is deleted.

This function is used to install a callback that is called when the task is deleted. The callback is called when OS_Task Delete is called with the task ID. A task delete handler is useful for cleaning up resources that a task creates, before the task is removed from the system.

Parameters

in	function_pointer	function to be called when task exits
----	------------------	---------------------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

```
OS_ERR_INVALID_ID if the calling context is not an OSAL task
```

9.68.2.10 OS_TaskSetPriority()

Sets the given task to a new priority.

Parameters

in	task_id	The object ID to operate on
in	new_priority	Set the new priority

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid
OS_ERR_INVALID_PRIORITY	if the priority is greater than the max allowed (return value only verified in coverage test)
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

9.69 OSAL Time Base APIs

Functions

int32 OS_TimeBaseCreate (osal_id_t *timebase_id, const char *timebase_name, OS_TimerSync_t external_← sync)

Create an abstract Time Base resource.

- int32 OS_TimeBaseSet (osal_id_t timebase_id, uint32 start_time, uint32 interval_time)
 - Sets the tick period for simulated time base objects.
- int32 OS_TimeBaseDelete (osal_id_t timebase_id)

Deletes a time base object.

int32 OS_TimeBaseGetIdByName (osal_id_t *timebase_id, const char *timebase_name)

Find the ID of an existing time base resource.

int32 OS TimeBaseGetInfo (osal id t timebase id, OS timebase prop t *timebase prop)

Obtain information about a timebase resource.

int32 OS_TimeBaseGetFreeRun (osal_id_t timebase_id, uint32 *freerun_val)

Read the value of the timebase free run counter.

- 9.69.1 Detailed Description
- 9.69.2 Function Documentation

9.69.2.1 OS_TimeBaseCreate()

Create an abstract Time Base resource.

An OSAL time base is an abstraction of a "timer tick" that can, in turn, be used for measurement of elapsed time between events.

Time bases can be simulated by the operating system using the OS kernel-provided timing facilities, or based on a hardware timing source if provided by the BSP.

A time base object has a servicing task associated with it, that runs at elevated priority and will thereby interrupt user-level tasks when timing ticks occur.

If the external_sync function is passed as NULL, the operating system kernel timing resources will be utilized for a simulated timer tick.

If the external_sync function is not NULL, this should point to a BSP-provided function that will block the calling task until the next tick occurs. This can be used for synchronizing with hardware events.

Note

When provisioning a tunable RTOS kernel, such as RTEMS, the kernel should be configured to support at least (OS_MAX_TASKS + OS_MAX_TIMEBASES) threads, to account for the helper threads associated with time base objects.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

out	timebase_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	timebase_name	The name of the time base (must not be null)
in	external_sync	A synchronization function for BSP hardware-based timer ticks

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NAME_TAKEN	if the name specified is already used
OS_ERR_NO_FREE_IDS	if there can be no more timebase resources created
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_ERR_NAME_TOO_LONG	if the timebase_name is too long
OS_INVALID_POINTER	if a pointer argument is NULL

9.69.2.2 OS_TimeBaseDelete()

Deletes a time base object.

The helper task and any other resources associated with the time base abstraction will be freed.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timebase←	The timebase resource to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

9.69.2.3 OS_TimeBaseGetFreeRun()

Read the value of the timebase free run counter.

Poll the timer free-running time counter in a lightweight fashion.

The free run count is a monotonically increasing value reflecting the total time elapsed since the timebase inception. Units are the same as the timebase itself, usually microseconds.

Applications may quickly and efficiently calculate relative time differences by polling this value and subtracting the previous counter value.

The absolute value of this counter is not relevant, because it will "roll over" after 2^32 units of time. For a timebase with microsecond units, this occurs approximately every 4294 seconds, or about 1.2 hours.

Note

To ensure consistency of results, the application should sample the value at a minimum of two times the roll over frequency, and calculate the difference between the consecutive samples.

Parameters

in	timebase⊷ _id	The timebase to operate on
out	freerun_val	Buffer to store the free run counter (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_INVALID_POINTER	if pointer argument is NULL

9.69.2.4 OS_TimeBaseGetIdByName()

Find the ID of an existing time base resource.

Given a time base name, find and output the ID associated with it.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

out	timebase_id	will be set to the non-zero ID of the matching resource (must not be null)
in	timebase_name	The name of the timebase resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if timebase_id or timebase_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

9.69.2.5 OS_TimeBaseGetInfo()

Obtain information about a timebase resource.

Fills the buffer referred to by the timebase_prop parameter with relevant information about the time base resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified timebase.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timebase_id	The timebase resource ID
out	timebase_prop	Buffer to store timebase properties (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_INVALID_POINTER	if the timebase_prop pointer is null
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

9.69.2.6 OS_TimeBaseSet()

Sets the tick period for simulated time base objects.

This sets the actual tick period for timing ticks that are simulated by the RTOS kernel (i.e. the "external_sync" parameter on the call to OS_TimeBaseCreate() is NULL).

The RTOS will be configured to wake up the helper thread at the requested interval.

This function has no effect for time bases that are using a BSP-provided external_sync function.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timebase_id	The timebase resource to configure
in	start_time	The amount of delay for the first tick, in microseconds.
in	interval_time	The amount of delay between ticks, in microseconds.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_TIMER_ERR_INVALID_ARGS	if start_time or interval_time are out of range

9.70 OSAL Timer APIs 479

9.70 OSAL Timer APIs

Functions

int32 OS_TimerCreate (osal_id_t *timer_id, const char *timer_name, uint32 *clock_accuracy, OS_Timer
 Callback t callback ptr)

Create a timer object.

int32 OS_TimerAdd (osal_id_t *timer_id, const char *timer_name, osal_id_t timebase_id, OS_ArgCallback_
 t callback ptr, void *callback arg)

Add a timer object based on an existing TimeBase resource.

int32 OS_TimerSet (osal_id_t timer_id, uint32 start_time, uint32 interval_time)

Configures a periodic or one shot timer.

• int32 OS TimerDelete (osal id t timer id)

Deletes a timer resource.

int32 OS TimerGetIdByName (osal id t *timer id, const char *timer name)

Locate an existing timer resource by name.

int32 OS TimerGetInfo (osal id t timer id, OS timer prop t *timer prop)

Gets information about an existing timer.

- 9.70.1 Detailed Description
- 9.70.2 Function Documentation

9.70.2.1 OS_TimerAdd()

Add a timer object based on an existing TimeBase resource.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function uses an existing time base object to service this timer, which must exist prior to adding the timer. The precision of the timer is the same as that of the underlying time base object. Multiple timer objects can be created referring to a single time base object.

This routine also uses a different callback function prototype from OS_TimerCreate(), allowing a single opaque argument to be passed to the callback routine. The OSAL implementation does not use this parameter, and may be set NULL.

The callback function for this method should be declared according to the OS_ArgCallback_t function pointer type. The timer_id is passed in to the function by the OSAL, and the arg parameter is passed through from the callback_arg argument on this call.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

See also

OS_ArgCallback_t

9.70 OSAL Timer APIs 481

Parameters

out	timer_id	Will be set to the non-zero resource ID of the timer object (must not be null)
in	timer_name	Name of the timer object (must not be null)
in	timebase←	The time base resource to use as a reference
	id	
	_,~	
in	callback_ptr	Application-provided function to invoke (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any parameters are NULL
OS_ERR_INVALID_ID	if the timebase_id parameter is not valid
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_TAKEN	if the name is already in use by another timer.
OS_ERR_NO_FREE_IDS	if all of the timers are already allocated.
OS_ERR_INCORRECT_OBJ_STATE	if invoked from a timer context
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)

9.70.2.2 OS_TimerCreate()

Create a timer object.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function creates a dedicated (hidden) time base object to service this timer, which is created and deleted with the timer object itself. The internal time base is configured for an OS simulated timer tick at the same interval as the timer.

The callback function should be declared according to the OS_TimerCallback_t function pointer type. The timer_id value is passed to the callback function.

Note

clock_accuracy comes from the underlying OS tick value. The nearest integer microsecond value is returned, so may not be exact.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

See also

```
OS_TimerCallback_t
```

Parameters

out	timer_id	Will be set to the non-zero resource ID of the timer object (must not be null)
in	timer_name	Name of the timer object (must not be null)
out	clock_accuracy	Expected precision of the timer, in microseconds. This is the underlying tick value rounded to the nearest microsecond integer. (must not be null)
in	callback_ptr	The function pointer of the timer callback (must not be null).

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any parameters are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_TAKEN	if the name is already in use by another timer.
OS_ERR_NO_FREE_IDS	if all of the timers are already allocated.
OS_ERR_INCORRECT_OBJ_STATE	if invoked from a timer context
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)

9.70.2.3 OS_TimerDelete()

Deletes a timer resource.

The application callback associated with the timer will be stopped, and the resources freed for future use.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

9.70 OSAL Timer APIs 483

Parameters

in	timer←	The timer ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is invalid.
OS_TIMER_ERR_INTERNAL	if there was a problem deleting the timer in the host OS (return value only verified in coverage test)
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

9.70.2.4 OS_TimerGetIdByName()

Locate an existing timer resource by name.

Outputs the ID associated with the given timer, if it exists.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

out	timer_id	Will be set to the timer ID corresponding to the name (must not be null)
in	timer_name	The timer name to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

Return values

OS_INVALID_POINTER	if timer_id or timer_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

9.70.2.5 OS_TimerGetInfo()

Gets information about an existing timer.

This function takes timer_id, and looks it up in the OS table. It puts all of the information known about that timer into a structure pointer to by timer_prop.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timer_id	The timer ID to operate on
out	timer_prop	Buffer containing timer properties (must not be null)
		creator: the OS task ID of the task that created this timer
		name: the string name of the timer
		 start_time: the start time in microseconds, if any
		 interval_time: the interval time in microseconds, if any
		accuracy: the accuracy of the timer in microseconds

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timer
OS_INVALID_POINTER	if the timer_prop pointer is null
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

9.70 OSAL Timer APIs 485

9.70.2.6 OS_TimerSet()

Configures a periodic or one shot timer.

This function programs the timer with a start time and an optional interval time. The start time is the time in microseconds when the user callback function will be called. If the interval time is non-zero, the timer will be reprogrammed with that interval in microseconds to call the user callback function periodically. If the start time and interval time are zero, the function will return an error.

For a "one-shot" timer, the start_time configures the expiration time, and the interval_time should be passed as zero to indicate the timer is not to be automatically reset.

Note

The resolution of the times specified is limited to the clock accuracy returned in the OS_TimerCreate call. If the times specified in the start_msec or interval_msec parameters are less than the accuracy, they will be rounded up to the accuracy of the timer.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timer_id	The timer ID to operate on	
in	start_time	Time in microseconds to the first expiration	
in	interval_time	nterval_time Time in microseconds between subsequent intervals, value of zero will only call the user	
		callback function once after the start_msec time.	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is not valid.
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified in coverage test)
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_TIMER_ERR_INVALID_ARGS	if the start_time or interval_time is out of range, or both 0

10 Data Structure Documentation

10.1 CCSDS_ExtendedHeader Struct Reference

```
CCSDS packet extended header.
```

```
#include <ccsds_hdr.h>
```

Data Fields

- uint8 Subsystem [2]
 - subsystem qualifier
- uint8 SystemId [2]

system qualifier

10.1.1 Detailed Description

CCSDS packet extended header.

Definition at line 75 of file ccsds_hdr.h.

10.1.2 Field Documentation

10.1.2.1 Subsystem

```
uint8 CCSDS_ExtendedHeader::Subsystem[2]
```

subsystem qualifier

Definition at line 78 of file ccsds_hdr.h.

10.1.2.2 SystemId

```
uint8 CCSDS_ExtendedHeader::SystemId[2]
```

system qualifier

Definition at line 85 of file ccsds_hdr.h.

The documentation for this struct was generated from the following file:

• cfe/modules/msg/fsw/inc/ccsds_hdr.h

10.2 CCSDS_PrimaryHeader Struct Reference

```
CCSDS packet primary header.
```

```
#include <ccsds_hdr.h>
```

Data Fields

• uint8 StreamId [2]

packet identifier word (stream ID)

• uint8 Sequence [2]

packet sequence word

• uint8 Length [2]

packet length word

10.2.1 Detailed Description

CCSDS packet primary header.

Definition at line 51 of file ccsds_hdr.h.

10.2.2 Field Documentation

10.2.2.1 Length

```
uint8 CCSDS_PrimaryHeader::Length[2]
```

packet length word

Definition at line 66 of file ccsds_hdr.h.

10.2.2.2 Sequence

```
uint8 CCSDS_PrimaryHeader::Sequence[2]
```

packet sequence word

Definition at line 61 of file ccsds_hdr.h.

10.2.2.3 StreamId

```
uint8 CCSDS_PrimaryHeader::StreamId[2]
```

packet identifier word (stream ID)

Definition at line 54 of file ccsds_hdr.h.

The documentation for this struct was generated from the following file:

• cfe/modules/msg/fsw/inc/ccsds_hdr.h

10.3 CFE_ES_AppInfo Struct Reference

Application Information.

```
#include <cfe_es_extern_typedefs.h>
```

Data Fields

· CFE Resourceld t Resourceld

Application or Library ID for this resource.

uint32 Type

The type of App: CORE or EXTERNAL.

char Name [CFE_MISSION_MAX_API_LEN]

The Registered Name of the Application.

• char EntryPoint [CFE_MISSION_MAX_API_LEN]

The Entry Point label for the Application.

char FileName [CFE MISSION MAX PATH LEN]

The Filename of the file containing the Application.

CFE_ES_MemOffset_t StackSize

The Stack Size of the Application.

· uint32 AddressesAreValid

Indicates that the Code, Data, and BSS addresses/sizes are valid.

CFE_ES_MemAddress_t CodeAddress

The Address of the Application Code Segment.

CFE_ES_MemOffset_t CodeSize

The Code Size of the Application.

CFE_ES_MemAddress_t DataAddress

The Address of the Application Data Segment.

CFE_ES_MemOffset_t DataSize

The Data Size of the Application.

CFE_ES_MemAddress_t BSSAddress

The Address of the Application BSS Segment.

CFE_ES_MemOffset_t BSSSize

The BSS Size of the Application.

• CFE_ES_MemAddress_t StartAddress

The Start Address of the Application.

CFE_ES_ExceptionAction_Enum_t ExceptionAction

What should occur if Application has an exception (Restart Application OR Restart Processor)

CFE_ES_TaskPriority_Atom_t Priority

The Priority of the Application.

CFE_ES_TaskId_t MainTaskId

The Application's Main Task ID.

uint32 ExecutionCounter

The Application's Main Task Execution Counter.

char MainTaskName [CFE_MISSION_MAX_API_LEN]

The Application's Main Task ID.

uint32 NumOfChildTasks

Number of Child tasks for an App.

10.3.1 Detailed Description

Application Information.

Structure that is used to provide information about an app. It is primarily used for the QueryOne and QueryAll Commands.

While this structure is primarily intended for Application info, it can also represent Library information where only a subset of the information applies.

Definition at line 442 of file cfe es extern typedefs.h.

10.3.2 Field Documentation

10.3.2.1 AddressesAreValid

uint32 CFE_ES_AppInfo::AddressesAreValid

Indicates that the Code, Data, and BSS addresses/sizes are valid.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AddrsValid

Definition at line 458 of file cfe es extern typedefs.h.

10.3.2.2 BSSAddress

```
CFE_ES_MemAddress_t CFE_ES_AppInfo::BSSAddress
```

The Address of the Application BSS Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BSSAddress

Definition at line 468 of file cfe_es_extern_typedefs.h.

10.3.2.3 BSSSize

```
CFE_ES_MemOffset_t CFE_ES_AppInfo::BSSSize
```

The BSS Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BSSSize

Definition at line 470 of file cfe_es_extern_typedefs.h.

10.3.2.4 CodeAddress

```
CFE_ES_MemAddress_t CFE_ES_AppInfo::CodeAddress
```

The Address of the Application Code Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CodeAddress

Definition at line 460 of file cfe_es_extern_typedefs.h.

10.3.2.5 CodeSize

```
CFE_ES_MemOffset_t CFE_ES_AppInfo::CodeSize
```

The Code Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CodeSize

Definition at line 462 of file cfe_es_extern_typedefs.h.

10.3.2.6 DataAddress

CFE_ES_MemAddress_t CFE_ES_AppInfo::DataAddress

The Address of the Application Data Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_DataAddress

Definition at line 464 of file cfe_es_extern_typedefs.h.

10.3.2.7 DataSize

CFE_ES_MemOffset_t CFE_ES_AppInfo::DataSize

The Data Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_DataSize

Definition at line 466 of file cfe_es_extern_typedefs.h.

10.3.2.8 EntryPoint

char CFE_ES_AppInfo::EntryPoint[CFE_MISSION_MAX_API_LEN]

The Entry Point label for the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppEntryPt[OS_MAX_API_NAME]

Definition at line 451 of file cfe_es_extern_typedefs.h.

10.3.2.9 ExceptionAction

 ${\tt CFE_ES_ExceptionAction_Enum_t~CFE_ES_AppInfo::ExceptionAction}$

What should occur if Application has an exception (Restart Application OR Restart Processor)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ExceptnActn

Definition at line 474 of file cfe_es_extern_typedefs.h.

10.3.2.10 ExecutionCounter

```
uint32 CFE_ES_AppInfo::ExecutionCounter
```

The Application's Main Task Execution Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ExecutionCtr

Definition at line 481 of file cfe_es_extern_typedefs.h.

10.3.2.11 FileName

```
char CFE_ES_AppInfo::FileName[CFE_MISSION_MAX_PATH_LEN]
```

The Filename of the file containing the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppFilename[OS_MAX_PATH_LEN]

Definition at line 453 of file cfe_es_extern_typedefs.h.

10.3.2.12 MainTaskld

```
CFE_ES_TaskId_t CFE_ES_AppInfo::MainTaskId
```

The Application's Main Task ID.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MainTaskId

Definition at line 479 of file cfe_es_extern_typedefs.h.

10.3.2.13 MainTaskName

```
char CFE_ES_AppInfo::MainTaskName[CFE_MISSION_MAX_API_LEN]
```

The Application's Main Task ID.

Telemetry Mnemonic(s) \$sc \$cpu ES MainTaskName[OS MAX API NAME]

Definition at line 483 of file cfe_es_extern_typedefs.h.

```
10.3.2.14 Name
```

```
char CFE_ES_AppInfo::Name[CFE_MISSION_MAX_API_LEN]
```

The Registered Name of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppName[OS_MAX_API_NAME]

Definition at line 449 of file cfe_es_extern_typedefs.h.

10.3.2.15 NumOfChildTasks

```
uint32 CFE_ES_AppInfo::NumOfChildTasks
```

Number of Child tasks for an App.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ChildTasks

Definition at line 485 of file cfe_es_extern_typedefs.h.

10.3.2.16 Priority

CFE_ES_TaskPriority_Atom_t CFE_ES_AppInfo::Priority

The Priority of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_Priority

Definition at line 477 of file cfe_es_extern_typedefs.h.

10.3.2.17 Resourceld

CFE_ResourceId_t CFE_ES_AppInfo::ResourceId

Application or Library ID for this resource.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppID

Definition at line 444 of file cfe_es_extern_typedefs.h.

```
10.3.2.18 StackSize
```

```
CFE_ES_MemOffset_t CFE_ES_AppInfo::StackSize
```

The Stack Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_StackSize

Definition at line 456 of file cfe_es_extern_typedefs.h.

10.3.2.19 StartAddress

```
CFE_ES_MemAddress_t CFE_ES_AppInfo::StartAddress
```

The Start Address of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_StartAddr

Definition at line 472 of file cfe_es_extern_typedefs.h.

10.3.2.20 Type

```
uint32 CFE_ES_AppInfo::Type
```

The type of App: CORE or EXTERNAL.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppType

Definition at line 446 of file cfe_es_extern_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h

10.4 CFE_ES_AppNameCmd Struct Reference

Generic application name command.

#include <cfe_es_msq.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_ES_AppNameCmd_Payload_t Payload

Command payload.

10.4.1 Detailed Description

Generic application name command.

Definition at line 1198 of file cfe_es_msg.h.

10.4.2 Field Documentation

10.4.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_ES_AppNameCmd::CommandHeader

Command header.

Definition at line 1200 of file cfe_es_msg.h.

10.4.2.2 Payload

CFE_ES_AppNameCmd_Payload_t CFE_ES_AppNameCmd::Payload

Command payload.

Definition at line 1201 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.5 CFE_ES_AppNameCmd_Payload Struct Reference

Generic application name command payload.

#include <cfe_es_msg.h>

Data Fields

• char Application [CFE_MISSION_MAX_API_LEN]

ASCII text string containing Application or Library Name.

10.5.1 Detailed Description

Generic application name command payload.

For command details, see CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_QUERY_ONE_CC

Definition at line 1190 of file cfe_es_msg.h.

10.5.2 Field Documentation

10.5.2.1 Application

```
char CFE_ES_AppNameCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]
```

ASCII text string containing Application or Library Name.

Definition at line 1192 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.6 CFE_ES_AppReloadCmd_Payload Struct Reference

Reload Application Command Payload.

```
#include <cfe_es_msg.h>
```

Data Fields

• char Application [CFE_MISSION_MAX_API_LEN]

ASCII text string containing Application Name.

char AppFileName [CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

10.6.1 Detailed Description

Reload Application Command Payload.

For command details, see CFE_ES_RELOAD_APP_CC

Definition at line 1219 of file cfe_es_msg.h.

10.6.2 Field Documentation

10.6.2.1 AppFileName

```
char CFE_ES_AppReloadCmd_Payload::AppFileName[CFE_MISSION_MAX_PATH_LEN]
```

Full path and filename of Application's executable image.

Definition at line 1222 of file cfe_es_msg.h.

10.6.2.2 Application

```
char CFE_ES_AppReloadCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]
```

ASCII text string containing Application Name.

Definition at line 1221 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.7 CFE_ES_BlockStats Struct Reference

Block statistics.

```
#include <cfe_es_extern_typedefs.h>
```

Data Fields

CFE_ES_MemOffset_t BlockSize

Number of bytes in each of these blocks.

· uint32 NumCreated

Number of Memory Blocks of this size created.

• uint32 NumFree

Number of Memory Blocks of this size that are free.

10.7.1 Detailed Description

Block statistics.

Sub-Structure that is used to provide information about a specific block size/bucket within a memory pool.

Definition at line 540 of file cfe_es_extern_typedefs.h.

10.7.2 Field Documentation

10.7.2.1 BlockSize

```
CFE_ES_MemOffset_t CFE_ES_BlockStats::BlockSize
```

Number of bytes in each of these blocks.

Definition at line 542 of file cfe_es_extern_typedefs.h.

10.7.2.2 NumCreated

```
uint32 CFE_ES_BlockStats::NumCreated
```

Number of Memory Blocks of this size created.

Definition at line 543 of file cfe_es_extern_typedefs.h.

10.7.2.3 NumFree

```
uint32 CFE_ES_BlockStats::NumFree
```

Number of Memory Blocks of this size that are free.

Definition at line 544 of file cfe_es_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h

10.8 CFE_ES_CDSRegDumpRec Struct Reference

CDS Register Dump Record.

```
#include <cfe_es_extern_typedefs.h>
```

Data Fields

CFE_ES_CDSHandle_t Handle

Handle of CDS.

CFE_ES_MemOffset_t Size

Size, in bytes, of the CDS memory block.

bool Table

Flag that indicates whether CDS contains a Critical Table.

• char Name [CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]

Processor Unique Name of CDS.

• uint8 ByteAlignSpare [3]

Spare bytes to ensure structure size is multiple of 4 bytes.

10.8.1 Detailed Description

CDS Register Dump Record.

Structure that is used to provide information about a critical data store. It is primarily used for the Dump CDS registry (CFE_ES_DUMP_CDS_REGISTRY_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Dump CDS registry command. Therefore it should be considered part of the overall telemetry interface.

Definition at line 525 of file cfe es extern typedefs.h.

10.8.2 Field Documentation

10.8.2.1 ByteAlignSpare

```
uint8 CFE_ES_CDSRegDumpRec::ByteAlignSpare[3]
```

Spare bytes to ensure structure size is multiple of 4 bytes.

Definition at line 531 of file cfe_es_extern_typedefs.h.

10.8.2.2 Handle

```
CFE_ES_CDSHandle_t CFE_ES_CDSRegDumpRec::Handle
```

Handle of CDS.

Definition at line 527 of file cfe_es_extern_typedefs.h.

10.8.2.3 Name

```
char CFE_ES_CDSRegDumpRec::Name[CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]
```

Processor Unique Name of CDS.

Definition at line 530 of file cfe_es_extern_typedefs.h.

10.8.2.4 Size

```
CFE_ES_MemOffset_t CFE_ES_CDSRegDumpRec::Size
```

Size, in bytes, of the CDS memory block.

Definition at line 528 of file cfe_es_extern_typedefs.h.

10.8.2.5 Table

```
bool CFE_ES_CDSRegDumpRec::Table
```

Flag that indicates whether CDS contains a Critical Table.

Definition at line 529 of file cfe_es_extern_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h

10.9 CFE_ES_DeleteCDSCmd Struct Reference

Delete Critical Data Store Command.

```
#include <cfe_es_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_ES_DeleteCDSCmd_Payload_t Payload

Command payload.

10.9.1 Detailed Description

Delete Critical Data Store Command.

Definition at line 1272 of file cfe_es_msg.h.

10.9.2 Field Documentation

10.9.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_ES_DeleteCDSCmd::CommandHeader

Command header.

Definition at line 1274 of file cfe_es_msg.h.

10.9.2.2 Payload

CFE_ES_DeleteCDSCmd_Payload_t CFE_ES_DeleteCDSCmd::Payload

Command payload.

Definition at line 1275 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.10 CFE_ES_DeleteCDSCmd_Payload Struct Reference

Delete Critical Data Store Command Payload.

#include <cfe_es_msg.h>

Data Fields

• char CdsName [CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]

ASCII text string containing name of CDS to delete.

10.10.1 Detailed Description

Delete Critical Data Store Command Payload.

For command details, see CFE_ES_DELETE_CDS_CC

Definition at line 1262 of file cfe_es_msg.h.

10.10.2 Field Documentation

10.10.2.1 CdsName

```
char CFE_ES_DeleteCDSCmd_Payload::CdsName[CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]
```

ASCII text string containing name of CDS to delete.

Definition at line 1265 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.11 CFE_ES_DumpCDSRegistryCmd Struct Reference

Dump CDS Registry Command.

```
#include <cfe_es_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_ES_DumpCDSRegistryCmd_Payload_t Payload

Command payload.

10.11.1 Detailed Description

Dump CDS Registry Command.

Definition at line 1400 of file cfe_es_msg.h.

10.11.2 Field Documentation

10.11.2.1 CommandHeader

 ${\tt CFE_MSG_CommandHeader_t\ CFE_ES_DumpCDSRegistryCmd::CommandHeader_t\ CFE_ES_DumpCDSRegistryCmd::CFE_ES_DumpCDS$

Command header.

Definition at line 1402 of file cfe_es_msg.h.

10.11.2.2 Payload

CFE_ES_DumpCDSRegistryCmd_Payload_t CFE_ES_DumpCDSRegistryCmd::Payload

Command payload.

Definition at line 1403 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.12 CFE_ES_DumpCDSRegistryCmd_Payload Struct Reference

Dump CDS Registry Command Payload.

```
#include <cfe_es_msq.h>
```

Data Fields

• char DumpFilename [CFE_MISSION_MAX_PATH_LEN]

ASCII text string of full path and filename of file CDS Registry is to be written.

10.12.1 Detailed Description

Dump CDS Registry Command Payload.

For command details, see CFE_ES_DUMP_CDS_REGISTRY_CC

Definition at line 1391 of file cfe_es_msg.h.

10.12.2 Field Documentation

10.12.2.1 DumpFilename

```
char CFE_ES_DumpCDSRegistryCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN]
```

ASCII text string of full path and filename of file CDS Registry is to be written.

Definition at line 1393 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.13 CFE_ES_FileNameCmd Struct Reference

Generic file name command.

```
#include <cfe_es_msg.h>
```

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_ES_FileNameCmd_Payload_t Payload

Command payload.

10.13.1 Detailed Description

Generic file name command.

Definition at line 1115 of file cfe_es_msg.h.

10.13.2 Field Documentation

10.13.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_ES_FileNameCmd::CommandHeader
```

Command header.

Definition at line 1117 of file cfe_es_msg.h.

10.13.2.2 Payload

```
CFE_ES_FileNameCmd_Payload_t CFE_ES_FileNameCmd::Payload
```

Command payload.

Definition at line 1118 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.14 CFE ES FileNameCmd Payload Struct Reference

Generic file name command payload.

```
#include <cfe_es_msg.h>
```

Data Fields

• char FileName [CFE_MISSION_MAX_PATH_LEN]

ASCII text string containing full path and filename of file in which Application data is to be dumped.

10.14.1 Detailed Description

Generic file name command payload.

This format is shared by several executive services commands. For command details, see CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC, CFE_ES_WRITE_SYSLOG_CC, and CFE_ES_WRITE_ER_LOG_CC

Definition at line 1106 of file cfe_es_msg.h.

10.14.2 Field Documentation

10.14.2.1 FileName

```
char CFE_ES_FileNameCmd_Payload::FileName[CFE_MISSION_MAX_PATH_LEN]
```

ASCII text string containing full path and filename of file in which Application data is to be dumped.

Definition at line 1108 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

10.15 CFE_ES_HousekeepingTlm Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader
 Telemetry header.
- CFE_ES_HousekeepingTlm_Payload_t Payload Telemetry payload.

10.15.1 Detailed Description

Definition at line 1548 of file cfe_es_msg.h.

10.15.2 Field Documentation

10.15.2.1 Payload

CFE_ES_HousekeepingTlm_Payload_t CFE_ES_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 1551 of file cfe_es_msg.h.

10.15.2.2 TelemetryHeader

```
{\tt CFE\_MSG\_TelemetryHeader\_t\ CFE\_ES\_HousekeepingTlm::} TelemetryHeader\_t \\
```

Telemetry header.

Definition at line 1550 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.16 CFE_ES_HousekeepingTlm_Payload Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

· uint8 CommandCounter

The ES Application Command Counter.

uint8 CommandErrorCounter

The ES Application Command Error Counter.

· uint16 CFECoreChecksum

Checksum of cFE Core Code.

· uint8 CFEMajorVersion

Major Version Number of cFE.

uint8 CFEMinorVersion

Minor Version Number of cFE.

· uint8 CFERevision

Sub-Minor Version Number of cFE.

· uint8 CFEMissionRevision

Mission Version Number of cFE.

· uint8 OSALMajorVersion

OS Abstraction Layer Major Version Number.

uint8 OSALMinorVersion

OS Abstraction Layer Minor Version Number.

uint8 OSALRevision

OS Abstraction Layer Revision Number.

uint8 OSALMissionRevision

OS Abstraction Layer MissionRevision Number.

• uint8 PSPMajorVersion

Platform Support Package Major Version Number.

uint8 PSPMinorVersion

Platform Support Package Minor Version Number.

• uint8 PSPRevision

Platform Support Package Revision Number.

• uint8 PSPMissionRevision

Platform Support Package MissionRevision Number.

CFE_ES_MemOffset_t SysLogBytesUsed

Total number of bytes used in system log.

CFE_ES_MemOffset_t SysLogSize

Total size of the system log.

uint32 SysLogEntries

Number of entries in the system log.

uint32 SysLogMode

Write/Overwrite Mode.

uint32 ERLogIndex

Current index of the ER Log (wraps around)

uint32 ERLogEntries

Number of entries made in the ER Log since the power on.

uint32 RegisteredCoreApps

Number of Applications registered with ES.

uint32 RegisteredExternalApps

Number of Applications registered with ES.

uint32 RegisteredTasks

Number of Tasks (main AND child tasks) registered with ES.

uint32 RegisteredLibs

Number of Libraries registered with ES.

uint32 ResetType

Reset type (PROCESSOR or POWERON)

uint32 ResetSubtype

Reset Sub Type.

• uint32 ProcessorResets

Number of processor resets since last power on.

uint32 MaxProcessorResets

Max processor resets before a power on is done.

uint32 BootSource

Boot source (as provided from BSP)

· uint32 PerfState

Current state of Performance Analyzer.

· uint32 PerfMode

Current mode of Performance Analyzer.

uint32 PerfTriggerCount

Number of Times Performance Analyzer has Triggered.

uint32 PerfFilterMask [CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Filter Masks.

uint32 PerfTriggerMask [CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Trigger Masks.

· uint32 PerfDataStart

Identifies First Stored Entry in Performance Analyzer Log.

uint32 PerfDataEnd

Identifies Last Stored Entry in Performance Analyzer Log.

· uint32 PerfDataCount

Number of Entries Put Into the Performance Analyzer Log.

• uint32 PerfDataToWrite

Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

• CFE ES MemOffset t HeapBytesFree

Number of free bytes remaining in the OS heap.

CFE_ES_MemOffset_t HeapBlocksFree

Number of free blocks remaining in the OS heap.

CFE_ES_MemOffset_t HeapMaxBlockSize

Number of bytes in the largest free block.

10.16.1 Detailed Description

Name Executive Services Housekeeping Packet

Definition at line 1451 of file cfe es msg.h.

10.16.2 Field Documentation

10.16.2.1 BootSource

uint32 CFE_ES_HousekeepingTlm_Payload::BootSource

Boot source (as provided from BSP)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BootSource

Definition at line 1517 of file cfe_es_msg.h.

10.16.2.2 CFECoreChecksum

uint16 CFE_ES_HousekeepingTlm_Payload::CFECoreChecksum

Checksum of cFE Core Code.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CKSUM

Definition at line 1458 of file cfe_es_msg.h.

10.16.2.3 CFEMajorVersion

uint8 CFE_ES_HousekeepingTlm_Payload::CFEMajorVersion

Major Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMAJORVER

Definition at line 1460 of file cfe_es_msg.h.

10.16.2.4 CFEMinorVersion

uint8 CFE_ES_HousekeepingTlm_Payload::CFEMinorVersion

Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMINORVER

Definition at line 1462 of file cfe_es_msg.h.

10.16.2.5 CFEMissionRevision

uint8 CFE_ES_HousekeepingTlm_Payload::CFEMissionRevision

Mission Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMISSIONREV

Definition at line 1466 of file cfe_es_msg.h.

10.16.2.6 CFERevision

uint8 CFE_ES_HousekeepingTlm_Payload::CFERevision

Sub-Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEREVISION

Definition at line 1464 of file cfe_es_msg.h.

10.16.2.7 CommandCounter

uint8 CFE_ES_HousekeepingTlm_Payload::CommandCounter

The ES Application Command Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CMDPC

Definition at line 1453 of file cfe_es_msg.h.

10.16.2.8 CommandErrorCounter

 $\verb|uint8| CFE_ES_HousekeepingTlm_Payload::CommandErrorCounter|$

The ES Application Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CMDEC

Definition at line 1455 of file cfe_es_msg.h.

```
10.16.2.9 ERLogEntries
```

```
uint32 CFE_ES_HousekeepingTlm_Payload::ERLogEntries
```

Number of entries made in the ER Log since the power on.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ERLOGENTRIES

Definition at line 1497 of file cfe_es_msg.h.

10.16.2.10 ERLogIndex

uint32 CFE_ES_HousekeepingTlm_Payload::ERLogIndex

Current index of the ER Log (wraps around)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ERLOGINDEX

Definition at line 1495 of file cfe_es_msg.h.

10.16.2.11 HeapBlocksFree

CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::HeapBlocksFree

Number of free blocks remaining in the OS heap.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapBlocksFree

Definition at line 1542 of file cfe_es_msg.h.

10.16.2.12 HeapBytesFree

 ${\tt CFE_ES_MemOffset_t} \ {\tt CFE_ES_HousekeepingTlm_Payload::} \\ {\tt HeapBytesFree} \\ {\tt TheapBytesFree} \\ {\tt CFE_ES_MemOffset_t} \ {\tt CFE_ES_HousekeepingTlm_Payload::} \\ {\tt CFE_ES_MemOffset_t} \ {\tt CFE_ES_MemOffset_t} \$

Number of free bytes remaining in the OS heap.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapBytesFree

Definition at line 1540 of file cfe_es_msg.h.

10.16.2.13 HeapMaxBlockSize

CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::HeapMaxBlockSize

Number of bytes in the largest free block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapMaxBlkSize

Definition at line 1544 of file cfe_es_msg.h.

10.16.2.14 MaxProcessorResets

uint32 CFE_ES_HousekeepingTlm_Payload::MaxProcessorResets

Max processor resets before a power on is done.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MaxProcResets

Definition at line 1515 of file cfe_es_msg.h.

10.16.2.15 OSALMajorVersion

uint8 CFE_ES_HousekeepingTlm_Payload::OSALMajorVersion

OS Abstraction Layer Major Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMAJORVER

Definition at line 1468 of file cfe_es_msg.h.

10.16.2.16 OSALMinorVersion

 $\verb|uint8| CFE_ES_HousekeepingTlm_Payload::OSALMinorVersion|$

OS Abstraction Layer Minor Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMINORVER

Definition at line 1470 of file cfe_es_msg.h.

10.16.2.17 OSALMissionRevision

uint8 CFE_ES_HousekeepingTlm_Payload::OSALMissionRevision

OS Abstraction Layer MissionRevision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMISSIONREV

Definition at line 1474 of file cfe_es_msg.h.

10.16.2.18 OSALRevision

uint8 CFE_ES_HousekeepingTlm_Payload::OSALRevision

OS Abstraction Layer Revision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSREVISION

Definition at line 1472 of file cfe_es_msg.h.

10.16.2.19 PerfDataCount

uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataCount

Number of Entries Put Into the Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataCnt

Definition at line 1535 of file cfe_es_msg.h.

10.16.2.20 PerfDataEnd

uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataEnd

Identifies Last Stored Entry in Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataEnd

Definition at line 1533 of file cfe_es_msg.h.

10.16.2.21 PerfDataStart

uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataStart

Identifies First Stored Entry in Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataStart

Definition at line 1531 of file cfe_es_msg.h.

10.16.2.22 PerfDataToWrite

uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataToWrite

Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfData2Write

Definition at line 1538 of file cfe_es_msg.h.

10.16.2.23 PerfFilterMask

uint32 CFE_ES_HousekeepingTlm_Payload::PerfFilterMask[CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Filter Masks.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfFltrMask[MaskCnt]

Definition at line 1526 of file cfe_es_msg.h.

10.16.2.24 PerfMode

uint32 CFE_ES_HousekeepingTlm_Payload::PerfMode

Current mode of Performance Analyzer.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfMode

Definition at line 1522 of file cfe_es_msg.h.

10.16.2.25 PerfState

uint32 CFE_ES_HousekeepingTlm_Payload::PerfState

Current state of Performance Analyzer.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfState

Definition at line 1520 of file cfe_es_msg.h.

10.16.2.26 PerfTriggerCount

uint32 CFE_ES_HousekeepingTlm_Payload::PerfTriggerCount

Number of Times Performance Analyzer has Triggered.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfTrigCnt

Definition at line 1524 of file cfe_es_msg.h.

10.16.2.27 PerfTriggerMask

uint32 CFE_ES_HousekeepingTlm_Payload::PerfTriggerMask[CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Trigger Masks.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfTrigMask[MaskCnt]

Definition at line 1529 of file cfe_es_msg.h.

10.16.2.28 ProcessorResets

uint32 CFE_ES_HousekeepingTlm_Payload::ProcessorResets

Number of processor resets since last power on.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ProcResetCnt

Definition at line 1513 of file cfe_es_msg.h.

10.16.2.29 PSPMajorVersion

uint8 CFE_ES_HousekeepingTlm_Payload::PSPMajorVersion

Platform Support Package Major Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPMAJORVER

Definition at line 1477 of file cfe_es_msg.h.

10.16.2.30 PSPMinorVersion

uint8 CFE_ES_HousekeepingTlm_Payload::PSPMinorVersion

Platform Support Package Minor Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPMINORVER

Definition at line 1479 of file cfe_es_msg.h.

10.16.2.31 PSPMissionRevision

uint8 CFE_ES_HousekeepingTlm_Payload::PSPMissionRevision

Platform Support Package MissionRevision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPMISSIONREV

Definition at line 1483 of file cfe_es_msg.h.

10.16.2.32 PSPRevision

 ${\tt uint 8 \ CFE_ES_HousekeepingTlm_Payload::PSPRevision}$

Platform Support Package Revision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPREVISION

Definition at line 1481 of file cfe_es_msg.h.

10.16.2.33 RegisteredCoreApps

uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredCoreApps

Number of Applications registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegCoreApps

Definition at line 1500 of file cfe_es_msg.h.

10.16.2.34 RegisteredExternalApps

uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredExternalApps

Number of Applications registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegExtApps

Definition at line 1502 of file cfe_es_msg.h.

10.16.2.35 RegisteredLibs

uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredLibs

Number of Libraries registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegLibs

Definition at line 1506 of file cfe_es_msg.h.

10.16.2.36 RegisteredTasks

 ${\tt uint32~CFE_ES_HousekeepingTlm_Payload::RegisteredTasks}$

Number of Tasks (main AND child tasks) registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegTasks

Definition at line 1504 of file cfe_es_msg.h.

10.16.2.37 ResetSubtype uint32 CFE_ES_HousekeepingTlm_Payload::ResetSubtype Reset Sub Type. Telemetry Mnemonic(s) \$sc_\$cpu_ES_ResetSubtype Definition at line 1511 of file cfe_es_msg.h. 10.16.2.38 ResetType uint32 CFE_ES_HousekeepingTlm_Payload::ResetType Reset type (PROCESSOR or POWERON) Telemetry Mnemonic(s) \$sc_\$cpu_ES_ResetType Definition at line 1509 of file cfe_es_msg.h. 10.16.2.39 SysLogBytesUsed CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::SysLogBytesUsed Total number of bytes used in system log. Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGBYTEUSED Definition at line 1486 of file cfe_es_msg.h. 10.16.2.40 SysLogEntries uint32 CFE_ES_HousekeepingTlm_Payload::SysLogEntries Number of entries in the system log. Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGENTRIES

Definition at line 1490 of file cfe_es_msg.h.

10.16.2.41 SysLogMode

```
uint32 CFE_ES_HousekeepingTlm_Payload::SysLogMode
```

Write/Overwrite Mode.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGMODE

Definition at line 1492 of file cfe_es_msg.h.

10.16.2.42 SysLogSize

```
CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::SysLogSize
```

Total size of the system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGSIZE

Definition at line 1488 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.17 CFE_ES_MemPoolStats Struct Reference

Memory Pool Statistics.

```
#include <cfe_es_extern_typedefs.h>
```

Data Fields

CFE_ES_MemOffset_t PoolSize

Size of Memory Pool (in bytes)

• uint32 NumBlocksRequested

Number of times a memory block has been allocated.

• uint32 CheckErrCtr

Number of errors detected when freeing a memory block.

CFE_ES_MemOffset_t NumFreeBytes

Number of bytes never allocated to a block.

CFE_ES_BlockStats_t BlockStats [CFE_MISSION_ES_POOL_MAX_BUCKETS]

Contains stats on each block size.

```
10.17.1 Detailed Description
```

Memory Pool Statistics.

Structure that is used to provide information about a memory pool. Used by the Memory Pool Stats telemetry message.

See also

```
CFE_ES_SEND_MEM_POOL_STATS_CC
```

Definition at line 555 of file cfe_es_extern_typedefs.h.

10.17.2 Field Documentation

10.17.2.1 BlockStats

```
CFE_ES_BlockStats_t CFE_ES_MemPoolStats::BlockStats[CFE_MISSION_ES_POOL_MAX_BUCKETS]
```

Contains stats on each block size.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlkStats[BLK_SIZES]

Definition at line 565 of file cfe_es_extern_typedefs.h.

10.17.2.2 CheckErrCtr

uint32 CFE_ES_MemPoolStats::CheckErrCtr

Number of errors detected when freeing a memory block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlkErrCTR

Definition at line 561 of file cfe_es_extern_typedefs.h.

10.17.2.3 NumBlocksRequested

```
uint32 CFE_ES_MemPoolStats::NumBlocksRequested
```

Number of times a memory block has been allocated.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlksREQ

Definition at line 559 of file cfe_es_extern_typedefs.h.

10.17.2.4 NumFreeBytes

```
CFE_ES_MemOffset_t CFE_ES_MemPoolStats::NumFreeBytes
```

Number of bytes never allocated to a block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_FreeBytes

Definition at line 563 of file cfe_es_extern_typedefs.h.

10.17.2.5 PoolSize

```
CFE_ES_MemOffset_t CFE_ES_MemPoolStats::PoolSize
```

Size of Memory Pool (in bytes)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PoolSize

Definition at line 557 of file cfe_es_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h

10.18 CFE_ES_MemStatsTIm Struct Reference

#include <cfe_es_msg.h>

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

• CFE_ES_PoolStatsTIm_Payload_t Payload

Telemetry payload.

10.18.1 Detailed Description

Definition at line 1440 of file cfe_es_msg.h.

10.18.2 Field Documentation

10.18.2.1 Payload

CFE_ES_PoolStatsTlm_Payload_t CFE_ES_MemStatsTlm::Payload

Telemetry payload.

Definition at line 1443 of file cfe_es_msg.h.

10.18.2.2 TelemetryHeader

CFE_MSG_TelemetryHeader_t CFE_ES_MemStatsTlm::TelemetryHeader

Telemetry header.

Definition at line 1442 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.19 CFE_ES_NoArgsCmd Struct Reference

Generic "no arguments" command.

#include <cfe_es_msg.h>

Data Fields

 $\bullet \ \mathsf{CFE_MSG_CommandHeader_t} \ \mathsf{CommandHeader}$

Command header.

10.19.1 Detailed Description

Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE_ES_NOOP_CC)
- 3. The Reset Counters Command (For details, see CFE_ES_RESET_COUNTERS_CC)

Definition at line 1059 of file cfe_es_msg.h.

10.19.2 Field Documentation

10.19.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_ES_NoArgsCmd::CommandHeader

Command header.

Definition at line 1061 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe_es_msg.h

10.20 CFE_ES_OneAppTIm Struct Reference

#include <cfe_es_msg.h>

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader
 - Telemetry header.
- CFE_ES_OneAppTIm_Payload_t Payload

Telemetry payload.

```
10.20.1 Detailed Description
```

Definition at line 1424 of file cfe_es_msg.h.

10.20.2 Field Documentation

```
10.20.2.1 Payload
```

```
CFE_ES_OneAppTlm_Payload_t CFE_ES_OneAppTlm::Payload
```

Telemetry payload.

Definition at line 1427 of file cfe_es_msg.h.

10.20.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_ES_OneAppTlm::TelemetryHeader
```

Telemetry header.

Definition at line 1426 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.21 CFE_ES_OneAppTIm_Payload Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

CFE_ES_AppInfo_t AppInfo
 For more information, see CFE_ES_AppInfo_t.

10.21.1 Detailed Description

Name Single Application Information Packet

Definition at line 1418 of file cfe_es_msg.h.

10.21.2 Field Documentation

10.21.2.1 Applnfo

```
CFE_ES_AppInfo_t CFE_ES_OneAppTlm_Payload::AppInfo
```

For more information, see CFE_ES_AppInfo_t.

Definition at line 1420 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.22 CFE_ES_OverWriteSysLogCmd Struct Reference

Overwrite/Discard System Log Configuration Command Payload.

```
#include <cfe_es_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_ES_OverWriteSysLogCmd_Payload_t Payload

Command payload.

10.22.1 Detailed Description

Overwrite/Discard System Log Configuration Command Payload.

Definition at line 1146 of file cfe_es_msg.h.

10.22.2 Field Documentation

10.22.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_ES\_OverWriteSysLogCmd::CommandHeader\_t\ CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::
```

Command header.

Definition at line 1148 of file cfe_es_msg.h.

10.22.2.2 Payload

CFE_ES_OverWriteSysLogCmd_Payload_t CFE_ES_OverWriteSysLogCmd::Payload

Command payload.

Definition at line 1149 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.23 CFE_ES_OverWriteSysLogCmd_Payload Struct Reference

Overwrite/Discard System Log Configuration Command Payload.

```
#include <cfe_es_msg.h>
```

Data Fields

• uint32 Mode

CFE_ES_LogMode_DISCARD=Throw away most recent messages, CFE_ES_LogMode_OVERWRITE=Overwrite oldest with most recent

10.23.1 Detailed Description

Overwrite/Discard System Log Configuration Command Payload.

For command details, see CFE_ES_OVER_WRITE_SYSLOG_CC

Definition at line 1136 of file cfe_es_msg.h.

10.23.2 Field Documentation

10.23.2.1 Mode

```
uint32 CFE_ES_OverWriteSysLogCmd_Payload::Mode
```

CFE_ES_LogMode_DISCARD=Throw away most recent messages, CFE_ES_LogMode_OVERWRITE=Overwrite oldest with most recent

Definition at line 1138 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

10.24 CFE_ES_PoolAlign Union Reference

Pool Alignment.

```
#include <cfe_es_api_typedefs.h>
```

Data Fields

void * Ptr

Aligned pointer.

• long long int LongInt

Aligned Long Integer.

• long double LongDouble

Aligned Long Double.

10.24.1 Detailed Description

Pool Alignment.

Union that can be used for minimum memory alignment of ES memory pools on the target. It contains the longest native data types such that the alignment of this structure should reflect the largest possible alignment requirements for any data on this processor.

Definition at line 93 of file cfe_es_api_typedefs.h.

10.24.2 Field Documentation

10.24.2.1 LongDouble

```
long double CFE_ES_PoolAlign::LongDouble
```

Aligned Long Double.

Definition at line 98 of file cfe_es_api_typedefs.h.

10.24.2.2 LongInt

```
long long int CFE_ES_PoolAlign::LongInt
```

Aligned Long Integer.

Definition at line 97 of file cfe_es_api_typedefs.h.

10.24.2.3 Ptr

```
void* CFE_ES_PoolAlign::Ptr
```

Aligned pointer.

Definition at line 95 of file cfe_es_api_typedefs.h.

The documentation for this union was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h

10.25 CFE_ES_PoolStatsTIm_Payload Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

CFE_ES_MemHandle_t PoolHandle
 Handle of memory pool whose stats are being telemetered.

CFE_ES_MemPoolStats_t PoolStats
 For more info, see CFE_ES_MemPoolStats_t.

10.25.1 Detailed Description

Name Memory Pool Statistics Packet

Definition at line 1433 of file cfe_es_msg.h.

10.25.2 Field Documentation

10.25.2.1 PoolHandle

```
CFE_ES_MemHandle_t CFE_ES_PoolStatsTlm_Payload::PoolHandle
```

Handle of memory pool whose stats are being telemetered.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PoolHandle

Definition at line 1435 of file cfe_es_msg.h.

```
10.25.2.2 PoolStats
```

```
CFE_ES_MemPoolStats_t CFE_ES_PoolStatsTlm_Payload::PoolStats
```

For more info, see CFE_ES_MemPoolStats_t.

Definition at line 1437 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.26 CFE_ES_ReloadAppCmd Struct Reference

Reload Application Command.

```
#include <cfe_es_msg.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_AppReloadCmd_Payload_t Payload

Command payload.

10.26.1 Detailed Description

Reload Application Command.

Definition at line 1229 of file cfe_es_msg.h.

10.26.2 Field Documentation

10.26.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_ES_ReloadAppCmd::CommandHeader
```

Command header.

Definition at line 1231 of file cfe_es_msg.h.

10.26.2.2 Payload

```
CFE_ES_AppReloadCmd_Payload_t CFE_ES_ReloadAppCmd::Payload
```

Command payload.

Definition at line 1232 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.27 CFE_ES_RestartCmd Struct Reference

Restart cFE Command.

```
#include <cfe_es_msg.h>
```

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_ES_RestartCmd_Payload_t Payload

Command payload.

10.27.1 Detailed Description

Restart cFE Command.

Definition at line 1092 of file cfe_es_msg.h.

10.27.2 Field Documentation

10.27.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_ES\_RestartCmd::CommandHeader\_t\ CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES\_RestartCmd::CFE\_ES
```

Command header.

Definition at line 1094 of file cfe_es_msg.h.

```
10.27.2.2 Payload
```

```
CFE_ES_RestartCmd_Payload_t CFE_ES_RestartCmd::Payload
```

Command payload.

Definition at line 1095 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe_es_msg.h

10.28 CFE_ES_RestartCmd_Payload Struct Reference

Restart cFE Command Payload.

```
#include <cfe_es_msg.h>
```

Data Fields

• uint16 RestartType

CFE_PSP_RST_TYPE_PROCESSOR=Processor Reset or CFE_PSP_RST_TYPE_POWERON=Power-On Reset

10.28.1 Detailed Description

Restart cFE Command Payload.

For command details, see CFE_ES_RESTART_CC

Definition at line 1083 of file cfe_es_msg.h.

10.28.2 Field Documentation

10.28.2.1 RestartType

```
uint16 CFE_ES_RestartCmd_Payload::RestartType
```

CFE_PSP_RST_TYPE_PROCESSOR=Processor Reset or CFE_PSP_RST_TYPE_POWERON=Power-On Reset Definition at line 1085 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

10.29 CFE_ES_SendMemPoolStatsCmd Struct Reference

Send Memory Pool Statistics Command.

```
#include <cfe_es_msg.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

• CFE_ES_SendMemPoolStatsCmd_Payload_t Payload Command payload.

10.29.1 Detailed Description

Send Memory Pool Statistics Command.

Definition at line 1379 of file cfe_es_msg.h.

10.29.2 Field Documentation

10.29.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_ES\_SendMemPoolStatsCmd::} CommandHeader\_t\ CFE\_ES\_SendMemPoolStatsCmd:: {\tt CommandHeader\_t\ CFE\_ES\_SendMemPoolStatsCmd::} CFE\_ES\_SendMemPoolStatsCmd:: {\tt CommandHeader\_t\ CFE\_ES
```

Command header.

Definition at line 1381 of file cfe_es_msg.h.

10.29.2.2 Payload

```
{\tt CFE\_ES\_SendMemPoolStatsCmd\_Payload\_t~CFE\_ES\_SendMemPoolStatsCmd::} Payload is {\tt CFE\_ES\_SendMemPoolStatsCmd::} Payload is {\tt CFE\_ES\_SendMemPoolStatsC
```

Command payload.

Definition at line 1382 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

10.30 CFE_ES_SendMemPoolStatsCmd_Payload Struct Reference

Send Memory Pool Statistics Command Payload.

```
#include <cfe_es_msg.h>
```

Data Fields

- char Application [CFE_MISSION_MAX_API_LEN]
 - RESERVED should be all zeroes
- CFE_ES_MemHandle_t PoolHandle

Handle of Pool whose statistics are to be telemetered.

10.30.1 Detailed Description

Send Memory Pool Statistics Command Payload.

For command details, see CFE_ES_SEND_MEM_POOL_STATS_CC

Definition at line 1369 of file cfe_es_msg.h.

10.30.2 Field Documentation

10.30.2.1 Application

```
char CFE_ES_SendMemPoolStatsCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]
```

· RESERVED - should be all zeroes

Definition at line 1371 of file cfe_es_msg.h.

10.30.2.2 PoolHandle

```
CFE_ES_MemHandle_t CFE_ES_SendMemPoolStatsCmd_Payload::PoolHandle
```

Handle of Pool whose statistics are to be telemetered.

Definition at line 1372 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

10.31 CFE_ES_SetMaxPRCountCmd Struct Reference

Set Maximum Processor Reset Count Command.

```
#include <cfe_es_msg.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

 CFE_ES_SetMaxPRCountCmd_Payload_t Payload Command payload.

10.31.1 Detailed Description

Set Maximum Processor Reset Count Command.

Definition at line 1250 of file cfe_es_msg.h.

10.31.2 Field Documentation

10.31.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_ES\_SetMaxPRCountCmd::CommandHeader\_t\ CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMaxPRCountCmd::CFE\_ES\_SetMa
```

Command header.

Definition at line 1252 of file cfe_es_msg.h.

10.31.2.2 Payload

```
CFE_ES_SetMaxPRCountCmd_Payload_t CFE_ES_SetMaxPRCountCmd::Payload
```

Command payload.

Definition at line 1253 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

10.32 CFE_ES_SetMaxPRCountCmd_Payload Struct Reference

Set Maximum Processor Reset Count Command Payload.

```
#include <cfe_es_msg.h>
```

Data Fields

uint16 MaxPRCount

New maximum number of Processor Resets before an automatic Power-On Reset is performed.

10.32.1 Detailed Description

Set Maximum Processor Reset Count Command Payload.

For command details, see CFE_ES_SET_MAX_PR_COUNT_CC

Definition at line 1241 of file cfe_es_msg.h.

10.32.2 Field Documentation

10.32.2.1 MaxPRCount

```
uint16 CFE_ES_SetMaxPRCountCmd_Payload::MaxPRCount
```

New maximum number of Processor Resets before an automatic Power-On Reset is performed.

Definition at line 1243 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.33 CFE ES SetPerfFilterMaskCmd Struct Reference

Set Performance Analyzer Filter Mask Command.

#include <cfe_es_msq.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_SetPerfFilterMaskCmd_Payload_t Payload

Command payload.

10.33.1 Detailed Description

Set Performance Analyzer Filter Mask Command.

Definition at line 1335 of file cfe_es_msg.h.

10.33.2 Field Documentation

10.33.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_ES_SetPerfFilterMaskCmd::CommandHeader

Command header.

Definition at line 1337 of file cfe_es_msg.h.

10.33.2.2 Payload

 ${\tt CFE_ES_SetPerfFilterMaskCmd_Payload_t\ CFE_ES_SetPerfFilterMaskCmd}: {\tt Payload_t\ CFE_ES_SetPerfFilterMa$

Command payload.

Definition at line 1338 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.34 CFE_ES_SetPerfFilterMaskCmd_Payload Struct Reference

Set Performance Analyzer Filter Mask Command Payload.

#include <cfe_es_msg.h>

Data Fields

• uint32 FilterMaskNum

Index into array of Filter Masks.

uint32 FilterMask

New Mask for specified entry in array of Filter Masks.

10.34.1 Detailed Description

Set Performance Analyzer Filter Mask Command Payload.

For command details, see CFE_ES_SET_PERF_FILTER_MASK_CC

Definition at line 1325 of file cfe_es_msg.h.

10.34.2 Field Documentation

10.34.2.1 FilterMask

uint32 CFE_ES_SetPerfFilterMaskCmd_Payload::FilterMask

New Mask for specified entry in array of Filter Masks.

Definition at line 1328 of file cfe_es_msg.h.

10.34.2.2 FilterMaskNum

uint32 CFE_ES_SetPerfFilterMaskCmd_Payload::FilterMaskNum

Index into array of Filter Masks.

Definition at line 1327 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe_es_msg.h

10.35 CFE_ES_SetPerfTriggerMaskCmd Struct Reference

Set Performance Analyzer Trigger Mask Command.

#include <cfe_es_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_SetPerfTrigMaskCmd_Payload_t Payload

Command payload.

10.35.1 Detailed Description

Set Performance Analyzer Trigger Mask Command.

Definition at line 1357 of file cfe_es_msg.h.

10.35.2 Field Documentation

10.35.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_ES_SetPerfTriggerMaskCmd::CommandHeader

Command header.

Definition at line 1359 of file cfe_es_msg.h.

10.35.2.2 Payload

 ${\tt CFE_ES_SetPerfTrigMaskCmd_Payload_t\ CFE_ES_SetPerfTriggerMaskCmd}: {\tt Payload_t\ CFE_ES_SetPerfTriggerMas$

Command payload.

Definition at line 1360 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.36 CFE_ES_SetPerfTrigMaskCmd_Payload Struct Reference

Set Performance Analyzer Trigger Mask Command Payload.

Data Fields

• uint32 TriggerMaskNum

Index into array of Trigger Masks.

uint32 TriggerMask

New Mask for specified entry in array of Trigger Masks.

10.36.1 Detailed Description

Set Performance Analyzer Trigger Mask Command Payload.

For command details, see CFE_ES_SET_PERF_TRIGGER_MASK_CC

Definition at line 1347 of file cfe_es_msg.h.

10.36.2 Field Documentation

10.36.2.1 TriggerMask

uint32 CFE_ES_SetPerfTrigMaskCmd_Payload::TriggerMask

New Mask for specified entry in array of Trigger Masks.

Definition at line 1350 of file cfe_es_msg.h.

10.36.2.2 TriggerMaskNum

uint32 CFE_ES_SetPerfTrigMaskCmd_Payload::TriggerMaskNum

Index into array of Trigger Masks.

Definition at line 1349 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe_es_msg.h

10.37 CFE_ES_StartApp Struct Reference

Start Application Command.

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_StartAppCmd_Payload_t Payload

Command payload.

10.37.1 Detailed Description

Start Application Command.

Definition at line 1178 of file cfe_es_msg.h.

10.37.2 Field Documentation

10.37.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_ES_StartApp::CommandHeader

Command header.

Definition at line 1180 of file cfe_es_msg.h.

10.37.2.2 Payload

CFE_ES_StartAppCmd_Payload_t CFE_ES_StartApp::Payload

Command payload.

Definition at line 1181 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.38 CFE_ES_StartAppCmd_Payload Struct Reference

Start Application Command Payload.

Data Fields

char Application [CFE_MISSION_MAX_API_LEN]

Name of Application to be started.

char AppEntryPoint [CFE_MISSION_MAX_API_LEN]

Symbolic name of Application's entry point.

char AppFileName [CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

• CFE_ES_MemOffset_t StackSize

Desired stack size for the new application.

CFE_ES_ExceptionAction_Enum_t ExceptionAction

CFE_ES_ExceptionAction_RESTART_APP=On exception, restart Application, CFE_ES_ExceptionAction_PROC_RE← START=On exception, perform a Processor Reset

• CFE_ES_TaskPriority_Atom_t Priority

The new Applications runtime priority.

10.38.1 Detailed Description

Start Application Command Payload.

For command details, see CFE ES START APP CC

Definition at line 1158 of file cfe_es_msg.h.

10.38.2 Field Documentation

10.38.2.1 AppEntryPoint

 $\verb|char CFE_ES_StartAppCmd_Payload::AppEntryPoint[CFE_MISSION_MAX_API_LEN]| \\$

Symbolic name of Application's entry point.

Definition at line 1161 of file cfe_es_msg.h.

10.38.2.2 AppFileName

char CFE_ES_StartAppCmd_Payload::AppFileName[CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

Definition at line 1162 of file cfe_es_msg.h.

10.38.2.3 Application

char CFE_ES_StartAppCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]

Name of Application to be started.

Definition at line 1160 of file cfe_es_msg.h.

10.38.2.4 ExceptionAction

CFE_ES_ExceptionAction_Enum_t CFE_ES_StartAppCmd_Payload::ExceptionAction

CFE_ES_ExceptionAction_RESTART_APP=On exception, restart Application, CFE_ES_ExceptionAction_PROC_R← ESTART=On exception, perform a Processor Reset

Definition at line 1167 of file cfe_es_msg.h.

10.38.2.5 Priority

CFE_ES_TaskPriority_Atom_t CFE_ES_StartAppCmd_Payload::Priority

The new Applications runtime priority.

Definition at line 1171 of file cfe_es_msg.h.

10.38.2.6 StackSize

```
CFE_ES_MemOffset_t CFE_ES_StartAppCmd_Payload::StackSize
```

Desired stack size for the new application.

Definition at line 1165 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.39 CFE ES StartPerfCmd Payload Struct Reference

Start Performance Analyzer Command Payload.

Data Fields

• uint32 TriggerMode

Desired trigger position (Start, Center, End)

10.39.1 Detailed Description

Start Performance Analyzer Command Payload.

For command details, see CFE_ES_START_PERF_DATA_CC

Definition at line 1284 of file cfe_es_msg.h.

10.39.2 Field Documentation

10.39.2.1 TriggerMode

uint32 CFE_ES_StartPerfCmd_Payload::TriggerMode

Desired trigger position (Start, Center, End)

Definition at line 1286 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.40 CFE_ES_StartPerfDataCmd Struct Reference

Start Performance Analyzer Command.

#include <cfe_es_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_StartPerfCmd_Payload_t Payload

Command payload.

10.40.1 Detailed Description

Start Performance Analyzer Command.

Definition at line 1292 of file cfe_es_msg.h.

10.40.2 Field Documentation

10.40.2.1 CommandHeader

 ${\tt CFE_MSG_CommandHeader_t\ CFE_ES_StartPerfDataCmd::CommandHeader_t\ CFE_ES_StartPerfDataCmd::CFE_ES_StartP$

Command header.

Definition at line 1294 of file cfe_es_msg.h.

10.40.2.2 Payload

CFE_ES_StartPerfCmd_Payload_t CFE_ES_StartPerfDataCmd::Payload

Command payload.

Definition at line 1295 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.41 CFE_ES_StopPerfCmd_Payload Struct Reference

Stop Performance Analyzer Command Payload.

#include <cfe_es_msg.h>

Data Fields

char DataFileName [CFE_MISSION_MAX_PATH_LEN]

ASCII text string of full path and filename of file Performance Analyzer data is to be written.

10.41.1 Detailed Description

Stop Performance Analyzer Command Payload.

For command details, see CFE_ES_STOP_PERF_DATA_CC

Definition at line 1304 of file cfe_es_msg.h.

10.41.2 Field Documentation

10.41.2.1 DataFileName

```
char CFE_ES_StopPerfCmd_Payload::DataFileName[CFE_MISSION_MAX_PATH_LEN]
```

ASCII text string of full path and filename of file Performance Analyzer data is to be written.

Definition at line 1306 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.42 CFE_ES_StopPerfDataCmd Struct Reference

Stop Performance Analyzer Command.

```
#include <cfe_es_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_ES_StopPerfCmd_Payload_t Payload

Command payload.

10.42.1 Detailed Description

Stop Performance Analyzer Command.

Definition at line 1313 of file cfe_es_msg.h.

10.42.2 Field Documentation

10.42.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_ES_StopPerfDataCmd::CommandHeader

Command header.

Definition at line 1315 of file cfe_es_msg.h.

10.42.2.2 Payload

 ${\tt CFE_ES_StopPerfCmd_Payload_t\ CFE_ES_StopPerfDataCmd}: {\tt Payload_t\ CFE_ES_StopPerfDataCmd$

Command payload.

Definition at line 1316 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.43 CFE_ES_TaskInfo Struct Reference

Task Information.

```
#include <cfe_es_extern_typedefs.h>
```

Data Fields

CFE_ES_TaskId_t TaskId

Task Id.

uint32 ExecutionCounter

Task Execution Counter.

char TaskName [CFE_MISSION_MAX_API_LEN]

Task Name.

CFE_ES_Appld_t Appld

Parent Application ID.

• char AppName [CFE_MISSION_MAX_API_LEN]

Parent Application Name.

- CFE_ES_MemOffset_t StackSize
- CFE_ES_TaskPriority_Atom_t Priority
- uint8 Spare [2]

10.43.1 Detailed Description

Task Information.

Structure that is used to provide information about a task. It is primarily used for the Query All Tasks (CFE_ES_QUE RY_ALL_TASKS_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Query All Tasks command. Therefore it should be considered part of the overall telemetry interface.

Definition at line 501 of file cfe_es_extern_typedefs.h.

10.43.2 Field Documentation

10.43.2.1 Appld

CFE_ES_AppId_t CFE_ES_TaskInfo::AppId

Parent Application ID.

Definition at line 506 of file cfe_es_extern_typedefs.h.

10.43.2.2 AppName

char CFE_ES_TaskInfo::AppName[CFE_MISSION_MAX_API_LEN]

Parent Application Name.

Definition at line 507 of file cfe_es_extern_typedefs.h.

10.43.2.3 ExecutionCounter

uint32 CFE_ES_TaskInfo::ExecutionCounter

Task Execution Counter.

Definition at line 504 of file cfe_es_extern_typedefs.h.

```
10.43.2.4 Priority
```

```
CFE_ES_TaskPriority_Atom_t CFE_ES_TaskInfo::Priority
```

Priority of task

Definition at line 509 of file cfe_es_extern_typedefs.h.

10.43.2.5 Spare

```
uint8 CFE_ES_TaskInfo::Spare[2]
```

Spare bytes for alignment

Definition at line 510 of file cfe_es_extern_typedefs.h.

10.43.2.6 StackSize

```
CFE_ES_MemOffset_t CFE_ES_TaskInfo::StackSize
```

Size of task stack

Definition at line 508 of file cfe_es_extern_typedefs.h.

10.43.2.7 Taskld

```
CFE_ES_TaskId_t CFE_ES_TaskInfo::TaskId
```

Task Id.

Definition at line 503 of file cfe_es_extern_typedefs.h.

10.43.2.8 TaskName

```
char CFE_ES_TaskInfo::TaskName[CFE_MISSION_MAX_API_LEN]
```

Task Name.

Definition at line 505 of file cfe_es_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h

10.44 CFE_EVS_AppDataCmd_Payload Struct Reference

Write Event Services Application Information to File Command Payload.

```
#include <cfe_evs_msg.h>
```

Data Fields

• char AppDataFilename [CFE_MISSION_MAX_PATH_LEN] Filename where application data is to be written.

10.44.1 Detailed Description

Write Event Services Application Information to File Command Payload.

For command details, see CFE_EVS_WRITE_APP_DATA_FILE_CC

Definition at line 945 of file cfe_evs_msg.h.

10.44.2 Field Documentation

10.44.2.1 AppDataFilename

```
\verb|char CFE_EVS_AppDataCmd_Payload::AppDataFilename[CFE_MISSION_MAX_PATH_LEN]| \\
```

Filename where application data is to be written.

Definition at line 947 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.45 CFE EVS AppNameBitMaskCmd Struct Reference

Generic App Name and Bitmask Command.

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameBitMaskCmd_Payload_t Payload

Command payload.

10.45.1 Detailed Description

Generic App Name and Bitmask Command.

Definition at line 1109 of file cfe_evs_msg.h.

10.45.2 Field Documentation

10.45.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_EVS_AppNameBitMaskCmd::CommandHeader

Command header.

Definition at line 1111 of file cfe_evs_msg.h.

10.45.2.2 Payload

 ${\tt CFE_EVS_AppNameBitMaskCmd_Payload_t\ CFE_EVS_AppNameBitMaskCmd}: {\tt Payload_t\ CFE_EVS_AppNameBitMaskCmd}: {\tt$

Command payload.

Definition at line 1112 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.46 CFE_EVS_AppNameBitMaskCmd_Payload Struct Reference

Generic App Name and Bitmask Command Payload.

Data Fields

• char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

· uint8 BitMask

BitMask to use in the command.

• uint8 Spare

Pad to even byte.

10.46.1 Detailed Description

Generic App Name and Bitmask Command Payload.

For command details, see CFE_EVS_ENABLE_APP_EVENT_TYPE_CC and/or CFE_EVS_DISABLE_APP_EVENT --_TYPE_CC

Definition at line 1099 of file cfe_evs_msg.h.

10.46.2 Field Documentation

10.46.2.1 AppName

char CFE_EVS_AppNameBitMaskCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

Definition at line 1101 of file cfe_evs_msg.h.

10.46.2.2 BitMask

uint8 CFE_EVS_AppNameBitMaskCmd_Payload::BitMask

BitMask to use in the command.

Definition at line 1102 of file cfe_evs_msg.h.

```
10.46.2.3 Spare
```

```
uint8 CFE_EVS_AppNameBitMaskCmd_Payload::Spare
```

Pad to even byte.

Definition at line 1103 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.47 CFE_EVS_AppNameCmd Struct Reference

Generic App Name Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_EVS_AppNameCmd_Payload_t Payload
 Command payload.

10.47.1 Detailed Description

Generic App Name Command.

Definition at line 1048 of file cfe_evs_msg.h.

10.47.2 Field Documentation

10.47.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_EVS_AppNameCmd::CommandHeader
```

Command header.

Definition at line 1050 of file cfe_evs_msg.h.

10.47.2.2 Payload

CFE_EVS_AppNameCmd_Payload_t CFE_EVS_AppNameCmd::Payload

Command payload.

Definition at line 1051 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.48 CFE_EVS_AppNameCmd_Payload Struct Reference

Generic App Name Command Payload.

```
#include <cfe_evs_msg.h>
```

Data Fields

• char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

10.48.1 Detailed Description

Generic App Name Command Payload.

For command details, see CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC, CFE ← EVS_RESET_APP_COUNTER_CC and/or CFE_EVS_RESET_ALL_FILTERS_CC

Definition at line 1040 of file cfe_evs_msg.h.

10.48.2 Field Documentation

10.48.2.1 AppName

```
\verb|char CFE_EVS_AppNameCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]| \\
```

Application name to use in the command.

Definition at line 1042 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

10.49 CFE_EVS_AppNameEventIDCmd Struct Reference

Generic App Name and Event ID Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

• CFE_EVS_AppNameEventIDCmd_Payload_t Payload Command payload.

10.49.1 Detailed Description

Generic App Name and Event ID Command.

Definition at line 1079 of file cfe_evs_msg.h.

10.49.2 Field Documentation

10.49.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_EVS_AppNameEventIDCmd::CommandHeader
```

Command header.

Definition at line 1081 of file cfe_evs_msg.h.

10.49.2.2 Payload

CFE_EVS_AppNameEventIDCmd_Payload_t CFE_EVS_AppNameEventIDCmd::Payload

Command payload.

Definition at line 1082 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

10.50 CFE_EVS_AppNameEventIDCmd_Payload Struct Reference

Generic App Name and Event ID Command Payload.

```
#include <cfe_evs_msg.h>
```

Data Fields

• char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

• uint16 EventID

Event ID to use in the command.

10.50.1 Detailed Description

Generic App Name and Event ID Command Payload.

For command details, see CFE_EVS_RESET_FILTER_CC and CFE_EVS_DELETE_EVENT_FILTER_CC

Definition at line 1070 of file cfe_evs_msg.h.

10.50.2 Field Documentation

10.50.2.1 AppName

```
char CFE_EVS_AppNameEventIDCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]
```

Application name to use in the command.

Definition at line 1072 of file cfe_evs_msg.h.

10.50.2.2 EventID

```
uint16 CFE_EVS_AppNameEventIDCmd_Payload::EventID
```

Event ID to use in the command.

Definition at line 1073 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

10.51 CFE_EVS_AppNameEventIDMaskCmd Struct Reference

Generic App Name, Event ID, Mask Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

 CFE_EVS_AppNameEventIDMaskCmd_Payload_t Payload Command payload.

10.51.1 Detailed Description

Generic App Name, Event ID, Mask Command.

Definition at line 1140 of file cfe_evs_msg.h.

10.51.2 Field Documentation

10.51.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_EVS\_AppNameEventIDMaskCmd::} CommandHeader is a {\tt CFE\_MSG\_CommandHeader\_t\ CFE\_EVS\_AppNameEventIDMaskCmd::} CommandHeader is a {\tt CFE\_MSG\_CommandHeader\_t\ CFE\_EVS\_AppNameEventIDMaskCmd::} CommandHeader is a {\tt CFE\_EVS\_AppNameEventIDMaskCmd::} CommandH
```

Command header.

Definition at line 1142 of file cfe_evs_msg.h.

10.51.2.2 Payload

```
{\tt CFE\_EVS\_AppNameEventIDMaskCmd\_Payload\_t~CFE\_EVS\_AppNameEventIDMaskCmd}: {\tt Payload\_t~CFE\_EVS\_AppNameEventIDMaskCmd}: {\tt Payload\_t~CFE\_EVS\_EVS\_AppNameEv
```

Command payload.

Definition at line 1143 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

10.52 CFE_EVS_AppNameEventIDMaskCmd_Payload Struct Reference

Generic App Name, Event ID, Mask Command Payload.

```
#include <cfe_evs_msg.h>
```

Data Fields

char AppName [CFE MISSION MAX API LEN]

Application name to use in the command.

uint16 EventID

Event ID to use in the command.

uint16 Mask

Mask to use in the command.

10.52.1 Detailed Description

Generic App Name, Event ID, Mask Command Payload.

For command details, see CFE_EVS_SET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC and/or CFE_EVS_← DELETE_EVENT_FILTER_CC

Definition at line 1130 of file cfe evs msg.h.

10.52.2 Field Documentation

10.52.2.1 AppName

char CFE_EVS_AppNameEventIDMaskCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

Definition at line 1132 of file cfe_evs_msg.h.

10.52.2.2 EventID

uint16 CFE_EVS_AppNameEventIDMaskCmd_Payload::EventID

Event ID to use in the command.

Definition at line 1133 of file cfe_evs_msg.h.

10.52.2.3 Mask

uint16 CFE_EVS_AppNameEventIDMaskCmd_Payload::Mask

Mask to use in the command.

Definition at line 1134 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.53 CFE_EVS_AppTImData Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

CFE_ES_Appld_t ApplD

Numerical application identifier.

uint16 AppMessageSentCounter

Application message sent counter.

• uint8 AppEnableStatus

Application event service enable status.

uint8 AppMessageSquelchedCounter

Number of events squelched.

10.53.1 Detailed Description

Definition at line 1158 of file cfe_evs_msg.h.

10.53.2 Field Documentation

10.53.2.1 AppEnableStatus

```
uint8 CFE_EVS_AppTlmData::AppEnableStatus
```

Application event service enable status.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPENASTAT

Definition at line 1164 of file cfe_evs_msg.h.

10.53.2.2 AppID

CFE_ES_AppId_t CFE_EVS_AppTlmData::AppID

Numerical application identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPID

Definition at line 1160 of file cfe_evs_msg.h.

10.53.2.3 AppMessageSentCounter

uint16 CFE_EVS_AppTlmData::AppMessageSentCounter

Application message sent counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPMSGSENTC

Definition at line 1162 of file cfe_evs_msg.h.

10.53.2.4 AppMessageSquelchedCounter

uint8 CFE_EVS_AppTlmData::AppMessageSquelchedCounter

Number of events squelched.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].SQUELCHEDC

Definition at line 1166 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.54 CFE_EVS_BinFilter Struct Reference

Event message filter definition structure.

#include <cfe_evs_api_typedefs.h>

Data Fields

uint16 EventID

Numerical event identifier.

• uint16 Mask

Binary filter mask value.

10.54.1 Detailed Description

Event message filter definition structure.

Definition at line 60 of file cfe_evs_api_typedefs.h.

10.54.2 Field Documentation

10.54.2.1 EventID

```
uint16 CFE_EVS_BinFilter::EventID
```

Numerical event identifier.

Definition at line 62 of file cfe_evs_api_typedefs.h.

10.54.2.2 Mask

```
uint16 CFE_EVS_BinFilter::Mask
```

Binary filter mask value.

Definition at line 63 of file cfe_evs_api_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h

10.55 CFE_EVS_BitMaskCmd Struct Reference

Generic Bitmask Command.

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_BitMaskCmd_Payload_t Payload

Command payload.

10.55.1 Detailed Description

Generic Bitmask Command.

Definition at line 1017 of file cfe_evs_msg.h.

10.55.2 Field Documentation

10.55.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_EVS_BitMaskCmd::CommandHeader

Command header.

Definition at line 1019 of file cfe_evs_msg.h.

10.55.2.2 Payload

CFE_EVS_BitMaskCmd_Payload_t CFE_EVS_BitMaskCmd::Payload

Command payload.

Definition at line 1020 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.56 CFE_EVS_BitMaskCmd_Payload Struct Reference

Generic Bitmask Command Payload.

Data Fields

• uint8 BitMask

BitMask to use in the command.

uint8 Spare

Pad to even byte.

10.56.1 Detailed Description

Generic Bitmask Command Payload.

For command details, see CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE ← EVS_ENABLE_PORTS_CC and/or CFE_EVS_DISABLE_PORTS_CC

Definition at line 1008 of file cfe_evs_msg.h.

10.56.2 Field Documentation

10.56.2.1 BitMask

uint8 CFE_EVS_BitMaskCmd_Payload::BitMask

BitMask to use in the command.

Definition at line 1010 of file cfe_evs_msg.h.

10.56.2.2 Spare

uint8 CFE_EVS_BitMaskCmd_Payload::Spare

Pad to even byte.

Definition at line 1011 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.57 CFE_EVS_HousekeepingTlm Struct Reference

Data Fields

 CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.

CFE_EVS_HousekeepingTlm_Payload_t Payload
 Telemetry payload.

10.57.1 Detailed Description

Definition at line 1213 of file cfe_evs_msg.h.

10.57.2 Field Documentation

10.57.2.1 Payload

CFE_EVS_HousekeepingTlm_Payload_t CFE_EVS_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 1216 of file cfe_evs_msg.h.

10.57.2.2 TelemetryHeader

CFE_MSG_TelemetryHeader_t CFE_EVS_HousekeepingTlm::TelemetryHeader

Telemetry header.

Definition at line 1215 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.58 CFE_EVS_HousekeepingTIm_Payload Struct Reference

Data Fields

• uint8 CommandCounter

EVS Command Counter.

uint8 CommandErrorCounter

EVS Command Error Counter.

· uint8 MessageFormatMode

Event message format mode (short/long)

uint8 MessageTruncCounter

Event message truncation counter.

uint8 UnregisteredAppCounter

Unregistered application message send counter.

uint8 OutputPort

Output port mask.

• uint8 LogFullFlag

Local event log full flag.

• uint8 LogMode

Local event logging mode (overwrite/discard)

• uint16 MessageSendCounter

Event message send counter.

uint16 LogOverflowCounter

Local event log overflow counter.

· uint8 LogEnabled

Current event log enable/disable state.

• uint8 Spare1

Padding for 32 bit boundary.

• uint8 Spare2

Padding for 32 bit boundary.

• uint8 Spare3

Padding for 32 bit boundary.

CFE_EVS_AppTImData_t AppData [CFE_MISSION_ES_MAX_APPLICATIONS]

Array of registered application table data.

10.58.1 Detailed Description

Name Event Services Housekeeping Telemetry Packet

Definition at line 1174 of file cfe_evs_msg.h.

10.58.2 Field Documentation

10.58.2.1 AppData

CFE_EVS_AppTlmData_t CFE_EVS_HousekeepingTlm_Payload::AppData[CFE_MISSION_ES_MAX_APPLICATIONS]

Array of registered application table data.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS]

Definition at line 1208 of file cfe_evs_msg.h.

10.58.2.2 CommandCounter

uint8 CFE_EVS_HousekeepingTlm_Payload::CommandCounter

EVS Command Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_CMDPC

Definition at line 1176 of file cfe_evs_msg.h.

10.58.2.3 CommandErrorCounter

uint8 CFE_EVS_HousekeepingTlm_Payload::CommandErrorCounter

EVS Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_CMDEC

Definition at line 1178 of file cfe_evs_msg.h.

10.58.2.4 LogEnabled

uint8 CFE_EVS_HousekeepingTlm_Payload::LogEnabled

Current event log enable/disable state.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGENABLED

Definition at line 1199 of file cfe_evs_msg.h.

10.58.2.5 LogFullFlag

uint8 CFE_EVS_HousekeepingTlm_Payload::LogFullFlag

Local event log full flag.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGFULL

Definition at line 1189 of file cfe_evs_msg.h.

10.58.2.6 LogMode

uint8 CFE_EVS_HousekeepingTlm_Payload::LogMode

Local event logging mode (overwrite/discard)

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGMODE

Definition at line 1191 of file cfe_evs_msg.h.

10.58.2.7 LogOverflowCounter

uint16 CFE_EVS_HousekeepingTlm_Payload::LogOverflowCounter

Local event log overflow counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGOVERFLOWC

Definition at line 1196 of file cfe_evs_msg.h.

10.58.2.8 MessageFormatMode

uint8 CFE_EVS_HousekeepingTlm_Payload::MessageFormatMode

Event message format mode (short/long)

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGFMTMODE

Definition at line 1180 of file cfe_evs_msg.h.

10.58.2.9 MessageSendCounter

uint16 CFE_EVS_HousekeepingTlm_Payload::MessageSendCounter

Event message send counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGSENTC

Definition at line 1194 of file cfe_evs_msg.h.

10.58.2.10 MessageTruncCounter

uint8 CFE_EVS_HousekeepingTlm_Payload::MessageTruncCounter

Event message truncation counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGTRUNC

Definition at line 1182 of file cfe_evs_msg.h.

10.58.2.11 OutputPort

uint8 CFE_EVS_HousekeepingTlm_Payload::OutputPort

Output port mask.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_OUTPUTPORT

Definition at line 1187 of file cfe_evs_msg.h.

10.58.2.12 Spare1

uint8 CFE_EVS_HousekeepingTlm_Payload::Spare1

Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE1

Definition at line 1201 of file cfe_evs_msg.h.

```
10.58.2.13 Spare2
```

```
uint8 CFE_EVS_HousekeepingTlm_Payload::Spare2
```

Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE2

Definition at line 1203 of file cfe_evs_msg.h.

10.58.2.14 Spare3

uint8 CFE_EVS_HousekeepingTlm_Payload::Spare3

Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE3

Definition at line 1205 of file cfe_evs_msg.h.

10.58.2.15 UnregisteredAppCounter

uint8 CFE_EVS_HousekeepingTlm_Payload::UnregisteredAppCounter

Unregistered application message send counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_UNREGAPPC

Definition at line 1185 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.59 CFE_EVS_LogFileCmd_Payload Struct Reference

Write Event Log to File Command Payload.

Data Fields

char LogFilename [CFE_MISSION_MAX_PATH_LEN]

Filename where log data is to be written.

10.59.1 Detailed Description

Write Event Log to File Command Payload.

For command details, see CFE_EVS_WRITE_LOG_DATA_FILE_CC

Definition at line 925 of file cfe_evs_msg.h.

10.59.2 Field Documentation

10.59.2.1 LogFilename

```
char CFE_EVS_LogFileCmd_Payload::LogFilename[CFE_MISSION_MAX_PATH_LEN]
```

Filename where log data is to be written.

Definition at line 927 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.60 CFE_EVS_LongEventTIm Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_EVS_LongEventTlm_Payload_t Payload

Telemetry payload.

10.60.1 Detailed Description

Definition at line 1259 of file cfe_evs_msg.h.

10.60.2 Field Documentation

10.60.2.1 Payload

CFE_EVS_LongEventTlm_Payload_t CFE_EVS_LongEventTlm::Payload

Telemetry payload.

Definition at line 1262 of file cfe_evs_msg.h.

10.60.2.2 TelemetryHeader

 ${\tt CFE_MSG_TelemetryHeader_t\ CFE_EVS_LongEventTlm::} TelemetryHeader$

Telemetry header.

Definition at line 1261 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.61 CFE_EVS_LongEventTlm_Payload Struct Reference

```
#include <cfe_evs_msq.h>
```

Data Fields

CFE_EVS_PacketID_t PacketID

Event packet information.

• char Message [CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]

Event message string.

uint8 Spare1

Structure padding.

• uint8 Spare2

Structure padding.

10.61.1 Detailed Description

Name Event Message Telemetry Packet (Long format)

Definition at line 1239 of file cfe_evs_msg.h.

10.61.2 Field Documentation

```
10.61.2.1 Message
```

char CFE_EVS_LongEventTlm_Payload::Message[CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]

Event message string.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENT[CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]

Definition at line 1242 of file cfe_evs_msg.h.

10.61.2.2 PacketID

CFE_EVS_PacketID_t CFE_EVS_LongEventTlm_Payload::PacketID

Event packet information.

Definition at line 1241 of file cfe_evs_msg.h.

10.61.2.3 Spare1

uint8 CFE_EVS_LongEventTlm_Payload::Spare1

Structure padding.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SPARE1

Definition at line 1244 of file cfe_evs_msg.h.

10.61.2.4 Spare2

uint8 CFE_EVS_LongEventTlm_Payload::Spare2

Structure padding.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SPARE2

Definition at line 1246 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

10.62 CFE_EVS_NoArgsCmd Struct Reference

Command with no additional arguments.

```
#include <cfe_evs_msg.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.62.1 Detailed Description

Command with no additional arguments.

Definition at line 905 of file cfe_evs_msg.h.

10.62.2 Field Documentation

10.62.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_EVS_NoArgsCmd::CommandHeader
```

Command header.

Definition at line 907 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.63 CFE_EVS_PacketID Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name.

uint16 EventID

Numerical event identifier.

uint16 EventType

Numerical event type identifier.

· uint32 SpacecraftID

Spacecraft identifier.

• uint32 ProcessorID

Numerical processor identifier.

10.63.1 Detailed Description

Telemetry packet structures

Definition at line 1221 of file cfe_evs_msg.h.

10.63.2 Field Documentation

10.63.2.1 AppName

char CFE_EVS_PacketID::AppName[CFE_MISSION_MAX_API_LEN]

Application name.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APPNAME[OS_MAX_API_NAME]

Definition at line 1223 of file cfe_evs_msg.h.

10.63.2.2 EventID

uint16 CFE_EVS_PacketID::EventID

Numerical event identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENTID

Definition at line 1225 of file cfe_evs_msg.h.

10.63.2.3 **EventType**

uint16 CFE_EVS_PacketID::EventType

Numerical event type identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENTTYPE

Definition at line 1227 of file cfe_evs_msg.h.

10.63.2.4 ProcessorID

```
uint32 CFE_EVS_PacketID::ProcessorID
```

Numerical processor identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_PROCESSORID

Definition at line 1231 of file cfe_evs_msg.h.

10.63.2.5 SpacecraftID

```
uint32 CFE_EVS_PacketID::SpacecraftID
```

Spacecraft identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SCID

Definition at line 1229 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.64 CFE_EVS_SetEventFormatCode_Payload Struct Reference

Set Event Format Mode Command Payload.

```
#include <cfe_evs_msg.h>
```

Data Fields

CFE_EVS_MsgFormat_Enum_t MsgFormat

Mode to use in the command.

• uint8 Spare

Pad to even byte.

10.64.1 Detailed Description

Set Event Format Mode Command Payload.

For command details, see CFE_EVS_SET_EVENT_FORMAT_MODE_CC

Definition at line 986 of file cfe evs msg.h.

10.64.2 Field Documentation

10.64.2.1 MsgFormat

```
CFE_EVS_MsgFormat_Enum_t CFE_EVS_SetEventFormatCode_Payload::MsgFormat
```

Mode to use in the command.

Definition at line 988 of file cfe_evs_msg.h.

10.64.2.2 Spare

```
uint8 CFE_EVS_SetEventFormatCode_Payload::Spare
```

Pad to even byte.

Definition at line 989 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.65 CFE_EVS_SetEventFormatModeCmd Struct Reference

Set Event Format Mode Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_EVS_SetEventFormatMode_Payload_t Payload

Command payload.

10.65.1 Detailed Description

Set Event Format Mode Command.

Definition at line 995 of file cfe_evs_msg.h.

10.65.2 Field Documentation

10.65.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_EVS_SetEventFormatModeCmd::CommandHeader

Command header.

Definition at line 997 of file cfe_evs_msg.h.

10.65.2.2 Payload

 ${\tt CFE_EVS_SetEventFormatMode_Payload_t~CFE_EVS_SetEventFormatModeCmd::Paylo$

Command payload.

Definition at line 998 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.66 CFE_EVS_SetLogMode_Payload Struct Reference

Set Log Mode Command Payload.

```
#include <cfe_evs_msg.h>
```

Data Fields

- CFE_EVS_LogMode_Enum_t LogMode
 - Mode to use in the command.
- uint8 Spare

Pad to even byte.

10.66.1 Detailed Description

Set Log Mode Command Payload.

For command details, see CFE_EVS_SET_LOG_MODE_CC

Definition at line 965 of file cfe_evs_msg.h.

10.66.2 Field Documentation

10.66.2.1 LogMode

```
CFE_EVS_LogMode_Enum_t CFE_EVS_SetLogMode_Payload::LogMode
```

Mode to use in the command.

Definition at line 967 of file cfe_evs_msg.h.

10.66.2.2 Spare

```
uint8 CFE_EVS_SetLogMode_Payload::Spare
```

Pad to even byte.

Definition at line 968 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.67 CFE_EVS_SetLogModeCmd Struct Reference

Set Log Mode Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_EVS_SetLogMode_Payload_t Payload

Command payload.

10.67.1 Detailed Description

Set Log Mode Command.

Definition at line 974 of file cfe_evs_msg.h.

10.67.2 Field Documentation

10.67.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_EVS_SetLogModeCmd::CommandHeader

Command header.

Definition at line 976 of file cfe_evs_msg.h.

10.67.2.2 Payload

CFE_EVS_SetLogMode_Payload_t CFE_EVS_SetLogModeCmd::Payload

Command payload.

Definition at line 977 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.68 CFE_EVS_ShortEventTlm Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.
- CFE_EVS_ShortEventTIm_Payload_t Payload
 Telemetry payload.

10.68.1 Detailed Description

Definition at line 1266 of file cfe_evs_msg.h.

10.68.2 Field Documentation

10.68.2.1 Payload

CFE_EVS_ShortEventTlm_Payload_t CFE_EVS_ShortEventTlm::Payload

Telemetry payload.

Definition at line 1269 of file cfe_evs_msg.h.

10.68.2.2 TelemetryHeader

CFE_MSG_TelemetryHeader_t CFE_EVS_ShortEventTlm::TelemetryHeader

Telemetry header.

Definition at line 1268 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.69 CFE EVS ShortEventTlm Payload Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

CFE_EVS_PacketID_t PacketID

Event packet information.

10.69.1 Detailed Description

Name Event Message Telemetry Packet (Short format)

Definition at line 1253 of file cfe_evs_msg.h.

10.69.2 Field Documentation

10.69.2.1 PacketID

```
CFE_EVS_PacketID_t CFE_EVS_ShortEventTlm_Payload::PacketID
```

Event packet information.

Definition at line 1255 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.70 CFE_EVS_WriteAppDataFileCmd Struct Reference

Write Event Services Application Information to File Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_EVS_AppDataCmd_Payload_t Payload

Command payload.

10.70.1 Detailed Description

Write Event Services Application Information to File Command.

Definition at line 953 of file cfe_evs_msg.h.

10.70.2 Field Documentation

10.70.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_EVS_WriteAppDataFileCmd::CommandHeader
```

Command header.

Definition at line 955 of file cfe_evs_msg.h.

```
10.70.2.2 Payload
```

```
CFE_EVS_AppDataCmd_Payload_t CFE_EVS_WriteAppDataFileCmd::Payload
```

Command payload.

Definition at line 956 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.71 CFE_EVS_WriteLogDataFileCmd Struct Reference

Write Event Log to File Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_LogFileCmd_Payload_t Payload

Command payload.

10.71.1 Detailed Description

Write Event Log to File Command.

Definition at line 933 of file cfe_evs_msg.h.

10.71.2 Field Documentation

10.71.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_EVS_WriteLogDataFileCmd::CommandHeader
```

Command header.

Definition at line 935 of file cfe_evs_msg.h.

10.71.2.2 Payload

```
CFE_EVS_LogFileCmd_Payload_t CFE_EVS_WriteLogDataFileCmd::Payload
```

Command payload.

Definition at line 936 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

· cfe/modules/evs/fsw/inc/cfe evs msg.h

10.72 CFE FS FileWriteMetaData Struct Reference

External Metadata/State object associated with background file writes.

```
#include <cfe_fs_api_typedefs.h>
```

Data Fields

- volatile bool IsPending
- char FileName [OS_MAX_PATH_LEN]
- uint32 FileSubType
- char Description [CFE_FS_HDR_DESC_MAX_LEN]
- CFE_FS_FileWriteGetData_t GetData
- CFE_FS_FileWriteOnEvent_t OnEvent

10.72.1 Detailed Description

External Metadata/State object associated with background file writes.

Applications intending to schedule background file write jobs should instantiate this object in static/global data memory. This keeps track of the state of the file write request(s).

Definition at line 124 of file cfe_fs_api_typedefs.h.

10.72.2 Field Documentation

10.72.2.1 Description

```
char CFE_FS_FileWriteMetaData::Description[CFE_FS_HDR_DESC_MAX_LEN]
```

Description of file (for FS header)

Definition at line 132 of file cfe_fs_api_typedefs.h.

10.72.2.2 FileName

char CFE_FS_FileWriteMetaData::FileName[OS_MAX_PATH_LEN]

Name of file to write

Definition at line 128 of file cfe_fs_api_typedefs.h.

10.72.2.3 FileSubType

uint32 CFE_FS_FileWriteMetaData::FileSubType

Type of file to write (for FS header)

Definition at line 131 of file cfe_fs_api_typedefs.h.

10.72.2.4 GetData

CFE_FS_FileWriteGetData_t CFE_FS_FileWriteMetaData::GetData

Application callback to get a data record

Definition at line 134 of file cfe fs api typedefs.h.

10.72.2.5 IsPending

volatile bool CFE_FS_FileWriteMetaData::IsPending

Whether request is pending (volatile as it may be checked outside lock)

Definition at line 126 of file cfe_fs_api_typedefs.h.

10.72.2.6 OnEvent

CFE_FS_FileWriteOnEvent_t CFE_FS_FileWriteMetaData::OnEvent

Application callback for abstract event processing

Definition at line 135 of file cfe_fs_api_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h

10.73 CFE_FS_Header Struct Reference

Standard cFE File header structure definition.

```
#include <cfe_fs_extern_typedefs.h>
```

Data Fields

uint32 ContentType

Identifies the content type (='cFE1'=0x63464531)

uint32 SubType

Type of Content Type, if necessary.

· uint32 Length

Length of this header to support external processing.

uint32 SpacecraftID

Spacecraft that generated the file.

• uint32 ProcessorID

Processor that generated the file.

· uint32 ApplicationID

Application that generated the file.

• uint32 TimeSeconds

File creation timestamp (seconds)

• uint32 TimeSubSeconds

File creation timestamp (sub-seconds)

char Description [CFE_FS_HDR_DESC_MAX_LEN]

File description.

10.73.1 Detailed Description

Standard cFE File header structure definition.

Definition at line 204 of file cfe_fs_extern_typedefs.h.

10.73.2 Field Documentation

10.73.2.1 ApplicationID

```
uint32 CFE_FS_Header::ApplicationID
```

Application that generated the file.

Definition at line 213 of file cfe_fs_extern_typedefs.h.

10.73.2.2 ContentType

```
uint32 CFE_FS_Header::ContentType
```

Identifies the content type (='cFE1'=0x63464531)

Definition at line 206 of file cfe_fs_extern_typedefs.h.

10.73.2.3 Description

```
char CFE_FS_Header::Description[CFE_FS_HDR_DESC_MAX_LEN]
```

File description.

Definition at line 218 of file cfe_fs_extern_typedefs.h.

10.73.2.4 Length

```
uint32 CFE_FS_Header::Length
```

Length of this header to support external processing.

Definition at line 210 of file cfe_fs_extern_typedefs.h.

10.73.2.5 ProcessorID

```
uint32 CFE_FS_Header::ProcessorID
```

Processor that generated the file.

Definition at line 212 of file cfe_fs_extern_typedefs.h.

10.73.2.6 SpacecraftID

```
uint32 CFE_FS_Header::SpacecraftID
```

Spacecraft that generated the file.

Definition at line 211 of file cfe_fs_extern_typedefs.h.

10.73.2.7 SubType

```
uint32 CFE_FS_Header::SubType
```

Type of ContentType, if necessary.

Standard SubType definitions can be found here

Definition at line 207 of file cfe_fs_extern_typedefs.h.

10.73.2.8 TimeSeconds

```
uint32 CFE_FS_Header::TimeSeconds
```

File creation timestamp (seconds)

Definition at line 215 of file cfe_fs_extern_typedefs.h.

10.73.2.9 TimeSubSeconds

```
uint32 CFE_FS_Header::TimeSubSeconds
```

File creation timestamp (sub-seconds)

Definition at line 216 of file cfe_fs_extern_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h

10.74 CFE_SB_AllSubscriptionsTlm Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.
- CFE_SB_AllSubscriptionsTlm_Payload_t Payload Telemetry payload.

10.74.1 Detailed Description

Definition at line 797 of file cfe_sb_msg.h.

10.74.2 Field Documentation

10.74.2.1 Payload

 ${\tt CFE_SB_AllSubscriptionsTlm_Payload_t~CFE_SB_AllSubscriptionsTlm::Payload_t~CFE_SB_t~CFE_SB_t~CFE_SB_t~CFE_SB_t~CFE_SB_t~CFE_SB_t~CFE_SB_t~CFE_SB_t~CFE_SB_t~CFE_SB_t~CFE_SB_t~CFE_t~C$

Telemetry payload.

Definition at line 800 of file cfe_sb_msg.h.

10.74.2.2 TelemetryHeader

CFE_MSG_TelemetryHeader_t CFE_SB_AllSubscriptionsTlm::TelemetryHeader

Telemetry header.

Definition at line 799 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.75 CFE_SB_AllSubscriptionsTlm_Payload Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

· uint32 PktSegment

Pkt number(starts at 1) in the series.

• uint32 TotalSegments

Total number of pkts needed to complete the request.

· uint32 Entries

Number of entries in the pkt.

CFE_SB_SubEntries_t Entry [CFE_SB_SUB_ENTRIES_PER_PKT]

Array of CFE_SB_SubEntries_t entries.

10.75.1 Detailed Description

Name SB Previous Subscriptions Packet

This structure defines the pkt(s) sent by SB that contains a list of all current subscriptions. This pkt is generated on cmd and intended to be used primarily by the Software Bus Networking Application (SBN). Typically, when the cmd is received there are more subscriptions than can fit in one pkt. The complete list of subscriptions is sent via a series of segmented pkts.

Definition at line 788 of file cfe sb msg.h.

10.75.2 Field Documentation

10.75.2.1 Entries

uint32 CFE_SB_AllSubscriptionsTlm_Payload::Entries

Number of entries in the pkt.

Definition at line 793 of file cfe_sb_msg.h.

10.75.2.2 Entry

CFE_SB_SubEntries_t CFE_SB_AllSubscriptionsTlm_Payload::Entry[CFE_SB_SUB_ENTRIES_PER_PKT]

Array of CFE_SB_SubEntries_t entries.

Definition at line 794 of file cfe sb msg.h.

10.75.2.3 PktSegment

uint32 CFE_SB_AllSubscriptionsTlm_Payload::PktSegment

Pkt number(starts at 1) in the series.

Definition at line 791 of file cfe_sb_msg.h.

10.75.2.4 TotalSegments

```
uint32 CFE_SB_AllSubscriptionsTlm_Payload::TotalSegments
```

Total number of pkts needed to complete the request.

Definition at line 792 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.76 CFE_SB_HousekeepingTlm Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.
- CFE_SB_HousekeepingTlm_Payload_t Payload
 Telemetry payload.

10.76.1 Detailed Description

Definition at line 598 of file cfe_sb_msg.h.

10.76.2 Field Documentation

10.76.2.1 Payload

CFE_SB_HousekeepingTlm_Payload_t CFE_SB_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 601 of file cfe_sb_msg.h.

10.76.2.2 TelemetryHeader

CFE_MSG_TelemetryHeader_t CFE_SB_HousekeepingTlm::TelemetryHeader

Telemetry header.

Definition at line 600 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.77 CFE_SB_HousekeepingTlm_Payload Struct Reference

```
#include <cfe_sb_msq.h>
```

Data Fields

· uint8 CommandCounter

Count of valid commands received.

· uint8 CommandErrorCounter

Count of invalid commands received.

· uint8 NoSubscribersCounter

Count pkts sent with no subscribers.

• uint8 MsgSendErrorCounter

Count of message send errors.

uint8 MsgReceiveErrorCounter

Count of message receive errors.

· uint8 InternalErrorCounter

Count of queue read or write errors.

uint8 CreatePipeErrorCounter

Count of errors in create pipe API.

· uint8 SubscribeErrorCounter

Count of errors in subscribe API.

• uint8 PipeOptsErrorCounter

Count of errors in set/get pipe options API.

uint8 DuplicateSubscriptionsCounter

Count of duplicate subscriptions.

uint8 GetPipeIdByNameErrorCounter

Count of errors in get pipe id by name API.

• uint8 Spare2Align [1]

Spare bytes to ensure alignment.

• uint16 PipeOverflowErrorCounter

Count of pipe overflow errors.

uint16 MsgLimitErrorCounter

Count of msg id to pipe errors.

• CFE ES MemHandle t MemPoolHandle

Handle to SB's Memory Pool.

uint32 MemInUse

Memory in use.

• uint32 UnmarkedMem

cfg param CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus Peak Memory in use

10.77.1 Detailed Description

Name Software Bus task housekeeping Packet

Definition at line 554 of file cfe_sb_msg.h.

10.77.2 Field Documentation

10.77.2.1 CommandCounter

uint8 CFE_SB_HousekeepingTlm_Payload::CommandCounter

Count of valid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_CMDPC

Definition at line 557 of file cfe_sb_msg.h.

10.77.2.2 CommandErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload::CommandErrorCounter

Count of invalid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_CMDEC

Definition at line 559 of file cfe_sb_msg.h.

10.77.2.3 CreatePipeErrorCounter

 ${\tt uint 8 \ CFE_SB_HousekeepingTlm_Payload::} CreatePipeErrorCounter$

Count of errors in create pipe API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_NewPipeEC

Definition at line 570 of file cfe_sb_msg.h.

10.77.2.4 DuplicateSubscriptionsCounter

uint8 CFE_SB_HousekeepingTlm_Payload::DuplicateSubscriptionsCounter

Count of duplicate subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_DupSubCnt

Definition at line 576 of file cfe_sb_msg.h.

10.77.2.5 GetPipeldByNameErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload::GetPipeIdByNameErrorCounter

Count of errors in get pipe id by name API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_GetPipeIDByNameEC

Definition at line 578 of file cfe_sb_msg.h.

10.77.2.6 InternalErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload::InternalErrorCounter

Count of queue read or write errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_InternalEC

Definition at line 568 of file cfe_sb_msg.h.

10.77.2.7 MemInUse

uint32 CFE_SB_HousekeepingTlm_Payload::MemInUse

Memory in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MemInUse

Definition at line 591 of file cfe_sb_msg.h.

10.77.2.8 MemPoolHandle

CFE_ES_MemHandle_t CFE_SB_HousekeepingTlm_Payload::MemPoolHandle

Handle to SB's Memory Pool.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MemPoolHdl

Definition at line 588 of file cfe_sb_msg.h.

10.77.2.9 MsgLimitErrorCounter

uint16 CFE_SB_HousekeepingTlm_Payload::MsgLimitErrorCounter

Count of msg id to pipe errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgLimEC

Definition at line 585 of file cfe_sb_msg.h.

10.77.2.10 MsgReceiveErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload::MsgReceiveErrorCounter

Count of message receive errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgRecEC

Definition at line 566 of file cfe_sb_msg.h.

10.77.2.11 MsgSendErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload::MsgSendErrorCounter

Count of message send errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgSndEC

Definition at line 563 of file cfe_sb_msg.h.

```
10.77.2.12 NoSubscribersCounter
```

uint8 CFE_SB_HousekeepingTlm_Payload::NoSubscribersCounter

Count pkts sent with no subscribers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_NoSubEC

Definition at line 561 of file cfe_sb_msg.h.

10.77.2.13 PipeOptsErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload::PipeOptsErrorCounter

Count of errors in set/get pipe options API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_PipeOptsEC

Definition at line 574 of file cfe_sb_msg.h.

10.77.2.14 PipeOverflowErrorCounter

uint16 CFE_SB_HousekeepingTlm_Payload::PipeOverflowErrorCounter

Count of pipe overflow errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_PipeOvrEC

Definition at line 583 of file cfe_sb_msg.h.

10.77.2.15 Spare2Align

uint8 CFE_SB_HousekeepingTlm_Payload::Spare2Align[1]

Spare bytes to ensure alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Spare2Align[2]

Definition at line 580 of file cfe_sb_msg.h.

10.77.2.16 SubscribeErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload::SubscribeErrorCounter

Count of errors in subscribe API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_SubscrEC

Definition at line 572 of file cfe_sb_msg.h.

10.77.2.17 UnmarkedMem

```
uint32 CFE_SB_HousekeepingTlm_Payload::UnmarkedMem
```

cfg param CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus Peak Memory in use

Telemetry Mnemonic(s) \$sc_\$cpu_SB_UnMarkedMem

Definition at line 594 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.78 CFE_SB_Msg Union Reference

Software Bus generic message.

```
#include <cfe_sb_api_typedefs.h>
```

Data Fields

• CFE_MSG_Message_t Msg

Base message type without enforced alignment.

• long long int LongInt

Align to support Long Integer.

• long double LongDouble

Align to support Long Double.

10.78.1 Detailed Description

Software Bus generic message.

Definition at line 142 of file cfe_sb_api_typedefs.h.

10.78.2 Field Documentation

10.78.2.1 LongDouble

```
long double CFE_SB_Msg::LongDouble
```

Align to support Long Double.

Definition at line 146 of file cfe_sb_api_typedefs.h.

10.78.2.2 LongInt

```
long long int CFE_SB_Msg::LongInt
```

Align to support Long Integer.

Definition at line 145 of file cfe_sb_api_typedefs.h.

10.78.2.3 Msg

```
CFE_MSG_Message_t CFE_SB_Msg::Msg
```

Base message type without enforced alignment.

Definition at line 144 of file cfe_sb_api_typedefs.h.

The documentation for this union was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h

10.79 CFE_SB_Msgld_t Struct Reference

```
CFE_SB_Msgld_t type definition.
```

```
#include <cfe_sb_extern_typedefs.h>
```

Data Fields

• CFE_SB_Msgld_Atom_t Value

10.79.1 Detailed Description

CFE_SB_Msgld_t type definition.

Software Bus message identifier used in many SB APIs

Currently this is directly mapped to the underlying holding type (not wrapped) for compatibility with existing usage semantics in apps (mainly switch/case statements)

Note

In a future version it could become a type-safe wrapper similar to the route index, to avoid message IDs getting mixed between other integer values.

Definition at line 116 of file cfe sb extern typedefs.h.

10.79.2 Field Documentation

10.79.2.1 Value

```
CFE_SB_MsgId_Atom_t CFE_SB_MsgId_t::Value
```

Definition at line 118 of file cfe sb extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core api/fsw/inc/cfe sb extern typedefs.h

10.80 CFE SB MsgMapFileEntry Struct Reference

SB Map File Entry.

```
#include <cfe_sb_msg.h>
```

Data Fields

CFE_SB_Msgld_t Msgld

Message Id which has been subscribed to.

CFE_SB_RouteId_Atom_t Index

Routing raw index value (0 based, not Route ID)

```
10.80.1 Detailed Description
SB Map File Entry.
Structure of one element of the map information in response to CFE_SB_WRITE_MAP_INFO_CC
Definition at line 730 of file cfe_sb_msg.h.
10.80.2 Field Documentation
10.80.2.1 Index
CFE_SB_RouteId_Atom_t CFE_SB_MsgMapFileEntry::Index
Routing raw index value (0 based, not Route ID)
Definition at line 733 of file cfe_sb_msg.h.
10.80.2.2 Msgld
CFE_SB_MsgId_t CFE_SB_MsgMapFileEntry::MsgId
Message Id which has been subscribed to.
Definition at line 732 of file cfe_sb_msg.h.
The documentation for this struct was generated from the following file:
    • cfe/modules/sb/fsw/inc/cfe_sb_msg.h
10.81 CFE_SB_PipeDepthStats Struct Reference
```

SB Pipe Depth Statistics.

#include <cfe_sb_msg.h>

Data Fields

· CFE SB Pipeld t Pipeld

Pipe Id associated with the stats below.

• uint16 MaxQueueDepth

Number of messages the pipe can hold.

• uint16 CurrentQueueDepth

Number of messages currently on the pipe.

uint16 PeakQueueDepth

Peak number of messages that have been on the pipe.

uint16 Spare

Spare word to ensure alignment.

10.81.1 Detailed Description

SB Pipe Depth Statistics.

Used in SB Statistics Telemetry Packet CFE_SB_StatsTIm_t

Definition at line 609 of file cfe_sb_msg.h.

10.81.2 Field Documentation

10.81.2.1 CurrentQueueDepth

uint16 CFE_SB_PipeDepthStats::CurrentQueueDepth

Number of messages currently on the pipe.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDINUSE

Definition at line 616 of file cfe_sb_msg.h.

10.81.2.2 MaxQueueDepth

uint16 CFE_SB_PipeDepthStats::MaxQueueDepth

Number of messages the pipe can hold.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDDEPTH

Definition at line 614 of file cfe_sb_msg.h.

```
10.81.2.3 PeakQueueDepth
```

```
uint16 CFE_SB_PipeDepthStats::PeakQueueDepth
```

Peak number of messages that have been on the pipe.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPKINUSE

Definition at line 618 of file cfe_sb_msg.h.

10.81.2.4 Pipeld

```
CFE_SB_PipeId_t CFE_SB_PipeDepthStats::PipeId
```

Pipe Id associated with the stats below.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPIPEID

Definition at line 612 of file cfe_sb_msg.h.

10.81.2.5 Spare

```
uint16 CFE_SB_PipeDepthStats::Spare
```

Spare word to ensure alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDSPARE

Definition at line 620 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.82 CFE_SB_PipeInfoEntry Struct Reference

SB Pipe Information File Entry.

#include <cfe_sb_msq.h>

Data Fields

- · CFE SB Pipeld t Pipeld
- · CFE ES Appld t Appld
- char PipeName [CFE MISSION MAX API LEN]
- char AppName [CFE MISSION MAX API LEN]
- uint16 MaxQueueDepth
- uint16 CurrentQueueDepth
- · uint16 PeakQueueDepth
- uint16 SendErrors
- uint8 Opts
- uint8 Spare [3]

10.82.1 Detailed Description

SB Pipe Information File Entry.

This statistics structure is output as part of the CFE SB "Send Pipe Info" command (CFE_SB_SEND_PIPE_INFO_CC).

Previous versions of CFE simply wrote the internal CFE_SB_PipeD_t object to the file, but this also contains information such as pointers which are not relevant outside the running CFE process.

By defining the pipe info structure separately, it also provides some independence, such that the internal CFE_SB_

PipeD t definition can evolve without changing the binary format of the information file.

Definition at line 640 of file cfe_sb_msg.h.

10.82.2 Field Documentation

10.82.2.1 Appld

CFE_ES_AppId_t CFE_SB_PipeInfoEntry::AppId

The runtime ID of the application that owns the pipe

Definition at line 643 of file cfe sb msg.h.

10.82.2.2 AppName

char CFE_SB_PipeInfoEntry::AppName[CFE_MISSION_MAX_API_LEN]

The Name of the application that owns the pipe

Definition at line 645 of file cfe sb msg.h.

10.82.2.3 CurrentQueueDepth

```
uint16 CFE_SB_PipeInfoEntry::CurrentQueueDepth
```

The current depth of the pipe

Definition at line 647 of file cfe_sb_msg.h.

10.82.2.4 MaxQueueDepth

```
uint16 CFE_SB_PipeInfoEntry::MaxQueueDepth
```

The allocated depth of the pipe (max capacity)

Definition at line 646 of file cfe_sb_msg.h.

10.82.2.5 Opts

```
uint8 CFE_SB_PipeInfoEntry::Opts
```

Pipe options set (bitmask)

Definition at line 650 of file cfe_sb_msg.h.

10.82.2.6 PeakQueueDepth

```
uint16 CFE_SB_PipeInfoEntry::PeakQueueDepth
```

The peak depth of the pipe (high watermark)

Definition at line 648 of file cfe_sb_msg.h.

10.82.2.7 Pipeld

```
CFE_SB_PipeId_t CFE_SB_PipeInfoEntry::PipeId
```

The runtime ID of the pipe

Definition at line 642 of file cfe_sb_msg.h.

10.82.2.8 PipeName

```
char CFE_SB_PipeInfoEntry::PipeName[CFE_MISSION_MAX_API_LEN]
```

The Name of the pipe

Definition at line 644 of file cfe_sb_msg.h.

10.82.2.9 SendErrors

```
uint16 CFE_SB_PipeInfoEntry::SendErrors
```

Number of errors when writing to this pipe

Definition at line 649 of file cfe_sb_msg.h.

10.82.2.10 Spare

```
uint8 CFE_SB_PipeInfoEntry::Spare[3]
```

Padding to make this structure a multiple of 4 bytes

Definition at line 651 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.83 CFE_SB_Qos_t Struct Reference

Quality Of Service Type Definition.

```
#include <cfe_sb_extern_typedefs.h>
```

Data Fields

• uint8 Priority

Specify high(1) or low(0) message priority for off-board routing, currently unused.

· uint8 Reliability

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

10.83.1 Detailed Description

Quality Of Service Type Definition.

Currently an unused parameter in CFE_SB_SubscribeEx Intended to be used for interprocessor communication only

Definition at line 133 of file cfe_sb_extern_typedefs.h.

10.83.2 Field Documentation

10.83.2.1 Priority

```
uint8 CFE_SB_Qos_t::Priority
```

Specify high(1) or low(0) message priority for off-board routing, currently unused.

Definition at line 135 of file cfe sb extern typedefs.h.

10.83.2.2 Reliability

```
uint8 CFE_SB_Qos_t::Reliability
```

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

Definition at line 136 of file cfe_sb_extern_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h

10.84 CFE_SB_RouteCmd Struct Reference

Enable/Disable Route Command.

```
#include <cfe_sb_msg.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_SB_RouteCmd_Payload_t Payload

Command payload.

10.84.1 Detailed Description

Enable/Disable Route Command.

Definition at line 535 of file cfe_sb_msg.h.

10.84.2 Field Documentation

10.84.2.1 CommandHeader

 ${\tt CFE_MSG_CommandHeader_t\ CFE_SB_RouteCmd::CommandHeader}$

Command header.

Definition at line 537 of file cfe_sb_msg.h.

10.84.2.2 Payload

CFE_SB_RouteCmd_Payload_t CFE_SB_RouteCmd::Payload

Command payload.

Definition at line 538 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.85 CFE_SB_RouteCmd_Payload Struct Reference

Enable/Disable Route Command Payload.

```
#include <cfe_sb_msq.h>
```

Data Fields

CFE_SB_Msgld_t Msgld

Message ID of route to be enabled or disabled CFE_SB_Msgld_t.

• CFE_SB_PipeId_t Pipe

Pipe ID of route to be enabled or disabled CFE_SB_PipeId_t.

• uint8 Spare

Spare byte to make command even number of bytes.

```
10.85.1 Detailed Description
```

Enable/Disable Route Command Payload.

This structure contains a definition used by two SB commands, 'Enable Route' CFE_SB_ENABLE_ROUTE_CC and 'Disable Route' CFE_SB_DISABLE_ROUTE_CC. A route is the destination pipe for a particular message and is therefore defined as a Msgld and Pipeld combination.

Definition at line 524 of file cfe_sb_msg.h.

10.85.2 Field Documentation

```
10.85.2.1 Msgld
```

```
CFE_SB_MsgId_t CFE_SB_RouteCmd_Payload::MsgId
```

Message ID of route to be enabled or disabled CFE_SB_Msgld_t.

Definition at line 527 of file cfe_sb_msg.h.

10.85.2.2 Pipe

```
CFE_SB_PipeId_t CFE_SB_RouteCmd_Payload::Pipe
```

Pipe ID of route to be enabled or disabled CFE_SB_Pipeld_t.

Definition at line 528 of file cfe_sb_msg.h.

10.85.2.3 Spare

```
uint8 CFE_SB_RouteCmd_Payload::Spare
```

Spare byte to make command even number of bytes.

Definition at line 529 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.86 CFE_SB_RoutingFileEntry Struct Reference

SB Routing File Entry.

```
#include <cfe_sb_msq.h>
```

Data Fields

• CFE_SB_Msgld_t Msgld

Message Id portion of the route.

• CFE_SB_Pipeld_t Pipeld

Pipe Id portion of the route.

• uint8 State

Route Enabled or Disabled.

uint16 MsgCnt

Number of msgs with this Msgld sent to this Pipeld.

char AppName [CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

• char PipeName [CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

10.86.1 Detailed Description

SB Routing File Entry.

Structure of one element of the routing information in response to CFE_SB_WRITE_ROUTING_INFO_CC

Definition at line 715 of file cfe_sb_msg.h.

10.86.2 Field Documentation

10.86.2.1 AppName

 $\verb|char CFE_SB_RoutingFileEntry::AppName[CFE_MISSION_MAX_API_LEN]|\\$

Pipe Depth Statistics.

Definition at line 721 of file cfe_sb_msg.h.

```
10.86.2.2 MsgCnt
```

```
uint16 CFE_SB_RoutingFileEntry::MsgCnt
```

Number of msgs with this Msgld sent to this Pipeld.

Definition at line 720 of file cfe_sb_msg.h.

```
10.86.2.3 Msgld
```

```
CFE_SB_MsgId_t CFE_SB_RoutingFileEntry::MsgId
```

Message Id portion of the route.

Definition at line 717 of file cfe_sb_msg.h.

```
10.86.2.4 Pipeld
```

```
CFE_SB_PipeId_t CFE_SB_RoutingFileEntry::PipeId
```

Pipe Id portion of the route.

Definition at line 718 of file cfe_sb_msg.h.

10.86.2.5 PipeName

```
char CFE_SB_RoutingFileEntry::PipeName[CFE_MISSION_MAX_API_LEN]
```

Pipe Depth Statistics.

Definition at line 722 of file cfe_sb_msg.h.

10.86.2.6 State

```
uint8 CFE_SB_RoutingFileEntry::State
```

Route Enabled or Disabled.

Definition at line 719 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.87 CFE_SB_SingleSubscriptionTIm Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.
- CFE_SB_SingleSubscriptionTlm_Payload_t Payload Telemetry payload.

10.87.1 Detailed Description

Definition at line 756 of file cfe_sb_msg.h.

10.87.2 Field Documentation

10.87.2.1 Payload

CFE_SB_SingleSubscriptionTlm_Payload_t CFE_SB_SingleSubscriptionTlm::Payload

Telemetry payload.

Definition at line 759 of file cfe_sb_msg.h.

10.87.2.2 TelemetryHeader

 ${\tt CFE_MSG_TelemetryHeader_t~CFE_SB_SingleSubscriptionTlm::} Telemetry {\tt Header_t~CFE_SB_SingleSubscriptionTlm::} Telemetry {\tt Header_t~CFE_Sb_SingleSubs$

Telemetry header.

Definition at line 758 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.88 CFE_SB_SingleSubscriptionTlm_Payload Struct Reference

#include <cfe_sb_msg.h>

Data Fields

uint8 SubType

Subscription or Unsubscription.

CFE SB Msgld t Msgld

Msgld subscribed or unsubscribe to.

• CFE_SB_Qos_t Qos

Quality of Service, used only for interprocessor communication.

• CFE_SB_PipeId_t Pipe

Destination pipe id to send above msg id.

10.88.1 Detailed Description

Name SB Subscription Report Packet

This structure defines the pkt sent by SB when a subscription or a request to unsubscribe is received while subscription reporting is enabled. By default subscription reporting is disabled. This feature is intended to be used primarily by Software Bus Networking Application (SBN)

See also

CFE SB ENABLE SUB REPORTING CC, CFE SB DISABLE SUB REPORTING CC

Definition at line 746 of file cfe sb msg.h.

10.88.2 Field Documentation

10.88.2.1 Msgld

CFE_SB_MsgId_t CFE_SB_SingleSubscriptionTlm_Payload::MsgId

Msgld subscribed or unsubscribe to.

Definition at line 750 of file cfe_sb_msg.h.

10.88.2.2 Pipe

 ${\tt CFE_SB_PipeId_t\ CFE_SB_SingleSubscriptionTlm_Payload::Pipe}$

Destination pipe id to send above msg id.

Definition at line 752 of file cfe_sb_msg.h.

10.88.2.3 Qos

```
CFE_SB_Qos_t CFE_SB_SingleSubscriptionTlm_Payload::Qos
```

Quality of Service, used only for interprocessor communication.

Definition at line 751 of file cfe_sb_msg.h.

10.88.2.4 SubType

```
uint8 CFE_SB_SingleSubscriptionTlm_Payload::SubType
```

Subscription or Unsubscription.

Definition at line 749 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe sb msg.h

10.89 CFE_SB_StatsTIm Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

• CFE_SB_StatsTlm_Payload_t Payload

Telemetry payload.

10.89.1 Detailed Description

Definition at line 704 of file cfe_sb_msg.h.

10.89.2 Field Documentation

10.89.2.1 Payload

```
CFE_SB_StatsTlm_Payload_t CFE_SB_StatsTlm::Payload
```

Telemetry payload.

Definition at line 707 of file cfe_sb_msg.h.

10.89.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_SB_StatsTlm::TelemetryHeader
```

Telemetry header.

Definition at line 706 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.90 CFE_SB_StatsTIm_Payload Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

• uint32 MsgldsInUse

Current number of Msglds with a destination.

• uint32 PeakMsgldsInUse

Peak number of Msglds with a destination.

uint32 MaxMsgldsAllowed

cFE Cfg Param CFE_PLATFORM_SB_MAX_MSG_IDS

uint32 PipesInUse

Number of pipes currently in use.

uint32 PeakPipesInUse

Peak number of pipes since last reboot.

uint32 MaxPipesAllowed

cFE Cfg Param CFE_PLATFORM_SB_MAX_PIPES

uint32 MemInUse

Memory bytes currently in use for SB msg transfers.

• uint32 PeakMemInUse

Peak memory bytes in use for SB msg transfers.

uint32 MaxMemAllowed

cFE Cfg Param CFE_PLATFORM_SB_BUF_MEMORY_BYTES

uint32 SubscriptionsInUse

Number of current subscriptions.

• uint32 PeakSubscriptionsInUse

Peak number of subscriptions.

uint32 MaxSubscriptionsAllowed

product of CFE_PLATFORM_SB_MAX_MSG_IDS and CFE_PLATFORM_SB_MAX_DEST_PER_PKT

• uint32 SBBuffersInUse

Number of SB message buffers currently in use.

· uint32 PeakSBBuffersInUse

Max number of SB message buffers in use.

uint32 MaxPipeDepthAllowed

Maximum allowed pipe depth.

• CFE_SB_PipeDepthStats_t PipeDepthStats [CFE_MISSION_SB_MAX_PIPES]

Pipe Depth Statistics CFE_SB_PipeDepthStats_t.

10.90.1 Detailed Description

Name SB Statistics Telemetry Packet

SB Statistics packet sent in response to CFE SB SEND SB STATS CC

Definition at line 660 of file cfe sb msg.h.

10.90.2 Field Documentation

10.90.2.1 MaxMemAllowed

uint32 CFE_SB_StatsTlm_Payload::MaxMemAllowed

cFE Cfg Param CFE_PLATFORM_SB_BUF_MEMORY_BYTES

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMBMALW

Definition at line 681 of file cfe_sb_msg.h.

10.90.2.2 MaxMsgldsAllowed

uint32 CFE_SB_StatsTlm_Payload::MaxMsgIdsAllowed

cFE Cfg Param CFE_PLATFORM_SB_MAX_MSG_IDS

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMMIDALW

Definition at line 667 of file cfe_sb_msg.h.

10.90.2.3 MaxPipeDepthAllowed

uint32 CFE_SB_StatsTlm_Payload::MaxPipeDepthAllowed

Maximum allowed pipe depth.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMPDALW

Definition at line 697 of file cfe_sb_msg.h.

10.90.2.4 MaxPipesAllowed

uint32 CFE_SB_StatsTlm_Payload::MaxPipesAllowed

cFE Cfg Param CFE_PLATFORM_SB_MAX_PIPES

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMPALW

Definition at line 674 of file cfe_sb_msg.h.

10.90.2.5 MaxSubscriptionsAllowed

uint32 CFE_SB_StatsTlm_Payload::MaxSubscriptionsAllowed

product of CFE_PLATFORM_SB_MAX_MSG_IDS and CFE_PLATFORM_SB_MAX_DEST_PER_PKT

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMSALW

Definition at line 688 of file cfe_sb_msg.h.

10.90.2.6 MemInUse

uint32 CFE_SB_StatsTlm_Payload::MemInUse

Memory bytes currently in use for SB msg transfers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMBMIU

Definition at line 677 of file cfe_sb_msg.h.

10.90.2.7 MsgldsInUse

uint32 CFE_SB_StatsTlm_Payload::MsgIdsInUse

Current number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMIDIU

Definition at line 663 of file cfe_sb_msg.h.

10.90.2.8 PeakMemInUse

uint32 CFE_SB_StatsTlm_Payload::PeakMemInUse

Peak memory bytes in use for SB msg transfers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPBMIU

Definition at line 679 of file cfe_sb_msg.h.

10.90.2.9 PeakMsgldsInUse

uint32 CFE_SB_StatsTlm_Payload::PeakMsgIdsInUse

Peak number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPMIDIU

Definition at line 665 of file cfe_sb_msg.h.

10.90.2.10 PeakPipesInUse

uint32 CFE_SB_StatsTlm_Payload::PeakPipesInUse

Peak number of pipes since last reboot.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPPIU

Definition at line 672 of file cfe_sb_msg.h.

10.90.2.11 PeakSBBuffersInUse

uint32 CFE_SB_StatsTlm_Payload::PeakSBBuffersInUse

Max number of SB message buffers in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPSBBIU

Definition at line 694 of file cfe_sb_msg.h.

10.90.2.12 PeakSubscriptionsInUse

uint32 CFE_SB_StatsTlm_Payload::PeakSubscriptionsInUse

Peak number of subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPSIU

Definition at line 686 of file cfe_sb_msg.h.

10.90.2.13 PipeDepthStats

CFE_SB_PipeDepthStats_t CFE_SB_StatsTlm_Payload::PipeDepthStats[CFE_MISSION_SB_MAX_PIPES]

Pipe Depth Statistics CFE_SB_PipeDepthStats_t.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES]

Definition at line 700 of file cfe_sb_msg.h.

10.90.2.14 PipesInUse

uint32 CFE_SB_StatsTlm_Payload::PipesInUse

Number of pipes currently in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPIU

Definition at line 670 of file cfe_sb_msg.h.

10.90.2.15 SBBuffersInUse

```
uint32 CFE_SB_StatsTlm_Payload::SBBuffersInUse
```

Number of SB message buffers currently in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMSBBIU

Definition at line 692 of file cfe_sb_msg.h.

10.90.2.16 SubscriptionsInUse

```
uint32 CFE_SB_StatsTlm_Payload::SubscriptionsInUse
```

Number of current subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMSIU

Definition at line 684 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.91 CFE_SB_SubEntries Struct Reference

SB Previous Subscriptions Entry.

```
#include <cfe_sb_msg.h>
```

Data Fields

• CFE_SB_Msgld_t Msgld

Msgld portion of the subscription.

• CFE_SB_Qos_t Qos

Qos portion of the subscription.

CFE_SB_PipeId_t Pipe

Pipeld portion of the subscription.

```
10.91.1 Detailed Description
```

SB Previous Subscriptions Entry.

This structure defines an entry used in the CFE_SB_PrevSubsPkt_t Intended to be used primarily by Software Bus Networking Application (SBN)

Used in structure definition CFE_SB_AllSubscriptionsTlm_t

Definition at line 770 of file cfe_sb_msg.h.

10.91.2 Field Documentation

```
10.91.2.1 Msgld
```

```
CFE_SB_MsgId_t CFE_SB_SubEntries::MsgId
```

Msgld portion of the subscription.

Definition at line 773 of file cfe_sb_msg.h.

10.91.2.2 Pipe

```
CFE_SB_PipeId_t CFE_SB_SubEntries::Pipe
```

Pipeld portion of the subscription.

Definition at line 775 of file cfe_sb_msg.h.

10.91.2.3 Qos

```
CFE_SB_Qos_t CFE_SB_SubEntries::Qos
```

Qos portion of the subscription.

Definition at line 774 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.92 CFE_SB_WriteFileInfoCmd Struct Reference

Write File Info Command.

```
#include <cfe_sb_msg.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

 CFE_SB_WriteFileInfoCmd_Payload_t Payload Command payload.

10.92.1 Detailed Description

Write File Info Command.

Definition at line 503 of file cfe_sb_msg.h.

10.92.2 Field Documentation

10.92.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_SB\_WriteFileInfoCmd::CommandHeader\_t\ CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_SB\_WriteFileInfoCmd::CFE\_
```

Command header.

Definition at line 505 of file cfe_sb_msg.h.

10.92.2.2 Payload

```
CFE_SB_WriteFileInfoCmd_Payload_t CFE_SB_WriteFileInfoCmd::Payload
```

Command payload.

Definition at line 506 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.93 CFE_SB_WriteFileInfoCmd_Payload Struct Reference

Write File Info Command Payload.

```
#include <cfe_sb_msg.h>
```

Data Fields

• char Filename [CFE_MISSION_MAX_PATH_LEN]

Path and Filename of data to be loaded.

10.93.1 Detailed Description

Write File Info Command Payload.

This structure contains a generic definition used by SB commands that write to a file

Definition at line 495 of file cfe_sb_msg.h.

10.93.2 Field Documentation

10.93.2.1 Filename

```
\verb|char CFE\_SB\_WriteFileInfoCmd\_Payload::Filename[CFE\_MISSION\_MAX\_PATH\_LEN]| \\
```

Path and Filename of data to be loaded.

Definition at line 497 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.94 CFE_TBL_AbortLoadCmd Struct Reference

Abort Load Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TBL_AbortLoadCmd_Payload_t Payload

Command payload.

10.94.1 Detailed Description

Abort Load Command.

Definition at line 684 of file cfe_tbl_msg.h.

10.94.2 Field Documentation

10.94.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TBL_AbortLoadCmd::CommandHeader

Command header.

Definition at line 686 of file cfe_tbl_msg.h.

10.94.2.2 Payload

CFE_TBL_AbortLoadCmd_Payload_t CFE_TBL_AbortLoadCmd::Payload

Command payload.

Definition at line 687 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.95 CFE_TBL_AbortLoadCmd_Payload Struct Reference

Abort Load Command Payload.

#include <cfe_tbl_msg.h>

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose load is to be aborted.

10.95.1 Detailed Description

Abort Load Command Payload.

For command details, see CFE TBL ABORT LOAD CC

Definition at line 674 of file cfe_tbl_msg.h.

10.95.2 Field Documentation

10.95.2.1 TableName

char CFE_TBL_AbortLoadCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose load is to be aborted.

ASCII string containing full table name identifier of a table whose load is to be aborted

Definition at line 676 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.96 CFE_TBL_ActivateCmd Struct Reference

Activate Table Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_TBL_ActivateCmd_Payload_t Payload

Command payload.

10.96.1 Detailed Description

Activate Table Command.

Definition at line 595 of file cfe_tbl_msg.h.

10.96.2 Field Documentation

10.96.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TBL_ActivateCmd::CommandHeader

Command header.

Definition at line 597 of file cfe_tbl_msg.h.

10.96.2.2 Payload

CFE_TBL_ActivateCmd_Payload_t CFE_TBL_ActivateCmd::Payload

Command payload.

Definition at line 598 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.97 CFE_TBL_ActivateCmd_Payload Struct Reference

Activate Table Command Payload.

#include <cfe_tbl_msg.h>

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table to be activated.

10.97.1 Detailed Description

Activate Table Command Payload.

For command details, see CFE_TBL_ACTIVATE_CC

Definition at line 585 of file cfe_tbl_msg.h.

10.97.2 Field Documentation

10.97.2.1 TableName

```
char CFE_TBL_ActivateCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table to be activated.

ASCII string containing full table name identifier of table to be activated

Definition at line 587 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.98 CFE_TBL_DelCDSCmd_Payload Struct Reference

Delete Critical Table CDS Command Payload.

```
#include <cfe_tbl_msq.h>
```

Data Fields

 char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table whose CDS is to be deleted.

10.98.1 Detailed Description

Delete Critical Table CDS Command Payload.

For command details, see CFE_TBL_DELETE_CDS_CC

Definition at line 651 of file cfe_tbl_msg.h.

10.98.2 Field Documentation

10.98.2.1 TableName

```
char CFE_TBL_DelCDSCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table whose CDS is to be deleted.

ASCII string containing full table name identifier of a critical table whose CDS is to be deleted

Definition at line 653 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.99 CFE_TBL_DeleteCDSCmd Struct Reference

Delete Critical Table CDS Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_TBL_DelCDSCmd_Payload_t Payload

Command payload.

10.99.1 Detailed Description

Delete Critical Table CDS Command.

Definition at line 663 of file cfe_tbl_msg.h.

10.99.2 Field Documentation

10.99.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TBL_DeleteCDSCmd::CommandHeader

Command header.

Definition at line 665 of file cfe_tbl_msg.h.

10.99.2.2 Payload

```
CFE_TBL_DelCDSCmd_Payload_t CFE_TBL_DeleteCDSCmd::Payload
```

Command payload.

Definition at line 666 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.100 CFE_TBL_DumpCmd Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_TBL_DumpCmd_Payload_t Payload
 Command payload.

10.100.1 Detailed Description

/brief Dump Table Command

Definition at line 547 of file cfe_tbl_msg.h.

10.100.2 Field Documentation

10.100.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TBL_DumpCmd::CommandHeader

Command header.

Definition at line 549 of file cfe_tbl_msg.h.

10.100.2.2 Payload

```
CFE_TBL_DumpCmd_Payload_t CFE_TBL_DumpCmd::Payload
```

Command payload.

Definition at line 550 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.101 CFE_TBL_DumpCmd_Payload Struct Reference

Dump Table Command Payload.

```
#include <cfe_tbl_msg.h>
```

Data Fields

uint16 ActiveTableFlag

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

• char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full name of table to be dumped.

char DumpFilename [CFE_MISSION_MAX_PATH_LEN]

Full Filename where data is to be written.

10.101.1 Detailed Description

Dump Table Command Payload.

For command details, see CFE_TBL_DUMP_CC

Definition at line 528 of file cfe_tbl_msg.h.

10.101.2 Field Documentation

10.101.2.1 ActiveTableFlag

```
uint16 CFE_TBL_DumpCmd_Payload::ActiveTableFlag
```

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

Selects either the "Inactive" (CFE_TBL_BufferSelect_INACTIVE) buffer or the "Active" (CFE_TBL_BufferSelect_ACT \(\cdot \) IVE) buffer to be dumped

Definition at line 530 of file cfe_tbl_msg.h.

10.101.2.2 DumpFilename

```
char CFE_TBL_DumpCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN]
```

Full Filename where data is to be written.

ASCII string containing full path of filename where data is to be dumped

Definition at line 539 of file cfe tbl msg.h.

10.101.2.3 TableName

```
char CFE_TBL_DumpCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full name of table to be dumped.

ASCII string containing full table name identifier of table to be dumped

Definition at line 536 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.102 CFE_TBL_DumpRegistryCmd Struct Reference

Dump Registry Command.

```
#include <cfe_tbl_msq.h>
```

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

 CFE_TBL_DumpRegistryCmd_Payload_t Payload Command payload.

10.102.1 Detailed Description

Dump Registry Command.

Definition at line 617 of file cfe_tbl_msg.h.

10.102.2 Field Documentation

10.102.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TBL_DumpRegistryCmd::CommandHeader

Command header.

Definition at line 619 of file cfe_tbl_msg.h.

10.102.2.2 Payload

 ${\tt CFE_TBL_DumpRegistryCmd_Payload_t\ CFE_TBL_DumpRegistryCmd}:: {\tt Payload}$

Command payload.

Definition at line 620 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.103 CFE_TBL_DumpRegistryCmd_Payload Struct Reference

Dump Registry Command Payload.

#include <cfe_tbl_msg.h>

Data Fields

char DumpFilename [CFE_MISSION_MAX_PATH_LEN]

Full Filename where dumped data is to be written.

10.103.1 Detailed Description

Dump Registry Command Payload.

For command details, see CFE_TBL_DUMP_REGISTRY_CC

Definition at line 606 of file cfe_tbl_msg.h.

10.103.2 Field Documentation

10.103.2.1 DumpFilename

```
char CFE_TBL_DumpRegistryCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN]
```

Full Filename where dumped data is to be written.

ASCII string containing full path of filename where registry is to be dumped

Definition at line 608 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.104 CFE_TBL_File_Hdr Struct Reference

The definition of the header fields that are included in CFE Table Data files.

```
#include <cfe_tbl_extern_typedefs.h>
```

Data Fields

- uint32 Reserved
- · CFE ES MemOffset t Offset
- CFE_ES_MemOffset_t NumBytes
- char TableName [CFE MISSION TBL MAX FULL NAME LEN]

10.104.1 Detailed Description

The definition of the header fields that are included in CFE Table Data files.

This header follows the CFE FS header and precedes the actual table data.

Definition at line 71 of file cfe tbl extern typedefs.h.

10.104.2 Field Documentation

10.104.2.1 NumBytes

```
CFE_ES_MemOffset_t CFE_TBL_File_Hdr::NumBytes
```

Number of bytes to load into table

Definition at line 75 of file cfe_tbl_extern_typedefs.h.

10.104.2.2 Offset

```
CFE_ES_MemOffset_t CFE_TBL_File_Hdr::Offset
```

Byte Offset at which load should commence

Definition at line 74 of file cfe_tbl_extern_typedefs.h.

10.104.2.3 Reserved

```
uint32 CFE_TBL_File_Hdr::Reserved
```

Future Use: NumTblSegments in File?

Definition at line 73 of file cfe_tbl_extern_typedefs.h.

10.104.2.4 TableName

```
char CFE_TBL_File_Hdr::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Fully qualified name of table to load

Definition at line 76 of file cfe_tbl_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core api/fsw/inc/cfe tbl extern typedefs.h

10.105 CFE_TBL_FileDef Struct Reference

```
#include <cfe_tbl_filedef.h>
```

Data Fields

• char ObjectName [64]

Name of instantiated variable that contains desired table image.

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of Table as defined onboard.

• char Description [CFE_FS_HDR_DESC_MAX_LEN]

Description of table image that is included in cFE File Header.

• char TgtFilename [CFE_MISSION_MAX_FILE_LEN]

Default filename to be used for output of elf2cfetbl utility.

· uint32 ObjectSize

Size, in bytes, of instantiated object.

10.105.1 Detailed Description

Definition at line 56 of file cfe tbl filedef.h.

10.105.2 Field Documentation

10.105.2.1 Description

```
char CFE_TBL_FileDef::Description[CFE_FS_HDR_DESC_MAX_LEN]
```

Description of table image that is included in cFE File Header.

Definition at line 60 of file cfe_tbl_filedef.h.

10.105.2.2 ObjectName

```
char CFE_TBL_FileDef::ObjectName[64]
```

Name of instantiated variable that contains desired table image.

Definition at line 58 of file cfe_tbl_filedef.h.

10.105.2.3 ObjectSize

```
uint32 CFE_TBL_FileDef::ObjectSize
```

Size, in bytes, of instantiated object.

Definition at line 64 of file cfe_tbl_filedef.h.

10.105.2.4 TableName

```
char CFE_TBL_FileDef::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Name of Table as defined onboard.

Definition at line 59 of file cfe_tbl_filedef.h.

10.105.2.5 TgtFilename

```
char CFE_TBL_FileDef::TgtFilename[CFE_MISSION_MAX_FILE_LEN]
```

Default filename to be used for output of elf2cfetbl utility.

Definition at line 62 of file cfe_tbl_filedef.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h

10.106 CFE_TBL_HousekeepingTIm Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader
 - Telemetry header.
- CFE_TBL_HousekeepingTlm_Payload_t Payload

Telemetry payload.

10.106.1 Detailed Description

Definition at line 783 of file cfe_tbl_msg.h.

10.106.2 Field Documentation

10.106.2.1 Payload

Telemetry payload.

Definition at line 786 of file cfe_tbl_msg.h.

10.106.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_TBL_HousekeepingTlm::TelemetryHeader
```

Telemetry header.

Definition at line 785 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h


```
#include <cfe_tbl_msg.h>
```

Data Fields

• uint8 CommandCounter

Count of valid commands received.

• uint8 CommandErrorCounter

Count of invalid commands received.

• uint16 NumTables

Number of Tables Registered.

uint16 NumLoadPending

Number of Tables pending on Applications for their update.

· uint16 ValidationCounter

Number of completed table validations.

uint32 LastValCrc

Data Integrity Value computed for last table validated.

• int32 LastValStatus

Returned status from validation function for last table validated.

bool ActiveBuffer

Indicator of whether table buffer validated was 0=Inactive, 1=Active.

• char LastValTableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of last table validated.

· uint8 SuccessValCounter

Total number of successful table validations.

uint8 FailedValCounter

Total number of unsuccessful table validations.

uint8 NumValRequests

Number of times Table Services has requested validations from Apps.

· uint8 NumFreeSharedBufs

Number of free Shared Working Buffers.

uint8 ByteAlignPad1

Spare byte to ensure longword alignment.

CFE ES MemHandle t MemPoolHandle

Handle to TBL's memory pool.

CFE_TIME_SysTime_t LastUpdateTime

Time of last table update.

char LastUpdatedTable [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of the last table updated.

char LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]

Path and Name of last table image file loaded.

char LastFileDumped [CFE_MISSION_MAX_PATH_LEN]

Path and Name of last file dumped to.

char LastTableLoaded [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of the last table loaded.

10.107.1 Detailed Description

Name Table Services Housekeeping Packet

Definition at line 724 of file cfe_tbl_msg.h.

10.107.2 Field Documentation

10.107.2.1 ActiveBuffer

bool CFE_TBL_HousekeepingTlm_Payload::ActiveBuffer

Indicator of whether table buffer validated was 0=Inactive, 1=Active.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValBuf

Definition at line 751 of file cfe_tbl_msg.h.

```
10.107.2.2 ByteAlignPad1
```

uint8 CFE_TBL_HousekeepingTlm_Payload::ByteAlignPad1

Spare byte to ensure longword alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ByteAlignPad1

Definition at line 767 of file cfe_tbl_msg.h.

10.107.2.3 CommandCounter

uint8 CFE_TBL_HousekeepingTlm_Payload::CommandCounter

Count of valid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CMDPC

Definition at line 729 of file cfe_tbl_msg.h.

10.107.2.4 CommandErrorCounter

uint8 CFE_TBL_HousekeepingTlm_Payload::CommandErrorCounter

Count of invalid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CMDEC

Definition at line 731 of file cfe_tbl_msg.h.

10.107.2.5 FailedValCounter

uint8 CFE_TBL_HousekeepingTlm_Payload::FailedValCounter

Total number of unsuccessful table validations.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValFailedCtr

Definition at line 757 of file cfe_tbl_msg.h.

10.107.2.6 LastFileDumped

char CFE_TBL_HousekeepingTlm_Payload::LastFileDumped[CFE_MISSION_MAX_PATH_LEN]

Path and Name of last file dumped to.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileDumped[OS_MAX_PATH_LEN]

Definition at line 777 of file cfe_tbl_msg.h.

10.107.2.7 LastFileLoaded

 $\verb|char CFE_TBL_HousekeepingTlm_Payload::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN]| \\$

Path and Name of last table image file loaded.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileLoaded[OS_MAX_PATH_LEN]

Definition at line 775 of file cfe_tbl_msg.h.

10.107.2.8 LastTableLoaded

char CFE_TBL_HousekeepingTlm_Payload::LastTableLoaded[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of the last table loaded.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastTableLoaded[CFE_TBL_MAX_FULL_NAME_LEN]

Definition at line 779 of file cfe_tbl_msg.h.

10.107.2.9 LastUpdatedTable

 $\verb| char CFE_TBL_HousekeepingTlm_Payload:: LastUpdatedTable[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]| \\$

Name of the last table updated.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastUpdTblName[CFE TB MAX FULL NAME LEN]

Definition at line 773 of file cfe_tbl_msg.h.

```
10.107.2.10 LastUpdateTime
```

CFE_TIME_SysTime_t CFE_TBL_HousekeepingTlm_Payload::LastUpdateTime

Time of last table update.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastUpdTime, \$sc \$cpu TBL SECONDS, \$sc \$cpu TBL SUBSECONDS

Definition at line 771 of file cfe_tbl_msg.h.

10.107.2.11 LastValCrc

uint32 CFE_TBL_HousekeepingTlm_Payload::LastValCrc

Data Integrity Value computed for last table validated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValCRC

Definition at line 747 of file cfe_tbl_msg.h.

10.107.2.12 LastValStatus

int32 CFE_TBL_HousekeepingTlm_Payload::LastValStatus

Returned status from validation function for last table validated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBl_LastValS

Definition at line 749 of file cfe_tbl_msg.h.

10.107.2.13 LastValTableName

 $\verb| char CFE_TBL_House keepingTlm_Payload:: LastValTableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]| \\$

Name of last table validated.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastValTblName[CFE TB MAX FULL NAME LEN]

Definition at line 753 of file cfe_tbl_msg.h.

10.107.2.14 MemPoolHandle

CFE_ES_MemHandle_t CFE_TBL_HousekeepingTlm_Payload::MemPoolHandle

Handle to TBL's memory pool.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_MemPoolHandle

Definition at line 769 of file cfe_tbl_msg.h.

10.107.2.15 NumFreeSharedBufs

uint8 CFE_TBL_HousekeepingTlm_Payload::NumFreeSharedBufs

Number of free Shared Working Buffers.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumFreeShrBuf

Definition at line 765 of file cfe_tbl_msg.h.

10.107.2.16 NumLoadPending

uint16 CFE_TBL_HousekeepingTlm_Payload::NumLoadPending

Number of Tables pending on Applications for their update.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumUpdatesPend

Definition at line 739 of file cfe_tbl_msg.h.

10.107.2.17 NumTables

uint16 CFE_TBL_HousekeepingTlm_Payload::NumTables

Number of Tables Registered.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumTables

Definition at line 737 of file cfe_tbl_msg.h.

```
10.107.2.18 NumValRequests
```

```
uint8 CFE_TBL_HousekeepingTlm_Payload::NumValRequests
```

Number of times Table Services has requested validations from Apps.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValReqCtr

Definition at line 759 of file cfe_tbl_msg.h.

10.107.2.19 SuccessValCounter

uint8 CFE_TBL_HousekeepingTlm_Payload::SuccessValCounter

Total number of successful table validations.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValSuccessCtr

Definition at line 755 of file cfe_tbl_msg.h.

10.107.2.20 ValidationCounter

uint16 CFE_TBL_HousekeepingTlm_Payload::ValidationCounter

Number of completed table validations.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValCompltdCtr

Definition at line 745 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.108 CFE_TBL_Info Struct Reference

Table Info.

#include <cfe_tbl_api_typedefs.h>

Data Fields

• size t Size

Size, in bytes, of Table.

uint32 NumUsers

Number of Apps with access to the table.

uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

• uint32 Crc

Most recently calculated CRC by TBL services on table contents.

CFE_TIME_SysTime_t TimeOfLastUpdate

Time when Table was last updated.

bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

· bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

· bool UserDefAddr

Flag indicating Table address was defined by Owner Application.

· bool Critical

Flag indicating Table contents are maintained in a CDS.

char LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]

Filename of last file loaded into table.

10.108.1 Detailed Description

Table Info.

Definition at line 109 of file cfe_tbl_api_typedefs.h.

10.108.2 Field Documentation

10.108.2.1 Crc

uint32 CFE_TBL_Info::Crc

Most recently calculated CRC by TBL services on table contents.

Definition at line 115 of file cfe_tbl_api_typedefs.h.

10.108.2.2 Critical

```
bool CFE_TBL_Info::Critical
```

Flag indicating Table contents are maintained in a CDS.

Definition at line 121 of file cfe_tbl_api_typedefs.h.

10.108.2.3 DoubleBuffered

```
bool CFE_TBL_Info::DoubleBuffered
```

Flag indicating Table has a dedicated inactive buffer.

Definition at line 119 of file cfe_tbl_api_typedefs.h.

10.108.2.4 DumpOnly

```
bool CFE_TBL_Info::DumpOnly
```

Flag indicating Table is NOT to be loaded.

Definition at line 118 of file cfe_tbl_api_typedefs.h.

10.108.2.5 FileCreateTimeSecs

```
uint32 CFE_TBL_Info::FileCreateTimeSecs
```

File creation time from last file loaded into table.

Definition at line 113 of file cfe_tbl_api_typedefs.h.

10.108.2.6 FileCreateTimeSubSecs

```
uint32 CFE_TBL_Info::FileCreateTimeSubSecs
```

File creation time from last file loaded into table.

Definition at line 114 of file cfe_tbl_api_typedefs.h.

10.108.2.7 LastFileLoaded

```
char CFE_TBL_Info::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN]
```

Filename of last file loaded into table.

Definition at line 122 of file cfe_tbl_api_typedefs.h.

10.108.2.8 NumUsers

```
uint32 CFE_TBL_Info::NumUsers
```

Number of Apps with access to the table.

Definition at line 112 of file cfe_tbl_api_typedefs.h.

10.108.2.9 Size

```
size_t CFE_TBL_Info::Size
```

Size, in bytes, of Table.

Definition at line 111 of file cfe_tbl_api_typedefs.h.

10.108.2.10 TableLoadedOnce

```
bool CFE_TBL_Info::TableLoadedOnce
```

Flag indicating whether table has been loaded once or not.

Definition at line 117 of file cfe_tbl_api_typedefs.h.

10.108.2.11 TimeOfLastUpdate

```
CFE_TIME_SysTime_t CFE_TBL_Info::TimeOfLastUpdate
```

Time when Table was last updated.

Definition at line 116 of file cfe_tbl_api_typedefs.h.

10.108.2.12 UserDefAddr

```
bool CFE_TBL_Info::UserDefAddr
```

Flag indicating Table address was defined by Owner Application.

Definition at line 120 of file cfe_tbl_api_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h

10.109 CFE_TBL_LoadCmd Struct Reference

Load Table Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TBL_LoadCmd_Payload_t Payload

Command payload.

10.109.1 Detailed Description

Load Table Command.

Definition at line 517 of file cfe_tbl_msg.h.

10.109.2 Field Documentation

10.109.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TBL_LoadCmd::CommandHeader

Command header.

Definition at line 519 of file cfe_tbl_msg.h.

```
10.109.2.2 Payload
```

```
CFE_TBL_LoadCmd_Payload_t CFE_TBL_LoadCmd::Payload
```

Command payload.

Definition at line 520 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.110 CFE_TBL_LoadCmd_Payload Struct Reference

Load Table Command Payload.

```
#include <cfe_tbl_msg.h>
```

Data Fields

• char LoadFilename [CFE_MISSION_MAX_PATH_LEN] Filename (and path) of data to be loaded.

10.110.1 Detailed Description

Load Table Command Payload.

For command details, see CFE_TBL_LOAD_CC

Definition at line 509 of file cfe_tbl_msg.h.

10.110.2 Field Documentation

10.110.2.1 LoadFilename

```
char CFE_TBL_LoadCmd_Payload::LoadFilename[CFE_MISSION_MAX_PATH_LEN]
```

Filename (and path) of data to be loaded.

Definition at line 511 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.111 CFE_TBL_NoArgsCmd Struct Reference

Generic "no arguments" command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.111.1 Detailed Description

Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE_TBL_NOOP_CC)
- 3. The Reset Counters Command (For details, see CFE_TBL_RESET_COUNTERS_CC)

Definition at line 490 of file cfe_tbl_msg.h.

10.111.2 Field Documentation

10.111.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_TBL\_NoArgsCmd::CommandHeader\_t\ CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_No
```

Command header.

Definition at line 492 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.112 CFE_TBL_NotifyCmd Struct Reference

```
#include <cfe_tbl_msq.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TBL_NotifyCmd_Payload_t Payload

Command payload.

10.112.1 Detailed Description

/brief Table Management Notification Command

Definition at line 711 of file cfe_tbl_msg.h.

10.112.2 Field Documentation

10.112.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TBL_NotifyCmd::CommandHeader

Command header.

Definition at line 713 of file cfe_tbl_msg.h.

10.112.2.2 Payload

CFE_TBL_NotifyCmd_Payload_t CFE_TBL_NotifyCmd::Payload

Command payload.

Definition at line 714 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.113 CFE_TBL_NotifyCmd_Payload Struct Reference

Table Management Notification Command Payload.

#include <cfe_tbl_msg.h>

Data Fields

• uint32 Parameter

Application specified command parameter.

10.113.1 Detailed Description

Table Management Notification Command Payload.

Description

Whenever an application that owns a table calls the CFE_TBL_NotifyByMessage API following the table registration, Table services will generate the following command message with the application specified message ID, command code and parameter whenever the table requires management (e.g. - loads and validations).

Definition at line 703 of file cfe_tbl_msg.h.

10.113.2 Field Documentation

10.113.2.1 Parameter

```
uint32 CFE_TBL_NotifyCmd_Payload::Parameter
```

Application specified command parameter.

Definition at line 705 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.114 CFE_TBL_SendRegistryCmd Struct Reference

Send Table Registry Command.

```
#include <cfe_tbl_msg.h>
```

Command header.

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
- CFE_TBL_SendRegistryCmd_Payload_t Payload Command payload.

10.114.1 Detailed Description

Send Table Registry Command.

Definition at line 640 of file cfe_tbl_msg.h.

10.114.2 Field Documentation

10.114.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TBL_SendRegistryCmd::CommandHeader

Command header.

Definition at line 642 of file cfe_tbl_msg.h.

10.114.2.2 Payload

CFE_TBL_SendRegistryCmd_Payload_t CFE_TBL_SendRegistryCmd::Payload

Command payload.

Definition at line 643 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.115 CFE_TBL_SendRegistryCmd_Payload Struct Reference

Send Table Registry Command Payload.

#include <cfe_tbl_msq.h>

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose registry entry is to be telemetered.

10.115.1 Detailed Description

Send Table Registry Command Payload.

For command details, see CFE_TBL_SEND_REGISTRY_CC

Definition at line 628 of file cfe_tbl_msg.h.

10.115.2 Field Documentation

10.115.2.1 TableName

```
char CFE_TBL_SendRegistryCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table whose registry entry is to be telemetered.

ASCII string containing full table name identifier of table whose registry entry is to be telemetered via CFE_TBL_Table ← RegistryTIm_t

Definition at line 630 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.116 CFE_TBL_TableRegistryTIm Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.
- CFE_TBL_TblRegPacket_Payload_t Payload
 Telemetry payload.

10.116.1 Detailed Description

Definition at line 830 of file cfe tbl msg.h.

10.116.2 Field Documentation

10.116.2.1 Payload

CFE_TBL_TblRegPacket_Payload_t CFE_TBL_TableRegistryTlm::Payload

Telemetry payload.

Definition at line 833 of file cfe_tbl_msg.h.

10.116.2.2 TelemetryHeader

CFE_MSG_TelemetryHeader_t CFE_TBL_TableRegistryTlm::TelemetryHeader

Telemetry header.

Definition at line 832 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.117 CFE_TBL_TblRegPacket_Payload Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

CFE_ES_MemOffset_t Size

Size, in bytes, of Table.

• uint32 Crc

Most recently calculated CRC of Table.

· CFE ES MemAddress t ActiveBufferAddr

Address of Active Buffer.

• CFE_ES_MemAddress_t InactiveBufferAddr

Address of Inactive Buffer.

CFE_ES_MemAddress_t ValidationFuncPtr

Ptr to Owner App's function that validates tbl contents.

CFE_TIME_SysTime_t TimeOfLastUpdate

Time when Table was last updated.

uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

• bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

· bool LoadPending

Flag indicating an inactive buffer is ready to be copied.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

• bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

char Name [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Processor specific table name.

char LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]

Filename of last file loaded into table.

char OwnerAppName [CFE_MISSION_MAX_API_LEN]

Name of owning application.

bool Critical

Indicates whether table is Critical or not.

uint8 ByteAlign4

Spare byte to maintain byte alignment.

10.117.1 Detailed Description

Name Table Registry Info Packet

Definition at line 792 of file cfe_tbl_msg.h.

10.117.2 Field Documentation

10.117.2.1 ActiveBufferAddr

 ${\tt CFE_ES_MemAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_Payload::ActiveBufferAddress_t~CFE_TBL_TblRegPacket_TblRegPacke$

Address of Active Buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ActBufAdd

Definition at line 798 of file cfe_tbl_msg.h.

10.117.2.2 ByteAlign4

uint8 CFE_TBL_TblRegPacket_Payload::ByteAlign4

Spare byte to maintain byte alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Spare4

Definition at line 826 of file cfe_tbl_msg.h.

10.117.2.3 Crc

uint32 CFE_TBL_TblRegPacket_Payload::Crc

Most recently calculated CRC of Table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CRC

Definition at line 796 of file cfe_tbl_msg.h.

10.117.2.4 Critical

bool CFE_TBL_TblRegPacket_Payload::Critical

Indicates whether table is Critical or not.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Spare3

Definition at line 824 of file cfe_tbl_msg.h.

10.117.2.5 DoubleBuffered

 $\verb|bool CFE_TBL_TblRegPacket_Payload::DoubleBuffered|\\$

Flag indicating Table has a dedicated inactive buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_DblBuffered

Definition at line 816 of file cfe_tbl_msg.h.

```
10.117.2.6 DumpOnly
```

bool CFE_TBL_TblRegPacket_Payload::DumpOnly

Flag indicating Table is NOT to be loaded.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_DumpOnly

Definition at line 814 of file cfe_tbl_msg.h.

10.117.2.7 FileCreateTimeSecs

uint32 CFE_TBL_TblRegPacket_Payload::FileCreateTimeSecs

File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_FILECSECONDS

Definition at line 806 of file cfe_tbl_msg.h.

10.117.2.8 FileCreateTimeSubSecs

uint32 CFE_TBL_TblRegPacket_Payload::FileCreateTimeSubSecs

File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_FILECSUBSECONDS

Definition at line 808 of file cfe_tbl_msg.h.

10.117.2.9 InactiveBufferAddr

 ${\tt CFE_ES_MemAddress_t\ CFE_TBL_TblRegPacket_Payload::} In active {\tt BufferAddress_t\ CFE_TBL_TblRegPacket_Payload::} In a$

Address of Inactive Buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_IActBufAdd

Definition at line 800 of file cfe_tbl_msg.h.

10.117.2.10 LastFileLoaded

char CFE_TBL_TblRegPacket_Payload::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN]

Filename of last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileUpd[OS_MAX_PATH_LEN]

Definition at line 820 of file cfe_tbl_msg.h.

10.117.2.11 LoadPending

bool CFE_TBL_TblRegPacket_Payload::LoadPending

Flag indicating an inactive buffer is ready to be copied.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_UpdatePndng

Definition at line 812 of file cfe_tbl_msg.h.

10.117.2.12 Name

char CFE_TBL_TblRegPacket_Payload::Name[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Processor specific table name.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Name[CFE_TB_MAX_FULL_NAME_LEN]

Definition at line 818 of file cfe_tbl_msg.h.

10.117.2.13 OwnerAppName

 $\verb| char CFE_TBL_TblRegPacket_Payload::OwnerAppName[CFE_MISSION_MAX_API_LEN]| \\$

Name of owning application.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_OwnerApp[OS_MAX_API_NAME]

Definition at line 822 of file cfe_tbl_msg.h.

```
10.117.2.14 Size
```

CFE_ES_MemOffset_t CFE_TBL_TblRegPacket_Payload::Size

Size, in bytes, of Table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_SIZE

Definition at line 794 of file cfe_tbl_msg.h.

10.117.2.15 TableLoadedOnce

bool CFE_TBL_TblRegPacket_Payload::TableLoadedOnce

Flag indicating whether table has been loaded once or not.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LoadedOnce

Definition at line 810 of file cfe_tbl_msg.h.

10.117.2.16 TimeOfLastUpdate

CFE_TIME_SysTime_t CFE_TBL_TblRegPacket_Payload::TimeOfLastUpdate

Time when Table was last updated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_TimeLastUpd, \$sc_\$cpu_TBL_TLUSECONDS, \$sc_\$cpu_TBL_TLUSUB → SECONDS

Definition at line 804 of file cfe_tbl_msg.h.

10.117.2.17 ValidationFuncPtr

 ${\tt CFE_ES_MemAddress_t\ CFE_TBL_TblRegPacket_Payload::ValidationFuncPtr}$

Ptr to Owner App's function that validates tbl contents.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValFuncPtr

Definition at line 802 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.118 CFE_TBL_ValidateCmd Struct Reference

Validate Table Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

• CFE_TBL_ValidateCmd_Payload_t Payload Command payload.

10.118.1 Detailed Description

Validate Table Command.

Definition at line 574 of file cfe_tbl_msg.h.

10.118.2 Field Documentation

10.118.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_TBL\_ValidateCmd::CommandHeader}
```

Command header.

Definition at line 576 of file cfe_tbl_msg.h.

10.118.2.2 Payload

```
CFE_TBL_ValidateCmd_Payload_t CFE_TBL_ValidateCmd::Payload
```

Command payload.

Definition at line 577 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.119 CFE_TBL_ValidateCmd_Payload Struct Reference

```
Validate Table Command Payload.
```

```
#include <cfe_tbl_msq.h>
```

Data Fields

• uint16 ActiveTableFlag

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table to be validated.

10.119.1 Detailed Description

Validate Table Command Payload.

For command details, see CFE_TBL_VALIDATE_CC

Definition at line 558 of file cfe_tbl_msg.h.

10.119.2 Field Documentation

10.119.2.1 ActiveTableFlag

```
uint16 CFE_TBL_ValidateCmd_Payload::ActiveTableFlag
```

CFE TBL BufferSelect INACTIVE=Inactive Table, CFE TBL BufferSelect ACTIVE=Active Table

Selects either the "Inactive" (CFE_TBL_BufferSelect_INACTIVE) buffer or the "Active" (CFE_TBL_BufferSelect_ACT \(\cdot \) IVE) buffer to be validated

Definition at line 560 of file cfe tbl msg.h.

10.119.2.2 TableName

```
char CFE_TBL_ValidateCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table to be validated.

ASCII string containing full table name identifier of table to be validated

Definition at line 566 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.120 CFE_TIME_DiagnosticTIm Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.
- CFE_TIME_DiagnosticTIm_Payload_t Payload Telemetry payload.

10.120.1 Detailed Description

Definition at line 1122 of file cfe_time_msg.h.

10.120.2 Field Documentation

10.120.2.1 Payload

CFE_TIME_DiagnosticTlm_Payload_t CFE_TIME_DiagnosticTlm::Payload

Telemetry payload.

Definition at line 1125 of file cfe_time_msg.h.

10.120.2.2 TelemetryHeader

```
{\tt CFE\_MSG\_TelemetryHeader\_t~CFE\_TIME\_DiagnosticTlm::} Telemetry {\tt Header\_t~CFE\_TIME\_DiagnosticTlm::} Telemetry {\tt Header\_t
```

Telemetry header.

Definition at line 1124 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.121 CFE_TIME_DiagnosticTIm_Payload Struct Reference

#include <cfe_time_msg.h>

Data Fields

CFE_TIME_SysTime_t AtToneMET

MET at time of tone.

CFE_TIME_SysTime_t AtToneSTCF

STCF at time of tone.

CFE_TIME_SysTime_t AtToneDelay

Adjustment for slow tone detection.

CFE_TIME_SysTime_t AtToneLatch

Local clock latched at time of tone.

int16 AtToneLeapSeconds

Leap Seconds at time of tone.

CFE_TIME_ClockState_Enum_t ClockStateAPI

Clock state as per API.

CFE_TIME_SysTime_t TimeSinceTone

Time elapsed since the tone.

• CFE_TIME_SysTime_t CurrentLatch

Local clock latched just "now".

CFE TIME SysTime t CurrentMET

MET at this instant.

CFE_TIME_SysTime_t CurrentTAI

TAI at this instant.

CFE_TIME_SysTime_t CurrentUTC

UTC at this instant.

• int16 ClockSetState

Time has been "set".

int16 ClockFlyState

Current fly-wheel state.

• int16 ClockSource

Internal vs external, etc.

· int16 ClockSignal

Primary vs redundant, etc.

· int16 ServerFlyState

Used by clients only.

int16 Forced2Fly

Commanded into fly-wheel.

· uint16 ClockStateFlags

Clock State Flags.

int16 OneTimeDirection

One time STCF adjustment direction (Add = 1, Sub = 2)

• int16 OneHzDirection

1Hz STCF adjustment direction

int16 DelayDirection

Client latency adjustment direction.

CFE_TIME_SysTime_t OneTimeAdjust

Previous one-time STCF adjustment.

CFE TIME SysTime t OneHzAdjust

Current 1Hz STCF adjustment.

CFE_TIME_SysTime_t ToneSignalLatch

Local Clock latched at most recent tone signal.

CFE_TIME_SysTime_t ToneDataLatch

Local Clock latched at arrival of tone data.

· uint32 ToneMatchCounter

Tone signal / data verification count.

• uint32 ToneMatchErrorCounter

Tone signal / data verification error count.

• uint32 ToneSignalCounter

Tone signal detected SB message count.

uint32 ToneDataCounter

Time at the tone data SB message count.

uint32 ToneIntCounter

Tone signal ISR execution count.

• uint32 ToneIntErrorCounter

Tone signal ISR error count.

uint32 ToneTaskCounter

Tone task execution count.

· uint32 VersionCounter

Count of mods to time at tone reference data (version)

· uint32 LocalIntCounter

Local 1Hz ISR execution count.

· uint32 LocalTaskCounter

Local 1Hz task execution count.

uint32 VirtualMET

Software MET.

· uint32 MinElapsed

Min tone signal / data pkt arrival window (Sub-seconds)

· uint32 MaxElapsed

Max tone signal / data pkt arrival window (Sub-seconds)

CFE_TIME_SysTime_t MaxLocalClock

Max local clock value before rollover.

uint32 ToneOverLimit

Max between tone signal interrupts.

• uint32 ToneUnderLimit

Min between tone signal interrupts.

uint32 DataStoreStatus

Data Store status (preserved across processor reset)

10.121.1 Detailed Description

Name Time Services Diagnostics Packet

Definition at line 976 of file cfe time msg.h.

```
10.121.2 Field Documentation
```

```
10.121.2.1 AtToneDelay
```

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneDelay

Adjustment for slow tone detection.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs

Definition at line 985 of file cfe_time_msg.h.

10.121.2.2 AtToneLatch

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneLatch

Local clock latched at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTValidS, \$sc_\$cpu_TIME_DTValidSs

Definition at line 987 of file cfe_time_msg.h.

10.121.2.3 AtToneLeapSeconds

int16 CFE_TIME_DiagnosticTlm_Payload::AtToneLeapSeconds

Leap Seconds at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLeapS

Definition at line 990 of file cfe_time_msg.h.

10.121.2.4 AtToneMET

 ${\tt CFE_TIME_SysTime_t\ CFE_TIME_DiagnosticTlm_Payload::AtToneMET}$

MET at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTMETS, \$sc_\$cpu_TIME_DTMETSs

Definition at line 981 of file cfe_time_msg.h.

```
10.121.2.5 AtToneSTCF
```

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneSTCF

STCF at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSTCFS, \$sc_\$cpu_TIME_DSTCFSS

Definition at line 983 of file cfe_time_msg.h.

10.121.2.6 ClockFlyState

int16 CFE_TIME_DiagnosticTlm_Payload::ClockFlyState

Current fly-wheel state.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DFlywheel

Definition at line 1014 of file cfe_time_msg.h.

10.121.2.7 ClockSetState

int16 CFE_TIME_DiagnosticTlm_Payload::ClockSetState

Time has been "set".

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DValid

Definition at line 1012 of file cfe_time_msg.h.

10.121.2.8 ClockSignal

int16 CFE_TIME_DiagnosticTlm_Payload::ClockSignal

Primary vs redundant, etc.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSignal

Definition at line 1018 of file cfe_time_msg.h.

```
10.121.2.9 ClockSource
```

int16 CFE_TIME_DiagnosticTlm_Payload::ClockSource

Internal vs external, etc.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSource

Definition at line 1016 of file cfe_time_msg.h.

10.121.2.10 ClockStateAPI

 ${\tt CFE_TIME_ClockState_Enum_t\ CFE_TIME_DiagnosticTlm_Payload} :: {\tt ClockStateAPI}$

Clock state as per API.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAPIState

Definition at line 992 of file cfe_time_msg.h.

10.121.2.11 ClockStateFlags

uint16 CFE_TIME_DiagnosticTlm_Payload::ClockStateFlags

Clock State Flags.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DStateFlags, \$sc_\$cpu_TIME_DFlagSet, \$sc_\$cpu_TIME_DFlagFly, \$sc_\$cpu_TIME_DFlagSrc, \$sc_\$cpu_TIME_DFlagPri, \$sc_\$cpu_TIME_DFlagSfly, \$sc_↔ \$cpu_TIME_DFlagCfly, \$sc_\$cpu_TIME_DFlagAdjd, \$sc_\$cpu_TIME_DFlag1Hzd, \$sc_↔ \$cpu_TIME_DFlagClat, \$sc_\$cpu_TIME_DFlagSorC, \$sc_\$cpu_TIME_DFlagNIU

Definition at line 1028 of file cfe_time_msg.h.

10.121.2.12 CurrentLatch

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentLatch

Local clock latched just "now".

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLocalS, \$sc_\$cpu_TIME_DLocalSs

Definition at line 1000 of file cfe_time_msg.h.

10.121.2.13 CurrentMET

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentMET

MET at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMETS, \$sc_\$cpu_TIME_DMETSs

Definition at line 1002 of file cfe_time_msg.h.

10.121.2.14 CurrentTAI

 ${\tt CFE_TIME_SysTime_t\ CFE_TIME_DiagnosticTlm_Payload::CurrentTAI}$

TAI at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTAIS, \$sc_\$cpu_TIME_DTAISS

Definition at line 1004 of file cfe_time_msg.h.

10.121.2.15 CurrentUTC

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentUTC

UTC at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DUTCS, \$sc_\$cpu_TIME_DUTCSS

Definition at line 1006 of file cfe_time_msg.h.

10.121.2.16 DataStoreStatus

uint32 CFE_TIME_DiagnosticTlm_Payload::DataStoreStatus

Data Store status (preserved across processor reset)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DataStStat

Definition at line 1118 of file cfe_time_msg.h.

```
10.121.2.17 DelayDirection
```

```
int16 CFE_TIME_DiagnosticTlm_Payload::DelayDirection
```

Client latency adjustment direction.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLatentDir

Definition at line 1038 of file cfe_time_msg.h.

10.121.2.18 Forced2Fly

int16 CFE_TIME_DiagnosticTlm_Payload::Forced2Fly

Commanded into fly-wheel.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DCMD2Fly

Definition at line 1022 of file cfe_time_msg.h.

10.121.2.19 LocalIntCounter

uint32 CFE_TIME_DiagnosticTlm_Payload::LocalIntCounter

Local 1Hz ISR execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzISRCNT

Definition at line 1076 of file cfe_time_msg.h.

10.121.2.20 LocalTaskCounter

 ${\tt uint32~CFE_TIME_DiagnosticTlm_Payload::LocalTaskCounter}$

Local 1Hz task execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzTaskCNT

Definition at line 1078 of file cfe_time_msg.h.

```
10.121.2.21 MaxElapsed
```

uint32 CFE_TIME_DiagnosticTlm_Payload::MaxElapsed

Max tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMaxWindow

Definition at line 1098 of file cfe_time_msg.h.

10.121.2.22 MaxLocalClock

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::MaxLocalClock

Max local clock value before rollover.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DWrapS, \$sc_\$cpu_TIME_DWrapSs

Definition at line 1104 of file cfe_time_msg.h.

10.121.2.23 MinElapsed

uint32 CFE_TIME_DiagnosticTlm_Payload::MinElapsed

Min tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMinWindow

Definition at line 1096 of file cfe_time_msg.h.

10.121.2.24 OneHzAdjust

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::OneHzAdjust

Current 1Hz STCF adjustment.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzAdjS, \$sc_\$cpu_TIME_D1HzAdjSs

Definition at line 1046 of file cfe_time_msg.h.

```
10.121.2.25 OneHzDirection
```

int16 CFE_TIME_DiagnosticTlm_Payload::OneHzDirection

1Hz STCF adjustment direction

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzAdjDir

Definition at line 1036 of file cfe_time_msg.h.

10.121.2.26 OneTimeAdjust

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::OneTimeAdjust

Previous one-time STCF adjustment.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAdjustS, \$sc_\$cpu_TIME_DAdjustSs

Definition at line 1044 of file cfe_time_msg.h.

10.121.2.27 OneTimeDirection

int16 CFE_TIME_DiagnosticTlm_Payload::OneTimeDirection

One time STCF adjustment direction (Add = 1, Sub = 2)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAdjustDir

Definition at line 1034 of file cfe_time_msg.h.

10.121.2.28 ServerFlyState

int16 CFE_TIME_DiagnosticTlm_Payload::ServerFlyState

Used by clients only.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSrvFly

Definition at line 1020 of file cfe_time_msg.h.

10.121.2.29 TimeSinceTone

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::TimeSinceTone

Time elapsed since the tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DElapsedS, \$sc_\$cpu_TIME_DElapsedSs

Definition at line 998 of file cfe_time_msg.h.

10.121.2.30 ToneDataCounter

uint32 CFE_TIME_DiagnosticTlm_Payload::ToneDataCounter

Time at the tone data SB message count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTatTCNT

Definition at line 1066 of file cfe_time_msg.h.

10.121.2.31 ToneDataLatch

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::ToneDataLatch

Local Clock latched at arrival of tone data.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTDS, \$sc_\$cpu_TIME_DTDSs

Definition at line 1054 of file cfe_time_msg.h.

10.121.2.32 ToneIntCounter

uint32 CFE_TIME_DiagnosticTlm_Payload::ToneIntCounter

Tone signal ISR execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsISRCNT

Definition at line 1068 of file cfe_time_msg.h.

```
10.121.2.33 ToneIntErrorCounter
```

uint32 CFE_TIME_DiagnosticTlm_Payload::ToneIntErrorCounter

Tone signal ISR error count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsISRERR

Definition at line 1070 of file cfe_time_msg.h.

10.121.2.34 ToneMatchCounter

uint32 CFE_TIME_DiagnosticTlm_Payload::ToneMatchCounter

Tone signal / data verification count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVerifyCNT

Definition at line 1060 of file cfe_time_msg.h.

10.121.2.35 ToneMatchErrorCounter

uint32 CFE_TIME_DiagnosticTlm_Payload::ToneMatchErrorCounter

Tone signal / data verification error count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVerifyER

Definition at line 1062 of file cfe_time_msg.h.

10.121.2.36 ToneOverLimit

uint32 CFE_TIME_DiagnosticTlm_Payload::ToneOverLimit

Max between tone signal interrupts.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMaxSs

Definition at line 1110 of file cfe_time_msg.h.

10.121.2.37 ToneSignalCounter

uint32 CFE_TIME_DiagnosticTlm_Payload::ToneSignalCounter

Tone signal detected SB message count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTSDetCNT

Definition at line 1064 of file cfe_time_msg.h.

10.121.2.38 ToneSignalLatch

 ${\tt CFE_TIME_SysTime_t~CFE_TIME_DiagnosticTlm_Payload::ToneSignalLatch}$

Local Clock latched at most recent tone signal.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTTS, \$sc_\$cpu_TIME_DTTSs

Definition at line 1052 of file cfe_time_msg.h.

10.121.2.39 ToneTaskCounter

uint32 CFE_TIME_DiagnosticTlm_Payload::ToneTaskCounter

Tone task execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsTaskCNT

Definition at line 1072 of file cfe_time_msg.h.

10.121.2.40 ToneUnderLimit

uint32 CFE_TIME_DiagnosticTlm_Payload::ToneUnderLimit

Min between tone signal interrupts.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMinSs

Definition at line 1112 of file cfe_time_msg.h.

10.121.2.41 VersionCounter

```
uint32 CFE_TIME_DiagnosticTlm_Payload::VersionCounter
```

Count of mods to time at tone reference data (version)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVersionCNT

Definition at line 1074 of file cfe_time_msg.h.

10.121.2.42 VirtualMET

```
uint32 CFE_TIME_DiagnosticTlm_Payload::VirtualMET
```

Software MET.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLogicalMET

Definition at line 1084 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe_time_msg.h

10.122 CFE_TIME_HousekeepingTIm Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.
- CFE_TIME_HousekeepingTlm_Payload_t Payload Telemetry payload.

10.122.1 Detailed Description

Definition at line 965 of file cfe time msg.h.

10.122.2 Field Documentation

10.122.2.1 Payload

 ${\tt CFE_TIME_HousekeepingTlm_Payload_t~CFE_TIME_HousekeepingTlm::$

Telemetry payload.

Definition at line 968 of file cfe_time_msg.h.

10.122.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_TIME_HousekeepingTlm::TelemetryHeader
```

Telemetry header.

Definition at line 967 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.123 CFE_TIME_HousekeepingTIm_Payload Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

• uint8 CommandCounter

Time Command Execution Counter.

• uint8 CommandErrorCounter

Time Command Error Counter.

• uint16 ClockStateFlags

State Flags.

CFE_TIME_ClockState_Enum_t ClockStateAPI

API State.

· int16 LeapSeconds

Current Leaps Seconds.

uint32 SecondsMET

Current MET (seconds)

uint32 SubsecsMET

Current MET (sub-seconds)

uint32 SecondsSTCF

Current STCF (seconds)

uint32 SubsecsSTCF

Current STCF (sub-seconds)

uint32 Seconds1HzAdj

Current 1 Hz SCTF adjustment (seconds)

uint32 Subsecs1HzAdj

Current 1 Hz SCTF adjustment (sub-seconds)

· uint32 SecondsDelay

Current 1 Hz SCTF Delay (seconds)

uint32 SubsecsDelay

Current 1 Hz SCTF Delay (sub-seconds)

10.123.1 Detailed Description

Name Time Services Housekeeping Packet

Definition at line 906 of file cfe_time_msg.h.

10.123.2 Field Documentation

10.123.2.1 ClockStateAPI

CFE_TIME_ClockState_Enum_t CFE_TIME_HousekeepingTlm_Payload::ClockStateAPI

API State.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAPIState

Definition at line 921 of file cfe_time_msg.h.

10.123.2.2 ClockStateFlags

uint16 CFE_TIME_HousekeepingTlm_Payload::ClockStateFlags

State Flags.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_StateFlg, \$sc_\$cpu_TIME_FlagSet, \$sc_\$cpu_TIME_FlagFly, \$sc_\$cpu←

__TIME_FlagSrc, \$sc_\$cpu_TIME_FlagPri, \$sc_\$cpu_TIME_FlagSfly, \$sc_\$cpu_TIME_←

FlagCfly, \$sc_\$cpu_TIME_FlagAdjd, \$sc_\$cpu_TIME_Flag1Hzd, \$sc_\$cpu_TIME_FlagClat,

\$sc_\$cpu_TIME_FlagSorC, \$sc_\$cpu_TIME_FlagNIU

Definition at line 919 of file cfe time msg.h.

10.123.2.3 CommandCounter

uint8 CFE_TIME_HousekeepingTlm_Payload::CommandCounter

Time Command Execution Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_CMDPC

Definition at line 911 of file cfe_time_msg.h.

10.123.2.4 CommandErrorCounter

uint8 CFE_TIME_HousekeepingTlm_Payload::CommandErrorCounter

Time Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_CMDEC

Definition at line 913 of file cfe_time_msg.h.

10.123.2.5 LeapSeconds

int16 CFE_TIME_HousekeepingTlm_Payload::LeapSeconds

Current Leaps Seconds.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_LeapSecs

Definition at line 927 of file cfe_time_msg.h.

10.123.2.6 Seconds1HzAdj

uint32 CFE_TIME_HousekeepingTlm_Payload::Seconds1HzAdj

Current 1 Hz SCTF adjustment (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSecs

Definition at line 947 of file cfe_time_msg.h.

```
10.123.2.7 SecondsDelay
uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsDelay
Current 1 Hz SCTF Delay (seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_1HzAdjSecs
Definition at line 957 of file cfe_time_msg.h.
10.123.2.8 SecondsMET
uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsMET
Current MET (seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_METSecs
Definition at line 933 of file cfe_time_msg.h.
10.123.2.9 SecondsSTCF
uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsSTCF
Current STCF (seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_STCFSecs
Definition at line 938 of file cfe_time_msg.h.
10.123.2.10 Subsecs1HzAdj
uint32 CFE_TIME_HousekeepingTlm_Payload::Subsecs1HzAdj
Current 1 Hz SCTF adjustment (sub-seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_1HzAdjSSecs
```

Definition at line 949 of file cfe_time_msg.h.

```
10.123.2.11 SubsecsDelay
```

```
uint32 CFE_TIME_HousekeepingTlm_Payload::SubsecsDelay
```

Current 1 Hz SCTF Delay (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSSecs

Definition at line 959 of file cfe_time_msg.h.

10.123.2.12 SubsecsMET

```
uint32 CFE_TIME_HousekeepingTlm_Payload::SubsecsMET
```

Current MET (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_METSubsecs

Definition at line 935 of file cfe_time_msg.h.

10.123.2.13 SubsecsSTCF

```
uint32 CFE_TIME_HousekeepingTlm_Payload::SubsecsSTCF
```

Current STCF (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_STCFSubsecs

Definition at line 940 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.124 CFE_TIME_LeapsCmd_Payload Struct Reference

Set leap seconds command payload.

#include <cfe_time_msg.h>

Data Fields

• int16 LeapSeconds

10.124.1 Detailed Description

Set leap seconds command payload.

Definition at line 750 of file cfe_time_msg.h.

10.124.2 Field Documentation

10.124.2.1 LeapSeconds

```
int16 CFE_TIME_LeapsCmd_Payload::LeapSeconds
```

Definition at line 752 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.125 CFE_TIME_NoArgsCmd Struct Reference

Generic no argument command.

```
#include <cfe_time_msg.h>
```

Data Fields

 CFE_MSG_CommandHeader_t CommandHeader Command header.

10.125.1 Detailed Description

Generic no argument command.

Definition at line 729 of file cfe_time_msg.h.

10.125.2 Field Documentation

10.125.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TIME_NoArgsCmd::CommandHeader

Command header.

Definition at line 731 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.126 CFE_TIME_OneHzAdjustmentCmd Struct Reference

Generic seconds, subseconds adjustment command.

```
#include <cfe_time_msg.h>
```

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_OneHzAdjustmentCmd_Payload_t Payload

Command payload.

10.126.1 Detailed Description

Generic seconds, subseconds adjustment command.

Definition at line 867 of file cfe_time_msg.h.

10.126.2 Field Documentation

10.126.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TIME_OneHzAdjustmentCmd::CommandHeader

Command header.

Definition at line 869 of file cfe_time_msg.h.

```
10.126.2.2 Payload
```

```
{\tt CFE\_TIME\_OneHzAdjustmentCmd\_Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_T
```

Command payload.

Definition at line 870 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.127 CFE_TIME_OneHzAdjustmentCmd_Payload Struct Reference

Generic seconds, subseconds command payload.

```
#include <cfe_time_msg.h>
```

Data Fields

- · uint32 Seconds
- · uint32 Subseconds

10.127.1 Detailed Description

Generic seconds, subseconds command payload.

Definition at line 857 of file cfe_time_msg.h.

10.127.2 Field Documentation

10.127.2.1 Seconds

uint32 CFE_TIME_OneHzAdjustmentCmd_Payload::Seconds

Definition at line 859 of file cfe_time_msg.h.

10.127.2.2 Subseconds

```
uint32 CFE_TIME_OneHzAdjustmentCmd_Payload::Subseconds
```

Definition at line 860 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.128 CFE_TIME_SetLeapSecondsCmd Struct Reference

Set leap seconds command.

```
#include <cfe_time_msg.h>
```

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_LeapsCmd_Payload_t Payload
 Command payload.

10.128.1 Detailed Description

Set leap seconds command.

Definition at line 758 of file cfe_time_msg.h.

10.128.2 Field Documentation

10.128.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_TIME_SetLeapSecondsCmd::CommandHeader
```

Command header.

Definition at line 760 of file cfe_time_msg.h.

```
10.128.2.2 Payload
```

```
CFE_TIME_LeapsCmd_Payload_t CFE_TIME_SetLeapSecondsCmd::Payload
```

Command payload.

Definition at line 761 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.129 CFE_TIME_SetSignalCmd Struct Reference

Set tone signal source command.

```
#include <cfe_time_msg.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_SignalCmd_Payload_t Payload

Command payload.

10.129.1 Detailed Description

Set tone signal source command.

Definition at line 817 of file cfe_time_msg.h.

10.129.2 Field Documentation

10.129.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TIME_SetSignalCmd::CommandHeader

Command header.

Definition at line 819 of file cfe_time_msg.h.

```
10.129.2.2 Payload
```

```
CFE_TIME_SignalCmd_Payload_t CFE_TIME_SetSignalCmd::Payload
```

Command payload.

Definition at line 820 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.130 CFE_TIME_SetSourceCmd Struct Reference

Set time data source command.

```
#include <cfe_time_msg.h>
```

Data Fields

 $\bullet \ \ \mathsf{CFE_MSG_CommandHeader_t} \ \ \mathsf{CommandHeader}$

Command header.

CFE_TIME_SourceCmd_Payload_t Payload

Command payload.

10.130.1 Detailed Description

Set time data source command.

Definition at line 798 of file cfe_time_msg.h.

10.130.2 Field Documentation

10.130.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_TIME_SetSourceCmd::CommandHeader
```

Command header.

Definition at line 800 of file cfe_time_msg.h.

```
10.130.2.2 Payload
```

```
CFE_TIME_SourceCmd_Payload_t CFE_TIME_SetSourceCmd::Payload
```

Command payload.

Definition at line 801 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.131 CFE_TIME_SetStateCmd Struct Reference

Set clock state command.

```
#include <cfe_time_msg.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_StateCmd_Payload_t Payload

Command payload.

10.131.1 Detailed Description

Set clock state command.

Definition at line 779 of file cfe_time_msg.h.

10.131.2 Field Documentation

10.131.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TIME_SetStateCmd::CommandHeader

Command header.

Definition at line 781 of file cfe_time_msg.h.

10.131.2.2 Payload

CFE_TIME_StateCmd_Payload_t CFE_TIME_SetStateCmd::Payload

Command payload.

Definition at line 782 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.132 CFE_TIME_SignalCmd_Payload Struct Reference

Set tone signal source command payload.

```
#include <cfe_time_msg.h>
```

Data Fields

• int16 ToneSource

CFE_TIME_ToneSignalSelect_PRIMARY=Primary Source, CFE_TIME_ToneSignalSelect_REDUNDANT=Redundant Source

10.132.1 Detailed Description

Set tone signal source command payload.

Definition at line 807 of file cfe_time_msg.h.

10.132.2 Field Documentation

10.132.2.1 ToneSource

```
int16 CFE_TIME_SignalCmd_Payload::ToneSource
```

CFE_TIME_ToneSignalSelect_PRIMARY=Primary Source, CFE_TIME_ToneSignalSelect_REDUNDANT=Redundant Source

Selects either the "Primary" or "Redundant" tone signal source

Definition at line 809 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe time msg.h

10.133 CFE_TIME_SourceCmd_Payload Struct Reference

Set time data source command payload.

```
#include <cfe_time_msg.h>
```

Data Fields

• int16 TimeSource

CFE_TIME_SourceSelect_INTERNAL=Internal Source, CFE_TIME_SourceSelect_EXTERNAL=External Source

10.133.1 Detailed Description

Set time data source command payload.

Definition at line 788 of file cfe_time_msg.h.

10.133.2 Field Documentation

10.133.2.1 TimeSource

```
int16 CFE_TIME_SourceCmd_Payload::TimeSource
```

CFE TIME SourceSelect INTERNAL=Internal Source, CFE TIME SourceSelect EXTERNAL=External Source

Selects either the "Internal" and "External" clock source

Definition at line 790 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.134 CFE_TIME_StateCmd_Payload Struct Reference

Set clock state command payload.

```
#include <cfe_time_msg.h>
```

Data Fields

• CFE_TIME_ClockState_Enum_t ClockState

CFE_TIME_ClockState_INVALID=Spacecraft time has not been accurately set, CFE_TIME_ClockState_VAL←
ID=Spacecraft clock has been accurately set, CFE_TIME_ClockState_FLYWHEEL=Force into FLYWHEEL mode

10.134.1 Detailed Description

Set clock state command payload.

Definition at line 767 of file cfe_time_msg.h.

10.134.2 Field Documentation

10.134.2.1 ClockState

```
CFE_TIME_ClockState_Enum_t CFE_TIME_StateCmd_Payload::ClockState
```

CFE_TIME_ClockState_INVALID=Spacecraft time has not been accurately set, CFE_TIME_ClockState_VAL← ID=Spacecraft clock has been accurately set, CFE_TIME_ClockState_FLYWHEEL=Force into FLYWHEEL mode

Selects the current clock state

Definition at line 769 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.135 CFE_TIME_SysTime Struct Reference

Data structure used to hold system time values.

```
#include <cfe_time_extern_typedefs.h>
```

Data Fields

· uint32 Seconds

Number of seconds since epoch.

• uint32 Subseconds

Number of subseconds since epoch (LSB = 2^{\land} (-32) seconds)

10.135.1 Detailed Description

Data structure used to hold system time values.

Description

The CFE_TIME_SysTime_t data structure is used to hold time values. Time is referred to as the elapsed time (in seconds and subseconds) since a specified epoch time. The subseconds field contains the number of 2^{-1} second intervals that have elapsed since the epoch.

Definition at line 51 of file cfe time extern typedefs.h.

10.135.2 Field Documentation

10.135.2.1 Seconds

```
uint32 CFE_TIME_SysTime::Seconds
```

Number of seconds since epoch.

Definition at line 53 of file cfe_time_extern_typedefs.h.

10.135.2.2 Subseconds

```
uint32 CFE_TIME_SysTime::Subseconds
```

Number of subseconds since epoch (LSB = $2^{(-32)}$ seconds)

Definition at line 54 of file cfe_time_extern_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h

10.136 CFE_TIME_TimeCmd Struct Reference

Generic seconds, microseconds argument command.

```
#include <cfe_time_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_TIME_TimeCmd_Payload_t Payload

Command payload.

10.136.1 Detailed Description

Generic seconds, microseconds argument command.

Definition at line 835 of file cfe time msg.h.

10.136.2 Field Documentation

10.136.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TIME_TimeCmd::CommandHeader

Command header.

Definition at line 837 of file cfe time msg.h.

10.136.2.2 Payload

```
CFE_TIME_TimeCmd_Payload_t CFE_TIME_TimeCmd::Payload
```

Command payload.

Definition at line 838 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

Generic seconds, microseconds command payload.

```
#include <cfe_time_msg.h>
```

Data Fields

- uint32 Seconds
- · uint32 MicroSeconds

10.137.1 Detailed Description

Generic seconds, microseconds command payload.

Definition at line 826 of file cfe_time_msg.h.

10.137.2 Field Documentation

10.137.2.1 MicroSeconds

```
uint32 CFE_TIME_TimeCmd_Payload::MicroSeconds
```

Definition at line 829 of file cfe_time_msg.h.

10.137.2.2 Seconds

```
uint32 CFE_TIME_TimeCmd_Payload::Seconds
```

Definition at line 828 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.138 CFE_TIME_ToneDataCmd Struct Reference

Time at tone data command.

```
#include <cfe_time_msg.h>
```

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_TIME_ToneDataCmd_Payload_t Payload

Command payload.

10.138.1 Detailed Description

Time at tone data command.

Definition at line 895 of file cfe_time_msg.h.

10.138.2 Field Documentation

10.138.2.1 CommandHeader

CFE_MSG_CommandHeader_t CFE_TIME_ToneDataCmd::CommandHeader

Command header.

Definition at line 897 of file cfe_time_msg.h.

10.138.2.2 Payload

```
CFE_TIME_ToneDataCmd_Payload_t CFE_TIME_ToneDataCmd::Payload
```

Command payload.

Definition at line 898 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.139 CFE_TIME_ToneDataCmd_Payload Struct Reference

Time at tone data command payload.

```
#include <cfe_time_msg.h>
```

Data Fields

CFE TIME SysTime t AtToneMET

MET at time of tone.

CFE_TIME_SysTime_t AtToneSTCF

STCF at time of tone.

• int16 AtToneLeapSeconds

Leap Seconds at time of tone.

CFE_TIME_ClockState_Enum_t AtToneState

Clock state at time of tone.

10.139.1 Detailed Description

Time at tone data command payload.

Definition at line 884 of file cfe time msg.h.

10.139.2 Field Documentation

10.139.2.1 AtToneLeapSeconds

int16 CFE_TIME_ToneDataCmd_Payload::AtToneLeapSeconds

Leap Seconds at time of tone.

Definition at line 888 of file cfe_time_msg.h.

10.139.2.2 AtToneMET

CFE_TIME_SysTime_t CFE_TIME_ToneDataCmd_Payload::AtToneMET

MET at time of tone.

Definition at line 886 of file cfe_time_msg.h.

10.139.2.3 AtToneState

 ${\tt CFE_TIME_ClockState_Enum_t\ CFE_TIME_ToneDataCmd_Payload::AtToneState}$

Clock state at time of tone.

Definition at line 889 of file cfe_time_msg.h.

10.139.2.4 AtToneSTCF

CFE_TIME_SysTime_t CFE_TIME_ToneDataCmd_Payload::AtToneSTCF

STCF at time of tone.

Definition at line 887 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe_time_msg.h

10.140 OS_bin_sem_prop_t Struct Reference

OSAL binary semaphore properties.

```
#include <osapi-binsem.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator
- int32 value

10.140.1 Detailed Description

OSAL binary semaphore properties.

Definition at line 39 of file osapi-binsem.h.

10.140.2 Field Documentation

10.140.2.1 creator

```
osal_id_t OS_bin_sem_prop_t::creator
```

Definition at line 42 of file osapi-binsem.h.

10.140.2.2 name

```
char OS_bin_sem_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 41 of file osapi-binsem.h.

10.140.2.3 value

```
int32 OS_bin_sem_prop_t::value
```

Definition at line 43 of file osapi-binsem.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-binsem.h

10.141 OS_count_sem_prop_t Struct Reference

OSAL counting semaphore properties.

```
#include <osapi-countsem.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator
- int32 value

10.141.1 Detailed Description

OSAL counting semaphore properties.

Definition at line 32 of file osapi-countsem.h.

10.141.2 Field Documentation

```
10.141.2.1 creator
```

```
osal_id_t OS_count_sem_prop_t::creator
```

Definition at line 35 of file osapi-countsem.h.

```
10.141.2.2 name
```

```
char OS_count_sem_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 34 of file osapi-countsem.h.

10.141.2.3 value

```
int32 OS_count_sem_prop_t::value
```

Definition at line 36 of file osapi-countsem.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-countsem.h

10.142 os_dirent_t Struct Reference

Directory entry.

```
#include <osapi-dir.h>
```

Data Fields

char FileName [OS_MAX_FILE_NAME]

10.142.1 Detailed Description

Directory entry.

Definition at line 32 of file osapi-dir.h.

10.142.2 Field Documentation

10.142.2.1 FileName

```
char os_dirent_t::FileName[OS_MAX_FILE_NAME]
```

Definition at line 34 of file osapi-dir.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-dir.h

10.143 OS_FdSet Struct Reference

An abstract structure capable of holding several OSAL IDs.

```
#include <osapi-select.h>
```

Data Fields

• uint8 object_ids [(OS_MAX_NUM_OPEN_FILES+7)/8]

10.143.1 Detailed Description

An abstract structure capable of holding several OSAL IDs.

This is part of the select API and is manipulated using the related API calls. It should not be modified directly by applications.

Note: Math is to determine uint8 array size needed to represent single bit OS_MAX_NUM_OPEN_FILES objects, + 7 rounds up and 8 is the size of uint8.

See also

```
OS_SelectFdZero(), OS_SelectFdAdd(), OS_SelectFdClear(), OS_SelectFdIsSet()
```

Definition at line 43 of file osapi-select.h.

10.143.2 Field Documentation

10.143.2.1 object_ids

```
uint8 OS_FdSet::object_ids[(OS_MAX_NUM_OPEN_FILES+7)/8]
```

Definition at line 45 of file osapi-select.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-select.h

10.144 OS_file_prop_t Struct Reference

OSAL file properties.

```
#include <osapi-file.h>
```

Data Fields

- char Path [OS_MAX_PATH_LEN]
- osal_id_t User
- · uint8 IsValid

10.144.1 Detailed Description

OSAL file properties.

Definition at line 49 of file osapi-file.h.

10.144.2 Field Documentation

10.144.2.1 IsValid

```
uint8 OS_file_prop_t::IsValid
```

Definition at line 53 of file osapi-file.h.

10.144.2.2 Path

```
char OS_file_prop_t::Path[OS_MAX_PATH_LEN]
```

Definition at line 51 of file osapi-file.h.

10.144.2.3 User

```
osal_id_t OS_file_prop_t::User
```

Definition at line 52 of file osapi-file.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-file.h

10.145 os_fsinfo_t Struct Reference

OSAL file system info.

```
#include <osapi-filesys.h>
```

Data Fields

uint32 MaxFds

Total number of file descriptors.

• uint32 FreeFds

Total number that are free.

• uint32 MaxVolumes

Maximum number of volumes.

• uint32 FreeVolumes

Total number of volumes free.

10.145.1 Detailed Description

OSAL file system info.

Definition at line 35 of file osapi-filesys.h.

10.145.2 Field Documentation

10.145.2.1 FreeFds

```
uint32 os_fsinfo_t::FreeFds
```

Total number that are free.

Definition at line 38 of file osapi-filesys.h.

10.145.2.2 FreeVolumes

```
uint32 os_fsinfo_t::FreeVolumes
```

Total number of volumes free.

Definition at line 40 of file osapi-filesys.h.

10.145.2.3 MaxFds

```
uint32 os_fsinfo_t::MaxFds
```

Total number of file descriptors.

Definition at line 37 of file osapi-filesys.h.

10.145.2.4 MaxVolumes

```
uint32 os_fsinfo_t::MaxVolumes
```

Maximum number of volumes.

Definition at line 39 of file osapi-filesys.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-filesys.h

10.146 os_fstat_t Struct Reference

File system status.

```
#include <osapi-file.h>
```

Data Fields

- uint32 FileModeBits
- OS_time_t FileTime
- size_t FileSize

10.146.1 Detailed Description

File system status.

Note

This used to be directly typedef'ed to the "struct stat" from the C library

Some C libraries (glibc in particular) actually define member names to reference into sub-structures, so attempting to reuse a name like "st_mtime" might not work.

Definition at line 64 of file osapi-file.h.

10.146.2 Field Documentation

10.146.2.1 FileModeBits

```
uint32 os_fstat_t::FileModeBits
```

Definition at line 66 of file osapi-file.h.

10.146.2.2 FileSize

```
size_t os_fstat_t::FileSize
```

Definition at line 68 of file osapi-file.h.

```
10.146.2.3 FileTime
```

```
OS_time_t os_fstat_t::FileTime
```

Definition at line 67 of file osapi-file.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-file.h

10.147 OS_heap_prop_t Struct Reference

OSAL heap properties.

```
#include <osapi-heap.h>
```

Data Fields

- size_t free_bytes
- osal_blockcount_t free_blocks
- size_t largest_free_block

10.147.1 Detailed Description

OSAL heap properties.

See also

OS_HeapGetInfo()

Definition at line 36 of file osapi-heap.h.

10.147.2 Field Documentation

10.147.2.1 free_blocks

```
osal_blockcount_t OS_heap_prop_t::free_blocks
```

Definition at line 39 of file osapi-heap.h.

10.147.2.2 free_bytes

```
size_t OS_heap_prop_t::free_bytes
```

Definition at line 38 of file osapi-heap.h.

10.147.2.3 largest_free_block

```
size_t OS_heap_prop_t::largest_free_block
```

Definition at line 40 of file osapi-heap.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-heap.h

10.148 OS_module_address_t Struct Reference

OSAL module address properties.

```
#include <osapi-module.h>
```

Data Fields

- · uint32 valid
- uint32 flags
- · cpuaddr code address
- · cpuaddr code_size
- cpuaddr data_address
- cpuaddr data_size
- cpuaddr bss_address
- · cpuaddr bss_size

10.148.1 Detailed Description

OSAL module address properties.

Definition at line 78 of file osapi-module.h.

10.148.2 Field Documentation

```
10.148.2.1 bss_address
```

```
cpuaddr OS_module_address_t::bss_address
```

Definition at line 86 of file osapi-module.h.

```
10.148.2.2 bss_size
```

```
cpuaddr OS_module_address_t::bss_size
```

Definition at line 87 of file osapi-module.h.

10.148.2.3 code_address

```
cpuaddr OS_module_address_t::code_address
```

Definition at line 82 of file osapi-module.h.

10.148.2.4 code_size

```
cpuaddr OS_module_address_t::code_size
```

Definition at line 83 of file osapi-module.h.

10.148.2.5 data_address

```
cpuaddr OS_module_address_t::data_address
```

Definition at line 84 of file osapi-module.h.

10.148.2.6 data_size

cpuaddr OS_module_address_t::data_size

Definition at line 85 of file osapi-module.h.

```
10.148.2.7 flags
```

```
uint32 OS_module_address_t::flags
```

Definition at line 81 of file osapi-module.h.

10.148.2.8 valid

```
uint32 OS_module_address_t::valid
```

Definition at line 80 of file osapi-module.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-module.h

10.149 OS_module_prop_t Struct Reference

OSAL module properties.

```
#include <osapi-module.h>
```

Data Fields

- · cpuaddr entry point
- cpuaddr host_module_id
- char filename [OS_MAX_PATH_LEN]
- char name [OS_MAX_API_NAME]
- OS_module_address_t addr

10.149.1 Detailed Description

OSAL module properties.

Definition at line 91 of file osapi-module.h.

10.149.2 Field Documentation

```
10.149.2.1 addr
```

```
OS_module_address_t OS_module_prop_t::addr
```

Definition at line 97 of file osapi-module.h.

10.149.2.2 entry_point

```
cpuaddr OS_module_prop_t::entry_point
```

Definition at line 93 of file osapi-module.h.

10.149.2.3 filename

```
char OS_module_prop_t::filename[OS_MAX_PATH_LEN]
```

Definition at line 95 of file osapi-module.h.

10.149.2.4 host_module_id

```
cpuaddr OS_module_prop_t::host_module_id
```

Definition at line 94 of file osapi-module.h.

10.149.2.5 name

```
char OS_module_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 96 of file osapi-module.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-module.h

10.150 OS_mut_sem_prop_t Struct Reference

OSAL mutex properties.

#include <osapi-mutex.h>

Data Fields

```
    char name [OS_MAX_API_NAME]
```

· osal_id_t creator

10.150.1 Detailed Description

OSAL mutex properties.

Definition at line 32 of file osapi-mutex.h.

10.150.2 Field Documentation

10.150.2.1 creator

```
osal_id_t OS_mut_sem_prop_t::creator
```

Definition at line 35 of file osapi-mutex.h.

10.150.2.2 name

```
char OS_mut_sem_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 34 of file osapi-mutex.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-mutex.h

10.151 OS_queue_prop_t Struct Reference

OSAL queue properties.

```
#include <osapi-queue.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- osal_id_t creator

```
10.151.1 Detailed Description
```

OSAL queue properties.

Definition at line 32 of file osapi-queue.h.

10.151.2 Field Documentation

10.151.2.1 creator

```
osal_id_t OS_queue_prop_t::creator
```

Definition at line 35 of file osapi-queue.h.

10.151.2.2 name

```
char OS_queue_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 34 of file osapi-queue.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-queue.h

10.152 OS_SockAddr_t Struct Reference

Encapsulates a generic network address.

```
#include <osapi-sockets.h>
```

Data Fields

size_t ActualLength

Length of the actual address data.

OS_SockAddrData_t AddrData

Abstract Address data.

10.152.1 Detailed Description

Encapsulates a generic network address.

This is just an abstract buffer type that holds a network address. It is allocated for the worst-case size defined by OS_SOCKADDR_MAX_LEN, and the real size is stored within.

Definition at line 109 of file osapi-sockets.h.

10.152.2 Field Documentation

10.152.2.1 ActualLength

```
size_t OS_SockAddr_t::ActualLength
```

Length of the actual address data.

Definition at line 111 of file osapi-sockets.h.

10.152.2.2 AddrData

```
OS_SockAddrData_t OS_SockAddr_t::AddrData
```

Abstract Address data.

Definition at line 112 of file osapi-sockets.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-sockets.h

10.153 OS_SockAddrData_t Union Reference

Storage buffer for generic network address.

```
#include <osapi-sockets.h>
```

Data Fields

uint8 Buffer [OS_SOCKADDR_MAX_LEN]

Ensures length of at least OS_SOCKADDR_MAX_LEN.

• uint32 AlignU32

Ensures uint32 alignment.

void * AlignPtr

Ensures pointer alignment.

10.153.1 Detailed Description

Storage buffer for generic network address.

This is a union type that helps to ensure a minimum alignment value for the data storage, such that it can be cast to the system-specific type without increasing alignment requirements.

Definition at line 95 of file osapi-sockets.h.

10.153.2 Field Documentation

10.153.2.1 AlignPtr

void* OS_SockAddrData_t::AlignPtr

Ensures pointer alignment.

Definition at line 99 of file osapi-sockets.h.

10.153.2.2 AlignU32

uint32 OS_SockAddrData_t::AlignU32

Ensures uint32 alignment.

Definition at line 98 of file osapi-sockets.h.

10.153.2.3 Buffer

uint8 OS_SockAddrData_t::Buffer[OS_SOCKADDR_MAX_LEN]

Ensures length of at least OS_SOCKADDR_MAX_LEN.

Definition at line 97 of file osapi-sockets.h.

The documentation for this union was generated from the following file:

osal/src/os/inc/osapi-sockets.h

10.154 OS_socket_prop_t Struct Reference

Encapsulates socket properties.

```
#include <osapi-sockets.h>
```

Data Fields

• char name [OS_MAX_API_NAME]

Name of the socket.

· osal id t creator

OSAL TaskID which opened the socket.

10.154.1 Detailed Description

Encapsulates socket properties.

This is for consistency with other OSAL resource types. Currently no extra properties are exposed here but this could change in a future revision of OSAL as needed.

Definition at line 122 of file osapi-sockets.h.

10.154.2 Field Documentation

10.154.2.1 creator

```
osal_id_t OS_socket_prop_t::creator
```

OSAL TaskID which opened the socket.

Definition at line 125 of file osapi-sockets.h.

10.154.2.2 name

```
char OS_socket_prop_t::name[OS_MAX_API_NAME]
```

Name of the socket.

Definition at line 124 of file osapi-sockets.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-sockets.h

10.155 OS_static_symbol_record_t Struct Reference

Associates a single symbol name with a memory address.

```
#include <osapi-module.h>
```

Data Fields

- const char * Name
- void(* Address)(void)
- const char * Module

10.155.1 Detailed Description

Associates a single symbol name with a memory address.

If the OS_STATIC_SYMBOL_TABLE feature is enabled, then an array of these structures should be provided by the application. When the application needs to find a symbol address, the static table will be checked in addition to (or instead of) the OS/library-provided lookup function.

This static symbol allows systems that do not implement dynamic module loading to maintain the same semantics as dynamically loaded modules.

Definition at line 113 of file osapi-module.h.

10.155.2 Field Documentation

10.155.2.1 Address

```
void(* OS_static_symbol_record_t::Address) (void)
```

Definition at line 116 of file osapi-module.h.

10.155.2.2 Module

```
const char* OS_static_symbol_record_t::Module
```

Definition at line 117 of file osapi-module.h.

10.155.2.3 Name

```
const char* OS_static_symbol_record_t::Name
```

Definition at line 115 of file osapi-module.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-module.h

10.156 OS_statvfs_t Struct Reference

```
#include <osapi-filesys.h>
```

Data Fields

- size_t block_size
- · osal_blockcount_t total_blocks
- · osal_blockcount_t blocks_free

10.156.1 Detailed Description

Definition at line 49 of file osapi-filesys.h.

10.156.2 Field Documentation

10.156.2.1 block_size

```
size_t OS_statvfs_t::block_size
```

Block size of underlying FS

Definition at line 51 of file osapi-filesys.h.

10.156.2.2 blocks_free

```
osal_blockcount_t OS_statvfs_t::blocks_free
```

Available blocks in underlying FS

Definition at line 53 of file osapi-filesys.h.

```
10.156.2.3 total_blocks
```

```
osal_blockcount_t OS_statvfs_t::total_blocks
```

Total blocks in underlying FS

Definition at line 52 of file osapi-filesys.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-filesys.h

10.157 OS_task_prop_t Struct Reference

OSAL task properties.

```
#include <osapi-task.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator
- size_t stack_size
- · osal_priority_t priority

10.157.1 Detailed Description

OSAL task properties.

Definition at line 57 of file osapi-task.h.

10.157.2 Field Documentation

10.157.2.1 creator

osal_id_t OS_task_prop_t::creator

Definition at line 60 of file osapi-task.h.

10.157.2.2 name

```
char OS_task_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 59 of file osapi-task.h.

10.157.2.3 priority

```
osal_priority_t OS_task_prop_t::priority
```

Definition at line 62 of file osapi-task.h.

10.157.2.4 stack_size

```
size_t OS_task_prop_t::stack_size
```

Definition at line 61 of file osapi-task.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-task.h

10.158 OS_time_t Struct Reference

OSAL time interval structure.

```
#include <osapi-clock.h>
```

Data Fields

· int64 ticks

10.158.1 Detailed Description

OSAL time interval structure.

This is used to represent a basic time interval.

When used with OS_GetLocalTime/OS_SetLocalTime, this represents the interval from the OS's epoch point, typically 01 Jan 1970 00:00:00 UTC on systems that have a persistent real time clock (RTC), or the system boot time if there is no RTC available.

Applications should not directly access fields within this structure, as the definition may change in future versions of OSAL. Instead, applications should use the accessor/conversion methods defined below.

Definition at line 45 of file osapi-clock.h.

10.158.2 Field Documentation

10.158.2.1 ticks

```
int64 OS_time_t::ticks
```

Ticks elapsed since reference point

Definition at line 47 of file osapi-clock.h.

Referenced by OS_TimeAdd(), OS_TimeAssembleFromMicroseconds(), OS_TimeAssembleFromMilliseconds(), O \leftarrow S_TimeAssembleFromNanoseconds(), OS_TimeAssembleFromSubseconds(), OS_TimeGetFractionalPart(), OS_ \leftarrow TimeGetTotalMicroseconds(), OS_TimeGetTotalMilliseconds(), OS_TimeGetTotalNanoseconds(), OS_TimeGetTotalConds(), OS_TimeGetTotalConds(),

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-clock.h

10.159 OS_timebase_prop_t Struct Reference

Time base properties.

```
#include <osapi-timebase.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · osal_id_t creator
- uint32 nominal_interval_time
- uint32 freerun_time
- · uint32 accuracy

10.159.1 Detailed Description

Time base properties.

Definition at line 37 of file osapi-timebase.h.

10.159.2 Field Documentation

```
10.159.2.1 accuracy
```

```
uint32 OS_timebase_prop_t::accuracy
```

Definition at line 43 of file osapi-timebase.h.

10.159.2.2 creator

```
osal_id_t OS_timebase_prop_t::creator
```

Definition at line 40 of file osapi-timebase.h.

10.159.2.3 freerun_time

```
uint32 OS_timebase_prop_t::freerun_time
```

Definition at line 42 of file osapi-timebase.h.

10.159.2.4 name

```
char OS_timebase_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 39 of file osapi-timebase.h.

10.159.2.5 nominal_interval_time

```
uint32 OS_timebase_prop_t::nominal_interval_time
```

Definition at line 41 of file osapi-timebase.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-timebase.h

10.160 OS_timer_prop_t Struct Reference

Timer properties.

```
#include <osapi-timer.h>
```

Data Fields

```
• char name [OS_MAX_API_NAME]
```

- · osal_id_t creator
- uint32 start_time
- · uint32 interval time
- · uint32 accuracy

10.160.1 Detailed Description

Timer properties.

Definition at line 37 of file osapi-timer.h.

10.160.2 Field Documentation

10.160.2.1 accuracy

uint32 OS_timer_prop_t::accuracy

Definition at line 43 of file osapi-timer.h.

10.160.2.2 creator

osal_id_t OS_timer_prop_t::creator

Definition at line 40 of file osapi-timer.h.

10.160.2.3 interval_time

uint32 OS_timer_prop_t::interval_time

Definition at line 42 of file osapi-timer.h.

10.160.2.4 name

char OS_timer_prop_t::name[OS_MAX_API_NAME]

Definition at line 39 of file osapi-timer.h.

11 File Documentation 717

10.160.2.5 start_time

```
uint32 OS_timer_prop_t::start_time
```

Definition at line 41 of file osapi-timer.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-timer.h

11 File Documentation

11.1 build/docs/osconfig-example.h File Reference

Macros

#define OS_MAX_TASKS

Configuration file Operating System Abstraction Layer.

#define OS_MAX_QUEUES

The maximum number of queues to support.

• #define OS_MAX_COUNT_SEMAPHORES

The maximum number of counting semaphores to support.

• #define OS_MAX_BIN_SEMAPHORES

The maximum number of binary semaphores to support.

#define OS_MAX_MUTEXES

The maximum number of mutexes to support.

#define OS_MAX_MODULES

The maximum number of modules to support.

#define OS_MAX_TIMEBASES

The maximum number of timebases to support.

#define OS_MAX_TIMERS

The maximum number of timer callbacks to support.

#define OS MAX NUM OPEN FILES

The maximum number of concurrently open files to support.

#define OS_MAX_NUM_OPEN_DIRS

The maximum number of concurrently open directories to support.

#define OS MAX FILE SYSTEMS

The maximum number of file systems to support.

#define OS_MAX_SYM_LEN

The maximum length of symbols.

#define OS MAX FILE NAME

The maximum length of OSAL file names.

#define OS_MAX_PATH_LEN

The maximum length of OSAL path names.

• #define OS MAX API NAME

The maximum length of OSAL resource names.

#define OS SOCKADDR MAX LEN

The maximum size of the socket address structure.

• #define OS BUFFER SIZE

The maximum size of output produced by a single OS_printf()

• #define OS BUFFER MSG DEPTH

The maximum number of OS_printf() output strings to buffer.

#define OS UTILITYTASK PRIORITY

Priority level of the background utility task.

#define OS_UTILITYTASK_STACK_SIZE

The stack size of the background utility task.

• #define OS_MAX_CMD_LEN

The maximum size of a shell command.

#define OS QUEUE MAX DEPTH

The maximum depth of OSAL queues.

• #define OS_SHELL_CMD_INPUT_FILE_NAME ""

The name of the temporary file used to store shell commands.

• #define OS PRINTF CONSOLE NAME ""

The name of the primary console device.

• #define OS MAX CONSOLES 1

The maximum number of console devices to support.

• #define OS MODULE FILE EXTENSION ".so"

The system-specific file extension used on loadable module files.

- #define OS_FS_DEV_NAME_LEN 32
- #define OS_FS_PHYS_NAME_LEN 64
- #define OS_FS_VOL_NAME_LEN 32

11.1.1 Macro Definition Documentation

11.1.1.1 OS_BUFFER_MSG_DEPTH

#define OS_BUFFER_MSG_DEPTH

The maximum number of OS_printf() output strings to buffer.

Based on the OSAL CONFIG PRINTF BUFFER DEPTH configuration option

Definition at line 180 of file osconfig-example.h.

11.1.1.2 OS_BUFFER_SIZE

#define OS_BUFFER_SIZE

The maximum size of output produced by a single OS_printf()

Based on the OSAL_CONFIG_PRINTF_BUFFER_SIZE configuration option

Definition at line 173 of file osconfig-example.h.

11.1.1.3 OS_FS_DEV_NAME_LEN

#define OS_FS_DEV_NAME_LEN 32

Device name length

Definition at line 265 of file osconfig-example.h.

11.1.1.4 OS_FS_PHYS_NAME_LEN

#define OS_FS_PHYS_NAME_LEN 64

Physical drive name length

Definition at line 266 of file osconfig-example.h.

11.1.1.5 OS_FS_VOL_NAME_LEN

#define OS_FS_VOL_NAME_LEN 32

Volume name length

Definition at line 267 of file osconfig-example.h.

11.1.1.6 OS_MAX_API_NAME

#define OS_MAX_API_NAME

The maximum length of OSAL resource names.

Based on the OSAL_CONFIG_MAX_API_NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 156 of file osconfig-example.h.

11.1.1.7 OS_MAX_BIN_SEMAPHORES

#define OS_MAX_BIN_SEMAPHORES

The maximum number of binary semaphores to support.

Based on the OSAL_CONFIG_MAX_BIN_SEMAPHORES configuration option

Definition at line 65 of file osconfig-example.h.

11.1.1.8 OS_MAX_CMD_LEN

#define OS_MAX_CMD_LEN

The maximum size of a shell command.

This limit is only applicable if shell support is enabled.

Based on the OSAL CONFIG MAX CMD LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 211 of file osconfig-example.h.

11.1.1.9 OS_MAX_CONSOLES

#define OS_MAX_CONSOLES 1

The maximum number of console devices to support.

Fixed value based on current OSAL implementation, not user configurable.

Definition at line 253 of file osconfig-example.h.

11.1.1.10 OS_MAX_COUNT_SEMAPHORES

#define OS_MAX_COUNT_SEMAPHORES

The maximum number of counting semaphores to support.

Based on the OSAL_CONFIG_MAX_COUNT_SEMAPHORES configuration option

Definition at line 58 of file osconfig-example.h.

11.1.1.11 OS_MAX_FILE_NAME

#define OS_MAX_FILE_NAME

The maximum length of OSAL file names.

This limit applies specifically to the file name portion, not the directory portion, of a path name.

Based on the OSAL CONFIG MAX FILE NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 135 of file osconfig-example.h.

11.1.1.12 OS_MAX_FILE_SYSTEMS

#define OS_MAX_FILE_SYSTEMS

The maximum number of file systems to support.

Based on the OSAL_CONFIG_MAX_FILE_SYSTEMS configuration option

Definition at line 114 of file osconfig-example.h.

11.1.1.13 OS_MAX_MODULES

#define OS_MAX_MODULES

The maximum number of modules to support.

Based on the OSAL_CONFIG_MAX_MODULES configuration option

Definition at line 79 of file osconfig-example.h.

11.1.1.14 OS_MAX_MUTEXES

#define OS_MAX_MUTEXES

The maximum number of mutexes to support.

Based on the OSAL CONFIG MAX MUTEXES configuration option

Definition at line 72 of file osconfig-example.h.

11.1.1.15 OS_MAX_NUM_OPEN_DIRS

#define OS_MAX_NUM_OPEN_DIRS

The maximum number of concurrently open directories to support.

Based on the OSAL_CONFIG_MAX_NUM_OPEN_DIRS configuration option

Definition at line 107 of file osconfig-example.h.

11.1.1.16 OS_MAX_NUM_OPEN_FILES

#define OS_MAX_NUM_OPEN_FILES

The maximum number of concurrently open files to support.

Based on the OSAL CONFIG MAX NUM OPEN FILES configuration option

Definition at line 100 of file osconfig-example.h.

11.1.1.17 OS_MAX_PATH_LEN

#define OS_MAX_PATH_LEN

The maximum length of OSAL path names.

This limit applies to the overall length of a path name, including the file name and directory portions.

Based on the OSAL_CONFIG_MAX_PATH_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 147 of file osconfig-example.h.

11.1.1.18 OS_MAX_QUEUES

#define OS_MAX_QUEUES

The maximum number of queues to support.

Based on the OSAL CONFIG MAX QUEUES configuration option

Definition at line 51 of file osconfig-example.h.

11.1.1.19 OS_MAX_SYM_LEN

#define OS_MAX_SYM_LEN

The maximum length of symbols.

Based on the OSAL_CONFIG_MAX_SYM_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 123 of file osconfig-example.h.

11.1.1.20 OS_MAX_TASKS

#define OS_MAX_TASKS

Configuration file Operating System Abstraction Layer.

The specific definitions in this file may only be modified by setting the respective OSAL configuration options in the CMake build.

Any direct modifications to the generated copy will be overwritten each time CMake executes.

Note

This file was automatically generated by CMake from /home/runner/work/cFE/cFE/cfe/default_config.cmake The maximum number of to support

Based on the OSAL_CONFIG_MAX_TASKS configuration option

Definition at line 44 of file osconfig-example.h.

11.1.1.21 OS_MAX_TIMEBASES

#define OS_MAX_TIMEBASES

The maximum number of timebases to support.

Based on the OSAL_CONFIG_MAX_TIMEBASES configuration option

Definition at line 86 of file osconfig-example.h.

11.1.1.22 OS_MAX_TIMERS

```
#define OS_MAX_TIMERS
```

The maximum number of timer callbacks to support.

Based on the OSAL_CONFIG_MAX_TIMERS configuration option

Definition at line 93 of file osconfig-example.h.

11.1.1.23 OS_MODULE_FILE_EXTENSION

```
#define OS_MODULE_FILE_EXTENSION ".so"
```

The system-specific file extension used on loadable module files.

Fixed value based on system selection, not user configurable.

Definition at line 260 of file osconfig-example.h.

11.1.1.24 OS_PRINTF_CONSOLE_NAME

```
#define OS_PRINTF_CONSOLE_NAME ""
```

The name of the primary console device.

This is the device to which OS_printf() output is written. The output may be configured to tag each line with this prefix for identification.

Based on the OSAL_CONFIG_PRINTF_CONSOLE_NAME configuration option

Definition at line 238 of file osconfig-example.h.

11.1.1.25 OS_QUEUE_MAX_DEPTH

```
#define OS_QUEUE_MAX_DEPTH
```

The maximum depth of OSAL queues.

Based on the OSAL_CONFIG_QUEUE_MAX_DEPTH configuration option

Definition at line 218 of file osconfig-example.h.

11.1.1.26 OS_SHELL_CMD_INPUT_FILE_NAME

#define OS_SHELL_CMD_INPUT_FILE_NAME ""

The name of the temporary file used to store shell commands.

This configuration is only applicable if shell support is enabled, and only necessary/relevant on some OS implementations.

Based on the OSAL_CONFIG_SHELL_CMD_INPUT_FILE_NAME configuration option

Definition at line 228 of file osconfig-example.h.

11.1.1.27 OS_SOCKADDR_MAX_LEN

#define OS_SOCKADDR_MAX_LEN

The maximum size of the socket address structure.

This is part of the Socket API, and should be set large enough to hold the largest address type in use on the target system.

Based on the OSAL_CONFIG_SOCKADDR_MAX_LEN configuration option

Definition at line 166 of file osconfig-example.h.

11.1.1.28 OS_UTILITYTASK_PRIORITY

#define OS_UTILITYTASK_PRIORITY

Priority level of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_PRIORITY configuration option

Definition at line 190 of file osconfig-example.h.

11.1.1.29 OS_UTILITYTASK_STACK_SIZE

#define OS_UTILITYTASK_STACK_SIZE

The stack size of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_STACK_SIZE configuration option

Definition at line 200 of file osconfig-example.h.

11.2 cpu1_msgids.h File Reference

```
#include "cfe_mission_cfg.h"
```

Macros

#define CFE PLATFORM CMD MID BASE 0x1800

Platform command message ID base offset.

• #define CFE_PLATFORM_TLM_MID_BASE 0x0800

Platform telemetry message ID base offset.

#define CFE_PLATFORM_CMD_MID_BASE_GLOB 0x1860

"Global" command message ID base offset

- #define CFE_EVS_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_EVS_CMD_MSG /*
 0x1801 */
- #define CFE_TEST_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TEST_CMD_MSG /*
 0x1802 */
- #define CFE_SB_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_CMD_MSG /* 0x1803
 */
- #define CFE_TBL_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TBL_CMD_MSG /*
 0x1804 */
- #define CFE_TIME_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_CMD_MSG /*
 0x1805 */
- #define CFE_ES_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_ES_CMD_MSG /* 0x1806
 */
- #define CFE_ES_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_ES_SEND_HK_MSG /* 0x1808 */
- #define CFE_SB_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SEND_HK_MSG /* 0x180B */
- #define CFE_TIME_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_SEND_H
 K MSG /* 0x180D */
- #define CFE_SB_SUB_RPT_CTRL_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SUB_R
 PT_CTRL_MSG /* 0x180E */

- #define CFE_ES_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_HK_TLM_MSG /*
 0x0800 */
- #define CFE_EVS_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_HK_TLM_MSG /* 0x0801 */

- #define CFE_SB_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_HK_TLM_MSG /*
 0x0803 */
- #define CFE_TBL_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TBL_HK_TLM_MSG /* 0x0804 */
- #define CFE_TIME_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TIME_HK_TLM_M
 SG /* 0x0805 */
- #define CFE_EVS_LONG_EVENT_MSG_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_L← ONG_EVENT_MSG_MSG /* 0x0808 */
- #define CFE_SB_STATS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_STATS_TLM
 MSG /* 0x080A */
- #define CFE_ES_APP_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_APP_TLM_MSG /* 0x080B */

- #define CFE_SB_ONESUB_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_ONESUB_

 TLM_MSG /* 0x080E */
- #define CFE_ES_MEMSTATS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_MEMS← TATS_TLM_MSG /* 0x0810 */

11.2.1 Detailed Description

Purpose: This header file contains the Message Id's for messages used by the cFE core.

Author: R.McGraw/SSI

Notes: This file should not contain messages defined by cFE external applications.

11.2.2 Macro Definition Documentation

11.2.2.1 CFE_ES_APP_TLM_MID

#define CFE_ES_APP_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_APP_TLM_MSG /* 0x080B */

Definition at line 125 of file cpu1 msgids.h.

```
11.2.2.2 CFE_ES_CMD_MID
```

#define CFE_ES_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_ES_CMD_MSG /* 0x1806 */

Definition at line 92 of file cpu1_msgids.h.

11.2.2.3 CFE_ES_HK_TLM_MID

#define CFE_ES_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_HK_TLM_MSG /* 0x0800 */

Definition at line 115 of file cpu1_msgids.h.

11.2.2.4 CFE_ES_MEMSTATS_TLM_MID

#define CFE_ES_MEMSTATS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_MEMSTATS_TLM_MSG /*
0x0810 */

Definition at line 129 of file cpu1 msgids.h.

11.2.2.5 CFE_ES_SEND_HK_MID

#define CFE_ES_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_ES_SEND_HK_MSG /* 0x1808 */

Definition at line 94 of file cpu1_msgids.h.

11.2.2.6 CFE_EVS_CMD_MID

#define CFE_EVS_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_EVS_CMD_MSG /* 0x1801 */

Definition at line 87 of file cpu1_msgids.h.

11.2.2.7 CFE_EVS_HK_TLM_MID

#define CFE_EVS_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_HK_TLM_MSG /* 0x0801 */

Definition at line 116 of file cpu1_msgids.h.

11.2.2.8 CFE_EVS_LONG_EVENT_MSG_MID

#define CFE_EVS_LONG_EVENT_MSG_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_LONG_EVENT_MSG_MSG
/* 0x0808 */

Definition at line 122 of file cpu1 msgids.h.

11.2.2.9 CFE_EVS_SEND_HK_MID

```
#define CFE_EVS_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_EVS_SEND_HK_MSG /* 0x1809 */
```

Definition at line 95 of file cpu1_msgids.h.

11.2.2.10 CFE_EVS_SHORT_EVENT_MSG_MID

#define CFE_EVS_SHORT_EVENT_MSG_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_SHORT_EVENT_MSG_←
MSG /* 0x0809 */

Definition at line 123 of file cpu1_msgids.h.

11.2.2.11 CFE_PLATFORM_CMD_MID_BASE

#define CFE_PLATFORM_CMD_MID_BASE 0x1800

Platform command message ID base offset.

Example mechanism for setting default command bits and deconflicting MIDs across multiple platforms in a mission. For any sufficiently complex mission this method is typically replaced by a centralized message ID management scheme.

0x1800 - Nominal value for default message ID implementation (V1). This sets the command field and the secondary header present field. Typical V1 command MID range is 0x1800-1FFF. Additional cpus can deconflict message IDs by incrementing this value to provide sub-allocations (0x1900 for example). 0x0080 - Command bit for MISSION_MSGI← D_V2 message ID implementation (V2). Although this can be used for the value below due to the relatively small set of MIDs in the framework it will not scale so an alternative method of deconfliction is recommended.

Definition at line 59 of file cpu1_msgids.h.

11.2.2.12 CFE_PLATFORM_CMD_MID_BASE_GLOB

#define CFE_PLATFORM_CMD_MID_BASE_GLOB 0x1860

"Global" command message ID base offset

0x1860 - Nominal value for message ID V1 0x00E0 - Potential value for MISSION_MSGID_V2, note command bit is 0x0080. Works in limited cases only, alternative method of deconfliction is recommended. See CFE_PLATFORM_C← MD_MID_BASE for more information

Definition at line 82 of file cpu1_msgids.h.

11.2.2.13 CFE_PLATFORM_TLM_MID_BASE

#define CFE_PLATFORM_TLM_MID_BASE 0x0800

Platform telemetry message ID base offset.

0x0800 - Nominal for message ID V1 0x0000 - Potential value for MISSION_MSGID_V2, but limited to a range of 0x0000-0x007F since the command bit is 0x0080. Alternative method of deconfliction is recommended.

See CFE_PLATFORM_CMD_MID_BASE for more information

Definition at line 71 of file cpu1 msgids.h.

11.2.2.14 CFE_SB_ALLSUBS_TLM_MID

#define CFE_SB_ALLSUBS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_ALLSUBS_TLM_MSG /* 0x080↔ D */

Definition at line 127 of file cpu1 msgids.h.

11.2.2.15 CFE SB CMD MID

#define CFE_SB_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_CMD_MSG /* 0x1803 */

Definition at line 89 of file cpu1_msgids.h.

11.2.2.16 CFE_SB_HK_TLM_MID

#define CFE_SB_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_HK_TLM_MSG /* 0x0803 */

Definition at line 118 of file cpu1_msgids.h.

```
11.2.2.17 CFE_SB_ONESUB_TLM_MID
```

```
#define CFE_SB_ONESUB_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_ONESUB_TLM_MSG /* 0x080E
*/
```

Definition at line 128 of file cpu1_msgids.h.

11.2.2.18 CFE_SB_SEND_HK_MID

```
#define CFE_SB_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SEND_HK_MSG /* 0x180B */
```

Definition at line 97 of file cpu1_msgids.h.

11.2.2.19 CFE_SB_STATS_TLM_MID

```
#define CFE_SB_STATS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_STATS_TLM_MSG /* 0x080A */
```

Definition at line 124 of file cpu1 msgids.h.

11.2.2.20 CFE_SB_SUB_RPT_CTRL_MID

```
#define CFE_SB_SUB_RPT_CTRL_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SUB_RPT_CTRL_MSG /*
0x180E */
```

Definition at line 101 of file cpu1_msgids.h.

11.2.2.21 CFE_TBL_CMD_MID

```
#define CFE_TBL_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TBL_CMD_MSG /* 0x1804 */
```

Definition at line 90 of file cpu1 msgids.h.

11.2.2.22 CFE_TBL_HK_TLM_MID

```
#define CFE_TBL_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TBL_HK_TLM_MSG /* 0x0804 */
```

Definition at line 119 of file cpu1_msgids.h.

```
11.2.2.23 CFE_TBL_REG_TLM_MID
#define CFE_TBL_REG_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TBL_REG_TLM_MSG /* 0x080C */
Definition at line 126 of file cpu1 msgids.h.
11.2.2.24 CFE TBL SEND HK MID
#define CFE_TBL_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TBL_SEND_HK_MSG /* 0x180C */
Definition at line 98 of file cpu1 msgids.h.
11.2.2.25 CFE_TEST_CMD_MID
#define CFE_TEST_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TEST_CMD_MSG /* 0x1802 */
Definition at line 88 of file cpu1_msgids.h.
11.2.2.26 CFE_TEST_HK_TLM_MID
#define CFE_TEST_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TEST_HK_TLM_MSG /* 0x0802 */
Definition at line 117 of file cpu1 msgids.h.
11.2.2.27 CFE_TIME_1HZ_CMD_MID
#define CFE_TIME_1HZ_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_1HZ_CMD_MSG /* 0x1811 */
Definition at line 104 of file cpu1 msgids.h.
11.2.2.28 CFE_TIME_CMD_MID
```

#define CFE_TIME_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_CMD_MSG /* 0x1805 */

Definition at line 91 of file cpu1_msgids.h.

11.2.2.29 CFE_TIME_DATA_CMD_MID

#define CFE_TIME_DATA_CMD_MID CFE_PLATFORM_CMD_MID_BASE_GLOB + CFE_MISSION_TIME_DATA_CMD_MSG /*
0x1860 */

Definition at line 109 of file cpu1_msgids.h.

11.2.2.30 CFE_TIME_DIAG_TLM_MID

#define CFE_TIME_DIAG_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TIME_DIAG_TLM_MSG /* 0x0806
*/

Definition at line 121 of file cpu1_msgids.h.

11.2.2.31 CFE_TIME_HK_TLM_MID

#define CFE_TIME_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TIME_HK_TLM_MSG /* 0x0805 */

Definition at line 120 of file cpu1_msgids.h.

11.2.2.32 CFE TIME SEND CMD MID

#define CFE_TIME_SEND_CMD_MID CFE_PLATFORM_CMD_MID_BASE_GLOB + CFE_MISSION_TIME_SEND_CMD_MSG /*
0x1862 */

Definition at line 110 of file cpu1_msgids.h.

11.2.2.33 CFE_TIME_SEND_HK_MID

#define CFE_TIME_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_SEND_HK_MSG /* 0x180D */

Definition at line 99 of file cpu1_msgids.h.

11.2.2.34 CFE_TIME_TONE_CMD_MID

#define CFE_TIME_TONE_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_TONE_CMD_MSG /* 0x1810 */

Definition at line 103 of file cpu1 msgids.h.

11.3 cpu1_platform_cfg.h File Reference

Macros

- #define CFE PLATFORM ES NONVOL DISK MOUNT STRING "/cf"
- #define CFE PLATFORM ES RAM DISK MOUNT STRING "/ram"
- #define CFE_PLATFORM_SB_MAX_MSG_IDS 256
- #define CFE PLATFORM SB MAX PIPES 64
- #define CFE PLATFORM SB MAX DEST PER PKT 16
- #define CFE PLATFORM SB DEFAULT MSG LIMIT 4
- #define CFE PLATFORM SB BUF MEMORY BYTES 524288
- #define CFE_PLATFORM_SB_HIGHEST_VALID_MSGID 0x1FFF
- #define CFE PLATFORM ENDIAN CCSDS LITTLE ENDIAN
- #define CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME "/ram/cfe_sb_route.dat"
- #define CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME "/ram/cfe_sb_pipe.dat"
- #define CFE PLATFORM SB DEFAULT MAP FILENAME "/ram/cfe sb msgmap.dat"
- #define CFE_PLATFORM_SB_FILTERED_EVENT1 CFE_SB_SEND_NO_SUBS_EID
- #define CFE PLATFORM SB FILTER MASK1 CFE EVS FIRST 4 STOP
- #define CFE PLATFORM SB FILTERED EVENT2 CFE SB DUP SUBSCRIP EID
- #define CFE PLATFORM SB FILTER MASK2 CFE EVS FIRST 4 STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT3 CFE_SB_MSGID_LIM_ERR_EID
- #define CFE PLATFORM SB FILTER MASK3 CFE EVS FIRST 16 STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT4 CFE_SB_Q_FULL_ERR_EID
- #define CFE PLATFORM SB FILTER MASK4 CFE EVS FIRST 16 STOP
- #define CFE PLATFORM SB FILTERED EVENT5 0
- #define CFE PLATFORM SB FILTER MASK5 CFE EVS NO FILTER
- #define CFE_PLATFORM_SB_FILTERED_EVENT6 0
- #define CFE_PLATFORM_SB_FILTER_MASK6 CFE_EVS_NO_FILTER
- #define CFE PLATFORM SB FILTERED EVENT7 0
- #define CFE PLATFORM SB FILTER MASK7 CFE EVS NO FILTER
- #define CFE PLATFORM SB FILTERED EVENT8 0
- #define CFE_PLATFORM_SB_FILTER_MASK8 CFE_EVS_NO_FILTER
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 8
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 16
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 64
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 96
- #define CFE PLATFORM SB MEM BLOCK SIZE 07 128
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 160
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 256
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 512
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11 1024
- #define CFE PLATFORM SB MEM BLOCK SIZE 12 2048
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13 4096
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 8192
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 16384
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16 32768
- #define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MSG_SIZE + 128)
- #define CFE PLATFORM TIME CFG SERVER true

- #define CFE_PLATFORM_TIME_CFG_CLIENT false
- #define CFE PLATFORM TIME CFG VIRTUAL true
- #define CFE_PLATFORM_TIME_CFG_SIGNAL false
- #define CFE PLATFORM TIME CFG SOURCE false
- #define CFE PLATFORM TIME CFG SRC MET false
- #define CFE_PLATFORM_TIME_CFG_SRC_GPS false
- #define CFE_PLATFORM_TIME_CFG_SRC_TIME false
- #define CFE PLATFORM TIME MAX DELTA SECS 0
- #define CFE PLATFORM TIME MAX DELTA SUBS 500000
- #define CFE_PLATFORM_TIME_MAX_LOCAL_SECS 27
- #define CFE PLATFORM TIME MAX LOCAL SUBS 0
- #define CFE PLATFORM TIME CFG TONE LIMIT 20000
- #define CFE_PLATFORM_TIME_CFG_START_FLY 2
- #define CFE_PLATFORM_TIME_CFG_LATCH_FLY 8
- #define CFE_PLATFORM_ES_MAX_APPLICATIONS 32
- #define CFE_PLATFORM_ES_MAX_LIBRARIES 10
- #define CFE_PLATFORM_ES_ER_LOG_ENTRIES 20
- #define CFE PLATFORM ES ER LOG MAX CONTEXT SIZE 256
- #define CFE_PLATFORM_ES_SYSTEM_LOG_SIZE 3072
- #define CFE_PLATFORM_ES_OBJECT_TABLE_SIZE 30
- #define CFE PLATFORM ES MAX GEN COUNTERS 8
- #define CFE_PLATFORM_ES_APP_SCAN_RATE 1000
- #define CFE PLATFORM ES APP KILL TIMEOUT 5
- #define CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE 512
- #define CFE PLATFORM ES RAM DISK NUM SECTORS 4096
- #define CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED 30
- #define CFE_PLATFORM_ES_CDS_SIZE (128 * 1024)
- #define CFE_PLATFORM_ES_USER_RESERVED_SIZE (1024 * 1024)
- #define CFE_PLATFORM_ES_RESET_AREA_SIZE (170 * 1024)
- #define CFE PLATFORM ES MEMPOOL ALIGN SIZE MIN 4
- #define CFE PLATFORM ES NONVOL STARTUP FILE "/cf/cfe es startup.scr"
- #define CFE PLATFORM ES VOLATILE STARTUP FILE "/ram/cfe es startup.scr"
- #define CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE "/ram/cfe_es_app_info.log"
- #define CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE "/ram/cfe_es_taskinfo.log"
- #define CFE PLATFORM ES DEFAULT SYSLOG FILE "/ram/cfe es syslog.log"
- #define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE "/ram/cfe_erlog.log"
- #define CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"
- #define CFE PLATFORM ES DEFAULT CDS REG DUMP FILE "/ram/cfe cds reg.log"
- #define CFE PLATFORM ES DEFAULT POR SYSLOG MODE 0
- #define CFE PLATFORM ES DEFAULT PR SYSLOG MODE 1
- #define CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE 10000
- #define CFE_PLATFORM_ES_PERF_FILTMASK_NONE 0
- #define CFE_PLATFORM_ES_PERF_FILTMASK_ALL ~CFE_PLATFORM_ES_PERF_FILTMASK_NONE
- #define CFE PLATFORM ES PERF FILTMASK INIT CFE PLATFORM ES PERF FILTMASK ALL
- #define CFE PLATFORM ES PERF TRIGMASK NONE 0
- #define CFE_PLATFORM_ES_PERF_TRIGMASK_ALL ~CFE_PLATFORM_ES_PERF_TRIGMASK_NONE
- #define CFE_PLATFORM_ES_PERF_TRIGMASK_INIT CFE_PLATFORM_ES_PERF_TRIGMASK_NONE
- #define CFE_PLATFORM_ES_PERF_CHILD_PRIORITY 200
- #define CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE 4096
- #define CFE PLATFORM ES PERF CHILD MS DELAY 20
- #define CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS 50

- #define CFE_PLATFORM_ES_DEFAULT_STACK_SIZE 8192
- #define CFE PLATFORM EVS START TASK PRIORITY 61
- #define CFE PLATFORM_EVS_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE PLATFORM SB START TASK PRIORITY 64
- #define CFE PLATFORM SB START TASK STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE
- #define CFE PLATFORM ES START TASK PRIORITY 68
- #define CFE PLATFORM ES START TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE PLATFORM TIME START TASK PRIORITY 60
- #define CFE_PLATFORM_TIME_TONE_TASK_PRIORITY 25
- #define CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY 25
- #define CFE_PLATFORM_TIME_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_S
 IZE
- #define CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE 4096
- #define CFE PLATFORM TIME 1HZ TASK STACK SIZE 8192
- #define CFE PLATFORM TBL START TASK PRIORITY 70
- #define CFE_PLATFORM_TBL_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE PLATFORM ES CDS MAX NUM ENTRIES 512
- #define CFE PLATFORM ES MAX PROCESSOR RESETS 2
- #define CFE PLATFORM ES POOL MAX BUCKETS 17
- #define CFE_PLATFORM_ES_MAX_MEMORY_POOLS 10
- #define CFE PLATFORM ES MEM BLOCK SIZE 01 8
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 16
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 32
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 48
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 64
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 96
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 128
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 160
 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 256
- #define CFE PLATFORM ES MEM BLOCK SIZE 10 512
- #define CFE PLATFORM ES MEM BLOCK SIZE 11 1024
- #define CFE PLATFORM ES MEM BLOCK SIZE 12 2048
- #define CFE PLATFORM ES MEM BLOCK SIZE 13 4096
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14 8192
- #define CFE PLATFORM ES MEM BLOCK SIZE 15 16384
- #define CFE PLATFORM ES MEM BLOCK SIZE 16 32768
- #define CFE PLATFORM ES MAX BLOCK SIZE 80000
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 01 8
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 02 16
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 03 32
- * #define of L_FLATFORM_LS_ODS_MLM_DLOOK_SIZE_05 52
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04 48
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05 64
 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06 96
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 07 128
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 08 160
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE 09 256
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 10 512
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11 1024
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12 2048
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 13 4096
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 14 8192

- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 16384
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 16 32768
- #define CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE 80000
- #define CFE PLATFORM EVS MAX EVENT FILTERS 8
- #define CFE PLATFORM EVS MAX APP EVENT BURST 32
- #define CFE PLATFORM EVS APP EVENTS PER SEC 8
- #define CFE PLATFORM EVS DEFAULT LOG FILE "/ram/cfe evs.log"
- #define CFE_PLATFORM_EVS_LOG_MAX 20
- #define CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE "/ram/cfe_evs_app.dat"
- #define CFE PLATFORM EVS PORT DEFAULT 0x0001
- #define CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG 0xE
- #define CFE_PLATFORM_EVS_DEFAULT_LOG_MODE 1
- #define CFE PLATFORM EVS DEFAULT MSG FORMAT MODE CFE EVS MsgFormat LONG
- #define CFE PLATFORM TBL BUF MEMORY BYTES 524288
- #define CFE PLATFORM TBL MAX DBL TABLE SIZE 16384
- #define CFE PLATFORM_TBL_MAX_SNGL_TABLE_SIZE 16384
- #define CFE PLATFORM TBL MAX NUM TABLES 128
- #define CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES 32
- #define CFE PLATFORM TBL MAX NUM HANDLES 256
- #define CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS 4
- #define CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS 10
- #define CFE PLATFORM TBL DEFAULT REG DUMP FILE "/ram/cfe tbl reg.log"
- #define CFE PLATFORM TBL VALID SCID COUNT 0
- #define CFE_PLATFORM_TBL_U32FROM4CHARS(_C1, _C2, _C3, _C4) ((uint32)(_C1) << 24 | (uint32)(_C2) << 16 | (uint32)(C3) << 8 | (uint32)(C4))
- #define CFE_PLATFORM_TBL_VALID_SCID_1 (0x42)
- #define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE PLATFORM TBL VALID PRID COUNT 0
- #define CFE_PLATFORM_TBL_VALID_PRID_1 (1)
- #define CFE_PLATFORM_TBL_VALID_PRID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE PLATFORM TBL VALID PRID 30
- #define CFE PLATFORM TBL VALID PRID 4 0
- #define CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC 50
- #define CFE PLATFORM CORE MAX STARTUP MSEC 30000
- #define CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC 1000

11.3.1 Detailed Description

Purpose: This header file contains the platform configuration parameters.

Notes: The impact of changing these configurations from their default value is not yet documented. Changing these values may impact the performance and functionality of the system.

Author: R.McGraw/SSI

11.3.2 Macro Definition Documentation

11.3.2.1 CFE_PLATFORM_CORE_MAX_STARTUP_MSEC

#define CFE_PLATFORM_CORE_MAX_STARTUP_MSEC 30000

Purpose CFE core application startup timeout

Description:

The upper limit for the amount of time that the cFE core applications (ES, SB, EVS, TIME, TBL) are each allotted to reach their respective "ready" states.

The CFE "main" thread starts individual tasks for each of the core applications (except FS). Each of these must perform some initialization work before the next core application can be started, so the main thread waits to ensure that the application has reached the "ready" state before starting the next application.

If any core application fails to start, then it indicates a major problem with the system and startup is aborted.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1713 of file cpu1_platform_cfg.h.

11.3.2.2 CFE_PLATFORM_ENDIAN

#define CFE_PLATFORM_ENDIAN CCSDS_LITTLE_ENDIAN

Purpose Platform Endian Indicator

Description:

The value of this constant indicates the endianess of the target system

Limits

This parameter has a lower limit of 0 and an upper limit of 1.

Definition at line 190 of file cpu1_platform_cfg.h.

11.3.2.3 CFE_PLATFORM_ES_APP_KILL_TIMEOUT

#define CFE_PLATFORM_ES_APP_KILL_TIMEOUT 5

Purpose Define ES Application Kill Timeout

Description:

ES Application Kill Timeout. This parameter controls the number of "scan periods" that ES will wait for an application to Exit after getting the signal Delete, Reload or Restart. The sequence works as follows:

- ES will set the control request for an App to Delete/Restart/Reload and set this kill timer to the value in this parameter.
- If the App is responding and Calls it's RunLoop function, it will drop out of it's main loop and call CFE_ES_

 ExitApp. Once it calls Exit App, then ES can delete, restart, or reload the app the next time it scans the app table.
- 3. If the App is not responding, the ES App will decrement this Kill Timeout value each time it runs. If the timeout value reaches zero, ES will kill the app.

The Kill timeout value depends on the CFE_PLATFORM_ES_APP_SCAN_RATE. If the Scan Rate is 1000, or 1 second, and this CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 5, then it will take 5 seconds to kill a non-responding App. If the Scan Rate is 250, or 1/4 second, and the CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 2, then it will take 1/2 second to time out.

Limits

There is a lower limit of 1 and an upper limit of 100 on this configuration parameter. Units are number of CFE_P ← LATFORM_ES_APP_SCAN_RATE cycles.

Definition at line 620 of file cpu1 platform cfg.h.

11.3.2.4 CFE_PLATFORM_ES_APP_SCAN_RATE

#define CFE_PLATFORM_ES_APP_SCAN_RATE 1000

Purpose Define ES Application Control Scan Rate

Description:

ES Application Control Scan Rate. This parameter controls the speed that ES scans the Application Table looking for App Delete/Restart/Reload requests. All Applications are deleted, restarted, or reloaded by the ES Application. ES will periodically scan for control requests to process. The scan rate is controlled by this parameter, which is given in milliseconds. A value of 1000 means that ES will scan the Application Table once per second. Be careful not to set the value of this too low, because ES will use more CPU cycles scanning the table.

Limits

There is a lower limit of 100 and an upper limit of 20000 on this configuration parameter. millisecond units.

Definition at line 591 of file cpu1 platform cfg.h.

11.3.2.5 CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE

#define CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE 80000

Definition at line 1325 of file cpu1_platform_cfg.h.

11.3.2.6 CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES

#define CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES 512

Purpose Define Maximum Number of Registered CDS Blocks

Description:

Maximum number of registered CDS Blocks

Limits

There is a lower limit of 8. There are no restrictions on the upper limit however, the maximum number of CDS entries is system dependent and should be verified.

Definition at line 1215 of file cpu1 platform cfg.h.

11.3.2.7 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01 8

Purpose Define ES Critical Data Store Memory Pool Block Sizes

Description:

Intermediate ES Critical Data Store Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4.

Definition at line 1309 of file cpu1_platform_cfg.h.

11.3.2.8 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02 16

Definition at line 1310 of file cpu1 platform cfg.h.

11.3.2.9 CFE PLATFORM ES CDS MEM BLOCK SIZE 03

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03 32

Definition at line 1311 of file cpu1_platform_cfg.h.

11.3.2.10 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04 48

Definition at line 1312 of file cpu1_platform_cfg.h.

11.3.2.11 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05 64

Definition at line 1313 of file cpu1_platform_cfg.h.

11.3.2.12 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06 96

Definition at line 1314 of file cpu1_platform_cfg.h.

11.3.2.13 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07 128

Definition at line 1315 of file cpu1_platform_cfg.h.

11.3.2.14 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08 160

Definition at line 1316 of file cpu1 platform cfg.h.

11.3.2.15 CFE PLATFORM ES CDS MEM BLOCK SIZE 09

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09 256

Definition at line 1317 of file cpu1_platform_cfg.h.

11.3.2.16 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10 512

Definition at line 1318 of file cpu1_platform_cfg.h.

11.3.2.17 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11 1024

Definition at line 1319 of file cpu1 platform cfg.h.

11.3.2.18 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12 2048

Definition at line 1320 of file cpu1_platform_cfg.h.

11.3.2.19 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13 4096

Definition at line 1321 of file cpu1_platform_cfg.h.

11.3.2.20 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14 8192

Definition at line 1322 of file cpu1_platform_cfg.h.

11.3.2.21 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 16384

Definition at line 1323 of file cpu1_platform_cfg.h.

11.3.2.22 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16 32768

Definition at line 1324 of file cpu1_platform_cfg.h.

11.3.2.23 CFE_PLATFORM_ES_CDS_SIZE

#define CFE_PLATFORM_ES_CDS_SIZE (128 * 1024)

Purpose Define Critical Data Store Size

Description:

Defines the Critical Data Store (CDS) area size in bytes size. The CDS is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 8192 and an upper limit of UINT_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 697 of file cpu1_platform_cfg.h.

11.3.2.24 CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE "/ram/cfe_es_app_info.log"
```

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system apps.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 802 of file cpu1 platform cfg.h.

11.3.2.25 CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE "/ram/cfe_cds_reg.log"
```

Purpose Default Critical Data Store Registry Filename

Description:

The value of this constant defines the filename used to store the Critical Data Store Registry. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 876 of file cpu1_platform_cfg.h.

11.3.2.26 CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE "/ram/cfe_erlog.log"
```

Purpose Default Exception and Reset (ER) Log Filename

Description:

The value of this constant defines the filename used to store the Exception and Reset (ER) Log. This filename is used only when no filename is specified in the command to dump the ER log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 848 of file cpu1_platform_cfg.h.

11.3.2.27 CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME

#define CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"

Purpose Default Performance Data Filename

Description:

The value of this constant defines the filename used to store the Performance Data. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 862 of file cpu1 platform cfg.h.

11.3.2.28 CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE

#define CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE 0

Purpose Define Default System Log Mode following Power On Reset

Description:

Defines the default mode for the operation of the ES System log following a power on reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 894 of file cpu1_platform_cfg.h.

11.3.2.29 CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE

#define CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE 1

Purpose Define Default System Log Mode following Processor Reset

Description:

Defines the default mode for the operation of the ES System log following a processor reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 912 of file cpu1 platform cfg.h.

11.3.2.30 CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

#define CFE_PLATFORM_ES_DEFAULT_STACK_SIZE 8192

Purpose Define Default Stack Size for an Application

Description:

This parameter defines a default stack size. This parameter is used by the cFE Core Applications.

Limits

There is a lower limit of 2048. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1062 of file cpu1_platform_cfg.h.

11.3.2.31 CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE

#define CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE "/ram/cfe_es_syslog.log"

Purpose Default System Log Filename

Description:

The value of this constant defines the filename used to store important information (as ASCII text strings) that might not be able to be sent in an Event Message. This filename is used only when no filename is specified in the command to dump the system log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 833 of file cpu1_platform_cfg.h.

11.3.2.32 CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE

#define CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE "/ram/cfe_es_taskinfo.log"

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system tasks.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 817 of file cpu1_platform_cfg.h.

11.3.2.33 CFE_PLATFORM_ES_ER_LOG_ENTRIES

```
#define CFE_PLATFORM_ES_ER_LOG_ENTRIES 20
```

Purpose Define Max Number of ER (Exception and Reset) log entries

Description:

Defines the maximum number of ER (Exception and Reset) log entries

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of log entries is system dependent and should be verified.

Definition at line 518 of file cpu1_platform_cfg.h.

11.3.2.34 CFE PLATFORM ES ER LOG MAX CONTEXT SIZE

```
#define CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE 256
```

Purpose Maximum size of CPU Context in ES Error Log

Description:

This should be large enough to accommodate the CPU context information supplied by the PSP on the given platform.

Limits:

Must be greater than zero and a multiple of sizeof(uint32). Limited only by the available memory and the number of entries in the error log. Any context information beyond this size will be truncated.

Definition at line 532 of file cpu1 platform cfg.h.

11.3.2.35 CFE_PLATFORM_ES_MAX_APPLICATIONS

```
#define CFE_PLATFORM_ES_MAX_APPLICATIONS 32
```

Purpose Define Max Number of Applications

Description:

Defines the maximum number of applications that can be loaded into the system. This number does not include child tasks.

Limits

There is a lower limit of 6. The lower limit corresponds to the cFE internal applications. There are no restrictions on the upper limit however, the maximum number of applications is system dependent and should be verified. ApplDs that are checked against this configuration are defined by a 32 bit data word.

Definition at line 491 of file cpu1 platform cfg.h.

11.3.2.36 CFE_PLATFORM_ES_MAX_BLOCK_SIZE

#define CFE_PLATFORM_ES_MAX_BLOCK_SIZE 80000

Definition at line 1298 of file cpu1_platform_cfg.h.

11.3.2.37 CFE_PLATFORM_ES_MAX_GEN_COUNTERS

#define CFE_PLATFORM_ES_MAX_GEN_COUNTERS 8

Purpose Define Max Number of Generic Counters

Description:

Defines the maximum number of Generic Counters that can be registered.

Limits

This parameter has a lower limit of 1 and an upper limit of 65535.

Definition at line 572 of file cpu1_platform_cfg.h.

11.3.2.38 CFE_PLATFORM_ES_MAX_LIBRARIES

#define CFE_PLATFORM_ES_MAX_LIBRARIES 10

Purpose Define Max Number of Shared libraries

Description:

Defines the maximum number of cFE Shared libraries that can be loaded into the system.

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of libraries is system dependent and should be verified.

Definition at line 505 of file cpu1_platform_cfg.h.

11.3.2.39 CFE_PLATFORM_ES_MAX_MEMORY_POOLS

#define CFE_PLATFORM_ES_MAX_MEMORY_POOLS 10

Purpose Maximum number of memory pools

Description:

The upper limit for the number of memory pools that can concurrently exist within the system.

The CFE_SB and CFE_TBL core subsystems each define a memory pool.

Individual applications may also create memory pools, so this value should be set sufficiently high enough to support the applications being used on this platform.

Limits:

Must be at least 2 to support CFE core - SB and TBL pools. No specific upper limit.

Definition at line 1263 of file cpu1 platform cfg.h.

11.3.2.40 CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS

#define CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS 2

Purpose Define Number of Processor Resets Before a Power On Reset

Description:

Number of Processor Resets before a Power On Reset is called. If set to 2, then 2 processor resets will occur, and the 3rd processor reset will be a power on reset instead.

Limits

There is a lower limit of 0. There are no restrictions on the upper limit however, the maximum number of processor resets may be system dependent and should be verified.

Definition at line 1230 of file cpu1_platform_cfg.h.

11.3.2.41 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 8

Purpose Define Default ES Memory Pool Block Sizes

Description:

Default Intermediate ES Memory Pool Block Sizes. If an application is using the CFE_ES Memory Pool AP← Is (CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf and CFE_ES_PutPoolBuf) but finds these sizes inappropriate for their use, they may wish to use the CFE_ES_PoolCreateEx API to specify their own intermediate block sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. Also, CFE_PLATFORM_ES_MAX_← BLOCK_SIZE must be larger than CFE_MISSION_SB_MAX_SB_MSG_SIZE and both CFE_PLATFORM_TB← L_MAX_SNGL_TABLE_SIZE and CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE. Note that if Table Services have been removed from the CFE, the table size limits are still enforced although the table size definitions may be reduced.

Definition at line 1282 of file cpu1_platform_cfg.h.

11.3.2.42 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 16

Definition at line 1283 of file cpu1_platform_cfg.h.

11.3.2.43 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 32

Definition at line 1284 of file cpu1 platform cfg.h.

11.3.2.44 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 48

Definition at line 1285 of file cpu1_platform_cfg.h.

11.3.2.45 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 64 Definition at line 1286 of file cpu1 platform cfg.h. 11.3.2.46 CFE PLATFORM ES MEM BLOCK SIZE 06 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 96 Definition at line 1287 of file cpu1_platform_cfg.h. 11.3.2.47 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 128 Definition at line 1288 of file cpu1_platform_cfg.h. 11.3.2.48 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 160 Definition at line 1289 of file cpu1 platform cfg.h. 11.3.2.49 CFE PLATFORM ES MEM BLOCK SIZE 09 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 256 Definition at line 1290 of file cpu1 platform cfg.h. 11.3.2.50 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 512

Definition at line 1291 of file cpu1_platform_cfg.h.

11.3.2.51 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 1024

Definition at line 1292 of file cpu1 platform cfg.h.

11.3.2.52 CFE PLATFORM ES MEM BLOCK SIZE 12

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 2048

Definition at line 1293 of file cpu1_platform_cfg.h.

11.3.2.53 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13 4096

Definition at line 1294 of file cpu1_platform_cfg.h.

11.3.2.54 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14 8192

Definition at line 1295 of file cpu1_platform_cfg.h.

11.3.2.55 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15 16384

Definition at line 1296 of file cpu1_platform_cfg.h.

11.3.2.56 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16 32768

Definition at line 1297 of file cpu1_platform_cfg.h.

11.3.2.57 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN

```
#define CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN 4
```

Purpose Define Memory Pool Alignment Size

Description:

Ensures that buffers obtained from a memory pool are aligned to a certain minimum block size. Note the allocator will always align to the minimum required by the CPU architecture. This may be set greater than the CPU requirement as desired for optimal performance.

For some architectures/applications it may be beneficial to set this to the cache line size of the target CPU, or to use special SIMD instructions that require a more stringent memory alignment.

Limits

This must always be a power of 2, as it is used as a binary address mask.

Definition at line 759 of file cpu1 platform cfg.h.

11.3.2.58 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING

```
#define CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING "/cf"
```

Purpose Default virtual path for persistent storage

Description:

This configures the default location in the virtual file system for persistent/non-volatile storage. Files such as the startup script, app/library dynamic modules, and configuration tables are expected to be stored in this directory.

Definition at line 47 of file cpu1 platform cfg.h.

11.3.2.59 CFE_PLATFORM_ES_NONVOL_STARTUP_FILE

```
#define CFE_PLATFORM_ES_NONVOL_STARTUP_FILE "/cf/cfe_es_startup.scr"
```

Purpose ES Nonvolatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 773 of file cpu1_platform_cfg.h.

11.3.2.60 CFE_PLATFORM_ES_OBJECT_TABLE_SIZE

#define CFE_PLATFORM_ES_OBJECT_TABLE_SIZE 30

Purpose Define Number of entries in the ES Object table

Description:

Defines the number of entries in the ES Object table. This table controls the core cFE startup.

Limits

There is a lower limit of 15. There are no restrictions on the upper limit however, the maximum object table size is system dependent and should be verified.

Definition at line 561 of file cpu1 platform cfg.h.

11.3.2.61 CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY

#define CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY 20

Purpose Define Performance Analyzer Child Task Delay

Description:

This parameter defines the delay time (in milliseconds) between performance data file writes performed by the Executive Services Performance Analyzer Child Task.

Limits

It is recommended this parameter be greater than or equal to 20ms. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFFF.

Definition at line 1036 of file cpu1_platform_cfg.h.

11.3.2.62 CFE_PLATFORM_ES_PERF_CHILD_PRIORITY

#define CFE_PLATFORM_ES_PERF_CHILD_PRIORITY 200

Purpose Define Performance Analyzer Child Task Priority

Description:

This parameter defines the priority of the child task spawned by the Executive Services to write performance data to a file. Lower numbers are higher priority, with 1 being the highest priority in the case of a child task.

Limits

Valid range for a child task is 1 to 255 however, the priority cannot be higher (lower number) than the ES parent application priority.

Definition at line 1007 of file cpu1 platform cfg.h.

11.3.2.63 CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE

```
#define CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE 4096
```

Purpose Define Performance Analyzer Child Task Stack Size

Description:

This parameter defines the stack size of the child task spawned by the Executive Services to write performance data to a file.

Limits

It is recommended this parameter be greater than or equal to 4KB. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFFF.

Definition at line 1021 of file cpu1_platform_cfg.h.

11.3.2.64 CFE PLATFORM ES PERF DATA BUFFER SIZE

```
#define CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE 10000
```

Purpose Define Max Size of Performance Data Buffer

Description:

Defines the maximum size of the performance data buffer. Units are number of performance data entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Limits

There is a lower limit of 1025. There are no restrictions on the upper limit however, the maximum buffer size is system dependent and should be verified. The units are number of entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Definition at line 928 of file cpu1 platform cfg.h.

11.3.2.65 CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS

```
#define CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS 50
```

Purpose Define Performance Analyzer Child Task Number of Entries Between Delay

Description:

This parameter defines the number of performance analyzer entries the Performance Analyzer Child Task will write to the file between delays.

Definition at line 1046 of file cpu1_platform_cfg.h.

11.3.2.66 CFE_PLATFORM_ES_PERF_FILTMASK_ALL

#define CFE_PLATFORM_ES_PERF_FILTMASK_ALL ~CFE_PLATFORM_ES_PERF_FILTMASK_NONE

Purpose Define Filter Mask Setting for Enabling All Performance Entries

Description:

Defines the filter mask for enabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 948 of file cpu1_platform_cfg.h.

11.3.2.67 CFE_PLATFORM_ES_PERF_FILTMASK_INIT

#define CFE_PLATFORM_ES_PERF_FILTMASK_INIT CFE_PLATFORM_ES_PERF_FILTMASK_ALL

Purpose Define Default Filter Mask Setting for Performance Data Buffer

Description:

Defines the default filter mask for the performance data buffer. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 959 of file cpu1_platform_cfg.h.

11.3.2.68 CFE_PLATFORM_ES_PERF_FILTMASK_NONE

#define CFE_PLATFORM_ES_PERF_FILTMASK_NONE 0

Purpose Define Filter Mask Setting for Disabling All Performance Entries

Description:

Defines the filter mask for disabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 938 of file cpu1_platform_cfg.h.

11.3.2.69 CFE_PLATFORM_ES_PERF_TRIGMASK_ALL

#define CFE_PLATFORM_ES_PERF_TRIGMASK_ALL ~CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Purpose Define Filter Trigger Setting for Enabling All Performance Entries

Description:

Defines the trigger mask for enabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 981 of file cpu1_platform_cfg.h.

11.3.2.70 CFE_PLATFORM_ES_PERF_TRIGMASK_INIT

#define CFE_PLATFORM_ES_PERF_TRIGMASK_INIT CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Purpose Define Default Filter Trigger Setting for Performance Data Buffer

Description:

Defines the default trigger mask for the performance data buffer. The value is a 32-bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 992 of file cpu1_platform_cfg.h.

11.3.2.71 CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

#define CFE_PLATFORM_ES_PERF_TRIGMASK_NONE 0

Purpose Define Default Filter Trigger Setting for Disabling All Performance Entries

Description:

Defines the default trigger mask for disabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 970 of file cpu1_platform_cfg.h.

11.3.2.72 CFE_PLATFORM_ES_POOL_MAX_BUCKETS

#define CFE_PLATFORM_ES_POOL_MAX_BUCKETS 17

Purpose Maximum number of block sizes in pool structures

Description:

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS.

Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

The ES and CDS block size lists must correlate with this value

Definition at line 1245 of file cpu1 platform cfg.h.

11.3.2.73 CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING

#define CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING "/ram"

Purpose Default virtual path for volatile storage

Description:

The CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING parameter is used to set the cFE mount path for the CFE RAM disk. This is a parameter for missions that do not want to use the default value of "/ram", or for missions that need to have a different value for different CPUs or Spacecraft. Note that the vxWorks OSAL cannot currently handle names that have more than one path separator in it. The names "/ram", "/ramdisk", "/disk123" will all work, but "/disks/ram" will not. Multiple separators can be used with the posix or RTEMS ports.

Definition at line 63 of file cpu1 platform cfg.h.

11.3.2.74 CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS

#define CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS 4096

Purpose ES Ram Disk Number of Sectors

Description:

Defines the ram disk number of sectors. The ram disk is one of four memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum number of RAM sectors is system dependent and should be verified.

Definition at line 656 of file cpu1 platform cfg.h.

11.3.2.75 CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED

#define CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED 30

Purpose Percentage of Ram Disk Reserved for Decompressing Apps

Description:

The CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED parameter is used to make sure that the Volatile (RAM) Disk has a defined amount of free space during a processor reset. The cFE uses the Volatile disk to decompress cFE applications during system startup. If this Volatile disk happens to get filled with logs and misc files, then a processor reset may not work, because there will be no room to decompress cFE apps. To solve that problem, this parameter sets the "Low Water Mark" for disk space on a Processor reset. It should be set to allow the largest cFE Application to be decompressed. During a Processor reset, if there is not sufficient space left on the disk, it will be re-formatted in order to clear up some space.

This feature can be turned OFF by setting the parameter to 0.

Limits

There is a lower limit of 0 and an upper limit of 75 on this configuration parameter. Units are percentage. A setting of zero will turn this feature off.

Definition at line 680 of file cpu1_platform_cfg.h.

11.3.2.76 CFE PLATFORM ES RAM DISK SECTOR SIZE

#define CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE 512

Purpose ES Ram Disk Sector Size

Description:

Defines the ram disk sector size. The ram disk is 1 of 4 memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in C← FE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum RAM disk sector size is system dependent and should be verified.

Definition at line 638 of file cpu1_platform_cfg.h.

11.3.2.77 CFE_PLATFORM_ES_RESET_AREA_SIZE

#define CFE_PLATFORM_ES_RESET_AREA_SIZE (170 * 1024)

Purpose Define ES Reset Area Size

Description:

The ES Reset Area Size. This is the size in bytes of the cFE Reset variable and log area. This is a block of memory used by the cFE to store the system log ER Log and critical reset variables. This is 4 of 4 of the memory areas that are preserved during a processor reset. Note: This area must be sized large enough to hold all of the data structures. It should be automatically sized based on the CFE_ES_ResetData_t type, but circular dependencies in the headers prevent it from being defined this way. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 153600 (150KBytes) and an upper limit of UINT_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 740 of file cpu1 platform cfg.h.

11.3.2.78 CFE_PLATFORM_ES_START_TASK_PRIORITY

#define CFE_PLATFORM_ES_START_TASK_PRIORITY 68

Purpose Define ES Task Priority

Description:

Defines the cFE_ES Task priority.

Limits

Not Applicable

Definition at line 1125 of file cpu1_platform_cfg.h.

11.3.2.79 CFE_PLATFORM_ES_START_TASK_STACK_SIZE

#define CFE_PLATFORM_ES_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define ES Task Stack Size

Description:

Defines the cFE_ES Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1140 of file cpu1_platform_cfg.h.

11.3.2.80 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC

#define CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC 1000

Purpose Startup script timeout

Description:

The upper limit for the total amount of time that all apps listed in the CFE ES startup script may take to all become ready.

Unlike the "core" app timeout, this is a soft limit; if the allotted time is exceeded, it probably indicates an issue with one of the apps, but does not cause CFE ES to take any additional action other than logging the event to the syslog.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1731 of file cpu1_platform_cfg.h.

11.3.2.81 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC

#define CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC 50

Purpose Poll timer for startup sync delay

Description:

During startup, some tasks may need to synchronize their own initialization with the initialization of other applications in the system.

CFE ES implements an API to accomplish this, that performs a task delay (sleep) while polling the overall system state until other tasks are ready.

This value controls the amount of time that the CFE_ES_ApplicationSyncDelay will sleep between each check of the system state. This should be large enough to allow other tasks to run, but not so large as to noticeably delay the startup completion.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1689 of file cpu1_platform_cfg.h.

11.3.2.82 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE

#define CFE_PLATFORM_ES_SYSTEM_LOG_SIZE 3072

Purpose Define Size of the cFE System Log.

Description:

Defines the size in bytes of the cFE system log. The system log holds variable length strings that are terminated by a linefeed and null character.

Limits

There is a lower limit of 512. There are no restrictions on the upper limit however, the maximum system log size is system dependent and should be verified.

Definition at line 547 of file cpu1_platform_cfg.h.

11.3.2.83 CFE_PLATFORM_ES_USER_RESERVED_SIZE

```
#define CFE_PLATFORM_ES_USER_RESERVED_SIZE (1024 * 1024)
```

Purpose Define User Reserved Memory Size

Description:

User Reserved Memory Size. This is the size in bytes of the cFE User reserved Memory area. This is a block of memory that is available for cFE application use. The address is obtained by calling CFE_PSP_GetUser← ReservedArea. The User Reserved Memory is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 1024 and an upper limit of UINT_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 717 of file cpu1_platform_cfg.h.

11.3.2.84 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE

#define CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE "/ram/cfe_es_startup.scr"

Purpose ES Volatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 787 of file cpu1_platform_cfg.h.

11.3.2.85 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC

```
#define CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC 8
```

Purpose Sustained number of event messages per second per app before squelching

Description:

Sustained number of events that may be emitted per app per second.

Limits

This number must be less than or equal to CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST. Values lower than 8 may cause functional and unit test failures.

Definition at line 1362 of file cpu1 platform cfg.h.

11.3.2.86 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE

```
#define CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE "/ram/cfe_evs_app.dat"
```

Purpose Default EVS Application Data Filename

Description:

The value of this constant defines the filename used to store the EVS Application Data(event counts/filtering information). This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 1403 of file cpu1 platform cfg.h.

11.3.2.87 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE

```
#define CFE_PLATFORM_EVS_DEFAULT_LOG_FILE "/ram/cfe_evs.log"
```

Purpose Default Event Log Filename

Description:

The value of this constant defines the filename used to store the Event Services local event log. This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 1376 of file cpu1_platform_cfg.h.

11.3.2.88 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE

```
#define CFE_PLATFORM_EVS_DEFAULT_LOG_MODE 1
```

Purpose Default EVS Local Event Log Mode

Description:

Defines a state of overwrite(0) or discard(1) for the operation of the EVS local event log. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest event in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. Overwrite Mode = 0, Discard Mode = 1.

Limits

The valid settings are 0 or 1

Definition at line 1450 of file cpu1 platform cfg.h.

11.3.2.89 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE

```
#define CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE CFE_EVS_MsgFormat_LONG
```

Purpose Default EVS Message Format Mode

Description:

Defines the default message format (long or short) for event messages being sent to the ground. Choose between CFE_EVS_MsgFormat_LONG or CFE_EVS_MsgFormat_SHORT.

Limits

The valid settings are CFE EVS MsgFormat LONG or CFE EVS MsgFormat SHORT

Definition at line 1463 of file cpu1_platform_cfg.h.

11.3.2.90 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG

```
#define CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG 0xE
```

Purpose Default EVS Event Type Filter Mask

Description:

Defines a state of on or off for all four event types. The term event 'type' refers to the criticality level and may be Debug, Informational, Error or Critical. Each event type has a bit position. (bit 0 = Debug, bit 1 = Info, bit 2 = Error, bit 3 = Critical). This is a global setting, meaning it applies to all applications. To filter an event type, set its bit to zero. For example, 0xE means Debug = OFF, Info = ON, Error = ON, Critical = ON

Limits

The valid settings are 0x0 to 0xF.

Definition at line 1434 of file cpu1 platform cfg.h.

11.3.2.91 CFE_PLATFORM_EVS_LOG_MAX

```
#define CFE_PLATFORM_EVS_LOG_MAX 20
```

Purpose Maximum Number of Events in EVS Local Event Log

Description:

Dictates the EVS local event log capacity. Units are the number of events.

Limits

There are no restrictions on the lower and upper limits however, the maximum log size is system dependent and should be verified.

Definition at line 1388 of file cpu1 platform cfg.h.

11.3.2.92 CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST

```
#define CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST 32
```

Purpose Maximum number of event before squelching

Description:

Maximum number of events that may be emitted per app per second. Setting this to 0 will cause events to be unrestricted.

Limits

This number must be less than or equal to INT MAX/1000

Definition at line 1350 of file cpu1_platform_cfg.h.

11.3.2.93 CFE_PLATFORM_EVS_MAX_EVENT_FILTERS

```
#define CFE_PLATFORM_EVS_MAX_EVENT_FILTERS 8
```

Purpose Define Maximum Number of Event Filters per Application

Description:

Maximum number of events that may be filtered per application.

Limits

There are no restrictions on the lower and upper limits however, the maximum number of event filters is system dependent and should be verified.

Definition at line 1338 of file cpu1_platform_cfg.h.

11.3.2.94 CFE_PLATFORM_EVS_PORT_DEFAULT

```
#define CFE_PLATFORM_EVS_PORT_DEFAULT 0x0001
```

Purpose Default EVS Output Port State

Description:

Defines the default port state (enabled or disabled) for the four output ports defined within the Event Service. Port 1 is usually the uart output terminal. To enable a port, set the proper bit to a 1. Bit 0 is port 1, bit 1 is port2 etc.

Limits

The valid settings are 0x0 to 0xF.

Definition at line 1417 of file cpu1_platform_cfg.h.

11.3.2.95 CFE_PLATFORM_EVS_START_TASK_PRIORITY

```
#define CFE_PLATFORM_EVS_START_TASK_PRIORITY 61
```

Purpose Define EVS Task Priority

Description:

Defines the cFE_EVS Task priority.

Limits

Not Applicable

Definition at line 1073 of file cpu1 platform cfg.h.

11.3.2.96 CFE_PLATFORM_EVS_START_TASK_STACK_SIZE

```
#define CFE_PLATFORM_EVS_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
```

Purpose Define EVS Task Stack Size

Description:

Defines the cFE_EVS Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1088 of file cpu1_platform_cfg.h.

11.3.2.97 CFE_PLATFORM_SB_BUF_MEMORY_BYTES

#define CFE_PLATFORM_SB_BUF_MEMORY_BYTES 524288

Purpose Size of the SB buffer memory pool

Description:

Dictates the size of the SB memory pool. For each message the SB sends, the SB dynamically allocates from this memory pool, the memory needed to process the message. The memory needed to process each message is msg size + msg descriptor(CFE_SB_BufferD_t). This memory pool is also used to allocate destination descriptors (CFE_SB_DestinationD_t) during the subscription process. To see the run-time, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'. Some memory statistics have been added to the SB housekeeping packet. NOTE: It is important to monitor these statistics to ensure the desired memory margin is met.

Limits

This parameter has a lower limit of 512 and an upper limit of UINT_MAX (4 Gigabytes).

Definition at line 153 of file cpu1 platform cfg.h.

11.3.2.98 CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME

#define CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME "/ram/cfe_sb_msgmap.dat"

Purpose Default Message Map Filename

Description:

The value of this constant defines the filename used to store the software bus message map information. This filename is used only when no filename is specified in the command. The message map is a lookup table (array of 16bit words) that has an element for each possible Msgld value and holds the routing table index for that Msgld. The Msg Map provides fast access to the destinations of a message.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 235 of file cpu1_platform_cfg.h.

11.3.2.99 CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT

```
#define CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT 4
```

Purpose Default Subscription Message Limit

Description:

Dictates the default Message Limit when using the CFE_SB_Subscribe API. This will limit the number of messages with a specific message ID that can be received through a subscription. This only changes the default; other message limits can be set on a per subscription basis using CFE_SB_SubscribeEx.

Limits

This parameter has a lower limit of 4 and an upper limit of 65535.

Definition at line 131 of file cpu1_platform_cfg.h.

11.3.2.100 CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME

```
#define CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME "/ram/cfe_sb_pipe.dat"
```

Purpose Default Pipe Information Filename

Description:

The value of this constant defines the filename used to store the software bus pipe information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 218 of file cpu1_platform_cfg.h.

11.3.2.101 CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME

```
#define CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME "/ram/cfe_sb_route.dat"
```

Purpose Default Routing Information Filename

Description:

The value of this constant defines the filename used to store the software bus routing information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 204 of file cpu1_platform_cfg.h.

```
11.3.2.102 CFE_PLATFORM_SB_FILTER_MASK1
```

#define CFE_PLATFORM_SB_FILTER_MASK1 CFE_EVS_FIRST_4_STOP

Definition at line 253 of file cpu1 platform cfg.h.

11.3.2.103 CFE_PLATFORM_SB_FILTER_MASK2

#define CFE_PLATFORM_SB_FILTER_MASK2 CFE_EVS_FIRST_4_STOP

Definition at line 256 of file cpu1 platform cfg.h.

11.3.2.104 CFE_PLATFORM_SB_FILTER_MASK3

#define CFE_PLATFORM_SB_FILTER_MASK3 CFE_EVS_FIRST_16_STOP

Definition at line 259 of file cpu1_platform_cfg.h.

11.3.2.105 CFE_PLATFORM_SB_FILTER_MASK4

#define CFE_PLATFORM_SB_FILTER_MASK4 CFE_EVS_FIRST_16_STOP

Definition at line 262 of file cpu1_platform_cfg.h.

11.3.2.106 CFE_PLATFORM_SB_FILTER_MASK5

#define CFE_PLATFORM_SB_FILTER_MASK5 CFE_EVS_NO_FILTER

Definition at line 265 of file cpu1_platform_cfg.h.

11.3.2.107 CFE_PLATFORM_SB_FILTER_MASK6

#define CFE_PLATFORM_SB_FILTER_MASK6 CFE_EVS_NO_FILTER

Definition at line 268 of file cpu1_platform_cfg.h.

11.3.2.108 CFE_PLATFORM_SB_FILTER_MASK7

#define CFE_PLATFORM_SB_FILTER_MASK7 CFE_EVS_NO_FILTER

Definition at line 271 of file cpu1_platform_cfg.h.

11.3.2.109 CFE_PLATFORM_SB_FILTER_MASK8

#define CFE_PLATFORM_SB_FILTER_MASK8 CFE_EVS_NO_FILTER

Definition at line 274 of file cpu1 platform cfg.h.

11.3.2.110 CFE PLATFORM SB FILTERED EVENT1

#define CFE_PLATFORM_SB_FILTERED_EVENT1 CFE_SB_SEND_NO_SUBS_EID

Purpose SB Event Filtering

Description:

This group of configuration parameters dictates what SB events will be filtered through EVS. The filtering will begin after the SB task initializes and stay in effect until a cmd to EVS changes it. This allows the operator to set limits on the number of event messages that are sent during system initialization. NOTE: Set all unused event values and mask values to zero

Limits

This filtering applies only to SB events. These parameters have a lower limit of 0 and an upper limit of 65535.

Definition at line 252 of file cpu1_platform_cfg.h.

11.3.2.111 CFE_PLATFORM_SB_FILTERED_EVENT2

#define CFE_PLATFORM_SB_FILTERED_EVENT2 CFE_SB_DUP_SUBSCRIP_EID

Definition at line 255 of file cpu1_platform_cfg.h.

11.3.2.112 CFE_PLATFORM_SB_FILTERED_EVENT3

#define CFE_PLATFORM_SB_FILTERED_EVENT3 CFE_SB_MSGID_LIM_ERR_EID

Definition at line 258 of file cpu1_platform_cfg.h.

```
11.3.2.113 CFE_PLATFORM_SB_FILTERED_EVENT4
#define CFE_PLATFORM_SB_FILTERED_EVENT4 CFE_SB_Q_FULL_ERR_EID
Definition at line 261 of file cpu1_platform_cfg.h.
11.3.2.114 CFE_PLATFORM_SB_FILTERED_EVENT5
#define CFE_PLATFORM_SB_FILTERED_EVENT5 0
Definition at line 264 of file cpu1_platform_cfg.h.
11.3.2.115 CFE_PLATFORM_SB_FILTERED_EVENT6
#define CFE_PLATFORM_SB_FILTERED_EVENT6 0
Definition at line 267 of file cpu1_platform_cfg.h.
11.3.2.116 CFE_PLATFORM_SB_FILTERED_EVENT7
#define CFE_PLATFORM_SB_FILTERED_EVENT7 0
Definition at line 270 of file cpu1_platform_cfg.h.
```

Generated by Doxygen

11.3.2.117 CFE_PLATFORM_SB_FILTERED_EVENT8

#define CFE_PLATFORM_SB_FILTERED_EVENT8 0

Definition at line 273 of file cpu1_platform_cfg.h.

11.3.2.118 CFE_PLATFORM_SB_HIGHEST_VALID_MSGID

```
#define CFE_PLATFORM_SB_HIGHEST_VALID_MSGID 0x1FFF
```

Purpose Highest Valid Message Id

Description:

The value of this constant dictates the range of valid message ID's, from 0 to CFE_PLATFORM_SB_HIGHEST_← VALID MSGID (inclusive).

Although this can be defined differently across platforms, each platform can only publish/subscribe to message ids within their allowable range. Typically this value is set the same across all mission platforms to avoid this complexity.

Limits

CFE_SB_INVALID_MSG is set to the maximum representable number of type CFE_SB_Msgld_t. CFE_PLATF ← ORM SB HIGHEST VALID MSGID lower limit is 1, up to CFE_SB_INVALID MSG ID - 1.

When using the direct message map implementation for software bus routing, this value is used to size the map where a value of 0x1FFF results in a 16 KBytes map and 0xFFFF is 128 KBytes.

When using the hash implementation for software bus routing, a multiple of the CFE_PLATFORM_SB_MAX_MSG_IDS is used to size the message map. In that case the range selected here does not impact message map memory use, so it's reasonable to use up to the full range supported by the message ID implementation.

Definition at line 179 of file cpu1_platform_cfg.h.

11.3.2.119 CFE_PLATFORM_SB_MAX_BLOCK_SIZE

```
#define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MSG_SIZE + 128)
```

Definition at line 303 of file cpu1_platform_cfg.h.

11.3.2.120 CFE_PLATFORM_SB_MAX_DEST_PER_PKT

```
#define CFE_PLATFORM_SB_MAX_DEST_PER_PKT 16
```

Purpose Maximum Number of unique local destinations a single Msgld can have

Description:

Dictates the maximum number of unique local destinations a single Msgld can have.

Limits

This parameter has a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of destinations per packet is system dependent and should be verified. Destination number values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 116 of file cpu1_platform_cfg.h.

11.3.2.121 CFE_PLATFORM_SB_MAX_MSG_IDS

#define CFE_PLATFORM_SB_MAX_MSG_IDS 256

Purpose Maximum Number of Unique Message IDs SB Routing Table can hold

Description:

Dictates the maximum number of unique Msglds the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the runtime, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This must be a power of two if software bus message routing hash implementation is being used. Lower than 64 will cause unit test failures, and telemetry reporting is impacted below 32. There is no hard upper limit, but impacts memory footprint. For software bus message routing search implementation the number of msg ids subscribed to impacts performance.

Definition at line 83 of file cpu1_platform_cfg.h.

11.3.2.122 CFE_PLATFORM_SB_MAX_PIPES

#define CFE_PLATFORM_SB_MAX_PIPES 64

Purpose Maximum Number of Unique Pipes SB Routing Table can hold

Description:

Dictates the maximum number of unique Pipes the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the run-time, highwater mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This parameter has a lower limit of 1. This parameter must also be less than or equal to OS MAX QUEUES.

Definition at line 100 of file cpu1_platform_cfg.h.

11.3.2.123 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 8

Purpose Define SB Memory Pool Block Sizes

Description:

Software Bus Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. The number of block sizes defined cannot exceed CFE_PLATFORM_ES_POOL_MAX_BUCKETS

Definition at line 287 of file cpu1_platform_cfg.h.

11.3.2.124 CFE PLATFORM SB MEM BLOCK SIZE 02

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 16

Definition at line 288 of file cpu1_platform_cfg.h.

11.3.2.125 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20

Definition at line 289 of file cpu1_platform_cfg.h.

11.3.2.126 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36

Definition at line 290 of file cpu1 platform cfg.h.

11.3.2.127 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 64

Definition at line 291 of file cpu1_platform_cfg.h.

11.3.2.128 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 96

Definition at line 292 of file cpu1 platform cfg.h.

11.3.2.129 CFE PLATFORM SB MEM BLOCK SIZE 07

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 128

Definition at line 293 of file cpu1_platform_cfg.h.

11.3.2.130 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 160

Definition at line 294 of file cpu1_platform_cfg.h.

11.3.2.131 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 256

Definition at line 295 of file cpu1_platform_cfg.h.

11.3.2.132 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 512

Definition at line 296 of file cpu1_platform_cfg.h.

11.3.2.133 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11 1024

Definition at line 297 of file cpu1_platform_cfg.h.

11.3.2.134 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12 2048

Definition at line 298 of file cpu1_platform_cfg.h.

11.3.2.135 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13 4096

Definition at line 299 of file cpu1_platform_cfg.h.

11.3.2.136 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 8192

Definition at line 300 of file cpu1_platform_cfg.h.

11.3.2.137 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 16384

Definition at line 301 of file cpu1_platform_cfg.h.

11.3.2.138 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16 32768

Definition at line 302 of file cpu1_platform_cfg.h.

11.3.2.139 CFE_PLATFORM_SB_START_TASK_PRIORITY

#define CFE_PLATFORM_SB_START_TASK_PRIORITY 64

Purpose Define SB Task Priority

Description:

Defines the cFE_SB Task priority.

Limits

Not Applicable

Definition at line 1099 of file cpu1_platform_cfg.h.

11.3.2.140 CFE_PLATFORM_SB_START_TASK_STACK_SIZE

#define CFE_PLATFORM_SB_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define SB Task Stack Size

Description:

Defines the cFE_SB Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1114 of file cpu1 platform cfg.h.

11.3.2.141 CFE_PLATFORM_TBL_BUF_MEMORY_BYTES

#define CFE_PLATFORM_TBL_BUF_MEMORY_BYTES 524288

Purpose Size of Table Services Table Memory Pool

Description:

Defines the TOTAL size of the memory pool that cFE Table Services allocates from the system. The size must be large enough to provide memory for each registered table, the inactive buffers for double buffered tables and for the shared inactive buffers for single buffered tables.

Limits

The cFE does not place a limit on the size of this parameter.

Definition at line 1479 of file cpu1_platform_cfg.h.

11.3.2.142 CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE

#define CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE "/ram/cfe_tbl_reg.log"

Purpose Default Filename for a Table Registry Dump

Description:

Defines the file name used to store the table registry when no filename is specified in the dump registry command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 1593 of file cpu1_platform_cfg.h.

11.3.2.143 CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES

```
#define CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES 32
```

Purpose Maximum Number of Critical Tables that can be Registered

Description:

Defines the maximum number of critical tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Critical Table Registry which is maintained in the Critical Data Store. An excessively high number will waste Critical Data Store memory. Therefore, this number must not exceed the value defined in CFE_ES_CDS_MAX_CRITICAL_T ← ABLES.

Definition at line 1534 of file cpu1_platform_cfg.h.

11.3.2.144 CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE

```
#define CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE 16384
```

Purpose Maximum Size Allowed for a Double Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a double buffered table.

Limits

The cFE does not place a limit on the size of this parameter but it must be less than half of CFE_PLATFORM_T BL_BUF_MEMORY_BYTES.

Definition at line 1491 of file cpu1_platform_cfg.h.

11.3.2.145 CFE_PLATFORM_TBL_MAX_NUM_HANDLES

```
#define CFE_PLATFORM_TBL_MAX_NUM_HANDLES 256
```

Purpose Maximum Number of Table Handles

Description:

Defines the maximum number of Table Handles.

Limits

This number must be less than 32767. This number must be at least as big as the number of tables (CFE_PLAT← FORM_TBL_MAX_NUM_TABLES) and should be set higher if tables are shared between applications.

Definition at line 1547 of file cpu1_platform_cfg.h.

11.3.2.146 CFE_PLATFORM_TBL_MAX_NUM_TABLES

```
#define CFE_PLATFORM_TBL_MAX_NUM_TABLES 128
```

Purpose Maximum Number of Tables Allowed to be Registered

Description:

Defines the maximum number of tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Table Registry. An excessively high number will waste memory.

Definition at line 1520 of file cpu1 platform cfg.h.

11.3.2.147 CFE PLATFORM TBL MAX NUM VALIDATIONS

```
#define CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS 10
```

Purpose Maximum Number of Simultaneous Table Validations

Description:

Defines the maximum number of pending validations that the Table Services can handle at any one time. When a table has a validation function, a validation request is made of the application to perform that validation. This number determines how many of those requests can be outstanding at any one time.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 20 is suggested but not required.

Definition at line 1580 of file cpu1 platform cfg.h.

11.3.2.148 CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS

```
#define CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS 4
```

Purpose Maximum Number of Simultaneous Loads to Support

Description:

Defines the maximum number of single buffered tables that can be loaded simultaneously. This number is used to determine the number of shared buffers to allocate.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 5 is suggested but not required.

Definition at line 1562 of file cpu1 platform cfg.h.

```
11.3.2.149 CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE
```

```
#define CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE 16384
```

Purpose Maximum Size Allowed for a Single Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a single buffered table. **NOTE:** This size determines the size of all shared table buffers. Therefore, this size will be multiplied by CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_L OADS below when allocating memory for shared tables.

Limits

The cFE does not place a limit on the size of this parameter but it must be small enough to allow for CFE_PLATF
ORM_TBL_MAX_SIMULTANEOUS_LOADS number of tables to fit into CFE_PLATFORM_TBL_BUF_MEMOR
Y BYTES.

Definition at line 1507 of file cpu1_platform_cfg.h.

```
11.3.2.150 CFE_PLATFORM_TBL_START_TASK_PRIORITY
```

#define CFE_PLATFORM_TBL_START_TASK_PRIORITY 70

Purpose Define TBL Task Priority

Description:

Defines the cFE_TBL Task priority.

Limits

Not Applicable

Definition at line 1187 of file cpu1_platform_cfg.h.

11.3.2.151 CFE_PLATFORM_TBL_START_TASK_STACK_SIZE

```
#define CFE_PLATFORM_TBL_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
```

Purpose Define TBL Task Stack Size

Description:

Defines the cFE TBL Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1202 of file cpu1 platform cfg.h.

11.3.2.152 CFE_PLATFORM_TBL_U32FROM4CHARS

Definition at line 1615 of file cpu1_platform_cfg.h.

```
11.3.2.153 CFE_PLATFORM_TBL_VALID_PRID_1
```

```
#define CFE_PLATFORM_TBL_VALID_PRID_1 (1)
```

Purpose Processor ID values used for table load validation

Description:

Defines the processor ID values used for validating the processor ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 1664 of file cpu1_platform_cfg.h.

```
11.3.2.154 CFE_PLATFORM_TBL_VALID_PRID_2
```

```
#define CFE_PLATFORM_TBL_VALID_PRID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
```

Definition at line 1665 of file cpu1_platform_cfg.h.

11.3.2.155 CFE_PLATFORM_TBL_VALID_PRID_3

```
#define CFE_PLATFORM_TBL_VALID_PRID_3 0
```

Definition at line 1666 of file cpu1_platform_cfg.h.

11.3.2.156 CFE_PLATFORM_TBL_VALID_PRID_4

```
#define CFE_PLATFORM_TBL_VALID_PRID_4 0
```

Definition at line 1667 of file cpu1_platform_cfg.h.

11.3.2.157 CFE_PLATFORM_TBL_VALID_PRID_COUNT

```
#define CFE_PLATFORM_TBL_VALID_PRID_COUNT 0
```

Purpose Number of Processor ID's specified for validation

Description:

Defines the number of specified processor ID values that are verified during table loads. If the number is zero then no validation of the processor ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of processor ID's defined below are compared to the processor ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified processor ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 4.

Definition at line 1650 of file cpu1 platform cfg.h.

11.3.2.158 CFE_PLATFORM_TBL_VALID_SCID_1

```
#define CFE_PLATFORM_TBL_VALID_SCID_1 (0x42)
```

Purpose Spacecraft ID values used for table load validation

Description:

Defines the spacecraft ID values used for validating the spacecraft ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 1630 of file cpu1_platform_cfg.h.

11.3.2.159 CFE_PLATFORM_TBL_VALID_SCID_2

```
#define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
```

Definition at line 1631 of file cpu1 platform cfg.h.

11.3.2.160 CFE_PLATFORM_TBL_VALID_SCID_COUNT

```
#define CFE_PLATFORM_TBL_VALID_SCID_COUNT 0
```

Purpose Number of Spacecraft ID's specified for validation

Description:

Defines the number of specified spacecraft ID values that are verified during table loads. If the number is zero then no validation of the spacecraft ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of spacecraft ID's defined below are compared to the spacecraft ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified spacecraft ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 2.

Definition at line 1612 of file cpu1_platform_cfg.h.

11.3.2.161 CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY

```
#define CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY 25
```

Definition at line 1157 of file cpu1_platform_cfg.h.

11.3.2.162 CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE

```
#define CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE 8192
```

Definition at line 1176 of file cpu1_platform_cfg.h.

11.3.2.163 CFE_PLATFORM_TIME_CFG_CLIENT

```
#define CFE_PLATFORM_TIME_CFG_CLIENT false
```

Definition at line 318 of file cpu1_platform_cfg.h.

11.3.2.164 CFE_PLATFORM_TIME_CFG_LATCH_FLY

```
#define CFE_PLATFORM_TIME_CFG_LATCH_FLY 8
```

Purpose Define Periodic Time to Update Local Clock Tone Latch

Description:

Define Periodic Time to Update Local Clock Tone Latch. Applies only when in flywheel mode. This define dictates the period at which the simulated 'last tone' time is updated. Units are seconds.

Limits

Not Applicable

Definition at line 475 of file cpu1 platform cfg.h.

11.3.2.165 CFE_PLATFORM_TIME_CFG_SERVER

```
#define CFE_PLATFORM_TIME_CFG_SERVER true
```

Purpose Time Server or Time Client Selection

Description:

This configuration parameter selects whether the Time task functions as a time "server" or "client". A time server generates the "time at the tone" packet which is received by time clients.

Limits

Enable one, and only one by defining either CFE_PLATFORM_TIME_CFG_SERVER or CFE_PLATFORM_TIM← E_CFG_CLIENT AS true. The other must be defined as false.

Definition at line 317 of file cpu1_platform_cfg.h.

11.3.2.166 CFE_PLATFORM_TIME_CFG_SIGNAL

```
#define CFE_PLATFORM_TIME_CFG_SIGNAL false
```

Purpose Include or Exclude the Primary/Redundant Tone Selection Cmd

Description:

Depending on the specific hardware system configuration, it may be possible to switch between a primary and redundant tone signal. If supported by hardware, this definition will enable command interfaces to select the active tone signal. Both Time Clients and Time Servers support this feature. Note: Set the CFE_PLATFORM_TIME_C FG SIGNAL define to true to enable tone signal commands.

Limits

Not Applicable

Definition at line 365 of file cpu1 platform cfg.h.

11.3.2.167 CFE_PLATFORM_TIME_CFG_SOURCE

#define CFE_PLATFORM_TIME_CFG_SOURCE false

Purpose Include or Exclude the Internal/External Time Source Selection Cmd

Description:

By default, Time Servers maintain time using an internal MET which may be a h/w register or software counter, depending on available hardware. The following definition enables command interfaces to switch between an internal MET, or external time data received from one of several supported external time sources. Only a Time Server may be configured to use external time data. Note: Set the CFE_PLATFORM_TIME_CFG_SOURCE define to true to include the Time Source Selection Command (command allows selection between the internal or external time source). Then choose the external source with the CFE_TIME_CFG_SRC_??? define.

Limits

Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 385 of file cpu1 platform cfg.h.

11.3.2.168 CFE_PLATFORM_TIME_CFG_SRC_GPS

#define CFE_PLATFORM_TIME_CFG_SRC_GPS false

Definition at line 402 of file cpu1_platform_cfg.h.

11.3.2.169 CFE_PLATFORM_TIME_CFG_SRC_MET

#define CFE_PLATFORM_TIME_CFG_SRC_MET false

Purpose Choose the External Time Source for Server only

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true, then one of the following external time source types must also be set to true. Do not set any of the external time source types to true unless CFE_PLATFORM_TIME_CF← G_SOURCE is set to true.

Limits

- 1. If CFE_PLATFORM_TIME_CFG_SOURCE is set to true then one and only one of the following three external time sources can and must be set true: CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TI

 ME_CFG_SRC_GPS, CFE_PLATFORM_TIME_CFG_SRC_TIME
- 2. Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 401 of file cpu1 platform cfg.h.

11.3.2.170 CFE_PLATFORM_TIME_CFG_SRC_TIME

#define CFE_PLATFORM_TIME_CFG_SRC_TIME false

Definition at line 403 of file cpu1_platform_cfg.h.

11.3.2.171 CFE_PLATFORM_TIME_CFG_START_FLY

#define CFE_PLATFORM_TIME_CFG_START_FLY 2

Purpose Define Time to Start Flywheel Since Last Tone

Description:

Define time to enter flywheel mode (in seconds since last tone data update) Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 462 of file cpu1_platform_cfg.h.

11.3.2.172 CFE_PLATFORM_TIME_CFG_TONE_LIMIT

#define CFE_PLATFORM_TIME_CFG_TONE_LIMIT 20000

Purpose Define Timing Limits From One Tone To The Next

Description:

Defines limits to the timing of the 1Hz tone signal. A tone signal is valid only if it arrives within one second (plus or minus the tone limit) from the previous tone signal. Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 450 of file cpu1_platform_cfg.h.

11.3.2.173 CFE_PLATFORM_TIME_CFG_VIRTUAL

#define CFE_PLATFORM_TIME_CFG_VIRTUAL true

Purpose Time Tone In Big-Endian Order

Description:

If this configuration parameter is defined, the CFE time server will publish time tones with payloads in big-endian order, and time clients will expect the tones to be in big-endian order. This is useful for mixed-endian environments. This will become obsolete once EDS is available and the CFE time tone message is defined.

Purpose Local MET or Virtual MET Selection for Time Servers

Description:

Depending on the specific hardware system configuration, it may be possible for Time Servers to read the "local" MET from a h/w register rather than having to track the MET as the count of tone signal interrupts (virtual MET)

Time Clients must be defined as using a virtual MET. Also, a Time Server cannot be defined as having both a h/w MET and an external time source (they both cannot synchronize to the same tone).

Note: "disable" this define (set to false) only for Time Servers with local hardware that supports a h/w MET that is synchronized to the tone signal !!!

Limits

Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 350 of file cpu1_platform_cfg.h.

11.3.2.174 CFE_PLATFORM_TIME_MAX_DELTA_SECS

#define CFE_PLATFORM_TIME_MAX_DELTA_SECS 0

Purpose Define the Max Delta Limits for Time Servers using an Ext Time Source

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true and one of the external time sources is also set to true, then the delta time limits for range checking is used.

When a new time value is received from an external source, the value is compared against the "expected" time value. If the delta exceeds the following defined amount, then the new time data will be ignored. This range checking is only performed after the clock state has been commanded to "valid". Until then, external time data is accepted unconditionally.

Limits

Applies only if both CFE_PLATFORM_TIME_CFG_SERVER and CFE_PLATFORM_TIME_CFG_SOURCE are set to true.

Definition at line 422 of file cpu1_platform_cfg.h.

11.3.2.175 CFE_PLATFORM_TIME_MAX_DELTA_SUBS

#define CFE_PLATFORM_TIME_MAX_DELTA_SUBS 500000

Definition at line 423 of file cpu1_platform_cfg.h.

11.3.2.176 CFE_PLATFORM_TIME_MAX_LOCAL_SECS

#define CFE_PLATFORM_TIME_MAX_LOCAL_SECS 27

Purpose Define the Local Clock Rollover Value in seconds and subseconds

Description:

Specifies the capability of the local clock. Indicates the time at which the local clock rolls over.

Limits

Not Applicable

Definition at line 435 of file cpu1_platform_cfg.h.

11.3.2.177 CFE_PLATFORM_TIME_MAX_LOCAL_SUBS

#define CFE_PLATFORM_TIME_MAX_LOCAL_SUBS 0

Definition at line 436 of file cpu1_platform_cfg.h.

11.3.2.178 CFE_PLATFORM_TIME_START_TASK_PRIORITY

#define CFE_PLATFORM_TIME_START_TASK_PRIORITY 60

Purpose Define TIME Task Priorities

Description:

Defines the cFE_TIME Task priority. Defines the cFE_TIME Tone Task priority. Defines the cFE_TIME 1HZ Task priority.

Limits

There is a lower limit of zero and an upper limit of 255 on these configuration parameters. Remember that the meaning of each task priority is inverted – a "lower" number has a "higher" priority.

Definition at line 1155 of file cpu1 platform cfg.h.

11.3.2.179 CFE_PLATFORM_TIME_START_TASK_STACK_SIZE

#define CFE_PLATFORM_TIME_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define TIME Task Stack Sizes

Description:

Defines the cFE_TIME Main Task Stack Size Defines the cFE_TIME Tone Task Stack Size Defines the cFE_TIME 1HZ Task Stack Size

Limits

There is a lower limit of 2048 on these configuration parameters. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1174 of file cpu1_platform_cfg.h.

11.3.2.180 CFE_PLATFORM_TIME_TONE_TASK_PRIORITY

#define CFE_PLATFORM_TIME_TONE_TASK_PRIORITY 25

Definition at line 1156 of file cpu1_platform_cfg.h.

11.3.2.181 CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE

#define CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE 4096

Definition at line 1175 of file cpu1_platform_cfg.h.

11.4 sample_mission_cfg.h File Reference

Macros

- #define CFE_MISSION_SB_MAX_SB_MSG_SIZE 32768
- #define CFE MISSION TIME CFG DEFAULT TAI true
- #define CFE MISSION TIME CFG DEFAULT UTC false
- #define CFE_MISSION_TIME_CFG_FAKE_TONE true
- #define CFE_MISSION_TIME_AT_TONE_WAS true
- #define CFE_MISSION_TIME_AT_TONE_WILL_BE false
- #define CFE_MISSION_TIME_MIN_ELAPSED 0
- #define CFE MISSION TIME MAX ELAPSED 200000
- #define CFE_MISSION_TIME_DEF_MET_SECS 1000

- #define CFE_MISSION_TIME_DEF_MET_SUBS 0
- #define CFE MISSION TIME DEF STCF SECS 1000000
- #define CFE_MISSION_TIME_DEF_STCF_SUBS 0
- #define CFE MISSION TIME DEF LEAPS 37
- #define CFE MISSION TIME DEF DELAY SECS 0
- #define CFE_MISSION_TIME_DEF_DELAY_SUBS 1000
- #define CFE_MISSION_TIME_EPOCH_YEAR 1980
- #define CFE MISSION TIME EPOCH DAY 1
- #define CFE_MISSION_TIME_EPOCH_HOUR 0
- #define CFE MISSION TIME EPOCH MINUTE 0
- #define CFE MISSION TIME EPOCH SECOND 0
- #define CFE MISSION TIME EPOCH MICROS 0
- #define CFE_MISSION_TIME_FS_FACTOR 789004800
- #define CFE MISSION ES CDS MAX NAME LENGTH 16
- #define CFE_MISSION_EVS_MAX_MESSAGE_LENGTH 122
- #define CFE_MISSION_ES_DEFAULT_CRC CFE_MISSION_ES_CRC_16
- #define CFE MISSION TBL MAX NAME LENGTH 16
- #define CFE MISSION EVS CMD MSG 1
- #define CFE_MISSION_TEST_CMD_MSG 2
- #define CFE MISSION SB CMD MSG 3
- #define CFE MISSION TBL CMD MSG 4
- #define CFE_MISSION_TIME_CMD_MSG 5
- #define CFE MISSION ES CMD MSG 6
- #define CFE MISSION ES SEND HK MSG 8
- #define CFE MISSION EVS SEND HK MSG 9
- #define CFE_MISSION_SB_SEND_HK_MSG 11
- #define CFE_MISSION_TBL_SEND_HK_MSG 12
- #define CFE_MISSION_TIME_SEND_HK_MSG 13
- #define CFE MISSION SB SUB RPT CTRL MSG 14
- #define CFE MISSION TIME TONE CMD MSG 16
- #define CFE MISSION TIME 1HZ CMD MSG 17
- #define CFE_MISSION_TIME_DATA_CMD_MSG 0
- #define CFE_MISSION_TIME_SEND_CMD_MSG 2
- #define CFE_MISSION_ES_HK_TLM_MSG 0
- #define CFE_MISSION_EVS_HK_TLM_MSG 1
- #define CFE_MISSION_TEST_HK_TLM_MSG 2
- #define CFE_MISSION_SB_HK_TLM_MSG 3
- #define CFE_MISSION_TBL_HK_TLM_MSG 4
 #define CFE_MISSION_TIME_HK_TLM_MSG 5
- #define CFE_MISSION_TIME_DIAG_TLM_MSG 6
- #define CFE MISSION EVS LONG EVENT MSG MSG 8
- #define CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG 9
- #define CFE_MISSION_SB_STATS_TLM_MSG 10
- #define CFE_MISSION_ES_APP_TLM_MSG 11
- #define CFE MISSION TBL REG TLM MSG 12
- #define CFE_MISSION_SB_ALLSUBS_TLM_MSG 13
- #define CFE_MISSION_SB_ONESUB_TLM_MSG 14
- #define CFE MISSION ES MEMSTATS TLM MSG 16
- #define CFE_MISSION_ES_MAX_APPLICATIONS 16
- #define CFE MISSION ES PERF MAX IDS 128
- #define CFE MISSION ES POOL MAX BUCKETS 17

- #define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_NAME_LENGTH + CFE_
 — MISSION_MAX_API_LEN + 4)
- #define CFE_MISSION_SB_MAX_PIPES 64
- #define CFE_MISSION_MAX_PATH_LEN 64
- #define CFE MISSION MAX FILE LEN 20
- #define CFE_MISSION_MAX_API_LEN 20
- #define CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN (CFE_MISSION_ES_CDS_MAX_NAME_LENGTH + CFE_MISSION_MAX_API_LEN + 4)

Checksum/CRC algorithm identifiers

#define CFE MISSION ES CRC 8 1

CRC (8 bit additive - returns 32 bit total) (Currently not implemented)

#define CFE_MISSION_ES_CRC_16 2

CRC (16 bit additive - returns 32 bit total)

• #define CFE_MISSION_ES_CRC_32 3

CRC (32 bit additive - returns 32 bit total) (Currently not implemented) .

11.4.1 Detailed Description

Purpose: This header file contains the mission configuration parameters and typedefs with mission scope.

Notes: The impact of changing these configurations from their default value is not yet documented. Changing these values may impact the performance and functionality of the system.

Author: R.McGraw/SSI

11.4.2 Macro Definition Documentation

11.4.2.1 CFE_MISSION_ES_APP_TLM_MSG

#define CFE_MISSION_ES_APP_TLM_MSG 11

Definition at line 366 of file sample_mission_cfg.h.

11.4.2.2 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN

#define CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN (CFE_MISSION_ES_CDS_MAX_NAME_LENGTH + CFE_MISSION_M↔ AX_API_LEN + 4)

Purpose Maximum Length of Full CDS Name in messages

Description:

Indicates the maximum length (in characters) of the entire CDS name of the following form: "ApplicationName.C ← DSName"

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 561 of file sample_mission_cfg.h.

11.4.2.3 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH

#define CFE_MISSION_ES_CDS_MAX_NAME_LENGTH 16

Purpose Maximum Length of CDS Name

Description:

Indicates the maximum length (in characters) of the CDS name ('CDSName') portion of a Full CDS Name of the following form: "ApplicationName.CDSName"

This length does not need to include an extra character for NULL termination.

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 245 of file sample_mission_cfg.h.

```
11.4.2.4 CFE_MISSION_ES_CMD_MSG
#define CFE_MISSION_ES_CMD_MSG 6
```

Definition at line 316 of file sample mission cfg.h.

```
11.4.2.5 CFE_MISSION_ES_CRC_16
```

```
#define CFE_MISSION_ES_CRC_16 2
```

CRC (16 bit additive - returns 32 bit total)

Definition at line 264 of file sample mission cfg.h.

```
11.4.2.6 CFE_MISSION_ES_CRC_32
```

```
#define CFE_MISSION_ES_CRC_32 3
```

CRC (32 bit additive - returns 32 bit total) (Currently not implemented) .

Definition at line 265 of file sample_mission_cfg.h.

11.4.2.7 CFE_MISSION_ES_CRC_8

```
#define CFE_MISSION_ES_CRC_8 1
```

CRC (8 bit additive - returns 32 bit total) (Currently not implemented)

Definition at line 263 of file sample_mission_cfg.h.

11.4.2.8 CFE_MISSION_ES_DEFAULT_CRC

```
#define CFE_MISSION_ES_DEFAULT_CRC CFE_MISSION_ES_CRC_16
```

Purpose Mission Default CRC algorithm

Description:

Indicates the which CRC algorithm should be used as the default for verifying the contents of Critical Data Stores and when calculating Table Image data integrity values.

Limits

```
Currently only CFE_MISSION_ES_CRC_16 is supported (see CFE_MISSION_ES_CRC_16)
```

Definition at line 282 of file sample_mission_cfg.h.

11.4.2.9 CFE_MISSION_ES_HK_TLM_MSG

```
#define CFE_MISSION_ES_HK_TLM_MSG 0
```

Purpose cFE Portable Message Numbers for Telemetry

Description:

Portable message numbers for the cFE telemetry messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 355 of file sample_mission_cfg.h.

11.4.2.10 CFE_MISSION_ES_MAX_APPLICATIONS

#define CFE_MISSION_ES_MAX_APPLICATIONS 16

Purpose Mission Max Apps in a message

Description:

Indicates the maximum number of apps in a telemetry housekeeping message

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 386 of file sample_mission_cfg.h.

11.4.2.11 CFE_MISSION_ES_MEMSTATS_TLM_MSG

#define CFE_MISSION_ES_MEMSTATS_TLM_MSG 16

Definition at line 370 of file sample_mission_cfg.h.

11.4.2.12 CFE_MISSION_ES_PERF_MAX_IDS

#define CFE_MISSION_ES_PERF_MAX_IDS 128

Purpose Define Max Number of Performance IDs for messages

Description:

Defines the maximum number of perf ids allowed in command/telemetry messages

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 403 of file sample_mission_cfg.h.

11.4.2.13 CFE_MISSION_ES_POOL_MAX_BUCKETS

#define CFE_MISSION_ES_POOL_MAX_BUCKETS 17

Purpose Maximum number of block sizes in pool structures

Description:

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS. This definition is used as the array size with the pool stats structure, and therefore should be consistent across all CPUs in a mission, as well as with the ground station.

There is also a platform-specific limit which may be fewer than this value.

Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

Definition at line 424 of file sample_mission_cfg.h.

11.4.2.14 CFE_MISSION_ES_SEND_HK_MSG

```
#define CFE_MISSION_ES_SEND_HK_MSG 8
```

Definition at line 318 of file sample mission cfg.h.

11.4.2.15 CFE_MISSION_EVS_CMD_MSG

```
#define CFE_MISSION_EVS_CMD_MSG 1
```

Purpose cFE Portable Message Numbers for Commands

Description:

Portable message numbers for the cFE command messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 311 of file sample_mission_cfg.h.

11.4.2.16 CFE_MISSION_EVS_HK_TLM_MSG

```
#define CFE_MISSION_EVS_HK_TLM_MSG 1
```

Definition at line 356 of file sample_mission_cfg.h.

11.4.2.17 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG

#define CFE_MISSION_EVS_LONG_EVENT_MSG_MSG 8

Definition at line 363 of file sample_mission_cfg.h.

11.4.2.18 CFE_MISSION_EVS_MAX_MESSAGE_LENGTH

```
#define CFE_MISSION_EVS_MAX_MESSAGE_LENGTH 122
```

Purpose Maximum Event Message Length

Description:

Indicates the maximum length (in characters) of the formatted text string portion of an event message

This length does not need to include an extra character for NULL termination.

Limits

Not Applicable

Definition at line 259 of file sample mission cfg.h.

11.4.2.19 CFE_MISSION_EVS_SEND_HK_MSG

```
#define CFE_MISSION_EVS_SEND_HK_MSG 9
```

Definition at line 319 of file sample_mission_cfg.h.

11.4.2.20 CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG

```
#define CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG 9
```

Definition at line 364 of file sample mission cfg.h.

11.4.2.21 CFE_MISSION_MAX_API_LEN

```
#define CFE_MISSION_MAX_API_LEN 20
```

Purpose cFE Maximum length for API names within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_API_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_API_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_API_LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 541 of file sample_mission_cfg.h.

11.4.2.22 CFE_MISSION_MAX_FILE_LEN

#define CFE_MISSION_MAX_FILE_LEN 20

Purpose cFE Maximum length for filenames within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_FILE_LEN but that is O← SAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_FILE_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_FILE_LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 515 of file sample_mission_cfg.h.

11.4.2.23 CFE MISSION MAX PATH LEN

#define CFE_MISSION_MAX_PATH_LEN 64

Purpose cFE Maximum length for pathnames within data exchange structures

Description:

The value of this constant dictates the size of pathnames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_PATH_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_PATH_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS MAX PATH LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 488 of file sample mission cfg.h.

11.4.2.24 CFE_MISSION_SB_ALLSUBS_TLM_MSG

#define CFE_MISSION_SB_ALLSUBS_TLM_MSG 13

Definition at line 368 of file sample_mission_cfg.h.

11.4.2.25 CFE_MISSION_SB_CMD_MSG

#define CFE_MISSION_SB_CMD_MSG 3

Definition at line 313 of file sample_mission_cfg.h.

11.4.2.26 CFE_MISSION_SB_HK_TLM_MSG

#define CFE_MISSION_SB_HK_TLM_MSG 3

Definition at line 358 of file sample_mission_cfg.h.

11.4.2.27 CFE MISSION SB MAX PIPES

#define CFE_MISSION_SB_MAX_PIPES 64

Purpose Maximum Number of pipes that SB command/telemetry messages may hold

Description:

Dictates the maximum number of unique Pipes the SB message definitions will hold.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 461 of file sample_mission_cfg.h.

11.4.2.28 CFE_MISSION_SB_MAX_SB_MSG_SIZE

```
#define CFE_MISSION_SB_MAX_SB_MSG_SIZE 32768
```

Purpose Maximum SB Message Size

Description:

The following definition dictates the maximum message size allowed on the software bus. SB checks the pkt length field in the header of all messages sent. If the pkt length field indicates the message is larger than this define, SB sends an event and rejects the send.

Limits

This parameter has a lower limit of 6 (CCSDS primary header size). There are no restrictions on the upper limit however, the maximum message size is system dependent and should be verified. Total message size values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 53 of file sample_mission_cfg.h.

11.4.2.29 CFE_MISSION_SB_ONESUB_TLM_MSG

#define CFE_MISSION_SB_ONESUB_TLM_MSG 14

Definition at line 369 of file sample_mission_cfg.h.

11.4.2.30 CFE_MISSION_SB_SEND_HK_MSG

#define CFE_MISSION_SB_SEND_HK_MSG 11

Definition at line 321 of file sample_mission_cfg.h.

11.4.2.31 CFE_MISSION_SB_STATS_TLM_MSG

#define CFE_MISSION_SB_STATS_TLM_MSG 10

Definition at line 365 of file sample mission cfg.h.

11.4.2.32 CFE_MISSION_SB_SUB_RPT_CTRL_MSG

```
#define CFE_MISSION_SB_SUB_RPT_CTRL_MSG 14
```

Definition at line 325 of file sample_mission_cfg.h.

11.4.2.33 CFE_MISSION_TBL_CMD_MSG

```
#define CFE_MISSION_TBL_CMD_MSG 4
```

Definition at line 314 of file sample_mission_cfg.h.

11.4.2.34 CFE_MISSION_TBL_HK_TLM_MSG

```
#define CFE_MISSION_TBL_HK_TLM_MSG 4
```

Definition at line 359 of file sample_mission_cfg.h.

11.4.2.35 CFE MISSION TBL MAX FULL NAME LEN

```
#define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_NAME_LENGTH + CFE_MISSION_MAX_API ← _ LEN + 4)
```

Purpose Maximum Length of Full Table Name in messages

Description:

Indicates the maximum length (in characters) of the entire table name within software bus messages, in "App← Name. TableName" notation.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 444 of file sample mission cfg.h.

11.4.2.36 CFE_MISSION_TBL_MAX_NAME_LENGTH

```
#define CFE_MISSION_TBL_MAX_NAME_LENGTH 16
```

Purpose Maximum Table Name Length

Description:

Indicates the maximum length (in characters) of the table name ('TblName') portion of a Full Table Name of the following form: "ApplicationName.TblName"

This length does not need to include an extra character for NULL termination.

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 298 of file sample_mission_cfg.h.

11.4.2.37 CFE_MISSION_TBL_REG_TLM_MSG

```
#define CFE_MISSION_TBL_REG_TLM_MSG 12
```

Definition at line 367 of file sample_mission_cfg.h.

11.4.2.38 CFE MISSION TBL SEND HK MSG

```
#define CFE_MISSION_TBL_SEND_HK_MSG 12
```

Definition at line 322 of file sample_mission_cfg.h.

11.4.2.39 CFE_MISSION_TEST_CMD_MSG

#define CFE_MISSION_TEST_CMD_MSG 2

Definition at line 312 of file sample_mission_cfg.h.

11.4.2.40 CFE_MISSION_TEST_HK_TLM_MSG

```
#define CFE_MISSION_TEST_HK_TLM_MSG 2
```

Definition at line 357 of file sample_mission_cfg.h.

11.4.2.41 CFE_MISSION_TIME_1HZ_CMD_MSG

```
#define CFE_MISSION_TIME_1HZ_CMD_MSG 17
```

Definition at line 328 of file sample_mission_cfg.h.

11.4.2.42 CFE_MISSION_TIME_AT_TONE_WAS

```
#define CFE_MISSION_TIME_AT_TONE_WAS true
```

Purpose Default Time and Tone Order

Description:

Time Services may be configured to expect the time at the tone data packet to either precede or follow the tone signal. If the time at the tone data packet follows the tone signal, then the data within the packet describes what the time "was" at the tone. If the time at the tone data packet precedes the tone signal, then the data within the packet describes what the time "will be" at the tone. One, and only one, of the following symbols must be set to true:

- · CFE MISSION TIME AT TONE WAS
- CFE_MISSION_TIME_AT_TONE_WILL_BE Note: If Time Services is defined as using a simulated tone signal (see CFE_MISSION_TIME_CFG_FAKE_TONE above), then the tone data packet must follow the tone signal.

Limits

Either CFE_MISSION_TIME_AT_TONE_WAS or CFE_MISSION_TIME_AT_TONE_WILL_BE must be set to true. They may not both be true and they may not both be false.

Definition at line 108 of file sample mission cfg.h.

11.4.2.43 CFE_MISSION_TIME_AT_TONE_WILL_BE

```
#define CFE_MISSION_TIME_AT_TONE_WILL_BE false
```

Definition at line 109 of file sample mission cfg.h.

11.4.2.44 CFE_MISSION_TIME_CFG_DEFAULT_TAI

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI true
```

Purpose Default Time Format

Description:

The following definitions select either UTC or TAI as the default (mission specific) time format. Although it is possible for an application to request time in a specific format, most callers should use CFE_TIME_GetTime(), which returns time in the default format. This avoids having to modify each individual caller when the default choice is changed.

Limits

if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as true then CFE_MISSION_TIME_CFG_DEFAULT_UTC must be defined as false. if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as false then CFE_MISSION ← __TIME_CFG_DEFAULT_UTC must be defined as true.

Definition at line 72 of file sample_mission_cfg.h.

11.4.2.45 CFE_MISSION_TIME_CFG_DEFAULT_UTC

```
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC false
```

Definition at line 73 of file sample_mission_cfg.h.

11.4.2.46 CFE_MISSION_TIME_CFG_FAKE_TONE

#define CFE_MISSION_TIME_CFG_FAKE_TONE true

Purpose Default Time Format

Description:

The following definition enables the use of a simulated time at the tone signal using a software bus message.

Limits

Not Applicable

Definition at line 85 of file sample_mission_cfg.h.

11.4.2.47 CFE_MISSION_TIME_CMD_MSG

```
#define CFE_MISSION_TIME_CMD_MSG 5
```

Definition at line 315 of file sample mission cfg.h.

11.4.2.48 CFE_MISSION_TIME_DATA_CMD_MSG

```
#define CFE_MISSION_TIME_DATA_CMD_MSG 0
```

Purpose cFE Portable Message Numbers for Global Messages

Description:

Portable message numbers for the cFE global messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 341 of file sample_mission_cfg.h.

11.4.2.49 CFE_MISSION_TIME_DEF_DELAY_SECS

```
#define CFE_MISSION_TIME_DEF_DELAY_SECS 0
```

Definition at line 167 of file sample_mission_cfg.h.

11.4.2.50 CFE_MISSION_TIME_DEF_DELAY_SUBS

```
#define CFE_MISSION_TIME_DEF_DELAY_SUBS 1000
```

Definition at line 168 of file sample mission cfg.h.

11.4.2.51 CFE_MISSION_TIME_DEF_LEAPS

```
#define CFE_MISSION_TIME_DEF_LEAPS 37
```

Definition at line 165 of file sample_mission_cfg.h.

11.4.2.52 CFE_MISSION_TIME_DEF_MET_SECS

```
#define CFE_MISSION_TIME_DEF_MET_SECS 1000
```

Purpose Default Time Values

Description:

Default time values are provided to avoid problems due to time calculations performed after startup but before commands can be processed. For example, if the default time format is UTC then it is important that the sum of MET and STCF always exceed the value of Leap Seconds to prevent the UTC time calculation (time = MET + STCF - Leap Seconds) from resulting in a negative (very large) number.

Some past missions have also created known (albeit wrong) default timestamps. For example, assume the epoch is defined as Jan 1, 1970 and further assume the default time values are set to create a timestamp of Jan 1, 2000. Even though the year 2000 timestamps are wrong, it may be of value to keep the time within some sort of bounds acceptable to the software.

Note: Sub-second units are in micro-seconds (0 to 999,999) and all values must be defined

Limits

Not Applicable

Definition at line 159 of file sample mission cfg.h.

```
11.4.2.53 CFE_MISSION_TIME_DEF_MET_SUBS
```

```
#define CFE_MISSION_TIME_DEF_MET_SUBS 0
```

Definition at line 160 of file sample_mission_cfg.h.

```
11.4.2.54 CFE_MISSION_TIME_DEF_STCF_SECS
```

```
#define CFE_MISSION_TIME_DEF_STCF_SECS 1000000
```

Definition at line 162 of file sample_mission_cfg.h.

11.4.2.55 CFE_MISSION_TIME_DEF_STCF_SUBS

```
#define CFE_MISSION_TIME_DEF_STCF_SUBS 0
```

Definition at line 163 of file sample_mission_cfg.h.

11.4.2.56 CFE_MISSION_TIME_DIAG_TLM_MSG

#define CFE_MISSION_TIME_DIAG_TLM_MSG 6

Definition at line 361 of file sample mission cfg.h.

11.4.2.57 CFE_MISSION_TIME_EPOCH_DAY

#define CFE_MISSION_TIME_EPOCH_DAY 1

Definition at line 186 of file sample_mission_cfg.h.

11.4.2.58 CFE_MISSION_TIME_EPOCH_HOUR

#define CFE_MISSION_TIME_EPOCH_HOUR 0

Definition at line 187 of file sample_mission_cfg.h.

11.4.2.59 CFE_MISSION_TIME_EPOCH_MICROS

#define CFE_MISSION_TIME_EPOCH_MICROS 0

Definition at line 190 of file sample_mission_cfg.h.

11.4.2.60 CFE_MISSION_TIME_EPOCH_MINUTE

#define CFE_MISSION_TIME_EPOCH_MINUTE 0

Definition at line 188 of file sample_mission_cfg.h.

11.4.2.61 CFE_MISSION_TIME_EPOCH_SECOND

#define CFE_MISSION_TIME_EPOCH_SECOND 0

Definition at line 189 of file sample_mission_cfg.h.

11.4.2.62 CFE_MISSION_TIME_EPOCH_YEAR

#define CFE_MISSION_TIME_EPOCH_YEAR 1980

Purpose Default EPOCH Values

Description:

Default ground time epoch values Note: these values are used only by the CFE_TIME_Print() API function

Limits

Year - must be within 136 years Day - Jan 1 = 1, Feb 1 = 32, etc. Hour - 0 to 23 Minute - 0 to 59 Second - 0 to 59 Micros - 0 to 999999

Definition at line 185 of file sample_mission_cfg.h.

11.4.2.63 CFE_MISSION_TIME_FS_FACTOR

#define CFE_MISSION_TIME_FS_FACTOR 789004800

Purpose Time File System Factor

Description:

Define the s/c vs file system time conversion constant...

Note: this value is intended for use only by CFE TIME API functions to convert time values based on the ground system epoch (s/c time) to and from time values based on the file system epoch (fs time).

FS time = S/C time + factor S/C time = FS time - factor

Worksheet:

S/C epoch = Jan 1, 2005 (LRO ground system epoch) FS epoch = Jan 1, 1980 (vxWorks DOS file system epoch)

Delta = 25 years, 0 days, 0 hours, 0 minutes, 0 seconds

Leap years = 1980, 1984, 1988, 1992, 1996, 2000, 2004 (divisible by 4 - except if by 100 - unless also by 400)

1 year = 31,536,000 seconds 1 day = 86,400 seconds 1 hour = 3,600 seconds 1 minute = 60 seconds

25 years = 788,400,000 seconds 7 extra leap days = 604,800 seconds

total delta = 789,004,800 seconds

Limits

Not Applicable

Definition at line 228 of file sample mission cfg.h.

11.4.2.64 CFE_MISSION_TIME_HK_TLM_MSG

#define CFE_MISSION_TIME_HK_TLM_MSG 5

Definition at line 360 of file sample_mission_cfg.h.

11.4.2.65 CFE_MISSION_TIME_MAX_ELAPSED

#define CFE_MISSION_TIME_MAX_ELAPSED 200000

Definition at line 134 of file sample_mission_cfg.h.

11.4.2.66 CFE MISSION_TIME_MIN_ELAPSED

#define CFE_MISSION_TIME_MIN_ELAPSED 0

Purpose Min and Max Time Elapsed

Description:

Based on the definition of Time and Tone Order (CFE_MISSION_TIME_AT_TONE_WAS/WILL_BE) either the "time at the tone" signal or data packet will follow the other. This definition sets the valid window of time for the second of the pair to lag behind the first. Time Services will invalidate both the tone and packet if the second does not arrive within this window following the first.

For example, if the data packet follows the tone, it might be valid for the data packet to arrive between zero and 100,000 micro-seconds after the tone. But, if the tone follows the packet, it might be valid only if the packet arrived between 200,000 and 700,000 micro-seconds before the tone.

Note: units are in micro-seconds

Limits

0 to 999,999 decimal

Definition at line 133 of file sample mission cfg.h.

11.4.2.67 CFE_MISSION_TIME_SEND_CMD_MSG

#define CFE_MISSION_TIME_SEND_CMD_MSG 2

Definition at line 342 of file sample mission cfg.h.

11.4.2.68 CFE_MISSION_TIME_SEND_HK_MSG

#define CFE_MISSION_TIME_SEND_HK_MSG 13

Definition at line 323 of file sample_mission_cfg.h.

11.4.2.69 CFE_MISSION_TIME_TONE_CMD_MSG

#define CFE_MISSION_TIME_TONE_CMD_MSG 16

Definition at line 327 of file sample_mission_cfg.h.

11.5 sample_perfids.h File Reference

Macros

#define CFE_MISSION_ES_PERF_EXIT_BIT 31
 bit (31) is reserved by the perf utilities

cFE Performance Monitor IDs (Reserved IDs 0-31)

- #define CFE_MISSION_ES_MAIN_PERF_ID 1
 - Performance ID for Executive Services Task.
- #define CFE_MISSION_EVS_MAIN_PERF_ID 2

Performance ID for Events Services Task.

#define CFE_MISSION_TBL_MAIN_PERF_ID 3

Performance ID for Table Services Task.

#define CFE_MISSION_SB_MAIN_PERF_ID 4

Performance ID for Software Bus Services Task.

#define CFE_MISSION_SB_MSG_LIM_PERF_ID 5

Performance ID for Software Bus Msg Limit Errors.

• #define CFE MISSION SB PIPE OFLOW PERF ID 27

Performance ID for Software Bus Pipe Overflow Errors.

#define CFE_MISSION_TIME_MAIN_PERF_ID 6

Performance ID for Time Services Task.

#define CFE MISSION TIME TONE1HZISR PERF ID 7

Performance ID for 1 Hz Tone ISR.

• #define CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID 8

Performance ID for 1 Hz Local ISR.

#define CFE_MISSION_TIME_SENDMET_PERF_ID 9

Performance ID for Time ToneSendMET.

#define CFE MISSION TIME LOCAL1HZTASK PERF ID 10

Performance ID for 1 Hz Local Task.

#define CFE_MISSION_TIME_TONE1HZTASK_PERF_ID 11

Performance ID for 1 Hz Tone Task.

11.5.1 Detailed Description

Purpose: This file contains the cFE performance IDs

Design Notes: Each performance id is used to identify something that needs to be measured. Performance ids are limited to the range of 0 to CFE_MISSION_ES_PERF_MAX_IDS - 1. Any performance ids outside of this range will be ignored and will be flagged as an error. Note that performance ids 0-31 are reserved for the cFE Core.

References:

11.5.2 Macro Definition Documentation

11.5.2.1 CFE_MISSION_ES_MAIN_PERF_ID

```
#define CFE_MISSION_ES_MAIN_PERF_ID 1
```

Performance ID for Executive Services Task.

Definition at line 42 of file sample_perfids.h.

11.5.2.2 CFE_MISSION_ES_PERF_EXIT_BIT

```
#define CFE_MISSION_ES_PERF_EXIT_BIT 31
```

bit (31) is reserved by the perf utilities

Definition at line 38 of file sample_perfids.h.

11.5.2.3 CFE_MISSION_EVS_MAIN_PERF_ID

```
#define CFE_MISSION_EVS_MAIN_PERF_ID 2
```

Performance ID for Events Services Task.

Definition at line 43 of file sample_perfids.h.

11.5.2.4 CFE_MISSION_SB_MAIN_PERF_ID

```
#define CFE_MISSION_SB_MAIN_PERF_ID 4
```

Performance ID for Software Bus Services Task.

Definition at line 45 of file sample_perfids.h.

11.5.2.5 CFE_MISSION_SB_MSG_LIM_PERF_ID

#define CFE_MISSION_SB_MSG_LIM_PERF_ID 5

Performance ID for Software Bus Msg Limit Errors.

Definition at line 46 of file sample_perfids.h.

11.5.2.6 CFE_MISSION_SB_PIPE_OFLOW_PERF_ID

#define CFE_MISSION_SB_PIPE_OFLOW_PERF_ID 27

Performance ID for Software Bus Pipe Overflow Errors.

Definition at line 47 of file sample_perfids.h.

11.5.2.7 CFE_MISSION_TBL_MAIN_PERF_ID

#define CFE_MISSION_TBL_MAIN_PERF_ID 3

Performance ID for Table Services Task.

Definition at line 44 of file sample_perfids.h.

11.5.2.8 CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID

#define CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID 8

Performance ID for 1 Hz Local ISR.

Definition at line 51 of file sample perfids.h.

11.5.2.9 CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID

#define CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID 10

Performance ID for 1 Hz Local Task.

Definition at line 54 of file sample_perfids.h.

11.5.2.10 CFE_MISSION_TIME_MAIN_PERF_ID #define CFE_MISSION_TIME_MAIN_PERF_ID 6 Performance ID for Time Services Task. Definition at line 49 of file sample_perfids.h. 11.5.2.11 CFE_MISSION_TIME_SENDMET_PERF_ID #define CFE_MISSION_TIME_SENDMET_PERF_ID 9 Performance ID for Time ToneSendMET. Definition at line 53 of file sample_perfids.h. 11.5.2.12 CFE_MISSION_TIME_TONE1HZISR_PERF_ID #define CFE_MISSION_TIME_TONE1HZISR_PERF_ID 7 Performance ID for 1 Hz Tone ISR. Definition at line 50 of file sample_perfids.h. 11.5.2.13 CFE_MISSION_TIME_TONE1HZTASK_PERF_ID

#define CFE_MISSION_TIME_TONE1HZTASK_PERF_ID 11

Performance ID for 1 Hz Tone Task.

Definition at line 55 of file sample_perfids.h.

- 11.6 cfe/docs/src/cfe_api.dox File Reference
- 11.7 cfe/docs/src/cfe_es.dox File Reference
- 11.8 cfe/docs/src/cfe_evs.dox File Reference
- 11.9 cfe/docs/src/cfe_frontpage.dox File Reference
- 11.10 cfe/docs/src/cfe_glossary.dox File Reference
- 11.11 cfe/docs/src/cfe_sb.dox File Reference
- 11.12 cfe/docs/src/cfe_tbl.dox File Reference
- 11.13 cfe/docs/src/cfe time.dox File Reference
- 11.14 cfe/docs/src/cfe_xref.dox File Reference
- 11.15 cfe/docs/src/cfs_versions.dox File Reference
- 11.16 cfe/modules/core_api/fsw/inc/cfe.h File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_mission_cfg.h"
#include "cfe_error.h"
#include "cfe_es.h"
#include "cfe_es.h"
#include "cfe_ts.h"
#include "cfe_time.h"
#include "cfe_tbl.h"
#include "cfe_msg.h"
#include "cfe_resourceid.h"
#include "cfe_psp.h"
```

11.16.1 Detailed Description

Purpose: cFE header file

Author: David Kobe, the Hammers Company, Inc.

Notes: This header file centralizes the includes for all cFE Applications. It includes all header files necessary to completely define the cFE interface.

11.17 cfe/modules/core_api/fsw/inc/cfe_config.h File Reference

```
#include "common_types.h"
#include "cfe_config_api_typedefs.h"
#include "cfe_config_ids.h"
```

Functions

• uint32 CFE Config GetValue (CFE Configld t Configld)

Obtain an integer value correlating to an CFE configuration ID.

const void * CFE_Config_GetObjPointer (CFE_Configld_t Configld)

Obtain a pointer value correlating to an CFE configuration ID.

• const char * CFE_Config_GetString (CFE_ConfigId_t ConfigId)

Obtain a string value correlating to an CFE configuration ID.

const char * CFE_Config_GetName (CFE_ConfigId_t ConfigId)

Obtain the name of a CFE configuration ID.

CFE Configld t CFE Config GetIdByName (const char *Name)

Obtain the ID value associated with a configuration name.

void CFE_Config_IterateAll (void *Arg, CFE_Config_Callback_t Callback)

Iterate all known name/ID value pairs.

11.17.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.17.2 Function Documentation

11.17.2.1 CFE Config GetIdByName()

Obtain the ID value associated with a configuration name.

Parameters

in	Name	The name of the ID to look up	1
----	------	-------------------------------	---

Returns

ID associated with name

Return values

```
CFE_CONFIGID_UNDEFINED | if the name did not correspond to a key
```

11.17.2.2 CFE_Config_GetName()

Obtain the name of a CFE configuration ID.

Retreives the printable name associated with the specified key.

Note

This function does not return NULL.

If the ID is not valid/known, then the implementation returns the special string '[unknown]' rather than NULL, so this function may be more easily used in printf() style calls.

Parameters

ſ	in	Config←	Configuration ID/Key to look up
		ld	

Returns

Name associated with key

11.17.2.3 CFE_Config_GetObjPointer()

```
\begin{tabular}{ll} const void* CFE\_Config\_GetObjPointer ( \\ CFE\_ConfigId\_t \end{tabular} \begin{tabular}{ll} ConfigId \end{tabular} \end{tabular}
```

Obtain a pointer value correlating to an CFE configuration ID.

Retreives the pointer value associated with the specified key.

If no value has been set, or the key is not valid, this returns NULL.

Parameters

in	Config←	Configuration ID/Key to look up
	ld	

Returns

Value associated with key

Return values

if key is not defined or not set	NULL
----------------------------------	------

11.17.2.4 CFE_Config_GetString()

Obtain a string value correlating to an CFE configuration ID.

Retreives the string value associated with the specified key.

If no value has been set, or the key is not valid, this returns the special string "UNDEFINED"

Note

This function does not return NULL, so it can be used directly in printf-style calls.

Parameters

ſ	in	Config←	Configuration ID/Key to look up
		ld	

Returns

String value associated with key

11.17.2.5 CFE_Config_GetValue()

Obtain an integer value correlating to an CFE configuration ID.

Retreives the integer value associated with the specified key.

If no value has been set, or the key is not valid, this returns 0.

Parameters

in	Config←	Configuration ID/Key to look up
	ld	

Returns

Value associated with key

Return values

```
0 if key is not defined or not set
```

11.17.2.6 CFE_Config_IterateAll()

Iterate all known name/ID value pairs.

Parameters

in	Arg	User-supplied opaque argument to pass to callback
in	Callback	User-supplied callback function to invoke for each ID

11.18 cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_resourceid_api_typedefs.h"
```

Macros

- #define CFE_CONFIGID_C(val) ((CFE_Configld_t)CFE_RESOURCEID_WRAP(val))
- #define CFE_CONFIGID_UNDEFINED CFE_CONFIGID_C(CFE_RESOURCEID_UNDEFINED)

Typedefs

- typedef CFE_RESOURCEID_BASE_TYPE CFE_Configld_t
 A type for Configuration IDs.
- typedef void(* CFE_Config_Callback_t) (void *Arg, CFE_ConfigId_t Id, const char *Name)

11.18.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.18.2 Macro Definition Documentation

```
11.18.2.1 CFE_CONFIGID_C
```

Definition at line 48 of file cfe_config_api_typedefs.h.

```
11.18.2.2 CFE_CONFIGID_UNDEFINED
```

```
#define CFE_CONFIGID_UNDEFINED CFE_CONFIGID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 49 of file cfe config api typedefs.h.

11.18.3 Typedef Documentation

```
11.18.3.1 CFE_Config_Callback_t
```

```
typedef void(* CFE_Config_Callback_t) (void *Arg, CFE_ConfigId_t Id, const char *Name)
```

Definition at line 51 of file cfe_config_api_typedefs.h.

```
11.18.3.2 CFE_Configld_t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_ConfigId_t
```

A type for Configuration IDs.

This is the type that is used for any API accepting or returning a configuration key ID

Definition at line 46 of file cfe_config_api_typedefs.h.

11.19 cfe/modules/core_api/fsw/inc/cfe_endian.h File Reference

```
#include "common_types.h"
```

Macros

- #define CFE_MAKE_BIG16(n) ((((n)&0x00FF) << 8) | (((n)&0xFF00) >> 8))
- #define CFE_MAKE_BIG32(n) ((((n)&0x000000FF) << 24) | (((n)&0x0000FF00) << 8) | (((n)&0x0FF00000) >> 8) | (((n)&0xFF000000) >> 24))

11.19.1 Detailed Description

Purpose: Define macros to enforce big-endian/network byte order for 16 and 32 bit integers

11.19.2 Macro Definition Documentation

11.19.2.1 CFE_MAKE_BIG16

```
#define CFE_MAKE_BIG16(  n \ ) \ ((((n) \& 0 x 0 0 FF) \ << \ 8) \ | \ (((n) \& 0 x FF 0 0) \ >> \ 8))
```

Definition at line 64 of file cfe endian.h.

11.19.2.2 CFE_MAKE_BIG32

Definition at line 65 of file cfe endian.h.

11.20 cfe/modules/core_api/fsw/inc/cfe_error.h File Reference

```
#include "osapi.h"
```

Macros

#define CFE STATUS C(X) ((CFE Status t)(X))

cFE Status macro for literal

• #define CFE STATUS STRING LENGTH 11

cFE Status converted to string length limit

#define CFE_SEVERITY_BITMASK ((CFE_Status_t)0xc0000000)

Error Severity Bitmask.

#define CFE_SEVERITY_SUCCESS ((CFE_Status_t)0x00000000)

Severity Success.

#define CFE_SEVERITY_INFO ((CFE_Status_t)0x40000000)

Severity Info.

#define CFE SEVERITY ERROR ((CFE Status t)0xc0000000)

Severity Error.

#define CFE_SERVICE_BITMASK ((CFE_Status_t)0x0e000000)

Error Service Bitmask.

#define CFE EVENTS SERVICE ((CFE Status t)0x02000000)

Event Service.

#define CFE EXECUTIVE SERVICE ((CFE Status t)0x04000000)

Executive Service.

#define CFE_FILE_SERVICE ((CFE_Status_t)0x06000000)

File Service.

#define CFE GENERIC SERVICE ((CFE Status t)0x08000000)

Generic Service.

#define CFE_SOFTWARE_BUS_SERVICE ((CFE_Status_t)0x0a000000)

Software Bus Service.

• #define CFE TABLE SERVICE ((CFE Status t)0x0c000000)

Table Service.

#define CFE_TIME_SERVICE ((CFE_Status_t)0x0e000000)

Time Service.

#define CFE_SUCCESS ((CFE_Status_t)0)

Successful execution.

#define CFE_STATUS_NO_COUNTER_INCREMENT ((CFE_Status_t)0x48000001)

No Counter Increment.

#define CFE_STATUS_WRONG_MSG_LENGTH ((CFE_Status_t)0xc8000002)

Wrong Message Length.

#define CFE_STATUS_UNKNOWN_MSG_ID ((CFE_Status_t)0xc8000003)

Unknown Message ID.

#define CFE STATUS BAD COMMAND CODE ((CFE Status t)0xc8000004)

Bad Command Code.

#define CFE STATUS EXTERNAL RESOURCE FAIL ((CFE Status t)0xc8000005)

External failure.

#define CFE STATUS REQUEST ALREADY PENDING ((int32)0xc8000006)

Request already pending.

#define CFE_STATUS_NOT_IMPLEMENTED ((CFE_Status_t)0xc800ffff)

Not Implemented.

#define CFE EVS UNKNOWN FILTER ((CFE Status t)0xc2000001)

```
Unknown Filter.
```

• #define CFE_EVS_APP_NOT_REGISTERED ((CFE_Status_t)0xc2000002)

Application Not Registered.

#define CFE_EVS_APP_ILLEGAL_APP_ID ((CFE_Status_t)0xc2000003)

Illegal Application ID.

#define CFE_EVS_APP_FILTER_OVERLOAD ((CFE_Status_t)0xc2000004)

Application Filter Overload.

#define CFE_EVS_RESET_AREA_POINTER ((CFE_Status_t)0xc2000005)

Reset Area Pointer Failure.

#define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006)

Event Not Registered.

#define CFE_EVS_FILE_WRITE_ERROR ((CFE_Status_t)0xc2000007)

File Write Error.

#define CFE EVS INVALID PARAMETER ((CFE Status t)0xc2000008)

Invalid Pointer.

#define CFE_EVS_APP_SQUELCHED ((CFE_Status_t)0xc2000009)

Event squelched.

#define CFE_EVS_NOT_IMPLEMENTED ((CFE_Status_t)0xc200ffff)

Not Implemented.

#define CFE_ES_ERR_RESOURCEID_NOT_VALID ((CFE_Status_t)0xc4000001)

Resource ID is not valid.

#define CFE_ES_ERR_NAME_NOT_FOUND ((CFE_Status_t)0xc4000002)

Resource Name Error.

#define CFE_ES_ERR_APP_CREATE ((CFE_Status_t)0xc4000004)

Application Create Error.

• #define CFE ES ERR CHILD TASK CREATE ((CFE Status t)0xc4000005)

Child Task Create Error.

#define CFE ES ERR SYS LOG FULL ((CFE Status t)0xc4000006)

System Log Full.

#define CFE ES ERR MEM BLOCK SIZE ((CFE Status t)0xc4000008)

Memory Block Size Error.

#define CFE ES ERR LOAD LIB ((CFE Status t)0xc4000009)

Load Library Error.

• #define CFE_ES_BAD_ARGUMENT ((CFE_Status_t)0xc400000a)

Bad Argument.

• #define CFE_ES_ERR_CHILD_TASK_REGISTER ((CFE_Status_t)0xc400000b)

Child Task Register Error.

#define CFE_ES_CDS_ALREADY_EXISTS ((CFE_Status_t)0x4400000d)

CDS Already Exists.

#define CFE_ES_CDS_INSUFFICIENT_MEMORY ((CFE_Status_t)0xc400000e)

CDS Insufficient Memory.

#define CFE_ES_CDS_INVALID_NAME ((CFE_Status_t)0xc400000f)

CDS Invalid Name.

#define CFE ES CDS INVALID SIZE ((CFE Status t)0xc4000010)

CDS Invalid Size.

#define CFE_ES_CDS_INVALID ((CFE_Status_t)0xc4000012)

CDS Invalid.

```
    #define CFE_ES_CDS_ACCESS_ERROR ((CFE_Status_t)0xc4000013)

     CDS Access Error.

    #define CFE ES FILE IO ERR ((CFE Status t)0xc4000014)

     File IO Error.

    #define CFE ES RST ACCESS ERR ((CFE Status t)0xc4000015)

     Reset Area Access Error.

    #define CFE ES ERR APP REGISTER ((CFE Status t)0xc4000017)

     Application Register Error.

    #define CFE ES ERR CHILD TASK DELETE ((CFE Status t)0xc4000018)

     Child Task Delete Error.

    #define CFE ES ERR CHILD TASK DELETE MAIN TASK ((CFE Status t)0xc4000019)

     Child Task Delete Passed Main Task.

    #define CFE ES CDS BLOCK CRC ERR ((CFE Status t)0xc400001A)

     CDS Block CRC Error.

    #define CFE_ES_MUT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001B)

     Mutex Semaphore Delete Error.

    #define CFE ES BIN SEM DELETE ERR ((CFE Status t)0xc400001C)

     Binary Semaphore Delete Error.

    #define CFE_ES_COUNT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001D)

     Counting Semaphore Delete Error.

    #define CFE ES QUEUE DELETE ERR ((CFE Status t)0xc400001E)

     Queue Delete Error.

    #define CFE_ES_FILE_CLOSE_ERR ((CFE_Status_t)0xc400001F)

     File Close Error.

    #define CFE ES CDS WRONG TYPE ERR ((CFE Status t)0xc4000020)

     CDS Wrong Type Error.

    #define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022)

     CDS Owner Active Error.

    #define CFE_ES_APP_CLEANUP_ERR ((CFE_Status_t)0xc4000023)

     Application Cleanup Error.

    #define CFE_ES_TIMER_DELETE_ERR ((CFE_Status_t)0xc4000024)

     Timer Delete Error.

    #define CFE_ES_BUFFER_NOT_IN_POOL ((CFE_Status_t)0xc4000025)

     Buffer Not In Pool.

    #define CFE ES TASK DELETE ERR ((CFE Status t)0xc4000026)

     Task Delete Error.

    #define CFE_ES_OPERATION_TIMED_OUT ((CFE_Status_t)0xc4000027)

     Operation Timed Out.

    #define CFE ES LIB ALREADY LOADED ((CFE Status t)0x44000028)

     Library Already Loaded.

    #define CFE_ES_ERR_SYS_LOG_TRUNCATED ((CFE_Status_t)0x44000029)

     System Log Message Truncated.

    #define CFE ES NO RESOURCE IDS AVAILABLE ((CFE Status t)0xc400002B)

     Resource ID is not available.
• #define CFE ES POOL BLOCK INVALID ((CFE Status t)0xc400002C)
     Invalid pool block.
```

#define CFE ES ERR DUPLICATE NAME ((CFE Status t)0xc400002E)

```
Duplicate Name Error.
```

- #define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff)
 - Not Implemented.
- #define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001)

Bad Argument.

#define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002)

Invalid Path.

#define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003)

Filename Too Long.

#define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff)

Not Implemented.

#define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001)

Time Out.

#define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002)

No Message.

#define CFE_SB_BAD_ARGUMENT ((CFE_Status_t)0xca000003)

Bad Argument.

#define CFE_SB_MAX_PIPES_MET ((CFE_Status_t)0xca000004)

Max Pipes Met.

#define CFE_SB_PIPE_CR_ERR ((CFE_Status_t)0xca000005)

Pipe Create Error.

#define CFE_SB_PIPE_RD_ERR ((CFE_Status_t)0xca000006)

Pipe Read Error.

#define CFE_SB_MSG_TOO_BIG ((CFE_Status_t)0xca000007)

Message Too Big.

#define CFE_SB_BUF_ALOC_ERR ((CFE_Status_t)0xca000008)

Buffer Allocation Error.

#define CFE_SB_MAX_MSGS_MET ((CFE_Status_t)0xca000009)

Max Messages Met.

• #define CFE_SB_MAX_DESTS_MET ((CFE_Status_t)0xca00000a)

Max Destinations Met.

#define CFE_SB_INTERNAL_ERR ((CFE_Status_t)0xca00000c)

Internal Error.

#define CFE_SB_WRONG_MSG_TYPE ((CFE_Status_t)0xca00000d)

Wrong Message Type.

• #define CFE_SB_BUFFER_INVALID ((CFE_Status_t)0xca00000e)

Buffer Invalid.

#define CFE_SB_NOT_IMPLEMENTED ((CFE_Status_t)0xca00ffff)

Not Implemented.

#define CFE_TBL_ERR_INVALID_HANDLE ((CFE_Status_t)0xcc000001)

Invalid Handle.

#define CFE_TBL_ERR_INVALID_NAME ((CFE_Status_t)0xcc000002)

Invalid Name.

#define CFE_TBL_ERR_INVALID_SIZE ((CFE_Status_t)0xcc000003)

Invalid Size.

#define CFE_TBL_INFO_UPDATE_PENDING ((CFE_Status_t)0x4c000004)

Update Pending.

```
    #define CFE_TBL_ERR_NEVER_LOADED ((CFE_Status_t)0xcc000005)

     Never Loaded.

    #define CFE TBL ERR REGISTRY FULL ((CFE Status t)0xcc000006)

     Registry Full.

    #define CFE TBL WARN DUPLICATE ((CFE Status t)0x4c000007)

     Duplicate Warning.

    #define CFE TBL ERR NO ACCESS ((CFE Status t)0xcc000008)

     No Access.

    #define CFE TBL ERR UNREGISTERED ((CFE Status t)0xcc000009)

     Unregistered.

    #define CFE_TBL_ERR_HANDLES_FULL ((CFE_Status_t)0xcc00000B)

     Handles Full.

    #define CFE TBL ERR DUPLICATE DIFF SIZE ((CFE Status t)0xcc00000C)

     Duplicate Table With Different Size.

    #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t)0xcc00000D)

     Duplicate Table And Not Owned.

    #define CFE TBL INFO UPDATED ((CFE Status t)0x4c00000E)

     Updated.

    #define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t)0xcc00000F)

     No Buffer Available.

    #define CFE_TBL_ERR_DUMP_ONLY ((CFE_Status_t)0xcc000010)

     Dump Only Error.

    #define CFE TBL ERR ILLEGAL SRC TYPE ((CFE Status t)0xcc000011)

     Illegal Source Type.

    #define CFE_TBL_ERR_LOAD_IN_PROGRESS ((CFE_Status_t)0xcc000012)

     Load In Progress.

    #define CFE TBL ERR FILE TOO LARGE ((CFE Status t)0xcc000014)

     File Too Large.

    #define CFE TBL WARN SHORT FILE ((CFE Status t)0x4c000015)

     Short File Warning.

    #define CFE TBL ERR BAD CONTENT ID ((CFE Status t)0xcc000016)

     Bad Content ID.

    #define CFE TBL INFO NO UPDATE PENDING ((CFE Status t)0x4c000017)

     No Update Pending.

    #define CFE_TBL_INFO_TABLE_LOCKED ((CFE_Status_t)0x4c000018)

     Table Locked.

    #define CFE TBL INFO VALIDATION PENDING ((CFE Status t)0x4c000019)

• #define CFE TBL INFO NO VALIDATION PENDING ((CFE Status t)0x4c00001A)
• #define CFE TBL ERR BAD SUBTYPE ID ((CFE Status t)0xcc00001B)
     Bad Subtype ID.

    #define CFE TBL ERR FILE SIZE INCONSISTENT ((CFE Status t)0xcc00001C)

     File Size Inconsistent.

    #define CFE TBL ERR NO STD HEADER ((CFE Status t)0xcc00001D)

     No Standard Header.
• #define CFE TBL ERR NO TBL HEADER ((CFE Status t)0xcc00001E)
```

#define CFE TBL ERR FILENAME TOO LONG ((CFE Status t)0xcc00001F)

No Table Header.

```
11.20 cfe/modules/core api/fsw/inc/cfe error.h File Reference
         Filename Too Long.

    #define CFE TBL ERR FILE FOR WRONG TABLE ((CFE Status t)0xcc000020)

         File For Wrong Table.

    #define CFE TBL ERR LOAD INCOMPLETE ((CFE Status t)0xcc000021)

         Load Incomplete.

    #define CFE TBL WARN PARTIAL LOAD ((CFE Status t)0x4c000022)

         Partial Load Warning.

    #define CFE TBL ERR PARTIAL LOAD ((CFE Status t)0xcc000023)

         Partial Load Error.

    #define CFE_TBL_INFO_DUMP_PENDING ((CFE_Status_t)0x4c000024)

         Dump Pending.

    #define CFE_TBL_ERR_INVALID_OPTIONS ((CFE_Status_t)0xcc000025)

         Invalid Options.

    #define CFE TBL WARN NOT CRITICAL ((CFE Status t)0x4c000026)

         Not Critical Warning.

    #define CFE_TBL_INFO_RECOVERED_TBL ((CFE_Status_t)0x4c000027)

         Recovered Table.

    #define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((CFE_Status_t)0xcc000028)

         Bad Spacecraft ID.

    #define CFE_TBL_ERR_BAD_PROCESSOR_ID ((CFE_Status_t)0xcc000029)

         Bad Processor ID.
```

• #define CFE TBL MESSAGE ERROR ((CFE Status t)0xcc00002a)

Message Error.

- #define CFE_TBL_ERR_SHORT_FILE ((CFE_Status_t)0xcc00002b)
- #define CFE_TBL_ERR_ACCESS ((CFE_Status_t)0xcc00002c)
- #define CFE TBL BAD ARGUMENT ((CFE Status t)0xcc00002d)

Bad Argument.

#define CFE_TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff)

Not Implemented.

#define CFE TIME NOT IMPLEMENTED ((CFE Status t)0xce00ffff)

Not Implemented.

Too Many Sync Callbacks.

- #define CFE_TIME_INTERNAL_ONLY ((CFE_Status_t)0xce000001) Internal Only.
- #define CFE TIME OUT OF RANGE ((CFE Status t)0xce0000002) Out Of Range.
- #define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((CFE_Status_t)0xce000003)
- #define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000004) Callback Not Registered.
- #define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t)0xce000005) Bad Argument.

Typedefs

typedef int32 CFE_Status_t

cFE Status type for readability and eventually type safety

typedef char CFE_StatusString_t[CFE_STATUS_STRING_LENGTH]

For the CFE_ES_StatusToString() function, to ensure everyone is making an array of the same length.

```
Functions
```

```
    char * CFE_ES_StatusToString (CFE_Status_t status, CFE_StatusString_t *status_string)
    Convert status to a string.
```

11.20.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.20.2 Macro Definition Documentation

```
11.20.2.1 CFE_EVENTS_SERVICE
```

```
#define CFE_EVENTS_SERVICE ((CFE_Status_t)0x02000000)
```

Event Service.

Definition at line 126 of file cfe_error.h.

```
11.20.2.2 CFE_EXECUTIVE_SERVICE
```

```
#define CFE_EXECUTIVE_SERVICE ((CFE_Status_t)0x04000000)
```

Executive Service.

Definition at line 127 of file cfe_error.h.

```
11.20.2.3 CFE_FILE_SERVICE
```

```
#define CFE_FILE_SERVICE ((CFE_Status_t)0x06000000)
```

File Service.

Definition at line 128 of file cfe error.h.

```
11.20.2.4 CFE_GENERIC_SERVICE
```

```
#define CFE_GENERIC_SERVICE ((CFE_Status_t)0x08000000)
```

Generic Service.

Definition at line 129 of file cfe_error.h.

11.20.2.5 CFE_SERVICE_BITMASK

```
#define CFE_SERVICE_BITMASK ((CFE_Status_t)0x0e000000)
```

Error Service Bitmask.

Definition at line 124 of file cfe_error.h.

11.20.2.6 CFE_SEVERITY_BITMASK

```
#define CFE_SEVERITY_BITMASK ((CFE_Status_t)0xc0000000)
```

Error Severity Bitmask.

Definition at line 115 of file cfe_error.h.

11.20.2.7 CFE_SEVERITY_ERROR

```
#define CFE_SEVERITY_ERROR ((CFE_Status_t)0xc0000000)
```

Severity Error.

Definition at line 119 of file cfe_error.h.

11.20.2.8 CFE_SEVERITY_INFO

```
#define CFE_SEVERITY_INFO ((CFE_Status_t)0x40000000)
```

Severity Info.

Definition at line 118 of file cfe_error.h.

11.20.2.9 CFE_SEVERITY_SUCCESS

```
#define CFE_SEVERITY_SUCCESS ((CFE_Status_t)0x00000000)
```

Severity Success.

Definition at line 117 of file cfe_error.h.

11.20.2.10 CFE_SOFTWARE_BUS_SERVICE

```
#define CFE_SOFTWARE_BUS_SERVICE ((CFE_Status_t)0x0a000000)
```

Software Bus Service.

Definition at line 130 of file cfe_error.h.

11.20.2.11 CFE_STATUS_C

cFE Status macro for literal

Definition at line 48 of file cfe_error.h.

11.20.2.12 CFE_STATUS_STRING_LENGTH

```
#define CFE_STATUS_STRING_LENGTH 11
```

cFE Status converted to string length limit

Used for sizing CFE_StatusString_t intended for use in printing CFE_Status_t values Sized for 0x%08x and NULL

Definition at line 56 of file cfe_error.h.

11.20.2.13 CFE_TABLE_SERVICE

```
#define CFE_TABLE_SERVICE ((CFE_Status_t)0x0c000000)
```

Table Service.

Definition at line 131 of file cfe_error.h.

```
11.20.2.14 CFE_TIME_SERVICE
```

```
#define CFE_TIME_SERVICE ((CFE_Status_t)0x0e000000)
```

Time Service.

Definition at line 132 of file cfe_error.h.

11.20.3 Typedef Documentation

```
11.20.3.1 CFE_Status_t
```

```
typedef int32 CFE_Status_t
```

cFE Status type for readability and eventually type safety

Definition at line 43 of file cfe_error.h.

```
11.20.3.2 CFE_StatusString_t
```

```
typedef char CFE_StatusString_t[CFE_STATUS_STRING_LENGTH]
```

For the CFE_ES_StatusToString() function, to ensure everyone is making an array of the same length.

Definition at line 62 of file cfe_error.h.

11.20.4 Function Documentation

11.20.4.1 CFE_ES_StatusToString()

Convert status to a string.

Parameters

in	status	Status value to convert
out	status_string	Buffer to store status converted to string

Returns

Passed in string pointer

11.21 cfe/modules/core_api/fsw/inc/cfe_es.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_resourceid_api_typedefs.h"
```

Macros

- #define OS PRINTF(m, n)
- #define CFE ES DBIT(x) (1L << (x)) /* Places a one at bit positions 0 thru 31 */
- #define CFE_ES_DTEST(i, x) (((i)&CFE_ES_DBIT(x)) != 0) /* true iff bit x of i is set */
- #define CFE_ES_TEST_LONG_MASK(m, s) (CFE_ES_DTEST(m[(s) / 32], (s) % 32)) /* Test a bit within an array
 of 32-bit integers. */
- #define CFE_ES_PerfLogEntry(id) (CFE_ES_PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

#define CFE_ES_PerfLogExit(id) (CFE_ES_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

Functions

CFE_Status_t CFE_ES_AppID_ToIndex (CFE_ES_AppId_t AppID, uint32 *Idx)

Obtain an index value correlating to an ES Application ID.

int32 CFE_ES_LibID_ToIndex (CFE_ES_LibId_t LibId, uint32 *Idx)

Obtain an index value correlating to an ES Library ID.

CFE_Status_t CFE_ES_TaskID_ToIndex (CFE_ES_TaskId_t TaskID, uint32 *Idx)

Obtain an index value correlating to an ES Task ID.

• CFE Status t CFE ES CounterID ToIndex (CFE ES CounterId t CounterId, uint32 *Idx)

Obtain an index value correlating to an ES Counter ID.

• void CFE ES Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char *StartFilePath)

cFE Main Entry Point used by Board Support Package to start cFE

CFE Status t CFE ES ResetCFE (uint32 ResetType)

Reset the cFE Core and all cFE Applications.

CFE_Status_t CFE_ES_RestartApp (CFE_ES_Appld_t ApplD)

Restart a single cFE Application.

CFE_Status_t CFE_ES_ReloadApp (CFE_ES_Appld_t ApplD, const char *AppFileName)

Reload a single cFE Application.

CFE_Status_t CFE_ES_DeleteApp (CFE_ES_Appld_t ApplD)

Delete a cFE Application.

void CFE ES ExitApp (uint32 ExitStatus)

Exit a cFE Application.

bool CFE ES RunLoop (uint32 *RunStatus)

Check for Exit, Restart, or Reload commands.

CFE_Status_t CFE_ES_WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds)

Allow an Application to Wait for a minimum global system state.

void CFE_ES_WaitForStartupSync (uint32 TimeOutMilliseconds)

Allow an Application to Wait for the "OPERATIONAL" global system state.

void CFE ES IncrementTaskCounter (void)

Increments the execution counter for the calling task.

int32 CFE_ES_GetResetType (uint32 *ResetSubtypePtr)

Return the most recent Reset Type.

CFE_Status_t CFE_ES_GetAppID (CFE_ES_AppId_t *AppIdPtr)

Get an Application ID for the calling Application.

CFE_Status_t CFE_ES_GetTaskID (CFE_ES_TaskId_t *TaskIdPtr)

Get the task ID of the calling context.

CFE Status t CFE ES GetAppIDByName (CFE ES AppId t *AppIdPtr, const char *AppName)

Get an Application ID associated with a specified Application name.

CFE Status t CFE ES GetLibIDByName (CFE ES LibId t *LibIdPtr, const char *LibName)

Get a Library ID associated with a specified Library name.

• CFE Status t CFE ES GetAppName (char *AppName, CFE ES Appld t Appld, size t BufferLength)

Get an Application name for a specified Application ID.

CFE_Status_t CFE_ES_GetLibName (char *LibName, CFE_ES_LibId_t LibId, size_t BufferLength)

Get a Library name for a specified Library ID.

CFE Status t CFE ES GetAppInfo (CFE ES AppInfo t *AppInfo, CFE ES AppInf t AppInfo

Get Application Information given a specified App ID.

CFE_Status_t CFE_ES_GetTaskInfo (CFE_ES_TaskInfo_t *TaskInfo, CFE_ES_TaskId_t TaskId)

Get Task Information given a specified Task ID.

int32 CFE_ES_GetLibInfo (CFE_ES_AppInfo_t *LibInfo, CFE_ES_LibId_t LibId)

Get Library Information given a specified Resource ID.

int32 CFE_ES_GetModuleInfo (CFE_ES_AppInfo_t *ModuleInfo, CFE_ResourceId_t ResourceId)

Get Information given a specified Resource ID.

CFE_Status_t CFE_ES_CreateChildTask (CFE_ES_TaskId_t *TaskIdPtr, const char *TaskName, CFE_ES
 _ChildTaskMainFuncPtr_t FunctionPtr, CFE_ES_StackPointer_t StackPtr, size_t StackSize, CFE_ES_Task
 Priority_Atom_t Priority, uint32 Flags)

Creates a new task under an existing Application.

CFE_Status_t CFE_ES_GetTaskIDByName (CFE_ES_TaskId_t *TaskIdPtr, const char *TaskName)

Get a Task ID associated with a specified Task name.

CFE_Status_t CFE_ES_GetTaskName (char *TaskName, CFE_ES_TaskId_t TaskId, size_t BufferLength)

Get a Task name for a specified Task ID.

CFE_Status_t CFE_ES_DeleteChildTask (CFE_ES_TaskId_t TaskId)

Deletes a task under an existing Application.

void CFE_ES_ExitChildTask (void)

Exits a child task.

void CFE ES BackgroundWakeup (void)

Wakes up the CFE background task.

CFE Status t CFE ES WriteToSysLog (const char *SpecStringPtr,...) OS PRINTF(1

Write a string to the cFE System Log.

CFE_Status_t uint32 CFE_ES_CalculateCRC (const void *DataPtr, size_t DataLength, uint32 InputCRC, uint32 TypeCRC)

Calculate a CRC on a block of memory.

void CFE ES ProcessAsyncEvent (void)

Notification that an asynchronous event was detected by the underlying OS/PSP.

CFE_Status_t CFE_ES_RegisterCDS (CFE_ES_CDSHandle_t *CDSHandlePtr, size_t BlockSize, const char *Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

- CFE_Status_t CFE_ES_GetCDSBlockIDByName (CFE_ES_CDSHandle_t *BlockIdPtr, const char *BlockName)

 Get a CDS Block ID associated with a specified CDS Block name.
- CFE_Status_t CFE_ES_GetCDSBlockName (char *BlockName, CFE_ES_CDSHandle_t BlockId, size_t Buffer
 Length)

Get a Block name for a specified Block ID.

CFE_Status_t CFE_ES_CopyToCDS (CFE_ES_CDSHandle_t Handle, const void *DataToCopy)

Save a block of data in the Critical Data Store (CDS)

CFE_Status_t CFE_ES_RestoreFromCDS (void *RestoreToMemory, CFE_ES_CDSHandle_t Handle)

Recover a block of data from the Critical Data Store (CDS)

CFE_Status_t CFE_ES_PoolCreateNoSem (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size)

Initializes a memory pool created by an application without using a semaphore during processing.

CFE Status t CFE ES PoolCreate (CFE ES MemHandle t *PoolID, void *MemPtr, size t Size)

Initializes a memory pool created by an application while using a semaphore during processing.

CFE_Status_t CFE_ES_PoolCreateEx (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size, uint16
 NumBlockSizes, const size t *BlockSizes, bool UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

• int32 CFE ES PoolDelete (CFE ES MemHandle t PoolID)

Deletes a memory pool that was previously created.

- $\bullet \ \ int 32\ CFE_ES_Get PoolBuf\ (CFE_ES_MemPoolBuf_t\ *BufPtr,\ CFE_ES_MemHandle_t\ Handle,\ size_t\ Size)$
 - Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.
- $\bullet \ \ \mathsf{CFE_Status_t} \ \mathsf{CFE_ES_GetPoolBufInfo} \ (\mathsf{CFE_ES_MemHandle_t} \ \mathsf{Handle}, \ \mathsf{CFE_ES_MemPoolBuf_t} \ \mathsf{BufPtr})$

Gets info on a buffer previously allocated via CFE ES GetPoolBuf.

int32 CFE ES PutPoolBuf (CFE ES MemHandle t Handle, CFE ES MemPoolBuf t BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

- CFE_Status_t CFE_ES_GetMemPoolStats (CFE_ES_MemPoolStats_t *BufPtr, CFE_ES_MemHandle_t Handle)

 Extracts the statistics maintained by the memory pool software.
- void CFE ES PerfLogAdd (uint32 Marker, uint32 EntryExit)

Adds a new entry to the data buffer.

- CFE_Status_t CFE_ES_RegisterGenCounter (CFE_ES_CounterId_t *CounterIdPtr, const char *CounterName)

 **Register a generic counter.*
- CFE Status t CFE ES DeleteGenCounter (CFE ES Counterld t Counterld)

Delete a generic counter.

CFE_Status_t CFE_ES_IncrementGenCounter (CFE_ES_CounterId_t CounterId)

Increments the specified generic counter.

CFE Status t CFE ES SetGenCount (CFE ES Counterld t Counterld, uint32 Count)

Set the specified generic counter.

CFE_Status_t CFE_ES_GetGenCount (CFE_ES_CounterId_t CounterId, uint32 *Count)

Get the specified generic counter count.

CFE_Status_t CFE_ES_GetGenCounterIDByName (CFE_ES_CounterId_t *CounterIdPtr, const char *CounterName)

Get the Id associated with a generic counter name.

CFE_Status_t CFE_ES_GetGenCounterName (char *CounterName, CFE_ES_CounterId_t CounterId, size_
 t BufferLength)

Get a Counter name for a specified Counter ID.

11.21.1 Detailed Description

Purpose: Unit specification for Executive Services library functions and macros.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide

Notes:

11.21.2 Macro Definition Documentation

11.21.2.1 CFE_ES_DBIT

```
#define CFE_ES_DBIT( $x ) (1L << (x)) /* Places a one at bit positions 0 thru 31 */
```

Definition at line 57 of file cfe_es.h.

11.21.2.2 CFE_ES_DTEST

```
#define CFE_ES_DTEST(  i, \\ x ) \ (((i)\&CFE\_ES\_DBIT(x)) \ != 0) \ /* \ true \ iff \ bit \ x \ of \ i \ is \ set \ */
```

Definition at line 58 of file cfe es.h.

11.21.2.3 CFE_ES_TEST_LONG_MASK

Definition at line 59 of file cfe_es.h.

11.21.2.4 OS_PRINTF

```
#define OS_PRINTF( m, n )
```

Definition at line 50 of file cfe_es.h.

11.22 cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_es_extern_typedefs.h"
```

Data Structures

• union CFE ES PoolAlign

Pool Alignment.

Macros

• #define CFE_ES_STATIC_POOL_TYPE(size)

Static Pool Type.

#define CFE ES MEMPOOLBUF C(x) ((CFE ES MemPoolBuf t)(x))

Conversion macro to create buffer pointer from another type.

#define CFE ES NO MUTEX false

Indicates that the memory pool selection will not use a semaphore.

#define CFE ES USE MUTEX true

Indicates that the memory pool selection will use a semaphore.

Reset Type extensions

• #define CFE_ES_APP_RESTART CFE_PSP_RST_TYPE_MAX

Conversions for ES resource IDs

- #define CFE_ES_APPID_C(val) ((CFE_ES_AppId_t)CFE_RESOURCEID_WRAP(val))
- #define CFE_ES_TASKID_C(val) ((CFE_ES_TaskId_t)CFE_RESOURCEID_WRAP(val))
- #define CFE ES LIBID C(val) ((CFE ES LibId t)CFE RESOURCEID WRAP(val))
- #define CFE ES COUNTERID C(val) ((CFE ES CounterId t)CFE RESOURCEID WRAP(val))
- #define CFE_ES_MEMHANDLE_C(val) ((CFE_ES_MemHandle_t)CFE_RESOURCEID_WRAP(val))
- #define CFE ES CDSHANDLE C(val) ((CFE ES CDSHandle t)CFE RESOURCEID WRAP(val))

Type-specific initializers for "undefined" resource IDs

- #define CFE_ES_APPID_UNDEFINED CFE_ES_APPID_C(CFE_RESOURCEID_UNDEFINED)
- #define CFE_ES_TASKID_UNDEFINED CFE_ES_TASKID_C(CFE_RESOURCEID_UNDEFINED)
- #define CFE ES LIBID UNDEFINED CFE ES LIBID C(CFE RESOURCEID UNDEFINED)
- #define CFE_ES_COUNTERID_UNDEFINED CFE_ES_COUNTERID_C(CFE_RESOURCEID_UNDEFIN← ED)
- #define CFE_ES_MEMHANDLE_UNDEFINED CFE_ES_MEMHANDLE_C(CFE_RESOURCEID_UNDEFI⊷ NED)
- #define CFE_ES_CDS_BAD_HANDLE CFE_ES_CDSHANDLE_C(CFE_RESOURCEID_UNDEFINED)

Task Stack Constants

 #define CFE_ES_TASK_STACK_ALLOCATE NULL /* aka OS_TASK_STACK_ALLOCATE in proposed O← SAL change */

Indicates that the stack for the child task should be dynamically allocated.

Typedefs

```
    typedef void(* CFE_ES_TaskEntryFuncPtr_t) (void)
```

Required Prototype of Task Main Functions.

• typedef int32(* CFE_ES_LibraryEntryFuncPtr_t) (CFE_ES_LibId_t LibId)

Required Prototype of Library Initialization Functions.

typedef CFE_ES_TaskEntryFuncPtr_t CFE_ES_ChildTaskMainFuncPtr_t

Compatible typedef for ES child task entry point.

typedef void * CFE_ES_StackPointer_t

Type for the stack pointer of tasks.

typedef union CFE_ES_PoolAlign CFE_ES_PoolAlign_t

Pool Alignment.

typedef void * CFE_ES_MemPoolBuf_t

Pointer type used for memory pool API.

11.22.1 Detailed Description

Purpose: Unit specification for Executive Services library functions and macros.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide

Notes:

11.22.2 Macro Definition Documentation

```
11.22.2.1 CFE_ES_APP_RESTART
```

```
#define CFE_ES_APP_RESTART CFE_PSP_RST_TYPE_MAX
```

Application only was reset (extend the PSP enumeration here)

Definition at line 57 of file cfe_es_api_typedefs.h.

11.22.2.2 CFE_ES_APPID_C

Definition at line 156 of file cfe_es_api_typedefs.h.

```
11.22.2.3 CFE_ES_APPID_UNDEFINED
```

```
#define CFE_ES_APPID_UNDEFINED CFE_ES_APPID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 168 of file cfe_es_api_typedefs.h.

11.22.2.4 CFE_ES_CDS_BAD_HANDLE

```
#define CFE_ES_CDS_BAD_HANDLE CFE_ES_CDSHANDLE_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 173 of file cfe_es_api_typedefs.h.

11.22.2.5 CFE_ES_CDSHANDLE_C

Definition at line 161 of file cfe_es_api_typedefs.h.

11.22.2.6 CFE ES COUNTERID C

Definition at line 159 of file cfe_es_api_typedefs.h.

11.22.2.7 CFE_ES_COUNTERID_UNDEFINED

```
#define CFE_ES_COUNTERID_UNDEFINED CFE_ES_COUNTERID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 171 of file cfe_es_api_typedefs.h.

11.22.2.8 CFE ES LIBID C

Definition at line 158 of file cfe_es_api_typedefs.h.

11.22.2.9 CFE_ES_LIBID_UNDEFINED

```
#define CFE_ES_LIBID_UNDEFINED CFE_ES_LIBID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 170 of file cfe es api typedefs.h.

11.22.2.10 CFE ES MEMHANDLE C

Definition at line 160 of file cfe_es_api_typedefs.h.

11.22.2.11 CFE_ES_MEMHANDLE_UNDEFINED

```
#define CFE_ES_MEMHANDLE_UNDEFINED CFE_ES_MEMHANDLE_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 172 of file cfe_es_api_typedefs.h.

11.22.2.12 CFE_ES_MEMPOOLBUF_C

Conversion macro to create buffer pointer from another type.

In cases where the actual buffer pointer is computed, this macro aids in converting the computed address (typically an OSAL "cpuaddr" type) into a buffer pointer.

Note

Any address calculation needs to take machine alignment requirements into account.

Definition at line 141 of file cfe_es_api_typedefs.h.

11.22.2.13 CFE_ES_NO_MUTEX

```
#define CFE_ES_NO_MUTEX false
```

Indicates that the memory pool selection will not use a semaphore.

Definition at line 188 of file cfe_es_api_typedefs.h.

11.22.2.14 CFE_ES_STATIC_POOL_TYPE

Value:

Static Pool Type.

A macro to help instantiate static memory pools that are correctly aligned. This resolves to a union type that contains a member called "Data" that will be correctly aligned to be a memory pool and sized according to the argument.

Definition at line 108 of file cfe_es_api_typedefs.h.

11.22.2.15 CFE ES TASK STACK ALLOCATE

```
#define CFE_ES_TASK_STACK_ALLOCATE NULL /* aka OS_TASK_STACK_ALLOCATE in proposed OSAL change */
```

Indicates that the stack for the child task should be dynamically allocated.

This value may be supplied as the Stack Pointer argument to CFE_ES_ChildTaskCreate() to indicate that the stack should be dynamically allocated.

Definition at line 185 of file cfe_es_api_typedefs.h.

11.22.2.16 CFE_ES_TASKID_C

Definition at line 157 of file cfe_es_api_typedefs.h.

11.22.2.17 CFE_ES_TASKID_UNDEFINED

```
#define CFE_ES_TASKID_UNDEFINED CFE_ES_TASKID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 169 of file cfe_es_api_typedefs.h.

11.22.2.18 CFE_ES_USE_MUTEX

#define CFE_ES_USE_MUTEX true

Indicates that the memory pool selection will use a semaphore.

Definition at line 189 of file cfe es api typedefs.h.

11.22.3 Typedef Documentation

11.22.3.1 CFE_ES_ChildTaskMainFuncPtr_t

typedef CFE_ES_TaskEntryFuncPtr_t CFE_ES_ChildTaskMainFuncPtr_t

Compatible typedef for ES child task entry point.

All ES task functions (main + child) use the same entry point type.

Definition at line 77 of file cfe es api typedefs.h.

11.22.3.2 CFE_ES_LibraryEntryFuncPtr_t

typedef int32(* CFE_ES_LibraryEntryFuncPtr_t) (CFE_ES_LibId_t LibId)

Required Prototype of Library Initialization Functions.

Definition at line 69 of file cfe_es_api_typedefs.h.

11.22.3.3 CFE_ES_MemPoolBuf_t

typedef void* CFE_ES_MemPoolBuf_t

Pointer type used for memory pool API.

This is used in the Get/Put API calls to refer to a pool buffer.

This pointer is expected to be type cast to the real object type after getting a new buffer. Using void* allows this type conversion to occur easily.

Note

Older versions of CFE implemented the API using a uint32*, which required explicit type casting everywhere it was called. Although the API type is now void* to make usage easier, the pool buffers are aligned to machine requirements - typically 64 bits.

Definition at line 129 of file cfe es api typedefs.h.

```
11.22.3.4 CFE_ES_PoolAlign_t
```

```
typedef union CFE_ES_PoolAlign CFE_ES_PoolAlign_t
```

Pool Alignment.

Union that can be used for minimum memory alignment of ES memory pools on the target. It contains the longest native data types such that the alignment of this structure should reflect the largest possible alignment requirements for any data on this processor.

```
11.22.3.5 CFE_ES_StackPointer_t
```

```
typedef void* CFE_ES_StackPointer_t
```

Type for the stack pointer of tasks.

This type is used in the CFE ES task API.

Definition at line 84 of file cfe_es_api_typedefs.h.

```
11.22.3.6 CFE_ES_TaskEntryFuncPtr_t
```

```
typedef void(* CFE_ES_TaskEntryFuncPtr_t) (void)
```

Required Prototype of Task Main Functions.

Definition at line 68 of file cfe_es_api_typedefs.h.

11.23 cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_resourceid_typedef.h"
#include "cfe_mission_cfg.h"
```

Data Structures

• struct CFE_ES_AppInfo

Application Information.

• struct CFE_ES_TaskInfo

Task Information.

• struct CFE_ES_CDSRegDumpRec

CDS Register Dump Record.

• struct CFE_ES_BlockStats

Block statistics.

• struct CFE_ES_MemPoolStats

Memory Pool Statistics.

Macros

```
    #define CFE_ES_MEMOFFSET_C(x) ((CFE_ES_MemOffset_t)(x))
```

#define CFE_ES_MEMADDRESS_C(x) ((CFE_ES_MemAddress_t)((cpuaddr)(x)&0xFFFFFFF))

Typedefs

typedef uint8 CFE ES LogMode Enum t

Identifies handling of log messages after storage is filled.

typedef uint8 CFE_ES_ExceptionAction_Enum_t

Identifies action to take if exception occurs.

typedef uint8 CFE_ES_AppType_Enum_t

Identifies type of CFE application.

typedef uint32 CFE_ES_RunStatus_Enum_t

Run Status and Exit Status identifiers.

typedef uint32 CFE_ES_SystemState_Enum_t

The overall cFE System State.

typedef uint8 CFE_ES_LogEntryType_Enum_t

Type of entry in the Error and Reset (ER) Log.

typedef uint32 CFE_ES_AppState_Enum_t

Application Run State.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_Appld_t

A type for Application IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_TaskId_t

A type for Task IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_LibId_t

A type for Library IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CounterId_t

A type for Counter IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_MemHandle_t

Memory Handle type.

• typedef CFE RESOURCEID BASE TYPE CFE ES CDSHandle t

CDS Handle type.

typedef uint16 CFE_ES_TaskPriority_Atom_t

Type used for task priority in CFE ES as including the commands/telemetry messages.

typedef uint32 CFE ES MemOffset t

Type used for memory sizes and offsets in commands and telemetry.

typedef uint32 CFE_ES_MemAddress_t

Type used for memory addresses in command and telemetry messages.

typedef struct CFE_ES_AppInfo CFE_ES_AppInfo_t

Application Information.

typedef struct CFE_ES_TaskInfo CFE_ES_TaskInfo_t

Task Information.

typedef struct CFE ES CDSRegDumpRec CFE ES CDSRegDumpRec t

CDS Register Dump Record.

typedef struct CFE_ES_BlockStats CFE_ES_BlockStats_t

Block statistics

typedef struct CFE_ES_MemPoolStats CFE_ES_MemPoolStats_t

Memory Pool Statistics.

Enumerations

```
    enum CFE ES LogMode { CFE ES LogMode OVERWRITE = 0, CFE ES LogMode DISCARD = 1 }

                 Label definitions associated with CFE_ES_LogMode_Enum_t.

    enum CFE ES ExceptionAction { CFE ES ExceptionAction RESTART APP = 0, CFE ES ExceptionAction ←

          PROC RESTART = 1 }
                 Label definitions associated with CFE_ES_ExceptionAction_Enum_t.

    enum CFE_ES_AppType { CFE_ES_AppType_CORE = 1, CFE_ES_AppType_EXTERNAL = 2, CFE_ES_App

        — ES_AppType_EXTERNAL = 2, CFE_ES_App
        — ES_AppType_EXTERNAL = 2, CFE_ES_App
        — ES_AppType_EXTERNAL = 2, CFE_ES_AppType_EXTERNAL = 2, CFE_ES_AppType_EXTE
           Type LIBRARY = 3 }
                 Label definitions associated with CFE_ES_AppType_Enum_t.
       enum CFE ES RunStatus {
           CFE ES RunStatus UNDEFINED = 0, CFE ES RunStatus APP RUN = 1, CFE ES RunStatus APP EXIT =
          2, CFE_ES_RunStatus_APP_ERROR = 3,
          CFE ES RunStatus SYS EXCEPTION = 4, CFE ES RunStatus SYS RESTART = 5, CFE ES RunStatus ↔
           _SYS_RELOAD = 6, CFE_ES_RunStatus_SYS_DELETE = 7,
          CFE ES RunStatus CORE APP INIT ERROR = 8, CFE ES RunStatus CORE APP RUNTIME ERROR =
          9, CFE_ES_RunStatus_MAX }
                Label definitions associated with CFE ES RunStatus Enum t.

    enum CFE ES SystemState {

          CFE ES SystemState UNDEFINED = 0, CFE ES SystemState EARLY INIT = 1, CFE ES SystemState C←
          ORE STARTUP = 2, CFE ES SystemState CORE READY = 3,
          CFE_ES_SystemState_APPS_INIT = 4, CFE_ES_SystemState_OPERATIONAL = 5, CFE_ES_SystemState_←
          SHUTDOWN = 6, CFE ES SystemState MAX }
                Label definitions associated with CFE_ES_SystemState_Enum_t.

    enum CFE ES LogEntryType { CFE ES LogEntryType CORE = 1, CFE ES LogEntryType APPLICATION =

          2 }
                 Label definitions associated with CFE_ES_LogEntryType_Enum_t.
       enum CFE ES AppState {
           CFE ES AppState UNDEFINED = 0, CFE ES AppState EARLY INIT = 1, CFE ES AppState LATE INIT =
          2, CFE ES AppState RUNNING = 3,
          CFE ES AppState WAITING = 4, CFE ES AppState STOPPED = 5, CFE ES AppState MAX }
                 Label definitions associated with CFE_ES_AppState_Enum_t.
11.23.1 Detailed Description
Declarations and prototypes for cfe es extern typedefs module
11.23.2 Macro Definition Documentation
11.23.2.1 CFE_ES_MEMADDRESS_C
#define CFE_ES_MEMADDRESS_C(
                            x ) ((CFE_ES_MemAddress_t)((cpuaddr)(x)&0xFFFFFFFF))
Definition at line 426 of file cfe es extern typedefs.h.
```

```
11.23.2.2 CFE_ES_MEMOFFSET_C
```

Definition at line 395 of file cfe_es_extern_typedefs.h.

11.23.3 Typedef Documentation

```
11.23.3.1 CFE_ES_Appld_t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_AppId_t
```

A type for Application IDs.

This is the type that is used for any API accepting or returning an App ID

Definition at line 329 of file cfe_es_extern_typedefs.h.

```
11.23.3.2 CFE_ES_AppInfo_t
```

```
typedef struct CFE_ES_AppInfo CFE_ES_AppInfo_t
```

Application Information.

Structure that is used to provide information about an app. It is primarily used for the QueryOne and QueryAll Commands.

While this structure is primarily intended for Application info, it can also represent Library information where only a subset of the information applies.

```
11.23.3.3 CFE_ES_AppState_Enum_t
```

```
typedef uint32 CFE_ES_AppState_Enum_t
```

Application Run State.

The normal progression of APP states: UNDEFINED -> EARLY_INIT -> LATE_INIT -> RUNNING -> WAITING -> STOPPED

Note

These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible

See also

```
enum CFE_ES_AppState
```

Definition at line 322 of file cfe_es_extern_typedefs.h.

```
11.23.3.4 CFE_ES_AppType_Enum_t
```

```
typedef uint8 CFE_ES_AppType_Enum_t
```

Identifies type of CFE application.

See also

```
enum CFE_ES_AppType
```

Definition at line 117 of file cfe_es_extern_typedefs.h.

```
11.23.3.5 CFE_ES_BlockStats_t
```

```
typedef struct CFE_ES_BlockStats CFE_ES_BlockStats_t
```

Block statistics.

Sub-Structure that is used to provide information about a specific block size/bucket within a memory pool.

```
11.23.3.6 CFE_ES_CDSHandle_t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CDSHandle_t
```

CDS Handle type.

Data type used to hold Handles of Critical Data Stores. See CFE_ES_RegisterCDS

Definition at line 365 of file cfe_es_extern_typedefs.h.

```
11.23.3.7 CFE_ES_CDSRegDumpRec_t
```

```
\verb|typedef| struct CFE_ES_CDSRegDumpRec CFE_ES_CDSRegDumpRec_t| \\
```

CDS Register Dump Record.

Structure that is used to provide information about a critical data store. It is primarily used for the Dump CDS registry (CFE_ES_DUMP_CDS_REGISTRY_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Dump CDS registry command. Therefore it should be considered part of the overall telemetry interface.

```
11.23.3.8 CFE_ES_CounterId_t
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CounterId_t
A type for Counter IDs.
This is the type that is used for any API accepting or returning a Counter ID
Definition at line 350 of file cfe_es_extern_typedefs.h.
11.23.3.9 CFE_ES_ExceptionAction_Enum_t
typedef uint8 CFE_ES_ExceptionAction_Enum_t
Identifies action to take if exception occurs.
See also
     enum CFE_ES_ExceptionAction
Definition at line 88 of file cfe_es_extern_typedefs.h.
11.23.3.10 CFE_ES_LibId_t
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_LibId_t
A type for Library IDs.
This is the type that is used for any API accepting or returning a Lib ID
Definition at line 343 of file cfe_es_extern_typedefs.h.
11.23.3.11 CFE_ES_LogEntryType_Enum_t
typedef uint8 CFE_ES_LogEntryType_Enum_t
Type of entry in the Error and Reset (ER) Log.
See also
     enum CFE ES LogEntryType
```

Definition at line 268 of file cfe_es_extern_typedefs.h.

```
11.23.3.12 CFE_ES_LogMode_Enum_t
```

```
typedef uint8 CFE_ES_LogMode_Enum_t
```

Identifies handling of log messages after storage is filled.

See also

```
enum CFE ES LogMode
```

Definition at line 64 of file cfe_es_extern_typedefs.h.

```
11.23.3.13 CFE_ES_MemAddress_t
```

```
typedef uint32 CFE_ES_MemAddress_t
```

Type used for memory addresses in command and telemetry messages.

For backward compatibility with existing CFE code this should be uint32, but if running on a 64-bit platform, addresses in telemetry will be truncated to 32 bits and therefore will not be valid.

On 64-bit platforms this can be a 64-bit address which will allow the full memory address in commands and telemetry, but this will break compatibility with existing control systems, and may also change the alignment/padding of messages.

In either case this must be an unsigned type.

FSW code should access this value via the macros provided, which converts to the native "cpuaddr" type provided by OSAL. This macro provides independence between the message representation and local representation of a memory address.

Definition at line 416 of file cfe_es_extern_typedefs.h.

```
11.23.3.14 CFE_ES_MemHandle_t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_MemHandle_t
```

Memory Handle type.

Data type used to hold Handles of Memory Pools created via CFE_ES_PoolCreate and CFE_ES_PoolCreateNoSem

Definition at line 358 of file cfe_es_extern_typedefs.h.

```
11.23.3.15 CFE_ES_MemOffset_t
```

```
typedef uint32 CFE_ES_MemOffset_t
```

Type used for memory sizes and offsets in commands and telemetry.

For backward compatibility with existing CFE code this should be uint32, but all telemetry information will be limited to 4GB in size as a result.

On 64-bit platforms this can be a 64-bit value which will allow larger memory objects, but this will break compatibility with existing control systems, and may also change the alignment/padding of messages.

In either case this must be an unsigned type.

Definition at line 389 of file cfe_es_extern_typedefs.h.

```
11.23.3.16 CFE_ES_MemPoolStats_t
```

```
typedef struct CFE_ES_MemPoolStats CFE_ES_MemPoolStats_t
```

Memory Pool Statistics.

Structure that is used to provide information about a memory pool. Used by the Memory Pool Stats telemetry message.

See also

```
CFE_ES_SEND_MEM_POOL_STATS_CC
```

```
11.23.3.17 CFE_ES_RunStatus_Enum_t
```

```
typedef uint32 CFE_ES_RunStatus_Enum_t
```

Run Status and Exit Status identifiers.

See also

```
enum CFE_ES_RunStatus
```

Definition at line 186 of file cfe_es_extern_typedefs.h.

```
11.23.3.18 CFE_ES_SystemState_Enum_t
```

```
typedef uint32 CFE_ES_SystemState_Enum_t
```

The overall cFE System State.

These values are used with the CFE_ES_WaitForSystemState API call to synchronize application startup.

Note

These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible

See also

```
enum CFE_ES_SystemState
```

Definition at line 244 of file cfe es extern typedefs.h.

```
11.23.3.19 CFE_ES_TaskId_t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_TaskId_t
```

A type for Task IDs.

This is the type that is used for any API accepting or returning a Task ID

Definition at line 336 of file cfe_es_extern_typedefs.h.

```
11.23.3.20 CFE_ES_TaskInfo_t
```

```
typedef struct CFE_ES_TaskInfo CFE_ES_TaskInfo_t
```

Task Information.

Structure that is used to provide information about a task. It is primarily used for the Query All Tasks (CFE_ES_QUE RY_ALL_TASKS_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Query All Tasks command. Therefore it should be considered part of the overall telemetry interface.

11.23.3.21 CFE_ES_TaskPriority_Atom_t

typedef uint16 CFE_ES_TaskPriority_Atom_t

Type used for task priority in CFE ES as including the commands/telemetry messages.

Note

the valid range is only 0-255 (same as OSAL) but a wider type is used for backward compatibility in binary formats of messages.

Definition at line 375 of file cfe_es_extern_typedefs.h.

11.23.4 Enumeration Type Documentation

11.23.4.1 CFE_ES_AppState

enum CFE_ES_AppState

Label definitions associated with CFE_ES_AppState_Enum_t.

Enumerator

CFE_ES_AppState_UNDEFINED	Initial state before app thread is started.
CFE_ES_AppState_EARLY_INIT	App thread has started, app performing early initialization of its own data.
CFE_ES_AppState_LATE_INIT	Early/Local initialization is complete. First sync point.
CFE_ES_AppState_RUNNING	All initialization is complete. Second sync point.
CFE_ES_AppState_WAITING	Application is waiting on a Restart/Reload/Delete request.
CFE_ES_AppState_STOPPED	Application is stopped.
CFE_ES_AppState_MAX	Reserved entry, marker for the maximum state.

Definition at line 273 of file cfe_es_extern_typedefs.h.

11.23.4.2 CFE_ES_AppType

enum CFE_ES_AppType

Label definitions associated with CFE_ES_AppType_Enum_t.

Enumerator

CFE_ES_AppType_CORE	CFE core application.
CFE_ES_AppType_EXTERNAL	CFE external application.
CFE_ES_AppType_LIBRARY	CFE library.

Generated by Doxygen

Definition at line 93 of file cfe_es_extern_typedefs.h.

11.23.4.3 CFE_ES_ExceptionAction

```
enum CFE_ES_ExceptionAction
```

Label definitions associated with CFE_ES_ExceptionAction_Enum_t.

Enumerator

CFE_ES_ExceptionAction_RESTART_APP	Restart application if exception occurs.
CFE_ES_ExceptionAction_PROC_RESTART	Restart processor if exception occurs.

Definition at line 69 of file cfe_es_extern_typedefs.h.

11.23.4.4 CFE_ES_LogEntryType

enum CFE_ES_LogEntryType

Label definitions associated with CFE_ES_LogEntryType_Enum_t.

Enumerator

CFE_ES_LogEntryType_CORE	Log entry from a core subsystem.
CFE_ES_LogEntryType_APPLICATION	Log entry from an application.

Definition at line 249 of file cfe_es_extern_typedefs.h.

11.23.4.5 CFE_ES_LogMode

enum CFE_ES_LogMode

Label definitions associated with CFE_ES_LogMode_Enum_t.

Enumerator

CFE_ES_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_ES_LogMode_DISCARD	Discard Log Mode.

Definition at line 45 of file cfe_es_extern_typedefs.h.

11.23.4.6 CFE_ES_RunStatus

enum CFE_ES_RunStatus

 $Label\ definitions\ associated\ with\ CFE_ES_RunStatus_Enum_t.$

Enumerator

CFE_ES_RunStatus_UNDEFINED	Reserved value, should not be used.
CFE_ES_RunStatus_APP_RUN	Indicates that the Application should continue to run.
CFE_ES_RunStatus_APP_EXIT	Indicates that the Application wants to exit normally.
CFE_ES_RunStatus_APP_ERROR	Indicates that the Application is quitting with an error.
CFE_ES_RunStatus_SYS_EXCEPTION	The cFE App caused an exception.
CFE_ES_RunStatus_SYS_RESTART	The system is requesting a restart of the cFE App.
CFE_ES_RunStatus_SYS_RELOAD	The system is requesting a reload of the cFE App.
CFE_ES_RunStatus_SYS_DELETE	The system is requesting that the cFE App is stopped.
CFE_ES_RunStatus_CORE_APP_INIT_ERROR	Indicates that the Core Application could not Init.
CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR	Indicates that the Core Application had a runtime failure.
CFE_ES_RunStatus_MAX	Reserved value, marker for the maximum state.

Definition at line 122 of file cfe_es_extern_typedefs.h.

11.23.4.7 CFE_ES_SystemState

enum CFE_ES_SystemState

Label definitions associated with CFE_ES_SystemState_Enum_t.

Enumerator

CFE_ES_SystemState_UNDEFINED	reserved	
CFE_ES_SystemState_EARLY_INIT	single threaded mode while setting up CFE itself	
CFE_ES_SystemState_CORE_STARTUP	core apps (CFE_ES_ObjectTable) are starting (multi-threaded)	
CFE_ES_SystemState_CORE_READY	core is ready, starting other external apps/libraries (if any)	
CFE_ES_SystemState_APPS_INIT	startup apps have all completed their early init, but not necessarily operational yet	
CFE_ES_SystemState_OPERATIONAL	normal operation mode; all apps are RUNNING	
CFE_ES_SystemState_SHUTDOWN	reserved for future use, all apps would be STOPPED	
CFE_ES_SystemState_MAX	Reserved value, marker for the maximum state.	

Definition at line 191 of file cfe_es_extern_typedefs.h.

11.24 cfe/modules/core_api/fsw/inc/cfe_evs.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_evs_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

Macros

- #define CFE_EVS_Send(E, T, ...) CFE_EVS_SendEvent((E), CFE_EVS_EventType_##T, __VA_ARGS__)
- #define CFE_EVS_SendDbg(E, ...) CFE_EVS_Send(E, DEBUG, __VA_ARGS__)
- #define CFE EVS SendInfo(E, ...) CFE EVS Send(E, INFORMATION, VA ARGS)
- #define CFE_EVS_SendErr(E, ...) CFE_EVS_Send(E, ERROR, __VA_ARGS__)
- #define CFE_EVS_SendCrit(E, ...) CFE_EVS_Send(E, CRITICAL, __VA_ARGS__)

Functions

- CFE_Status_t CFE_EVS_Register (const void *Filters, uint16 NumEventFilters, uint16 FilterScheme)

 Register an application for receiving event services.
- CFE_Status_t CFE_EVS_SendEvent (uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(3
 Generate a software event.
- CFE_Status_t CFE_Status_t CFE_EVS_SendEventWithAppID (uint16 EventID, uint16 EventType, CFE_ES_←
 AppId t AppID, const char *Spec,...) OS PRINTF(4

Generate a software event given the specified Application ID.

 CFE_Status_t CFE_Status_t CFE_Status_t CFE_EVS_SendTimedEvent (CFE_TIME_SysTime_t Time, uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(4

Generate a software event with a specific time tag.

CFE_Status_t CFE_EVS_ResetFilter (uint16 EventID)

Resets the calling application's event filter for a single event ID.

• CFE_Status_t CFE_EVS_ResetAllFilters (void)

Resets all of the calling application's event filters.

11.24.1 Detailed Description

Title: Event Services API Application Library Header File

Purpose: Unit specification for Event services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.24.2 Macro Definition Documentation

11.24.2.1 CFE_EVS_Send

Definition at line 46 of file cfe_evs.h.

11.24.2.2 CFE_EVS_SendCrit

Definition at line 50 of file cfe_evs.h.

11.24.2.3 CFE_EVS_SendDbg

Definition at line 47 of file cfe_evs.h.

11.24.2.4 CFE_EVS_SendErr

Definition at line 49 of file cfe_evs.h.

11.24.2.5 CFE_EVS_SendInfo

Definition at line 48 of file cfe_evs.h.

11.25 cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_evs_extern_typedefs.h"
```

Data Structures

· struct CFE EVS BinFilter

Event message filter definition structure.

Macros

Common Event Filter Mask Values

Message is sent if (previous event count) & MASK == 0

#define CFE EVS NO FILTER 0x0000

Stops any filtering. All messages are sent.

#define CFE_EVS_FIRST_ONE_STOP 0xFFFF

Sends the first event. All remaining messages are filtered.

#define CFE EVS FIRST TWO STOP 0xFFFE

Sends the first 2 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_4_STOP 0xFFFC

Sends the first 4 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_8_STOP 0xFFF8

Sends the first 8 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_16_STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_32_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_64_STOP 0xFFC0

Sends the first 64 events. All remaining messages are filtered.

• #define CFE EVS EVERY OTHER ONE 0x0001

Sends every other event.

#define CFE_EVS_EVERY_OTHER_TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

• #define CFE EVS EVERY FOURTH ONE 0x0003

Sends every fourth event message. All others are filtered.

Typedefs

typedef struct CFE_EVS_BinFilter CFE_EVS_BinFilter_t

Event message filter definition structure.

11.25.1 Detailed Description

Title: Event Services API Application Library Header File

Purpose: Unit specification for Event services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.25.2 Macro Definition Documentation

11.25.2.1 CFE_EVS_EVERY_FOURTH_ONE

#define CFE_EVS_EVERY_FOURTH_ONE 0x0003

Sends every fourth event message. All others are filtered.

Definition at line 54 of file cfe_evs_api_typedefs.h.

11.25.2.2 CFE_EVS_EVERY_OTHER_ONE

#define CFE_EVS_EVERY_OTHER_ONE 0x0001

Sends every other event.

Definition at line 52 of file cfe_evs_api_typedefs.h.

11.25.2.3 CFE_EVS_EVERY_OTHER_TWO

#define CFE_EVS_EVERY_OTHER_TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

Definition at line 53 of file cfe_evs_api_typedefs.h.

11.25.2.4 CFE_EVS_FIRST_16_STOP

#define CFE_EVS_FIRST_16_STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

Definition at line 49 of file cfe_evs_api_typedefs.h.

11.25.2.5 CFE_EVS_FIRST_32_STOP

#define CFE_EVS_FIRST_32_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

Definition at line 50 of file cfe_evs_api_typedefs.h.

11.25.2.6 CFE_EVS_FIRST_4_STOP

```
#define CFE_EVS_FIRST_4_STOP 0xFFFC
```

Sends the first 4 events. All remaining messages are filtered.

Definition at line 47 of file cfe_evs_api_typedefs.h.

11.25.2.7 CFE_EVS_FIRST_64_STOP

```
#define CFE_EVS_FIRST_64_STOP 0xFFC0
```

Sends the first 64 events. All remaining messages are filtered.

Definition at line 51 of file cfe_evs_api_typedefs.h.

11.25.2.8 CFE_EVS_FIRST_8_STOP

```
#define CFE_EVS_FIRST_8_STOP 0xFFF8
```

Sends the first 8 events. All remaining messages are filtered.

Definition at line 48 of file cfe_evs_api_typedefs.h.

11.25.2.9 CFE_EVS_FIRST_ONE_STOP

```
#define CFE_EVS_FIRST_ONE_STOP 0xFFFF
```

Sends the first event. All remaining messages are filtered.

Definition at line 45 of file cfe_evs_api_typedefs.h.

11.25.2.10 CFE_EVS_FIRST_TWO_STOP

```
#define CFE_EVS_FIRST_TWO_STOP 0xFFFE
```

Sends the first 2 events. All remaining messages are filtered.

Definition at line 46 of file cfe_evs_api_typedefs.h.

```
11.25.2.11 CFE_EVS_NO_FILTER
#define CFE_EVS_NO_FILTER 0x0000
Stops any filtering. All messages are sent.
Definition at line 44 of file cfe_evs_api_typedefs.h.
11.25.3 Typedef Documentation
11.25.3.1 CFE_EVS_BinFilter_t
typedef struct CFE_EVS_BinFilter CFE_EVS_BinFilter_t
Event message filter definition structure.
       cfe/modules/core api/fsw/inc/cfe evs extern typedefs.h File Reference
#include "common_types.h"
Typedefs

    typedef uint8 CFE EVS MsgFormat Enum t

         Identifies format of log messages.

    typedef uint8 CFE_EVS_LogMode_Enum_t

         Identifies handling of log messages after storage is filled.

    typedef uint16 CFE EVS EventType Enum t

         Identifies type of event message.

    typedef uint8 CFE_EVS_EventFilter_Enum_t

         Identifies event filter schemes.
    • typedef uint8 CFE_EVS_EventOutput_Enum_t
         Identifies event output port.
Enumerations
   enum CFE_EVS_MsgFormat { CFE_EVS_MsgFormat_SHORT = 0, CFE_EVS_MsgFormat_LONG = 1 }
         Label definitions associated with CFE_EVS_MsgFormat_Enum_t.

    enum CFE_EVS_LogMode { CFE_EVS_LogMode_OVERWRITE = 0, CFE_EVS_LogMode_DISCARD = 1 }

         Label definitions associated with CFE_EVS_LogMode_Enum_t.
   • enum CFE_EVS_EventType { CFE_EVS_EventType_DEBUG = 1, CFE_EVS_EventType_INFORMATION = 2,
      CFE_EVS_EventType_ERROR = 3, CFE_EVS_EventType_CRITICAL = 4 }
         Label definitions associated with CFE_EVS_EventType_Enum_t.

    enum CFE_EVS_EventFilter { CFE_EVS_EventFilter_BINARY = 0 }

         Label definitions associated with CFE_EVS_EventFilter_Enum_t.

    enum CFE_EVS_EventOutput { CFE_EVS_EventOutput_PORT1 = 1, CFE_EVS_EventOutput_PORT2 = 2, C←

      FE_EVS_EventOutput_PORT3 = 3, CFE_EVS_EventOutput_PORT4 = 4 }
```

Label definitions associated with CFE_EVS_EventOutput_Enum_t.

```
11.26.1 Detailed Description
Declarations and prototypes for cfe_evs_extern_typedefs module
11.26.2 Typedef Documentation
11.26.2.1 CFE_EVS_EventFilter_Enum_t
typedef uint8 CFE_EVS_EventFilter_Enum_t
Identifies event filter schemes.
See also
     enum CFE_EVS_EventFilter
Definition at line 139 of file cfe_evs_extern_typedefs.h.
11.26.2.2 CFE_EVS_EventOutput_Enum_t
typedef uint8 CFE_EVS_EventOutput_Enum_t
Identifies event output port.
See also
     enum CFE_EVS_EventOutput
Definition at line 173 of file cfe_evs_extern_typedefs.h.
```

```
11.26.2.3 CFE_EVS_EventType_Enum_t
```

typedef uint16 CFE_EVS_EventType_Enum_t

Identifies type of event message.

See also

enum CFE_EVS_EventType

Definition at line 120 of file cfe_evs_extern_typedefs.h.

```
11.26.2.4 CFE_EVS_LogMode_Enum_t
typedef uint8 CFE_EVS_LogMode_Enum_t
Identifies handling of log messages after storage is filled.
See also
     enum CFE_EVS_LogMode
Definition at line 86 of file cfe_evs_extern_typedefs.h.
11.26.2.5 CFE_EVS_MsgFormat_Enum_t
typedef uint8 CFE_EVS_MsgFormat_Enum_t
Identifies format of log messages.
See also
     enum CFE_EVS_MsgFormat
Definition at line 62 of file cfe_evs_extern_typedefs.h.
11.26.3 Enumeration Type Documentation
11.26.3.1 CFE_EVS_EventFilter
enum CFE_EVS_EventFilter
Label definitions associated with CFE_EVS_EventFilter_Enum_t.
Enumerator
  CFE EVS EventFilter BINARY
                                   Binary event filter.
Definition at line 125 of file cfe_evs_extern_typedefs.h.
```

11.26.3.2 CFE_EVS_EventOutput

enum CFE_EVS_EventOutput

Label definitions associated with CFE_EVS_EventOutput_Enum_t.

Enumerator

CFE_EVS_EventOutput_PORT1	Output Port 1.
CFE_EVS_EventOutput_PORT2	Output Port 2.
CFE_EVS_EventOutput_PORT3	Output Port 3.
CFE_EVS_EventOutput_PORT4	Output Port 4.

Definition at line 144 of file cfe_evs_extern_typedefs.h.

11.26.3.3 CFE_EVS_EventType

enum CFE_EVS_EventType

Label definitions associated with CFE_EVS_EventType_Enum_t.

Enumerator

CFE_EVS_EventType_DEBUG	Events that are intended only for debugging, not nominal operations.
CFE_EVS_EventType_INFORMATION	Events that identify a state change or action that is not an error.
CFE_EVS_EventType_ERROR	Events that identify an error but are not catastrophic (e.g bad command.
CFE_EVS_EventType_CRITICAL	Events that identify errors that are unrecoverable autonomously.

Definition at line 91 of file cfe_evs_extern_typedefs.h.

11.26.3.4 CFE_EVS_LogMode

enum CFE_EVS_LogMode

Label definitions associated with CFE_EVS_LogMode_Enum_t.

Enumerator

CFE_EVS_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_EVS_LogMode_DISCARD	Discard Log Mode.

Definition at line 67 of file cfe_evs_extern_typedefs.h.

11.26.3.5 CFE_EVS_MsgFormat

enum CFE_EVS_MsgFormat

Label definitions associated with CFE_EVS_MsgFormat_Enum_t.

Enumerator

CFE_EVS_MsgFormat_SHORT	Short Format Messages.	
CFE_EVS_MsgFormat_LONG	Long Format Messages.	

Definition at line 43 of file cfe_evs_extern_typedefs.h.

11.27 cfe/modules/core api/fsw/inc/cfe fs.h File Reference

```
#include "common_types.h"
#include "osconfig.h"
#include "cfe_platform_cfg.h"
#include "cfe_error.h"
#include "cfe_fs_api_typedefs.h"
#include "cfe_fs_extern_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

Functions

• CFE Status t CFE FS ReadHeader (CFE FS Header t *Hdr, osal id t FileDes)

Read the contents of the Standard cFE File Header.

void CFE_FS_InitHeader (CFE_FS_Header_t *Hdr, const char *Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

CFE Status t CFE FS WriteHeader (osal id t FileDes, CFE FS Header t *Hdr)

Write the specified Standard cFE File Header to the specified file.

• CFE_Status_t CFE_FS_SetTimestamp (osal_id_t FileDes, CFE_TIME_SysTime_t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

const char * CFE_FS_GetDefaultMountPoint (CFE_FS_FileCategory_t FileCategory)

Get the default virtual mount point for a file category.

const char * CFE FS GetDefaultExtension (CFE FS FileCategory t FileCategory)

Get the default filename extension for a file category.

int32 CFE_FS_ParseInputFileNameEx (char *OutputBuffer, const char *InputBuffer, size_t OutputBufSize, size
 _t InputBufSize, const char *DefaultInput, const char *DefaultPath, const char *DefaultExtension)

Parse a filename input from an input buffer into a local buffer.

int32 CFE_FS_ParseInputFileName (char *OutputBuffer, const char *InputName, size_t OutputBufSize, CFE_←
FS_FileCategory_t FileCategory)

Parse a filename string from the user into a local buffer.

• CFE Status t CFE FS ExtractFilenameFromPath (const char *OriginalPath, char *FileNameOnly)

Extracts the filename from a unix style path and filename string.

int32 CFE_FS_BackgroundFileDumpRequest (CFE_FS_FileWriteMetaData_t *Meta)

Register a background file dump request.

bool CFE_FS_BackgroundFileDumplsPending (const CFE_FS_FileWriteMetaData_t *Meta)

Query if a background file write request is currently pending.

11.27.1 Detailed Description

Purpose: cFE File Services (FS) library API header file

Author: S.Walling/Microtel

11.28 cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h File Reference

```
#include "common_types.h"
#include "osconfig.h"
#include "cfe_fs_extern_typedefs.h"
```

Data Structures

• struct CFE FS FileWriteMetaData

External Metadata/State object associated with background file writes.

Typedefs

- typedef bool(* CFE FS FileWriteGetData t) (void *Meta, uint32 RecordNum, void **Buffer, size t *BufSize)
- typedef void(* CFE_FS_FileWriteOnEvent_t) (void *Meta, CFE_FS_FileWriteEvent_t Event, int32 Status, uint32 RecordNum, size_t BlockSize, size_t Position)
- typedef struct CFE FS FileWriteMetaData CFE FS FileWriteMetaData t

External Metadata/State object associated with background file writes.

Enumerations

```
    enum CFE_FS_FileCategory_t {
        CFE_FS_FileCategory_UNKNOWN, CFE_FS_FileCategory_DYNAMIC_MODULE, CFE_FS_FileCategory_BI
        NARY_DATA_DUMP, CFE_FS_FileCategory_TEXT_LOG,
        CFE_FS_FileCategory_SCRIPT, CFE_FS_FileCategory_TEMP, CFE_FS_FileCategory_MAX }
```

Generalized file types/categories known to FS.

```
    enum CFE_FS_FileWriteEvent_t {
        CFE_FS_FileWriteEvent_UNDEFINED, CFE_FS_FileWriteEvent_COMPLETE, CFE_FS_FileWriteEvent_CR←
        EATE_ERROR, CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR,
        CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR, CFE_FS_FileWriteEvent_MAX }
```

11.28.1 Detailed Description

Purpose: cFE File Services (FS) library API header file

Author: S.Walling/Microtel

11.28.2 Typedef Documentation

11.28.2.1 CFE_FS_FileWriteGetData_t

```
typedef bool(* CFE_FS_FileWriteGetData_t) (void *Meta, uint32 RecordNum, void **Buffer, size_\leftrightarrow t *BufSize)
```

Data Getter routine provided by requester

Outputs a data block. Should return true if the file is complete (last record/EOF), otherwise return false.

Parameters

in,out	Meta	Pointer to the metadata object
in	RecordNum	Incrementing record number counter
out	Buffer	Pointer to buffer data block, should be set by implementation
out	BufSize	Pointer to buffer data size, should be set by implementation

Returns

End of file status

Return values

	if at last data record, and output file should be closed
false	if not at last record, more data records to write

Note

The implementation of this function must always set the "Buffer" and "BufSize" outputs. If no data is available, they may be set to NULL and 0, respectively.

Definition at line 98 of file cfe_fs_api_typedefs.h.

11.28.2.2 CFE_FS_FileWriteMetaData_t

typedef struct CFE_FS_FileWriteMetaData CFE_FS_FileWriteMetaData_t

External Metadata/State object associated with background file writes.

Applications intending to schedule background file write jobs should instantiate this object in static/global data memory. This keeps track of the state of the file write request(s).

11.28.2.3 CFE_FS_FileWriteOnEvent_t

typedef void(* CFE_FS_FileWriteOnEvent_t) (void *Meta, CFE_FS_FileWriteEvent_t Event, int32 Status,
uint32 RecordNum, size_t BlockSize, size_t Position)

Event generator routine provided by requester

Invoked from certain points in the file write process. Implementation may invoke CFE_EVS_SendEvent() appropriately to inform of progress.

Parameters

in,out	Meta	Pointer to the metadata object
in	Event	Generalized type of event to report (not actual event ID)
in	Status	Generalized status code (may be from OSAL or CFE)
in	RecordNum	Record number counter at which event occurred
in	BlockSize	Size of record being processed when event occurred (if applicable)
in	Position	File position/size when event occurred

Definition at line 114 of file cfe_fs_api_typedefs.h.

11.28.3 Enumeration Type Documentation

11.28.3.1 CFE_FS_FileCategory_t

enum CFE_FS_FileCategory_t

Generalized file types/categories known to FS.

This defines different categories of files, where they may reside in different default locations of the virtualized file system.

This is different from, and should not be confused with, the "SubType" field in the FS header. This value is only used at runtime for FS APIs and should not actually appear in any output file or message.

Enumerator

CFE_FS_FileCategory_UNKNOWN	Placeholder, unknown file category
CFE_FS_FileCategory_DYNAMIC_MODULE	Dynamically loadable apps/libraries (e.gso, .o, .dll, etc)
CFE_FS_FileCategory_BINARY_DATA_DUMP	Binary log file generated by various data dump commands
CFE_FS_FileCategory_TEXT_LOG	Text-based log file generated by various commands
CFE_FS_FileCategory_SCRIPT	Text-based Script files (e.g. ES startup script)
CFE_FS_FileCategory_TEMP	Temporary/Ephemeral files
CFE_FS_FileCategory_MAX	Placeholder, keep last

Definition at line 48 of file cfe_fs_api_typedefs.h.

11.28.3.2 CFE_FS_FileWriteEvent_t

```
enum CFE_FS_FileWriteEvent_t
```

Enumerator

CFE_FS_FileWriteEvent_UNDEFINED	
CFE_FS_FileWriteEvent_COMPLETE	File is completed successfully
CFE_FS_FileWriteEvent_CREATE_ERROR	Unable to create/open file
CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR	Unable to write FS header
CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR	Unable to write data record
CFE_FS_FileWriteEvent_MAX	

Definition at line 68 of file cfe_fs_api_typedefs.h.

11.29 cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h File Reference

```
#include "common_types.h"
```

Data Structures

• struct CFE_FS_Header

Standard cFE File header structure definition.

Macros

• #define CFE_FS_HDR_DESC_MAX_LEN 32

Max length of description field in a standard cFE File Header.

• #define CFE_FS_FILE_CONTENT_ID 0x63464531

Magic Number for cFE compliant files (= 'cFE1')

Typedefs

• typedef uint32 CFE_FS_SubType_Enum_t

Content descriptor for File Headers.

typedef struct CFE_FS_Header CFE_FS_Header_t

Standard cFE File header structure definition.

Enumerations

```
    enum CFE_FS_SubType {
        CFE_FS_SubType_ES_ERLOG = 1, CFE_FS_SubType_ES_SYSLOG = 2, CFE_FS_SubType_ES_QUERYALL
        = 3, CFE_FS_SubType_ES_PERFDATA = 4,
        CFE_FS_SubType_ES_CDS_REG = 6, CFE_FS_SubType_TBL_REG = 9, CFE_FS_SubType_TBL_IMG = 8,
        CFE_FS_SubType_EVS_APPDATA = 15,
        CFE_FS_SubType_EVS_EVENTLOG = 16, CFE_FS_SubType_SB_PIPEDATA = 20, CFE_FS_SubType_SB_←
        ROUTEDATA = 21, CFE_FS_SubType_SB_MAPDATA = 22,
        CFE_FS_SubType_ES_QUERYALLTASKS = 23 }
        File subtypes used within cFE.
```

11.29.1 Detailed Description

Declarations and prototypes for cfe_fs_extern_typedefs module

11.29.2 Macro Definition Documentation

```
11.29.2.1 CFE_FS_FILE_CONTENT_ID
```

```
#define CFE_FS_FILE_CONTENT_ID 0x63464531
```

Magic Number for cFE compliant files (= 'cFE1')

Definition at line 51 of file cfe_fs_extern_typedefs.h.

```
11.29.2.2 CFE FS HDR DESC MAX LEN
```

```
#define CFE_FS_HDR_DESC_MAX_LEN 32
```

Max length of description field in a standard cFE File Header.

Definition at line 49 of file cfe_fs_extern_typedefs.h.

11.29.3 Typedef Documentation

```
11.29.3.1 CFE_FS_Header_t
```

```
typedef struct CFE_FS_Header CFE_FS_Header_t
```

Standard cFE File header structure definition.

11.29.3.2 CFE_FS_SubType_Enum_t

typedef uint32 CFE_FS_SubType_Enum_t

Content descriptor for File Headers.

See also

enum CFE_FS_SubType

Definition at line 199 of file cfe_fs_extern_typedefs.h.

11.29.4 Enumeration Type Documentation

11.29.4.1 CFE_FS_SubType

enum CFE_FS_SubType

File subtypes used within cFE.

This defines all the file subtypes used by cFE. Note apps can extend as needed but need to avoid conflicts (app context not currently included in the file header).

Enumerator

CFE_FS_SubType_ES_ERLOG	Executive Services Exception/Reset Log Type. Executive Services Exception/Reset Log File which is generated in response to a \$sc_\$cpu_ES_WriteERLog2File command.
CFE_FS_SubType_ES_SYSLOG	Executive Services System Log Type. Executive Services System Log File which is generated in response to a \$sc_\$cpu_ES_WriteSysLog2File command.
CFE_FS_SubType_ES_QUERYALL	Executive Services Information on All Applications File. Executive Services Information on All Applications File which is generated in response to a \$sc_\$cpu_ES_WriteAppInfo2File command.
CFE_FS_SubType_ES_PERFDATA	Executive Services Performance Data File. Executive Services Performance Analyzer Data File which is generated in response to a \$sc_\$cpu_ES_StopLAData command.
CFE_FS_SubType_ES_CDS_REG	Executive Services Critical Data Store Registry Dump File. Executive Services Critical Data Store Registry Dump File which is generated in response to a \$sc_\$cpu_ES_WriteCDS2File command.
CFE_FS_SubType_TBL_REG	Table Services Registry Dump File. Table Services Registry Dump File which is generated in response to a \$sc_\$cpu_TBL_WriteReg2File command.
CFE_FS_SubType_TBL_IMG	Table Services Table Image File. Table Services Table Image File which is generated either on the ground or in response to a \$sc_\$cpu_TBL_DUMP command.

Enumerator

CFE_FS_SubType_EVS_APPDATA	Event Services Application Data Dump File. Event Services Application Data Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteAppData2File command.
CFE_FS_SubType_EVS_EVENTLOG	Event Services Local Event Log Dump File. Event Services Local Event Log Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteLog2File command.
CFE_FS_SubType_SB_PIPEDATA	Software Bus Pipe Data Dump File. Software Bus Pipe Data Dump File which is generated in response to a \$sc_\$cpu_SB_WritePipe2File command.
CFE_FS_SubType_SB_ROUTEDATA	Software Bus Message Routing Data Dump File. Software Bus Message Routing Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteRouting2File command.
CFE_FS_SubType_SB_MAPDATA	Software Bus Message Mapping Data Dump File. Software Bus Message Mapping Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteMap2File command.
CFE_FS_SubType_ES_QUERYALLTASKS	Executive Services Query All Tasks Data File. Executive Services Query All Tasks Data File which is generated in response to a \$sc_\$cpu_ES_WriteTaskInfo2File command.

Definition at line 61 of file cfe_fs_extern_typedefs.h.

11.30 cfe/modules/core_api/fsw/inc/cfe_msg.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_msg_hdr.h"
#include "cfe_msg_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_sb_api_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

Functions

CFE_Status_t CFE_MSG_Init (CFE_MSG_Message_t *MsgPtr, CFE_SB_MsgId_t MsgId, CFE_MSG_Size_
 t Size)

Initialize a message.

- CFE_Status_t CFE_MSG_GetSize (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t *Size)

 Gets the total size of a message.
- CFE_Status_t CFE_MSG_SetSize (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t Size) Sets the total size of a message.
- CFE_Status_t CFE_MSG_GetType (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t *Type)
 Gets the message type.
- CFE_Status_t CFE_MSG_SetType (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t Type)
 Sets the message type.

Gets the message header version.

Sets the message header version.

 CFE_Status_t CFE_MSG_GetHasSecondaryHeader (const CFE_MSG_Message_t *MsgPtr, bool *Has↔ Secondary)

Gets the message secondary header boolean.

- CFE_Status_t CFE_MSG_SetHasSecondaryHeader (CFE_MSG_Message_t *MsgPtr, bool HasSecondary)

 Sets the message secondary header boolean.
- CFE_Status_t CFE_MSG_GetApId (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t *ApId)
 Gets the message application ID.
- CFE_Status_t CFE_MSG_SetApId (CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t ApId)
 Sets the message application ID.
- CFE_Status_t CFE_MSG_GetSegmentationFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_← SegmentationFlag_t *SegFlag)

Gets the message segmentation flag.

CFE_Status_t CFE_MSG_SetSegmentationFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Segmentation ← Flag_t SegFlag)

Sets the message segmentation flag.

CFE_Status_t CFE_MSG_GetSequenceCount (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Sequence ← Count t *SeqCnt)

Gets the message sequence count.

CFE_Status_t CFE_MSG_SetSequenceCount (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount
 t SeqCnt)

Sets the message sequence count.

- CFE_MSG_SequenceCount_t CFE_MSG_GetNextSequenceCount (CFE_MSG_SequenceCount_t SeqCnt)
 Gets the next sequence count value (rolls over if appropriate)

Gets the message EDS version.

- CFE_Status_t CFE_MSG_SetEDSVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t Version)

 Sets the message EDS version.
- CFE_Status_t CFE_MSG_GetEndian (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t *Endian)
 Gets the message endian.
- CFE_Status_t CFE_MSG_SetEndian (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t Endian)

 Sets the message endian.
- CFE_Status_t CFE_MSG_GetPlaybackFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag
 —t *PlayFlag)

Gets the message playback flag.

CFE_Status_t CFE_MSG_SetPlaybackFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_
 t PlayFlag)

Sets the message playback flag.

CFE_Status_t CFE_MSG_GetSubsystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_
 t *Subsystem)

Gets the message subsystem.

CFE_Status_t CFE_MSG_SetSubsystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t Subsystem)

Sets the message subsystem.

- CFE_Status_t CFE_MSG_GetSystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t *System)

 Gets the message system.
- CFE_Status_t CFE_MSG_SetSystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t System)
 Sets the message system.
- CFE_Status_t CFE_MSG_GenerateChecksum (CFE_MSG_Message_t *MsgPtr)

Calculates and sets the checksum of a message.

- CFE_Status_t CFE_MSG_ValidateChecksum (const CFE_MSG_Message_t *MsgPtr, bool *IsValid) Validates the checksum of a message.
- CFE_Status_t CFE_MSG_SetFcnCode (CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t FcnCode)

 Sets the function code field in a message.
- CFE_Status_t CFE_MSG_GetFcnCode (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t *Fcn← Code)

Gets the function code field from a message.

- CFE_Status_t CFE_MSG_GetMsgTime (const CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t *Time)

 Gets the time field from a message.
- CFE_Status_t CFE_MSG_SetMsgTime (CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t NewTime) Sets the time field in a message.
- CFE_Status_t CFE_MSG_GetMsgld (const CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t *Msgld)
 Gets the message id from a message.
- CFE_Status_t CFE_MSG_SetMsgld (CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t Msgld)
 Sets the message id bits in a message.
- CFE_Status_t CFE_MSG_GetTypeFromMsgld (CFE_SB_Msgld_t Msgld, CFE_MSG_Type_t *Type)
 Gets message type using message ID.

11.30.1 Detailed Description

Message access APIs

11.31 cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
```

Macros

- #define CFE_MSG_BAD_ARGUMENT CFE_SB_BAD_ARGUMENT
 - Error bad argument.
- #define CFE_MSG_NOT_IMPLEMENTED CFE_SB_NOT_IMPLEMENTED

Error - not implemented.

#define CFE_MSG_WRONG_MSG_TYPE CFE_SB_WRONG_MSG_TYPE

Error - wrong type.

Typedefs

• typedef size_t CFE_MSG_Size_t

```
Message size, note CCSDS maximum is UINT16 MAX+7.
    • typedef uint32 CFE_MSG_Checksum_t
         Message checksum (Oversized to avoid redefine)

    typedef uint16 CFE MSG FcnCode t

         Message function code.

    typedef uint16 CFE_MSG_HeaderVersion_t

         Message header version.

    typedef uint16 CFE_MSG_ApId_t

         Message application ID.

    typedef uint16 CFE MSG SequenceCount t

         Message sequence count.

    typedef uint16 CFE MSG EDSVersion t

         Message EDS version.

    typedef uint16 CFE MSG Subsystem t

         Message subsystem.

    typedef uint16 CFE MSG System t

         Message system.

    typedef enum CFE_MSG_Type CFE_MSG_Type_t

         Message type.

    typedef enum CFE_MSG_SegmentationFlag CFE_MSG_SegmentationFlag_t

         Segmentation flags.

    typedef enum CFE MSG Endian CFE MSG Endian t

         Endian flag.

    typedef enum CFE MSG PlaybackFlag CFE MSG PlaybackFlag t

         Playback flag.

    typedef union CFE_MSG_Message CFE_MSG_Message_t

         cFS generic base message
    • typedef struct CFE_MSG_CommandHeader CFE_MSG_CommandHeader_t
         cFS command header

    typedef struct CFE MSG TelemetryHeader CFE MSG TelemetryHeader t

         cFS telemetry header
Enumerations

    enum CFE MSG Type { CFE MSG Type Invalid, CFE MSG Type Cmd, CFE MSG Type Tlm }

         Message type.

    enum CFE MSG SegmentationFlag {

     CFE_MSG_SegFlag_Invalid, CFE_MSG_SegFlag_Continue, CFE_MSG_SegFlag_First, CFE_MSG_SegFlag.
      Last.
     CFE_MSG_SegFlag_Unsegmented }
         Segmentation flags.

    enum CFE MSG Endian { CFE MSG Endian Invalid, CFE MSG Endian Big, CFE MSG Endian Little }

         Endian flag.
    • enum CFE MSG PlaybackFlag { CFE MSG PlayFlag Invalid, CFE MSG PlayFlag Original, CFE MSG \leftarrow
      PlayFlag_Playback }
         Playback flag.
```

11.31.1 Detailed Description

Typedefs for Message API

• Separate from API so these can be adjusted for custom implementations

11.31.2 Macro Definition Documentation

11.31.2.1 CFE_MSG_BAD_ARGUMENT

#define CFE_MSG_BAD_ARGUMENT CFE_SB_BAD_ARGUMENT

Error - bad argument.

Definition at line 39 of file cfe_msg_api_typedefs.h.

11.31.2.2 CFE_MSG_NOT_IMPLEMENTED

#define CFE_MSG_NOT_IMPLEMENTED CFE_SB_NOT_IMPLEMENTED

Error - not implemented.

Definition at line 40 of file cfe_msg_api_typedefs.h.

11.31.2.3 CFE_MSG_WRONG_MSG_TYPE

#define CFE_MSG_WRONG_MSG_TYPE CFE_SB_WRONG_MSG_TYPE

Error - wrong type.

Definition at line 41 of file cfe_msg_api_typedefs.h.

11.31.3 Typedef Documentation

```
11.31.3.1 CFE_MSG_ApId_t
typedef uint16 CFE_MSG_ApId_t
Message application ID.
Definition at line 50 of file cfe_msg_api_typedefs.h.
11.31.3.2 CFE_MSG_Checksum_t
typedef uint32 CFE_MSG_Checksum_t
Message checksum (Oversized to avoid redefine)
Definition at line 47 of file cfe_msg_api_typedefs.h.
11.31.3.3 CFE_MSG_CommandHeader_t
typedef struct CFE_MSG_CommandHeader CFE_MSG_CommandHeader_t
cFS command header
Definition at line 107 of file cfe_msg_api_typedefs.h.
11.31.3.4 CFE_MSG_EDSVersion_t
typedef uint16 CFE_MSG_EDSVersion_t
Message EDS version.
Definition at line 52 of file cfe_msg_api_typedefs.h.
11.31.3.5 CFE_MSG_Endian_t
typedef enum CFE_MSG_Endian CFE_MSG_Endian_t
Endian flag.
```

```
11.31.3.6 CFE_MSG_FcnCode_t
typedef uint16 CFE_MSG_FcnCode_t
Message function code.
Definition at line 48 of file cfe_msg_api_typedefs.h.
11.31.3.7 CFE_MSG_HeaderVersion_t
typedef uint16 CFE_MSG_HeaderVersion_t
Message header version.
Definition at line 49 of file cfe_msg_api_typedefs.h.
11.31.3.8 CFE_MSG_Message_t
typedef union CFE_MSG_Message CFE_MSG_Message_t
cFS generic base message
Definition at line 102 of file cfe_msg_api_typedefs.h.
11.31.3.9 CFE_MSG_PlaybackFlag_t
typedef enum CFE_MSG_PlaybackFlag CFE_MSG_PlaybackFlag_t
Playback flag.
11.31.3.10 CFE_MSG_SegmentationFlag_t
typedef enum CFE_MSG_SegmentationFlag CFE_MSG_SegmentationFlag_t
Segmentation flags.
```

```
11.31.3.11 CFE_MSG_SequenceCount_t
typedef uint16 CFE_MSG_SequenceCount_t
Message sequence count.
Definition at line 51 of file cfe_msg_api_typedefs.h.
11.31.3.12 CFE_MSG_Size_t
typedef size_t CFE_MSG_Size_t
Message size, note CCSDS maximum is UINT16_MAX+7.
Definition at line 46 of file cfe_msg_api_typedefs.h.
11.31.3.13 CFE_MSG_Subsystem_t
typedef uint16 CFE_MSG_Subsystem_t
Message subsystem.
Definition at line 53 of file cfe_msg_api_typedefs.h.
11.31.3.14 CFE_MSG_System_t
typedef uint16 CFE_MSG_System_t
Message system.
Definition at line 54 of file cfe_msg_api_typedefs.h.
11.31.3.15 CFE_MSG_TelemetryHeader_t
typedef struct CFE_MSG_TelemetryHeader CFE_MSG_TelemetryHeader_t
cFS telemetry header
Definition at line 112 of file cfe_msg_api_typedefs.h.
11.31.3.16 CFE_MSG_Type_t
typedef enum CFE_MSG_Type CFE_MSG_Type_t
Message type.
11.31.4 Enumeration Type Documentation
11.31.4.1 CFE_MSG_Endian
enum CFE_MSG_Endian
Endian flag.
```

Enumerator

CFE_MSG_Endian_Invalid	Invalid endian setting.
CFE_MSG_Endian_Big	Big endian.
CFE_MSG_Endian_Little	Little endian.

Definition at line 75 of file cfe_msg_api_typedefs.h.

11.31.4.2 CFE_MSG_PlaybackFlag

enum CFE_MSG_PlaybackFlag

Playback flag.

Enumerator

CFE_MSG_PlayFlag_Invalid	Invalid playback setting.
CFE_MSG_PlayFlag_Original	Original.
CFE_MSG_PlayFlag_Playback	Playback.

Definition at line 83 of file cfe_msg_api_typedefs.h.

11.31.4.3 CFE_MSG_SegmentationFlag

enum CFE_MSG_SegmentationFlag

Segmentation flags.

Enumerator

CFE_MSG_SegFlag_Invalid	Invalid segmentation flag.
CFE_MSG_SegFlag_Continue	Continuation segment of User Data.
CFE_MSG_SegFlag_First	First segment of User Data.
CFE_MSG_SegFlag_Last	Last segment of User Data.
CFE_MSG_SegFlag_Unsegmented	Unsegmented data.

Definition at line 65 of file cfe_msg_api_typedefs.h.

11.31.4.4 CFE_MSG_Type

enum CFE_MSG_Type

Message type.

Enumerator

CFE_MSG_Type_Invalid	Message type invalid, undefined, not implemented.
CFE_MSG_Type_Cmd	Command message type.
CFE_MSG_Type_TIm	Telemetry message type.

Definition at line 57 of file cfe msg api typedefs.h.

11.32 cfe/modules/core api/fsw/inc/cfe resourceid.h File Reference

```
#include "cfe_resourceid_api_typedefs.h"
```

Functions

uint32 CFE_ResourceId_GetBase (CFE_ResourceId_t ResourceId)

Get the Base value (type/category) from a resource ID value.

uint32 CFE_ResourceId_GetSerial (CFE_ResourceId_t ResourceId)

Get the Serial Number (sequential ID) from a resource ID value.

CFE_ResourceId_t CFE_ResourceId_FindNext (CFE_ResourceId_t StartId, uint32 TableSize, bool(*Check← Func)(CFE ResourceId_t))

Locate the next resource ID which does not map to an in-use table entry.

int32 CFE_ResourceId_ToIndex (CFE_ResourceId_t Id, uint32 BaseValue, uint32 TableSize, uint32 *Idx)

Internal routine to aid in converting an ES resource ID to an array index.

Resource ID test/conversion macros and inline functions

- #define CFE_RESOURCEID_TO_ULONG(id) CFE_ResourceId_ToInteger(CFE_RESOURCEID_UNWRAP(id))

 Convert a derived (app-specific) ID directly into an "unsigned long".

Determine if a derived (app-specific) ID is defined or not.

Determine if two derived (app-specific) IDs are equal.

static unsigned long CFE_ResourceId_ToInteger (CFE_ResourceId_t id)

Convert a resource ID to an integer.

static CFE_ResourceId_t CFE_ResourceId_FromInteger (unsigned long Value)

Convert an integer to a resource ID.

static bool CFE_ResourceId_Equal (CFE_ResourceId_t id1, CFE_ResourceId_t id2)

Compare two Resource ID values for equality.

• static bool CFE_ResourceId_IsDefined (CFE_ResourceId_t id)

Check if a resource ID value is defined.

11.32.1 Detailed Description

Contains global prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

Simple operations are provided as inline functions, which should alleviate the need to do direct manipulation of resource IDs:

- · Check for undefined ID value
- · Check for equality of two ID values
- Convert ID to simple integer (typically for printing/logging)
- Convert simple integer to ID (inverse of above)

11.32.2 Macro Definition Documentation

11.32.2.1 CFE_RESOURCEID_TEST_DEFINED

Determine if a derived (app-specific) ID is defined or not.

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE RESOURCEID BASE TYPE.

Definition at line 70 of file cfe resourceid.h.

11.32.2.2 CFE_RESOURCEID_TEST_EQUAL

Determine if two derived (app-specific) IDs are equal.

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE RESOURCEID BASE TYPE.

Definition at line 78 of file cfe_resourceid.h.

11.32.2.3 CFE_RESOURCEID_TO_ULONG

Convert a derived (app-specific) ID directly into an "unsigned long".

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE_RESOURCEID_BASE_TYPE.

There is no inverse of this macro, as it depends on the actual derived type desired. Applications needing to recreate an ID from an integer should use CFE_ResourceId_FromInteger() combined with a cast/conversion to the correct/intended derived type, as needed.

Note

This evaluates as an "unsigned long" such that it can be used in printf()-style functions with the "%lx" modifier without extra casting, as this is the most typical use-case for representing an ID as an integer.

Definition at line 62 of file cfe resourceid.h.

11.32.3 Function Documentation

11.32.3.1 CFE_ResourceId_Equal()

Compare two Resource ID values for equality.

Parameters

in	id1	Resource ID to check
in	id2	Resource ID to check

Returns

true if id1 and id2 are equal, false otherwise.

Definition at line 133 of file cfe_resourceid.h.

Referenced by CFE_ResourceId_IsDefined().

11.32.3.2 CFE_Resourceld_FindNext()

Locate the next resource ID which does not map to an in-use table entry.

This begins searching from StartId which should be the most recently issued ID for the resource category. This will then search for the next ID which does *not* map to a table entry that is in use. That is, it does not alias any valid ID when converted to an array index.

returns an undefined ID value if no open slots are available

Parameters

in	StartId	the last issued ID for the resource category (app, lib, etc).	
in	TableSize	the maximum size of the target table	
in CheckFunc a function to check if the given ID is available			

Returns

Next ID value which does not map to a valid entry

Return values

_		
	CFE_RESOURCEID_UNDEFINED	if no open slots or bad arguments.

Referenced by CFE_Resourceld_IsDefined().

11.32.3.3 CFE_ResourceId_FromInteger()

Convert an integer to a resource ID.

This is the inverse of CFE_Resourceld_ToInteger(), and reconstitutes the original CFE_Resourceld_t value from the integer representation.

This may be used, for instance, where an ID value is parsed from a text file or message using C library APIs such as scanf() or strtoul().

See also

CFE_ResourceId_ToInteger()

Parameters

in	Value	Integer value to convert
----	-------	--------------------------

Returns

ID value corresponding to integer

Definition at line 121 of file cfe_resourceid.h.

11.32.3.4 CFE_ResourceId_GetBase()

Get the Base value (type/category) from a resource ID value.

This masks out the ID serial number to obtain the base value, which is different for each resource type.

Note

The value is NOT shifted or otherwise adjusted.

Parameters

in	Resource←	the resource ID to decode
	ld	

Returns

The base value associated with that ID

Referenced by CFE_ResourceId_IsDefined().

11.32.3.5 CFE_ResourceId_GetSerial()

Get the Serial Number (sequential ID) from a resource ID value.

This masks out the ID base value to obtain the serial number, which is different for each entity created.

Parameters

in	Resource⊷	the resource ID to decode
	ld	

Returns

The serial number associated with that ID

Referenced by CFE_ResourceId_IsDefined().

11.32.3.6 CFE_ResourceId_IsDefined()

Check if a resource ID value is defined.

The constant CFE_RESOURCEID_UNDEFINED represents an undefined ID value, such that the expression:

```
CFE_ResourceId_IsDefined(CFE_RESOURCEID_UNDEFINED)
```

Always returns false.

Parameters

in	id	Resource ID to check
----	----	----------------------


Returns

True if the ID may refer to a defined entity, false if invalid/undefined.

Definition at line 151 of file cfe_resourceid.h.

References CFE_ResourceId_Equal(), CFE_ResourceId_FindNext(), CFE_ResourceId_GetBase(), CFE_Resource ← Id_GetSerial(), CFE_ResourceId_ToIndex(), and CFE_RESOURCEID_UNDEFINED.

Here is the call graph for this function:



11.32.3.7 CFE_ResourceId_ToIndex()

Internal routine to aid in converting an ES resource ID to an array index.

Parameters

in	ld	The resource ID
in	BaseValue	The respective ID base value corresponding to the ID type
in	TableSize	The actual size of the internal table (MAX index value + 1)
out	ldx	The output index

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE ES ERR RESOURCEID NOT VALID	Resource ID is not valid.

Referenced by CFE_ResourceId_IsDefined().

11.32.3.8 CFE_Resourceld_ToInteger()

Convert a resource ID to an integer.

This is primarily intended for logging purposes, such was writing to debug console, event messages, or log files, using printf-like APIs.

For compatibility with C library APIs, this returns an "unsigned long" type and should be used with the "%lx" format specifier in a printf format string.

Note

No assumptions should be made about the actual integer value, such as its base/range. It may be printed, but should not be modified or tested/compared using other arithmetic ops, and should never be used as the index to an array or table. See the related function CFE_ResourceId_ToIndex() for cases where a zero-based array/table index is needed.

See also

CFE_ResourceId_FromInteger()

Parameters

in	id	Resource ID to convert
----	----	------------------------

Returns

Integer value corresponding to ID

Definition at line 102 of file cfe_resourceid.h.

11.33 cfe/modules/core api/fsw/inc/cfe resourceid api typedefs.h File Reference

```
#include "cfe_resourceid_typedef.h"
```

Macros

Resource ID predefined values

- #define CFE_RESOURCEID_UNDEFINED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0))
 A resource ID value that represents an undefined/unused resource.
- #define CFE_RESOURCEID_RESERVED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0xFFFFFFF))

 A resource ID value that represents a reserved entry.

11.33.1 Detailed Description

Contains global prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

Simple operations are provided as inline functions, which should alleviate the need to do direct manipulation of resource IDs:

- · Check for undefined ID value
- · Check for equality of two ID values
- Convert ID to simple integer (typically for printing/logging)
- Convert simple integer to ID (inverse of above)

11.33.2 Macro Definition Documentation

11.33.2.1 CFE_RESOURCEID_RESERVED

```
#define CFE_RESOURCEID_RESERVED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0xFFFFFFFF))
```

A resource ID value that represents a reserved entry.

This is not a valid value for any resource type, but is used to mark table entries that are not available for use. For instance, this may be used while setting up an entry initially.

Definition at line 74 of file cfe_resourceid_api_typedefs.h.

11.33.2.2 CFE_RESOURCEID_UNDEFINED

```
#define CFE_RESOURCEID_UNDEFINED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0))
```

A resource ID value that represents an undefined/unused resource.

This constant may be used to initialize local variables of the CFE_ResourceId_t type to a safe value that will not alias a valid ID.

By design, this value is also the result of zeroing a CFE_ResourceId_t type via standard functions like memset(), such that objects initialized using this method will also be set to safe values.

Definition at line 65 of file cfe_resourceid_api_typedefs.h.

Referenced by CFE Resourceld IsDefined().

11.34 cfe/modules/core_api/fsw/inc/cfe_sb.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_sb_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
```

Macros

```
    #define CFE_BIT(x) (1 << (x))</li>
```

Places a one at bit positions 0 - 31.

#define CFE_SET(i, x) ((i) |= CFE_BIT(x))

Sets bit x of i.

#define CFE CLR(i, x) ((i) &= ~CFE BIT(x))

Clears bit x of i.

#define CFE_TST(i, x) (((i)&CFE_BIT(x)) != 0)

true(non zero) if bit x of i is set

Functions

- $\bullet \ \ \mathsf{CFE_SB_CreatePipe} \ (\mathsf{CFE_SB_Pipeld_t} \ * \mathsf{PipeldPtr}, \ \mathsf{uint16} \ \mathsf{Depth}, \ \mathsf{const} \ \mathsf{char} \ * \mathsf{PipeName})$
- CFE Status t CFE SB DeletePipe (CFE SB Pipeld t Pipeld)

Delete a software bus pipe.

Creates a new software bus pipe.

• CFE_Status_t CFE_SB_PipeId_ToIndex (CFE_SB_PipeId_t PipeID, uint32 *Idx)

Obtain an index value correlating to an SB Pipe ID.

CFE_Status_t CFE_SB_SetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 Opts)

Set options on a pipe.

CFE_Status_t CFE_SB_GetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 *OptsPtr)

Get options on a pipe.

- CFE_Status_t CFE_SB_GetPipeName (char *PipeNameBuf, size_t PipeNameSize, CFE_SB_PipeId_t PipeId)

 Get the pipe name for a given id.
- $\bullet \ \ \mathsf{CFE_Status_t} \ \mathsf{CFE_SB_GetPipeldByName} \ (\mathsf{CFE_SB_Pipeld_t} \ * \mathsf{PipeldPtr}, \ \mathsf{const} \ \mathsf{char} \ * \mathsf{PipeName})$

Get pipe id by pipe name.

CFE_Status_t CFE_SB_SubscribeEx (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, CFE_SB_Qos_
 t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

CFE_Status_t CFE_SB_Subscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Subscribe to a message on the software bus with default parameters.

CFE_Status_t CFE_SB_SubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, uint16 MsgLim)

Subscribe to a message while keeping the request local to a cpu.

• CFE_Status_t CFE_SB_Unsubscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus.

CFE_Status_t CFE_SB_UnsubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

CFE_Status_t CFE_SB_TransmitMsg (const CFE_MSG_Message_t *MsgPtr, bool IncrementSequenceCount)
 Transmit a message.

• CFE_Status_t CFE_SB_ReceiveBuffer (CFE_SB_Buffer_t **BufPtr, CFE_SB_PipeId_t PipeId, int32 TimeOut)

Receive a message from a software bus pipe.

• CFE_SB_Buffer_t * CFE_SB_AllocateMessageBuffer (size_t MsgSize)

Get a buffer pointer to use for "zero copy" SB sends.

CFE Status t CFE SB ReleaseMessageBuffer (CFE SB Buffer t *BufPtr)

Release an unused "zero copy" buffer pointer.

 $\bullet \ \ \mathsf{CFE_SB_Buffer_t} \ *\mathsf{BufPtr}, \ \mathsf{bool\ IncrementSequenceCount})$

Transmit a buffer.

void CFE_SB_SetUserDataLength (CFE_MSG_Message_t *MsgPtr, size_t DataLength)

Sets the length of user data in a software bus message.

void CFE_SB_TimeStampMsg (CFE_MSG_Message_t *MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

int32 CFE_SB_MessageStringSet (char *DestStringPtr, const char *SourceStringPtr, size_t DestMaxSize, size
 _t SourceMaxSize)

Copies a string into a software bus message.

void * CFE_SB_GetUserData (CFE_MSG_Message_t *MsgPtr)

Get a pointer to the user data portion of a software bus message.

size t CFE SB GetUserDataLength (const CFE MSG Message t *MsgPtr)

Gets the length of user data in a software bus message.

int32 CFE_SB_MessageStringGet (char *DestStringPtr, const char *SourceStringPtr, const char *DefaultString, size_t DestMaxSize, size_t SourceMaxSize)

Copies a string out of a software bus message.

bool CFE_SB_lsValidMsgld (CFE_SB_Msgld_t Msgld)

Identifies whether a given CFE_SB_Msgld_t is valid.

static bool CFE_SB_Msgld_Equal (CFE_SB_Msgld_t Msgld1, CFE_SB_Msgld_t Msgld2)

Identifies whether two CFE_SB_Msgld_t values are equal.

static CFE_SB_Msgld_Atom_t CFE_SB_MsgldToValue (CFE_SB_Msgld_t Msgld)

Converts a CFE_SB_Msgld_t to a normal integer.

static CFE SB Msgld t CFE SB ValueToMsgld (CFE SB Msgld Atom t MsgldValue)

Converts a normal integer into a CFE_SB_Msgld_t.

11.34.1 Detailed Description

Purpose: This header file contains all definitions for the cFE Software Bus Application Programmer's Interface.

Author: R.McGraw/SSI

11.34.2 Macro Definition Documentation

11.34.2.1 CFE_BIT

```
#define CFE_BIT( x ) (1 << (x))
```

Places a one at bit positions 0 - 31.

Definition at line 44 of file cfe_sb.h.

11.34.2.2 CFE_CLR

Clears bit x of i.

Definition at line 46 of file cfe_sb.h.

11.34.2.3 CFE_SET

Sets bit x of i.

Definition at line 45 of file cfe_sb.h.

11.34.2.4 CFE_TST

true(non zero) if bit x of i is set

Definition at line 47 of file cfe_sb.h.

11.35 cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_sb_extern_typedefs.h"
#include "cfe_msg_api_typedefs.h"
#include "cfe_resourceid_api_typedefs.h"
#include "cfe_msg_hdr.h"
```

Data Structures

union CFE SB Msg

Software Bus generic message.

Macros

• #define CFE SB POLL 0

Option used with CFE_SB_ReceiveBuffer to request immediate pipe status.

#define CFE SB PEND FOREVER -1

Option used with CFE_SB_ReceiveBuffer to force a wait for next message.

• #define CFE SB SUBSCRIPTION 0

Subtype specifier used in CFE_SB_SingleSubscriptionTlm_t by SBN App.

#define CFE SB UNSUBSCRIPTION 1

Subtype specified used in CFE_SB_SingleSubscriptionTlm_t by SBN App.

#define CFE_SB_MSGID_WRAP_VALUE(val)

Translation macro to convert from Msgld integer values to opaque/abstract API values.

#define CFE_SB_MSGID_C(val) ((CFE_SB_Msgld_t)CFE_SB_MSGID_WRAP_VALUE(val))

Translation macro to convert to Msgld integer values from a literal.

#define CFE_SB_MSGID_UNWRAP_VALUE(mid) ((mid).Value)

Translation macro to convert to Msgld integer values from opaque/abstract API values.

#define CFE SB MSGID RESERVED CFE SB MSGID WRAP VALUE(0)

Reserved value for CFE_SB_Msgld_t that will not match any valid Msgld.

• #define CFE_SB_INVALID_MSG_ID CFE_SB_MSGID_C(0)

A literal of the CFE SB Msgld t type representing an invalid ID.

#define CFE_SB_PIPEID_C(val) ((CFE_SB_PipeId_t)CFE_RESOURCEID_WRAP(val))

Cast/Convert a generic CFE_Resourceld_t to a CFE_SB_Pipeld_t.

• #define CFE_SB_INVALID_PIPE CFE_SB_PIPEID_C(CFE_RESOURCEID_UNDEFINED)

A CFE_SB_PipeId_t value which is always invalid.

• #define CFE_SB_PIPEOPTS_IGNOREMINE 0x00000001

Messages sent by the app that owns this pipe will not be sent to this pipe.

#define CFE_SB_DEFAULT_QOS ((CFE_SB_Qos_t) {0})

Default Qos macro.

Typedefs

typedef union CFE SB Msg CFE SB Buffer t

Software Bus generic message.

11.35.1 Detailed Description

Purpose: This header file contains all definitions for the cFE Software Bus Application Programmer's Interface.

Author: R.McGraw/SSI

11.35.2 Macro Definition Documentation

```
11.35.2.1 CFE_SB_DEFAULT_QOS
```

```
#define CFE_SB_DEFAULT_QOS ((CFE_SB_Qos_t) {0})
```

Default Qos macro.

Definition at line 135 of file cfe_sb_api_typedefs.h.

11.35.2.2 CFE_SB_INVALID_MSG_ID

```
#define CFE_SB_INVALID_MSG_ID CFE_SB_MSGID_C(0)
```

A literal of the CFE_SB_Msgld_t type representing an invalid ID.

This value should be used for runtime initialization of CFE_SB_Msgld_t values.

Note

This may be a compound literal in a future revision. Per C99, compound literals are Ivalues, not rvalues, so this value should not be used in static/compile-time data initialization. For static data initialization purposes (rvalue), CFE_SB_MSGID_RESERVED should be used instead. However, in the current implementation, they are equivalent.

Definition at line 113 of file cfe_sb_api_typedefs.h.

11.35.2.3 CFE SB INVALID PIPE

```
#define CFE_SB_INVALID_PIPE CFE_SB_PIPEID_C(CFE_RESOURCEID_UNDEFINED)
```

A CFE SB Pipeld t value which is always invalid.

This may be used as a safe initializer for CFE_SB_PipeId_t values

Definition at line 125 of file cfe_sb_api_typedefs.h.

```
11.35.2.4 CFE_SB_MSGID_C
```

Translation macro to convert to Msgld integer values from a literal.

This ensures that the literal is interpreted as the CFE_SB_Msgld_t type, rather than the default type associated with that literal (e.g. int/unsigned int).

Note

Due to constraints in C99 this style of initializer can only be used at runtime, not for static/compile-time initializers.

See also

```
CFE SB ValueToMsgld()
```

Definition at line 80 of file cfe_sb_api_typedefs.h.

Referenced by CFE SB ValueToMsgld().

```
11.35.2.5 CFE SB MSGID RESERVED
```

```
#define CFE_SB_MSGID_RESERVED CFE_SB_MSGID_WRAP_VALUE(0)
```

Reserved value for CFE_SB_Msgld_t that will not match any valid Msgld.

This rvalue macro can be used for static/compile-time data initialization to ensure that the initialized value does not alias to a valid Msgld object.

Definition at line 100 of file cfe sb api typedefs.h.

11.35.2.6 CFE_SB_MSGID_UNWRAP_VALUE

Translation macro to convert to Msqld integer values from opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE SB MsgldToValue() inline function instead.

See also

```
CFE SB MsgldToValue()
```

Definition at line 92 of file cfe sb api typedefs.h.

Referenced by CFE_SB_MsgId_Equal(), and CFE_SB_MsgIdToValue().

11.35.2.7 CFE_SB_MSGID_WRAP_VALUE

Value:

Translation macro to convert from Msgld integer values to opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE_SB_ValueToMsgld() inline function instead.

See also

```
CFE_SB_ValueToMsgld()
```

Definition at line 64 of file cfe_sb_api_typedefs.h.

11.35.2.8 CFE_SB_PEND_FOREVER

```
#define CFE_SB_PEND_FOREVER -1
```

Option used with CFE_SB_ReceiveBuffer to force a wait for next message.

Definition at line 46 of file cfe_sb_api_typedefs.h.

11.35.2.9 CFE_SB_PIPEID_C

Cast/Convert a generic CFE_ResourceId_t to a CFE_SB_PipeId_t.

Definition at line 118 of file cfe_sb_api_typedefs.h.

```
#define CFE_SB_POLL 0

Option used with CFE_SB_ReceiveBuffer to request immediate pipe status.

Definition at line 45 of file cfe_sb_api_typedefs.h.
```

11.35.2.11 CFE_SB_SUBSCRIPTION

```
#define CFE_SB_SUBSCRIPTION 0
```

Subtype specifier used in CFE_SB_SingleSubscriptionTIm_t by SBN App.

Definition at line 47 of file cfe_sb_api_typedefs.h.

11.35.2.12 CFE_SB_UNSUBSCRIPTION

```
#define CFE_SB_UNSUBSCRIPTION 1
```

Subtype specified used in CFE_SB_SingleSubscriptionTIm_t by SBN App.

Definition at line 48 of file cfe_sb_api_typedefs.h.

11.35.3 Typedef Documentation

```
11.35.3.1 CFE_SB_Buffer_t
```

```
typedef union CFE_SB_Msg CFE_SB_Buffer_t
```

Software Bus generic message.

11.36 cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_resourceid_typedef.h"
```

Data Structures

```
    struct CFE_SB_Msgld_t
    CFE_SB_Msgld_t type definition.
    struct CFE_SB_Qos_t
    Quality Of Service Type Definition.
```

Macros

#define CFE_SB_SUB_ENTRIES_PER_PKT 20
 Configuration parameter used by SBN App.

Typedefs

- typedef uint8 CFE_SB_QosPriority_Enum_t Selects the priority level for message routing.
- typedef uint8 CFE_SB_QosReliability_Enum_t
 Selects the reliability level for message routing.

L () HO OFF OR B

typedef uint16 CFE_SB_RouteId_Atom_t

An integer type that should be used for indexing into the Routing Table.

typedef uint32 CFE_SB_Msgld_Atom_t

CFE_SB_Msgld_Atom_t primitive type definition.

• typedef CFE_RESOURCEID_BASE_TYPE CFE_SB_Pipeld_t

CFE_SB_PipeId_t to primitive type definition.

Enumerations

```
• enum CFE_SB_QosPriority { CFE_SB_QosPriority_LOW = 0, CFE_SB_QosPriority_HIGH = 1 } 
Label definitions associated with CFE_SB_QosPriority_Enum_t.
```

enum CFE_SB_QosReliability { CFE_SB_QosReliability_LOW = 0, CFE_SB_QosReliability_HIGH = 1 }
 Label definitions associated with CFE_SB_QosReliability_Enum_t.

11.36.1 Detailed Description

Declarations and prototypes for cfe_sb_extern_typedefs module

11.36.2 Macro Definition Documentation

```
11.36.2.1 CFE_SB_SUB_ENTRIES_PER_PKT
```

```
#define CFE_SB_SUB_ENTRIES_PER_PKT 20
```

Configuration parameter used by SBN App.

Definition at line 42 of file cfe_sb_extern_typedefs.h.

11.36.3 Typedef Documentation

```
11.36.3.1 CFE_SB_Msgld_Atom_t
```

```
typedef uint32 CFE_SB_MsgId_Atom_t
```

CFE_SB_Msgld_Atom_t primitive type definition.

This is an integer type capable of holding any Message ID value Note: This value is limited via CFE_PLATFORM_S → B HIGHEST VALID MSGID

Definition at line 103 of file cfe_sb_extern_typedefs.h.

```
11.36.3.2 CFE_SB_Pipeld_t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_SB_PipeId_t
```

CFE SB Pipeld t to primitive type definition.

Software Bus pipe identifier used in many SB APIs, as well as SB Telemetry messages and data files.

Definition at line 126 of file cfe_sb_extern_typedefs.h.

11.36.3.3 CFE_SB_QosPriority_Enum_t

```
typedef uint8 CFE_SB_QosPriority_Enum_t
```

Selects the priority level for message routing.

See also

```
enum CFE SB QosPriority
```

Definition at line 66 of file cfe_sb_extern_typedefs.h.

```
11.36.3.4 CFE_SB_QosReliability_Enum_t
```

```
typedef uint8 CFE_SB_QosReliability_Enum_t
```

Selects the reliability level for message routing.

See also

```
enum CFE_SB_QosReliability
```

Definition at line 90 of file cfe_sb_extern_typedefs.h.

```
11.36.3.5 CFE SB Routeld Atom t
```

```
typedef uint16 CFE_SB_RouteId_Atom_t
```

An integer type that should be used for indexing into the Routing Table.

Definition at line 95 of file cfe_sb_extern_typedefs.h.

11.36.4 Enumeration Type Documentation

11.36.4.1 CFE_SB_QosPriority

```
enum CFE_SB_QosPriority
```

Label definitions associated with CFE_SB_QosPriority_Enum_t.

Enumerator

CFE_SB_QosPriority_LOW	Normal priority level.
CFE_SB_QosPriority_HIGH	High priority.

Definition at line 47 of file cfe_sb_extern_typedefs.h.

11.36.4.2 CFE_SB_QosReliability

```
enum CFE_SB_QosReliability
```

Label definitions associated with CFE_SB_QosReliability_Enum_t.

Enumerator

CFE_SB_QosReliability_LOW	Normal (best-effort) reliability.
CFE_SB_QosReliability_HIGH	High reliability.

Definition at line 71 of file cfe sb extern typedefs.h.

11.37 cfe/modules/core_api/fsw/inc/cfe_tbl.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_tbl_api_typedefs.h"
#include "cfe_sb_api_typedefs.h"
```

Functions

CFE_Status_t CFE_TBL_Register (CFE_TBL_Handle_t *TblHandlePtr, const char *Name, size_t Size, uint16
 TblOptionFlags, CFE_TBL_CallbackFuncPtr_t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

CFE_Status_t CFE_TBL_Share (CFE_TBL_Handle_t *TblHandlePtr, const char *TblName)

Obtain handle of table registered by another application.

• CFE Status t CFE TBL Unregister (CFE TBL Handle t TblHandle)

Unregister a table.

 CFE_Status_t CFE_TBL_Load (CFE_TBL_Handle_t TblHandle, CFE_TBL_SrcEnum_t SrcType, const void *SrcDataPtr)

Load a specified table with data from specified source.

CFE_Status_t CFE_TBL_Update (CFE_TBL_Handle_t TblHandle)

Update contents of a specified table, if an update is pending.

CFE Status t CFE TBL Validate (CFE TBL Handle t TblHandle)

Perform steps to validate the contents of a table image.

CFE_Status_t CFE_TBL_Manage (CFE_TBL_Handle_t TblHandle)

Perform standard operations to maintain a table.

• CFE_Status_t CFE_TBL_DumpToBuffer (CFE_TBL_Handle_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

CFE_Status_t CFE_TBL_Modified (CFE_TBL_Handle_t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

CFE_Status_t CFE_TBL_GetAddress (void **TblPtr, CFE_TBL_Handle_t TblHandle)

Obtain the current address of the contents of the specified table.

CFE_Status_t CFE_TBL_ReleaseAddress (CFE_TBL_Handle_t TblHandle)

Release previously obtained pointer to the contents of the specified table.

CFE_Status_t CFE_TBL_GetAddresses (void **TblPtrs[], uint16 NumTables, const CFE_TBL_Handle_t Tbl
 Handles[])

Obtain the current addresses of an array of specified tables.

CFE_Status_t CFE_TBL_ReleaseAddresses (uint16 NumTables, const CFE_TBL_Handle_t TblHandles[])

Release the addresses of an array of specified tables.

```
• CFE_Status_t CFE_TBL_GetStatus (CFE_TBL_Handle_t TblHandle)
```

Obtain current status of pending actions for a table.

CFE Status t CFE TBL GetInfo (CFE TBL Info t *TbIInfoPtr, const char *TbIName)

Obtain characteristics/information of/about a specified table.

Instruct cFE Table Services to notify Application via message when table requires management.

11.37.1 Detailed Description

Title: Table Services API Application Library Header File

Purpose: Unit specification for Table services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

11.38 cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_time_extern_typedefs.h"
```

Data Structures

• struct CFE_TBL_Info

Table Info.

Macros

#define CFE_TBL_OPT_BUFFER_MSK (0x0001)

Table buffer mask.

#define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

#define CFE_TBL_OPT_DBL_BUFFER (0x0001)

Double buffer table.

#define CFE_TBL_OPT_LD_DMP_MSK (0x0002)

Table load/dump mask.

• #define CFE_TBL_OPT_LOAD_DUMP (0x0000)

Load/Dump table.

#define CFE_TBL_OPT_DUMP_ONLY (0x0002)

```
Dump only table.
```

#define CFE_TBL_OPT_USR_DEF_MSK (0x0004)

Table user defined mask.

#define CFE TBL OPT NOT USR DEF (0x0000)

Not user defined table.

#define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

• #define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

#define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

#define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

#define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)
 Default table options.

#define CFE_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_FULL_NAME_LEN)

Table maximum full name length.

• #define CFE_TBL_BAD_TABLE_HANDLE (CFE_TBL_Handle_t)0xFFFF

Bad table handle.

Typedefs

typedef int32(* CFE_TBL_CallbackFuncPtr_t) (void *TblPtr)

Table Callback Function.

typedef int16 CFE_TBL_Handle_t

Table Handle primitive.

typedef enum CFE_TBL_SrcEnum CFE_TBL_SrcEnum_t

Table Source.

• typedef struct CFE_TBL_Info CFE_TBL_Info_t

Table Info.

Enumerations

enum CFE_TBL_SrcEnum { CFE_TBL_SRC_FILE = 0, CFE_TBL_SRC_ADDRESS }
 Table Source.

11.38.1 Detailed Description

Title: Table Services API Application Library Header File

Purpose: Unit specification for Table services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

11.38.2 Macro Definition Documentation

```
11.38.2.1 CFE_TBL_BAD_TABLE_HANDLE
```

```
#define CFE_TBL_BAD_TABLE_HANDLE (CFE_TBL_Handle_t) 0xFFFF
```

Bad table handle.

Definition at line 79 of file cfe tbl api typedefs.h.

```
11.38.2.2 CFE_TBL_MAX_FULL_NAME_LEN
```

```
#define CFE_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_FULL_NAME_LEN)
```

Table maximum full name length.

The full length of table names is defined at the mission scope. This is defined here to support applications that depend on cfe_tbl.h providing this value.

Definition at line 76 of file cfe_tbl_api_typedefs.h.

11.38.3 Typedef Documentation

```
11.38.3.1 CFE_TBL_CallbackFuncPtr_t
```

```
typedef int32(* CFE_TBL_CallbackFuncPtr_t) (void *TblPtr)
```

Table Callback Function.

Definition at line 84 of file cfe_tbl_api_typedefs.h.

```
11.38.3.2 CFE_TBL_Handle_t
```

```
typedef int16 CFE_TBL_Handle_t
```

Table Handle primitive.

Definition at line 87 of file cfe_tbl_api_typedefs.h.

```
typedef struct CFE_TBL_Info CFE_TBL_Info_t

Table Info.

11.38.3.4 CFE_TBL_SrcEnum_t

typedef enum CFE_TBL_SrcEnum CFE_TBL_SrcEnum_t

Table Source.

11.38.4 Enumeration Type Documentation
```

11.38.4.1 CFE_TBL_SrcEnum

enum CFE_TBL_SrcEnum

Table Source.

Enumerator

CFE_TBL_SRC_FILE	File source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a null terminated character string. The string should specify the full path and filename of the file containing the initial data contents of the table.
CFE_TBL_SRC_ADDRESS	Address source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a memory location that is the beginning of the initialization data for loading the table OR, in the case of a "user defined" dump only table, the address of the active table itself. The block of memory is assumed to be of the same size specified in the CFE_TBL_Register function Size parameter.

Definition at line 90 of file cfe_tbl_api_typedefs.h.

11.39 cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_es_extern_typedefs.h"
#include "cfe_mission_cfg.h"
```

Data Structures

• struct CFE_TBL_File_Hdr

The definition of the header fields that are included in CFE Table Data files.

Typedefs

typedef uint16 CFE_TBL_BufferSelect_Enum_t
 Selects the buffer to operate on for validate or dump commands.

typedef struct CFE_TBL_File_Hdr CFE_TBL_File_Hdr_t

The definition of the header fields that are included in CFE Table Data files.

Enumerations

• enum CFE_TBL_BufferSelect { CFE_TBL_BufferSelect_INACTIVE = 0, CFE_TBL_BufferSelect_ACTIVE = 1 } Label definitions associated with CFE_TBL_BufferSelect_Enum_t.

11.39.1 Detailed Description

Declarations and prototypes for cfe_tbl_extern_typedefs module

11.39.2 Typedef Documentation

```
11.39.2.1 CFE_TBL_BufferSelect_Enum_t
```

```
typedef uint16 CFE_TBL_BufferSelect_Enum_t
```

Selects the buffer to operate on for validate or dump commands.

See also

```
enum CFE_TBL_BufferSelect
```

Definition at line 64 of file cfe tbl extern typedefs.h.

```
11.39.2.2 CFE_TBL_File_Hdr_t
```

```
typedef struct CFE_TBL_File_Hdr CFE_TBL_File_Hdr_t
```

The definition of the header fields that are included in CFE Table Data files.

This header follows the CFE_FS header and precedes the actual table data.

11.39.3 Enumeration Type Documentation

```
11.39.3.1 CFE_TBL_BufferSelect
```

```
enum CFE_TBL_BufferSelect
```

Label definitions associated with CFE_TBL_BufferSelect_Enum_t.

Enumerator

CFE_TBL_BufferSelect_INACTIVE	Select the Inactive buffer for validate or dump.
CFE_TBL_BufferSelect_ACTIVE	Select the Active buffer for validate or dump.

Definition at line 45 of file cfe_tbl_extern_typedefs.h.

11.40 cfe/modules/core api/fsw/inc/cfe tbl filedef.h File Reference

```
#include "cfe_mission_cfg.h"
#include "common_types.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_fs_extern_typedefs.h"
```

Data Structures

struct CFE_TBL_FileDef

Macros

• #define CFE TBL FILEDEF(ObjName, TblName, Desc, Filename)

Typedefs

• typedef struct CFE_TBL_FileDef CFE_TBL_FileDef_t

11.40.1 Detailed Description

Title: ELF2CFETBL Utility Header File for Table Images

Purpose: This header file provides a data structure definition and macro definition required in source code that is intended to be compiled into a cFE compatible Table Image file.

Design Notes:

Typically, a user would include this file in a ".c" file that contains nothing but a desired instantiation of values for a table image along with the macro defined below. After compilation, the resultant elf file can be processed using the 'elf2cfetbl' utility to generate a file that can be loaded onto a cFE flight system and successfully loaded into a table using the cFE Table Services.

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

11.40.2 Macro Definition Documentation

```
11.40.2.1 CFE_TBL_FILEDEF
```

Value:

The CFE_TBL_FILEDEF macro can be used to simplify the declaration of a table image when using the elf2cfetbl utility.

Note that the macro adds a NULL at the end to ensure that it is null-terminated. (C allows a struct to be statically initialized with a string exactly the length of the array, which loses the null terminator.) This means the actual length limit of the fields are the above LEN-1.

An example of the source code and how this macro would be used is as follows:

```
#include "cfe_tbl_filedef.h"

typedef struct MyTblStruct
{
    int         Int1;
    int         Int2;
    int         Int3;
    char         Char1;
} MyTblStruct_t;

MyTblStruct_t MyTblStruct = { 0x01020304, 0x05060708, 0x090A0B0C, 0x0D };

CFE_TBL_FILEDEF(MyTblStruct, MyApp.TableName, Table Utility Test Table, MyTblDefault.bin )
```

Definition at line 95 of file cfe_tbl_filedef.h.

11.40.3 Typedef Documentation

11.40.3.1 CFE_TBL_FileDef_t

typedef struct CFE_TBL_FileDef CFE_TBL_FileDef_t

11.41 cfe/modules/core_api/fsw/inc/cfe_time.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_time_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
```

Macros

#define CFE_TIME_Copy(m, t)
 Time Copy.

Functions

CFE TIME SysTime t CFE TIME GetTime (void)

Get the current spacecraft time.

CFE_TIME_SysTime_t CFE_TIME_GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE_TIME_SysTime_t CFE_TIME_GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

CFE_TIME_SysTime_t CFE_TIME_GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

uint32 CFE_TIME_GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

uint32 CFE_TIME_GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

CFE_TIME_SysTime_t CFE_TIME_GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE_TIME_GetLeapSeconds (void)

Get the current value of the leap seconds counter.

CFE_TIME_ClockState_Enum_t CFE_TIME_GetClockState (void)

Get the current state of the spacecraft clock.

uint16 CFE TIME GetClockInfo (void)

Compares two time values.

Provides information about the spacecraft clock.

- CFE_TIME_SysTime_t CFE_TIME_Add (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)

 Adds two time values.
- CFE_TIME_SysTime_t CFE_TIME_Subtract (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
- Subtracts two time values.

 CFE_TIME_Compare t CFE_TIME_Compare (CFE_TIME_SysTime_t TimeA, CFE_TIME_SysTime_t TimeB)
- CFE TIME SysTime t CFE TIME MET2SCTime (CFE TIME SysTime t METTime)

Convert specified MET into Spacecraft Time.

uint32 CFE TIME Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

uint32 CFE TIME Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

void CFE TIME ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE TIME ExternalMET (CFE TIME SysTime t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE_TIME_ExternalGPS (CFE_TIME_SysTime_t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE TIME ExternalTime (CFE TIME SysTime t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

CFE Status t CFE TIME RegisterSynchCallback (CFE TIME SynchCallbackPtr t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

CFE Status t CFE TIME UnregisterSynchCallback (CFE TIME SynchCallbackPtr t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

void CFE_TIME_Print (char *PrintBuffer, CFE_TIME_SysTime_t TimeToPrint)

Print a time value as a string.

void CFE TIME Local1HzISR (void)

This function is called via a timer callback set up at initialization of the TIME service.

11.41.1 Detailed Description

Purpose: cFE Time Services (TIME) library API header file

Author: S.Walling/Microtel

Notes:

11.41.2 Macro Definition Documentation

```
11.41.2.1 CFE_TIME_Copy
```

Value:

```
{
     (m)->Seconds = (t)->Seconds; \
     (m)->Subseconds = (t)->Subseconds; \
}
```

Time Copy.

Macro to copy systime into another systime. Preferred to use this macro as it does not require the two arguments to be exactly the same type, it will work with any two structures that define "Seconds" and "Subseconds" members.

Definition at line 48 of file cfe time.h.

11.42 cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_time_extern_typedefs.h"
```

Macros

#define CFE_TIME_PRINTED_STRING_SIZE 24
 Required size of buffer to be passed into CFE_TIME_Print (includes null terminator)

Typedefs

- typedef enum CFE_TIME_Compare CFE_TIME_Compare_t
 Enumerated types identifying the relative relationships of two times.
- typedef int32(* CFE_TIME_SynchCallbackPtr_t) (void)

Time Synchronization Callback Function Ptr Type.

Enumerations

• enum CFE_TIME_Compare { CFE_TIME_A_LT_B = -1, CFE_TIME_EQUAL = 0, CFE_TIME_A_GT_B = 1 } Enumerated types identifying the relative relationships of two times.

11.42.1 Detailed Description

Purpose: cFE Time Services (TIME) library API header file

Author: S.Walling/Microtel

Notes:

11.42.2 Macro Definition Documentation

11.42.2.1 CFE_TIME_PRINTED_STRING_SIZE

```
#define CFE_TIME_PRINTED_STRING_SIZE 24
```

Required size of buffer to be passed into CFE_TIME_Print (includes null terminator)

Definition at line 44 of file cfe time api typedefs.h.

11.42.3 Typedef Documentation

```
11.42.3.1 CFE_TIME_Compare_t

typedef enum CFE_TIME_Compare CFE_TIME_Compare_t
```

Enumerated types identifying the relative relationships of two times.

Description

Since time fields contain numbers that are relative to an epoch time, then it is possible for a time value to be "negative". This can lead to some confusion about what relationship exists between two time values. To resolve this confusion, the cFE provides the API CFE TIME Compare which returns these enumerated values.

```
11.42.3.2 CFE_TIME_SynchCallbackPtr_t

typedef int32(* CFE_TIME_SynchCallbackPtr_t) (void)
```

Time Synchronization Callback Function Ptr Type.

Description

Applications that wish to get direct notification of the receipt of the cFE Time Synchronization signal (typically a 1 Hz signal), must register a callback function with the following prototype via the CFE_TIME_RegisterSynchCallback API.

Definition at line 75 of file cfe_time_api_typedefs.h.

11.42.4 Enumeration Type Documentation

```
11.42.4.1 CFE_TIME_Compare
```

enum CFE_TIME_Compare

Enumerated types identifying the relative relationships of two times.

Description

Since time fields contain numbers that are relative to an epoch time, then it is possible for a time value to be "negative". This can lead to some confusion about what relationship exists between two time values. To resolve this confusion, the cFE provides the API CFE_TIME_Compare which returns these enumerated values.

Enumerator

	The first specified time is considered to be before the second specified time.	
CFE_TIME_A_LT_B		
CFE_TIME_EQUAL	The two specified times are considered to be equal.	
CFE_TIME_A_GT↔	The first specified time is considered to be after the second specified time.	
_B		

Definition at line 60 of file cfe_time_api_typedefs.h.

11.43 cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h File Reference

```
#include "common_types.h"
```

Data Structures

• struct CFE_TIME_SysTime

Data structure used to hold system time values.

Typedefs

typedef struct CFE TIME SysTime CFE TIME SysTime t

Data structure used to hold system time values.

• typedef uint8 CFE_TIME_FlagBit_Enum_t

Bit positions of the various clock state flags.

typedef int16 CFE_TIME_ClockState_Enum_t

Enumerated types identifying the quality of the current time.

typedef uint8 CFE_TIME_SourceSelect_Enum_t

Clock Source Selection Parameters.

typedef uint8 CFE_TIME_ToneSignalSelect_Enum_t

Tone Signal Selection Parameters.

• typedef uint8 CFE_TIME_AdjustDirection_Enum_t

STCF adjustment direction (for both one-time and 1Hz adjustments)

• typedef uint8 CFE_TIME_FlywheelState_Enum_t

Fly-wheel status values.

typedef uint8 CFE_TIME_SetState_Enum_t

Clock status values (has the clock been set to correct time)

Enumerations

```
enum CFE TIME FlagBit {
      CFE TIME FlagBit CLKSET = 0, CFE TIME FlagBit FLYING = 1, CFE TIME FlagBit SRCINT = 2, CFE T←
      IME FlagBit SIGPRI = 3.
     CFE TIME FlagBit SRVFLY = 4, CFE TIME FlagBit CMDFLY = 5, CFE TIME FlagBit ADDADJ = 6, CFE ↔
     TIME_FlagBit_ADD1HZ = 7,
     CFE TIME FlagBit ADDTCL = 8, CFE TIME FlagBit SERVER = 9, CFE TIME FlagBit GDTONE = 10 }
         Label definitions associated with CFE_TIME_FlagBit_Enum_t.

    enum CFE TIME ClockState { CFE TIME ClockState INVALID = -1, CFE TIME ClockState VALID = 0, CF←

      E TIME ClockState FLYWHEEL = 1 }
         Label definitions associated with CFE_TIME_ClockState_Enum_t.
   • enum CFE_TIME_SourceSelect { CFE_TIME_SourceSelect_INTERNAL = 1, CFE_TIME_SourceSelect_EXT
      ERNAL = 2
         Label definitions associated with CFE TIME SourceSelect Enum t.

    enum CFE TIME ToneSignalSelect { CFE TIME ToneSignalSelect PRIMARY = 1, CFE TIME ToneSignal

     Select REDUNDANT = 2 }
         Label definitions associated with CFE_TIME_ToneSignalSelect_Enum_t.

    enum CFE TIME AdjustDirection { CFE TIME AdjustDirection ADD = 1, CFE TIME AdjustDirection SUBT

     RACT = 2
         Label definitions associated with CFE_TIME_AdjustDirection_Enum_t.
   • enum CFE TIME FlywheelState { CFE TIME FlywheelState NO FLY = 0, CFE TIME FlywheelState IS FLY
     = 1 }
         Label definitions associated with CFE_TIME_FlywheelState_Enum_t.
   enum CFE_TIME_SetState { CFE_TIME_SetState_NOT_SET = 0, CFE_TIME_SetState_WAS_SET = 1 }
         Label definitions associated with CFE_TIME_SetState_Enum_t.
11.43.1 Detailed Description
Declarations and prototypes for cfe time extern typedefs module
11.43.2 Typedef Documentation
11.43.2.1 CFE_TIME_AdjustDirection_Enum_t
typedef uint8 CFE_TIME_AdjustDirection_Enum_t
STCF adjustment direction (for both one-time and 1Hz adjustments)
See also
     enum CFE TIME AdjustDirection
Definition at line 249 of file cfe time extern typedefs.h.
```

```
11.43.2.2 CFE_TIME_ClockState_Enum_t
```

```
typedef int16 CFE_TIME_ClockState_Enum_t
```

Enumerated types identifying the quality of the current time.

Description

The CFE_TIME_ClockState_Enum_t enumerations identify the three recognized states of the current time. If the clock has never been successfully synchronized with the primary onboard clock source, the time is considered to be CFE_TIME_ClockState_INVALID. If the time is currently synchronized (i.e. - the primary synchronization mechanism has not been dropped for any significant amount of time), then the current time is considered to be C← FE_TIME_ClockState_VALID. If the time had, at some point in the past, been synchronized, but the synchronization with the primary onboard clock has since been lost, then the time is considered to be CFE_TIME_ClockState ← FLYWHEEL. Since different clocks drift at different rates from one another, the accuracy of the time while in CFE_TIME_ClockState_FLYWHEEL is dependent upon the time spent in that state.

See also

```
enum CFE_TIME_ClockState
```

Definition at line 177 of file cfe_time_extern_typedefs.h.

```
11.43.2.3 CFE_TIME_FlagBit_Enum_t
```

```
typedef uint8 CFE_TIME_FlagBit_Enum_t
```

Bit positions of the various clock state flags.

See also

```
enum CFE_TIME_FlagBit
```

Definition at line 124 of file cfe time extern typedefs.h.

```
11.43.2.4 CFE_TIME_FlywheelState_Enum_t
```

```
typedef uint8 CFE_TIME_FlywheelState_Enum_t
```

Fly-wheel status values.

See also

```
enum CFE_TIME_FlywheelState
```

Definition at line 273 of file cfe_time_extern_typedefs.h.

```
11.43.2.5 CFE_TIME_SetState_Enum_t
 typedef uint8 CFE_TIME_SetState_Enum_t
 Clock status values (has the clock been set to correct time)
 See also
      enum CFE_TIME_SetState
 Definition at line 297 of file cfe_time_extern_typedefs.h.
11.43.2.6 CFE_TIME_SourceSelect_Enum_t
 typedef uint8 CFE_TIME_SourceSelect_Enum_t
 Clock Source Selection Parameters.
 See also
      enum CFE_TIME_SourceSelect
 Definition at line 201 of file cfe time extern typedefs.h.
11.43.2.7 CFE_TIME_SysTime_t
 typedef struct CFE_TIME_SysTime CFE_TIME_SysTime_t
Data structure used to hold system time values.
Description
     The CFE TIME SysTime t data structure is used to hold time values. Time is referred to as the elapsed time
     (in seconds and subseconds) since a specified epoch time. The subseconds field contains the number of 2<sup>(-32)</sup>
     second intervals that have elapsed since the epoch.
11.43.2.8 CFE_TIME_ToneSignalSelect_Enum_t
 typedef uint8 CFE_TIME_ToneSignalSelect_Enum_t
 Tone Signal Selection Parameters.
 See also
      enum CFE_TIME_ToneSignalSelect
 Definition at line 225 of file cfe_time_extern_typedefs.h.
11.43.3 Enumeration Type Documentation
11.43.3.1 CFE_TIME_AdjustDirection
 enum CFE_TIME_AdjustDirection
Label definitions associated with CFE_TIME_AdjustDirection_Enum_t.
```

Enumerator

CFE_TIME_AdjustDirection_ADD	Add time adjustment.
CFE_TIME_AdjustDirection_SUBTRACT	Subtract time adjustment.

Definition at line 230 of file cfe_time_extern_typedefs.h.

11.43.3.2 CFE_TIME_ClockState

enum CFE_TIME_ClockState

Label definitions associated with CFE_TIME_ClockState_Enum_t.

Enumerator

CFE_TIME_ClockState_INVALID	The spacecraft time has not been set since the last clock reset. Times returned by clock routines have no relationship to any ground-based time reference.
CFE_TIME_ClockState_VALID	The spacecraft time has been set at least once since the last clock reset, and it is synchronized with the primary on-board time base. Times returned by clock routines can be trusted.
CFE_TIME_ClockState_FLYWHEEL	The spacecraft time has been set at least once since the last clock reset, but it is not currently synchronized with the primary on-board time base. Times returned by clock routines are a "best guess" based on a non-optimal oscillator.

Definition at line 129 of file cfe_time_extern_typedefs.h.

11.43.3.3 CFE_TIME_FlagBit

enum CFE_TIME_FlagBit

Label definitions associated with CFE_TIME_FlagBit_Enum_t.

Enumerator

CFE_TIME_FlagBit_CLKSET	The spacecraft time has been set.
CFE_TIME_FlagBit_FLYING	This instance of Time Services is flywheeling.
CFE_TIME_FlagBit_SRCINT	The clock source is set to internal.
CFE_TIME_FlagBit_SIGPRI	The clock signal is set to primary.
CFE_TIME_FlagBit_SRVFLY	The Time Server is in flywheel mode.
CFE_TIME_FlagBit_CMDFLY	This instance of Time Services was commanded into flywheel mode.
CFE_TIME_FlagBit_ADDADJ	One time STCF Adjustment is to be done in positive direction.
CFE_TIME_FlagBit_ADD1HZ	1 Hz STCF Adjustment is to be done in a positive direction
CFE_TIME_FlagBit_ADDTCL	Time Client Latency is applied in a positive direction.
Ger ெருக்க ோர் நிந் துகி agBit_SERVER	This instance of Time Services is a Time Server.
CFE_TIME_FlagBit_GDTONE	The tone received is good compared to the last tone received.

Definition at line 60 of file cfe_time_extern_typedefs.h.

11.43.3.4 CFE_TIME_FlywheelState

enum CFE_TIME_FlywheelState

Label definitions associated with CFE_TIME_FlywheelState_Enum_t.

Enumerator

CFE_TIME_FlywheelState_NO_FLY	Not in flywheel state.
CFE_TIME_FlywheelState_IS_FLY	In flywheel state.

Definition at line 254 of file cfe_time_extern_typedefs.h.

11.43.3.5 CFE_TIME_SetState

enum CFE_TIME_SetState

Label definitions associated with CFE_TIME_SetState_Enum_t.

Enumerator

CFE_TIME_SetState_NOT_SET	Spacecraft time has not been set.
CFE_TIME_SetState_WAS_SET	Spacecraft time has been set.

Definition at line 278 of file cfe time extern typedefs.h.

11.43.3.6 CFE_TIME_SourceSelect

enum CFE_TIME_SourceSelect

Label definitions associated with CFE_TIME_SourceSelect_Enum_t.

Enumerator

CFE_TIME_SourceSelect_INTERNAL	Use Internal Source.
CFE_TIME_SourceSelect_EXTERNAL	Use External Source.

Definition at line 182 of file cfe_time_extern_typedefs.h.

11.43.3.7 CFE_TIME_ToneSignalSelect

enum CFE_TIME_ToneSignalSelect

Label definitions associated with CFE_TIME_ToneSignalSelect_Enum_t.

Enumerator

CFE_TIME_ToneSignalSelect_PRIMARY	Primary Source.
CFE_TIME_ToneSignalSelect_REDUNDANT	Redundant Source.

Definition at line 206 of file cfe_time_extern_typedefs.h.

11.44 cfe/modules/core_api/fsw/inc/cfe_version.h File Reference

Macros

#define CFE BUILD NUMBER 167

Development: Number of development git commits since CFE_BUILD_BASELINE.

#define CFE_BUILD_BASELINE "v7.0.0-rc4"

Development: Reference git tag for build number.

#define CFE_MAJOR_VERSION 6

Major version number.

#define CFE_MINOR_VERSION 7

Minor version number.

• #define CFE_REVISION 99

Revision version number. Value of 99 indicates a development version.

• #define CFE_MISSION_REV 0xFF

Mission revision.

• #define CFE STR HELPER(x) #x

Convert argument to string.

#define CFE_STR(x) CFE_STR_HELPER(x)

Expand macro before conversion.

#define CFE_SRC_VERSION CFE_BUILD_BASELINE "+dev" CFE_STR(CFE_BUILD_NUMBER)

Short Build Version String.

• #define CFE_VERSION_STRING " cFE DEVELOPMENT BUILD " CFE_SRC_VERSION " (Codename: Draco), Last Official Release: cfe v6.7.0"

Long Build Version String.

11.44.1 Detailed Description

Provide version identifiers for the cFE core. See Version Numbers for further details.

11.44.2 Macro Definition Documentation

11.44.2.1 CFE_BUILD_BASELINE

```
#define CFE_BUILD_BASELINE "v7.0.0-rc4"
```

Development: Reference git tag for build number.

Definition at line 30 of file cfe_version.h.

11.44.2.2 CFE_BUILD_NUMBER

```
#define CFE_BUILD_NUMBER 167
```

Development: Number of development git commits since CFE_BUILD_BASELINE.

Definition at line 29 of file cfe_version.h.

11.44.2.3 CFE_MAJOR_VERSION

```
#define CFE_MAJOR_VERSION 6
```

Major version number.

Definition at line 33 of file cfe_version.h.

11.44.2.4 CFE_MINOR_VERSION

```
#define CFE_MINOR_VERSION 7
```

Minor version number.

Definition at line 34 of file cfe_version.h.

11.44.2.5 CFE_MISSION_REV

```
#define CFE_MISSION_REV 0xFF
```

Mission revision.

Values 1-254 are reserved for mission use to denote patches/customizations as needed. NOTE: Reserving 0 and 0xFF for cFS open-source development use (pending resolution of nasa/cFS#440)

Definition at line 44 of file cfe_version.h.

11.44.2.6 CFE_REVISION

```
#define CFE_REVISION 99
```

Revision version number. Value of 99 indicates a development version.

Definition at line 35 of file cfe_version.h.

11.44.2.7 CFE_SRC_VERSION

```
#define CFE_SRC_VERSION CFE_BUILD_BASELINE "+dev" CFE_STR(CFE_BUILD_NUMBER)
```

Short Build Version String.

Short string identifying the build, see Version Numbers for suggested format for development and official releases.

Definition at line 55 of file cfe version.h.

11.44.2.8 CFE STR

Expand macro before conversion.

Definition at line 47 of file cfe_version.h.

11.44.2.9 CFE_STR_HELPER

Convert argument to string.

Definition at line 46 of file cfe_version.h.

11.44.2.10 CFE_VERSION_STRING

```
#define CFE_VERSION_STRING " cFE DEVELOPMENT BUILD " CFE_SRC_VERSION " (Codename: Draco), Last Official Release: cfe v6.7.0"
```

Long Build Version String.

Long freeform string identifying the build, see Version Numbers for suggested format for development and official releases.

Definition at line 63 of file cfe version.h.

11.45 cfe/modules/es/fsw/inc/cfe_es_events.h File Reference

Macros

ES event IDs

```
• #define CFE ES INIT INF EID 1
```

ES Initialization Event ID.

#define CFE ES INITSTATS INF EID 2

ES Initialization Statistics Information Event ID.

• #define CFE ES NOOP INF EID 3

ES No-op Command Success Event ID.

#define CFE ES RESET INF EID 4

ES Reset Counters Command Success Event ID.

#define CFE ES START INF EID 6

ES Start Application Command Success Event ID.

#define CFE_ES_STOP_DBG_EID 7

ES Stop Application Command Request Success Event ID.

#define CFE ES STOP INF EID 8

ES Stop Application Completed Event ID.

• #define CFE ES RESTART APP DBG EID 9

ES Restart Application Command Request Success Event ID.

• #define CFE ES RESTART APP INF EID 10

ES Restart Application Completed Event ID.

#define CFE ES RELOAD APP DBG EID 11

ES Reload Application Command Request Success Event ID.

#define CFE ES RELOAD APP INF EID 12

ES Reload Application Complete Event ID.

#define CFE_ES_EXIT_APP_INF_EID 13

ES Nominal Exit Application Complete Event ID.

#define CFE_ES_ERREXIT_APP_INF_EID 14

ES Error Exit Application Complete Event ID.

• #define CFE ES ONE APP EID 15

ES Query One Application Command Success Event ID.

• #define CFE_ES_ALL_APPS EID 16

ES Query All Applications Command Success Event ID.

#define CFE_ES_SYSLOG1_INF_EID 17

ES Clear System Log Command Success Event ID.

#define CFE_ES_SYSLOG2_EID 18

ES Write System Log Command Success Event ID.

• #define CFE_ES_ERLOG1_INF_EID 19

ES Clear Exception Reset Log Command Success Event ID.

• #define CFE_ES_ERLOG2_EID 20

ES Write Exception Reset Log Complete Event ID.

#define CFE_ES_MID_ERR_EID 21

ES Invalid Message ID Received Event ID.

• #define CFE_ES_CC1_ERR_EID 22

ES Invalid Command Code Received Event ID.

#define CFE ES LEN ERR EID 23

ES Invalid Command Length Event ID.

• #define CFE_ES_BOOT_ERR_EID 24

ES Restart Command Invalid Restart Type Event ID.

• #define CFE_ES_START_ERR_EID 26

ES Start Application Command Application Creation Failed Event ID.

```
    #define CFE_ES_START_INVALID_FILENAME_ERR_EID 27

     ES Start Application Command Invalid Filename Event ID.

    #define CFE ES START INVALID ENTRY POINT ERR EID 28

     ES Start Application Command Entry Point NULL Event ID.

    #define CFE_ES_START_NULL_APP_NAME_ERR_EID 29

     ES Start Application Command App Name NULL Event ID.

    #define CFE_ES_START_PRIORITY_ERR_EID 31

     ES Start Application Command Priority Too Large Event ID.

    #define CFE ES START EXC ACTION ERR EID 32

     ES Start Application Command Exception Action Invalid Event ID.

    #define CFE_ES_ERREXIT_APP_ERR_EID 33

     ES Error Exit Application Cleanup Failed Event ID.
• #define CFE_ES_STOP_ERR1_EID 35
     ES Stop Application Command Request Failed Event ID.
• #define CFE ES STOP ERR2 EID 36
     ES Stop Application Command Get ApplD By Name Failed Event ID.

    #define CFE ES STOP ERR3 EID 37

     ES Stop Application Cleanup Failed Event ID.

    #define CFE_ES_RESTART_APP_ERR1_EID 38

     ES Restart Application Command Request Failed Event ID.
• #define CFE_ES_RESTART_APP_ERR2_EID 39
     ES Restart Application Command Get ApplD By Name Failed Event ID.

    #define CFE ES RESTART APP ERR3 EID 40

     ES Restart Application Startup Failed Event ID.

    #define CFE ES RESTART APP ERR4 EID 41

     ES Restart Application Cleanup Failed Event ID.

    #define CFE ES RELOAD APP ERR1 EID 42

     ES Reload Application Command Request Failed Event ID.

    #define CFE ES RELOAD APP ERR2 EID 43

     ES Reload Application Command Get ApplD By Name Failed Event ID.

    #define CFE_ES_RELOAD_APP_ERR3_EID 44

     ES Reload Application Startup Failed Event ID.

    #define CFE ES RELOAD APP ERR4 EID 45

     ES Reload Application Cleanup Failed Event ID.

    #define CFE ES EXIT APP ERR EID 46

     ES Exit Application Cleanup Failed Event ID.

    #define CFE ES PCR ERR1 EID 47

     ES Process Control Invalid Exception State Event ID.

    #define CFE ES PCR ERR2 EID 48

     ES Process Control Unknown State Event ID.

    #define CFE ES ONE ERR EID 49

     ES Query One Application Data Command Transmit Message Failed Event ID.

    #define CFE ES ONE APPID ERR EID 50

     ES Query One Application Data Command Get ApplD By Name Failed Event ID.

    #define CFE ES OSCREATE ERR EID 51

     ES Query All Application Data Command File Creation Failed Event ID.

    #define CFE ES WRHDR ERR EID 52

     ES Query All Application Data Command File Write Header Failed Event ID.

    #define CFE ES TASKWR ERR EID 53

     ES Query All Application Data Command File Write App Data Failed Event ID.

    #define CFE_ES_SYSLOG2_ERR_EID 55

     ES Write System Log Command Filename Parse or File Creation Failed Event ID.

    #define CFE ES ERLOG2 ERR EID 56

     ES Write Exception Reset Log Command Request or File Creation Failed Event ID.

    #define CFE ES PERF STARTCMD EID 57
```

ES Start Performance Analyzer Data Collection Command Success Event ID. • #define CFE_ES_PERF_STARTCMD_ERR_EID 58 ES Start Performance Analyzer Data Collection Command Idle Check Failed Event ID. #define CFE ES PERF STARTCMD TRIG ERR EID 59 ES Start Performance Analyzer Data Collection Command Invalid Trigger Event ID. #define CFE ES PERF STOPCMD EID 60 ES Stop Performance Analyzer Data Collection Command Request Success Event ID. #define CFE_ES_PERF_STOPCMD_ERR2_EID 62 ES Stop Performance Analyzer Data Collection Command Request Idle Check Failed Event ID. • #define CFE ES PERF FILTMSKCMD EID 63 ES Set Performance Analyzer Filter Mask Command Success Event ID. #define CFE_ES_PERF_FILTMSKERR_EID 64 ES Set Performance Analyzer Filter Mask Command Invalid Index Event ID. • #define CFE ES PERF TRIGMSKCMD EID 65 ES Set Performance Analyzer Trigger Mask Command Success Event ID. #define CFE_ES_PERF_TRIGMSKERR_EID 66 ES Set Performance Analyzer Trigger Mask Command Invalid Mask Event ID. #define CFE ES PERF LOG ERR EID 67 ES Stop Performance Analyzer Data Collection Command Filename Parse or File Create Failed Event ID. #define CFE_ES_PERF_DATAWRITTEN_EID 68 Performance Log Write Success Event ID. #define CFE ES CDS REGISTER ERR EID 69 ES Register CDS API Failed Event ID. #define CFE ES SYSLOGMODE EID 70 ES Set System Log Overwrite Mode Command Success Event ID. • #define CFE_ES_ERR_SYSLOGMODE EID 71 ES Set System Log Overwrite Mode Command Failed Event ID. #define CFE_ES_RESET_PR_COUNT_EID 72 ES Set Processor Reset Counter to Zero Command Success Event ID. #define CFE ES SET MAX PR COUNT EID 73 ES Set Maximum Processor Reset Limit Command Success Event ID. #define CFE ES FILEWRITE ERR EID 74 ES File Write Failed Event ID. #define CFE ES CDS DELETE ERR EID 76 ES Delete CDS Command Delete Failed Event ID. #define CFE_ES_CDS_NAME_ERR_EID 77 ES Delete CDS Command Lookup CDS Failed Event ID. #define CFE ES CDS DELETED INFO EID 78 ES Delete CDS Command Success Event ID. #define CFE ES CDS DELETE TBL ERR EID 79 ES Delete CDS Command For Critical Table Event ID. #define CFE_ES_CDS_OWNER_ACTIVE_EID 80 ES Delete CDS Command With Active Owner Event ID. #define CFE ES TLM POOL STATS INFO EID 81 ES Telemeter Memory Statistics Command Success Event ID. #define CFE ES INVALID POOL HANDLE ERR EID 82 ES Telemeter Memory Statistics Command Invalid Handle Event ID. #define CFE ES CDS REG DUMP INF EID 83 ES Write Critical Data Store Registry Command Success Event ID. #define CFE ES CDS DUMP ERR EID 84 ES Write Critical Data Store Registry Command Record Write Failed Event ID. #define CFE ES WRITE CFE HDR ERR EID 85 ES Write Critical Data Store Registry Command Header Write Failed Event ID. #define CFE_ES_CREATING_CDS_DUMP_ERR_EID 86

ES Write Critical Data Store Registry Command Filename Parse or File Create Failed Event ID.

```
• #define CFE_ES_TASKINFO_EID 87
             ES Write All Task Data Command Success Event ID.

    #define CFE ES TASKINFO OSCREATE ERR EID 88

             ES Write All Task Data Command Filename Parse or File Create Failed Event ID.
       • #define CFE ES TASKINFO WRHDR ERR EID 89
             ES Write All Task Data Command Write Header Failed Event ID.

    #define CFE ES TASKINFO WR ERR EID 90

             ES Write All Task Data Command Write Data Failed Event ID.
       • #define CFE_ES_VERSION_INF_EID 91
             cFS Version Information Event ID
       • #define CFE_ES_BUILD_INF_EID 92
             cFS Build Information Event ID
       • #define CFE_ES_ERLOG_PENDING_ERR_EID 93
             ES Write Exception Reset Log Command Already In Progress Event ID.
11.45.1 Detailed Description
 cFE Executive Services Event IDs
11.45.2 Macro Definition Documentation
11.45.2.1 CFE_ES_ALL_APPS_EID
 #define CFE_ES_ALL_APPS_EID 16
ES Query All Applications Command Success Event ID.
Type: DEBUG
Cause:
ES Query All Applications Command success.
 Definition at line 206 of file cfe es events.h.
```

11.45.2.2 CFE_ES_BOOT_ERR_EID #define CFE_ES_BOOT_ERR_EID 24 ES Restart Command Invalid Restart Type Event ID. Type: ERROR Cause: ES cFE Restart Command failure due to invalid restart type. Definition at line 294 of file cfe es events.h. 11.45.2.3 CFE_ES_BUILD_INF_EID #define CFE_ES_BUILD_INF_EID 92 cFS Build Information Event ID Type: INFORMATION Cause: ES Initialization complete and response to ES NO-OP Command.

The Build field identifies the build date, time, hostname and user identifier of the build host machine for the current running binary. The first string is the build date/time, and the second string is formatted as "user@hostname"

This additionally reports the configuration name that was selected by the user, which may affect various platform/mission limits.

By default, if not specified/overridden, the default values of these variables will be: BUILDDATE ==> the output of "date +%Y%m%d%H%M" HOSTNAME ==> the output of "hostname" USER ==> the output of "whoami"

The values can be overridden by setting an environment variable with the names above to the value desired for the field when running "make".

Definition at line 1047 of file cfe_es_events.h.

```
11.45.2.4 CFE_ES_CC1_ERR_EID
 #define CFE_ES_CC1_ERR_EID 22
 ES Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_ES_CMD_MID received on the ES message pipe.
Definition at line 272 of file cfe_es_events.h.
11.45.2.5 CFE_ES_CDS_DELETE_ERR_EID
 #define CFE_ES_CDS_DELETE_ERR_EID 76
ES Delete CDS Command Delete Failed Event ID.
Type: ERROR
Cause:
ES Delete CDS Command failed while deleting, see reported status code or system log for details.
 Definition at line 834 of file cfe_es_events.h.
11.45.2.6 CFE_ES_CDS_DELETE_TBL_ERR_EID
 #define CFE_ES_CDS_DELETE_TBL_ERR_EID 79
ES Delete CDS Command For Critical Table Event ID.
Type: ERROR
Cause:
```

Delete CDS Command failure due to the specified CDS name being a critical table. Critical Table images can only be deleted via a Table Services command, CFE_TBL_DELETE_CDS_CC.

Definition at line 871 of file cfe_es_events.h.

```
11.45.2.7 CFE_ES_CDS_DELETED_INFO_EID
 #define CFE_ES_CDS_DELETED_INFO_EID 78
ES Delete CDS Command Success Event ID.
Type: INFORMATION
Cause:
ES Delete CDS Command success.
Definition at line 857 of file cfe_es_events.h.
11.45.2.8 CFE ES CDS DUMP ERR EID
 #define CFE_ES_CDS_DUMP_ERR_EID 84
ES Write Critical Data Store Registry Command Record Write Failed Event ID.
Type: ERROR
Cause:
ES Write Critical Data Store Registry Command failed to write CDS record.
Definition at line 929 of file cfe_es_events.h.
11.45.2.9 CFE_ES_CDS_NAME_ERR_EID
 #define CFE_ES_CDS_NAME_ERR_EID 77
ES Delete CDS Command Lookup CDS Failed Event ID.
Type: ERROR
Cause:
ES Delete CDS Command failed due to the specified CDS name not found in the CDS Registry.
```

Definition at line 846 of file cfe_es_events.h.

```
11.45.2.10 CFE_ES_CDS_OWNER_ACTIVE_EID
 #define CFE_ES_CDS_OWNER_ACTIVE_EID 80
ES Delete CDS Command With Active Owner Event ID.
Type: ERROR
Cause:
ES Delete CDS Command failure due to the specifies CDS name is registered to an active application.
Definition at line 883 of file cfe_es_events.h.
11.45.2.11 CFE_ES_CDS_REG_DUMP_INF_EID
 #define CFE_ES_CDS_REG_DUMP_INF_EID 83
ES Write Critical Data Store Registry Command Success Event ID.
Type: DEBUG
Cause:
ES Write Critical Data Store Registry Command success.
Definition at line 917 of file cfe_es_events.h.
11.45.2.12 CFE_ES_CDS_REGISTER_ERR_EID
 #define CFE_ES_CDS_REGISTER_ERR_EID 69
ES Register CDS API Failed Event ID.
Type: ERROR
Cause:
```

CFE_ES_RegisterCDS API failure, see reported status code or system log for details.

Generated by Doxygen

Definition at line 766 of file cfe_es_events.h.


```
11.45.2.13 CFE_ES_CREATING_CDS_DUMP_ERR_EID
 #define CFE_ES_CREATING_CDS_DUMP_ERR_EID 86
ES Write Critical Data Store Registry Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
ES Write Critical Data Store Registry Command failed to parse filename or open/create the file. OVERLOADED
Definition at line 953 of file cfe_es_events.h.
11.45.2.14 CFE_ES_ERLOG1_INF_EID
 #define CFE_ES_ERLOG1_INF_EID 19
ES Clear Exception Reset Log Command Success Event ID.
Type: INFORMATION
Cause:
ES Clear Exception Reset Log Command success.
Definition at line 239 of file cfe_es_events.h.
11.45.2.15 CFE_ES_ERLOG2_EID
 #define CFE_ES_ERLOG2_EID 20
ES Write Exception Reset Log Complete Event ID.
Type: DEBUG
Cause:
Request to write the Exception Reset log successfully completed.
```

Definition at line 250 of file cfe_es_events.h.

```
11.45.2.16 CFE_ES_ERLOG2_ERR_EID
 #define CFE_ES_ERLOG2_ERR_EID 56
ES Write Exception Reset Log Command Request or File Creation Failed Event ID.
Type: ERROR
Cause:
ES Write Exception Reset Log Command request failed or file creation failed. OVERLOADED
Definition at line 626 of file cfe_es_events.h.
11.45.2.17 CFE_ES_ERLOG_PENDING_ERR_EID
 #define CFE_ES_ERLOG_PENDING_ERR_EID 93
ES Write Exception Reset Log Command Already In Progress Event ID.
Type: ERROR
Cause:
ES Write Exception Reset Log Command failure due to a write already being in progress.
Definition at line 1059 of file cfe_es_events.h.
11.45.2.18 CFE_ES_ERR_SYSLOGMODE_EID
 #define CFE_ES_ERR_SYSLOGMODE_EID 71
ES Set System Log Overwrite Mode Command Failed Event ID.
Type: ERROR
Cause:
```

ES Set System Log Overwrite Mode Command failed due to invalid mode requested.

Definition at line 789 of file cfe_es_events.h.



11.45.2.21 CFE_ES_EXIT_APP_ERR_EID #define CFE_ES_EXIT_APP_ERR_EID 46 ES Exit Application Cleanup Failed Event ID. Type: ERROR Cause: Nominal request to exit an application failed during application cleanup. Application and related resources will be in undefined state. Definition at line 522 of file cfe es events.h. 11.45.2.22 CFE_ES_EXIT_APP_INF_EID #define CFE_ES_EXIT_APP_INF_EID 13 ES Nominal Exit Application Complete Event ID. Type: INFORMATION Cause: Nominal request to exit an application successfully completed. This event indicates the Application exited due to a nominal exit condition. Definition at line 170 of file cfe_es_events.h. 11.45.2.23 CFE_ES_FILEWRITE_ERR_EID #define CFE_ES_FILEWRITE_ERR_EID 74 ES File Write Failed Event ID. Type: ERROR

Cause:

ES File Write failure writing data to file. OVERLOADED

Definition at line 822 of file cfe_es_events.h.

```
11.45.2.24 CFE_ES_INIT_INF_EID
 #define CFE_ES_INIT_INF_EID 1
 ES Initialization Event ID.
Type: INFORMATION
Cause:
 Executive Services Task initialization complete.
 Definition at line 42 of file cfe_es_events.h.
 11.45.2.25 CFE_ES_INITSTATS_INF_EID
 #define CFE_ES_INITSTATS_INF_EID 2
 ES Initialization Statistics Information Event ID.
Type: INFORMATION
Cause:
 Executive Services Task initialization complete.
 Definition at line 53 of file cfe_es_events.h.
 11.45.2.26 CFE_ES_INVALID_POOL_HANDLE_ERR_EID
 #define CFE_ES_INVALID_POOL_HANDLE_ERR_EID 82
 ES Telemeter Memory Statistics Command Invalid Handle Event ID.
Type: ERROR
Cause:
```

ES Telemeter Memory Statistics Command failure due to an invalid memory handle.

Definition at line 906 of file cfe_es_events.h.

Generated by Doxygen

```
11.45.2.27 CFE_ES_LEN_ERR_EID
 #define CFE_ES_LEN_ERR_EID 23
 ES Invalid Command Length Event ID.
Type: ERROR
Cause:
 Invalid length for the command code in message ID CFE_ES_CMD_MID received on the ES message pipe.
 Definition at line 283 of file cfe_es_events.h.
 11.45.2.28 CFE_ES_MID_ERR_EID
 #define CFE_ES_MID_ERR_EID 21
 ES Invalid Message ID Received Event ID.
Type: ERROR
Cause:
 Invalid message ID received on the ES message pipe.
 Definition at line 261 of file cfe_es_events.h.
 11.45.2.29 CFE_ES_NOOP_INF_EID
 #define CFE_ES_NOOP_INF_EID 3
 ES No-op Command Success Event ID.
Type: INFORMATION
Cause:
 ES No-op Command success.
```

Definition at line 64 of file cfe_es_events.h.

```
11.45.2.30 CFE_ES_ONE_APP_EID
 #define CFE_ES_ONE_APP_EID 15
ES Query One Application Command Success Event ID.
Type: DEBUG
Cause:
ES Query One Application Command success.
Definition at line 195 of file cfe_es_events.h.
11.45.2.31 CFE_ES_ONE_APPID_ERR_EID
 #define CFE_ES_ONE_APPID_ERR_EID 50
ES Query One Application Data Command Get AppID By Name Failed Event ID.
Type: ERROR
Cause:
ES Query One Application Data Command failed to get application ID from application name. Message will not be sent.
Definition at line 569 of file cfe_es_events.h.
11.45.2.32 CFE_ES_ONE_ERR_EID
 #define CFE_ES_ONE_ERR_EID 49
ES Query One Application Data Command Transmit Message Failed Event ID.
Type: ERROR
Cause:
ES Query One Application Data Command failed during message transmission.
Definition at line 557 of file cfe_es_events.h.
```

```
11.45.2.33 CFE_ES_OSCREATE_ERR_EID
 #define CFE_ES_OSCREATE_ERR_EID 51
ES Query All Application Data Command File Creation Failed Event ID.
Type: ERROR
Cause:
ES Query All Application Data Command failed to create file.
Definition at line 580 of file cfe_es_events.h.
11.45.2.34 CFE_ES_PCR_ERR1_EID
 #define CFE_ES_PCR_ERR1_EID 47
ES Process Control Invalid Exception State Event ID.
Type: ERROR
Cause:
Invalid Exception state encountered when processing requests for application state changes. Exceptions are processed
immediately, so this state should never occur during routine processing.
Definition at line 534 of file cfe_es_events.h.
11.45.2.35 CFE_ES_PCR_ERR2_EID
 #define CFE_ES_PCR_ERR2_EID 48
ES Process Control Unknown State Event ID.
Type: ERROR
Cause:
Unknown state encountered when processing requests for application state changes.
```

Definition at line 545 of file cfe_es_events.h.

11.45.2.36 CFE_ES_PERF_DATAWRITTEN_EID #define CFE_ES_PERF_DATAWRITTEN_EID 68 Performance Log Write Success Event ID. Type: DEBUG Cause: Request to write the performance log successfully completed. Definition at line 755 of file cfe_es_events.h. 11.45.2.37 CFE_ES_PERF_FILTMSKCMD_EID #define CFE_ES_PERF_FILTMSKCMD_EID 63 ES Set Performance Analyzer Filter Mask Command Success Event ID. Type: DEBUG Cause: ES Set Performance Analyzer Filter Mask Command success. Definition at line 697 of file cfe_es_events.h. 11.45.2.38 CFE_ES_PERF_FILTMSKERR_EID #define CFE_ES_PERF_FILTMSKERR_EID 64 ES Set Performance Analyzer Filter Mask Command Invalid Index Event ID. Type: ERROR Cause: ES Set Performance Analyzer Filter Mask Command failed filter index range check.

Definition at line 709 of file cfe_es_events.h.

Generated by Doxygen

```
11.45.2.39 CFE_ES_PERF_LOG_ERR_EID
 #define CFE_ES_PERF_LOG_ERR_EID 67
ES Stop Performance Analyzer Data Collection Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
 ES Stop Performance Analyzer Data Collection Command failed either parsing the file name or during open/creation of
the file. OVERLOADED
 Definition at line 744 of file cfe es events.h.
11.45.2.40 CFE_ES_PERF_STARTCMD_EID
 #define CFE_ES_PERF_STARTCMD_EID 57
ES Start Performance Analyzer Data Collection Command Success Event ID.
Type: DEBUG
Cause:
ES Start Performance Analyzer Data Collection Command success.
Definition at line 637 of file cfe_es_events.h.
11.45.2.41 CFE ES PERF_STARTCMD_ERR_EID
 #define CFE_ES_PERF_STARTCMD_ERR_EID 58
ES Start Performance Analyzer Data Collection Command Idle Check Failed Event ID.
Type: ERROR
Cause:
ES Start Performance Analyzer Data Collection Command failed due to already being started.
```

Definition at line 649 of file cfe_es_events.h.

11.45.2.42 CFE_ES_PERF_STARTCMD_TRIG_ERR_EID #define CFE_ES_PERF_STARTCMD_TRIG_ERR_EID 59 ES Start Performance Analyzer Data Collection Command Invalid Trigger Event ID. Type: ERROR Cause: ES Start Performance Analyzer Data Collection Command failed due to invalid trigger mode. Definition at line 661 of file cfe_es_events.h. 11.45.2.43 CFE_ES_PERF_STOPCMD_EID #define CFE_ES_PERF_STOPCMD_EID 60 ES Stop Performance Analyzer Data Collection Command Request Success Event ID. Type: DEBUG Cause: ES Stop Performance Analyzer Data Collection Command success. Note this event signifies the request to stop and write the performance data has been successfully submitted. The successful completion will generate a CFE_ES_P← ERF_DATAWRITTEN_EID event. Definition at line 674 of file cfe es events.h. 11.45.2.44 CFE_ES_PERF_STOPCMD_ERR2_EID #define CFE_ES_PERF_STOPCMD_ERR2_EID 62 ES Stop Performance Analyzer Data Collection Command Request Idle Check Failed Event ID. Type: ERROR Cause:

ES Stop Performance Analyzer Data Collection Command failed due to a write already in progress.

Definition at line 686 of file cfe_es_events.h.

```
11.45.2.45 CFE_ES_PERF_TRIGMSKCMD_EID
 #define CFE_ES_PERF_TRIGMSKCMD_EID 65
ES Set Performance Analyzer Trigger Mask Command Success Event ID.
Type: DEBUG
Cause:
ES Set Performance Analyzer Trigger Mask Command success.
Definition at line 720 of file cfe_es_events.h.
11.45.2.46 CFE_ES_PERF_TRIGMSKERR_EID
 #define CFE_ES_PERF_TRIGMSKERR_EID 66
ES Set Performance Analyzer Trigger Mask Command Invalid Mask Event ID.
Type: ERROR
Cause:
ES Set Performance Analyzer Trigger Mask Command failed the mask range check.
 Definition at line 732 of file cfe es events.h.
11.45.2.47 CFE_ES_RELOAD_APP_DBG_EID
 #define CFE_ES_RELOAD_APP_DBG_EID 11
ES Reload Application Command Request Success Event ID.
Type: DEBUG
Cause:
```

ES Reload Application Command success. Note this event signifies the request to reload the application has been successfully submitted. The successful completion will generate a CFE_ES_RELOAD_APP_INF_EID event.

Definition at line 147 of file cfe_es_events.h.

11.45.2.48 CFE_ES_RELOAD_APP_ERR1_EID #define CFE_ES_RELOAD_APP_ERR1_EID 42 ES Reload Application Command Request Failed Event ID. Type: ERROR Cause: ES Reload Application Command request failed. Definition at line 473 of file cfe_es_events.h. 11.45.2.49 CFE_ES_RELOAD_APP_ERR2_EID #define CFE_ES_RELOAD_APP_ERR2_EID 43 ES Reload Application Command Get ApplD By Name Failed Event ID. Type: ERROR Cause: ES Reload Application Command failed to get application ID from application name. The application will not be reloaded. Definition at line 485 of file cfe_es_events.h. 11.45.2.50 CFE_ES_RELOAD_APP_ERR3_EID #define CFE_ES_RELOAD_APP_ERR3_EID 44 ES Reload Application Startup Failed Event ID. Type: ERROR Cause: Request to reload an application failed during application startup. The application will not be reloaded. Definition at line 497 of file cfe_es_events.h.

```
11.45.2.51 CFE_ES_RELOAD_APP_ERR4_EID
 #define CFE_ES_RELOAD_APP_ERR4_EID 45
ES Reload Application Cleanup Failed Event ID.
Type: ERROR
Cause:
 Request to reload an application failed during application cleanup. The application will not be reloaded and will be in an
undefined state along with it's associated resources.
 Definition at line 510 of file cfe_es_events.h.
11.45.2.52 CFE_ES_RELOAD_APP_INF_EID
 #define CFE_ES_RELOAD_APP_INF_EID 12
ES Reload Application Complete Event ID.
Type: INFORMATION
Cause:
Request to reload an application successfully completed.
Definition at line 158 of file cfe_es_events.h.
11.45.2.53 CFE_ES_RESET_INF_EID
 #define CFE_ES_RESET_INF_EID 4
ES Reset Counters Command Success Event ID.
Type: INFORMATION
Cause:
```

ES Reset Counters Command success.

Definition at line 75 of file cfe_es_events.h.

```
11.45.2.54 CFE_ES_RESET_PR_COUNT_EID
 #define CFE_ES_RESET_PR_COUNT_EID 72
ES Set Processor Reset Counter to Zero Command Success Event ID.
Type: INFORMATION
Cause:
ES Set Processor Reset Counter to Zero Command success.
Definition at line 800 of file cfe es events.h.
11.45.2.55 CFE_ES_RESTART_APP_DBG_EID
 #define CFE_ES_RESTART_APP_DBG_EID 9
ES Restart Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Restart Application Command success. Note this event signifies the request to restart the application has been
successfully submitted. The successful completion will generate a CFE_ES_RESTART_APP_INF_EID event.
Definition at line 123 of file cfe es events.h.
11.45.2.56 CFE_ES_RESTART_APP_ERR1_EID
 #define CFE_ES_RESTART_APP_ERR1_EID 38
ES Restart Application Command Request Failed Event ID.
Type: ERROR
Cause:
ES Restart Application Command request failed.
Definition at line 425 of file cfe_es_events.h.
```

11.45.2.57 CFE_ES_RESTART_APP_ERR2_EID #define CFE_ES_RESTART_APP_ERR2_EID 39 ES Restart Application Command Get AppID By Name Failed Event ID. Type: ERROR Cause: ES Restart Application Command failed to get application ID from application name. The application will not be restarted. Definition at line 437 of file cfe_es_events.h. 11.45.2.58 CFE_ES_RESTART_APP_ERR3_EID #define CFE_ES_RESTART_APP_ERR3_EID 40 ES Restart Application Startup Failed Event ID. Type: ERROR Cause: Request to restart an application failed during application startup. The application will not be restarted. Definition at line 449 of file cfe_es_events.h. 11.45.2.59 CFE_ES_RESTART_APP_ERR4_EID #define CFE_ES_RESTART_APP_ERR4_EID 41 ES Restart Application Cleanup Failed Event ID. Type: ERROR

Request to restart an application failed during application cleanup. The application will not be restarted and will be in an undefined state along with it's associated resources.

Definition at line 462 of file cfe_es_events.h.

Cause:

```
11.45.2.60 CFE_ES_RESTART_APP_INF_EID
 #define CFE_ES_RESTART_APP_INF_EID 10
ES Restart Application Completed Event ID.
Type: INFORMATION
Cause:
Request to restart an application successfully completed.
Definition at line 134 of file cfe es events.h.
11.45.2.61 CFE_ES_SET_MAX_PR_COUNT_EID
 #define CFE_ES_SET_MAX_PR_COUNT_EID 73
ES Set Maximum Processor Reset Limit Command Success Event ID.
Type: INFORMATION
Cause:
ES Set Maximum Processor Reset Limit Command success.
Definition at line 811 of file cfe_es_events.h.
11.45.2.62 CFE_ES_START_ERR_EID
 #define CFE_ES_START_ERR_EID 26
ES Start Application Command Application Creation Failed Event ID.
Type: ERROR
Cause:
ES Start Application Command failure during application creation after successful parameter validation.
```

Definition at line 306 of file cfe_es_events.h.

Generated by Doxygen

```
11.45.2.63 CFE_ES_START_EXC_ACTION_ERR_EID
 #define CFE_ES_START_EXC_ACTION_ERR_EID 32
ES Start Application Command Exception Action Invalid Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to invalid application exception action.
Definition at line 367 of file cfe_es_events.h.
11.45.2.64 CFE_ES_START_INF_EID
 #define CFE_ES_START_INF_EID 6
ES Start Application Command Success Event ID.
Type: INFORMATION
Cause:
ES Start Application Command success.
Definition at line 86 of file cfe_es_events.h.
11.45.2.65 CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID
 #define CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID 28
ES Start Application Command Entry Point NULL Event ID.
Type: ERROR
Cause:
```

Generated by Doxygen

Definition at line 330 of file cfe_es_events.h.

ES Start Application Command failure due to a NULL Application Entry Point.

```
11.45.2.66 CFE_ES_START_INVALID_FILENAME_ERR_EID
 #define CFE_ES_START_INVALID_FILENAME_ERR_EID 27
ES Start Application Command Invalid Filename Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to invalid filename.
Definition at line 318 of file cfe_es_events.h.
11.45.2.67 CFE_ES_START_NULL_APP_NAME_ERR_EID
 #define CFE_ES_START_NULL_APP_NAME_ERR_EID 29
ES Start Application Command App Name NULL Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to NULL Application Name.
 Definition at line 342 of file cfe es events.h.
11.45.2.68 CFE_ES_START_PRIORITY_ERR_EID
 #define CFE_ES_START_PRIORITY_ERR_EID 31
ES Start Application Command Priority Too Large Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to a requested application priority greater than the maximum priority allowed
for tasks as defined by the OS Abstraction Layer (OS_MAX_PRIORITY).
```

Definition at line 355 of file cfe_es_events.h.

```
11.45.2.69 CFE_ES_STOP_DBG_EID
 #define CFE_ES_STOP_DBG_EID 7
ES Stop Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Stop Application Command success. Note this event signifies the request to delete the application has been
successfully submitted. The successful completion will generate a CFE_ES_STOP_INF_EID event.
 Definition at line 99 of file cfe_es_events.h.
11.45.2.70 CFE_ES_STOP_ERR1_EID
 #define CFE_ES_STOP_ERR1_EID 35
ES Stop Application Command Request Failed Event ID.
Type: ERROR
Cause:
ES Stop Application Command request failed.
Definition at line 390 of file cfe_es_events.h.
11.45.2.71 CFE ES STOP ERR2 EID
 #define CFE_ES_STOP_ERR2_EID 36
ES Stop Application Command Get AppID By Name Failed Event ID.
Type: ERROR
Cause:
ES Stop Application Command failed to get application ID from application name. The application will not be deleted.
```

Generated by Doxygen

Definition at line 402 of file cfe_es_events.h.

```
11.45.2.72 CFE_ES_STOP_ERR3_EID
 #define CFE_ES_STOP_ERR3_EID 37
ES Stop Application Cleanup Failed Event ID.
Type: ERROR
Cause:
Request to delete an application failed during application cleanup. Application and related resources will be in undefined
state.
 Definition at line 414 of file cfe_es_events.h.
11.45.2.73 CFE_ES_STOP_INF_EID
 #define CFE_ES_STOP_INF_EID 8
ES Stop Application Completed Event ID.
Type: INFORMATION
Cause:
Request to delete an application successfully completed.
Definition at line 110 of file cfe_es_events.h.
11.45.2.74 CFE_ES_SYSLOG1_INF_EID
 #define CFE_ES_SYSLOG1_INF_EID 17
ES Clear System Log Command Success Event ID.
Type: INFORMATION
Cause:
ES Clear System Log Command success.
Definition at line 217 of file cfe_es_events.h.
```

```
11.45.2.75 CFE_ES_SYSLOG2_EID
 #define CFE_ES_SYSLOG2_EID 18
ES Write System Log Command Success Event ID.
Type: DEBUG
Cause:
ES Write System Log Command success.
Definition at line 228 of file cfe_es_events.h.
11.45.2.76 CFE_ES_SYSLOG2_ERR_EID
 #define CFE_ES_SYSLOG2_ERR_EID 55
ES Write System Log Command Filename Parse or File Creation Failed Event ID.
Type: ERROR
Cause:
ES Write System Log Command failed parsing file name or creating the file. OVERLOADED
Definition at line 614 of file cfe_es_events.h.
11.45.2.77 CFE_ES_SYSLOGMODE_EID
 #define CFE_ES_SYSLOGMODE_EID 70
ES Set System Log Overwrite Mode Command Success Event ID.
Type: DEBUG
Cause:
```

Generated by Doxygen

ES Set System Log Overwrite Mode Command success.

Definition at line 777 of file cfe_es_events.h.

```
11.45.2.78 CFE_ES_TASKINFO_EID
 #define CFE_ES_TASKINFO_EID 87
ES Write All Task Data Command Success Event ID.
Type: DEBUG
Cause:
ES Write All Task Data Command success.
Definition at line 964 of file cfe_es_events.h.
11.45.2.79 CFE_ES_TASKINFO_OSCREATE_ERR_EID
 #define CFE_ES_TASKINFO_OSCREATE_ERR_EID 88
ES Write All Task Data Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to parse the filename or open/create the file.
Definition at line 976 of file cfe_es_events.h.
11.45.2.80 CFE_ES_TASKINFO_WR_ERR_EID
 #define CFE_ES_TASKINFO_WR_ERR_EID 90
ES Write All Task Data Command Write Data Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to write task data to file.
```

Definition at line 1000 of file cfe_es_events.h.

Generated by Doxygen

```
11.45.2.81 CFE_ES_TASKINFO_WRHDR_ERR_EID
 #define CFE_ES_TASKINFO_WRHDR_ERR_EID 89
ES Write All Task Data Command Write Header Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to write file header.
Definition at line 988 of file cfe_es_events.h.
11.45.2.82 CFE_ES_TASKWR_ERR_EID
 #define CFE_ES_TASKWR_ERR_EID 53
ES Query All Application Data Command File Write App Data Failed Event ID.
Type: ERROR
Cause:
ES Query All Application Data Command failed to write file application data.
Definition at line 602 of file cfe_es_events.h.
11.45.2.83 CFE_ES_TLM_POOL_STATS_INFO_EID
 #define CFE_ES_TLM_POOL_STATS_INFO_EID 81
ES Telemeter Memory Statistics Command Success Event ID.
Type: DEBUG
Cause:
```

Generated by Doxygen

ES Telemeter Memory Statistics Command success.

Definition at line 894 of file cfe_es_events.h.

11.45.2.84 CFE_ES_VERSION_INF_EID #define CFE_ES_VERSION_INF_EID 91 cFS Version Information Event ID Type: INFORMATION Cause: ES Initialization complete and response to ES NO-OP Command . A separate version info event will be generated for every module which is statically linked into the CFE core executable (e.g. OSAL, PSP, MSG, SBR, etc). The version information reported in this event is derived from the source revision control system at build time, as opposed to manually-assigned semantic version numbers. It is intended to uniquely identify the actual source code that is currently running, to the extent this is possible. The Mission version information also identifies the build configuration name, if available. Definition at line 1021 of file cfe_es_events.h. 11.45.2.85 CFE_ES_WRHDR_ERR_EID #define CFE_ES_WRHDR_ERR_EID 52 ES Query All Application Data Command File Write Header Failed Event ID. Type: ERROR Cause: ES Query All Application Data Command failed to write file header. Definition at line 591 of file cfe_es_events.h.

```
11.45.2.86 CFE_ES_WRITE_CFE_HDR_ERR_EID
```

```
#define CFE_ES_WRITE_CFE_HDR_ERR_EID 85
```

ES Write Critical Data Store Registry Command Header Write Failed Event ID.

Type: ERROR

Cause:

ES Write Critical Data Store Registry Command failed to write header.

Definition at line 941 of file cfe_es_events.h.

11.46 cfe/modules/es/fsw/inc/cfe_es_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_es_extern_typedefs.h"
```

Data Structures

• struct CFE_ES_NoArgsCmd

Generic "no arguments" command.

• struct CFE_ES_RestartCmd_Payload

Restart cFE Command Payload.

struct CFE_ES_RestartCmd

Restart cFE Command.

struct CFE ES FileNameCmd Payload

Generic file name command payload.

• struct CFE_ES_FileNameCmd

Generic file name command.

struct CFE_ES_OverWriteSysLogCmd_Payload

Overwrite/Discard System Log Configuration Command Payload.

struct CFE_ES_OverWriteSysLogCmd

Overwrite/Discard System Log Configuration Command Payload.

struct CFE_ES_StartAppCmd_Payload

Start Application Command Payload.

struct CFE_ES_StartApp

Start Application Command.

struct CFE_ES_AppNameCmd_Payload

Generic application name command payload.

struct CFE_ES_AppNameCmd

Generic application name command.

struct CFE ES AppReloadCmd Payload

Reload Application Command Payload.

struct CFE_ES_ReloadAppCmd

Reload Application Command.

struct CFE_ES_SetMaxPRCountCmd_Payload

Set Maximum Processor Reset Count Command Payload.

struct CFE ES SetMaxPRCountCmd

Set Maximum Processor Reset Count Command.

struct CFE_ES_DeleteCDSCmd_Payload

Delete Critical Data Store Command Payload.

• struct CFE_ES_DeleteCDSCmd

Delete Critical Data Store Command.

struct CFE ES StartPerfCmd Payload

Start Performance Analyzer Command Payload.

struct CFE_ES_StartPerfDataCmd

Start Performance Analyzer Command.

struct CFE_ES_StopPerfCmd_Payload

Stop Performance Analyzer Command Payload.

struct CFE_ES_StopPerfDataCmd

Stop Performance Analyzer Command.

struct CFE_ES_SetPerfFilterMaskCmd_Payload

Set Performance Analyzer Filter Mask Command Payload.

struct CFE_ES_SetPerfFilterMaskCmd

Set Performance Analyzer Filter Mask Command.

struct CFE_ES_SetPerfTrigMaskCmd_Payload

Set Performance Analyzer Trigger Mask Command Payload.

struct CFE_ES_SetPerfTriggerMaskCmd

Set Performance Analyzer Trigger Mask Command.

• struct CFE_ES_SendMemPoolStatsCmd_Payload

Send Memory Pool Statistics Command Payload.

• struct CFE_ES_SendMemPoolStatsCmd

Send Memory Pool Statistics Command.

struct CFE_ES_DumpCDSRegistryCmd_Payload

Dump CDS Registry Command Payload.

struct CFE_ES_DumpCDSRegistryCmd

Dump CDS Registry Command.

- struct CFE_ES_OneAppTIm_Payload
- struct CFE ES OneAppTIm
- struct CFE_ES_PoolStatsTlm_Payload
- struct CFE_ES_MemStatsTIm
- struct CFE_ES_HousekeepingTlm_Payload
- struct CFE ES HousekeepingTlm

Macros

Executive Services Command Codes

```
    #define CFE_ES_NOOP_CC 0
```

- #define CFE ES RESET COUNTERS CC 1
- #define CFE ES RESTART CC 2
- #define CFE ES START APP CC 4
- #define CFE ES STOP APP CC 5
- #define CFE ES RESTART APP CC 6
- #define CFE ES RELOAD APP CC 7
- #define CFE ES QUERY ONE CC 8
- #define CFE ES QUERY ALL CC 9
- #define CFE ES CLEAR SYSLOG CC 10
- #define CFE ES WRITE SYSLOG CC 11
- #define CFE ES CLEAR ER LOG CC 12
- #define CFE ES WRITE ER LOG CC 13
- #define CFE_ES_START_PERF_DATA_CC 14
- #define CFE_ES_STOP_PERF_DATA_CC 15
- #define CFE_ES_SET_PERF_FILTER_MASK_CC 16
- #define CFE_ES_SET_PERF_TRIGGER_MASK_CC 17
- #define CFE ES OVER WRITE SYSLOG CC 18
- #define CFE ES RESET PR COUNT CC 19
- #define CFE ES SET MAX PR COUNT CC 20
- #define CFE ES DELETE CDS CC 21
- #define CFE ES SEND MEM POOL STATS CC 22
- #define CFE ES DUMP CDS REGISTRY CC 23
- #define CFE_ES_QUERY_ALL_TASKS_CC 24

Typedefs

- typedef struct CFE ES NoArgsCmd CFE ES NoArgsCmd t
 - Generic "no arguments" command.
- typedef CFE ES NoArgsCmd t CFE ES NoopCmd t
- typedef CFE ES NoArgsCmd t CFE ES ResetCountersCmd t
- typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearSysLogCmd_t
- typedef CFE ES NoArgsCmd t CFE ES ClearERLogCmd t
- typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetPRCountCmd_t
- typedef struct CFE_ES_RestartCmd_Payload CFE_ES_RestartCmd_Payload_t
 - Restart cFE Command Payload.
- typedef struct CFE_ES_RestartCmd CFE_ES_RestartCmd_t
 - Restart cFE Command.
- typedef struct CFE_ES_FileNameCmd_Payload CFE_ES_FileNameCmd_Payload_t
 - Generic file name command payload.
- typedef struct CFE_ES_FileNameCmd CFE_ES_FileNameCmd_t
 - Generic file name command.
- typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAllCmd_t
- typedef CFE ES FileNameCmd t CFE ES QueryAllTasksCmd t
- typedef CFE_ES_FileNameCmd_t CFE_ES_WriteSysLogCmd_t
- typedef CFE ES FileNameCmd t CFE ES WriteERLogCmd t
- typedef struct CFE ES OverWriteSysLogCmd Payload CFE ES OverWriteSysLogCmd Payload t
 - Overwrite/Discard System Log Configuration Command Payload.
- typedef struct CFE ES OverWriteSysLogCmd CFE ES OverWriteSysLogCmd t

Overwrite/Discard System Log Configuration Command Payload.

 typedef struct CFE_ES_StartAppCmd_Payload CFE_ES_StartAppCmd_Payload_t Start Application Command Payload. typedef struct CFE ES StartApp CFE ES StartAppCmd t Start Application Command. typedef struct CFE_ES_AppNameCmd_Payload CFE_ES_AppNameCmd_Payload_t Generic application name command payload. typedef struct CFE_ES_AppNameCmd CFE_ES_AppNameCmd_t Generic application name command. typedef CFE ES AppNameCmd t CFE ES StopAppCmd t typedef CFE ES AppNameCmd t CFE ES RestartAppCmd t typedef CFE_ES_AppNameCmd_t CFE_ES_QueryOneCmd_t typedef struct CFE_ES_AppReloadCmd_Payload CFE_ES_AppReloadCmd_Payload_t Reload Application Command Payload. typedef struct CFE_ES_ReloadAppCmd CFE_ES_ReloadAppCmd_t Reload Application Command. typedef struct CFE ES SetMaxPRCountCmd Payload CFE ES SetMaxPRCountCmd Payload t Set Maximum Processor Reset Count Command Payload. typedef struct CFE ES SetMaxPRCountCmd CFE ES SetMaxPRCountCmd t Set Maximum Processor Reset Count Command. typedef struct CFE ES DeleteCDSCmd Payload CFE ES DeleteCDSCmd Payload t Delete Critical Data Store Command Payload. typedef struct CFE ES DeleteCDSCmd CFE ES DeleteCDSCmd t Delete Critical Data Store Command. typedef struct CFE ES StartPerfCmd Payload CFE ES StartPerfCmd Payload t Start Performance Analyzer Command Payload. typedef struct CFE ES StartPerfDataCmd CFE ES StartPerfDataCmd t Start Performance Analyzer Command. typedef struct CFE ES StopPerfCmd Payload CFE ES StopPerfCmd Payload t Stop Performance Analyzer Command Payload. typedef struct CFE ES StopPerfDataCmd CFE ES StopPerfDataCmd t Stop Performance Analyzer Command. typedef struct CFE_ES_SetPerfFilterMaskCmd_Payload CFE_ES_SetPerfFilterMaskCmd_Payload_t Set Performance Analyzer Filter Mask Command Payload. typedef struct CFE_ES_SetPerfFilterMaskCmd CFE_ES_SetPerfFilterMaskCmd_t Set Performance Analyzer Filter Mask Command. typedef struct CFE_ES_SetPerfTrigMaskCmd_Payload CFE_ES_SetPerfTrigMaskCmd_Payload_t Set Performance Analyzer Trigger Mask Command Payload. typedef struct CFE_ES_SetPerfTriggerMaskCmd CFE_ES_SetPerfTriggerMaskCmd_t Set Performance Analyzer Trigger Mask Command. typedef struct CFE ES SendMemPoolStatsCmd Payload CFE ES SendMemPoolStatsCmd Payload t Send Memory Pool Statistics Command Payload. typedef struct CFE ES SendMemPoolStatsCmd CFE ES SendMemPoolStatsCmd t Send Memory Pool Statistics Command. typedef struct CFE_ES_DumpCDSRegistryCmd_Payload CFE_ES_DumpCDSRegistryCmd_Payload_t Dump CDS Registry Command Payload. typedef struct CFE ES DumpCDSRegistryCmd CFE ES DumpCDSRegistryCmd t

Dump CDS Registry Command.

- typedef struct CFE ES OneAppTlm Payload CFE ES OneAppTlm Payload t
- typedef struct CFE ES OneAppTIm CFE ES OneAppTIm t
- typedef struct CFE ES PoolStatsTlm Payload CFE ES PoolStatsTlm Payload t
- typedef struct CFE_ES_MemStatsTlm CFE_ES_MemStatsTlm_t
- typedef struct CFE_ES_HousekeepingTIm_Payload CFE_ES_HousekeepingTIm_Payload_t
- typedef struct CFE_ES_HousekeepingTlm CFE_ES_HousekeepingTlm_t

11.46.1 Detailed Description

Purpose: cFE Executive Services (ES) Command and Telemetry packet definition file.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.46.2 Macro Definition Documentation

```
11.46.2.1 CFE_ES_CLEAR_ER_LOG_CC
```

```
#define CFE_ES_CLEAR_ER_LOG_CC 12
```

Name Clears the contents of the Exception and Reset Log

Description

This command causes the contents of the Executive Services Exception and Reset Log to be cleared.

Command Mnemonic(s) \$sc_\$cpu_ES_ClearERLog

Command Structure

```
CFE_ES_ClearERLogCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES ERLOG1 INF EID informational event message will be generated.
- \$sc_\$cpu_ES_ERLOGINDEX Index into Exception Reset Log goes to zero

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not dangerous. However, any previously logged data will be lost.

See also

```
CFE ES CLEAR SYSLOG CC, CFE ES WRITE SYSLOG CC, CFE ES WRITE ER LOG CC
```

Definition at line 550 of file cfe es msg.h.

```
11.46.2.2 CFE_ES_CLEAR_SYSLOG_CC
```

```
#define CFE_ES_CLEAR_SYSLOG_CC 10
```

Name Clear Executive Services System Log

Description

This command clears the contents of the Executive Services System Log.

Command Mnemonic(s) \$sc_\$cpu_ES_ClearSysLog

Command Structure

CFE_ES_ClearSysLogCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES SYSLOG1 INF EID informational event message will be generated.
- \$sc_\$cpu_ES_SYSLOGBYTEUSED System Log Bytes Used will go to zero
- \$sc_\$cpu_ES_SYSLOGENTRIES Number of System Log Entries will go to zero

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not dangerous. However, any previously logged data will be lost.

See also

CFE_ES_WRITE_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC, CFE_ES_WRITE_ER_LOG_CC, CFE_ES↔
OVER WRITE SYSLOG CC

Definition at line 473 of file cfe_es_msg.h.

11.46.2.3 CFE_ES_DELETE_CDS_CC

```
#define CFE_ES_DELETE_CDS_CC 21
```

Name Delete Critical Data Store

Description

This command allows the user to delete a Critical Data Store that was created by an Application that is now no longer executing.

Command Mnemonic(s) \$sc \$cpu ES DeleteCDS

Command Structure

```
CFE ES DeleteCDSCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES CDS DELETED INFO EID informational event message will be generated.
- The specified CDS should no longer appear in a CDS Registry dump generated upon receipt of the CFE_←
 ES DUMP CDS REGISTRY CC command

Error Conditions

This command may fail for the following reason(s):

- The specified CDS is the CDS portion of a Critical Table
- · The specified CDS is not found in the CDS Registry
- · The specified CDS is associated with an Application that is still active
- · An error occurred while accessing the CDS memory (see the System Log for more details)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

This command is not critical because it is not possible to delete a CDS that is associated with an active application. However, deleting a CDS does eliminate any "history" that an application may be wishing to keep.

See also

```
CFE_ES_DUMP_CDS_REGISTRY_CC, CFE_TBL_DELETE_CDS_CC
```

Definition at line 919 of file cfe es msg.h.

```
11.46.2.4 CFE_ES_DUMP_CDS_REGISTRY_CC
```

```
#define CFE_ES_DUMP_CDS_REGISTRY_CC 23
```

Name Dump Critical Data Store Registry to a File

Description

This command allows the user to dump the Critical Data Store Registry to an onboard file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteCDS2File

Command Structure

CFE_ES_DumpCDSRegistryCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_CDS_REG_DUMP_INF_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

- · The file name specified could not be parsed
- · Error occurred while creating or writing to the dump file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_DELETE_CDS_CC, CFE_TBL_DELETE_CDS_CC

Definition at line 1000 of file cfe_es_msg.h.

11.46.2.5 CFE_ES_NOOP_CC

#define CFE_ES_NOOP_CC 0

Name Executive Services No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Executive Services task.

Command Mnemonic(s) \$sc_\$cpu_ES_NOOP

Command Structure

CFE ES NoopCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_BUILD_INF_EID informational event message will be generated
- The CFE_ES_NOOP_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

· The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE ES LEN ERR EID error event message will be generated

Criticality

None

See also

Definition at line 83 of file cfe_es_msg.h.

11.46.2.6 CFE_ES_OVER_WRITE_SYSLOG_CC

```
#define CFE_ES_OVER_WRITE_SYSLOG_CC 18
```

Name Set Executive Services System Log Mode to Discard/Overwrite

Description

This command allows the user to configure the Executive Services to either discard new System Log messages when it is full or to overwrite the oldest messages.

Command Mnemonic(s) \$sc_\$cpu_ES_OverwriteSysLogMode

Command Structure

CFE ES OverWriteSysLogCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_SYSLOGMODE Current System Log Mode should reflect the commanded value
- The CFE_ES_SYSLOGMODE_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

• The desired mode is neither CFE_ES_LogMode_OVERWRITE or CFE_ES_LogMode_DISCARD

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

None. (It should be noted that "Overwrite" mode would allow a message identifying the cause of a problem to be lost by a subsequent flood of additional messages).

See also

CFE ES CLEAR SYSLOG CC, CFE ES WRITE SYSLOG CC

Definition at line 802 of file cfe_es_msg.h.

11.46.2.7 CFE_ES_QUERY_ALL_CC

```
#define CFE_ES_QUERY_ALL_CC 9
```

Name Writes all Executive Services Information on all loaded modules to a File

Description

This command takes the information kept by Executive Services on all of the registered applications and libraries and writes it to the specified file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteAppInfo2File

Command Structure

```
CFE ES QueryAllCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE ES ALL APPS EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_APP_

 LOG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE_ES_QUERY_ONE_CC, CFE_ES_QUERY_ALL_TASKS_CC
```

Definition at line 438 of file cfe_es_msg.h.

```
11.46.2.8 CFE_ES_QUERY_ALL_TASKS_CC
```

```
#define CFE_ES_QUERY_ALL_TASKS_CC 24
```

Name Writes a list of All Executive Services Tasks to a File

Description

This command takes the information kept by Executive Services on all of the registered tasks and writes it to the specified file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteTaskInfo2File

Command Structure

CFE ES QueryAllTasksCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE ES TASKINFO EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_TASK
 LOG FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The file name specified could not be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE ES QUERY ALL CC, CFE ES QUERY ONE CC

Definition at line 1042 of file cfe_es_msg.h.

11.46.2.9 CFE_ES_QUERY_ONE_CC

#define CFE_ES_QUERY_ONE_CC 8

Name Request Executive Services Information on a specified module

Description

This command takes the information kept by Executive Services on the specified application or library and telemeters it to the ground.

Command Mnemonic(s) \$sc_\$cpu_ES_QueryApp

Command Structure

CFE ES QueryOneCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES ONE APP EID debug event message will be generated.
- Receipt of the CFE_ES_OneAppTIm_t telemetry packet

Error Conditions

This command may fail for the following reason(s):

· The specified name is not recognized as an active application or library

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

None

See also

CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC

Definition at line 396 of file cfe_es_msg.h.

```
11.46.2.10 CFE_ES_RELOAD_APP_CC
```

```
#define CFE_ES_RELOAD_APP_CC 7
```

Name Stops, Unloads, Loads from the command specified File and Restarts an Application

Description

This command halts and removes the specified Application from the system. Then it immediately loads the Application from the command specified file and restarts it. This command is especially useful for restarting a Command Ingest Application since once it has been stopped, no further commands can come in to restart it.

Command Mnemonic(s) \$sc \$cpu ES ReloadApp

Command Structure

```
CFE_ES_ReloadAppCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_RELOAD_APP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the reload process has been initiated, not that it has completed.

Error Conditions

This command may fail for the following reason(s):

- · The specified application filename string cannot be parsed
- The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

```
CFE_ES_START_APP_CC, CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC
```

Definition at line 360 of file cfe es msg.h.

11.46.2.11 CFE_ES_RESET_COUNTERS_CC

#define CFE_ES_RESET_COUNTERS_CC 1

Name Executive Services Reset Counters

Description

This command resets the following counters within the Executive Services housekeeping telemetry:

- Command Execution Counter
- · Command Error Counter

Command Mnemonic(s) \$sc_\$cpu_ES_ResetCtrs

Command Structure

CFE ES ResetCountersCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter and error counter will be reset to zero
- The CFE ES RESET INF EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

CFE_ES_RESET_PR_COUNT_CC

Definition at line 120 of file cfe_es_msg.h.

```
11.46.2.12 CFE_ES_RESET_PR_COUNT_CC
```

```
#define CFE_ES_RESET_PR_COUNT_CC 19
```

Name Resets the Processor Reset Counter to Zero

Description

This command allows the user to reset the Processor Reset Counter to zero. The Processor Reset Counter counts the number of Processor Resets that have occurred so as to identify when a Processor Reset should automatically be upgraded to a full Power-On Reset.

Command Mnemonic(s) \$sc_\$cpu_ES_ResetPRCnt

Command Structure

CFE_ES_ResetPRCountCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_ProcResetCnt Current number of processor resets will go to zero
- The CFE_ES_RESET_PR_COUNT_EID informational event message will be generated.

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not critical. The only impact would be that the system would have to have more processor resets before an automatic power-on reset occurred.

See also

CFE_ES_SET_MAX_PR_COUNT_CC, CFE_ES_RESET_COUNTERS_CC

Definition at line 839 of file cfe es msg.h.

11.46.2.13 CFE_ES_RESTART_APP_CC

#define CFE_ES_RESTART_APP_CC 6

Name Stops, Unloads, Loads using the previous File name, and Restarts an Application

Description

This command halts and removes the specified Application from the system. Then it immediately loads the Application from the same filename last used to start. This command is especially useful for restarting a Command Ingest Application since once it has been stopped, no further commands can come in to restart it.

Command Mnemonic(s) \$sc \$cpu ES ResetApp

Command Structure

CFE ES RestartAppCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_RESTART_APP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the restart process has been initiated, not that it has completed.

Error Conditions

This command may fail for the following reason(s):

- · The original file is missing
- The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

CFE_ES_START_APP_CC, CFE_ES_STOP_APP_CC, CFE_ES_RELOAD_APP_CC

Definition at line 314 of file cfe es msg.h.

```
11.46.2.14 CFE_ES_RESTART_CC
```

```
#define CFE_ES_RESTART_CC 2
```

Name Executive Services Processor / Power-On Reset

Description

This command restarts the cFE in one of two modes. The Power-On Reset will cause the cFE to restart as though the power were first applied to the processor. The Processor Reset will attempt to retain the contents of the volatile disk and the contents of the Critical Data Store. NOTE: If a requested Processor Reset should cause the Processor Reset Counter (\$sc_\$cpu_ES_ProcResetCnt) to exceed OR EQUAL the limit CFE_PLATFORM_ES_MAX — PROCESSOR_RESETS (which is reported in housekeeping telemetry as \$sc_\$cpu_ES_MaxProcResets), the command is AUTOMATICALLY upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc \$cpu ES ProcessorReset, \$sc \$cpu ES PowerOnReset

Command Structure

```
CFE ES RestartCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_ProcResetCnt processor reset counter will increment (processor reset) or reset to zero
 (power-on reset)
- \$sc_\$cpu_ES_ResetType processor reset type will be updated
- \$sc_\$cpu_ES_ResetSubtype processor reset subtype will be updated
- New entries in the Exception Reset Log and System Log can be found NOTE: Verification of a Power-On Reset is shown through the loss of data nominally retained through a Processor Reset

NOTE: Since the reset of the processor resets the command execution counter (\$sc_\$cpu_ES_CMDPC), this counter CANNOT be used to verify command execution.

Error Conditions

This command may fail for the following reason(s):

• The Restart Type was not a recognized value.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE_ES_BOOT_ERR_EID error event message will be generated

Criticality

This command is, by definition, dangerous. Significant loss of data will occur. All processes and the cFE itself will be stopped and restarted. With the Power-On reset option, all data on the volatile disk and the contents of the Critical Data Store will be lost.

See also

```
CFE_ES_RESET_PR_COUNT_CC, CFE_ES_SET_MAX_PR_COUNT_CC
```

Definition at line 172 of file cfe es msg.h.

11.46.2.15 CFE_ES_SEND_MEM_POOL_STATS_CC

#define CFE_ES_SEND_MEM_POOL_STATS_CC 22

Name Telemeter Memory Pool Statistics

Description

This command allows the user to obtain a snapshot of the statistics maintained for a specified memory pool.

Command Mnemonic(s) \$sc_\$cpu_ES_PoolStats

Command Structure

CFE_ES_SendMemPoolStatsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_TLM_POOL_STATS_INFO_EID debug event message will be generated.
- The Memory Pool Statistics Telemetry Packet is produced

Error Conditions

This command may fail for the following reason(s):

· The specified handle is not associated with a known memory pool

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

An incorrect Memory Pool Handle value can cause a system crash. Extreme care should be taken to ensure the memory handle value used in the command is correct.

See also

Definition at line 958 of file cfe_es_msg.h.

11.46.2.16 CFE_ES_SET_MAX_PR_COUNT_CC

#define CFE_ES_SET_MAX_PR_COUNT_CC 20

Name Configure the Maximum Number of Processor Resets before a Power-On Reset

Description

This command allows the user to specify the number of Processor Resets that are allowed before the next Processor Reset is upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc_\$cpu_ES_SetMaxPRCnt

Command Structure

CFE ES SetMaxPRCountCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_MaxProcResets Current maximum number of processor resets before an automatic power-on reset will go to the command specified value.
- The CFE_ES_SET_MAX_PR_COUNT_EID informational event message will be generated.

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

If the operator were to set the Maximum Processor Reset Count to too high a value, the processor would require an inordinate number of consecutive processor resets before an automatic power-on reset would occur. This could potentially leave the spacecraft without any control for a significant amount of time if a processor reset fails to clear a problem.

See also

CFE ES RESET PR COUNT CC

Definition at line 877 of file cfe es msg.h.

11.46.2.17 CFE_ES_SET_PERF_FILTER_MASK_CC

#define CFE_ES_SET_PERF_FILTER_MASK_CC 16

Name Set Performance Analyzer's Filter Masks

Description

This command sets the Performance Analyzer's Filter Masks.

Command Mnemonic(s) \$sc_\$cpu_ES_LAFilterMask

Command Structure

CFE ES SetPerfFilterMaskCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfFltrMask[MaskCnt] the current performance filter mask value(s) should reflect the commanded value
- The CFE_ES_PERF_FILTMSKCMD_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

· The Filter Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

Changing the filter masks may cause a small change in the Performance Analyzer's CPU utilization.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_TRIGGER_M↔ ASK_CC

Definition at line 725 of file cfe_es_msg.h.

11.46.2.18 CFE_ES_SET_PERF_TRIGGER_MASK_CC

```
#define CFE_ES_SET_PERF_TRIGGER_MASK_CC 17
```

Name Set Performance Analyzer's Trigger Masks

Description

This command sets the Performance Analyzer's Trigger Masks.

Command Mnemonic(s) \$sc_\$cpu_ES_LATriggerMask

Command Structure

CFE_ES_SetPerfTriggerMaskCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfTrigMask[MaskCnt] the current performance trigger mask value(s) should reflect the commanded value
- The CFE_ES_PERF_TRIGMSKCMD_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

· The Trigger Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

Changing the trigger masks may cause a small change in the Performance Analyzer's CPU utilization.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MA⇔ SK CC

Definition at line 762 of file cfe_es_msg.h.

11.46.2.19 CFE_ES_START_APP_CC

#define CFE_ES_START_APP_CC 4

Name Load and Start an Application

Description

This command starts the specified application with the specified start address, stack size, etc options.

Command Mnemonic(s) \$sc_\$cpu_ES_StartApp

Command Structure

CFE_ES_StartAppCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_START_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · The specified application filename string cannot be parsed
- · The specified application entry point is an empty string
- · The specified application name is an empty string
- · The specified priority is greater than 255
- The Operating System was unable to load the specified application file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous although system resources could be taxed beyond their limits with the starting of erroneous or invalid applications.

See also

CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_RELOAD_APP_CC

Definition at line 215 of file cfe es msg.h.

11.46.2.20 CFE_ES_START_PERF_DATA_CC

```
#define CFE_ES_START_PERF_DATA_CC 14
```

Name Start Performance Analyzer

Description

This command causes the Performance Analyzer to begin collecting data using the specified trigger mode.

Command Mnemonic(s) \$sc_\$cpu_ES_StartLAData

Command Structure

```
CFE_ES_StartPerfDataCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfState Current performance analyzer state will change to either WAITING FOR TRIGGER or, if conditions are appropriate fast enough, TRIGGERED.
- \$sc_\$cpu_ES_PerfMode Performance Analyzer Mode will change to the commanded trigger mode (TRIGGER START, TRIGGER CENTER, or TRIGGER END).
- \$sc_\$cpu_ES_PerfTrigCnt Performance Trigger Count will go to zero
- \$sc_\$cpu_ES_PerfDataStart Data Start Index will go to zero
- \$sc_\$cpu_ES_PerfDataEnd Data End Index will go to zero
- \$sc_\$cpu_ES_PerfDataCnt Performance Data Counter will go to zero
- The CFE ES PERF STARTCMD EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

- A previous CFE_ES_STOP_PERF_DATA_CC command has not completely finished.
- An invalid trigger mode is requested.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous but may cause a small increase in CPU utilization as the performance analyzer data is collected.

See also

 $\label{eq:cfe_es_stop_perf_data_cc} CFE_ES_SET_PERF_FILTER_MASK_CC, CFE_ES_SET_PERF_TRIGG \\ \leftarrow ER_MASK_CC$

Definition at line 638 of file cfe_es_msg.h.

11.46.2.21 CFE_ES_STOP_APP_CC

#define CFE_ES_STOP_APP_CC 5

Name Stop and Unload Application

Description

This command halts and removes the specified Application from the system. **NOTE:** This command should never be used on the Command Ingest application. This would prevent further commands from entering the system. If Command Ingest needs to be stopped and restarted, use CFE_ES_RESTART_APP_CC or CFE_ES_RELOAD ← APP_CC.

Command Mnemonic(s) \$sc_\$cpu_ES_StopApp

Command Structure

CFE ES StopAppCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_STOP_DBG_EID debug event message will be generated. NOTE: This event message only
 identifies that the stop request has been initiated, not that it has completed.
- Once the stop has successfully completed, the list of Applications and Tasks created in response to the \$sc_\$cpu_ES_WriteAppInfo2File, \$sc_\$cpu_ES_WriteTaskInfo2File should no longer contain the specified application.
- \$sc_\$cpu_ES_RegTasks number of tasks will decrease after tasks associated with app (main task and any child tasks) are stopped
- \$sc_\$cpu_ES_ReqExtApps external application counter will decrement after app is cleaned up

Error Conditions

This command may fail for the following reason(s):

- The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the removal of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

CFE_ES_START_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_RELOAD_APP_CC

Definition at line 268 of file cfe es msg.h.

11.46.2.22 CFE_ES_STOP_PERF_DATA_CC

```
#define CFE_ES_STOP_PERF_DATA_CC 15
```

Name Stop Performance Analyzer and write data file

Description

This command stops the Performance Analyzer from collecting any more data, and writes all previously collected performance data to a log file.

Command Mnemonic(s) \$sc_\$cpu_ES_StopLAData

Command Structure

```
CFE_ES_StopPerfDataCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfState Current performance analyzer state will change to IDLE.
- The CFE_ES_PERF_STOPCMD_EID debug event message will be generated to indicate that data collection
 has been stopped. NOTE: Performance log data is written to the file as a background job. This event indicates
 that the file write process is initiated, not that it has completed.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_PERF
 — DUMP_FILENAME configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The file name specified could not be parsed
- · Log data from a previous Stop Performance Analyzer command is still being written to a file.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu ES CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

NOTE: The performance analyzer data collection will still be stopped in the event of an error parsing the log file name or writing the log file.

Criticality

This command is not inherently dangerous. However, depending on configuration, performance data log files may be large in size and thus may fill the available storage.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MASK_CC, CFE_ES_SET_PERF_TRIG← GER_MASK_CC

Definition at line 688 of file cfe es msg.h.

11.46.2.23 CFE_ES_WRITE_ER_LOG_CC

#define CFE_ES_WRITE_ER_LOG_CC 13

Name Writes Exception and Reset Log to a File

Description

This command causes the contents of the Executive Services Exception and Reset Log to be written to the specified file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteERLog2File

Command Structure

CFE_ES_WriteERLogCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_ERLOG2_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_ER_L
 —
 OG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- A previous request to write the ER log has not yet completed
- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_WRITE_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC

Definition at line 593 of file cfe_es_msg.h.

11.46.2.24 CFE_ES_WRITE_SYSLOG_CC

```
#define CFE_ES_WRITE_SYSLOG_CC 11
```

Name Writes contents of Executive Services System Log to a File

Description

This command causes the contents of the Executive Services System Log to be written to a log file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteSysLog2File

Command Structure

CFE_ES_WriteSysLogCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES SYSLOG2 EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_SYSL
 — OG FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC, CFE_ES_WRITE_ER_LOG_CC, CFE_ES
_OVER_WRITE_SYSLOG_CC

Definition at line 516 of file cfe es msg.h.

11.46.3 Typedef Documentation

```
11.46.3.1 CFE_ES_AppNameCmd_Payload_t
typedef struct CFE_ES_AppNameCmd_Payload CFE_ES_AppNameCmd_Payload_t
Generic application name command payload.
For command details, see CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_QUERY_ONE_CC
11.46.3.2 CFE_ES_AppNameCmd_t
typedef struct CFE_ES_AppNameCmd CFE_ES_AppNameCmd_t
Generic application name command.
11.46.3.3 CFE_ES_AppReloadCmd_Payload_t
typedef struct CFE_ES_AppReloadCmd_Payload CFE_ES_AppReloadCmd_Payload_t
Reload Application Command Payload.
For command details, see CFE_ES_RELOAD_APP_CC
11.46.3.4 CFE_ES_ClearERLogCmd_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearERLogCmd_t
Definition at line 1074 of file cfe_es_msg.h.
11.46.3.5 CFE_ES_ClearSysLogCmd_t
{\tt typedef\ CFE\_ES\_NoArgsCmd\_t\ CFE\_ES\_ClearSysLogCmd\_t}
Definition at line 1073 of file cfe_es_msg.h.
11.46.3.6 CFE_ES_DeleteCDSCmd_Payload_t
typedef struct CFE_ES_DeleteCDSCmd_Payload CFE_ES_DeleteCDSCmd_Payload_t
Delete Critical Data Store Command Payload.
```

For command details, see CFE ES DELETE CDS CC

```
11.46.3.7 CFE_ES_DeleteCDSCmd_t
typedef struct CFE_ES_DeleteCDSCmd CFE_ES_DeleteCDSCmd_t
Delete Critical Data Store Command.
11.46.3.8 CFE_ES_DumpCDSRegistryCmd_Payload_t
typedef struct CFE_ES_DumpCDSRegistryCmd_Payload CFE_ES_DumpCDSRegistryCmd_Payload_t
Dump CDS Registry Command Payload.
For command details, see CFE_ES_DUMP_CDS_REGISTRY_CC
11.46.3.9 CFE_ES_DumpCDSRegistryCmd_t
typedef struct CFE_ES_DumpCDSRegistryCmd CFE_ES_DumpCDSRegistryCmd_t
Dump CDS Registry Command.
11.46.3.10 CFE_ES_FileNameCmd_Payload_t
typedef struct CFE_ES_FileNameCmd_Payload CFE_ES_FileNameCmd_Payload_t
Generic file name command payload.
This format is shared by several executive services commands. For command details, see CFE ES QUERY ALL CC,
CFE_ES_QUERY_ALL_TASKS_CC, CFE_ES_WRITE_SYSLOG_CC, and CFE_ES_WRITE_ER_LOG_CC
11.46.3.11 CFE_ES_FileNameCmd_t
typedef struct CFE_ES_FileNameCmd CFE_ES_FileNameCmd_t
Generic file name command.
11.46.3.12 CFE_ES_HousekeepingTlm_Payload_t
typedef struct CFE_ES_HousekeepingTlm_Payload CFE_ES_HousekeepingTlm_Payload_t
Name Executive Services Housekeeping Packet
```

```
11.46.3.13 CFE_ES_HousekeepingTlm_t
typedef struct CFE_ES_HousekeepingTlm CFE_ES_HousekeepingTlm_t
11.46.3.14 CFE_ES_MemStatsTIm_t
typedef struct CFE_ES_MemStatsTlm CFE_ES_MemStatsTlm_t
11.46.3.15 CFE_ES_NoArgsCmd_t
typedef struct CFE_ES_NoArgsCmd CFE_ES_NoArgsCmd_t
Generic "no arguments" command.
This command structure is used for commands that do not have any parameters. This includes:
  1. The Housekeeping Request Message
  2. The No-Op Command (For details, see CFE_ES_NOOP_CC)
  3. The Reset Counters Command (For details, see CFE_ES_RESET_COUNTERS_CC)
11.46.3.16 CFE_ES_NoopCmd_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_NoopCmd_t
Definition at line 1071 of file cfe es msg.h.
11.46.3.17 CFE_ES_OneAppTIm_Payload_t
typedef struct CFE_ES_OneAppTlm_Payload CFE_ES_OneAppTlm_Payload_t
Name Single Application Information Packet
11.46.3.18 CFE_ES_OneAppTIm_t
```

typedef struct CFE_ES_OneAppTlm CFE_ES_OneAppTlm_t

```
11.46.3.19 CFE_ES_OverWriteSysLogCmd_Payload_t
typedef struct CFE_ES_OverWriteSysLogCmd_Payload CFE_ES_OverWriteSysLogCmd_Payload_t
Overwrite/Discard System Log Configuration Command Payload.
For command details, see CFE_ES_OVER_WRITE_SYSLOG_CC
11.46.3.20 CFE_ES_OverWriteSysLogCmd_t
typedef struct CFE_ES_OverWriteSysLogCmd CFE_ES_OverWriteSysLogCmd_t
Overwrite/Discard System Log Configuration Command Payload.
11.46.3.21 CFE_ES_PoolStatsTlm_Payload_t
typedef struct CFE_ES_PoolStatsTlm_Payload CFE_ES_PoolStatsTlm_Payload_t
Name Memory Pool Statistics Packet
11.46.3.22 CFE_ES_QueryAllCmd_t
typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAllCmd_t
Definition at line 1125 of file cfe_es_msg.h.
11.46.3.23 CFE_ES_QueryAllTasksCmd_t
typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAllTasksCmd_t
Definition at line 1126 of file cfe_es_msg.h.
11.46.3.24 CFE_ES_QueryOneCmd_t
typedef CFE_ES_AppNameCmd_t CFE_ES_QueryOneCmd_t
Definition at line 1211 of file cfe_es_msg.h.
```

```
11.46.3.25 CFE_ES_ReloadAppCmd_t
typedef struct CFE_ES_ReloadAppCmd CFE_ES_ReloadAppCmd_t
Reload Application Command.
11.46.3.26 CFE_ES_ResetCountersCmd_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetCountersCmd_t
Definition at line 1072 of file cfe_es_msg.h.
11.46.3.27 CFE_ES_ResetPRCountCmd_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetPRCountCmd_t
Definition at line 1075 of file cfe_es_msg.h.
11.46.3.28 CFE_ES_RestartAppCmd_t
typedef CFE_ES_AppNameCmd_t CFE_ES_RestartAppCmd_t
Definition at line 1210 of file cfe es msg.h.
11.46.3.29 CFE_ES_RestartCmd_Payload_t
typedef struct CFE_ES_RestartCmd_Payload CFE_ES_RestartCmd_Payload_t
Restart cFE Command Payload.
For command details, see CFE ES RESTART CC
11.46.3.30 CFE_ES_RestartCmd_t
typedef struct CFE_ES_RestartCmd CFE_ES_RestartCmd_t
Restart cFE Command.
```

```
11.46.3.31 CFE_ES_SendMemPoolStatsCmd_Payload_t
typedef struct CFE_ES_SendMemPoolStatsCmd_Payload CFE_ES_SendMemPoolStatsCmd_Payload_t
Send Memory Pool Statistics Command Payload.
For command details, see CFE_ES_SEND_MEM_POOL_STATS_CC
11.46.3.32 CFE_ES_SendMemPoolStatsCmd_t
typedef struct CFE_ES_SendMemPoolStatsCmd CFE_ES_SendMemPoolStatsCmd_t
Send Memory Pool Statistics Command.
11.46.3.33 CFE_ES_SetMaxPRCountCmd_Payload_t
typedef struct CFE_ES_SetMaxPRCountCmd_Payload CFE_ES_SetMaxPRCountCmd_Payload_t
Set Maximum Processor Reset Count Command Payload.
For command details, see CFE ES SET MAX PR COUNT CC
11.46.3.34 CFE_ES_SetMaxPRCountCmd_t
typedef struct CFE_ES_SetMaxPRCountCmd CFE_ES_SetMaxPRCountCmd_t
Set Maximum Processor Reset Count Command.
11.46.3.35 CFE ES SetPerfFilterMaskCmd Payload t
typedef\ struct\ CFE\_ES\_SetPerfFilterMaskCmd\_Payload\ CFE\_ES\_SetPerfFilterMaskCmd\_Payload\_t
Set Performance Analyzer Filter Mask Command Payload.
For command details, see CFE ES SET PERF FILTER MASK CC
11.46.3.36 CFE_ES_SetPerfFilterMaskCmd_t
typedef struct CFE_ES_SetPerfFilterMaskCmd CFE_ES_SetPerfFilterMaskCmd_t
```

Set Performance Analyzer Filter Mask Command.

```
11.46.3.37 CFE_ES_SetPerfTriggerMaskCmd_t
typedef struct CFE_ES_SetPerfTriggerMaskCmd CFE_ES_SetPerfTriggerMaskCmd_t
Set Performance Analyzer Trigger Mask Command.
11.46.3.38 CFE_ES_SetPerfTrigMaskCmd_Payload_t
{\tt typedef\ struct\ CFE\_ES\_SetPerfTrigMaskCmd\_Payload\ CFE\_ES\_SetPerfTrigMaskCmd\_Payload\_t}
Set Performance Analyzer Trigger Mask Command Payload.
For command details, see CFE ES SET PERF TRIGGER MASK CC
11.46.3.39 CFE_ES_StartAppCmd_Payload_t
typedef struct CFE_ES_StartAppCmd_Payload CFE_ES_StartAppCmd_Payload_t
Start Application Command Payload.
For command details, see CFE ES START APP CC
11.46.3.40 CFE_ES_StartAppCmd_t
typedef struct CFE_ES_StartApp CFE_ES_StartAppCmd_t
Start Application Command.
11.46.3.41 CFE ES StartPerfCmd Payload t
typedef struct CFE_ES_StartPerfCmd_Payload CFE_ES_StartPerfCmd_Payload_t
Start Performance Analyzer Command Payload.
For command details, see CFE ES START PERF DATA CC
11.46.3.42 CFE_ES_StartPerfDataCmd_t
typedef struct CFE_ES_StartPerfDataCmd CFE_ES_StartPerfDataCmd_t
Start Performance Analyzer Command.
```

```
11.46.3.43 CFE_ES_StopAppCmd_t
typedef CFE_ES_AppNameCmd_t CFE_ES_StopAppCmd_t
Definition at line 1209 of file cfe_es_msg.h.
11.46.3.44 CFE_ES_StopPerfCmd_Payload_t
typedef struct CFE_ES_StopPerfCmd_Payload CFE_ES_StopPerfCmd_Payload_t
Stop Performance Analyzer Command Payload.
For command details, see CFE_ES_STOP_PERF_DATA_CC
11.46.3.45 CFE_ES_StopPerfDataCmd_t
typedef struct CFE_ES_StopPerfDataCmd CFE_ES_StopPerfDataCmd_t
Stop Performance Analyzer Command.
11.46.3.46 CFE_ES_WriteERLogCmd_t
typedef CFE_ES_FileNameCmd_t CFE_ES_WriteERLogCmd_t
Definition at line 1128 of file cfe_es_msg.h.
11.46.3.47 CFE_ES_WriteSysLogCmd_t
{\tt typedef\ CFE\_ES\_FileNameCmd\_t\ CFE\_ES\_WriteSysLogCmd\_t}
Definition at line 1127 of file cfe_es_msg.h.
```

11.47 cfe/modules/evs/fsw/inc/cfe_evs_events.h File Reference

Macros

EVS event IDs

```
• #define CFE EVS NOOP EID 0
```

EVS No-op Command Success Event ID.

#define CFE EVS STARTUP EID 1

EVS Initialization Event ID.

#define CFE EVS ERR WRLOGFILE EID 2

EVS Write Event Log Command File Write Entry Failed Event ID.

#define CFE EVS ERR CRLOGFILE EID 3

EVS Write Event Log Command Filename Parse or File Create Failed Event ID.

• #define CFE EVS ERR MSGID EID 5

EVS Invalid Message ID Received Event ID.

#define CFE EVS ERR EVTIDNOREGS EID 6

EVS Command Event Not Registered For Filtering Event ID.

#define CFE EVS ERR APPNOREGS EID 7

EVS Command Application Not Registered With EVS Event ID.

#define CFE EVS ERR ILLAPPIDRANGE EID 8

EVS Command Get Application Data Failure Event ID.

• #define CFE EVS ERR NOAPPIDFOUND EID 9

EVS Command Get Application ID Failure Event ID.

#define CFE EVS ERR ILLEGALFMTMOD EID 10

EVS Set Event Format Command Invalid Format Event ID.

#define CFE EVS ERR MAXREGSFILTER EID 11

EVS Add Filter Command Max Filters Exceeded Event ID.

#define CFE_EVS_ERR_WRDATFILE_EID 12

EVS Write Application Data Command Write Data Failure Event ID.

#define CFE_EVS_ERR_CRDATFILE_EID 13

EVS Write Application Data Command Filename Parse or File Create Failed Event ID.

• #define CFE EVS ERR CC EID 15

EVS Invalid Command Code Received Event ID.

#define CFE EVS RSTCNT EID 16

EVS Reset Counters Command Success Event ID.

#define CFE_EVS_SETFILTERMSK_EID 17

EVS Set Filter Command Success Event ID.

#define CFE_EVS_ENAPORT_EID 18

EVS Enable Ports Command Success Event ID.

• #define CFE_EVS_DISPORT_EID 19

EVS Disable Ports Command Success Event ID.

#define CFE_EVS_ENAEVTTYPE_EID 20

EVS Enable Event Type Command Success Event ID.

#define CFE_EVS_DISEVTTYPE_EID 21

EVS Disable Event Type Command Success Event ID.

#define CFE_EVS_SETEVTFMTMOD_EID 22

EVS Set Event Format Mode Command Success Event ID.

#define CFE EVS ENAAPPEVTTYPE EID 23

EVS Enable App Event Type Command Success Event ID.

#define CFE_EVS_DISAPPENTTYPE_EID 24

EVS Disable App Event Type Command Success Event ID.

• #define CFE_EVS_ENAAPPEVT_EID 25

EVS Enable App Events Command Success Event ID.

• #define CFE_EVS_DISAPPEVT_EID 26

```
EVS Disable App Events Command Success Event ID.

    #define CFE_EVS_RSTEVTCNT_EID 27

             EVS Reset App Event Counter Command Success Event ID.

    #define CFE EVS RSTFILTER EID 28

             EVS Reset App Event Filter Command Success Event ID.
       • #define CFE_EVS_RSTALLFILTER_EID 29
             EVS Reset All Filters Command Success Event ID.

    #define CFE EVS ADDFILTER EID 30

             EVS Add Event Filter Command Success Event ID.

    #define CFE EVS DELFILTER EID 31

             EVS Delete Event Filter Command Success Event ID.

    #define CFE_EVS_WRDAT_EID 32

             EVS Write Application Data Command Success Event ID.

    #define CFE EVS WRLOG EID 33

             EVS Write Event Log Command Success Event ID.

    #define CFE EVS EVT FILTERED EID 37

             EVS Add Filter Command Duplicate Registration Event ID.

    #define CFE_EVS_LOGMODE_EID 38

             EVS Set Log Mode Command Success Event ID.

    #define CFE EVS ERR LOGMODE EID 39

             EVS Set Log Mode Command Invalid Mode Event ID.
       • #define CFE EVS ERR INVALID BITMASK EID 40
             EVS Port Or Event Type Bitmask Invalid Event ID.

    #define CFE EVS ERR UNREGISTERED EVS APP 41

             EVS Send Event API App Not Registered With EVS Event ID.

    #define CFE EVS FILTER MAX EID 42

             EVS Filter Max Count Reached Event ID.
       • #define CFE EVS LEN ERR EID 43
             EVS Invalid Command Length Event ID.

    #define CFE EVS SQUELCHED ERR EID 44

             EVS Events Squelched Error Event ID.
 11.47.1 Detailed Description
 cFE Event Services Event IDs
 11.47.2 Macro Definition Documentation
 11.47.2.1 CFE_EVS_ADDFILTER_EID
 #define CFE_EVS_ADDFILTER_EID 30
 EVS Add Event Filter Command Success Event ID.
Type: DEBUG
Cause:
 EVS Add Event Filter Command success.
 Definition at line 356 of file cfe evs events.h.
```

```
11.47.2.2 CFE_EVS_DELFILTER_EID
 #define CFE_EVS_DELFILTER_EID 31
 EVS Delete Event Filter Command Success Event ID.
Type: DEBUG
Cause:
 EVS Delete Event Filter Command success.
 Definition at line 367 of file cfe_evs_events.h.
 11.47.2.3 CFE EVS DISAPPENTTYPE EID
 #define CFE_EVS_DISAPPENTTYPE_EID 24
 EVS Disable App Event Type Command Success Event ID.
Type: DEBUG
Cause:
 EVS Disable App Event Type Command success.
 Definition at line 290 of file cfe_evs_events.h.
 11.47.2.4 CFE_EVS_DISAPPEVT_EID
 #define CFE_EVS_DISAPPEVT_EID 26
 EVS Disable App Events Command Success Event ID.
Type: DEBUG
Cause:
```

Generated by Doxygen

EVS Disable App Events Command success.

Definition at line 312 of file cfe_evs_events.h.

```
11.47.2.5 CFE_EVS_DISEVTTYPE_EID
 #define CFE_EVS_DISEVTTYPE_EID 21
 EVS Disable Event Type Command Success Event ID.
Type: DEBUG
Cause:
 EVS Disable Event Type Command success.
 Definition at line 257 of file cfe_evs_events.h.
 11.47.2.6 CFE_EVS_DISPORT_EID
 #define CFE_EVS_DISPORT_EID 19
 EVS Disable Ports Command Success Event ID.
Type: DEBUG
Cause:
 EVS Disable Ports Command success.
 Definition at line 235 of file cfe_evs_events.h.
 11.47.2.7 CFE_EVS_ENAAPPEVT_EID
 #define CFE_EVS_ENAAPPEVT_EID 25
 EVS Enable App Events Command Success Event ID.
Type: DEBUG
Cause:
 EVS Enable App Events Command success.
```

Definition at line 301 of file cfe_evs_events.h.

```
11.47.2.8 CFE_EVS_ENAAPPEVTTYPE_EID
 #define CFE_EVS_ENAAPPEVTTYPE_EID 23
 EVS Enable App Event Type Command Success Event ID.
Type: DEBUG
Cause:
 EVS Enable App Event Type Command success.
 Definition at line 279 of file cfe_evs_events.h.
 11.47.2.9 CFE_EVS_ENAEVTTYPE_EID
 #define CFE_EVS_ENAEVTTYPE_EID 20
 EVS Enable Event Type Command Success Event ID.
Type: DEBUG
Cause:
 EVS Enable Event Type Command success.
 Definition at line 246 of file cfe_evs_events.h.
 11.47.2.10 CFE_EVS_ENAPORT_EID
 #define CFE_EVS_ENAPORT_EID 18
 EVS Enable Ports Command Success Event ID.
Type: DEBUG
Cause:
```

Generated by Doxygen

EVS Enable Ports Command success.

Definition at line 224 of file cfe_evs_events.h.

11.47.2.11 CFE_EVS_ERR_APPNOREGS_EID #define CFE_EVS_ERR_APPNOREGS_EID 7 EVS Command Application Not Registered With EVS Event ID. Type: ERROR Cause: An EVS command handler failure due to the referenced application not being registered with EVS. OVERLOADED Definition at line 110 of file cfe evs events.h. 11.47.2.12 CFE_EVS_ERR_CC_EID #define CFE_EVS_ERR_CC_EID 15 EVS Invalid Command Code Received Event ID. Type: ERROR Cause: Invalid command code for message ID CFE_EVS_CMD_MID received on the EVS message pipe. Definition at line 191 of file cfe_evs_events.h. 11.47.2.13 CFE_EVS_ERR_CRDATFILE_EID #define CFE_EVS_ERR_CRDATFILE_EID 13 EVS Write Application Data Command Filename Parse or File Create Failed Event ID. Type: ERROR Cause:

Write Application Data Command failed to parse the filename or open/create the file. OVERLOADED Definition at line 180 of file cfe_evs_events.h.

```
11.47.2.14 CFE_EVS_ERR_CRLOGFILE_EID
 #define CFE_EVS_ERR_CRLOGFILE_EID 3
EVS Write Event Log Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
EVS Write Event Log Command failure parsing the file name or during open/creation of the file. OVERLOADED
Definition at line 77 of file cfe_evs_events.h.
11.47.2.15 CFE_EVS_ERR_EVTIDNOREGS_EID
 #define CFE_EVS_ERR_EVTIDNOREGS_EID 6
EVS Command Event Not Registered For Filtering Event ID.
Type: ERROR
Cause:
An EVS command handler failure due to the event not being registered for filtering. OVERLOADED
 Definition at line 99 of file cfe_evs_events.h.
11.47.2.16 CFE_EVS_ERR_ILLAPPIDRANGE_EID
 #define CFE_EVS_ERR_ILLAPPIDRANGE_EID 8
EVS Command Get Application Data Failure Event ID.
Type: ERROR
Cause:
An EVS command handler failure retrieving the application data. OVERLOADED
```

Definition at line 121 of file cfe_evs_events.h.

11.47.2.17 CFE_EVS_ERR_ILLEGALFMTMOD_EID #define CFE_EVS_ERR_ILLEGALFMTMOD_EID 10 EVS Set Event Format Command Invalid Format Event ID. Type: ERROR Cause: EVS Set Event Format Command failure due to invalid format argument. Definition at line 144 of file cfe_evs_events.h. 11.47.2.18 CFE EVS ERR INVALID BITMASK EID #define CFE_EVS_ERR_INVALID_BITMASK_EID 40 EVS Port Or Event Type Bitmask Invalid Event ID. Type: ERROR Cause: Invalid bitmask for EVS port or event type. OVERLOADED Definition at line 435 of file cfe_evs_events.h. 11.47.2.19 CFE_EVS_ERR_LOGMODE_EID #define CFE_EVS_ERR_LOGMODE_EID 39 EVS Set Log Mode Command Invalid Mode Event ID. Type: ERROR Cause: EVS Set Log Mode Command failure due to invalid log mode.

Definition at line 424 of file cfe_evs_events.h.

```
11.47.2.20 CFE_EVS_ERR_MAXREGSFILTER_EID
 #define CFE_EVS_ERR_MAXREGSFILTER_EID 11
EVS Add Filter Command Max Filters Exceeded Event ID.
Type: ERROR
Cause:
EVS Add Filter Command failure due to exceeding the maximum number of filters.
Definition at line 156 of file cfe_evs_events.h.
11.47.2.21 CFE EVS ERR MSGID EID
 #define CFE_EVS_ERR_MSGID_EID 5
EVS Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the EVS message pipe.
Definition at line 88 of file cfe_evs_events.h.
11.47.2.22 CFE_EVS_ERR_NOAPPIDFOUND_EID
 #define CFE_EVS_ERR_NOAPPIDFOUND_EID 9
EVS Command Get Application ID Failure Event ID.
Type: ERROR
Cause:
An EVS command handler failure retrieving the application ID. OVERLOADED
```

Definition at line 132 of file cfe_evs_events.h.

11.47.2.23 CFE_EVS_ERR_UNREGISTERED_EVS_APP #define CFE_EVS_ERR_UNREGISTERED_EVS_APP 41 EVS Send Event API App Not Registered With EVS Event ID. Type: ERROR Cause: An EVS Send Event API called for application not registered with EVS. Definition at line 446 of file cfe_evs_events.h. 11.47.2.24 CFE_EVS_ERR_WRDATFILE_EID #define CFE_EVS_ERR_WRDATFILE_EID 12 EVS Write Application Data Command Write Data Failure Event ID. Type: ERROR Cause: Write Application Data Command failure to write application EVS data. Definition at line 168 of file cfe_evs_events.h. 11.47.2.25 CFE_EVS_ERR_WRLOGFILE_EID #define CFE_EVS_ERR_WRLOGFILE_EID 2 EVS Write Event Log Command File Write Entry Failed Event ID. Type: ERROR Cause: EVS Write Event Log Command failure writing data to the file.

Definition at line 65 of file cfe_evs_events.h.

```
11.47.2.26 CFE_EVS_EVT_FILTERED_EID
 #define CFE_EVS_EVT_FILTERED_EID 37
EVS Add Filter Command Duplicate Registration Event ID.
Type: ERROR
Cause:
EVS Add Filter Command failure due to event already being registered for filtering.
Definition at line 401 of file cfe evs events.h.
11.47.2.27 CFE_EVS_FILTER_MAX_EID
 #define CFE_EVS_FILTER_MAX_EID 42
EVS Filter Max Count Reached Event ID.
Type: INFORMATIONAL
Cause:
Filter count for the event reached CFE_EVS_MAX_FILTER_COUNT and is latched until filter is reset.
Definition at line 457 of file cfe_evs_events.h.
11.47.2.28 CFE_EVS_LEN_ERR_EID
 #define CFE_EVS_LEN_ERR_EID 43
EVS Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_EVS_CMD_MID received on the EVS message pipe.
Definition at line 468 of file cfe_evs_events.h.
```

```
11.47.2.29 CFE_EVS_LOGMODE_EID
 #define CFE_EVS_LOGMODE_EID 38
 EVS Set Log Mode Command Success Event ID.
Type: DEBUG
Cause:
 EVS Set Log Mode Command success.
 Definition at line 412 of file cfe_evs_events.h.
 11.47.2.30 CFE_EVS_NOOP_EID
 #define CFE_EVS_NOOP_EID 0
 EVS No-op Command Success Event ID.
Type: INFORMATION
Cause:
 EVS NO-OP command success.
 Definition at line 42 of file cfe_evs_events.h.
 11.47.2.31 CFE_EVS_RSTALLFILTER_EID
 #define CFE_EVS_RSTALLFILTER_EID 29
 EVS Reset All Filters Command Success Event ID.
Type: DEBUG
Cause:
 EVS Reset All Filters Command success.
```

Definition at line 345 of file cfe_evs_events.h.

```
11.47.2.32 CFE_EVS_RSTCNT_EID
 #define CFE_EVS_RSTCNT_EID 16
 EVS Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
 EVS Reset Counters Command success.
 Definition at line 202 of file cfe_evs_events.h.
 11.47.2.33 CFE_EVS_RSTEVTCNT_EID
 #define CFE_EVS_RSTEVTCNT_EID 27
 EVS Reset App Event Counter Command Success Event ID.
Type: DEBUG
Cause:
 EVS Reset App Event Counter Command success.
 Definition at line 323 of file cfe_evs_events.h.
 11.47.2.34 CFE_EVS_RSTFILTER_EID
 #define CFE_EVS_RSTFILTER_EID 28
 EVS Reset App Event Filter Command Success Event ID.
Type: DEBUG
Cause:
```

Generated by Doxygen

EVS Reset App Event Filter Command success.

Definition at line 334 of file cfe_evs_events.h.

11.47.2.35 CFE_EVS_SETEVTFMTMOD_EID #define CFE_EVS_SETEVTFMTMOD_EID 22 EVS Set Event Format Mode Command Success Event ID. Type: DEBUG Cause: EVS Set Event Format Mode Command success. Definition at line 268 of file cfe evs events.h. 11.47.2.36 CFE_EVS_SETFILTERMSK_EID #define CFE_EVS_SETFILTERMSK_EID 17 EVS Set Filter Command Success Event ID. Type: DEBUG Cause: EVS Set Filter Command success. Definition at line 213 of file cfe_evs_events.h. 11.47.2.37 CFE_EVS_SQUELCHED_ERR_EID #define CFE_EVS_SQUELCHED_ERR_EID 44 EVS Events Squelched Error Event ID. Type: ERROR Cause: Events generated in app at a rate in excess of CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST in one moment or CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC sustained

Generated by Doxygen

Definition at line 481 of file cfe_evs_events.h.

```
11.47.2.38 CFE_EVS_STARTUP_EID
 #define CFE_EVS_STARTUP_EID 1
 EVS Initialization Event ID.
Type: INFORMATION
Cause:
 Event Services Task initialization complete.
 Definition at line 53 of file cfe_evs_events.h.
 11.47.2.39 CFE_EVS_WRDAT_EID
 #define CFE_EVS_WRDAT_EID 32
 EVS Write Application Data Command Success Event ID.
Type: DEBUG
Cause:
 EVS Write Application Data Command success.
 Definition at line 378 of file cfe_evs_events.h.
 11.47.2.40 CFE_EVS_WRLOG_EID
 #define CFE_EVS_WRLOG_EID 33
 EVS Write Event Log Command Success Event ID.
Type: DEBUG
Cause:
 EVS Write Event Log Command success.
```

Definition at line 389 of file cfe_evs_events.h.

11.48 cfe/modules/evs/fsw/inc/cfe_evs_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_evs_extern_typedefs.h"
#include "cfe es extern typedefs.h"
```

Data Structures

• struct CFE_EVS_NoArgsCmd

Command with no additional arguments.

• struct CFE_EVS_LogFileCmd_Payload

Write Event Log to File Command Payload.

• struct CFE_EVS_WriteLogDataFileCmd

Write Event Log to File Command.

struct CFE_EVS_AppDataCmd_Payload

Write Event Services Application Information to File Command Payload.

struct CFE_EVS_WriteAppDataFileCmd

Write Event Services Application Information to File Command.

struct CFE EVS SetLogMode Payload

Set Log Mode Command Payload.

struct CFE EVS SetLogModeCmd

Set Log Mode Command.

struct CFE_EVS_SetEventFormatCode_Payload

Set Event Format Mode Command Payload.

struct CFE_EVS_SetEventFormatModeCmd

Set Event Format Mode Command.

struct CFE_EVS_BitMaskCmd_Payload

Generic Bitmask Command Payload.

struct CFE_EVS_BitMaskCmd

Generic Bitmask Command.

struct CFE_EVS_AppNameCmd_Payload

Generic App Name Command Payload.

struct CFE_EVS_AppNameCmd

Generic App Name Command.

struct CFE EVS AppNameEventIDCmd Payload

Generic App Name and Event ID Command Payload.

struct CFE_EVS_AppNameEventIDCmd

Generic App Name and Event ID Command.

struct CFE EVS AppNameBitMaskCmd Payload

Generic App Name and Bitmask Command Payload.

struct CFE EVS AppNameBitMaskCmd

Generic App Name and Bitmask Command.

struct CFE EVS AppNameEventIDMaskCmd Payload

Generic App Name, Event ID, Mask Command Payload.

struct CFE EVS AppNameEventIDMaskCmd

Generic App Name, Event ID, Mask Command.

- struct CFE_EVS_AppTImData
- struct CFE_EVS_HousekeepingTlm_Payload
- struct CFE EVS HousekeepingTlm
- struct CFE EVS PacketID
- struct CFE_EVS_LongEventTlm_Payload
- struct CFE_EVS_ShortEventTlm_Payload
- struct CFE_EVS_LongEventTlm
- struct CFE EVS ShortEventTlm

Macros

- #define CFE_EVS_DEBUG_BIT 0x0001
- #define CFE EVS INFORMATION BIT 0x0002
- #define CFE EVS ERROR BIT 0x0004
- #define CFE EVS CRITICAL BIT 0x0008
- #define CFE EVS PORT1 BIT 0x0001
- #define CFE_EVS_PORT2_BIT 0x0002
- #define CFE EVS PORT3 BIT 0x0004
- #define CFE_EVS_PORT4_BIT 0x0008

Event Services Command Codes

- #define CFE EVS NOOP CC 0
- #define CFE EVS RESET COUNTERS CC 1
- #define CFE EVS ENABLE EVENT TYPE CC 2
- #define CFE_EVS_DISABLE_EVENT_TYPE_CC 3
- #define CFE EVS SET EVENT FORMAT MODE CC 4
- #define CFE EVS ENABLE APP EVENT TYPE CC 5
- #define CFE EVS DISABLE APP EVENT TYPE CC 6
- #define CFE_EVS_ENABLE_APP_EVENTS_CC 7
- #define CFE_EVS_DISABLE_APP_EVENTS_CC 8
- #define CFE EVS RESET APP COUNTER CC 9
- #define CFE_EVS_SET_FILTER_CC 10
- #define CFE_EVS_ENABLE_PORTS_CC 11
- #define CFE_EVS_DISABLE_PORTS_CC 12
- #define CFE_EVS_RESET_FILTER_CC 13
- #define CFE EVS RESET ALL FILTERS CC 14
- #define CFE EVS ADD EVENT FILTER CC 15
- #define CFE_EVS_DELETE_EVENT_FILTER_CC 16
- #define CFE_EVS_WRITE_APP_DATA_FILE_CC 17
- #define CFE_EVS_WRITE_LOG_DATA_FILE_CC 18
- #define CFE_EVS_SET_LOG_MODE_CC 19
- #define CFE EVS CLEAR LOG CC 20

typedef struct CFE EVS NoArgsCmd CFE EVS NoArgsCmd t

Typedefs

```
Command with no additional arguments.

    typedef CFE_EVS_NoArgsCmd_t CFE_EVS_NoopCmd_t

    typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ResetCountersCmd_t

    typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ClearLogCmd_t

    typedef struct CFE_EVS_LogFileCmd_Payload CFE_EVS_LogFileCmd_Payload_t

     Write Event Log to File Command Payload.

    typedef struct CFE EVS WriteLogDataFileCmd CFE EVS WriteLogDataFileCmd t

     Write Event Log to File Command.
• typedef struct CFE_EVS_AppDataCmd_Payload CFE_EVS_AppDataCmd_Payload_t
     Write Event Services Application Information to File Command Payload.

    typedef struct CFE_EVS_WriteAppDataFileCmd CFE_EVS_WriteAppDataFileCmd_t

     Write Event Services Application Information to File Command.

    typedef struct CFE_EVS_SetLogMode_Payload CFE_EVS_SetLogMode_Payload_t

     Set Log Mode Command Payload.

    typedef struct CFE_EVS_SetLogModeCmd CFE_EVS_SetLogModeCmd_t

     Set Log Mode Command.

    typedef struct CFE EVS SetEventFormatCode Payload CFE EVS SetEventFormatMode Payload t

     Set Event Format Mode Command Payload.

    typedef struct CFE EVS SetEventFormatModeCmd CFE EVS SetEventFormatModeCmd t

     Set Event Format Mode Command.

    typedef struct CFE EVS BitMaskCmd Payload CFE EVS BitMaskCmd Payload t

     Generic Bitmask Command Payload.

    typedef struct CFE_EVS_BitMaskCmd CFE_EVS_BitMaskCmd_t

     Generic Bitmask Command.

    typedef CFE EVS BitMaskCmd t CFE EVS EnablePortsCmd t

    typedef CFE EVS BitMaskCmd t CFE EVS DisablePortsCmd t

    typedef CFE EVS BitMaskCmd t CFE EVS EnableEventTypeCmd t

    typedef CFE EVS BitMaskCmd t CFE EVS DisableEventTypeCmd t

    typedef struct CFE_EVS_AppNameCmd_Payload CFE_EVS_AppNameCmd_Payload_t

     Generic App Name Command Payload.

    typedef struct CFE_EVS_AppNameCmd CFE_EVS_AppNameCmd_t

     Generic App Name Command.

    typedef CFE_EVS_AppNameCmd_t CFE_EVS_EnableAppEventsCmd_t

    typedef CFE EVS AppNameCmd t CFE EVS DisableAppEventsCmd t

    typedef CFE EVS AppNameCmd t CFE EVS ResetAppCounterCmd t

    typedef CFE EVS AppNameCmd t CFE EVS ResetAllFiltersCmd t

    typedef struct CFE_EVS_AppNameEventIDCmd_Payload CFE_EVS_AppNameEventIDCmd_Payload_t

     Generic App Name and Event ID Command Payload.

    typedef struct CFE EVS AppNameEventIDCmd CFE EVS AppNameEventIDCmd t

     Generic App Name and Event ID Command.

    typedef CFE EVS AppNameEventIDCmd t CFE EVS ResetFilterCmd t

    typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_DeleteEventFilterCmd_t

    typedef struct CFE EVS AppNameBitMaskCmd Payload CFE EVS AppNameBitMaskCmd Payload t

     Generic App Name and Bitmask Command Payload.

    typedef struct CFE EVS AppNameBitMaskCmd CFE EVS AppNameBitMaskCmd t
```

Generic App Name and Bitmask Command.

- typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_EnableAppEventTypeCmd_t
- typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_DisableAppEventTypeCmd_t

Generic App Name, Event ID, Mask Command Payload.

typedef struct CFE_EVS_AppNameEventIDMaskCmd CFE_EVS_AppNameEventIDMaskCmd_t

Generic App Name, Event ID, Mask Command.

- typedef CFE EVS AppNameEventIDMaskCmd t CFE EVS AddEventFilterCmd t
- typedef CFE EVS AppNameEventIDMaskCmd t CFE EVS SetFilterCmd t
- typedef struct CFE EVS AppTlmData CFE EVS AppTlmData t
- typedef struct CFE_EVS_HousekeepingTlm_Payload_t
- typedef struct CFE_EVS_HousekeepingTlm CFE_EVS_HousekeepingTlm_t
- typedef struct CFE EVS PacketID CFE EVS PacketID t
- typedef struct CFE_EVS_LongEventTlm_Payload CFE_EVS_LongEventTlm_Payload_t
- typedef struct CFE EVS ShortEventTlm Payload CFE EVS ShortEventTlm Payload t
- typedef struct CFE EVS LongEventTlm CFE EVS LongEventTlm t
- typedef struct CFE_EVS_ShortEventTlm CFE_EVS_ShortEventTlm_t

11.48.1 Detailed Description

Title: Event Services Message definition header file Header File

Purpose: Unit specification for Event services command codes and data structures.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.48.2 Macro Definition Documentation

11.48.2.1 CFE_EVS_ADD_EVENT_FILTER_CC

#define CFE_EVS_ADD_EVENT_FILTER_CC 15

Name Add Application Event Filter

Description

This command adds the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc \$cpu EVS AddEvtFltr

Command Structure

CFE_EVS_AddEventFilterCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_ADDFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is already added to the application event filter
- · Maximum number of event IDs already added to filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE \leftrightarrow EVS_DELETE_EVENT_FILTER_CC

Definition at line 705 of file cfe evs msg.h.

11.48.2.2 CFE_EVS_CLEAR_LOG_CC

#define CFE_EVS_CLEAR_LOG_CC 20

Name Clear Event Log

Description

This command clears the contents of the local event log.

Command Mnemonic(s) \$sc_\$cpu_EVS_ClrLog

Command Structure

CFE_EVS_ClearLogCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- \$sc_\$cpu_EVS_LOGFULL The LogFullFlag in the Housekeeping telemetry will be cleared
- \$sc_\$cpu_EVS_LOGOVERFLOWC The LogOverflowCounter in the Housekeeping telemetry will be reset to 0

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the log is cleared.

Criticality

Clearing the local event log is not particularly hazardous, as the result may be making available space to record valuable event data. However, inappropriately clearing the local event log could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

See also

CFE EVS WRITE LOG DATA FILE CC, CFE EVS SET LOG MODE CC

Definition at line 885 of file cfe_evs_msg.h.

11.48.2.3 CFE_EVS_CRITICAL_BIT

#define CFE_EVS_CRITICAL_BIT 0x0008

Definition at line 892 of file cfe_evs_msg.h.

11.48.2.4 CFE_EVS_DEBUG_BIT

#define CFE_EVS_DEBUG_BIT 0x0001

Definition at line 889 of file cfe_evs_msg.h.

11.48.2.5 CFE_EVS_DELETE_EVENT_FILTER_CC

```
#define CFE_EVS_DELETE_EVENT_FILTER_CC 16
```

Name Delete Application Event Filter

Description

This command removes the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DelEvtFltr

Command Structure

CFE_EVS_DeleteEventFilterCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS DELFILTER EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE ← EVS_ADD_EVENT_FILTER_CC

Definition at line 740 of file cfe_evs_msg.h.

11.48.2.6 CFE_EVS_DISABLE_APP_EVENT_TYPE_CC

#define CFE_EVS_DISABLE_APP_EVENT_TYPE_CC 6

Name Disable Application Event Type

Description

This command disables the command specified event type for the command specified application, preventing the application from sending event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisAppEvtType, \$sc_\$cpu_EVS_DisAppEvtTypeMask

Command Structure

CFE_EVS_DisableAppEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE EVS DISAPPENTTYPE EID debug event message
- The clearing of the Event Type Active Flag in The Event Type Active Flag in EVS App Data File

Error Conditions

This command may fail for the following reason(s):

- BitMask field invalid mask cannot be zero, and only bits 0-3 may be set
- · Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu EVS CMDEC command error counter will increment
- · An Error specific event message

Criticality

Disabling an application's event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's event type could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_AP

P_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 365 of file cfe_evs_msg.h.

11.48.2.7 CFE_EVS_DISABLE_APP_EVENTS_CC

```
#define CFE_EVS_DISABLE_APP_EVENTS_CC 8
```

Name Disable Event Services for an Application

Description

This command disables the command specified application from sending events through Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisAppEvGen

Command Structure

CFE_EVS_DisableAppEventsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISAPPEVT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Disabling an application's events is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's events could result in a loss of critical information and missed behavior for the ground system.

See also

Definition at line 443 of file cfe_evs_msg.h.

11.48.2.8 CFE_EVS_DISABLE_EVENT_TYPE_CC

#define CFE_EVS_DISABLE_EVENT_TYPE_CC 3

Name Disable Event Type

Description

This command disables the command specified Event Type preventing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global disable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisEventType, \$sc_\$cpu_EVS_DisEventTypeMask

Command Structure

CFE_EVS_DisableEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered). A zero in a bit position means the filtering state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISEVTTYPE_EID debug message

Error Conditions

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Disabling an event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an event type could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABL ← E_APP_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC

Definition at line 213 of file cfe evs msg.h.

11.48.2.9 CFE_EVS_DISABLE_PORTS_CC

```
#define CFE_EVS_DISABLE_PORTS_CC 12
```

Name Disable Event Services Output Ports

Description

This command disables the specified port from outputting event messages.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisPort, \$sc_\$cpu_EVS_DisPortMask

Command Structure

CFE_EVS_DisablePortsCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be disabled. A zero in a bit position means the port state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISPORT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

CFE EVS ENABLE PORTS CC

Definition at line 599 of file cfe_evs_msg.h.

11.48.2.10 CFE_EVS_ENABLE_APP_EVENT_TYPE_CC

#define CFE_EVS_ENABLE_APP_EVENT_TYPE_CC 5

Name Enable Application Event Type

Description

This command enables the command specified event type for the command specified application, allowing the application to send event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaAppEvtType, \$sc_\$cpu_EVS_EnaAppEvtTypeMask

Command Structure

CFE_EVS_EnableAppEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAAPPEVTTYPE_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- BitMask field invalid mask cannot be zero, and only bits 0-3 may be set
- · Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Enabling an application event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's event type could result in flooding of the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_AP

P EVENT TYPE CC, CFE EVS ENABLE APP EVENTS CC, CFE EVS DISABLE APP EVENTS CC

Definition at line 312 of file cfe_evs_msg.h.

11.48.2.11 CFE_EVS_ENABLE_APP_EVENTS_CC

```
#define CFE_EVS_ENABLE_APP_EVENTS_CC 7
```

Name Enable Event Services for an Application

Description

This command enables the command specified application to send events through the Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaAppEvGen

Command Structure

CFE_EVS_EnableAppEventsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS ENAAPPEVT EID debug event message
- · The setting of the Active Flag in The Active Flag in EVS App Data File

Error Conditions

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Enabling an application events is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's events could result in flooding of the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_AP←
P_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENTS_←
CC

Definition at line 404 of file cfe_evs_msg.h.

11.48.2.12 CFE_EVS_ENABLE_EVENT_TYPE_CC

#define CFE_EVS_ENABLE_EVENT_TYPE_CC 2

Name Enable Event Type

Description

This command enables the command specified Event Type allowing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global enable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaEventType, \$sc_\$cpu_EVS_EnaEventTypeMask

Command Structure

CFE_EVS_EnableEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered). A zero in a bit position means the filtering state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAEVTTYPE_EID debug message

Error Conditions

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Enabling an event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an event type could result in flooding of the system.

See also

Definition at line 164 of file cfe evs msg.h.

11.48.2.13 CFE_EVS_ENABLE_PORTS_CC

```
#define CFE_EVS_ENABLE_PORTS_CC 11
```

Name Enable Event Services Output Ports

Description

This command enables the command specified port to output event messages

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaPort, \$sc_\$cpu_EVS_EnaPortMask

Command Structure

CFE_EVS_EnablePortsCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be enabled. A zero in a bit position means the port state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAPORT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

CFE EVS DISABLE PORTS CC

Definition at line 560 of file cfe_evs_msg.h.

11.48.2.14 CFE_EVS_ERROR_BIT

#define CFE_EVS_ERROR_BIT 0x0004

Definition at line 891 of file cfe evs msg.h.

11.48.2.15 CFE_EVS_INFORMATION_BIT

#define CFE_EVS_INFORMATION_BIT 0x0002

Definition at line 890 of file cfe evs msg.h.

11.48.2.16 CFE_EVS_NOOP_CC

#define CFE_EVS_NOOP_CC 0

Name Event Services No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Event Services task.

Command Mnemonic(s) \$sc \$cpu EVS NOOP

Command Structure

CFE_EVS_NoopCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The CFE_EVS_NOOP_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS itself) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 77 of file cfe_evs_msg.h.

```
11.48.2.17 CFE_EVS_PORT1_BIT
```

#define CFE_EVS_PORT1_BIT 0x0001

Definition at line 895 of file cfe_evs_msg.h.

11.48.2.18 CFE_EVS_PORT2_BIT

#define CFE_EVS_PORT2_BIT 0x0002

Definition at line 896 of file cfe_evs_msg.h.

11.48.2.19 CFE_EVS_PORT3_BIT

#define CFE_EVS_PORT3_BIT 0x0004

Definition at line 897 of file cfe_evs_msg.h.

11.48.2.20 CFE_EVS_PORT4_BIT

#define CFE_EVS_PORT4_BIT 0x0008

Definition at line 898 of file cfe evs msg.h.

11.48.2.21 CFE_EVS_RESET_ALL_FILTERS_CC

#define CFE_EVS_RESET_ALL_FILTERS_CC 14

Name Reset All Event Filters for an Application

Description

This command resets all of the command specified applications event filters. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstAllFltrs

Command Structure

CFE EVS ResetAllFiltersCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_RSTALLFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

 $\label{eq:cfe_evs_set_filter_cc} CFE_EVS_RESET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC$

Definition at line 669 of file cfe evs msg.h.

11.48.2.22 CFE_EVS_RESET_APP_COUNTER_CC

#define CFE_EVS_RESET_APP_COUNTER_CC 9

Name Reset Application Event Counters

Description

This command sets the command specified application's event counter to zero. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstAppCtrs

Command Structure

CFE EVS ResetAppCounterCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS RSTEVTCNT EID debug event message

Error Conditions

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter value that is reset by this command.

See also

```
CFE_EVS_RESET_COUNTERS_CC
```

Definition at line 479 of file cfe_evs_msg.h.

```
11.48.2.23 CFE_EVS_RESET_COUNTERS_CC
```

```
#define CFE_EVS_RESET_COUNTERS_CC 1
```

Name Event Services Reset Counters

Description

This command resets the following counters within the Event Services housekeeping telemetry:

- Command Execution Counter (\$sc_\$cpu_EVS_CMDPC)
- Command Error Counter (\$sc_\$cpu_EVS_CMDEC)

Command Mnemonic(s) \$sc_\$cpu_EVS_ResetCtrs

Command Structure

CFE EVS ResetCountersCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will be reset to 0
- \$sc_\$cpu_EVS_CMDEC command error counter will be reset to 0
- The CFE EVS RSTCNT EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

```
CFE_EVS_RESET_APP_COUNTER_CC
```

Definition at line 116 of file cfe evs msg.h.

11.48.2.24 CFE_EVS_RESET_FILTER_CC

#define CFE_EVS_RESET_FILTER_CC 13

Name Reset an Event Filter for an Application

Description

This command resets the command specified application's event filter for the command specified event ID. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstBinFltrCtr

Command Structure

CFE EVS ResetFilterCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS RSTFILTER EID debug event message

Error Conditions

This command may fail for the following reason(s):

Application name is not valid or not registered with event services

· Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC

Definition at line 635 of file cfe_evs_msg.h.

11.48.2.25 CFE_EVS_SET_EVENT_FORMAT_MODE_CC

#define CFE_EVS_SET_EVENT_FORMAT_MODE_CC 4

Name Set Event Format Mode

Description

This command sets the event format mode to the command specified value. The event format mode may be either short or long. A short event format detaches the Event Data from the event message and only includes the following information in the event packet: Processor ID, Application ID, Event ID, and Event Type. Refer to section 5.3.3.4 for a description of the Event Service event packet contents. Event Data is defined to be data describing an Event that is supplied to the cFE Event Service. ASCII text strings are used as the primary format for Event Data because heritage ground systems use string compares as the basis for their automated alert systems. Two systems, ANSR and SERS were looked at for interface definitions. The short event format is used to accommodate experiences with limited telemetry bandwidth. The long event format includes all event information included within the short format along with the Event Data.

Command Mnemonic(s) \$sc_\$cpu_EVS_SetEvtFmt

Command Structure

CFE EVS SetEventFormatModeCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_SETEVTFMTMOD_EID debug message

Error Conditions

This command may fail for the following reason(s):

· Invalid MsgFormat mode selection

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Setting the event format mode is not particularly hazardous, as the result may be saving necessary bandwidth. However, inappropriately setting the event format mode could result in a loss of information and missed behavior for the ground system

See also

Definition at line 260 of file cfe_evs_msg.h.

11.48.2.26 CFE_EVS_SET_FILTER_CC

#define CFE_EVS_SET_FILTER_CC 10

Name Set Application Event Filter

Description

This command sets the command specified application's event filter mask to the command specified value for the command specified event. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc \$cpu EVS SetBinFltrMask

Command Structure

CFE EVS SetFilterCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS SETFILTERMSK EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Setting an application event filter mask is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately setting an application's event filter mask could result in a loss of critical information and missed behavior for the ground system or flooding of the ground system.

See also

CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_ \hookleftarrow CC, CFE_EVS_DELETE_EVENT_FILTER_CC

Definition at line 521 of file cfe_evs_msg.h.

11.48.2.27 CFE_EVS_SET_LOG_MODE_CC

#define CFE_EVS_SET_LOG_MODE_CC 19

Name Set Logging Mode

Description

This command sets the logging mode to the command specified value.

Command Mnemonic(s) \$sc \$cpu EVS SetLogMode

Command Structure

CFE_EVS_SetLogModeCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS LOGMODE EID debug event message

Error Conditions

This command may fail for the following reason(s):

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Setting the event logging mode is not particularly hazardous, as the result may be saving valuable event data. However, inappropriately setting the log mode could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

See also

CFE_EVS_WRITE_LOG_DATA_FILE_CC, CFE_EVS_CLEAR_LOG_CC

Definition at line 850 of file cfe_evs_msg.h.

11.48.2.28 CFE_EVS_WRITE_APP_DATA_FILE_CC

#define CFE_EVS_WRITE_APP_DATA_FILE_CC 17

Name Write Event Services Application Information to File

Description

This command writes all application data to a file for all applications that have registered with the EVS. The application data includes the Application ID, Active Flag, Event Count, Event Types Active Flag, and Filter Data.

Command Mnemonic(s) \$sc \$cpu EVS WriteAppData2File

Command Structure

CFE_EVS_WriteAppDataFileCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS WRDAT EID debug event message
- The file specified in the command (or the default specified by the CFE_PLATFORM_EVS_DEFAULT_APP

 DATA FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

See also

```
CFE EVS WRITE LOG DATA FILE CC, CFE EVS SET LOG MODE CC
```

Definition at line 779 of file cfe evs msg.h.

```
11.48.2.29 CFE_EVS_WRITE_LOG_DATA_FILE_CC
```

```
#define CFE_EVS_WRITE_LOG_DATA_FILE_CC 18
```

Name Write Event Log to File

Description

This command requests the Event Service to generate a file containing the contents of the local event log.

Command Mnemonic(s) \$sc \$cpu EVS WriteLog2File

Command Structure

CFE_EVS_WriteLogDataFileCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_WRLOG_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

See also

CFE_EVS_WRITE_APP_DATA_FILE_CC, CFE_EVS_SET_LOG_MODE_CC, CFE_EVS_CLEAR_LOG_CC

Definition at line 814 of file cfe_evs_msg.h.

11.48.3 Typedef Documentation

11.48.3.1 CFE_EVS_AddEventFilterCmd_t

typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_AddEventFilterCmd_t

Definition at line 1151 of file cfe_evs_msg.h.

```
11.48.3.2 CFE_EVS_AppDataCmd_Payload_t
typedef struct CFE_EVS_AppDataCmd_Payload CFE_EVS_AppDataCmd_Payload_t
Write Event Services Application Information to File Command Payload.
For command details, see CFE_EVS_WRITE_APP_DATA_FILE_CC
11.48.3.3 CFE_EVS_AppNameBitMaskCmd_Payload_t
typedef struct CFE_EVS_AppNameBitMaskCmd_Payload CFE_EVS_AppNameBitMaskCmd_Payload_t
Generic App Name and Bitmask Command Payload.
For command details, see CFE_EVS_ENABLE_APP_EVENT_TYPE_CC and/or CFE_EVS_DISABLE_APP_EVENT ←
_TYPE_CC
11.48.3.4 CFE_EVS_AppNameBitMaskCmd_t
typedef struct CFE_EVS_AppNameBitMaskCmd CFE_EVS_AppNameBitMaskCmd_t
Generic App Name and Bitmask Command.
11.48.3.5 CFE_EVS_AppNameCmd_Payload_t
typedef struct CFE_EVS_AppNameCmd_Payload CFE_EVS_AppNameCmd_Payload_t
Generic App Name Command Payload.
For command details, see CFE EVS ENABLE APP EVENTS CC, CFE EVS DISABLE APP EVENTS CC, CFE ←
_EVS_RESET_APP_COUNTER_CC and/or CFE_EVS_RESET_ALL_FILTERS_CC
11.48.3.6 CFE_EVS_AppNameCmd_t
typedef struct CFE_EVS_AppNameCmd CFE_EVS_AppNameCmd_t
Generic App Name Command.
11.48.3.7 CFE_EVS_AppNameEventIDCmd_Payload_t
typedef struct CFE_EVS_AppNameEventIDCmd_Payload CFE_EVS_AppNameEventIDCmd_Payload_t
Generic App Name and Event ID Command Payload.
```

For command details, see CFE EVS RESET FILTER CC and CFE EVS DELETE EVENT FILTER CC

```
11.48.3.8 CFE_EVS_AppNameEventIDCmd_t
typedef struct CFE_EVS_AppNameEventIDCmd CFE_EVS_AppNameEventIDCmd_t
Generic App Name and Event ID Command.
11.48.3.9 CFE_EVS_AppNameEventIDMaskCmd_Payload_t
typedef struct CFE_EVS_AppNameEventIDMaskCmd_Payload CFE_EVS_AppNameEventIDMaskCmd_Payload_t
Generic App Name, Event ID, Mask Command Payload.
For command details, see CFE EVS SET FILTER CC, CFE EVS ADD EVENT FILTER CC and/or CFE EVS ↔
DELETE_EVENT_FILTER_CC
11.48.3.10 CFE_EVS_AppNameEventIDMaskCmd_t
typedef struct CFE_EVS_AppNameEventIDMaskCmd CFE_EVS_AppNameEventIDMaskCmd_t
Generic App Name, Event ID, Mask Command.
11.48.3.11 CFE_EVS_AppTImData_t
typedef struct CFE_EVS_AppTlmData CFE_EVS_AppTlmData_t
11.48.3.12 CFE_EVS_BitMaskCmd_Payload_t
typedef struct CFE_EVS_BitMaskCmd_Payload CFE_EVS_BitMaskCmd_Payload_t
Generic Bitmask Command Payload.
For command details, see CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE
_EVS_ENABLE_PORTS_CC and/or CFE_EVS_DISABLE_PORTS_CC
11.48.3.13 CFE_EVS_BitMaskCmd_t
typedef struct CFE_EVS_BitMaskCmd CFE_EVS_BitMaskCmd_t
Generic Bitmask Command.
```

```
11.48.3.14 CFE_EVS_ClearLogCmd_t
typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ClearLogCmd_t
Definition at line 917 of file cfe evs msg.h.
11.48.3.15 CFE_EVS_DeleteEventFilterCmd_t
 typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_DeleteEventFilterCmd_t
Definition at line 1091 of file cfe_evs_msg.h.
11.48.3.16 CFE_EVS_DisableAppEventsCmd_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_DisableAppEventsCmd_t
Definition at line 1060 of file cfe_evs_msg.h.
11.48.3.17 CFE_EVS_DisableAppEventTypeCmd_t
{\tt typedef\ CFE\_EVS\_AppNameBitMaskCmd\_t\ CFE\_EVS\_DisableAppEventTypeCmd\_t\ CFE\_EVS\_DisableAppEvenTypeCmd\_t\ CFE\_EVS\_DisableAppEvenTypeCmd\_t\ CFE\_EVS\_DisableAppEvenTypeCmd\_t\ 
Definition at line 1121 of file cfe evs msg.h.
11.48.3.18 CFE_EVS_DisableEventTypeCmd_t
typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisableEventTypeCmd_t
Definition at line 1031 of file cfe_evs_msg.h.
11.48.3.19 CFE_EVS_DisablePortsCmd_t
 typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisablePortsCmd_t
Definition at line 1029 of file cfe_evs_msg.h.
```

```
11.48.3.20 CFE_EVS_EnableAppEventsCmd_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_EnableAppEventsCmd_t
Definition at line 1059 of file cfe_evs_msg.h.
11.48.3.21 CFE_EVS_EnableAppEventTypeCmd_t
typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_EnableAppEventTypeCmd_t
Definition at line 1120 of file cfe_evs_msg.h.
11.48.3.22 CFE_EVS_EnableEventTypeCmd_t
typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnableEventTypeCmd_t
Definition at line 1030 of file cfe_evs_msg.h.
11.48.3.23 CFE_EVS_EnablePortsCmd_t
typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnablePortsCmd_t
Definition at line 1028 of file cfe_evs_msg.h.
11.48.3.24 CFE_EVS_HousekeepingTIm_Payload_t
typedef struct CFE_EVS_HousekeepingTlm_Payload CFE_EVS_HousekeepingTlm_Payload_t
Name Event Services Housekeeping Telemetry Packet
11.48.3.25 CFE_EVS_HousekeepingTlm_t
{\tt typedef\ struct\ CFE\_EVS\_HousekeepingTlm\ CFE\_EVS\_HousekeepingTlm\_t}
```

```
11.48.3.26 CFE_EVS_LogFileCmd_Payload_t
typedef struct CFE_EVS_LogFileCmd_Payload CFE_EVS_LogFileCmd_Payload_t
Write Event Log to File Command Payload.
For command details, see CFE EVS WRITE LOG DATA FILE CC
11.48.3.27 CFE_EVS_LongEventTIm_Payload_t
typedef struct CFE_EVS_LongEventTlm_Payload CFE_EVS_LongEventTlm_Payload_t
Name Event Message Telemetry Packet (Long format)
11.48.3.28 CFE_EVS_LongEventTlm_t
typedef struct CFE_EVS_LongEventTlm CFE_EVS_LongEventTlm_t
11.48.3.29 CFE_EVS_NoArgsCmd_t
typedef struct CFE_EVS_NoArgsCmd CFE_EVS_NoArgsCmd_t
Command with no additional arguments.
11.48.3.30 CFE_EVS_NoopCmd_t
typedef CFE_EVS_NoArgsCmd_t CFE_EVS_NoopCmd_t
Definition at line 915 of file cfe evs msg.h.
11.48.3.31 CFE_EVS_PacketID_t
typedef struct CFE_EVS_PacketID CFE_EVS_PacketID_t
Telemetry packet structures
11.48.3.32 CFE_EVS_ResetAllFiltersCmd_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAllFiltersCmd_t
Definition at line 1062 of file cfe_evs_msg.h.
```

```
11.48.3.33 CFE_EVS_ResetAppCounterCmd_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAppCounterCmd_t
Definition at line 1061 of file cfe evs msg.h.
11.48.3.34 CFE_EVS_ResetCountersCmd_t
typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ResetCountersCmd_t
Definition at line 916 of file cfe evs msg.h.
11.48.3.35 CFE_EVS_ResetFilterCmd_t
typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_ResetFilterCmd_t
Definition at line 1090 of file cfe_evs_msg.h.
11.48.3.36 CFE_EVS_SetEventFormatMode_Payload_t
typedef struct CFE_EVS_SetEventFormatCode_Payload CFE_EVS_SetEventFormatMode_Payload_t
Set Event Format Mode Command Payload.
For command details, see CFE_EVS_SET_EVENT_FORMAT_MODE_CC
11.48.3.37 CFE_EVS_SetEventFormatModeCmd_t
typedef struct CFE_EVS_SetEventFormatModeCmd CFE_EVS_SetEventFormatModeCmd_t
Set Event Format Mode Command.
11.48.3.38 CFE_EVS_SetFilterCmd_t
typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_SetFilterCmd_t
Definition at line 1152 of file cfe_evs_msg.h.
```

```
11.48.3.39 CFE_EVS_SetLogMode_Payload_t
typedef struct CFE_EVS_SetLogMode_Payload CFE_EVS_SetLogMode_Payload_t
Set Log Mode Command Payload.
For command details, see CFE_EVS_SET_LOG_MODE_CC
11.48.3.40 CFE_EVS_SetLogModeCmd_t
typedef struct CFE_EVS_SetLogModeCmd CFE_EVS_SetLogModeCmd_t
Set Log Mode Command.
11.48.3.41 CFE_EVS_ShortEventTlm_Payload_t
typedef struct CFE_EVS_ShortEventTlm_Payload CFE_EVS_ShortEventTlm_Payload_t
Name Event Message Telemetry Packet (Short format)
11.48.3.42 CFE_EVS_ShortEventTIm_t
typedef struct CFE_EVS_ShortEventTlm CFE_EVS_ShortEventTlm_t
11.48.3.43 CFE_EVS_WriteAppDataFileCmd_t
typedef struct CFE_EVS_WriteAppDataFileCmd CFE_EVS_WriteAppDataFileCmd_t
Write Event Services Application Information to File Command.
11.48.3.44 CFE_EVS_WriteLogDataFileCmd_t
typedef struct CFE_EVS_WriteLogDataFileCmd CFE_EVS_WriteLogDataFileCmd_t
Write Event Log to File Command.
11.49 cfe/modules/msg/fsw/inc/ccsds_hdr.h File Reference
#include "common_types.h"
```

Data Structures

```
• struct CCSDS_PrimaryHeader
```

CCSDS packet primary header.

• struct CCSDS_ExtendedHeader

CCSDS packet extended header.

Typedefs

• typedef struct CCSDS_PrimaryHeader CCSDS_PrimaryHeader_t CCSDS packet primary header.

typedef struct CCSDS_ExtendedHeader CCSDS_ExtendedHeader_t
 CCSDS packet extended header.

11.49.1 Detailed Description

Define CCSDS packet header types

- · Avoid direct access for portability, use APIs
- · Used to construct message structures

11.49.2 Typedef Documentation

```
11.49.2.1 CCSDS_ExtendedHeader_t
```

 ${\tt typedef \ struct \ CCSDS_ExtendedHeader \ CCSDS_ExtendedHeader_t}$

CCSDS packet extended header.

```
11.49.2.2 CCSDS_PrimaryHeader_t
```

typedef struct CCSDS_PrimaryHeader CCSDS_PrimaryHeader_t

CCSDS packet primary header.

11.50 cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h File Reference

```
#include "cfe_resourceid_basevalue.h"
```

Enumerations

enum {

CFE_RESOURCEID_ES_TASKID_BASE_OFFSET = OS_OBJECT_TYPE_OS_TASK, CFE_RESOURCEID_←
ES_APPID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 1, CFE_RESOURCEID_ES_LIBID_BASE_OFF←
SET = OS_OBJECT_TYPE_USER + 2, CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET = OS_OBJECT←
_TYPE_USER + 3,

CFE_RESOURCEID_ES_POOLID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 4, CFE_RESOURCEID ←
_ES_CDSBLOCKID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 5, CFE_RESOURCEID_SB_PIPEID_R ←
ESOURCE_BASE_OFFSET = OS_OBJECT_TYPE_USER + 6, CFE_RESOURCEID_CONFIGID_BASE_OF ←
FSET = OS_OBJECT_TYPE_USER + 7}

enum {

CFE_ES_TASKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_TASKID_BASE_O ← FFSET), CFE_ES_APPID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_APPID_BA ← SE_OFFSET), CFE_ES_LIBID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_LIBID ← BASE_OFFSET), CFE_ES_COUNTID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_E ← S_COUNTID_BASE_OFFSET),

CFE_ES_POOLID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_POOLID_BASE_O ← FFSET), CFE_ES_CDSBLOCKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_CD ← SBLOCKID_BASE_OFFSET), CFE_SB_PIPEID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_MAKE_B ← ASE(CFE_RESOURCEID_CONFIGID_BASE_OFFSET))}

11.50.1 Detailed Description

Contains CFE internal prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

11.51 cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h File Reference

```
#include "cfe_resourceid_typedef.h"
#include "osapi-idmap.h"
```

Macros

- #define CFE RESOURCEID SHIFT OS OBJECT TYPE SHIFT
- #define CFE RESOURCEID MAX OS OBJECT INDEX MASK
- #define CFE_RESOURCEID_MAKE_BASE(offset) (CFE_RESOURCEID_MARK | ((offset) << CFE_RESOU← RCEID_SHIFT))

A macro to generate a CFE resource ID base value from an offset.

11.51.1 Detailed Description

An implementation of CFE resource ID base values/limits that will be compatible with OSAL IDs. This is intended as a transitional tool to provide runtime value uniqueness, particularly when the "simple" (compatible) resource ID implementation is used. In this mode, compiler type checking is disabled, and so OSAL IDs can be silently interchanged with CFE IDs.

However, by ensuring uniqueness in the runtime values, any ID handling errors may at least be detectable at runtime.

This still works fine with the "strict" resource ID option, but is less important as the compiler type checking should prevent this type of error before the code even runs.

The downside to this implementation is that it has a dependency on the OSAL ID structure.

11.51.2 Macro Definition Documentation

11.51.2.1 CFE RESOURCEID MAKE BASE

A macro to generate a CFE resource ID base value from an offset.

Each CFE ID range is effectively an extension of OSAL ID ranges by starting at OS OBJECT TYPE USER.

Definition at line 73 of file cfe resourceid basevalue.h.

11.51.2.2 CFE_RESOURCEID_MAX

```
#define CFE_RESOURCEID_MAX OS_OBJECT_INDEX_MASK
```

Definition at line 65 of file cfe_resourceid_basevalue.h.

11.51.2.3 CFE_RESOURCEID_SHIFT

```
#define CFE_RESOURCEID_SHIFT OS_OBJECT_TYPE_SHIFT
```

Definition at line 64 of file cfe resourceid basevalue.h.

11.52 cfe/modules/sb/fsw/inc/cfe_sb_events.h File Reference

Macros

SB event IDs

```
• #define CFE SB INIT EID 1
```

SB Initialization Event ID.

#define CFE SB CR PIPE BAD ARG EID 2

SB Create Pipe API Bad Argument Event ID.

#define CFE SB MAX PIPES MET EID 3

SB Create Pipe API Max Pipes Exceeded Event ID.

• #define CFE SB CR PIPE ERR EID 4

SB Create Pipe API Queue Create Failure Event ID.

#define CFE SB PIPE ADDED EID 5

SB Create Pipe API Success Event ID.

#define CFE SB SUB ARG ERR EID 6

SB Subscribe API Bad Argument Event ID.

#define CFE SB DUP SUBSCRIP EID 7

SB Subscribe API Duplicate Msgld Subscription Event ID.

#define CFE_SB_MAX_MSGS_MET_EID 8

SB Subscribe API Max Subscriptions Exceeded Event ID.

#define CFE SB MAX DESTS MET EID 9

SB Subscribe API Max Destinations Exceeded Event ID.

#define CFE_SB_SUBSCRIPTION_RCVD_EID_10

SB Subscribe API Success Event ID.

#define CFE_SB_UNSUB_ARG_ERR_EID 11

SB Unsubscribe API Bad Argument Event ID.

#define CFE_SB_UNSUB_NO_SUBS_EID 12

SB Unsubscribe API No Msgld Subscription Event ID.

#define CFE_SB_SEND_BAD_ARG_EID 13

SB Transmit API Bad Argument Event ID.

#define CFE_SB_SEND_NO_SUBS_EID 14

SB Transmit API No Msgld Subscribers Event ID.

• #define CFE_SB_MSG_TOO_BIG_EID 15

SB Transmit API Message Size Limit Exceeded Event ID.

• #define CFE_SB_GET_BUF_ERR_EID 16

SB Transmit API Buffer Request Failure Event ID.

• #define CFE SB MSGID LIM ERR EID 17

SB Transmit API Msgld Pipe Limit Exceeded Event ID.

#define CFE_SB_RCV_BAD_ARG_EID 18

SB Receive Buffer API Bad Argument Event ID.

#define CFE_SB_BAD_PIPEID_EID 19

SB Receive Buffer API Invalid Pipe Event ID.

#define CFE_SB_DEST_BLK_ERR_EID 20

SB Subscribe API Get Destination Block Failure Event ID.

#define CFE_SB_SEND_INV_MSGID_EID 21

SB Transmit API Invalid Msgld Event ID.

#define CFE SB SUBSCRIPTION RPT EID 22

SB Subscription Report Sent Event ID.

#define CFE_SB_HASHCOLLISION_EID 23

SB Subscribe API Message Table Hash Collision Event ID.

• #define CFE_SB_Q_FULL_ERR_EID 25

SB Transmit API Pipe Overflow Event ID.

```
    #define CFE_SB_Q_WR_ERR_EID 26

     SB Transmit API Queue Write Failure Event ID.

    #define CFE SB Q RD ERR EID 27

     SB Transmit API Queue Read Failure Event ID.

    #define CFE_SB_CMD0_RCVD_EID 28

     SB No-op Command Success Event ID.

    #define CFE_SB_CMD1_RCVD_EID 29

     SB Reset Counters Command Success Event ID.

    #define CFE SB SND STATS EID 32

     SB Send Statistics Command Success Event ID.

    #define CFE_SB_ENBL_RTE1_EID 33

     SB Enable Route Command Invalid Msgld/PipeID Pair Event ID.

    #define CFE_SB_ENBL_RTE2_EID 34

     SB Enable Route Command Success Event ID.

    #define CFE SB ENBL RTE3 EID 35

     SB Enable Route Command Invalid Msgld or Pipe Event ID.

    #define CFE SB DSBL RTE1 EID 36

     SB Disable Route Command Invalid Msgld/Pipeld Pair Event ID.

    #define CFE_SB_DSBL_RTE2_EID 37

     SB Disable Route Command Success Event ID.

    #define CFE_SB_DSBL_RTE3_EID 38

     SB Disable Route Command Invalid Msgld or Pipe Event ID.

    #define CFE SB SND RTG EID 39

     SB File Write Success Event ID.

    #define CFE_SB_SND_RTG_ERR1_EID 40

     SB File Write Create File Failure Event ID.
• #define CFE SB BAD CMD CODE EID 42
     SB Invalid Command Code Received Event ID.

    #define CFE SB BAD MSGID EID 43

     SB Invalid Message ID Received Event ID.

    #define CFE_SB_FULL_SUB_PKT_EID 44

     SB Send Previous Subscriptions Command Full Packet Sent Event ID.

    #define CFE_SB_PART_SUB_PKT_EID 45

     SB Send Previous Subscriptions Command Partial Packet Sent Event ID.

    #define CFE SB DEL PIPE ERR1 EID 46

     SB Pipe Delete API Bad Argument Event ID.

    #define CFE SB PIPE DELETED EID 47

     SB Pipe Delete API Success Event ID.

    #define CFE_SB_SUBSCRIPTION_REMOVED_EID 48

     SB Unsubscribe API Success Event ID.

    #define CFE SB FILEWRITE ERR EID 49

     SB File Write Failed Event ID.

    #define CFE_SB_SUB_INV_PIPE_EID 50

     SB Subscribe API Invalid Pipe Event ID.

    #define CFE_SB_SUB_INV_CALLER_EID 51

     SB Subscribe API Not Owner Event ID.

    #define CFE SB UNSUB INV PIPE EID 52

     SB Unsubscribe API Invalid Pipe Event ID.

    #define CFE SB UNSUB INV CALLER EID 53

     SB Unsubscribe API Not Owner Event ID.

    #define CFE SB DEL PIPE ERR2 EID 54

     SB Delete Pipe API Not Owner Event ID.

    #define CFE SB SETPIPEOPTS ID ERR EID 55

     SB Set Pipe Opts API Invalid Pipe Event ID.

    #define CFE SB SETPIPEOPTS OWNER ERR EID 56
```

SB Set Pipe Opts API Not Owner Event ID. #define CFE_SB_SETPIPEOPTS_EID 57 SB Set Pipe Opts API Success Event ID. #define CFE SB GETPIPEOPTS ID ERR EID 58 SB Get Pipe Opts API Invalid Pipe Event ID. #define CFE SB GETPIPEOPTS PTR ERR EID 59 SB Get Pipe Opts API Invalid Pointer Event ID. • #define CFE SB GETPIPEOPTS EID 60 SB Get Pipe Opts API Success Event ID. #define CFE_SB_GETPIPENAME_EID 62 SB Get Pipe Name API Success Event ID. #define CFE_SB_GETPIPENAME_NULL_PTR_EID 63 SB Get Pipe Name API Invalid Pointer Event ID. #define CFE SB GETPIPENAME ID ERR EID 64 SB Get Pipe Name API Invalid Pipe or Resource Event ID. #define CFE_SB_GETPIPEIDBYNAME_EID 65 SB Get Pipe ID By Name API Success Event ID. #define CFE SB GETPIPEIDBYNAME NULL ERR EID 66 SB Get Pipe ID By Name API Invalid Pointer Event ID. #define CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID 67 SB Get Pipe ID By Name API Name Not Found Or ID Not Matched Event ID. #define CFE SB LEN ERR EID 68 SB Invalid Command Length Event ID. #define CFE SB CR PIPE NAME TAKEN EID 69 SB Create Pipe API Name Taken Event ID. #define CFE_SB_CR_PIPE_NO_FREE_EID 70 SB Create Pipe API Queues Exhausted Event ID. 11.52.1 Detailed Description cFE Software Bus Services Event IDs 11.52.2 Macro Definition Documentation 11.52.2.1 CFE_SB_BAD_CMD_CODE_EID #define CFE_SB_BAD_CMD_CODE_EID 42 SB Invalid Command Code Received Event ID. Type: ERROR Cause: Invalid command code for message ID CFE SB CMD MID or CFE SB SUB RPT CTRL MID received on the SB message pipe. OVERLOADED Definition at line 461 of file cfe_sb_events.h.

```
11.52.2.2 CFE_SB_BAD_MSGID_EID
 #define CFE_SB_BAD_MSGID_EID 43
 SB Invalid Message ID Received Event ID.
Type: ERROR
Cause:
 Invalid message ID received on the SB message pipe.
 Definition at line 472 of file cfe_sb_events.h.
 11.52.2.3 CFE_SB_BAD_PIPEID_EID
 #define CFE_SB_BAD_PIPEID_EID 19
 SB Receive Buffer API Invalid Pipe Event ID.
Type: ERROR
Cause:
 CFE_SB_ReceiveBuffer API failure due to an invalid Pipe ID.
 Definition at line 244 of file cfe_sb_events.h.
 11.52.2.4 CFE_SB_CMD0_RCVD_EID
 #define CFE_SB_CMD0_RCVD_EID 28
 SB No-op Command Success Event ID.
Type: INFORMATION
Cause:
 SB NO-OP Command success.
```

Definition at line 335 of file cfe_sb_events.h.

```
11.52.2.5 CFE_SB_CMD1_RCVD_EID
 #define CFE_SB_CMD1_RCVD_EID 29
 SB Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
 SB Reset Counters Command success.
 Definition at line 346 of file cfe_sb_events.h.
 11.52.2.6 CFE_SB_CR_PIPE_BAD_ARG_EID
 #define CFE_SB_CR_PIPE_BAD_ARG_EID 2
 SB Create Pipe API Bad Argument Event ID.
Type: ERROR
Cause:
 CFE_SB_CreatePipe API failure due to a bad input argument.
 Definition at line 53 of file cfe_sb_events.h.
 11.52.2.7 CFE_SB_CR_PIPE_ERR_EID
 #define CFE_SB_CR_PIPE_ERR_EID 4
 SB Create Pipe API Queue Create Failure Event ID.
Type: ERROR
Cause:
 CFE_SB_CreatePipe API failure creating the queue.
```

Definition at line 75 of file cfe_sb_events.h.

```
11.52.2.8 CFE_SB_CR_PIPE_NAME_TAKEN_EID
 #define CFE_SB_CR_PIPE_NAME_TAKEN_EID 69
 SB Create Pipe API Name Taken Event ID.
Type: ERROR
Cause:
 CFE_SB_CreatePipe API failure due to pipe name taken.
 Definition at line 750 of file cfe_sb_events.h.
 11.52.2.9 CFE_SB_CR_PIPE_NO_FREE_EID
 #define CFE_SB_CR_PIPE_NO_FREE_EID 70
 SB Create Pipe API Queues Exhausted Event ID.
Type: ERROR
Cause:
 CFE_SB_CreatePipe API failure due to no free queues.
 Definition at line 761 of file cfe_sb_events.h.
 11.52.2.10 CFE_SB_DEL_PIPE_ERR1_EID
 #define CFE_SB_DEL_PIPE_ERR1_EID 46
 SB Pipe Delete API Bad Argument Event ID.
Type: ERROR
Cause:
 An SB Delete Pipe API failed due to an invalid input argument.
```

Definition at line 507 of file cfe_sb_events.h.

```
11.52.2.11 CFE_SB_DEL_PIPE_ERR2_EID
 #define CFE_SB_DEL_PIPE_ERR2_EID 54
 SB Delete Pipe API Not Owner Event ID.
Type: ERROR
Cause:
 An SB Delete Pipe API failed due to not being the pipe owner.
 Definition at line 595 of file cfe_sb_events.h.
 11.52.2.12 CFE_SB_DEST_BLK_ERR_EID
 #define CFE_SB_DEST_BLK_ERR_EID 20
 SB Subscribe API Get Destination Block Failure Event ID.
Type: ERROR
Cause:
 An SB Subscribe API call failed to get a destination block.
 Definition at line 255 of file cfe_sb_events.h.
 11.52.2.13 CFE_SB_DSBL_RTE1_EID
 #define CFE_SB_DSBL_RTE1_EID 36
 SB Disable Route Command Invalid Msgld/Pipeld Pair Event ID.
Type: ERROR
Cause:
 SB Disable Route Command failure due to the Message ID not being subscribed to the pipe.
```

Definition at line 404 of file cfe_sb_events.h.

Generated by Doxygen

```
11.52.2.14 CFE_SB_DSBL_RTE2_EID
 #define CFE_SB_DSBL_RTE2_EID 37
SB Disable Route Command Success Event ID.
Type: DEBUG
Cause:
SB Disable Route Command success.
Definition at line 415 of file cfe_sb_events.h.
11.52.2.15 CFE_SB_DSBL_RTE3_EID
 #define CFE_SB_DSBL_RTE3_EID 38
SB Disable Route Command Invalid Msgld or Pipe Event ID.
Type: ERROR
Cause:
SB Disable Route Command failure due to an invalid Msgld or Pipe.
Definition at line 427 of file cfe_sb_events.h.
11.52.2.16 CFE_SB_DUP_SUBSCRIP_EID
 #define CFE_SB_DUP_SUBSCRIP_EID 7
SB Subscribe API Duplicate Msgld Subscription Event ID.
Type: INFORMATION
Cause:
```

An SB Subscribe API was called with a Message ID that was already subscribed on the pipe on the pipe.

Definition at line 109 of file cfe_sb_events.h.

```
11.52.2.17 CFE_SB_ENBL_RTE1_EID
 #define CFE_SB_ENBL_RTE1_EID 33
 SB Enable Route Command Invalid Msgld/PipeID Pair Event ID.
Type: ERROR
Cause:
 SB Enable Route Command failure due to the Message ID not being subscribed to the pipe.
 Definition at line 369 of file cfe_sb_events.h.
 11.52.2.18 CFE_SB_ENBL_RTE2_EID
 #define CFE_SB_ENBL_RTE2_EID 34
 SB Enable Route Command Success Event ID.
Type: DEBUG
Cause:
 SB Enable Route Command success.
 Definition at line 380 of file cfe_sb_events.h.
 11.52.2.19 CFE_SB_ENBL_RTE3_EID
 #define CFE_SB_ENBL_RTE3_EID 35
 SB Enable Route Command Invalid Msgld or Pipe Event ID.
Type: ERROR
Cause:
 SB Enable Route Command failure due to an invalid Msgld or Pipe.
```

Definition at line 392 of file cfe_sb_events.h.

Generated by Doxygen

```
11.52.2.20 CFE_SB_FILEWRITE_ERR_EID
 #define CFE_SB_FILEWRITE_ERR_EID 49
 SB File Write Failed Event ID.
Type: ERROR
Cause:
 An SB file write failure encountered when writing to the file.
 Definition at line 540 of file cfe_sb_events.h.
 11.52.2.21 CFE_SB_FULL_SUB_PKT_EID
 #define CFE_SB_FULL_SUB_PKT_EID 44
 SB Send Previous Subscriptions Command Full Packet Sent Event ID.
Type: DEBUG
Cause:
 SB Send Previous Subscriptions Command processing sent a full subscription packet.
 Definition at line 484 of file cfe_sb_events.h.
 11.52.2.22 CFE_SB_GET_BUF_ERR_EID
 #define CFE_SB_GET_BUF_ERR_EID 16
 SB Transmit API Buffer Request Failure Event ID.
Type: ERROR
Cause:
 An SB Transmit API call buffer request failed.
```

Definition at line 210 of file cfe_sb_events.h.

```
11.52.2.23 CFE_SB_GETPIPEIDBYNAME_EID
 #define CFE_SB_GETPIPEIDBYNAME_EID 65
SB Get Pipe ID By Name API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_GetPipeIdByName success.
Definition at line 705 of file cfe_sb_events.h.
11.52.2.24 CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID
 #define CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID 67
SB Get Pipe ID By Name API Name Not Found Or ID Not Matched Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeIdByName failure due to name not found or ID mismatch. OVERLOADED
Definition at line 727 of file cfe_sb_events.h.
11.52.2.25 CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID
 #define CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID 66
SB Get Pipe ID By Name API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeIdByName failure due to invalid pointer.
 Definition at line 716 of file cfe_sb_events.h.
```

```
11.52.2.26 CFE_SB_GETPIPENAME_EID
 #define CFE_SB_GETPIPENAME_EID 62
SB Get Pipe Name API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_GetPipeName success.
Definition at line 672 of file cfe_sb_events.h.
11.52.2.27 CFE_SB_GETPIPENAME_ID_ERR_EID
 #define CFE_SB_GETPIPENAME_ID_ERR_EID 64
SB Get Pipe Name API Invalid Pipe or Resource Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeName failure due to invalid pipe ID or failure in retrieving resource name. OVERLOADED
Definition at line 694 of file cfe_sb_events.h.
11.52.2.28 CFE_SB_GETPIPENAME_NULL_PTR_EID
 #define CFE_SB_GETPIPENAME_NULL_PTR_EID 63
SB Get Pipe Name API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeName failure due to invalid pointer.
 Definition at line 683 of file cfe_sb_events.h.
```

```
11.52.2.29 CFE_SB_GETPIPEOPTS_EID
 #define CFE_SB_GETPIPEOPTS_EID 60
 SB Get Pipe Opts API Success Event ID.
Type: DEBUG
Cause:
 CFE_SB_GetPipeOpts success.
 Definition at line 661 of file cfe_sb_events.h.
 11.52.2.30 CFE_SB_GETPIPEOPTS_ID_ERR_EID
 #define CFE_SB_GETPIPEOPTS_ID_ERR_EID 58
 SB Get Pipe Opts API Invalid Pipe Event ID.
Type: ERROR
Cause:
 CFE_SB_GetPipeOpts failure due to invalid pipe ID.
 Definition at line 639 of file cfe_sb_events.h.
 11.52.2.31 CFE_SB_GETPIPEOPTS_PTR_ERR_EID
 #define CFE_SB_GETPIPEOPTS_PTR_ERR_EID 59
 SB Get Pipe Opts API Invalid Pointer Event ID.
Type: ERROR
Cause:
 CFE_SB_GetPipeOpts failure due to invalid pointer.
```

Definition at line 650 of file cfe_sb_events.h.

```
11.52.2.32 CFE_SB_HASHCOLLISION_EID
 #define CFE_SB_HASHCOLLISION_EID 23
SB Subscribe API Message Table Hash Collision Event ID.
Type: DEBUG
Cause:
An SB Subscribe API call caused a message table hash collision, which will impact message transmission performance.
This can be resolved by deconflicting MsgId values or increasing CFE_PLATFORM_SB_MAX_MSG_IDS.
 Definition at line 290 of file cfe sb events.h.
11.52.2.33 CFE_SB_INIT_EID
 #define CFE_SB_INIT_EID 1
SB Initialization Event ID.
Type: INFORMATION
Cause:
 Software Bus Services Task initialization complete.
 Definition at line 42 of file cfe_sb_events.h.
11.52.2.34 CFE_SB_LEN_ERR_EID
 #define CFE_SB_LEN_ERR_EID 68
SB Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE SB CMD MID or CFE SB SUB RPT CTRL MID received
```

Generated by Doxygen

on the SB message pipe.

Definition at line 739 of file cfe_sb_events.h.

```
11.52.2.35 CFE_SB_MAX_DESTS_MET_EID
 #define CFE_SB_MAX_DESTS_MET_EID 9
SB Subscribe API Max Destinations Exceeded Event ID.
Type: ERROR
Cause:
An SB Subscribe API was called with a message id that already has the maximum allowed number of destinations.
Definition at line 133 of file cfe_sb_events.h.
11.52.2.36 CFE_SB_MAX_MSGS_MET_EID
 #define CFE_SB_MAX_MSGS_MET_EID 8
SB Subscribe API Max Subscriptions Exceeded Event ID.
Type: ERROR
Cause:
An SB Subscribe API was called on a pipe that already has the maximum allowed number of subscriptions.
Definition at line 121 of file cfe_sb_events.h.
11.52.2.37 CFE_SB_MAX_PIPES_MET_EID
 #define CFE_SB_MAX_PIPES_MET_EID 3
SB Create Pipe API Max Pipes Exceeded Event ID.
Type: ERROR
Cause:
CFE_SB_CreatePipe API failure to do maximum number of pipes being exceeded.
```

Definition at line 64 of file cfe_sb_events.h.

```
11.52.2.38 CFE_SB_MSG_TOO_BIG_EID
 #define CFE_SB_MSG_TOO_BIG_EID 15
SB Transmit API Message Size Limit Exceeded Event ID.
Type: ERROR
Cause:
An SB Transmit API was called with a message that is too big.
Definition at line 199 of file cfe_sb_events.h.
11.52.2.39 CFE_SB_MSGID_LIM_ERR_EID
 #define CFE_SB_MSGID_LIM_ERR_EID 17
SB Transmit API Msgld Pipe Limit Exceeded Event ID.
Type: ERROR
Cause:
An SB Transmit API call failed to deliver the Msgld to a pipe due to the limit for the number of messages with that Msgld
for that pipe being exceeded.
Definition at line 222 of file cfe_sb_events.h.
11.52.2.40 CFE_SB_PART_SUB_PKT_EID
 #define CFE_SB_PART_SUB_PKT_EID 45
SB Send Previous Subscriptions Command Partial Packet Sent Event ID.
Type: DEBUG
Cause:
```

SB Send Previous Subscriptions Command processing sent a partial subscription packet.

Generated by Doxygen

Definition at line 496 of file cfe_sb_events.h.

```
11.52.2.41 CFE_SB_PIPE_ADDED_EID
 #define CFE_SB_PIPE_ADDED_EID 5
 SB Create Pipe API Success Event ID.
Type: DEBUG
Cause:
 CFE_SB_CreatePipe API successfully completed.
 Definition at line 86 of file cfe_sb_events.h.
 11.52.2.42 CFE_SB_PIPE_DELETED_EID
 #define CFE_SB_PIPE_DELETED_EID 47
 SB Pipe Delete API Success Event ID.
Type: DEBUG
Cause:
 An SB Delete Pipe API successfully completed.
 Definition at line 518 of file cfe_sb_events.h.
 11.52.2.43 CFE_SB_Q_FULL_ERR_EID
 #define CFE_SB_Q_FULL_ERR_EID 25
 SB Transmit API Pipe Overflow Event ID.
Type: ERROR
Cause:
 An SB Transmit API call failed to deliver the Message ID to a pipe due to the pipe queue being full.
```

Definition at line 302 of file cfe_sb_events.h.

```
11.52.2.44 CFE_SB_Q_RD_ERR_EID
 #define CFE_SB_Q_RD_ERR_EID 27
 SB Transmit API Queue Read Failure Event ID.
Type: ERROR
Cause:
 An SB Transmit API called failed due to a pipe queue read failure.
 Definition at line 324 of file cfe_sb_events.h.
 11.52.2.45 CFE_SB_Q_WR_ERR_EID
 #define CFE_SB_Q_WR_ERR_EID 26
 SB Transmit API Queue Write Failure Event ID.
Type: ERROR
Cause:
 An SB Transmit API call failed due to a pipe queue write failure.
 Definition at line 313 of file cfe_sb_events.h.
 11.52.2.46 CFE_SB_RCV_BAD_ARG_EID
 #define CFE_SB_RCV_BAD_ARG_EID 18
 SB Receive Buffer API Bad Argument Event ID.
Type: ERROR
Cause:
 CFE_SB_ReceiveBuffer API failure due to a bad input argument.
```

Definition at line 233 of file cfe_sb_events.h.

```
11.52.2.47 CFE_SB_SEND_BAD_ARG_EID
 #define CFE_SB_SEND_BAD_ARG_EID 13
 SB Transmit API Bad Argument Event ID.
Type: ERROR
Cause:
 An SB Transmit API failed due to an invalid input argument.
 Definition at line 177 of file cfe_sb_events.h.
 11.52.2.48 CFE_SB_SEND_INV_MSGID_EID
 #define CFE_SB_SEND_INV_MSGID_EID 21
 SB Transmit API Invalid Msgld Event ID.
Type: ERROR
Cause:
 An SB Transmit API was called with an invalid message ID.
 Definition at line 266 of file cfe_sb_events.h.
 11.52.2.49 CFE_SB_SEND_NO_SUBS_EID
 #define CFE_SB_SEND_NO_SUBS_EID 14
 SB Transmit API No Msgld Subscribers Event ID.
Type: INFORMATION
Cause:
 An SB Transmit API was called with a Message ID with no subscriptions.
 Definition at line 188 of file cfe_sb_events.h.
```

```
11.52.2.50 CFE_SB_SETPIPEOPTS_EID
 #define CFE_SB_SETPIPEOPTS_EID 57
 SB Set Pipe Opts API Success Event ID.
Type: DEBUG
Cause:
 CFE_SB_SetPipeOpts success.
 Definition at line 628 of file cfe_sb_events.h.
 11.52.2.51 CFE_SB_SETPIPEOPTS_ID_ERR_EID
 #define CFE_SB_SETPIPEOPTS_ID_ERR_EID 55
 SB Set Pipe Opts API Invalid Pipe Event ID.
Type: ERROR
Cause:
 CFE_SB_SetPipeOpts API failure due to an invalid pipe ID
 Definition at line 606 of file cfe_sb_events.h.
 11.52.2.52 CFE_SB_SETPIPEOPTS_OWNER_ERR_EID
 #define CFE_SB_SETPIPEOPTS_OWNER_ERR_EID 56
 SB Set Pipe Opts API Not Owner Event ID.
Type: ERROR
Cause:
 CFE_SB_SetPipeOpts API failure due to not being the pipe owner.
```

Definition at line 617 of file cfe_sb_events.h.

```
11.52.2.53 CFE_SB_SND_RTG_EID
 #define CFE_SB_SND_RTG_EID 39
 SB File Write Success Event ID.
Type: DEBUG
Cause:
 An SB file write successfully completed. OVERLOADED
 Definition at line 438 of file cfe_sb_events.h.
 11.52.2.54 CFE_SB_SND_RTG_ERR1_EID
 #define CFE_SB_SND_RTG_ERR1_EID 40
 SB File Write Create File Failure Event ID.
Type: ERROR
Cause:
 An SB file write failure due to file creation error. OVERLOADED
 Definition at line 449 of file cfe_sb_events.h.
 11.52.2.55 CFE_SB_SND_STATS_EID
 #define CFE_SB_SND_STATS_EID 32
 SB Send Statistics Command Success Event ID.
Type: DEBUG
Cause:
 SB Send Statistics Command success.
```

Definition at line 357 of file cfe_sb_events.h.

```
11.52.2.56 CFE_SB_SUB_ARG_ERR_EID
 #define CFE_SB_SUB_ARG_ERR_EID 6
 SB Subscribe API Bad Argument Event ID.
Type: ERROR
Cause:
 An SB Subscribe API failed due to an invalid input argument.
 Definition at line 97 of file cfe_sb_events.h.
 11.52.2.57 CFE_SB_SUB_INV_CALLER_EID
 #define CFE_SB_SUB_INV_CALLER_EID 51
 SB Subscribe API Not Owner Event ID.
Type: ERROR
Cause:
 An SB Subscribe API failed due to not being the pipe owner.
 Definition at line 562 of file cfe_sb_events.h.
 11.52.2.58 CFE_SB_SUB_INV_PIPE_EID
 #define CFE_SB_SUB_INV_PIPE_EID 50
 SB Subscribe API Invalid Pipe Event ID.
Type: ERROR
Cause:
 An SB Subscribe API failed due to an invalid pipe ID.
```

Definition at line 551 of file cfe_sb_events.h.

11.52.2.59 CFE_SB_SUBSCRIPTION_RCVD_EID #define CFE_SB_SUBSCRIPTION_RCVD_EID 10 SB Subscribe API Success Event ID. Type: DEBUG Cause: An SB Subscribe API completed successfully. Definition at line 144 of file cfe_sb_events.h. 11.52.2.60 CFE_SB_SUBSCRIPTION_REMOVED_EID #define CFE_SB_SUBSCRIPTION_REMOVED_EID 48 SB Unsubscribe API Success Event ID. Type: DEBUG Cause: An SB Unsubscribe API successfully completed. Definition at line 529 of file cfe_sb_events.h. 11.52.2.61 CFE_SB_SUBSCRIPTION_RPT_EID #define CFE_SB_SUBSCRIPTION_RPT_EID 22 SB Subscription Report Sent Event ID. Type: DEBUG Cause: SB Subscription Report sent in response to a successful subscription.

Definition at line 277 of file cfe_sb_events.h.

```
11.52.2.62 CFE_SB_UNSUB_ARG_ERR_EID
 #define CFE_SB_UNSUB_ARG_ERR_EID 11
 SB Unsubscribe API Bad Argument Event ID.
Type: ERROR
Cause:
 An SB Unsubscribe API failed due to an invalid input argument.
 Definition at line 155 of file cfe_sb_events.h.
 11.52.2.63 CFE_SB_UNSUB_INV_CALLER_EID
 #define CFE_SB_UNSUB_INV_CALLER_EID 53
 SB Unsubscribe API Not Owner Event ID.
Type: ERROR
Cause:
 An SB Unsubscribe API failed due to not being the pipe owner.
 Definition at line 584 of file cfe_sb_events.h.
 11.52.2.64 CFE_SB_UNSUB_INV_PIPE_EID
 #define CFE_SB_UNSUB_INV_PIPE_EID 52
 SB Unsubscribe API Invalid Pipe Event ID.
Type: ERROR
Cause:
 An SB Unsubscribe API failed due to an invalid pipe ID.
```

Definition at line 573 of file cfe_sb_events.h.

```
11.52.2.65 CFE_SB_UNSUB_NO_SUBS_EID
```

```
#define CFE_SB_UNSUB_NO_SUBS_EID 12
```

SB Unsubscribe API No Msgld Subscription Event ID.

Type: INFORMATION

Cause:

An SB Unsubscribe API was called with a Message ID that wasn't subscribed on the pipe Definition at line 166 of file cfe sb events.h.

11.53 cfe/modules/sb/fsw/inc/cfe_sb_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_sb_extern_typedefs.h"
#include "cfe_es_extern_typedefs.h"
```

Data Structures

• struct CFE_SB_WriteFileInfoCmd_Payload

Write File Info Command Payload.

• struct CFE_SB_WriteFileInfoCmd

Write File Info Command.

struct CFE_SB_RouteCmd_Payload

Enable/Disable Route Command Payload.

struct CFE_SB_RouteCmd

Enable/Disable Route Command.

- struct CFE SB HousekeepingTlm Payload
- struct CFE SB HousekeepingTlm
- struct CFE_SB_PipeDepthStats

SB Pipe Depth Statistics.

struct CFE_SB_PipeInfoEntry

SB Pipe Information File Entry.

- struct CFE_SB_StatsTlm_Payload
- struct CFE_SB_StatsTIm
- struct CFE_SB_RoutingFileEntry

SB Routing File Entry.

struct CFE_SB_MsgMapFileEntry

SB Map File Entry.

- struct CFE_SB_SingleSubscriptionTlm_Payload
- struct CFE_SB_SingleSubscriptionTlm
- struct CFE_SB_SubEntries

SB Previous Subscriptions Entry.

- · struct CFE SB AllSubscriptionsTlm Payload
- struct CFE SB AllSubscriptionsTlm

Macros

- #define CFE SB NOOP CC 0
- #define CFE SB RESET COUNTERS CC 1
- #define CFE SB SEND SB STATS CC 2
- #define CFE SB WRITE ROUTING INFO CC 3
- #define CFE SB ENABLE ROUTE CC 4
- #define CFE SB DISABLE ROUTE CC 5
- #define CFE SB WRITE PIPE INFO CC 7
- #define CFE SB WRITE MAP INFO CC 8
- #define CFE SB ENABLE SUB REPORTING CC 9
- #define CFE SB DISABLE SUB REPORTING CC 10
- #define CFE SB SEND PREV SUBS CC 11

Typedefs

- typedef CFE MSG CommandHeader t CFE SB NoopCmd t
- typedef CFE MSG CommandHeader t CFE SB ResetCountersCmd t
- typedef CFE MSG CommandHeader t CFE SB EnableSubReportingCmd t
- typedef CFE_MSG_CommandHeader_t CFE_SB_DisableSubReportingCmd_t
- typedef CFE_MSG_CommandHeader_t CFE_SB_SendSbStatsCmd_t
- typedef CFE_MSG_CommandHeader_t CFE_SB_SendPrevSubsCmd_t
- typedef struct CFE SB WriteFileInfoCmd Payload CFE SB WriteFileInfoCmd Payload t

Write File Info Command Payload.

typedef struct CFE_SB_WriteFileInfoCmd CFE_SB_WriteFileInfoCmd_t

Write File Info Command.

- typedef CFE SB WriteFileInfoCmd t CFE SB WriteRoutingInfoCmd t
- typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WritePipeInfoCmd_t
- typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WriteMapInfoCmd_t
- typedef struct CFE_SB_RouteCmd_Payload CFE_SB_RouteCmd_Payload_t

Enable/Disable Route Command Payload.

typedef struct CFE SB RouteCmd CFE SB RouteCmd t

Enable/Disable Route Command.

- typedef CFE SB RouteCmd t CFE SB EnableRouteCmd t
- typedef CFE_SB_RouteCmd_t CFE_SB_DisableRouteCmd_t
- typedef struct CFE_SB_HousekeepingTlm_Payload CFE_SB_HousekeepingTlm_Payload_t
- typedef struct CFE_SB_HousekeepingTIm CFE_SB_HousekeepingTIm_t
- typedef struct CFE SB PipeDepthStats CFE SB PipeDepthStats t

SB Pipe Depth Statistics.

typedef struct CFE_SB_PipeInfoEntry CFE_SB_PipeInfoEntry_t

SB Pipe Information File Entry.

- typedef struct CFE SB StatsTlm Payload CFE SB StatsTlm Payload t
- typedef struct CFE_SB_StatsTIm CFE_SB_StatsTIm_t
- typedef struct CFE SB RoutingFileEntry CFE SB RoutingFileEntry t

SB Routing File Entry.

typedef struct CFE_SB_MsgMapFileEntry CFE_SB_MsgMapFileEntry_t

SB Map File Entry.

- typedef struct CFE SB SingleSubscriptionTlm Payload CFE SB SingleSubscriptionTlm Payload t
- typedef struct CFE_SB_SingleSubscriptionTlm CFE_SB_SingleSubscriptionTlm_t
- typedef struct CFE_SB_SubEntries CFE_SB_SubEntries_t

SB Previous Subscriptions Entry.

- typedef struct CFE SB AllSubscriptionsTlm Payload CFE SB AllSubscriptionsTlm Payload t
- typedef struct CFE SB AllSubscriptionsTlm CFE SB AllSubscriptionsTlm t

11.53.1 Detailed Description

Purpose: This header file contains structure definitions for all SB command and telemetry packets

Author: R.McGraw/SSI

11.53.2 Macro Definition Documentation

11.53.2.1 CFE_SB_DISABLE_ROUTE_CC

```
#define CFE_SB_DISABLE_ROUTE_CC 5
```

Name Disable Software Bus Route

Description

This command will disable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parameters in the command. All destinations are enabled by default.

Command Mnemonic(s) \$sc \$cpu SB DisRoute

Command Structure

CFE_SB_DisableRouteCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- View routing information CFE SB WRITE ROUTING INFO CC to verify enable/disable state change
- The CFE_SB_DSBL_RTE2_EID debug event message will be generated
- · Destination will stop receiving messages

Error Conditions

This command may fail for the following reason(s):

- · the Msgld or Pipeld parameters do not pass validation
- · the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_DSBL_RTE1_EID or CF← E SB DSBL RTE3 EID

Criticality

This command is not intended to be used in nominal conditions. It is possible to get into a state where a destination cannot be re-enabled without resetting the processor. For instance, sending this command with CFE_SB_CM D_MID and the SB_Cmd_Pipe would inhibit any ground commanding to the software bus until the processor was reset. There are similar problems that may occur when using this command.

Definition at line 281 of file cfe sb msg.h.

11.53.2.2 CFE_SB_DISABLE_SUB_REPORTING_CC

#define CFE_SB_DISABLE_SUB_REPORTING_CC 10

Name Disable Subscription Reporting Command

Description

This command will disable subscription reporting and is intended to be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is needed by SBN if offboard routing is required.

Command Mnemonic(s) \$sc_\$cpu_SB_DisSubRptg

Command Structure

CFE_SB_DisableSubReportingCmd_t

Command Verification

Successful execution of this command will result in the suppression of packets (with the CFE_SB_ONESUB_TL M_MID Msgld) for each subscription received by SB through the subscription APIs.

Error Conditions

None

Criticality

None

See also

 $\label{lem:cfe_sb_single} CFE_SB_SingleSubscriptionTlm_t, CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_SEND_PREV_SUB \\ \hookrightarrow \\ S_CC$

Definition at line 438 of file cfe_sb_msg.h.

11.53.2.3 CFE_SB_ENABLE_ROUTE_CC

```
#define CFE_SB_ENABLE_ROUTE_CC 4
```

Name Enable Software Bus Route

Description

This command will enable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parameters in the command. All destinations are enabled by default. This command is needed only after a CFE SB DISABLE ROUTE CC command is used.

Command Mnemonic(s) \$sc_\$cpu_SB_EnaRoute

Command Structure

CFE_SB_EnableRouteCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu SB CMDPC command execution counter will increment
- View routing information CFE_SB_WRITE_ROUTING_INFO_CC to verify enable/disable state change
- The CFE_SB_ENBL_RTE2_EID debug event message will be generated
- · Destination will begin receiving messages

Error Conditions

This command may fail for the following reason(s):

- · the Msgld or Pipeld parameters do not pass validation
- · the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_ENBL_RTE1_EID or CF
 E_SB_ENBL_RTE3_EID

Criticality

This command is not inherently dangerous.

Definition at line 240 of file cfe_sb_msg.h.

11.53.2.4 CFE_SB_ENABLE_SUB_REPORTING_CC

#define CFE_SB_ENABLE_SUB_REPORTING_CC 9

Name Enable Subscription Reporting Command

Description

This command will enable subscription reporting and is intended to be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is needed by SBN if offboard routing is required.

Command Mnemonic(s) \$sc_\$cpu_SB_EnaSubRptg

Command Structure

CFE_SB_EnableSubReportingCmd_t

Command Verification

Successful execution of this command will result in the sending of a packet (with the CFE_SB_ONESUB_TLM_MID Msgld) for each subscription received by SB through the subscription APIs.

Error Conditions

None

Criticality

None

See also

 $\label{lem:cfe_sb_single} CFE_SB_SingleSubscriptionTIm_t, \ CFE_SB_DISABLE_SUB_REPORTING_CC, \ CFE_SB_SEND_PREV_SU \\ \bowtie BS_CC$

Definition at line 405 of file cfe_sb_msg.h.

```
11.53.2.5 CFE_SB_NOOP_CC
```

```
#define CFE_SB_NOOP_CC 0
```

Name Software Bus No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Software Bus task.

Command Mnemonic(s) \$sc_\$cpu_SB_NOOP

Command Structure

```
CFE_SB_NoopCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- The CFE_SB_CMD0_RCVD_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 76 of file cfe_sb_msg.h.

```
11.53.2.6 CFE_SB_RESET_COUNTERS_CC
```

```
#define CFE_SB_RESET_COUNTERS_CC 1
```

Name Software Bus Reset Counters

Description

This command resets the following counters within the Software Bus housekeeping telemetry:

- Command Execution Counter (\$sc \$cpu SB CMDPC)
- Command Error Counter (\$sc \$cpu SB CMDEC)
- · No Subscribers Counter (\$sc \$cpu SB NoSubEC)
- Duplicate Subscriptions Counter (\$sc_\$cpu_SB_DupSubCnt)
- Msg Send Error Counter (\$sc_\$cpu_SB_MsgSndEC)
- Msg Receive Error Counter (\$sc \$cpu SB MsgRecEC)
- Internal Error Counter (\$sc \$cpu SB InternalEC)
- Create Pipe Error Counter (\$sc_\$cpu_SB_NewPipeEC)
- Subscribe Error Counter (\$sc \$cpu SB SubscrEC)
- Pipe Overflow Error Counter (\$sc \$cpu SB PipeOvrEC)
- Msg Limit Error Counter (\$sc_\$cpu_SB_MsgLimEC)

Command Mnemonic(s) \$sc_\$cpu_SB_ResetCtrs

Command Structure

```
CFE SB ResetCountersCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will be reset to 0
- All other counters listed in description will be reset to 0
- The CFE SB CMD1 RCVD EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 123 of file cfe sb msg.h.

11.53.2.7 CFE_SB_SEND_PREV_SUBS_CC

#define CFE_SB_SEND_PREV_SUBS_CC 11

Name Send Previous Subscriptions Command

This command generates a series of packets that contain information

regarding all subscriptions previously received by SB. This command is intended to be used only by the CFS S \leftarrow BN(Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When this command is received the software bus will generate and send a series of packets containing information about all subscription previously received.

Command Mnemonic(s) \$sc \$cpu SB SendPrevSubs

Command Structure

CFE SB SendPrevSubsCmd t

Command Verification

Successful execution of this command will result in a series of packets (with the CFE_SB_ALLSUBS_TLM_MID Msgld) being sent on the software bus.

Error Conditions

None

Criticality

None

See also

 ${\sf CFE_SB_AllSubscriptionsTlm_t,\ CFE_SB_ENABLE_SUB_REPORTING_CC,\ CFE_SB_DISABLE_SUB_REP} \\ {\sf ORTING\ CC}$

Definition at line 470 of file cfe_sb_msg.h.

11.53.2.8 CFE_SB_SEND_SB_STATS_CC

#define CFE_SB_SEND_SB_STATS_CC 2

Name Send Software Bus Statistics

Description

This command will cause the SB task to send a statistics packet containing current utilization figures and high water marks which may be useful for checking the margin of the SB platform configuration settings.

Command Mnemonic(s) \$sc_\$cpu_SB_DumpStats

Command Structure

CFE_SB_SendSbStatsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- Receipt of statistics packet with Msgld CFE_SB_STATS_TLM_MID
- The CFE_SB_SND_STATS_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the debug event is sent and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. It will create and send a message on the software bus. If performed repeatedly, it is possible that receiver pipes may overflow.

See also

Definition at line 157 of file cfe_sb_msg.h.

```
11.53.2.9 CFE_SB_WRITE_MAP_INFO_CC
```

```
#define CFE_SB_WRITE_MAP_INFO_CC 8
```

Name Write Map Info to a File

This command will create a file containing the software bus message

map information. The message map is a lookup table (an array of uint16s)that allows fast access to the correct routing table element during a software bus send operation. This is diagnostic information that may be needed due to the dynamic nature of the cFE software bus. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFORM_SB_DE FAULT MAP FILENAME.

Command Mnemonic(s) \$sc_\$cpu_SB_WriteMap2File

Command Structure

CFE_SB_WriteMapInfoCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE_PLATFORM_SB_DEFAULT_MAP_ FILENAME configuration parameter) will be updated with the latest information.
- The CFE SB SND RTG EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 372 of file cfe_sb_msg.h.

11.53.2.10 CFE_SB_WRITE_PIPE_INFO_CC

#define CFE_SB_WRITE_PIPE_INFO_CC 7

Name Write Pipe Info to a File

Description

This command will create a file containing the software bus pipe information. The pipe information contains information about every pipe that has been created through the CFE_SB_CreatePipe API. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME.

Command Mnemonic(s) \$sc \$cpu SB WritePipe2File

Command Structure

CFE_SB_WritePipeInfoCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE_PLATFORM_SB_DEFAULT_PIPE_ FILENAME configuration parameter) will be updated with the latest information.
- The CFE_SB_SND_RTG_EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- · The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 326 of file cfe_sb_msg.h.

11.53.2.11 CFE_SB_WRITE_ROUTING_INFO_CC

```
#define CFE_SB_WRITE_ROUTING_INFO_CC 3
```

Name Write Software Bus Routing Info to a File

Description

This command will create a file containing the software bus routing information. The routing information contains information about every subscription that has been received through the SB subscription APIs. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME.

Command Mnemonic(s) \$sc_\$cpu_SB_WriteRouting2File

Command Structure

CFE_SB_WriteRoutingInfoCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE_PLATFORM_SB_DEFAULT_ROUT
 —
 ING FILENAME configuration parameter) will be updated with the latest information.
- The CFE SB SND RTG EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- · The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 202 of file cfe sb msg.h.

11.53.3 Typedef Documentation

```
11.53.3.1 CFE_SB_AllSubscriptionsTlm_Payload_t
```

```
typedef struct CFE_SB_AllSubscriptionsTlm_Payload CFE_SB_AllSubscriptionsTlm_Payload_t
```

Name SB Previous Subscriptions Packet

This structure defines the pkt(s) sent by SB that contains a list of all current subscriptions. This pkt is generated on cmd and intended to be used primarily by the Software Bus Networking Application (SBN). Typically, when the cmd is received there are more subscriptions than can fit in one pkt. The complete list of subscriptions is sent via a series of segmented pkts.

```
11.53.3.2 CFE_SB_AllSubscriptionsTlm_t
```

```
{\tt typedef\ struct\ CFE\_SB\_AllSubscriptionsTlm\ CFE\_SB\_AllSubscriptionsTlm\_t}
```

```
11.53.3.3 CFE_SB_DisableRouteCmd_t
```

```
{\tt typedef\ CFE\_SB\_RouteCmd\_t\ CFE\_SB\_DisableRouteCmd\_t}
```

Definition at line 545 of file cfe_sb_msg.h.

11.53.3.4 CFE_SB_DisableSubReportingCmd_t

typedef CFE_MSG_CommandHeader_t CFE_SB_DisableSubReportingCmd_t

Definition at line 486 of file cfe_sb_msg.h.

11.53.3.5 CFE_SB_EnableRouteCmd_t

typedef CFE_SB_RouteCmd_t CFE_SB_EnableRouteCmd_t

Definition at line 544 of file cfe_sb_msg.h.

```
11.53.3.6 CFE_SB_EnableSubReportingCmd_t
typedef CFE_MSG_CommandHeader_t CFE_SB_EnableSubReportingCmd_t
Definition at line 485 of file cfe_sb_msg.h.
11.53.3.7 CFE_SB_HousekeepingTlm_Payload_t
typedef struct CFE_SB_HousekeepingTlm_Payload CFE_SB_HousekeepingTlm_Payload_t
Name Software Bus task housekeeping Packet
11.53.3.8 CFE_SB_HousekeepingTlm_t
typedef struct CFE_SB_HousekeepingTlm CFE_SB_HousekeepingTlm_t
11.53.3.9 CFE_SB_MsgMapFileEntry_t
typedef struct CFE_SB_MsgMapFileEntry CFE_SB_MsgMapFileEntry_t
SB Map File Entry.
Structure of one element of the map information in response to CFE_SB_WRITE_MAP_INFO_CC
11.53.3.10 CFE_SB_NoopCmd_t
typedef CFE_MSG_CommandHeader_t CFE_SB_NoopCmd_t
Definition at line 483 of file cfe_sb_msg.h.
11.53.3.11 CFE_SB_PipeDepthStats_t
typedef struct CFE_SB_PipeDepthStats CFE_SB_PipeDepthStats_t
SB Pipe Depth Statistics.
```

Used in SB Statistics Telemetry Packet CFE SB StatsTlm t

```
11.53.3.12 CFE_SB_PipeInfoEntry_t
```

```
typedef struct CFE_SB_PipeInfoEntry CFE_SB_PipeInfoEntry_t
```

SB Pipe Information File Entry.

This statistics structure is output as part of the CFE SB "Send Pipe Info" command (CFE SB SEND PIPE INFO CC).

Previous versions of CFE simply wrote the internal CFE_SB_PipeD_t object to the file, but this also contains information such as pointers which are not relevant outside the running CFE process.

By defining the pipe info structure separately, it also provides some independence, such that the internal CFE_SB_
PipeD t definition can evolve without changing the binary format of the information file.

```
11.53.3.13 CFE_SB_ResetCountersCmd_t
```

```
typedef CFE_MSG_CommandHeader_t CFE_SB_ResetCountersCmd_t
```

Definition at line 484 of file cfe_sb_msg.h.

```
11.53.3.14 CFE_SB_RouteCmd_Payload_t
```

```
typedef struct CFE_SB_RouteCmd_Payload CFE_SB_RouteCmd_Payload_t
```

Enable/Disable Route Command Payload.

This structure contains a definition used by two SB commands, 'Enable Route' CFE_SB_ENABLE_ROUTE_CC and 'Disable Route' CFE_SB_DISABLE_ROUTE_CC. A route is the destination pipe for a particular message and is therefore defined as a Msgld and Pipeld combination.

```
11.53.3.15 CFE SB RouteCmd t
```

```
typedef struct CFE_SB_RouteCmd CFE_SB_RouteCmd_t
```

Enable/Disable Route Command.

```
11.53.3.16 CFE_SB_RoutingFileEntry_t
```

```
{\tt typedef\ struct\ CFE\_SB\_RoutingFileEntry\ CFE\_SB\_RoutingFileEntry\_t}
```

SB Routing File Entry.

Structure of one element of the routing information in response to CFE SB WRITE ROUTING INFO CC

```
11.53.3.17 CFE_SB_SendPrevSubsCmd_t
typedef CFE_MSG_CommandHeader_t CFE_SB_SendPrevSubsCmd_t
Definition at line 488 of file cfe_sb_msg.h.
11.53.3.18 CFE_SB_SendSbStatsCmd_t
typedef CFE_MSG_CommandHeader_t CFE_SB_SendSbStatsCmd_t
Definition at line 487 of file cfe_sb_msg.h.
11.53.3.19 CFE_SB_SingleSubscriptionTlm_Payload_t
typedef struct CFE_SB_SingleSubscriptionTlm_Payload CFE_SB_SingleSubscriptionTlm_Payload_t
Name SB Subscription Report Packet
This structure defines the pkt sent by SB when a subscription or a request to unsubscribe is received while subscription
reporting is enabled. By default subscription reporting is disabled. This feature is intended to be used primarily by
Software Bus Networking Application (SBN)
See also
     CFE SB ENABLE SUB REPORTING CC, CFE SB DISABLE SUB REPORTING CC
11.53.3.20 CFE_SB_SingleSubscriptionTIm_t
typedef struct CFE_SB_SingleSubscriptionTlm CFE_SB_SingleSubscriptionTlm_t
11.53.3.21 CFE_SB_StatsTIm_Payload_t
typedef struct CFE_SB_StatsTlm_Payload CFE_SB_StatsTlm_Payload_t
Name SB Statistics Telemetry Packet
SB Statistics packet sent in response to CFE SB SEND SB STATS CC
```

```
11.53.3.22 CFE_SB_StatsTIm_t
typedef struct CFE_SB_StatsTlm CFE_SB_StatsTlm_t
11.53.3.23 CFE_SB_SubEntries_t
typedef struct CFE_SB_SubEntries CFE_SB_SubEntries_t
SB Previous Subscriptions Entry.
This structure defines an entry used in the CFE_SB_PrevSubsPkt_t Intended to be used primarily by Software Bus
Networking Application (SBN)
Used in structure definition CFE_SB_AllSubscriptionsTIm_t
11.53.3.24 CFE_SB_WriteFileInfoCmd_Payload_t
typedef struct CFE_SB_WriteFileInfoCmd_Payload CFE_SB_WriteFileInfoCmd_Payload_t
Write File Info Command Payload.
This structure contains a generic definition used by SB commands that write to a file
11.53.3.25 CFE_SB_WriteFileInfoCmd_t
typedef struct CFE_SB_WriteFileInfoCmd CFE_SB_WriteFileInfoCmd_t
Write File Info Command.
11.53.3.26 CFE_SB_WriteMapInfoCmd_t
typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WriteMapInfoCmd_t
Definition at line 514 of file cfe_sb_msg.h.
11.53.3.27 CFE_SB_WritePipeInfoCmd_t
typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WritePipeInfoCmd_t
Definition at line 513 of file cfe_sb_msg.h.
```

```
11.53.3.28 CFE_SB_WriteRoutingInfoCmd_t
typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WriteRoutingInfoCmd_t
Definition at line 512 of file cfe sb msg.h.
11.54
       cfe/modules/tbl/fsw/inc/cfe_tbl_events.h File Reference
Macros
   TBL event IDs

    #define CFE TBL INIT INF EID 1

            TB Initialization Event ID.

    #define CFE_TBL_NOOP_INF_EID 10

            TBL No-op Command Success Event ID.
      • #define CFE TBL RESET INF EID 11
            TBL Reset Counters Command Success Event ID.

    #define CFE TBL FILE LOADED INF EID 12

            TBL Load Table Command Success Event ID.

    #define CFE TBL OVERWRITE DUMP INF EID 13

            TBL Write Table To Existing File Success Event ID.

    #define CFE_TBL_WRITE_DUMP_INF_EID 14

            TBL Write Table To New File Success Event ID.

    #define CFE TBL OVERWRITE REG DUMP INF EID 15

            TBL Write Table Registry To Existing File Success Event ID.

    #define CFE_TBL_VAL_REQ_MADE_INF_EID 16

            TBL Validate Table Request Success Event ID.

    #define CFE TBL LOAD PEND REQ INF EID 17

            TBL Load Table Pending Notification Success Event ID.

    #define CFE_TBL_TLM_REG_CMD_INF_EID 18

            TBL Telemeter Table Registry Entry Command Success Event ID.

    #define CFE TBL LOAD ABORT INF EID 21

            TBL Abort Table Load Success Event ID.

    #define CFE_TBL_WRITE_REG_DUMP_INF_EID 22

            TBL Write Table Registry To New File Success Event ID.
      • #define CFE TBL ASSUMED VALID INF EID 23
            TBL Validate Table Valid Due To No Validation Function Event ID.

    #define CFE_TBL_LOAD_SUCCESS_INF_EID 35

            TBL Load Table API Success Event ID.
      • #define CFE_TBL_VALIDATION_INF_EID 36
            TBL Validate Table Success Event ID.

    #define CFE_TBL_UPDATE_SUCCESS_INF_EID 37

            TBL Update Table Success Event ID.

    #define CFE TBL CDS DELETED INFO EID 38

            TBL Delete Table CDS Command Success Event ID.

    #define CFE_TBL_MID_ERR_EID 50

            TBL Invalid Message ID Received Event ID.

    #define CFE_TBL_CC1_ERR_EID 51

            TBL Invalid Command Code Received Event ID.

    #define CFE TBL LEN ERR EID 52

            TBL Invalid Command Length Event ID.
```

#define CFE TBL FILE ACCESS ERR EID 53

```
TBL Load Table File Open Failure Event ID.

    #define CFE_TBL_FILE_STD_HDR_ERR_EID 54

     TBL Load Table File Read Standard Header Failure Event ID.

    #define CFE TBL FILE TBL HDR ERR EID 55

     TBL Load Table File Read Table Header Failure Event ID.

    #define CFE TBL FAIL HK SEND ERR EID 56

     TBL Send Housekeeping Command Transmit Failure Event ID.

    #define CFE_TBL_NO_SUCH_TABLE_ERR_EID 57

     TBL Table Name Not Found Event ID.

    #define CFE TBL FILE TYPE ERR EID 58

     TBL Load Table Invalid File Content ID Event ID.

    #define CFE TBL FILE SUBTYPE ERR EID 59

     TBL Load Table Invalid File Subtype Event ID.

    #define CFE_TBL_NO_WORK_BUFFERS_ERR_EID 60

     TBL Load Or Dump Table No Working Buffers Available Event ID.

    #define CFE TBL INTERNAL ERROR ERR EID 61

     TBL Load Table Command Get Working Buffer Internal Failure Event ID.

    #define CFE_TBL_CREATING_DUMP_FILE_ERR_EID 62

     TBL Write File Creation Failure Event ID.

    #define CFE_TBL_WRITE_CFE_HDR_ERR_EID 63

     TBL Write Standard File Header Failure Event ID.

    #define CFE TBL WRITE TBL HDR ERR EID 64

     TBL Write Table File Header Failure Event ID.

    #define CFE_TBL_WRITE_TBL_IMG_ERR_EID 65

     TBL Write Table File Data Failure Event ID.
• #define CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID 66
     TBL Validate Or Write Table Command No Inactive Buffer Event ID.

    #define CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID 67

     TBL Validate Table Command Result Storage Exceeded Event ID.

    #define CFE_TBL_WRITE_TBL_REG_ERR_EID 68

     TBL Write Table Registry File Data Failure Event ID.

    #define CFE_TBL_LOAD_ABORT_ERR_EID 69

     TBL Abort Table Load No Load Started Event ID.

    #define CFE_TBL_ACTIVATE_ERR_EID 70

     TBL Activate Table Command No Inactive Buffer Event ID.
• #define CFE_TBL_FILE_INCOMPLETE ERR EID 71
     TBL Load Table Incomplete Load Event ID.

    #define CFE TBL LOAD EXCEEDS SIZE ERR EID 72

     TBL Load Table File Exceeds Table Size Event ID.

    #define CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID 73

     TBL Load Table File Zero Length Event ID.

    #define CFE TBL PARTIAL LOAD ERR EID 74

     TBL Load Table Uninitialized Partial Load Event ID.

    #define CFE_TBL_FILE_TOO_BIG_ERR_EID 75

     TBL Load Table File Excess Data Event ID.

    #define CFE TBL TOO MANY DUMPS ERR EID 76

     TBL Write Table Command Dump Only Control Blocks Exceeded Event ID.

    #define CFE_TBL_DUMP_PENDING_ERR_EID 77

     TBL Write Table Command Already In Progress Event ID.
• #define CFE_TBL_ACTIVATE_DUMP_ONLY ERR EID 78
     TBL Activate Table Command For Dump Only Table Event ID.

    #define CFE TBL LOADING A DUMP ONLY ERR EID 79

     TBL Load Table For Dump Only Table Event ID.

    #define CFE TBL ILLEGAL BUFF PARAM ERR EID 80
```

TBL Validate Or Write Table Command Invalid Buffer Event ID.

```
    #define CFE_TBL_UNVALIDATED_ERR_EID 81

            TBL Activate Table Command Inactive Image Not Validated Event ID.
      • #define CFE TBL IN REGISTRY ERR EID 82
            TBL Delete Table CDS Command For Registered Table Event ID.

    #define CFE TBL NOT CRITICAL TBL ERR EID 83

            TBL Delete Table CDS Command Invalid CDS Type Event ID.
      • #define CFE TBL NOT IN CRIT REG ERR EID 84
            TBL Delete Table CDS Command Not In Critical Table Registry Event ID.

    #define CFE TBL CDS NOT FOUND ERR EID 85

            TBL Delete Table CDS Command Not In CDS Registry Event ID.

    #define CFE TBL CDS DELETE ERR EID 86

            TBL Delete Table CDS Command Internal Error Event ID.

    #define CFE TBL CDS OWNER ACTIVE ERR EID 87

            TBL Delete Table CDS Command App Active Event ID.

    #define CFE TBL LOADING PENDING ERR EID 88

            TBL Load Table Command Load Pending Event ID.

    #define CFE TBL FAIL NOTIFY SEND ERR EID 89

            TBL Send Notification Transmit Failed Event ID.

    #define CFE_TBL_REGISTER_ERR_EID 90

            TBL Register Table Failed Event ID.
      • #define CFE_TBL_SHARE_ERR_EID 91
            TBL Share Table Failed Event ID.

    #define CFE TBL UNREGISTER ERR EID 92

            TBL Unregister Table Failed Event ID.

    #define CFE TBL LOAD VAL ERR EID 93

            TBL Validation Function Invalid Return Code Event ID.

    #define CFE TBL LOAD TYPE ERR EID 94

            TBL Load Table API Invalid Source Type Event ID.
      • #define CFE TBL UPDATE ERR EID 95
            TBL Update Table Failed Event ID.

    #define CFE_TBL_VALIDATION_ERR_EID 96

            TBL Validate Table Validation Failed Event ID.

    #define CFE TBL SPACECRAFT ID ERR EID 97

            TBL Read Header Invalid Spacecraft ID Event ID.
      • #define CFE_TBL_PROCESSOR_ID_ERR_EID 98
            TBL Read Header Invalid Processor ID Event ID.
      • #define CFE TBL LOAD IN PROGRESS ERR EID 100
            TBL Load Table API Load Already In Progress Event ID.

    #define CFE_TBL_LOAD_FILENAME_LONG_ERR_EID 101

            TBL Load Table Filename Too Long Event ID.

    #define CFE TBL LOAD TBLNAME MISMATCH ERR EID 102

            TBL Load Table Name Mismatch Event ID.

    #define CFE TBL HANDLE ACCESS ERR EID 103

            TBL Load Table API Access Violation Event ID.
11.54.1 Detailed Description
cFE Table Services Event IDs
11.54.2 Macro Definition Documentation
```

```
11.54.2.1 CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID
 #define CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID 78
TBL Activate Table Command For Dump Only Table Event ID.
Type: ERROR
Cause:
TBL Activate Table Command failure due to table being dump only.
Definition at line 556 of file cfe_tbl_events.h.
11.54.2.2 CFE_TBL_ACTIVATE_ERR_EID
 #define CFE_TBL_ACTIVATE_ERR_EID 70
TBL Activate Table Command No Inactive Buffer Event ID.
Type: ERROR
Cause:
TBL Activate Table Command failure due to no associated inactive buffer.
Definition at line 462 of file cfe_tbl_events.h.
11.54.2.3 CFE_TBL_ASSUMED_VALID_INF_EID
 #define CFE_TBL_ASSUMED_VALID_INF_EID 23
TBL Validate Table Valid Due To No Validation Function Event ID.
Type: INFORMATION
Cause:
```

TBL Validate Table Command marking table as valid due to no validation function being registered.

Generated by Doxygen

Definition at line 180 of file cfe_tbl_events.h.

```
11.54.2.4 CFE_TBL_CC1_ERR_EID
 #define CFE_TBL_CC1_ERR_EID 51
TBL Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_TBL_CMD_MID received on the TBL message pipe.
Definition at line 246 of file cfe_tbl_events.h.
11.54.2.5 CFE_TBL_CDS_DELETE_ERR_EID
 #define CFE_TBL_CDS_DELETE_ERR_EID 86
TBL Delete Table CDS Command Internal Error Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to an internal error. See the system log for more information.
Definition at line 652 of file cfe_tbl_events.h.
11.54.2.6 CFE_TBL_CDS_DELETED_INFO_EID
 #define CFE_TBL_CDS_DELETED_INFO_EID 38
TBL Delete Table CDS Command Success Event ID.
Type: INFORMATION
Cause:
TBL Delete Table CDS Command success.
 Definition at line 224 of file cfe_tbl_events.h.
```

```
11.54.2.7 CFE_TBL_CDS_NOT_FOUND_ERR_EID
 #define CFE_TBL_CDS_NOT_FOUND_ERR_EID 85
TBL Delete Table CDS Command Not In CDS Registry Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table name not found in the CDS registry.
 Definition at line 640 of file cfe tbl events.h.
11.54.2.8 CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID
 #define CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID 87
TBL Delete Table CDS Command App Active Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the owning application being active.
 Definition at line 664 of file cfe_tbl_events.h.
11.54.2.9 CFE_TBL_CREATING_DUMP_FILE_ERR_EID
 #define CFE_TBL_CREATING_DUMP_FILE_ERR_EID 62
TBL Write File Creation Failure Event ID.
Type: ERROR
Cause:
TBL Write Table or Table Registry File failed to create file. OVERLOADED
```

Definition at line 369 of file cfe_tbl_events.h.

11.54.2.10 CFE_TBL_DUMP_PENDING_ERR_EID #define CFE_TBL_DUMP_PENDING_ERR_EID 77 TBL Write Table Command Already In Progress Event ID. Type: ERROR Cause: TBL Write Table Command failure due to a dump already in progress for the same table. Definition at line 544 of file cfe tbl events.h. 11.54.2.11 CFE_TBL_FAIL_HK_SEND_ERR_EID #define CFE_TBL_FAIL_HK_SEND_ERR_EID 56 TBL Send Housekeeping Command Transmit Failure Event ID. Type: ERROR Cause: TBL Send Housekeeping Command failure transmitting the housekeeping message. Definition at line 302 of file cfe_tbl_events.h. 11.54.2.12 CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID #define CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID 89 TBL Send Notification Transmit Failed Event ID. Type: ERROR Cause: TBL send notification transmit message failure. Definition at line 686 of file cfe_tbl_events.h.

```
11.54.2.13 CFE_TBL_FILE_ACCESS_ERR_EID
 #define CFE_TBL_FILE_ACCESS_ERR_EID 53
TBL Load Table File Open Failure Event ID.
Type: ERROR
Cause:
Load Table failure opening the file. OVERLOADED
 Definition at line 268 of file cfe tbl events.h.
11.54.2.14 CFE_TBL_FILE_INCOMPLETE_ERR_EID
 #define CFE_TBL_FILE_INCOMPLETE_ERR_EID 71
TBL Load Table Incomplete Load Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to inability to read the size of data specified in the table header from file. OVERLOADED
 Definition at line 474 of file cfe_tbl_events.h.
11.54.2.15 CFE_TBL_FILE_LOADED_INF_EID
 #define CFE_TBL_FILE_LOADED_INF_EID 12
TBL Load Table Command Success Event ID.
Type: INFORMATION
Cause:
TBL Load Table Command successfully loaded the new table data to the working buffer.
```

Definition at line 76 of file cfe_tbl_events.h.

```
11.54.2.16 CFE_TBL_FILE_STD_HDR_ERR_EID
 #define CFE_TBL_FILE_STD_HDR_ERR_EID 54
 TBL Load Table File Read Standard Header Failure Event ID.
Type: ERROR
Cause:
 Load Table failure reading the file standard header.
 Definition at line 279 of file cfe_tbl_events.h.
 11.54.2.17 CFE_TBL_FILE_SUBTYPE_ERR_EID
 #define CFE_TBL_FILE_SUBTYPE_ERR_EID 59
 TBL Load Table Invalid File Subtype Event ID.
Type: ERROR
Cause:
 TBL Load Table Failure due to invalid file subtype.
 Definition at line 335 of file cfe_tbl_events.h.
 11.54.2.18 CFE_TBL_FILE_TBL_HDR_ERR_EID
 #define CFE_TBL_FILE_TBL_HDR_ERR_EID 55
 TBL Load Table File Read Table Header Failure Event ID.
Type: ERROR
Cause:
 Load Table failure reading the file table header.
 Definition at line 290 of file cfe_tbl_events.h.
```

```
11.54.2.19 CFE_TBL_FILE_TOO_BIG_ERR_EID
 #define CFE_TBL_FILE_TOO_BIG_ERR_EID 75
TBL Load Table File Excess Data Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to the file header specified size of data being smaller than the actual data contained in the
file. OVERLOADED
Definition at line 520 of file cfe_tbl_events.h.
11.54.2.20 CFE_TBL_FILE_TYPE_ERR_EID
 #define CFE_TBL_FILE_TYPE_ERR_EID 58
TBL Load Table Invalid File Content ID Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to invalid file content ID.
Definition at line 324 of file cfe tbl events.h.
11.54.2.21 CFE_TBL_HANDLE_ACCESS_ERR_EID
 #define CFE_TBL_HANDLE_ACCESS_ERR_EID 103
TBL Load Table API Access Violation Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API failure due to the application not owning the table.
Definition at line 829 of file cfe_tbl_events.h.
```

```
11.54.2.22 CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID
 #define CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID 80
TBL Validate Or Write Table Command Invalid Buffer Event ID.
Type: ERROR
Cause:
TBL Validate Table Command or TBL Write Table Command failure due to an invalid buffer selection. OVERLOADED
Definition at line 580 of file cfe tbl events.h.
11.54.2.23 CFE_TBL_IN_REGISTRY_ERR_EID
 #define CFE_TBL_IN_REGISTRY_ERR_EID 82
TBL Delete Table CDS Command For Registered Table Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table being currently registered.
Definition at line 604 of file cfe_tbl_events.h.
11.54.2.24 CFE_TBL_INIT_INF_EID
 #define CFE_TBL_INIT_INF_EID 1
TB Initialization Event ID.
Type: INFORMATION
Cause:
Table Services Task initialization complete.
 Definition at line 42 of file cfe_tbl_events.h.
```

```
11.54.2.25 CFE_TBL_INTERNAL_ERROR_ERR_EID
 #define CFE_TBL_INTERNAL_ERROR_ERR_EID 61
TBL Load Table Command Get Working Buffer Internal Failure Event ID.
Type: ERROR
Cause:
TBL Load Table Command failure due to internal get working buffer error.
Definition at line 358 of file cfe tbl events.h.
11.54.2.26 CFE_TBL_LEN_ERR_EID
 #define CFE_TBL_LEN_ERR_EID 52
TBL Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the message ID and command code received on the TBL message pipe.
Definition at line 257 of file cfe_tbl_events.h.
11.54.2.27 CFE_TBL_LOAD_ABORT_ERR_EID
 #define CFE_TBL_LOAD_ABORT_ERR_EID 69
TBL Abort Table Load No Load Started Event ID.
Type: ERROR
Cause:
TBL Abort Table Load Command failure due to no load in progress.
```

Definition at line 450 of file cfe_tbl_events.h.

11.54.2.28 CFE_TBL_LOAD_ABORT_INF_EID
#define CFE_TBL_LOAD_ABORT_INF_EID 21
TBL Abort Table Load Success Event ID.
Type: INFORMATION
Cause:
TBL Abort Table Load Command success.
Definition at line 157 of file cfe_tbl_events.h.
Definition at time 107 of the dio_tol_events.n.
11.54.2.29 CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID
#define CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID 72
TBL Load Table File Exceeds Table Size Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to the file header specified offset and/or size of data exceeding the table size. OVERLOADED
Definition at line 486 of file cfe_tbl_events.h.
11.54.2.30 CFE_TBL_LOAD_FILENAME_LONG_ERR_EID
#define CFE_TBL_LOAD_FILENAME_LONG_ERR_EID 101
TBL Load Table Filename Too Long Event ID.
Type: ERROR
Cause:
Load table filename too long.
Definition at line 807 of file cfe_tbl_events.h.

```
11.54.2.31 CFE_TBL_LOAD_IN_PROGRESS_ERR_EID
 #define CFE_TBL_LOAD_IN_PROGRESS_ERR_EID 100
TBL Load Table API Load Already In Progress Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API failure due to load already in progress.
 Definition at line 796 of file cfe tbl events.h.
11.54.2.32 CFE_TBL_LOAD_PEND_REQ_INF_EID
 #define CFE_TBL_LOAD_PEND_REQ_INF_EID 17
TBL Load Table Pending Notification Success Event ID.
Type: DEBUG
Cause:
TBL load table pending notification successfully sent.
 Definition at line 134 of file cfe_tbl_events.h.
11.54.2.33 CFE_TBL_LOAD_SUCCESS_INF_EID
 #define CFE_TBL_LOAD_SUCCESS_INF_EID 35
TBL Load Table API Success Event ID.
Type: DEBUG (the first time) and INFORMATION (normally)
Cause:
CFE_TBL_Load API success for dump only or normal table. OVERLOADED
 Definition at line 191 of file cfe_tbl_events.h.
```

11.54.2.34 CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID #define CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID 102 TBL Load Table Name Mismatch Event ID. Type: ERROR Cause: Load table name in the table file header does not match the specified table name. Definition at line 818 of file cfe tbl events.h. 11.54.2.35 CFE_TBL_LOAD_TYPE_ERR_EID #define CFE_TBL_LOAD_TYPE_ERR_EID 94 TBL Load Table API Invalid Source Type Event ID. Type: ERROR Cause: CFE_TBL_Load API valid due to invalid source type. Definition at line 741 of file cfe_tbl_events.h. 11.54.2.36 CFE_TBL_LOAD_VAL_ERR_EID #define CFE_TBL_LOAD_VAL_ERR_EID 93 TBL Validation Function Invalid Return Code Event ID. Type: ERROR Cause: Invalid table validation function return code. Definition at line 730 of file cfe_tbl_events.h.

```
11.54.2.37 CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID
 #define CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID 79
TBL Load Table For Dump Only Table Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to table being dump only. OVERLOADED
Definition at line 567 of file cfe_tbl_events.h.
11.54.2.38 CFE_TBL_LOADING_PENDING_ERR_EID
 #define CFE_TBL_LOADING_PENDING_ERR_EID 88
TBL Load Table Command Load Pending Event ID.
Type: ERROR
Cause:
TBL Load Table Command failed due to a load already pending.
Definition at line 675 of file cfe_tbl_events.h.
11.54.2.39 CFE_TBL_MID_ERR_EID
 #define CFE_TBL_MID_ERR_EID 50
TBL Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the TBL message pipe.
Definition at line 235 of file cfe_tbl_events.h.
```

11.54.2.40 CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID #define CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID 66 TBL Validate Or Write Table Command No Inactive Buffer Event ID. Type: ERROR Cause: TBL Validate Table Command or TBL Write Table Command failure due to requesting non-existent inactive buffer. **OVERLOADED** Definition at line 415 of file cfe_tbl_events.h. 11.54.2.41 CFE_TBL_NO_SUCH_TABLE_ERR_EID #define CFE_TBL_NO_SUCH_TABLE_ERR_EID 57 TBL Table Name Not Found Event ID. Type: ERROR Cause: TBL command handler unable to find table name. OVERLOADED Definition at line 313 of file cfe tbl events.h. 11.54.2.42 CFE_TBL_NO_WORK_BUFFERS_ERR_EID #define CFE_TBL_NO_WORK_BUFFERS_ERR_EID 60 TBL Load Or Dump Table No Working Buffers Available Event ID. Type: ERROR Cause: TBL Load or Dump failure due to no working buffers available or internal error. OVERLOADED

Definition at line 346 of file cfe_tbl_events.h.

```
11.54.2.43 CFE_TBL_NOOP_INF_EID
 #define CFE_TBL_NOOP_INF_EID 10
TBL No-op Command Success Event ID.
Type: INFORMATION
Cause:
NO-OP TBL No-op Command success.
Definition at line 53 of file cfe_tbl_events.h.
11.54.2.44 CFE_TBL_NOT_CRITICAL_TBL_ERR_EID
 #define CFE_TBL_NOT_CRITICAL_TBL_ERR_EID 83
TBL Delete Table CDS Command Invalid CDS Type Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to CDS being in the table registry but not registered as a table within ES.
Definition at line 616 of file cfe_tbl_events.h.
11.54.2.45 CFE_TBL_NOT_IN_CRIT_REG_ERR_EID
 #define CFE_TBL_NOT_IN_CRIT_REG_ERR_EID 84
TBL Delete Table CDS Command Not In Critical Table Registry Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table not being in the critical table registry.
Definition at line 628 of file cfe_tbl_events.h.
```

11.54.2.46 CFE_TBL_OVERWRITE_DUMP_INF_EID #define CFE_TBL_OVERWRITE_DUMP_INF_EID 13 TBL Write Table To Existing File Success Event ID. Type: INFORMATION Cause: TBL write table to an existing file success. Definition at line 87 of file cfe tbl events.h. 11.54.2.47 CFE_TBL_OVERWRITE_REG_DUMP_INF_EID #define CFE_TBL_OVERWRITE_REG_DUMP_INF_EID 15 TBL Write Table Registry To Existing File Success Event ID. Type: DEBUG Cause: TBL Write Table Registry to an existing file completed successfully. Definition at line 109 of file cfe_tbl_events.h. 11.54.2.48 CFE_TBL_PARTIAL_LOAD_ERR_EID #define CFE_TBL_PARTIAL_LOAD_ERR_EID 74 TBL Load Table Uninitialized Partial Load Event ID. Type: ERROR Cause: TBL Load Table failure due to attempting a partial load to an uninitialized table. OVERLOADED

Definition at line 508 of file cfe_tbl_events.h.

```
11.54.2.49 CFE_TBL_PROCESSOR_ID_ERR_EID
 #define CFE_TBL_PROCESSOR_ID_ERR_EID 98
 TBL Read Header Invalid Processor ID Event ID.
Type: ERROR
Cause:
 Invalid processor ID in table file header.
 Definition at line 785 of file cfe_tbl_events.h.
 11.54.2.50 CFE_TBL_REGISTER_ERR_EID
 #define CFE_TBL_REGISTER_ERR_EID 90
 TBL Register Table Failed Event ID.
Type: ERROR
Cause:
 TBL table registration failure. See system log for more information.
 Definition at line 697 of file cfe_tbl_events.h.
 11.54.2.51 CFE_TBL_RESET_INF_EID
 #define CFE_TBL_RESET_INF_EID 11
 TBL Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
 TBL Reset Counters Command success.
```

Definition at line 64 of file cfe_tbl_events.h.

11.54.2.52 CFE_TBL_SHARE_ERR_EID #define CFE_TBL_SHARE_ERR_EID 91 TBL Share Table Failed Event ID. Type: ERROR Cause: TBL share table failure. See system log for more information. Definition at line 708 of file cfe_tbl_events.h. 11.54.2.53 CFE_TBL_SPACECRAFT_ID_ERR_EID #define CFE_TBL_SPACECRAFT_ID_ERR_EID 97 TBL Read Header Invalid Spacecraft ID Event ID. Type: ERROR Cause: Invalid spacecraft ID in table file header. Definition at line 774 of file cfe_tbl_events.h. 11.54.2.54 CFE_TBL_TLM_REG_CMD_INF_EID #define CFE_TBL_TLM_REG_CMD_INF_EID 18 TBL Telemeter Table Registry Entry Command Success Event ID. Type: DEBUG Cause: TBL Telemeter Table Registry Entry command successfully set the table registry index to telemeter in the next housekeeping packet.

Definition at line 146 of file cfe_tbl_events.h.

Generated by Doxygen

```
11.54.2.55 CFE_TBL_TOO_MANY_DUMPS_ERR_EID
 #define CFE_TBL_TOO_MANY_DUMPS_ERR_EID 76
TBL Write Table Command Dump Only Control Blocks Exceeded Event ID.
Type: ERROR
Cause:
TBL Write Table Command failure due to exceeding the allocated number of control blocks available to write a dump
only table.
 Definition at line 532 of file cfe_tbl_events.h.
11.54.2.56 CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID
 #define CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID 67
TBL Validate Table Command Result Storage Exceeded Event ID.
Type: ERROR
Cause:
TBL Validate Table Command failure due to exceeding result storage.
Definition at line 427 of file cfe_tbl_events.h.
11.54.2.57 CFE TBL UNREGISTER ERR EID
 #define CFE_TBL_UNREGISTER_ERR_EID 92
TBL Unregister Table Failed Event ID.
Type: ERROR
Cause:
TBL unregister table failure. See system log for more information.
 Definition at line 719 of file cfe_tbl_events.h.
```

11.54.2.58 CFE_TBL_UNVALIDATED_ERR_EID #define CFE_TBL_UNVALIDATED_ERR_EID 81 TBL Activate Table Command Inactive Image Not Validated Event ID. Type: ERROR Cause: TBL Activate Table Command failure due to the inactive image not being validated. Definition at line 592 of file cfe_tbl_events.h. 11.54.2.59 CFE_TBL_UPDATE_ERR_EID #define CFE_TBL_UPDATE_ERR_EID 95 TBL Update Table Failed Event ID. Type: ERROR Cause: TBL update table failure due to an internal error. OVERLOADED Definition at line 752 of file cfe_tbl_events.h. 11.54.2.60 CFE_TBL_UPDATE_SUCCESS_INF_EID #define CFE_TBL_UPDATE_SUCCESS_INF_EID 37 TBL Update Table Success Event ID. Type: INFORMATION Cause: Table update successfully completed. Definition at line 213 of file cfe_tbl_events.h.

11.54.2.61 CFE_TBL_VAL_REQ_MADE_INF_EID #define CFE_TBL_VAL_REQ_MADE_INF_EID 16 TBL Validate Table Request Success Event ID. Type: DEBUG Cause: TBL Validate Table Command success. Note this event signifies the request to validate the table has been successfully submitted. Completion will generate a CFE_TBL_VALIDATION_INF_EID or CFE_TBL_VALIDATION_ERR_EID event messages. Definition at line 123 of file cfe_tbl_events.h. 11.54.2.62 CFE_TBL_VALIDATION_ERR_EID #define CFE_TBL_VALIDATION_ERR_EID 96 TBL Validate Table Validation Failed Event ID. Type: ERROR Cause: TBL validate table function indicates validation failed. OVERLOADED Definition at line 763 of file cfe tbl events.h. 11.54.2.63 CFE_TBL_VALIDATION_INF_EID #define CFE_TBL_VALIDATION_INF_EID 36 TBL Validate Table Success Event ID. Type: INFORMATION Cause: Table active or inactive image successfully validated by the registered validation function. OVERLOADED

Definition at line 202 of file cfe_tbl_events.h.

```
11.54.2.64 CFE_TBL_WRITE_CFE_HDR_ERR_EID
 #define CFE_TBL_WRITE_CFE_HDR_ERR_EID 63
TBL Write Standard File Header Failure Event ID.
Type: ERROR
Cause:
TBL Write Table or Table Registry File failure writing the standard file header. OVERLOADED
Definition at line 380 of file cfe tbl events.h.
11.54.2.65 CFE_TBL_WRITE_DUMP_INF_EID
 #define CFE_TBL_WRITE_DUMP_INF_EID 14
TBL Write Table To New File Success Event ID.
Type: INFORMATION
Cause:
TBL write table to a new file success.
Definition at line 98 of file cfe tbl events.h.
11.54.2.66 CFE_TBL_WRITE_REG_DUMP_INF_EID
 #define CFE_TBL_WRITE_REG_DUMP_INF_EID 22
TBL Write Table Registry To New File Success Event ID.
Type: DEBUG
Cause:
TBL Write Table Registry to a new file completed successfully.
```

Definition at line 168 of file cfe_tbl_events.h.

```
11.54.2.67 CFE_TBL_WRITE_TBL_HDR_ERR_EID
 #define CFE_TBL_WRITE_TBL_HDR_ERR_EID 64
 TBL Write Table File Header Failure Event ID.
Type: ERROR
Cause:
 TBL Write Table failure writing the table image file header.
 Definition at line 391 of file cfe_tbl_events.h.
 11.54.2.68 CFE_TBL_WRITE_TBL_IMG_ERR_EID
 #define CFE_TBL_WRITE_TBL_IMG_ERR_EID 65
 TBL Write Table File Data Failure Event ID.
Type: ERROR
Cause:
 TBL Write Table failure writing the table data.
 Definition at line 402 of file cfe_tbl_events.h.
 11.54.2.69 CFE_TBL_WRITE_TBL_REG_ERR_EID
 #define CFE_TBL_WRITE_TBL_REG_ERR_EID 68
 TBL Write Table Registry File Data Failure Event ID.
Type: ERROR
Cause:
 TB Write Table Registry failure writing file data.
```

Definition at line 438 of file cfe_tbl_events.h.

```
11.54.2.70 CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID
```

```
#define CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID 73
```

TBL Load Table File Zero Length Event ID.

Type: ERROR

Cause:

TBL Load Table failure due to the file header specified size of data being zero.

Definition at line 497 of file cfe tbl events.h.

11.55 cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_time_extern_typedefs.h"
```

Data Structures

struct CFE_TBL_NoArgsCmd

Generic "no arguments" command.

• struct CFE_TBL_LoadCmd_Payload

Load Table Command Payload.

struct CFE_TBL_LoadCmd

Load Table Command.

• struct CFE_TBL_DumpCmd_Payload

Dump Table Command Payload.

- struct CFE_TBL_DumpCmd
- struct CFE_TBL_ValidateCmd_Payload

Validate Table Command Payload.

struct CFE_TBL_ValidateCmd

Validate Table Command.

struct CFE_TBL_ActivateCmd_Payload

Activate Table Command Payload.

struct CFE_TBL_ActivateCmd

Activate Table Command.

struct CFE_TBL_DumpRegistryCmd_Payload

Dump Registry Command Payload.

```
    struct CFE_TBL_DumpRegistryCmd
        Dump Registry Command.

    struct CFE_TBL_SendRegistryCmd_Payload
        Send Table Registry Command Payload.

    struct CFE_TBL_SendRegistryCmd
        Send Table Registry Command.

    struct CFE_TBL_DelCDSCmd_Payload
        Delete Critical Table CDS Command Payload.

    struct CFE_TBL_DeleteCDSCmd
```

Delete Critical Table CDS Command.

struct CFE_TBL_AbortLoadCmd_Payload

Abort Load Command Payload.

struct CFE TBL AbortLoadCmd

Abort Load Command.

struct CFE TBL NotifyCmd Payload

Table Management Notification Command Payload.

- struct CFE TBL NotifyCmd
- struct CFE TBL HousekeepingTlm Payload
- struct CFE TBL HousekeepingTlm
- struct CFE TBL TblRegPacket Payload
- struct CFE_TBL_TableRegistryTlm

Macros

Table Services Command Codes

```
#define CFE_TBL_NOOP_CC 0
#define CFE_TBL_RESET_COUNTERS_CC 1
#define CFE_TBL_LOAD_CC 2
#define CFE_TBL_DUMP_CC 3
#define CFE_TBL_VALIDATE_CC 4
#define CFE_TBL_ACTIVATE_CC 5
#define CFE_TBL_DUMP_REGISTRY_CC 6
#define CFE_TBL_SEND_REGISTRY_CC 7
#define CFE_TBL_DELETE CDS CC 8
```

Typedefs

```
    typedef struct CFE_TBL_NoArgsCmd CFE_TBL_NoArgsCmd_t
```

Generic "no arguments" command.

#define CFE TBL ABORT LOAD CC 9

- typedef CFE_TBL_NoArgsCmd_t CFE_TBL_NoopCmd_t
- typedef CFE_TBL_NoArgsCmd_t CFE_TBL_ResetCountersCmd_t
- typedef struct CFE TBL LoadCmd Payload CFE TBL LoadCmd Payload t

Load Table Command Payload.

typedef struct CFE_TBL_LoadCmd CFE_TBL_LoadCmd_t

Load Table Command.

typedef struct CFE_TBL_DumpCmd_Payload CFE_TBL_DumpCmd_Payload_t

Dump Table Command Payload.

```
    typedef struct CFE_TBL_DumpCmd CFE_TBL_DumpCmd_t

    typedef struct CFE TBL ValidateCmd Payload CFE TBL ValidateCmd Payload t

         Validate Table Command Payload.

    typedef struct CFE_TBL_ValidateCmd CFE_TBL_ValidateCmd_t

         Validate Table Command.
    • typedef struct CFE_TBL_ActivateCmd_Payload CFE_TBL_ActivateCmd_Payload_t
         Activate Table Command Payload.

    typedef struct CFE TBL ActivateCmd CFE TBL ActivateCmd t

         Activate Table Command.

    typedef struct CFE TBL DumpRegistryCmd Payload CFE TBL DumpRegistryCmd Payload t

         Dump Registry Command Payload.

    typedef struct CFE TBL DumpRegistryCmd CFE TBL DumpRegistryCmd t

         Dump Registry Command.

    typedef struct CFE_TBL_SendRegistryCmd_Payload CFE_TBL_SendRegistryCmd_Payload_t

         Send Table Registry Command Payload.
    • typedef struct CFE_TBL_SendRegistryCmd CFE_TBL_SendRegistryCmd_t
         Send Table Registry Command.

    typedef struct CFE TBL DelCDSCmd Payload CFE TBL DelCDSCmd Payload t

         Delete Critical Table CDS Command Payload.
    • typedef struct CFE TBL DeleteCDSCmd CFE TBL DeleteCDSCmd t
         Delete Critical Table CDS Command.

    typedef struct CFE TBL AbortLoadCmd Payload CFE TBL AbortLoadCmd Payload t

         Abort Load Command Payload.

    typedef struct CFE_TBL_AbortLoadCmd CFE_TBL_AbortLoadCmd_t

         Abort Load Command.

    typedef struct CFE TBL NotifyCmd Payload CFE TBL NotifyCmd Payload t

         Table Management Notification Command Payload.

    typedef struct CFE TBL NotifyCmd CFE TBL NotifyCmd t

    typedef struct CFE TBL HousekeepingTlm Payload CFE TBL HousekeepingTlm Payload t

    typedef struct CFE_TBL HousekeepingTlm CFE_TBL HousekeepingTlm_t

    typedef struct CFE TBL TblRegPacket Payload CFE TBL TblRegPacket Payload t

    typedef struct CFE TBL TableRegistryTlm CFE TBL TableRegistryTlm t

11.55.1 Detailed Description
Purpose: cFE Table Services (TBL) SB message definitions header file
Author: D.Kobe/Hammers
Notes:
11.55.2 Macro Definition Documentation
```

11.55.2.1 CFE_TBL_ABORT_LOAD_CC

```
#define CFE_TBL_ABORT_LOAD_CC 9
```

Name Abort Table Load

Description

This command will cause Table Services to discard the contents of a table buffer that was previously loaded with the data in a file as specified by a Table Load command. For single buffered tables, the allocated shared working buffer is freed and becomes available for other Table Load commands.

Command Mnemonic(s) \$sc_\$cpu_TBL_LOADABORT

Command Structure

```
CFE TBL AbortLoadCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_LOAD_ABORT_INF_EID informational event message is generated
- If the load was aborted for a single buffered table, the \$sc_\$cpu_TBL_NumFreeShrBuf telemetry point should increment

Error Conditions

This command may fail for the following reason(s):

- · The specified table name was not found in the table registry.
- The specified table did not have a load in progress to be aborted.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TBL CMDEC command error counter will increment
- · Error specific event message

Criticality

This command will cause the loss of data put into an inactive table buffer.

See also

```
CFE TBL LOAD CC, CFE TBL DUMP CC, CFE TBL VALIDATE CC, CFE TBL ACTIVATE CC
```

Definition at line 473 of file cfe tbl msg.h.

11.55.2.2 CFE_TBL_ACTIVATE_CC

```
#define CFE_TBL_ACTIVATE_CC 5
```

Name Activate Table

Description

This command will cause Table Services to notify a table's owner that an update is pending. The owning application will then update the contents of the active table buffer with the contents of the associated inactive table buffer at a time of their convenience.

Command Mnemonic(s) \$sc_\$cpu_TBL_ACTIVATE

Command Structure

```
CFE TBL ActivateCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_UPDATE_SUCCESS_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- The specified table name was not found in the table registry.
- The table was registered as a "dump only" type and thus cannot be activated
- · The table buffer has not been validated.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Command specific error event message are issued for all error cases

Criticality

This command will cause the contents of the specified table to be updated with the contents in the inactive table buffer.

See also

```
CFE TBL LOAD CC, CFE TBL DUMP CC, CFE TBL VALIDATE CC, CFE TBL ABORT LOAD CC
```

Definition at line 311 of file cfe_tbl_msg.h.

11.55.2.3 CFE_TBL_DELETE_CDS_CC

#define CFE_TBL_DELETE_CDS_CC 8

Name Delete Critical Table from Critical Data Store

Description

This command will delete the Critical Data Store (CDS) associated with the specified Critical Table. Note that any table still present in the Table Registry is unable to be deleted from the Critical Data Store. All Applications that are accessing the critical table must release and unregister their access before the CDS can be deleted.

Command Mnemonic(s) \$sc_\$cpu_TBL_DeleteCDS

Command Structure

CFE TBL DeleteCDSCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_CDS_DELETED_INFO_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- The specified table name was not found in the critical data store registry
- The specified table name WAS found in the table registry (all registrations/sharing of the table must be unregistered before the table's CDS can be deleted)
- · The table's owning application is still active

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Error specific event message

Criticality

This command will cause the loss of the specified table's contents before the owning Application was terminated.

See also

CFE ES DUMP CDS REGISTRY CC, CFE ES DELETE CDS CC

Definition at line 434 of file cfe_tbl_msg.h.

```
11.55.2.4 CFE_TBL_DUMP_CC
```

```
#define CFE_TBL_DUMP_CC 3
```

Name Dump Table

Description

This command will cause the Table Services to put the contents of the specified table buffer into the command specified file.

Command Mnemonic(s) \$sc \$cpu TBL DUMP

Command Structure

```
CFE_TBL_DumpCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- Either the CFE_TBL_OVERWRITE_DUMP_INF_EID OR the CFE_TBL_WRITE_DUMP_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A single buffered table's inactive buffer was requested to be dumped and no such buffer is currently allocated.
- Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.
- The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TBL CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE_TBL_LOAD_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 214 of file cfe_tbl_msg.h.

11.55.2.5 CFE_TBL_DUMP_REGISTRY_CC

#define CFE_TBL_DUMP_REGISTRY_CC 6

Name Dump Table Registry

Description

This command will cause Table Services to write some of the contents of the Table Registry to the command specified file. This allows the operator to see the current state and configuration of all tables that have been registered with the cFE.

Command Mnemonic(s) \$sc_\$cpu_TBL_WriteReg2File

Command Structure

CFE TBL DumpRegistryCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The generation of either CFE_TBL_OVERWRITE_REG_DUMP_INF_EID or CFE_TBL_WRITE_REG_DU

 MP INF EID debug event messages
- The specified file should appear (or be updated) at the specified location in the file system

Error Conditions

This command may fail for the following reason(s):

- · A table registry dump is already in progress, not yet completed
- · The specified DumpFilename could not be parsed
- Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- An Error specific event message

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_TBL_SEND_REGISTRY_CC

Definition at line 355 of file cfe tbl msg.h.

```
11.55.2.6 CFE_TBL_LOAD_CC
```

```
#define CFE_TBL_LOAD_CC 2
```

Name Load Table

Description

This command loads the contents of the specified file into an inactive buffer for the table specified within the file.

Command Mnemonic(s) \$sc \$cpu TBL Load

Command Structure

```
CFE TBL LoadCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_FILE_LOADED_INF_EID informational event message will be generated

Error Conditions

This command can fail for the following reasons:

- Table name found in table image file's table header is not found in table registry (ie The table associated with the table image in the file has not been registered by an application).
- The table image file has an invalid or incorrect size. The size of the image file must match the size field within in the header, and must also match the expected size of the table indicated in the registry.
- No working buffers are available for the load. This would indicate that too many single-buffered table loads are in progress at the same time.
- An attempt is being made to load an uninitialized table with a file containing only a partial table image.
- The table image file was unable to be opened. Either the file does not exist at the specified location, the filename is in error, or the file system has been corrupted.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Command specific error event messages are issued for all error cases

Criticality

This command is not inherently dangerous. It is performing the first step of loading a table and can be aborted (using the Abort Table Load command described below) without affecting the contents of the active table image.

See also

```
CFE_TBL_DUMP_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 171 of file cfe tbl msg.h.

11.55.2.7 CFE_TBL_NOOP_CC #define CFE_TBL_NOOP_CC 0 Name Table No-Op Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Table Services task.

Command Mnemonic(s) \$sc_\$cpu_TBL_NOOP

Command Structure

CFE_TBL_NoopCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_NOOP_INF_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 80 of file cfe_tbl_msg.h.

11.55.2.8 CFE_TBL_RESET_COUNTERS_CC

```
#define CFE_TBL_RESET_COUNTERS_CC 1
```

Name Table Reset Counters

Description

This command resets the following counters within the Table Services housekeeping telemetry:

- Command Execution Counter (\$sc \$cpu TBL CMDPC)
- Command Error Counter (\$sc_\$cpu_TBL_CMDEC)
- Successful Table Validations Counter (\$sc \$cpu TBL ValSuccessCtr)
- Failed Table Validations Counter (\$sc \$cpu TBL ValFailedCtr)
- Number of Table Validations Requested (\$sc \$cpu TBL ValReqCtr)
- Number of completed table validations (\$sc_\$cpu_TBL_ValCompltdCtr)

Command Mnemonic(s) \$sc_\$cpu_TBL_ResetCtrs

Command Structure

CFE TBL ResetCountersCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will be reset to 0
- The CFE TBL RESET INF EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 121 of file cfe_tbl_msg.h.

11.55.2.9 CFE_TBL_SEND_REGISTRY_CC

#define CFE_TBL_SEND_REGISTRY_CC 7

Name Telemeter One Table Registry Entry

Description

This command will cause Table Services to telemeter the contents of the Table Registry for the command specified table.

Command Mnemonic(s) \$sc_\$cpu_TBL_TLMReg

Command Structure

CFE_TBL_SendRegistryCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- Receipt of a Table Registry Info Packet (see CFE_TBL_TableRegistryTIm_t)
- The CFE_TBL_TLM_REG_CMD_INF_EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

· The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Error specific event message

Criticality

This command is not inherently dangerous. It will generate additional telemetry.

See also

CFE_TBL_DUMP_REGISTRY_CC

Definition at line 390 of file cfe_tbl_msg.h.

11.55.2.10 CFE_TBL_VALIDATE_CC

```
#define CFE_TBL_VALIDATE_CC 4
```

Name Validate Table

Description

This command will cause Table Services to calculate the Data Integrity Value for the specified table and to notify the owning application that the table's validation function should be executed. The results of both the Data Integrity Value computation and the validation function are reported in Table Services Housekeeping Telemetry.

Command Mnemonic(s) \$sc_\$cpu_TBL_VALIDATE

Command Structure

```
CFE TBL ValidateCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TBL CMDPC command execution counter will increment
- \$sc_\$cpu_TBL_ValReqCtr table validation request counter will increment
- \$sc_\$cpu_TBL_LastValCRC calculated data integrity value will be updated
- The CFE_TBL_VAL_REQ_MADE_INF_EID debug event message (indicating the application is being notified
 of a validation request)

If the specified table has an associated validation function, then the following telemetry will also change:

- Either \$sc_\$cpu_TBL_ValSuccessCtr OR \$sc_\$cpu_TBL_ValFailedCtr will increment
- \$sc_\$cpu_TBL_ValCompltdCtr table validations performed counter will increment
- \$sc_\$cpu_TB1_LastValS table validation function return status will update
- The CFE_TBL_VALIDATION_INF_EID informational event message (indicating the validation function return status) will be generated

Error Conditions

This command may fail for the following reason(s):

- · A single buffered table's inactive buffer was requested to be validated and no such buffer is currently allocated.
- Too many validations have been requested simultaneously. The operator must wait for one or more applications to perform their table validation functions before trying again.
- The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TBL CMDEC command error counter will increment
- Command specific error event message are issued for all error cases

Criticality

The success or failure of a table validation does not have any immediate impact on table contents. The results are sent to the operator in telemetry and the operator must determine whether the results are acceptable and send a command to activate the validated table image.

```
See also
```

```
CFE_TBL_LOAD_CC, CFE_TBL_DUMP_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC

Definition at line 271 of file cfe_tbl_msg.h.

11.55.3 Typedef Documentation
```

```
11.55.3.1 CFE_TBL_AbortLoadCmd_Payload_t

typedef struct CFE_TBL_AbortLoadCmd_Payload CFE_TBL_AbortLoadCmd_Payload_t

Abort Load Command Payload.

For command details, see CFE_TBL_ABORT_LOAD_CC
```

11.55.3.2 CFE_TBL_AbortLoadCmd_t
typedef struct CFE_TBL_AbortLoadCmd_CFE_TBL_AbortLoadCmd_t

Abort Load Command.

```
11.55.3.3 CFE_TBL_ActivateCmd_Payload_t
```

typedef struct CFE_TBL_ActivateCmd_Payload CFE_TBL_ActivateCmd_Payload_t

Activate Table Command Payload.

For command details, see CFE_TBL_ACTIVATE_CC

11.55.3.4 CFE_TBL_ActivateCmd_t

typedef struct CFE_TBL_ActivateCmd CFE_TBL_ActivateCmd_t

Activate Table Command.

11.55.3.5 CFE_TBL_DelCDSCmd_Payload_t

typedef struct CFE_TBL_DelCDSCmd_Payload CFE_TBL_DelCDSCmd_Payload_t

Delete Critical Table CDS Command Payload.

For command details, see CFE_TBL_DELETE_CDS_CC

```
11.55.3.6 CFE_TBL_DeleteCDSCmd_t
typedef struct CFE_TBL_DeleteCDSCmd CFE_TBL_DeleteCDSCmd_t
Delete Critical Table CDS Command.
11.55.3.7 CFE_TBL_DumpCmd_Payload_t
typedef struct CFE_TBL_DumpCmd_Payload CFE_TBL_DumpCmd_Payload_t
Dump Table Command Payload.
For command details, see CFE_TBL_DUMP_CC
11.55.3.8 CFE_TBL_DumpCmd_t
typedef struct CFE_TBL_DumpCmd CFE_TBL_DumpCmd_t
/brief Dump Table Command
11.55.3.9 CFE_TBL_DumpRegistryCmd_Payload_t
typedef struct CFE_TBL_DumpRegistryCmd_Payload CFE_TBL_DumpRegistryCmd_Payload_t
Dump Registry Command Payload.
For command details, see CFE_TBL_DUMP_REGISTRY_CC
11.55.3.10 CFE_TBL_DumpRegistryCmd_t
typedef struct CFE_TBL_DumpRegistryCmd CFE_TBL_DumpRegistryCmd_t
Dump Registry Command.
11.55.3.11 CFE_TBL_HousekeepingTlm_Payload_t
typedef struct CFE_TBL_HousekeepingTlm_Payload CFE_TBL_HousekeepingTlm_Payload_t
```

Name Table Services Housekeeping Packet

```
11.55.3.12 CFE_TBL_HousekeepingTlm_t
typedef struct CFE_TBL_HousekeepingTlm CFE_TBL_HousekeepingTlm_t
11.55.3.13 CFE_TBL_LoadCmd_Payload_t
typedef struct CFE_TBL_LoadCmd_Payload CFE_TBL_LoadCmd_Payload_t
Load Table Command Payload.
For command details, see CFE TBL LOAD CC
11.55.3.14 CFE_TBL_LoadCmd_t
typedef struct CFE_TBL_LoadCmd CFE_TBL_LoadCmd_t
Load Table Command.
11.55.3.15 CFE_TBL_NoArgsCmd_t
typedef struct CFE_TBL_NoArgsCmd CFE_TBL_NoArgsCmd_t
Generic "no arguments" command.
This command structure is used for commands that do not have any parameters. This includes:
  1. The Housekeeping Request Message
  2. The No-Op Command (For details, see CFE_TBL_NOOP_CC)
  3. The Reset Counters Command (For details, see CFE_TBL_RESET_COUNTERS_CC)
11.55.3.16 CFE_TBL_NoopCmd_t
typedef CFE_TBL_NoArgsCmd_t CFE_TBL_NoopCmd_t
```

Definition at line 500 of file cfe_tbl_msg.h.

Table Management Notification Command Payload.

Description

Whenever an application that owns a table calls the CFE_TBL_NotifyByMessage API following the table registration, Table services will generate the following command message with the application specified message ID, command code and parameter whenever the table requires management (e.g. - loads and validations).

```
11.55.3.18 CFE_TBL_NotifyCmd_t
typedef struct CFE_TBL_NotifyCmd CFE_TBL_NotifyCmd_t
/brief Table Management Notification Command
11.55.3.19 CFE_TBL_ResetCountersCmd_t
typedef CFE_TBL_NoArgsCmd_t CFE_TBL_ResetCountersCmd_t
Definition at line 501 of file cfe_tbl_msg.h.
11.55.3.20 CFE_TBL_SendRegistryCmd_Payload_t
typedef struct CFE_TBL_SendRegistryCmd_Payload CFE_TBL_SendRegistryCmd_Payload_t
Send Table Registry Command Payload.
For command details, see CFE_TBL_SEND_REGISTRY_CC
11.55.3.21 CFE_TBL_SendRegistryCmd_t
typedef struct CFE_TBL_SendRegistryCmd CFE_TBL_SendRegistryCmd_t
Send Table Registry Command.
11.55.3.22 CFE_TBL_TableRegistryTlm_t
typedef struct CFE_TBL_TableRegistryTlm CFE_TBL_TableRegistryTlm_t
```

```
11.55.3.23 CFE_TBL_TblRegPacket_Payload_t
typedef struct CFE_TBL_TblRegPacket_Payload CFE_TBL_TblRegPacket_Payload_t
Name Table Registry Info Packet
11.55.3.24 CFE_TBL_ValidateCmd_Payload_t
typedef struct CFE_TBL_ValidateCmd_Payload CFE_TBL_ValidateCmd_Payload_t
Validate Table Command Payload.
For command details, see CFE TBL VALIDATE CC
11.55.3.25 CFE_TBL_ValidateCmd_t
typedef struct CFE_TBL_ValidateCmd CFE_TBL_ValidateCmd_t
Validate Table Command.
       cfe/modules/time/fsw/inc/cfe_time_events.h File Reference
Macros
    TIME event IDs
      • #define CFE TIME INIT EID 1
            TIME Initialization Event ID.

    #define CFE TIME NOOP EID 4

            TIME No-op Command Success Event ID.
      • #define CFE_TIME_RESET_EID 5
            TIME Reset Counters Command Success Event ID.

    #define CFE TIME DIAG EID 6

            TIME Request Diagnostics Command Success Event ID.
      • #define CFE_TIME_STATE_EID 7
            TIME Set Time State Command Success Event ID.

    #define CFE_TIME_SOURCE_EID 8

            TIME Set Time Source Command Success Event ID.
      • #define CFE_TIME_SIGNAL_EID 9
            TIME Set Tone Source Command Success Event ID.

    #define CFE_TIME_DELAY_EID 11

            TIME Add or Subtract Delay Command Success Event ID.

    #define CFE_TIME_TIME_EID 12

            TIME Set Time Command Success Event ID.
      • #define CFE_TIME_MET_EID 13
            TIME Set Mission Elapsed Time Command Success Event ID.

    #define CFE TIME STCF EID 14

            TIME Set Spacecraft Time Correlation Factor Command Success Event ID.
```

```
    #define CFE_TIME_DELTA_EID 15

      TIME Add or Subtract Single STCF Adjustment Command Success Event ID.

    #define CFE TIME 1HZ EID 16

     TIME Add or Subtract STCF Adjustment Each Second Command Success Event ID.

    #define CFE TIME LEAPS EID 17

     TIME Set Leap Seconds Command Success Event ID.

    #define CFE TIME FLY ON EID 20

     TIME Entered FLYWHEEL Mode Event ID.

    #define CFE TIME FLY OFF EID 21

      TIME Exited FLYWHEEL Mode Event ID.

    #define CFE TIME ID ERR EID 26

     TIME Invalid Message ID Received Event ID.

    #define CFE TIME CC ERR EID 27

     TIME Invalid Command Code Received Event ID.

    #define CFE_TIME_STATE_ERR_EID 30

     TIME Set Clock State Command Invalid State Event ID.

    #define CFE_TIME_SOURCE_ERR_EID 31

     TIME Set Clock Source Command Invalid Source Event ID.

    #define CFE TIME SIGNAL ERR EID 32

      TIME Set Clock Tone Source Command Invalid Source Event ID.

    #define CFE TIME DELAY ERR EID 33

      TIME Add or Subtract Tone Delay Command Invalid Time Value Event ID.

    #define CFE TIME TIME ERR EID 34

      TIME Set Spacecraft Time Command Invalid Time Value Event ID.

    #define CFE TIME MET ERR EID 35

     TIME Set Mission Elapsed Time Command Invalid Time Value Event ID.

    #define CFE TIME STCF ERR EID 36

     TIME Set Spacecraft Time Correlation Factor Command Invalid Time Value Event ID.

    #define CFE_TIME_DELTA_ERR_EID 37

      TIME Add or Subtract Single STCF Adjustment Command Invalid Time Value Event ID.

    #define CFE_TIME_SOURCE_CFG_EID 40

     TIME Set Clock Source Command Incompatible Mode Event ID.

    #define CFE TIME SIGNAL CFG EID 41

     TIME Set Clock Signal Command Incompatible Mode Event ID.

    #define CFE TIME DELAY CFG EID 42

     TIME Add or Subtract Tone Delay Command Incompatible Mode Event ID.

    #define CFE TIME TIME CFG EID 43

      TIME Set Spacecraft Time Command Incompatible Mode Event ID.
• #define CFE TIME MET CFG EID 44
      TIME Set Mission Elapsed Time Command Incompatible Mode Event ID.

    #define CFE_TIME_STCF_CFG_EID 45

     TIME Set Spacecraft Time Correlation Factor Command Incompatible Mode Event ID.

    #define CFE TIME LEAPS CFG EID 46

     TIME Set Leap Seconds Command Incompatible Mode Event ID.

    #define CFE TIME DELTA CFG EID 47

     TIME Add or Subtract Single STCF Adjustment Command Incompatible Mode Event ID.

    #define CFE TIME 1HZ CFG EID 48

      TIME Add or Subtract STCF Adjustment Each Second Command Incompatible Mode Event ID.

    #define CFE TIME LEN ERR EID 49

     TIME Invalid Command Length Event ID.
```

11.56.1 Detailed Description

cFE Time Services Event IDs

11.56.2 Macro Definition Documentation

11.56.2.1 CFE_TIME_1HZ_CFG_EID

#define CFE_TIME_1HZ_CFG_EID 48

TIME Add or Subtract STCF Adjustment Each Second Command Incompatible Mode Event ID.

Type: ERROR

Cause:

TIME Add STCF Adjustment Each Second Command OR TIME Subtract STCF Adjustment Each Second Command failure due to being in an incompatible mode.

Definition at line 438 of file cfe_time_events.h.

11.56.2.2 CFE_TIME_1HZ_EID

#define CFE_TIME_1HZ_EID 16

TIME Add or Subtract STCF Adjustment Each Second Command Success Event ID.

Type: INFORMATION

Cause:

TIME Add STCF Adjustment Each Second Command OR TIME Subtract STCF Adjustment Each Second Command success.

Definition at line 177 of file cfe_time_events.h.

11.56.2.3 CFE_TIME_CC_ERR_EID #define CFE_TIME_CC_ERR_EID 27 TIME Invalid Command Code Received Event ID. Type: ERROR Cause: Invalid command code for message ID CFE_TIME_CMD_MID received on the TIME message pipe. Definition at line 232 of file cfe time events.h. 11.56.2.4 CFE_TIME_DELAY_CFG_EID #define CFE_TIME_DELAY_CFG_EID 42 TIME Add or Subtract Tone Delay Command Incompatible Mode Event ID. Type: ERROR Cause: TIME Add Tone Delay Command OR TIME Subtract Tone Delay Command failure due to being in an incompatible mode. Definition at line 364 of file cfe time events.h. 11.56.2.5 CFE_TIME_DELAY_EID #define CFE_TIME_DELAY_EID 11 TIME Add or Subtract Delay Command Success Event ID. Type: INFORMATION Cause: TIME Add Time Delay Command OR a Subtract Time Delay Command success. Definition at line 120 of file cfe_time_events.h.

```
11.56.2.6 CFE_TIME_DELAY_ERR_EID
 #define CFE_TIME_DELAY_ERR_EID 33
TIME Add or Subtract Tone Delay Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Add Tone Delay Command OR TIME Subtract Tone Delay Command failure due to an invalid time value.
Definition at line 278 of file cfe_time_events.h.
11.56.2.7 CFE_TIME_DELTA_CFG_EID
 #define CFE_TIME_DELTA_CFG_EID 47
TIME Add or Subtract Single STCF Adjustment Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command failure due to
being in an incompatible mode.
 Definition at line 425 of file cfe_time_events.h.
11.56.2.8 CFE_TIME_DELTA_EID
 #define CFE_TIME_DELTA_EID 15
TIME Add or Subtract Single STCF Adjustment Command Success Event ID.
Type: INFORMATION
Cause:
```

TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command success.

Definition at line 165 of file cfe_time_events.h.

```
11.56.2.9 CFE_TIME_DELTA_ERR_EID
 #define CFE_TIME_DELTA_ERR_EID 37
TIME Add or Subtract Single STCF Adjustment Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command failure due to
an invalid time value.
 Definition at line 327 of file cfe_time_events.h.
11.56.2.10 CFE_TIME_DIAG_EID
 #define CFE_TIME_DIAG_EID 6
TIME Request Diagnostics Command Success Event ID.
Type: DEBUG
Cause:
TIME Request Diagnostics Command success.
Definition at line 75 of file cfe_time_events.h.
11.56.2.11 CFE_TIME_FLY_OFF_EID
 #define CFE_TIME_FLY_OFF_EID 21
TIME Exited FLYWHEEL Mode Event ID.
Type: INFORMATION
Cause:
TIME Exited FLYWHEEL Mode.
 Definition at line 210 of file cfe_time_events.h.
```

```
11.56.2.12 CFE_TIME_FLY_ON_EID
 #define CFE_TIME_FLY_ON_EID 20
 TIME Entered FLYWHEEL Mode Event ID.
Type: INFORMATION
Cause:
 TIME Entered FLYWHEEL Mode.
 Definition at line 199 of file cfe_time_events.h.
 11.56.2.13 CFE_TIME_ID_ERR_EID
 #define CFE_TIME_ID_ERR_EID 26
 TIME Invalid Message ID Received Event ID.
Type: ERROR
Cause:
 Invalid message ID received on the TIME message pipe.
 Definition at line 221 of file cfe_time_events.h.
 11.56.2.14 CFE_TIME_INIT_EID
 #define CFE_TIME_INIT_EID 1
 TIME Initialization Event ID.
Type: INFORMATION
Cause:
 Time Services Task Initialization complete.
 Definition at line 42 of file cfe_time_events.h.
```

```
11.56.2.15 CFE_TIME_LEAPS_CFG_EID
 #define CFE_TIME_LEAPS_CFG_EID 46
TIME Set Leap Seconds Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Leap Seconds Command failure due to being in an incompatible mode.
Definition at line 412 of file cfe_time_events.h.
11.56.2.16 CFE_TIME_LEAPS_EID
 #define CFE_TIME_LEAPS_EID 17
TIME Set Leap Seconds Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Leap Seconds Command success.
Definition at line 188 of file cfe_time_events.h.
11.56.2.17 CFE_TIME_LEN_ERR_EID
 #define CFE_TIME_LEN_ERR_EID 49
TIME Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_TIME_CMD_MID received on the TIME message pipe.
Definition at line 450 of file cfe_time_events.h.
```

```
11.56.2.18 CFE_TIME_MET_CFG_EID
 #define CFE_TIME_MET_CFG_EID 44
TIME Set Mission Elapsed Time Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Mission Elapsed Time Command failure due to being in an incompatible mode.
Definition at line 388 of file cfe_time_events.h.
11.56.2.19 CFE_TIME_MET_EID
 #define CFE_TIME_MET_EID 13
TIME Set Mission Elapsed Time Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Mission Elapsed Time Command success.
Definition at line 142 of file cfe_time_events.h.
11.56.2.20 CFE_TIME_MET_ERR_EID
 #define CFE_TIME_MET_ERR_EID 35
TIME Set Mission Elapsed Time Command Invalid Time Value Event ID.
Type: ERROR
Cause:
```

Generated by Doxygen

Definition at line 302 of file cfe_time_events.h.

TIME Set Mission Elapsed Time Command failure due to an invalid time value.

```
11.56.2.21 CFE_TIME_NOOP_EID
 #define CFE_TIME_NOOP_EID 4
 TIME No-op Command Success Event ID.
Type: INFORMATION
Cause:
 TIME NO-OP Command success.
 Definition at line 53 of file cfe_time_events.h.
 11.56.2.22 CFE_TIME_RESET_EID
 #define CFE_TIME_RESET_EID 5
 TIME Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
 TIME Reset Counters Command success.
 Definition at line 64 of file cfe_time_events.h.
 11.56.2.23 CFE_TIME_SIGNAL_CFG_EID
 #define CFE_TIME_SIGNAL_CFG_EID 41
 TIME Set Clock Signal Command Incompatible Mode Event ID.
Type: ERROR
Cause:
```

TIME Set Clock Signal Command failure due to being in an incompatible mode.

Definition at line 351 of file cfe_time_events.h.

```
11.56.2.24 CFE_TIME_SIGNAL_EID
 #define CFE_TIME_SIGNAL_EID 9
TIME Set Tone Source Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Clock Tone Source Command success.
Definition at line 108 of file cfe time events.h.
11.56.2.25 CFE_TIME_SIGNAL_ERR_EID
 #define CFE_TIME_SIGNAL_ERR_EID 32
TIME Set Clock Tone Source Command Invalid Source Event ID.
Type: ERROR
Cause:
Set Clock Tone Source Command failed due to invalid source requested.
Definition at line 265 of file cfe time events.h.
11.56.2.26 CFE_TIME_SOURCE_CFG_EID
 #define CFE_TIME_SOURCE_CFG_EID 40
TIME Set Clock Source Command Incompatible Mode Event ID.
Type: ERROR
Cause:
```

TIME Set Clock Source Command failure due to being in an incompatible mode.

Generated by Doxygen

Definition at line 339 of file cfe_time_events.h.

```
11.56.2.27 CFE_TIME_SOURCE_EID
 #define CFE_TIME_SOURCE_EID 8
 TIME Set Time Source Command Success Event ID.
Type: INFORMATION
Cause:
 TIME Set Time Source Command success.
 Definition at line 97 of file cfe_time_events.h.
 11.56.2.28 CFE_TIME_SOURCE_ERR_EID
 #define CFE_TIME_SOURCE_ERR_EID 31
 TIME Set Clock Source Command Invalid Source Event ID.
Type: ERROR
Cause:
 TIME Set Clock Source Command failed due to invalid source requested.
 Definition at line 254 of file cfe_time_events.h.
 11.56.2.29 CFE_TIME_STATE_EID
 #define CFE_TIME_STATE_EID 7
 TIME Set Time State Command Success Event ID.
Type: INFORMATION
Cause:
 TIME Set Time State Command success.
```

Definition at line 86 of file cfe_time_events.h.

```
11.56.2.30 CFE_TIME_STATE_ERR_EID
 #define CFE_TIME_STATE_ERR_EID 30
TIME Set Clock State Command Invalid State Event ID.
Type: ERROR
Cause:
TIME Set Clock State Command failed due to invalid state requested.
Definition at line 243 of file cfe_time_events.h.
11.56.2.31 CFE_TIME_STCF_CFG_EID
 #define CFE_TIME_STCF_CFG_EID 45
TIME Set Spacecraft Time Correlation Factor Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Spacecraft Time Correlation Factor Command failure due to being in an incompatible mode.
Definition at line 400 of file cfe_time_events.h.
11.56.2.32 CFE_TIME_STCF_EID
 #define CFE_TIME_STCF_EID 14
TIME Set Spacecraft Time Correlation Factor Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Spacecraft Time Correlation Factor Command success.
```

Generated by Doxygen

Definition at line 153 of file cfe_time_events.h.

```
11.56.2.33 CFE_TIME_STCF_ERR_EID
 #define CFE_TIME_STCF_ERR_EID 36
TIME Set Spacecraft Time Correlation Factor Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Set Spacecraft Time Correlation Factor Command failure due to an invalid time value.
Definition at line 314 of file cfe time events.h.
11.56.2.34 CFE_TIME_TIME_CFG_EID
 #define CFE_TIME_TIME_CFG_EID 43
TIME Set Spacecraft Time Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Spacecraft Time Command failure due to being in an incompatible mode.
Definition at line 376 of file cfe_time_events.h.
11.56.2.35 CFE_TIME_TIME_EID
 #define CFE_TIME_TIME_EID 12
TIME Set Time Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Time Command success.
Definition at line 131 of file cfe_time_events.h.
```

```
11.56.2.36 CFE_TIME_TIME_ERR_EID
```

```
#define CFE_TIME_TIME_ERR_EID 34
```

TIME Set Spacecraft Time Command Invalid Time Value Event ID.

Type: ERROR

Cause:

TIME Set Spacecraft Time Command failure due to an invalid time value.

Definition at line 290 of file cfe_time_events.h.

11.57 cfe/modules/time/fsw/inc/cfe_time_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_time_extern_typedefs.h"
```

Data Structures

• struct CFE_TIME_NoArgsCmd

Generic no argument command.

• struct CFE_TIME_LeapsCmd_Payload

Set leap seconds command payload.

struct CFE_TIME_SetLeapSecondsCmd

Set leap seconds command.

struct CFE_TIME_StateCmd_Payload

Set clock state command payload.

• struct CFE_TIME_SetStateCmd

Set clock state command.

struct CFE_TIME_SourceCmd_Payload

Set time data source command payload.

struct CFE_TIME_SetSourceCmd

Set time data source command.

struct CFE_TIME_SignalCmd_Payload

Set tone signal source command payload.

struct CFE_TIME_SetSignalCmd

Set tone signal source command.

struct CFE_TIME_TimeCmd_Payload

Generic seconds, microseconds command payload.

• struct CFE_TIME_TimeCmd

Generic seconds, microseconds argument command.

struct CFE TIME OneHzAdjustmentCmd Payload

Generic seconds, subseconds command payload.

struct CFE TIME OneHzAdjustmentCmd

Generic seconds, subseconds adjustment command.

struct CFE TIME ToneDataCmd Payload

Time at tone data command payload.

• struct CFE_TIME_ToneDataCmd

Time at tone data command.

- struct CFE TIME HousekeepingTlm Payload
- struct CFE_TIME_HousekeepingTlm
- struct CFE_TIME_DiagnosticTIm_Payload
- struct CFE TIME DiagnosticTIm

Macros

• #define CFE TIME FLAG CLKSET 0x8000

The spacecraft time has been set.

#define CFE TIME FLAG FLYING 0x4000

This instance of Time Services is flywheeling.

#define CFE TIME FLAG SRCINT 0x2000

The clock source is set to "internal".

• #define CFE TIME FLAG SIGPRI 0x1000

The clock signal is set to "primary".

#define CFE TIME FLAG SRVFLY 0x0800

The Time Server is in flywheel mode.

#define CFE_TIME_FLAG_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

#define CFE TIME FLAG ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

• #define CFE_TIME_FLAG_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

#define CFE TIME FLAG ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

• #define CFE_TIME_FLAG_SERVER 0x0040

This instance of Time Services is a Time Server.

#define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

• #define CFE_TIME_FLAG_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

#define CFE_TIME_FLAG_UNUSED 0x000F

Reserved flags - should be zero.

Time Services Command Codes

#define CFE TIME NOOP CC 0 /* no-op command */

```
• #define CFE_TIME_RESET_COUNTERS_CC 1 /* reset counters */

    #define CFE TIME SEND DIAGNOSTIC TLM CC 2 /* request diagnostic hk telemetry */

      • #define CFE_TIME_SET_SOURCE_CC 3 /* set clock source (int vs ext) */

    #define CFE TIME SET STATE CC 4 /* set clock state */

    #define CFE_TIME_ADD_DELAY_CC 5 /* add tone delay value */

      • #define CFE_TIME_SUB_DELAY_CC 6 /* sub tone delay value */

    #define CFE_TIME_SET_TIME_CC 7 /* set time */

      • #define CFE_TIME_SET_MET_CC 8 /* set MET */
      • #define CFE_TIME_SET_STCF_CC 9 /* set STCF */

    #define CFE_TIME_SET_LEAP_SECONDS_CC 10 /* set Leap Seconds */

    #define CFE TIME ADD ADJUST CC 11 /* add one time STCF adjustment */

    #define CFE TIME SUB ADJUST CC 12 /* subtract one time STCF adjustment */

      • #define CFE_TIME_ADD_1HZ_ADJUSTMENT_CC 13 /* add 1Hz STCF adjustment */

    #define CFE_TIME_SUB_1HZ_ADJUSTMENT_CC_14 /* subtract 1Hz_STCF adjustment */

      • #define CFE_TIME_SET_SIGNAL_CC 15 /* set clock signal (pri vs red) */
Typedefs

    typedef struct CFE TIME NoArgsCmd CFE TIME NoArgsCmd t

         Generic no argument command.

    typedef CFE_TIME_NoArgsCmd_t CFE_TIME_NoopCmd_t

   • typedef CFE TIME NoArgsCmd t CFE TIME ResetCountersCmd t

    typedef CFE TIME NoArgsCmd t CFE TIME SendDiagnosticCmd t

    typedef CFE TIME NoArgsCmd t CFE TIME 1HzCmd t

    typedef CFE TIME NoArgsCmd t CFE TIME ToneSignalCmd t

    typedef CFE TIME NoArgsCmd t CFE TIME FakeToneCmd t

    typedef struct CFE TIME LeapsCmd Payload CFE TIME LeapsCmd Payload t

         Set leap seconds command payload.
   • typedef struct CFE_TIME_SetLeapSecondsCmd CFE_TIME_SetLeapSecondsCmd_t
         Set leap seconds command.

    typedef struct CFE TIME StateCmd Payload CFE TIME StateCmd Payload t

         Set clock state command payload.

    typedef struct CFE_TIME_SetStateCmd CFE_TIME_SetStateCmd_t

         Set clock state command.

    typedef struct CFE_TIME_SourceCmd_Payload CFE_TIME_SourceCmd_Payload_t

         Set time data source command payload.
```

typedef struct CFE_TIME_SetSourceCmd CFE_TIME_SetSourceCmd_t

Set time data source command.

 typedef struct CFE TIME SignalCmd Payload CFE TIME SignalCmd Payload t Set tone signal source command payload.

typedef struct CFE TIME SetSignalCmd CFE TIME SetSignalCmd t

Set tone signal source command.

typedef struct CFE TIME TimeCmd Payload CFE TIME TimeCmd Payload t

Generic seconds, microseconds command payload.

typedef struct CFE TIME TimeCmd CFE TIME TimeCmd t

Generic seconds, microseconds argument command.

- typedef CFE_TIME_TimeCmd_t CFE_TIME_AddDelayCmd_t
- typedef CFE_TIME_TimeCmd_t CFE_TIME_SubDelayCmd_t
- typedef CFE TIME TimeCmd t CFE TIME SetMETCmd t
- typedef CFE TIME TimeCmd t CFE TIME SetSTCFCmd t

- typedef CFE_TIME_TimeCmd_t CFE_TIME_AddAdjustCmd_t
- typedef CFE TIME TimeCmd t CFE TIME SubAdjustCmd t
- typedef CFE TIME TimeCmd t CFE TIME SetTimeCmd t
- $\bullet \ \ typedef \ struct \ CFE_TIME_OneHzAdjustmentCmd_Payload \ CFE_TIME_OneHzAdjustmentCmd_Payload_t$

Generic seconds, subseconds command payload.

typedef struct CFE_TIME_OneHzAdjustmentCmd CFE_TIME_OneHzAdjustmentCmd_t

Generic seconds, subseconds adjustment command.

- typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Add1HZAdjustmentCmd_t
- typedef CFE TIME OneHzAdjustmentCmd t CFE TIME Sub1HZAdjustmentCmd t
- typedef struct CFE_TIME_ToneDataCmd_Payload CFE_TIME_ToneDataCmd_Payload_t

Time at tone data command payload.

typedef struct CFE_TIME_ToneDataCmd CFE_TIME_ToneDataCmd_t

Time at tone data command.

- typedef struct CFE TIME HousekeepingTIm Payload CFE TIME HousekeepingTIm Payload t
- typedef struct CFE TIME HousekeepingTlm CFE TIME HousekeepingTlm t
- typedef struct CFE TIME DiagnosticTlm Payload CFE TIME DiagnosticTlm Payload t
- typedef struct CFE_TIME_DiagnosticTlm CFE_TIME_DiagnosticTlm_t

11.57.1 Detailed Description

Purpose: cFE Time Services (TIME) SB message definitions header file

Author: S.Walling/Microtel

Notes:

11.57.2 Macro Definition Documentation

```
11.57.2.1 CFE_TIME_ADD_1HZ_ADJUSTMENT_CC
```

```
#define CFE_TIME_ADD_1HZ_ADJUSTMENT_CC 13 /* add 1Hz STCF adjustment */
```

Name Add Delta to Spacecraft Time Correlation Factor each 1Hz

Description

This command has been updated to take actual sub-seconds ($1/2^3$ 2 seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by adding the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc_\$cpu_TIME_Add1HzSTCF

Command Structure

CFE_TIME_Add1HZAdjustmentCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_1HZ_EID informational event message will be generated

Error Conditions

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event message will be issued (CFE_TIME_1HZ_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE TIME ADD ADJUST CC, CFE TIME SUB ADJUST CC, CFE TIME SUB 1HZ ADJUSTMENT CC

Definition at line 612 of file cfe_time_msg.h.

11.57.2.2 CFE_TIME_ADD_ADJUST_CC

#define CFE_TIME_ADD_ADJUST_CC 11 /* add one time STCF adjustment */

Name Add Delta to Spacecraft Time Correlation Factor

Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by adding the specified value. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc \$cpu TIME AddSTCFAdj

Command Structure

```
CFE TIME AddAdjustCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME DELTA EID informational event message will be generated

Error Conditions

- · An invalid number of microseconds was specified (must be less than 1 million)
- Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELTA_ERR_EID or CFE_TIME_DELTA_CFG_←
 EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC

Definition at line 532 of file cfe_time_msg.h.

```
11.57.2.3 CFE_TIME_ADD_DELAY_CC
```

```
\#define \ CFE\_TIME\_ADD\_DELAY\_CC \ 5 \ /* \ add \ tone \ delay \ value \ */
```

Name Add Time to Tone Time Delay

Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (added) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Command Mnemonic(s) \$sc_\$cpu_TIME_AddClockLat

Command Structure

```
CFE_TIME_AddDelayCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc_\$cpu_TIME_DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE_TIME_DELAY_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELAY_CFG_EID or CFE_TIME_DELAY_ERR
 — EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SUB_DELAY_CC
```

Definition at line 301 of file cfe_time_msg.h.

```
11.57.2.4 CFE_TIME_NOOP_CC
```

#define CFE_TIME_NOOP_CC 0 /* no-op command */

Name Time No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Time Services task.

Command Mnemonic(s) \$sc_\$cpu_TIME_NOOP

Command Structure

```
CFE_TIME_NoopCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- The CFE_TIME_NOOP_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 77 of file cfe_time_msg.h.

```
11.57.2.5 CFE_TIME_RESET_COUNTERS_CC
```

```
#define CFE_TIME_RESET_COUNTERS_CC 1 /* reset counters */
```

Name Time Reset Counters

Description

This command resets the following counters within the Time Services Housekeeping Telemetry:

- Command Execution Counter (\$sc_\$cpu_TIME_CMDPC)
- Command Error Counter (\$sc_\$cpu_TIME_CMDEC) This command also resets the following counters within the Time Services Diagnostic Telemetry:
- Tone Signal Detected Software Bus Message Counter (\$sc_\$cpu_TIME_DTSDetCNT)
- Time at the Tone Data Software Bus Message Counter (\$sc_\$cpu_TIME_DTatTCNT)
- Tone Signal/Data Verify Counter (\$sc_\$cpu_TIME_DVerifyCNT)
- Tone Signal/Data Error Counter (\$sc_\$cpu_TIME_DVerifyER)
- Tone Signal Interrupt Counter (\$sc_\$cpu_TIME_DTsISRCNT)
- Tone Signal Interrupt Error Counter (\$sc \$cpu TIME DTsISRERR)
- Tone Signal Task Counter (\$sc \$cpu TIME DTsTaskCNT)

- Local 1 Hz Interrupt Counter (\$sc_\$cpu_TIME_D1HzISRCNT)
- Local 1 Hz Task Counter (\$sc_\$cpu_TIME_D1HzTaskCNT)
- Reference Time Version Counter (\$sc_\$cpu_TIME_DVersionCNT)

Command Mnemonic(s) \$sc_\$cpu_TIME_ResetCtrs

Command Structure

```
CFE_TIME_ResetCountersCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will reset to 0
- \$sc_\$cpu_TIME_CMDEC command error counter will reset to 0
- The CFE_TIME_RESET_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is reset unconditionally.

Criticality

None

See also

Definition at line 122 of file cfe_time_msg.h.

```
11.57.2.6 CFE TIME SEND DIAGNOSTIC TLM CC
```

```
#define CFE_TIME_SEND_DIAGNOSTIC_TLM_CC 2 /* request diagnostic hk telemetry */
```

Name Request TIME Diagnostic Telemetry

Description

This command requests that the Time Service generate a message containing various data values not included in the normal Time Service housekeeping message. The command requests only a single copy of the diagnostic message. Refer to CFE_TIME_DiagnosticTIm_t for a description of the Time Service diagnostic message contents.

Command Mnemonic(s) \$sc \$cpu TIME RequestDiag

Command Structure

```
CFE_TIME_SendDiagnosticCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- Sequence Counter for CFE TIME DiagnosticTlm t will increment
- The CFE TIME DIAG EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event and telemetry is sent (although one or both may be filtered by EVS and TO) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 156 of file cfe time msg.h.

```
11.57.2.7 CFE_TIME_SET_LEAP_SECONDS_CC
```

```
#define CFE_TIME_SET_LEAP_SECONDS_CC 10 /* set Leap Seconds */
```

Name Set Leap Seconds

Description

This command sets the spacecraft Leap Seconds to the specified value. Leap Seconds may be positive or negative, and there is no limit to the value except, of course, the limit imposed by the 16 bit signed integer data type. The new Leap Seconds value takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockLeap

Command Structure

CFE_TIME_SetLeapSecondsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

• \$sc_\$cpu_TIME_CMDPC - command execution counter will increment

- \$sc_\$cpu_TIME_LeapSecs Housekeeping Telemetry point indicating new Leap seconds value
- The CFE_TIME_LEAPS_EID informational event message will be generated

Error Conditions

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_LEAPS_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_TIME_CC, CFE_TIME_SET_MET_CC, CFE_TIME_SET_STCF_CC
```

Definition at line 496 of file cfe_time_msg.h.

```
11.57.2.8 CFE_TIME_SET_MET_CC
```

```
#define CFE_TIME_SET_MET_CC 8 /* set MET */
```

Name Set Mission Elapsed Time

Description

This command sets the Mission Elapsed Timer (MET) to the specified value.

Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to.

Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt.

The new MET takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockMET

Command Structure

CFE TIME SetMETCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_METSecs Housekeeping Telemetry point indicating new MET seconds value
- \$sc_\$cpu_TIME_METSubsecs Housekeeping Telemetry point indicating new MET subseconds value
- The CFE TIME MET EID informational event message will be generated

Error Conditions

- · An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_MET_CFG_EID or CFE_TIME_MET_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE TIME SET TIME CC, CFE TIME SET STCF CC, CFE TIME SET LEAP SECONDS CC
```

Definition at line 424 of file cfe time msg.h.

```
11.57.2.9 CFE_TIME_SET_SIGNAL_CC
```

```
\#define CFE_TIME_SET_SIGNAL_CC 15 /* set clock signal (pri vs red) */
```

Name Set Tone Signal Source

Description

This command selects the Time Service tone signal source. Although the list of potential tone signal sources is mission specific, a common choice is the selection of primary or redundant tone signal. The selection may be available to both the Time Server and Time Clients, depending on hardware configuration.

Notes:

• This command is only valid when the CFE_PLATFORM_TIME_CFG_SIGNAL configuration parameter in the cfe_platform_cfg.h file has been set to true.

Command Mnemonic(s) \$sc \$cpu TIME SetSignal

Command Structure

```
CFE TIME SetSignalCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DSignal Diagnostic Telemetry point will indicate the command specified value
- The CFE_TIME_SIGNAL_EID informational event message will be generated

Error Conditions

- Invalid Signal selection (a value other than CFE_TIME_ToneSignalSelect_PRIMARY or CFE_TIME_Tone

 SignalSelect_REDUNDANT was specified)
- · Multiple Tone Signal Sources not available on this platform

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC Command Error counter will increment
- Error specific event message (either CFE_TIME_SIGNAL_CFG_EID or CFE_TIME_SIGNAL_ERR_EID)

Criticality

Although tone signal source selection is important, this command is not critical

See also

```
CFE_TIME_SET_STATE_CC, CFE_TIME_SET_SOURCE_CC
```

Definition at line 702 of file cfe time msg.h.

```
11.57.2.10 CFE_TIME_SET_SOURCE_CC
```

```
#define CFE_TIME_SET_SOURCE_CC 3 /* set clock source (int vs ext) */
```

Name Set Time Source

Description

This command selects the Time Service clock source. Although the list of potential clock sources is mission specific and defined via configuration parameters, this command provides a common method for switching between the local processor clock and an external source for time data.

When commanded to accept external time data (GPS, MET, spacecraft time, etc.), the Time Server will enable input via an API function specific to the configuration definitions for the particular source. When commanded to use internal time data, the Time Server will ignore the external data. However, the Time Server will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Notes:

• Operating in FLYWHEEL mode is not considered a choice related to clock source, but rather an element of the clock state. See below for a description of the CFE_TIME_SET_STATE_CC command.

• This command is only valid when the CFE_PLATFORM_TIME_CFG_SOURCE configuration parameter in the cfe_platform_cfg.h file has been set to true.

Command Mnemonic(s) \$sc \$cpu TIME SetSource

Command Structure

CFE TIME SetSourceCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc \$cpu TIME DSource Diagnostic Telemetry point will indicate the command specified value
- The CFE_TIME_SOURCE_EID informational event message will be generated

Error Conditions

- Invalid Source selection (a value other than CFE_TIME_SourceSelect_INTERNAL or CFE_TIME_Source
 Select EXTERNAL was specified)
- · Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC Command Error counter will increment
- Error specific event message (either CFE_TIME_SOURCE_CFG_EID or CFE_TIME_SOURCE_ERR_EID)

Criticality

Although clock source selection is important, this command is not critical.

See also

CFE_TIME_SET_STATE_CC, CFE_TIME_SET_SIGNAL_CC

Definition at line 206 of file cfe time msg.h.

11.57.2.11 CFE_TIME_SET_STATE_CC

```
#define CFE_TIME_SET_STATE_CC 4 /* set clock state */
```

Name Set Time State

Description

This command indirectly affects the Time Service on-board determination of clock state. Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set, and whether Time Service is operating in FLYWHEEL mode.

This command may be used to notify the Time Server that spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems.

Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of FL← YWHEEL mode is mainly for debug purposes although in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL.

Note also that setting the clock state to VALID or INVALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetState

Command Structure

CFE TIME SetStateCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_StateFlg, \$sc_\$cpu_TIME_FlagSet, \$sc_\$cpu_TIME_FlagFly, \$sc_\$cpu_TIME_← FlagSrc, \$sc_\$cpu_TIME_FlagPri, \$sc_\$cpu_TIME_FlagSfly, \$sc_\$cpu_TIME_FlagCfly, \$sc_\$cpu_TIME← FlagAdjd, \$sc_\$cpu_TIME_Flag1Hzd, \$sc_\$cpu_TIME_FlagClat, \$sc_\$cpu_TIME_FlagSorC, \$sc_\$cpu_← TIME_FlagNIU Housekeeping Telemetry point "may" indicate the command specified value (see above)
- The CFE TIME STATE EID informational event message will be generated

Error Conditions

- Invalid State selection (a value other than CFE_TIME_ClockState_INVALID, CFE_TIME_ClockState_VALID or CFE_TIME_ClockState_FLYWHEEL was specified)
- Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

• \$sc \$cpu TIME CMDEC - Command Error counter will increment

• Error specific event message (CFE_TIME_STATE_ERR_EID)

Criticality

Setting Time Service into FLYWHEEL mode is not particularly hazardous, as the result may be that the calculation of spacecraft time is done using a less than optimal timer. However, inappropriately setting the clock state to V← ALID (indicating that spacecraft time is accurate) may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_SOURCE_CC, CFE_TIME_SET_SIGNAL_CC
```

Definition at line 263 of file cfe_time_msg.h.

```
11.57.2.12 CFE_TIME_SET_STCF_CC
#define CFE_TIME_SET_STCF_CC 9 /* set STCF */
```

Name Set Spacecraft Time Correlation Factor

Description

This command sets the Spacecraft Time Correlation Factor (STCF) to the specified value. This command differs from the previously described SET CLOCK in the nature of the command argument. This command sets the STCF value directly, rather than extracting the STCF from a value representing the total of MET, STCF and optionally, Leap Seconds. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockSTCF

Command Structure

```
CFE_TIME_SetSTCFCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME STCF EID informational event message will be generated

Error Conditions

An invalid number of microseconds was specified (must be less than 1 million)

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_STCF_CFG_EID or CFE_TIME_STCF_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE TIME SET TIME CC, CFE TIME SET MET CC, CFE TIME SET LEAP SECONDS CC
```

Definition at line 461 of file cfe time msg.h.

```
11.57.2.13 CFE_TIME_SET_TIME_CC
```

```
#define CFE_TIME_SET_TIME_CC 7 /* set time */
```

Name Set Spacecraft Time

Description

This command sets the spacecraft clock to a new value, regardless of the current setting (time jam). The new time value represents the desired offset from the mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI

- STCF = (new time) (current MET)
- (current time) = (current MET) + STCF

If Time Service is configured to compute current time as UTC

- STCF = ((new time) (current MET)) + (Leap Seconds)
- (current time) = ((current MET) + STCF) (Leap Seconds)

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClock

Command Structure

```
CFE TIME SetTimeCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating newly calculated STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating newly calculated STCF subseconds value
- The CFE TIME TIME EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_TIME_CFG_EID or CFE_TIME_TIME_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_MET_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_SET_LEAP_SECONDS_CC
```

Definition at line 384 of file cfe_time_msg.h.

```
11.57.2.14 CFE_TIME_SUB_1HZ_ADJUSTMENT_CC
```

```
#define CFE_TIME_SUB_1HZ_ADJUSTMENT_CC 14 /* subtract 1Hz STCF adjustment */
```

Name Subtract Delta from Spacecraft Time Correlation Factor each 1Hz

Description

This command has been updated to take actual sub-seconds ($1/2^3$ 2 seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by subtracting the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc_\$cpu_TIME_Sub1HzSTCF

Command Structure

CFE TIME Sub1HZAdjustmentCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry: Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_1HZ_EID informational event message will be generated

Error Conditions

Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event message will be issued (CFE_TIME_1HZ_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE TIME ADD ADJUST CC, CFE TIME SUB ADJUST CC, CFE TIME ADD 1HZ ADJUSTMENT CC

Definition at line 660 of file cfe_time_msg.h.

11.57.2.15 CFE_TIME_SUB_ADJUST_CC

#define CFE_TIME_SUB_ADJUST_CC 12 /* subtract one time STCF adjustment */

Name Subtract Delta from Spacecraft Time Correlation Factor

Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by subtracting the specified value. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SubSTCFAdj

Command Structure

```
CFE_TIME_SubAdjustCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME DELTA EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELTA_ERR_EID or CFE_TIME_DELTA_CFG_ ← EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
\label{eq:cfe_time_add_adjust_cc} CFE\_TIME\_ADD\_1HZ\_ADJUSTMENT\_CC, CFE\_TIME\_SUB\_1HZ\_ADJUST \\ \leftarrow MENT\_CC
```

Definition at line 566 of file cfe_time_msg.h.

```
11.57.2.16 CFE TIME SUB DELAY CC
```

```
\#define CFE_TIME_SUB_DELAY_CC 6 /* sub tone delay value */
```

Name Subtract Time from Tone Time Delay

Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (subtracted) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Note that it is unimaginable that the seconds value will ever be anything but zero.

Command Mnemonic(s) \$sc_\$cpu_TIME_SubClockLat

Command Structure

CFE_TIME_SubDelayCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc_\$cpu_TIME_DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE_TIME_DELAY_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELAY_CFG_EID or CFE_TIME_DELAY_ERR ← EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_ADD_DELAY_CC

Definition at line 339 of file cfe_time_msg.h.

11.57.3 Typedef Documentation

```
11.57.3.1 CFE_TIME_1HzCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_1HzCmd_t
Definition at line 743 of file cfe_time_msg.h.
11.57.3.2 CFE_TIME_Add1HZAdjustmentCmd_t
typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Add1HZAdjustmentCmd_t
Definition at line 878 of file cfe_time_msg.h.
11.57.3.3 CFE_TIME_AddAdjustCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_AddAdjustCmd_t
Definition at line 850 of file cfe_time_msg.h.
11.57.3.4 CFE_TIME_AddDelayCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_AddDelayCmd_t
Definition at line 846 of file cfe_time_msg.h.
11.57.3.5 CFE_TIME_DiagnosticTlm_Payload_t
typedef struct CFE_TIME_DiagnosticTlm_Payload CFE_TIME_DiagnosticTlm_Payload_t
Name Time Services Diagnostics Packet
11.57.3.6 CFE_TIME_DiagnosticTIm_t
typedef struct CFE_TIME_DiagnosticTlm CFE_TIME_DiagnosticTlm_t
```

```
11.57.3.7 CFE_TIME_FakeToneCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_FakeToneCmd_t
Definition at line 745 of file cfe_time_msg.h.
11.57.3.8 CFE_TIME_HousekeepingTlm_Payload_t
typedef struct CFE_TIME_HousekeepingTlm_Payload CFE_TIME_HousekeepingTlm_Payload_t
Name Time Services Housekeeping Packet
11.57.3.9 CFE_TIME_HousekeepingTIm_t
{\tt typedef\ struct\ CFE\_TIME\_HousekeepingTlm\ CFE\_TIME\_HousekeepingTlm\_t}
11.57.3.10 CFE_TIME_LeapsCmd_Payload_t
typedef struct CFE_TIME_LeapsCmd_Payload CFE_TIME_LeapsCmd_Payload_t
Set leap seconds command payload.
11.57.3.11 CFE_TIME_NoArgsCmd_t
typedef struct CFE_TIME_NoArgsCmd CFE_TIME_NoArgsCmd_t
Generic no argument command.
11.57.3.12 CFE_TIME_NoopCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_NoopCmd_t
Definition at line 740 of file cfe_time_msg.h.
```

```
11.57.3.13 CFE_TIME_OneHzAdjustmentCmd_Payload_t
typedef struct CFE_TIME_OneHzAdjustmentCmd_Payload CFE_TIME_OneHzAdjustmentCmd_Payload_t
Generic seconds, subseconds command payload.
11.57.3.14 CFE TIME OneHzAdjustmentCmd t
typedef struct CFE_TIME_OneHzAdjustmentCmd CFE_TIME_OneHzAdjustmentCmd_t
Generic seconds, subseconds adjustment command.
11.57.3.15 CFE_TIME_ResetCountersCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_ResetCountersCmd_t
Definition at line 741 of file cfe_time_msg.h.
11.57.3.16 CFE_TIME_SendDiagnosticCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_SendDiagnosticCmd_t
Definition at line 742 of file cfe time msg.h.
11.57.3.17 CFE_TIME_SetLeapSecondsCmd_t
typedef struct CFE_TIME_SetLeapSecondsCmd CFE_TIME_SetLeapSecondsCmd_t
Set leap seconds command.
11.57.3.18 CFE_TIME_SetMETCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetMETCmd_t
Definition at line 848 of file cfe_time_msg.h.
```

```
11.57.3.19 CFE_TIME_SetSignalCmd_t
typedef struct CFE_TIME_SetSignalCmd CFE_TIME_SetSignalCmd_t
Set tone signal source command.
11.57.3.20 CFE_TIME_SetSourceCmd_t
typedef struct CFE_TIME_SetSourceCmd CFE_TIME_SetSourceCmd_t
Set time data source command.
11.57.3.21 CFE_TIME_SetStateCmd_t
typedef struct CFE_TIME_SetStateCmd CFE_TIME_SetStateCmd_t
Set clock state command.
11.57.3.22 CFE_TIME_SetSTCFCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetSTCFCmd_t
Definition at line 849 of file cfe time msg.h.
11.57.3.23 CFE_TIME_SetTimeCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetTimeCmd_t
Definition at line 852 of file cfe_time_msg.h.
11.57.3.24 CFE_TIME_SignalCmd_Payload_t
typedef struct CFE_TIME_SignalCmd_Payload CFE_TIME_SignalCmd_Payload_t
Set tone signal source command payload.
```

```
11.57.3.25 CFE_TIME_SourceCmd_Payload_t
typedef struct CFE_TIME_SourceCmd_Payload CFE_TIME_SourceCmd_Payload_t
Set time data source command payload.
11.57.3.26 CFE_TIME_StateCmd_Payload_t
typedef struct CFE_TIME_StateCmd_Payload CFE_TIME_StateCmd_Payload_t
Set clock state command payload.
11.57.3.27 CFE_TIME_Sub1HZAdjustmentCmd_t
typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Sub1HZAdjustmentCmd_t
Definition at line 879 of file cfe_time_msg.h.
11.57.3.28 CFE_TIME_SubAdjustCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SubAdjustCmd_t
Definition at line 851 of file cfe time msg.h.
11.57.3.29 CFE_TIME_SubDelayCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SubDelayCmd_t
Definition at line 847 of file cfe time msg.h.
11.57.3.30 CFE_TIME_TimeCmd_Payload_t
typedef struct CFE_TIME_TimeCmd_Payload CFE_TIME_TimeCmd_Payload_t
```

Generic seconds, microseconds command payload.

```
11.57.3.31 CFE_TIME_TimeCmd_t
typedef struct CFE_TIME_TimeCmd CFE_TIME_TimeCmd_t
Generic seconds, microseconds argument command.
11.57.3.32 CFE_TIME_ToneDataCmd_Payload_t
typedef struct CFE_TIME_ToneDataCmd_Payload CFE_TIME_ToneDataCmd_Payload_t
Time at tone data command payload.
11.57.3.33 CFE_TIME_ToneDataCmd_t
typedef struct CFE_TIME_ToneDataCmd CFE_TIME_ToneDataCmd_t
Time at tone data command.
11.57.3.34 CFE_TIME_ToneSignalCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_ToneSignalCmd_t
Definition at line 744 of file cfe_time_msg.h.
11.58 osal/docs/src/osal_frontpage.dox File Reference
11.59 osal/docs/src/osal_fs.dox File Reference
11.60 osal/docs/src/osal_timer.dox File Reference
11.61 osal/src/os/inc/common_types.h File Reference
#include <stdint.h>
#include <stddef.h>
#include <stdbool.h>
```

Macros

- #define CompileTimeAssert(Condition, Message) typedef char Message[(Condition) ? 1 : -1]
- #define _EXTENSION_
- #define OS USED
- #define OS PRINTF(n, m)
- #define OSAL_SIZE_C(X) ((size_t)(X))
- #define OSAL_BLOCKCOUNT_C(X) ((osal_blockcount_t)(X))
- #define OSAL INDEX C(X) ((osal index t)(X))
- #define OSAL_OBJTYPE_C(X) ((osal_objtype_t)(X))
- #define OSAL_STATUS_C(X) ((osal_status_t)(X))

Typedefs

- typedef int8 t int8
- typedef int16_t int16
- typedef int32 t int32
- · typedef int64_t int64
- typedef uint8 t uint8
- typedef uint16 t uint16
- typedef uint32 t uint32
- typedef uint64 t uint64
- · typedef intptr t intptr
- typedef uintptr_t cpuaddr
- typedef size_t cpusize
- typedef ptrdiff_t cpudiff
- typedef uint32 osal id t
- typedef size_t osal_blockcount_t
- typedef uint32 osal_index_t
- typedef uint32 osal objtype t
- typedef int32 osal_status_t
- typedef void(* OS_ArgCallback_t) (osal_id_t object_id, void *arg)

General purpose OSAL callback function.

Functions

- CompileTimeAssert (sizeof(uint8)==1, TypeUint8WrongSize)
- CompileTimeAssert (sizeof(uint16)==2, TypeUint16WrongSize)
- CompileTimeAssert (sizeof(uint32)==4, TypeUint32WrongSize)
- CompileTimeAssert (sizeof(uint64)==8, TypeUint64WrongSize)
- CompileTimeAssert (sizeof(int8)==1, Typeint8WrongSize)
- CompileTimeAssert (sizeof(int16)==2, Typeint16WrongSize)
- CompileTimeAssert (sizeof(int32)==4, Typeint32WrongSize)
- CompileTimeAssert (sizeof(int64)==8, Typeint64WrongSize)
- CompileTimeAssert (sizeof(cpuaddr) >=sizeof(void *), TypePtrWrongSize)

11.61.1 Detailed Description

Purpose: Unit specification for common types.

Design Notes: Assumes make file has defined processor family

11.61.2 Macro Definition Documentation

```
11.61.2.1 _EXTENSION_
```

```
#define _EXTENSION_
```

Definition at line 65 of file common_types.h.

11.61.2.2 CompileTimeAssert

Definition at line 48 of file common_types.h.

11.61.2.3 OS_PRINTF

Definition at line 67 of file common_types.h.

11.61.2.4 OS_USED

#define OS_USED

Definition at line 66 of file common_types.h.

11.61.2.5 OSAL_BLOCKCOUNT_C

Definition at line 172 of file common_types.h.

11.61.2.6 OSAL_INDEX_C

Definition at line 173 of file common_types.h.

11.61.2.7 OSAL_OBJTYPE_C

Definition at line 174 of file common_types.h.

11.61.2.8 OSAL_SIZE_C

Definition at line 171 of file common_types.h.

11.61.2.9 OSAL_STATUS_C

Definition at line 175 of file common_types.h.

11.61.3 Typedef Documentation

```
11.61.3.1 cpuaddr
typedef uintptr_t cpuaddr
Definition at line 88 of file common_types.h.
11.61.3.2 cpudiff
typedef ptrdiff_t cpudiff
Definition at line 90 of file common_types.h.
11.61.3.3 cpusize
typedef size_t cpusize
Definition at line 89 of file common_types.h.
11.61.3.4 int16
typedef int16_t int16
Definition at line 80 of file common_types.h.
11.61.3.5 int32
typedef int32_t int32
Definition at line 81 of file common_types.h.
11.61.3.6 int64
typedef int64_t int64
```

Definition at line 82 of file common_types.h.

```
11.61.3.7 int8
```

```
typedef int8_t int8
```

Definition at line 79 of file common_types.h.

```
11.61.3.8 intptr
```

```
typedef intptr_t intptr
```

Definition at line 87 of file common_types.h.

```
11.61.3.9 OS_ArgCallback_t
```

```
typedef void(* OS_ArgCallback_t) (osal_id_t object_id, void *arg)
```

General purpose OSAL callback function.

This may be used by multiple APIS

Definition at line 143 of file common_types.h.

```
11.61.3.10 osal_blockcount_t
```

```
typedef size_t osal_blockcount_t
```

A type used to represent a number of blocks or buffers

This is used with file system and queue implementations.

Definition at line 116 of file common_types.h.

```
11.61.3.11 osal_id_t
```

```
typedef uint32 osal_id_t
```

A type to be used for OSAL resource identifiers. This typedef is backward compatible with the IDs from older versions of OSAL

Definition at line 108 of file common_types.h.

```
11.61.3.12 osal_index_t
```

```
typedef uint32 osal_index_t
```

A type used to represent an index into a table structure

This is used when referring directly to a table index as opposed to an object ID. It is primarily intended for internal use, but is also output from public APIs such as OS_ObjectIdToArrayIndex().

Definition at line 126 of file common_types.h.

```
11.61.3.13 osal_objtype_t
```

```
typedef uint32 osal_objtype_t
```

A type used to represent the runtime type or category of an OSAL object

Definition at line 131 of file common_types.h.

```
11.61.3.14 osal_status_t
```

```
typedef int32 osal_status_t
```

The preferred type to represent OSAL status codes defined in osapi-error.h

Definition at line 136 of file common_types.h.

11.61.3.15 uint16

typedef uint16_t uint16

Definition at line 84 of file common_types.h.

11.61.3.16 uint32

typedef uint32_t uint32

Definition at line 85 of file common_types.h.

```
11.61.3.17 uint64
typedef uint64_t uint64
Definition at line 86 of file common_types.h.
11.61.3.18 uint8
typedef uint8_t uint8
Definition at line 83 of file common_types.h.
11.61.4 Function Documentation
11.61.4.1 CompileTimeAssert() [1/9]
CompileTimeAssert (
              sizeof(uint8) = =1,
              TypeUint8WrongSize )
11.61.4.2 CompileTimeAssert() [2/9]
CompileTimeAssert (
              sizeof(uint16) = =2,
              TypeUint16WrongSize )
11.61.4.3 CompileTimeAssert() [3/9]
CompileTimeAssert (
              sizeof(uint32) = =4,
              TypeUint32WrongSize )
11.61.4.4 CompileTimeAssert() [4/9]
CompileTimeAssert (
```

sizeof(uint64) = =8,
TypeUint64WrongSize)

```
11.61.4.5 CompileTimeAssert() [5/9]
CompileTimeAssert (
             sizeof(int8) = =1,
             Typeint8WrongSize )
11.61.4.6 CompileTimeAssert() [6/9]
CompileTimeAssert (
             sizeof(int16) = =2,
             Typeint16WrongSize )
11.61.4.7 CompileTimeAssert() [7/9]
CompileTimeAssert (
             sizeof(int32) = =4,
             Typeint32WrongSize )
11.61.4.8 CompileTimeAssert() [8/9]
CompileTimeAssert (
             sizeof(int64) = =8,
             Typeint64WrongSize )
11.61.4.9 CompileTimeAssert() [9/9]
CompileTimeAssert (
             sizeof(cpuaddr) >=sizeof(void *) ,
             TypePtrWrongSize )
11.62 osal/src/os/inc/osapi-binsem.h File Reference
#include "osconfig.h"
#include "common_types.h"
Data Structures
   • struct OS_bin_sem_prop_t
```

OSAL binary semaphore properties.

Generated by Doxygen

Macros

#define OS_SEM_FULL 1

Semaphore full state.

• #define OS SEM EMPTY 0

Semaphore empty state.

Functions

- int32 OS_BinSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

 Creates a binary semaphore.
- int32 OS_BinSemFlush (osal_id_t sem_id)

Unblock all tasks pending on the specified semaphore.

• int32 OS_BinSemGive (osal_id_t sem_id)

Increment the semaphore value.

int32 OS_BinSemTake (osal_id_t sem_id)

Decrement the semaphore value.

• int32 OS_BinSemTimedWait (osal_id_t sem_id, uint32 msecs)

Decrement the semaphore value with a timeout.

• int32 OS BinSemDelete (osal id t sem id)

Deletes the specified Binary Semaphore.

int32 OS_BinSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

int32 OS_BinSemGetInfo (osal_id_t sem_id, OS_bin_sem_prop_t *bin_prop)

Fill a property object buffer with details regarding the resource.

11.62.1 Detailed Description

Declarations and prototypes for binary semaphores

11.63 osal/src/os/inc/osapi-bsp.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

- void OS_BSP_SetResourceTypeConfig (uint32 ResourceType, uint32 ConfigOptionValue)
- uint32 OS BSP GetResourceTypeConfig (uint32 ResourceType)
- uint32 OS_BSP_GetArgC (void)
- char *const * OS_BSP_GetArgV (void)
- void OS BSP SetExitCode (int32 code)

11.63.1 Detailed Description

Declarations and prototypes for OSAL BSP

11.64 osal/src/os/inc/osapi-clock.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• struct OS time t

OSAL time interval structure.

Enumerations

enum { OS_TIME_TICK_RESOLUTION_NS = 100, OS_TIME_TICKS_PER_SECOND = 1000000000 / OS_TI

 ME_TICK_RESOLUTION_NS, OS_TIME_TICKS_PER_MSEC = 1000000 / OS_TIME_TICK_RESOLUTION_
 NS, OS_TIME_TICKS_PER_USEC = 1000 / OS_TIME_TICK_RESOLUTION_NS }

Multipliers/divisors to convert ticks into standardized units.

Functions

int32 OS_GetLocalTime (OS_time_t *time_struct)

Get the local time.

int32 OS_SetLocalTime (const OS_time_t *time_struct)

Set the local time.

static int64 OS_TimeGetTotalSeconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to whole number of seconds.

static int64 OS_TimeGetTotalMilliseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to millisecond units.

static int64 OS_TimeGetTotalMicroseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to microsecond units.

static int64 OS_TimeGetTotalNanoseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to nanosecond units.

static int64 OS_TimeGetFractionalPart (OS_time_t tm)

Get subseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetSubsecondsPart (OS_time_t tm)

Get 32-bit normalized subseconds (fractional part only) from an OS_time_t object.

static uint32 OS TimeGetMillisecondsPart (OS time t tm)

Get milliseconds portion (fractional part only) from an OS_time_t object.

• static uint32 OS_TimeGetMicrosecondsPart (OS_time_t tm)

Get microseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS TimeGetNanosecondsPart (OS time t tm)

Get nanoseconds portion (fractional part only) from an OS_time_t object.

static OS_time_t OS_TimeAssembleFromNanoseconds (int64 seconds, uint32 nanoseconds)

Assemble/Convert a number of seconds + nanoseconds into an OS time t interval.

static OS_time_t OS_TimeAssembleFromMicroseconds (int64 seconds, uint32 microseconds)

Assemble/Convert a number of seconds + microseconds into an OS_time_t interval.

static OS_time_t OS_TimeAssembleFromMilliseconds (int64 seconds, uint32 milliseconds)

Assemble/Convert a number of seconds + milliseconds into an OS_time_t interval.

static OS time t OS TimeAssembleFromSubseconds (int64 seconds, uint32 subseconds)

Assemble/Convert a number of seconds + subseconds into an OS_time_t interval.

static OS_time_t OS_TimeAdd (OS_time_t time1, OS_time_t time2)

Computes the sum of two time intervals.

static OS_time_t OS_TimeSubtract (OS_time_t time1, OS_time_t time2)

Computes the difference between two time intervals.

11.64.1 Detailed Description

Declarations and prototypes for osapi-clock module

11.64.2 Enumeration Type Documentation

11.64.2.1 anonymous enum

anonymous enum

Multipliers/divisors to convert ticks into standardized units.

Various fixed conversion factor constants used by the conversion routines

A 100ns tick time allows max intervals of about +/- 14000 years in a 64-bit signed integer value.

Note

Applications should not directly use these values, but rather use conversion routines below to obtain standardized units (seconds/microseconds/etc).

Enumerator

	OS_TIME_TICK_RESOLUTION_NS	
	OS_TIME_TICKS_PER_SECOND	
ſ	OS_TIME_TICKS_PER_MSEC	
Ī	OS_TIME_TICKS_PER_USEC	

Definition at line 61 of file osapi-clock.h.

11.65 osal/src/os/inc/osapi-common.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Typedefs

• typedef int32(* OS_EventHandler_t) (OS_Event_t event, osal_id_t object_id, void *data)

A callback routine for event handling.

Enumerations

enum OS_Event_t {
 OS_EVENT_RESERVED = 0, OS_EVENT_RESOURCE_ALLOCATED, OS_EVENT_RESOURCE_CREATED,
 OS_EVENT_RESOURCE_DELETED,
 OS_EVENT_TASK_STARTUP, OS_EVENT_MAX }

A set of events that can be used with BSP event callback routines.

Functions

· void OS Application Startup (void)

Application startup.

void OS_Application_Run (void)

Application run.

• int32 OS API Init (void)

Initialization of API.

• void OS_API_Teardown (void)

Teardown/de-initialization of OSAL API.

void OS_IdleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS_DeleteAllObjects (void)

delete all resources created in OSAL.

void OS_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS ApplicationExit (int32 Status)

Exit/Abort the application.

int32 OS_RegisterEventHandler (OS_EventHandler_t handler)

Callback routine registration.

11.65.1 Detailed Description

Declarations and prototypes for general OSAL functions that are not part of a subsystem

11.65.2 Typedef Documentation

```
11.65.2.1 OS_EventHandler_t
```

```
typedef int32(* OS_EventHandler_t) (OS_Event_t event, osal_id_t object_id, void *data)
```

A callback routine for event handling.

Parameters

in	event	The event that occurred
in	object⊷	The associated object_id, or 0 if not associated with an object
	_id	
in,out	data	An abstract data/context object associated with the event, or NULL.

Returns

status Execution status, see OSAL Return Code Defines.

Definition at line 98 of file osapi-common.h.

11.65.3 Enumeration Type Documentation

11.65.3.1 OS_Event_t

enum OS_Event_t

A set of events that can be used with BSP event callback routines.

Enumerator

OS_EVENT_RESERVED	no-op/reserved event id value
OS_EVENT_RESOURCE_ALLOCATED	resource/id has been newly allocated but not yet created. This event is invoked from WITHIN the locked region, in the context of the task which is allocating the resource. If the handler returns non-success, the error will be returned to the caller and the creation process is aborted.
OS_EVENT_RESOURCE_CREATED	resource/id has been fully created/finalized. Invoked outside locked region, in the context of the task which created the resource. Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.
OS_EVENT_RESOURCE_DELETED	resource/id has been deleted. Invoked outside locked region, in the context of the task which deleted the resource. Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.
OS_EVENT_TASK_STARTUP	New task is starting. Invoked outside locked region, in the context of the task which is currently starting, before the entry point is called. Data object is not used, passed as NULL. If the handler returns non-success, task startup is aborted and the entry point is not called.
OS EVENT MAX	placeholder for end of enum, not used

Definition at line 34 of file osapi-common.h.

11.66 osal/src/os/inc/osapi-constants.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Macros

- #define OS_PEND (-1)
- #define OS_CHECK (0)
- #define OS_OBJECT_ID_UNDEFINED ((osal_id_t) {0})

Initializer for the osal_id_t type which will not match any valid value.

• #define OS_OBJECT_CREATOR_ANY OS_OBJECT_ID_UNDEFINED

Constant that may be passed to OS_ForEachObject()/OS_ForEachObjectOfType() to match any creator (i.e. get all objects)

#define OS_MAX_LOCAL_PATH_LEN (OS_MAX_PATH_LEN + OS_FS_PHYS_NAME_LEN)

Maximum length of a local/native path name string.

11.66.1 Detailed Description

General constants for OSAL that are shared across subsystems

11.66.2 Macro Definition Documentation

```
11.66.2.1 OS_CHECK
```

```
#define OS_CHECK (0)
```

Definition at line 35 of file osapi-constants.h.

```
11.66.2.2 OS_MAX_LOCAL_PATH_LEN
```

```
#define OS_MAX_LOCAL_PATH_LEN (OS_MAX_PATH_LEN + OS_FS_PHYS_NAME_LEN)
```

Maximum length of a local/native path name string.

This is a concatenation of the OSAL virtual path with the system mount point or device name

Definition at line 54 of file osapi-constants.h.

```
11.66.2.3 OS_OBJECT_CREATOR_ANY
```

```
#define OS_OBJECT_CREATOR_ANY OS_OBJECT_ID_UNDEFINED
```

Constant that may be passed to OS_ForEachObject()/OS_ForEachObjectOfType() to match any creator (i.e. get all objects)

Definition at line 46 of file osapi-constants.h.

11.66.2.4 OS_OBJECT_ID_UNDEFINED

```
#define OS_OBJECT_ID_UNDEFINED ((osal_id_t) {0})
```

Initializer for the osal_id_t type which will not match any valid value.

Definition at line 40 of file osapi-constants.h.

11.66.2.5 OS_PEND

```
#define OS_PEND (-1)
```

Definition at line 34 of file osapi-constants.h.

11.67 osal/src/os/inc/osapi-countsem.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• struct OS_count_sem_prop_t

OSAL counting semaphore properties.

Functions

- int32 OS_CountSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

 Creates a counting semaphore.
- int32 OS_CountSemGive (osal_id_t sem_id)

Increment the semaphore value.

int32 OS_CountSemTake (osal_id_t sem_id)

Decrement the semaphore value.

int32 OS_CountSemTimedWait (osal_id_t sem_id, uint32 msecs)

Decrement the semaphore value with timeout.

int32 OS_CountSemDelete (osal_id_t sem_id)

Deletes the specified counting Semaphore.

int32 OS_CountSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

int32 OS_CountSemGetInfo (osal_id_t sem_id, OS_count_sem_prop_t *count_prop)

Fill a property object buffer with details regarding the resource.

11.67.1 Detailed Description

Declarations and prototypes for counting semaphores

11.68 osal/src/os/inc/osapi-dir.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct os_dirent_t
 Directory entry.

Macros

#define OS_DIRENTRY_NAME(x) ((x).FileName)
 Access filename part of the dirent structure.

Functions

• int32 OS_DirectoryOpen (osal_id_t *dir_id, const char *path)

Opens a directory.

int32 OS_DirectoryClose (osal_id_t dir_id)

Closes an open directory.

• int32 OS DirectoryRewind (osal id t dir id)

Rewinds an open directory.

• int32 OS_DirectoryRead (osal_id_t dir_id, os_dirent_t *dirent)

Reads the next name in the directory.

int32 OS mkdir (const char *path, uint32 access)

Makes a new directory.

int32 OS_rmdir (const char *path)

Removes a directory from the file system.

11.68.1 Detailed Description

Declarations and prototypes for directories

11.68.2 Macro Definition Documentation

```
11.68.2.1 OS_DIRENTRY_NAME
```

Access filename part of the dirent structure.

Definition at line 38 of file osapi-dir.h.

11.69 osal/src/os/inc/osapi-error.h File Reference

```
#include "common_types.h"
```

Macros

• #define OS_ERROR_NAME_LENGTH 35

Error string name length.

#define OS STATUS STRING LENGTH 12

Status converted to string length limit.

• #define OS_SUCCESS (0)

Successful execution.

#define OS_ERROR (-1)

Failed execution.

• #define OS_INVALID_POINTER (-2)

Invalid pointer.

• #define OS ERROR ADDRESS MISALIGNED (-3)

Address misalignment.

• #define OS_ERROR_TIMEOUT (-4)

Error timeout.

• #define OS INVALID INT NUM (-5)

Invalid Interrupt number.

• #define OS_SEM_FAILURE (-6)

Semaphore failure.

#define OS_SEM_TIMEOUT (-7)

Semaphore timeout.

• #define OS_QUEUE_EMPTY (-8)

Queue empty.

#define OS_QUEUE_FULL (-9)

Queue full.

#define OS_QUEUE_TIMEOUT (-10)

Queue timeout.

#define OS_QUEUE_INVALID_SIZE (-11)

Queue invalid size.

• #define OS_QUEUE_ID_ERROR (-12)

Queue ID error.

```
    #define OS_ERR_NAME_TOO_LONG (-13)

     name length including null terminator greater than OS_MAX_API_NAME
• #define OS ERR NO FREE IDS (-14)
     No free IDs.
• #define OS ERR NAME TAKEN (-15)
     Name taken.

    #define OS ERR INVALID ID (-16)

     Invalid ID.

    #define OS_ERR_NAME_NOT_FOUND (-17)

     Name not found.

    #define OS_ERR_SEM_NOT_FULL (-18)

     Semaphore not full.

    #define OS ERR INVALID PRIORITY (-19)

     Invalid priority.

    #define OS_INVALID_SEM_VALUE (-20)

     Invalid semaphore value.

    #define OS ERR FILE (-27)

     File error.

    #define OS_ERR_NOT_IMPLEMENTED (-28)

     Not implemented.

    #define OS_TIMER_ERR_INVALID_ARGS (-29)

     Timer invalid arguments.
• #define OS_TIMER_ERR_TIMER_ID (-30)
     Timer ID error.

    #define OS_TIMER_ERR_UNAVAILABLE (-31)

     Timer unavailable.

    #define OS_TIMER_ERR_INTERNAL (-32)

     Timer internal error.

    #define OS_ERR_OBJECT_IN_USE (-33)

     Object in use.

    #define OS_ERR_BAD_ADDRESS (-34)

     Bad address.

    #define OS_ERR_INCORRECT_OBJ_STATE (-35)

     Incorrect object state.

    #define OS ERR INCORRECT OBJ TYPE (-36)

     Incorrect object type.

    #define OS_ERR_STREAM_DISCONNECTED (-37)

     Stream disconnected.

    #define OS ERR OPERATION NOT SUPPORTED (-38)

     Requested operation not support on supplied object(s)

    #define OS_ERR_INVALID_SIZE (-40)

     Invalid Size.

    #define OS ERR OUTPUT TOO LARGE (-41)

     Size of output exceeds limit.
• #define OS ERR INVALID ARGUMENT (-42)
     Invalid argument value (other than ID or size)
```

#define OS FS ERR PATH TOO LONG (-103)

FS path too long.

#define OS_FS_ERR_NAME_TOO_LONG (-104)

FS name too long.

#define OS_FS_ERR_DRIVE_NOT_CREATED (-106)

FS drive not created.

#define OS_FS_ERR_DEVICE_NOT_FREE (-107)

FS device not free.

• #define OS_FS_ERR_PATH_INVALID (-108)

FS path invalid.

Typedefs

typedef char os_err_name_t[OS_ERROR_NAME_LENGTH]

For the OS_GetErrorName() function, to ensure everyone is making an array of the same length.

typedef char os_status_string_t[OS_STATUS_STRING_LENGTH]

For the OS_StatusToString() function, to ensure everyone is making an array of the same length.

Functions

static long OS_StatusToInteger (osal_status_t Status)

Convert a status code to a native "long" type.

int32 OS_GetErrorName (int32 error_num, os_err_name_t *err_name)

Convert an error number to a string.

char * OS_StatusToString (osal_status_t status, os_status_string_t *status_string)

Convert status to a string.

11.69.1 Detailed Description

OSAL error code definitions

11.69.2 Macro Definition Documentation

11.69.2.1 OS ERROR NAME LENGTH

#define OS_ERROR_NAME_LENGTH 35

Error string name length.

The sizes of strings in OSAL functions are built with this limit in mind. Always check the uses of os_err_name_t when changing this value.

Definition at line 35 of file osapi-error.h.

11.69.2.2 OS_STATUS_STRING_LENGTH

```
#define OS_STATUS_STRING_LENGTH 12
```

Status converted to string length limit.

Used for sizing os_status_string_t intended for use in printing osal_status_t values Sized to fit LONG_MIN including NULL termination

Definition at line 55 of file osapi-error.h.

11.69.3 Typedef Documentation

```
11.69.3.1 os_err_name_t
typedef char os_err_name_t[OS_ERROR_NAME_LENGTH]
```

For the OS_GetErrorName() function, to ensure everyone is making an array of the same length.

Implementation note for developers:

The sizes of strings in OSAL functions are built with this OS_ERROR_NAME_LENGTH limit in mind. Always check the uses of os_err_name_t when changing this value.

Definition at line 47 of file osapi-error.h.

```
11.69.3.2 os_status_string_t
typedef char os_status_string_t[OS_STATUS_STRING_LENGTH]
```

For the OS_StatusToString() function, to ensure everyone is making an array of the same length.

Definition at line 61 of file osapi-error.h.

11.70 osal/src/os/inc/osapi-file.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
#include "osapi-clock.h"
```

Data Structures

```
    struct OS_file_prop_t
```

OSAL file properties.

· struct os fstat t

File system status.

Macros

- #define OS_READ_ONLY 0
- #define OS WRITE ONLY 1
- #define OS READ WRITE 2
- #define OS_SEEK_SET 0
- #define OS_SEEK_CUR 1
- #define OS SEEK END 2
- #define OS FILESTAT MODE(x) ((x).FileModeBits)

Access file stat mode bits.

• #define OS_FILESTAT_ISDIR(x) ((x).FileModeBits & OS_FILESTAT_MODE_DIR)

File stat is directory logical.

#define OS_FILESTAT_EXEC(x) ((x).FileModeBits & OS_FILESTAT_MODE_EXEC)

File stat is executable logical.

#define OS_FILESTAT_WRITE(x) ((x).FileModeBits & OS_FILESTAT_MODE_WRITE)

File stat is write enabled logical.

#define OS_FILESTAT_READ(x) ((x).FileModeBits & OS_FILESTAT_MODE_READ)

File stat is read enabled logical.

• #define OS_FILESTAT_SIZE(x) ((x).FileSize)

Access file stat size field.

#define OS_FILESTAT_TIME(x) (OS_TimeGetTotalSeconds((x).FileTime))

Access file stat time field as a whole number of seconds.

Enumerations

enum { OS_FILESTAT_MODE_EXEC = 0x00001, OS_FILESTAT_MODE_WRITE = 0x00002, OS_FILESTAT
 MODE READ = 0x00004, OS FILESTAT MODE DIR = 0x10000 }

File stat mode bits.

enum OS_file_flag_t { OS_FILE_FLAG_NONE = 0x00, OS_FILE_FLAG_CREATE = 0x01, OS_FILE_FLAG_T
 RUNCATE = 0x02 }

Flags that can be used with opening of a file (bitmask)

Functions

• int32 OS_OpenCreate (osal_id_t *filedes, const char *path, int32 flags, int32 access_mode)

Open or create a file.

int32 OS close (osal id t filedes)

Closes an open file handle.

• int32 OS_read (osal_id_t filedes, void *buffer, size_t nbytes)

Read from a file handle.

int32 OS_write (osal_id_t filedes, const void *buffer, size_t nbytes)

Write to a file handle.

int32 OS TimedRead (osal id t filedes, void *buffer, size t nbytes, int32 timeout)

File/Stream input read with a timeout.

int32 OS_TimedWrite (osal_id_t filedes, const void *buffer, size_t nbytes, int32 timeout)

File/Stream output write with a timeout.

• int32 OS_chmod (const char *path, uint32 access_mode)

Changes the permissions of a file.

int32 OS stat (const char *path, os fstat t *filestats)

Obtain information about a file or directory.

• int32 OS_lseek (osal_id_t filedes, int32 offset, uint32 whence)

Seeks to the specified position of an open file.

int32 OS_remove (const char *path)

Removes a file from the file system.

• int32 OS rename (const char *old filename, const char *new filename)

Renames a file.

int32 OS_cp (const char *src, const char *dest)

Copies a single file from src to dest.

int32 OS_mv (const char *src, const char *dest)

Move a single file from src to dest.

int32 OS_FDGetInfo (osal_id_t filedes, OS_file_prop_t *fd_prop)

Obtain information about an open file.

int32 OS FileOpenCheck (const char *Filename)

Checks to see if a file is open.

• int32 OS_CloseAllFiles (void)

Close all open files.

• int32 OS_CloseFileByName (const char *Filename)

Close a file by filename.

11.70.1 Detailed Description

Declarations and prototypes for file objects

11.70.2 Macro Definition Documentation

11.70.2.1 OS_FILESTAT_EXEC

File stat is executable logical.

Definition at line 92 of file osapi-file.h.

11.70.2.2 OS_FILESTAT_ISDIR

File stat is directory logical.

Definition at line 90 of file osapi-file.h.

11.70.2.3 OS_FILESTAT_MODE

Access file stat mode bits.

Definition at line 88 of file osapi-file.h.

11.70.2.4 OS_FILESTAT_READ

File stat is read enabled logical.

Definition at line 96 of file osapi-file.h.

11.70.2.5 OS_FILESTAT_SIZE

Access file stat size field.

Definition at line 98 of file osapi-file.h.

11.70.2.6 OS_FILESTAT_TIME

Access file stat time field as a whole number of seconds.

Definition at line 100 of file osapi-file.h.

11.70.2.7 OS_FILESTAT_WRITE

File stat is write enabled logical.

Definition at line 94 of file osapi-file.h.

11.70.3 Enumeration Type Documentation

11.70.3.1 anonymous enum

anonymous enum

File stat mode bits.

We must also define replacements for the stat structure's mode bits. This is currently just a small subset since the OSAL just presents a very simplified view of the filesystem to the upper layers. And since not all OS'es are POSIX, the more POSIX-specific bits are not relevant anyway.

Enumerator

OS_FILESTAT_MODE_EXEC	
OS_FILESTAT_MODE_WRITE	
OS_FILESTAT_MODE_READ	
OS_FILESTAT_MODE_DIR	

Definition at line 79 of file osapi-file.h.

11.70.3.2 OS_file_flag_t

enum OS_file_flag_t

Flags that can be used with opening of a file (bitmask)

Enumerator

OS_FILE_FLAG_NONE	
OS_FILE_FLAG_CREATE	
OS_FILE_FLAG_TRUNCATE	

Definition at line 105 of file osapi-file.h.

11.71 osal/src/os/inc/osapi-filesys.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct os_fsinfo_t

OSAL file system info.

struct OS_statvfs_t

Macros

- #define OS CHK ONLY 0
- #define OS_REPAIR 1

Functions

int32 OS_FileSysAddFixedMap (osal_id_t *filesys_id, const char *phys_path, const char *virt_path)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

 int32 OS_mkfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Makes a file system on the target.

• int32 OS_mount (const char *devname, const char *mountpoint)

Mounts a file system.

int32 OS_initfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Initializes an existing file system.

int32 OS rmfs (const char *devname)

Removes a file system.

int32 OS_unmount (const char *mountpoint)

Unmounts a mounted file system.

int32 OS_FileSysStatVolume (const char *name, OS_statvfs_t *statbuf)

Obtains information about size and free space in a volume.

• int32 OS_chkfs (const char *name, bool repair)

Checks the health of a file system and repairs it if necessary.

int32 OS_FS_GetPhysDriveName (char *PhysDriveName, const char *MountPoint)

Obtains the physical drive name associated with a mount point.

int32 OS TranslatePath (const char *VirtualPath, char *LocalPath)

Translates an OSAL Virtual file system path to a host Local path.

int32 OS_GetFsInfo (os_fsinfo_t *filesys_info)

Returns information about the file system.

11.71.1 Detailed Description

Declarations and prototypes for file systems

11.71.2 Macro Definition Documentation

11.71.2.1 OS_CHK_ONLY

```
#define OS_CHK_ONLY 0
```

Unused, API takes bool

Definition at line 31 of file osapi-filesys.h.

11.71.2.2 OS_REPAIR

```
#define OS_REPAIR 1
```

Unused, API takes bool

Definition at line 32 of file osapi-filesys.h.

11.72 osal/src/os/inc/osapi-heap.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_heap_prop_t
 OSAL heap properties.

Functions

• int32 OS_HeapGetInfo (OS_heap_prop_t *heap_prop)

Return current info on the heap.

11.72.1 Detailed Description

Declarations and prototypes for heap functions

11.73 osal/src/os/inc/osapi-idmap.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Macros

• #define OS_OBJECT_INDEX_MASK 0xFFFF

Object index mask.

• #define OS_OBJECT_TYPE_SHIFT 16

Object type shift.

#define OS_OBJECT_TYPE_UNDEFINED 0x00

Object type undefined.

#define OS_OBJECT_TYPE_OS_TASK 0x01

Object task type.

• #define OS_OBJECT_TYPE_OS_QUEUE 0x02

Object queue type.

#define OS_OBJECT_TYPE_OS_COUNTSEM 0x03

Object counting semaphore type.

#define OS_OBJECT_TYPE_OS_BINSEM 0x04

Object binary semaphore type.

#define OS_OBJECT_TYPE_OS_MUTEX 0x05

Object mutex type.

• #define OS OBJECT TYPE OS STREAM 0x06

Object stream type.

• #define OS_OBJECT_TYPE_OS_DIR 0x07

Object directory type.

• #define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

Object timebase type.

#define OS_OBJECT_TYPE_OS_TIMECB 0x09

Object timer callback type.

• #define OS OBJECT TYPE OS MODULE 0x0A

Object module type.

• #define OS_OBJECT_TYPE_OS_FILESYS 0x0B

Object file system type.

• #define OS_OBJECT_TYPE_OS_CONSOLE 0x0C

Object console type.

• #define OS_OBJECT_TYPE_USER 0x10

Object user type.

Functions

static unsigned long OS_ObjectIdToInteger (osal_id_t object_id)

Obtain an integer value corresponding to an object ID.

static osal_id_t OS_ObjectIdFromInteger (unsigned long value)

Obtain an osal ID corresponding to an integer value.

static bool OS_ObjectIdEqual (osal_id_t object_id1, osal_id_t object_id2)

Check two OSAL object ID values for equality.

static bool OS_ObjectIdDefined (osal_id_t object_id)

Check if an object ID is defined.

int32 OS_GetResourceName (osal_id_t object_id, char *buffer, size_t buffer_size)

Obtain the name of an object given an arbitrary object ID.

osal_objtype_t OS_IdentifyObject (osal_id_t object_id)

Obtain the type of an object given an arbitrary object ID.

int32 OS_ConvertToArrayIndex (osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

int32 OS_ObjectIdToArrayIndex (osal_objtype_t idtype, osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

void OS_ForEachObject (osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)
 call the supplied callback function for all valid object IDs

 void OS_ForEachObjectOfType (osal_objtype_t objtype, osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for valid object IDs of a specific type

11.73.1 Detailed Description

Declarations and prototypes for object IDs

11.73.2 Macro Definition Documentation

11.73.2.1 OS_OBJECT_INDEX_MASK

#define OS_OBJECT_INDEX_MASK 0xFFFF

Object index mask.

Definition at line 32 of file osapi-idmap.h.

11.73.2.2 OS_OBJECT_TYPE_SHIFT

#define OS_OBJECT_TYPE_SHIFT 16

Object type shift.

Definition at line 33 of file osapi-idmap.h.

11.74 osal/src/os/inc/osapi-macros.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include "osconfig.h"
#include "common_types.h"
#include "osapi-printf.h"
```

Macros

- #define BUGREPORT(...) OS_printf(__VA_ARGS__)
- #define BUGCHECK(cond, errcode)

Basic Bug-Checking macro.

• #define ARGCHECK(cond, errcode)

Generic argument checking macro for non-critical values.

#define LENGTHCHECK(str, len, errcode) ARGCHECK(memchr(str, \0', len), errcode)
 String length limit check macro.

11.74.1 Detailed Description

Macro definitions that are used across all OSAL subsystems

11.74.2 Macro Definition Documentation

11.74.2.1 ARGCHECK

Value:

```
if (!(cond))
{
      return errcode;
    }
```

Generic argument checking macro for non-critical values.

This macro checks a conditional that is expected to be true, and return a value if it evaluates false.

ARGCHECK can be used to check for out of range or other invalid argument conditions which may (validly) occur at runtime and do not necessarily indicate bugs in the application.

These argument checks are NOT considered fatal errors. The application continues to run normally. This does not report the error on the console.

As such, ARGCHECK actions are always compiled in - not selectable at compile-time.

See also

BUGCHECK for checking critical values that indicate bugs

Definition at line 122 of file osapi-macros.h.

11.74.2.2 BUGCHECK

Value:

Basic Bug-Checking macro.

This macro checks a conditional, and if it is FALSE, then it generates a report - which may in turn contain additional actions.

BUGCHECK should only be used for conditions which are critical and must always be true. If such a condition is ever false then it indicates a bug in the application which must be resolved. It may or may not be possible to continue operation if a bugcheck fails.

See also

ARGCHECK for checking non-critical values

Definition at line 96 of file osapi-macros.h.

11.74.2.3 BUGREPORT

Definition at line 79 of file osapi-macros.h.

11.74.2.4 LENGTHCHECK

String length limit check macro.

This macro is a specialized version of ARGCHECK that confirms a string will fit into a buffer of the specified length, and return an error code if it will not.

Note

this uses ARGCHECK, thus treating a string too long as a normal runtime (i.e. non-bug) error condition with a typical error return to the caller.

Definition at line 137 of file osapi-macros.h.

11.75 osal/src/os/inc/osapi-module.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• struct OS_module_address_t

OSAL module address properties.

• struct OS module prop t

OSAL module properties.

• struct OS_static_symbol_record_t

Associates a single symbol name with a memory address.

Macros

#define OS_MODULE_FLAG_GLOBAL_SYMBOLS 0x00

Requests OS_ModuleLoad() to add the symbols to the global symbol table.

• #define OS_MODULE_FLAG_LOCAL_SYMBOLS 0x01

Requests OS_ModuleLoad() to keep the symbols local/private to this module.

Functions

• int32 OS_SymbolLookup (cpuaddr *symbol_address, const char *symbol_name)

Find the Address of a Symbol.

• int32 OS_ModuleSymbolLookup (osal_id_t module_id, cpuaddr *symbol_address, const char *symbol_name)

Find the Address of a Symbol within a module.

• int32 OS_SymbolTableDump (const char *filename, size_t size_limit)

Dumps the system symbol table to a file.

• int32 OS_ModuleLoad (osal_id_t *module_id, const char *module_name, const char *filename, uint32 flags)

Loads an object file.

• int32 OS_ModuleUnload (osal_id_t module_id)

Unloads the module file.

int32 OS_ModuleInfo (osal_id_t module_id, OS_module_prop_t *module_info)

Obtain information about a module.

11.75.1 Detailed Description

Declarations and prototypes for module subsystem

11.75.2 Macro Definition Documentation

11.75.2.1 OS_MODULE_FLAG_GLOBAL_SYMBOLS

```
#define OS_MODULE_FLAG_GLOBAL_SYMBOLS 0x00
```

Requests OS_ModuleLoad() to add the symbols to the global symbol table.

When supplied as the "flags" argument to OS_ModuleLoad(), this indicates that the symbols in the loaded module should be added to the global symbol table. This will make symbols in this library available for use when resolving symbols in future module loads.

This is the default mode of operation for OS ModuleLoad().

Note

On some operating systems, use of this option may make it difficult to unload the module in the future, if the symbols are in use by other entities.

Definition at line 49 of file osapi-module.h.

11.75.2.2 OS_MODULE_FLAG_LOCAL_SYMBOLS

```
#define OS_MODULE_FLAG_LOCAL_SYMBOLS 0x01
```

Requests OS_ModuleLoad() to keep the symbols local/private to this module.

When supplied as the "flags" argument to OS_ModuleLoad(), this indicates that the symbols in the loaded module should NOT be added to the global symbol table. This means the symbols in the loaded library will not be available for use by other modules.

Use this option is recommended for cases where no other entities will need to reference symbols within this module. This helps ensure that the module can be more safely unloaded in the future, by preventing other modules from binding to it. It also helps reduce the likelihood of symbol name conflicts among modules.

Note

To look up symbols within a module loaded with this flag, use OS_SymbolLookupInModule() instead of OS_ SymbolLookup(). Also note that references obtained using this method are not tracked by the OS; the application must ensure that all references obtained in this manner have been cleaned up/released before unloading the module.

Definition at line 71 of file osapi-module.h.

11.76 osal/src/os/inc/osapi-mutex.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_mut_sem_prop_t
 OSAL mutex properties.

Functions

int32 OS_MutSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 options)

Creates a mutex semaphore.

int32 OS_MutSemGive (osal_id_t sem_id)

Releases the mutex object referenced by sem_id.

• int32 OS_MutSemTake (osal_id_t sem_id)

Acquire the mutex object referenced by sem_id.

int32 OS_MutSemDelete (osal_id_t sem_id)

Deletes the specified Mutex Semaphore.

• int32 OS_MutSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing mutex ID by name.

int32 OS_MutSemGetInfo (osal_id_t sem_id, OS_mut_sem_prop_t *mut_prop)

Fill a property object buffer with details regarding the resource.

11.76.1 Detailed Description

Declarations and prototypes for mutexes

11.77 osal/src/os/inc/osapi-network.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

• int32 OS_NetworkGetID (void)

Gets the network ID of the local machine.

• int32 OS_NetworkGetHostName (char *host_name, size_t name_len)

Gets the local machine network host name.

11.77.1 Detailed Description

Declarations and prototypes for network subsystem

11.78 osal/src/os/inc/osapi-printf.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

- void OS_printf (const char *string,...) OS_PRINTF(1
 Abstraction for the system printf() call.
- void void OS printf disable (void)

This function disables the output from OS_printf.

void OS_printf_enable (void)

This function enables the output from OS_printf.

11.78.1 Detailed Description

Declarations and prototypes for printf/console output

11.79 osal/src/os/inc/osapi-queue.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_queue_prop_t
 OSAL queue properties.

Functions

int32 OS_QueueCreate (osal_id_t *queue_id, const char *queue_name, osal_blockcount_t queue_depth, size
 —t data_size, uint32 flags)

Create a message queue.

int32 OS_QueueDelete (osal_id_t queue_id)

Deletes the specified message queue.

int32 OS_QueueGet (osal_id_t queue_id, void *data, size_t size, size_t *size_copied, int32 timeout)

Receive a message on a message queue.

• int32 OS_QueuePut (osal_id_t queue_id, const void *data, size_t size, uint32 flags)

Put a message on a message queue.

int32 OS_QueueGetIdByName (osal_id_t *queue_id, const char *queue_name)

Find an existing queue ID by name.

• int32 OS_QueueGetInfo (osal_id_t queue_id, OS_queue_prop_t *queue_prop)

Fill a property object buffer with details regarding the resource.

11.79.1 Detailed Description

Declarations and prototypes for queue subsystem

11.80 osal/src/os/inc/osapi-select.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS FdSet

An abstract structure capable of holding several OSAL IDs.

Enumerations

enum OS_StreamState_t { OS_STREAM_STATE_BOUND = 0x01, OS_STREAM_STATE_CONNECTED = 0x02, OS_STREAM_STATE_READABLE = 0x04, OS_STREAM_STATE_WRITABLE = 0x08 }

For the OS_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

Functions

• int32 OS_SelectMultiple (OS_FdSet *ReadSet, OS_FdSet *WriteSet, int32 msecs)

Wait for events across multiple file handles.

int32 OS_SelectSingle (osal_id_t objid, uint32 *StateFlags, int32 msecs)

Wait for events on a single file handle.

• int32 OS_SelectFdZero (OS_FdSet *Set)

Clear a FdSet structure.

int32 OS_SelectFdAdd (OS_FdSet *Set, osal_id_t objid)

Add an ID to an FdSet structure.

int32 OS_SelectFdClear (OS_FdSet *Set, osal_id_t objid)

Clear an ID from an FdSet structure.

bool OS_SelectFdlsSet (const OS_FdSet *Set, osal_id_t objid)

Check if an FdSet structure contains a given ID.

11.80.1 Detailed Description

Declarations and prototypes for select abstraction

11.80.2 Enumeration Type Documentation

```
11.80.2.1 OS_StreamState_t
```

```
enum OS_StreamState_t
```

For the OS_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

See also

OS_SelectSingle()

Enumerator

OS_STREAM_STATE_BOUND	whether the stream is bound
OS_STREAM_STATE_CONNECTED	whether the stream is connected
OS_STREAM_STATE_READABLE	whether the stream is readable
OS_STREAM_STATE_WRITABLE	whether the stream is writable

Definition at line 55 of file osapi-select.h.

11.81 osal/src/os/inc/osapi-shell.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

int32 OS_ShellOutputToFile (const char *Cmd, osal_id_t filedes)

Executes the command and sends output to a file.

11.81.1 Detailed Description

Declarations and prototypes for shell abstraction

11.82 osal/src/os/inc/osapi-sockets.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

· union OS SockAddrData t

Storage buffer for generic network address.

struct OS SockAddr t

Encapsulates a generic network address.

struct OS socket prop t

Encapsulates socket properties.

Macros

• #define OS SOCKADDR MAX LEN 28

Enumerations

 enum OS_SocketDomain_t { OS_SocketDomain_INVALID, OS_SocketDomain_INET, OS_SocketDomain_IN→ ET6, OS_SocketDomain_MAX }

Socket domain.

 enum OS_SocketType_t { OS_SocketType_INVALID, OS_SocketType_DATAGRAM, OS_SocketType_STREAM, OS_SocketType_MAX }

Socket type.

enum OS_SocketShutdownMode_t { OS_SocketShutdownMode_NONE = 0, OS_SocketShutdownMode_SHU
 T_READ = 1, OS_SocketShutdownMode_SHUT_WRITE = 2, OS_SocketShutdownMode_SHUT_READWRITE = 3 }

Shutdown Mode.

Opens a socket.

Functions

int32 OS SocketAddrInit (OS SockAddr t *Addr, OS SocketDomain t Domain)

Initialize a socket address structure to hold an address of the given family.

int32 OS SocketAddrToString (char *buffer, size t buflen, const OS SockAddr t *Addr)

Get a string representation of a network host address.

int32 OS SocketAddrFromString (OS SockAddr t *Addr, const char *string)

Set a network host address from a string representation.

int32 OS SocketAddrGetPort (uint16 *PortNum, const OS SockAddr t *Addr)

Get the port number of a network address.

int32 OS_SocketAddrSetPort (OS_SockAddr_t *Addr, uint16 PortNum)

Set the port number of a network address.

 $\bullet \ \, int 32\ OS_Socket Open\ (osal_id_t\ *sock_id,\ OS_Socket Domain_t\ Domain,\ OS_Socket Type_t\ Type) \\$

• int32 OS SocketBind (osal id t sock id, const OS SockAddr t *Addr)

Binds a socket to a given local address.

int32 OS_SocketConnect (osal_id_t sock_id, const OS_SockAddr_t *Addr, int32 timeout)

Connects a socket to a given remote address.

int32 OS_SocketShutdown (osal_id_t sock_id, OS_SocketShutdownMode_t Mode)

Implement graceful shutdown of a stream socket.

- int32 OS_SocketAccept (osal_id_t sock_id, osal_id_t *connsock_id, OS_SockAddr_t *Addr, int32 timeout)

 Waits for and accept the next incoming connection on the given socket.
- int32 OS_SocketRecvFrom (osal_id_t sock_id, void *buffer, size_t buflen, OS_SockAddr_t *RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

int32 OS_SocketSendTo (osal_id_t sock_id, const void *buffer, size_t buflen, const OS_SockAddr_t *Remote ← Addr)

Sends data to a message-oriented (datagram) socket.

int32 OS_SocketGetIdByName (osal_id_t *sock_id, const char *sock_name)

Gets an OSAL ID from a given name.

int32 OS_SocketGetInfo (osal_id_t sock_id, OS_socket_prop_t *sock_prop)

Gets information about an OSAL Socket ID.

11.82.1 Detailed Description

Declarations and prototypes for sockets abstraction

11.82.2 Macro Definition Documentation

11.82.2.1 OS_SOCKADDR_MAX_LEN

#define OS_SOCKADDR_MAX_LEN 28

Definition at line 45 of file osapi-sockets.h.

11.82.3 Enumeration Type Documentation

11.82.3.1 OS_SocketDomain_t

enum OS_SocketDomain_t

Socket domain.

Enumerator

OS_SocketDomain_INVALID	Invalid.
OS_SocketDomain_INET	IPv4 address family, most commonly used)
OS_SocketDomain_INET6	IPv6 address family, depends on OS/network stack support.
OS_SocketDomain_MAX	Maximum.

Definition at line 60 of file osapi-sockets.h.

```
11.82.3.2 OS_SocketShutdownMode_t
```

```
enum OS_SocketShutdownMode_t
```

Shutdown Mode.

Enumerator

OS_SocketShutdownMode_NONE	Reserved value, no effect.
OS_SocketShutdownMode_SHUT_READ	Disable future reading.
OS_SocketShutdownMode_SHUT_WRITE	Disable future writing.
OS_SocketShutdownMode_SHUT_READWRITE	Disable future reading or writing.

Definition at line 79 of file osapi-sockets.h.

```
11.82.3.3 OS_SocketType_t
```

```
enum OS_SocketType_t
```

Socket type.

Enumerator

OS_SocketType_INVALID	Invalid.
OS_SocketType_DATAGRAM	A connectionless, message-oriented socket.
OS_SocketType_STREAM	A stream-oriented socket with the concept of a connection.
OS_SocketType_MAX	Maximum.

Definition at line 69 of file osapi-sockets.h.

11.83 osal/src/os/inc/osapi-task.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• struct OS_task_prop_t

OSAL task properties.

Macros

#define OS_MAX_TASK_PRIORITY 255

Upper limit for OSAL task priorities.

• #define OS FP ENABLED 1

Floating point enabled state for a task.

- #define OSAL_PRIORITY_C(X) ((osal_priority_t) {X})
- #define OSAL_STACKPTR_C(X) ((osal_stackptr_t) {X})
- #define OSAL TASK STACK ALLOCATE OSAL STACKPTR C(NULL)

Typedefs

typedef uint8_t osal_priority_t

Type to be used for OSAL task priorities.

typedef void * osal_stackptr_t

Type to be used for OSAL stack pointer.

· typedef void osal task

For task entry point.

Functions

typedef osal_task ((*osal_task_entry)(void))

For task entry point.

int32 OS_TaskCreate (osal_id_t *task_id, const char *task_name, osal_task_entry function_pointer, osal_
 stackptr_t stack_pointer, size_t stack_size, osal_priority_t priority, uint32 flags)

Creates a task and starts running it.

· int32 OS TaskDelete (osal id t task id)

Deletes the specified Task.

void OS_TaskExit (void)

Exits the calling task.

int32 OS TaskInstallDeleteHandler (osal task entry function pointer)

Installs a handler for when the task is deleted.

• int32 OS TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

• int32 OS_TaskSetPriority (osal_id_t task_id, osal_priority_t new_priority)

Sets the given task to a new priority.

• osal_id_t OS_TaskGetId (void)

Obtain the task id of the calling task.

int32 OS_TaskGetIdByName (osal_id_t *task_id, const char *task_name)

Find an existing task ID by name.

int32 OS_TaskGetInfo (osal_id_t task_id, OS_task_prop_t *task_prop)

Fill a property object buffer with details regarding the resource.

int32 OS_TaskFindIdBySystemData (osal_id_t *task_id, const void *sysdata, size_t sysdata_size)

Reverse-lookup the OSAL task ID from an operating system ID.

11.83.1 Detailed Description

Declarations and prototypes for task abstraction

11.83.2 Macro Definition Documentation

```
11.83.2.1 OS_FP_ENABLED
```

```
#define OS_FP_ENABLED 1
```

Floating point enabled state for a task.

Definition at line 35 of file osapi-task.h.

11.83.2.2 OS_MAX_TASK_PRIORITY

```
#define OS_MAX_TASK_PRIORITY 255
```

Upper limit for OSAL task priorities.

Definition at line 32 of file osapi-task.h.

11.83.2.3 OSAL_PRIORITY_C

Definition at line 46 of file osapi-task.h.

11.83.2.4 OSAL_STACKPTR_C

Definition at line 53 of file osapi-task.h.

```
11.83.2.5 OSAL_TASK_STACK_ALLOCATE
```

```
#define OSAL_TASK_STACK_ALLOCATE OSAL_STACKPTR_C(NULL)
```

Definition at line 54 of file osapi-task.h.

11.83.3 Typedef Documentation

```
11.83.3.1 osal_priority_t
```

```
typedef uint8_t osal_priority_t
```

Type to be used for OSAL task priorities.

OSAL priorities are in reverse order, and range from 0 (highest; will preempt all other tasks) to 255 (lowest; will not preempt any other task).

Definition at line 44 of file osapi-task.h.

```
11.83.3.2 osal_stackptr_t
```

```
typedef void* osal_stackptr_t
```

Type to be used for OSAL stack pointer.

Definition at line 51 of file osapi-task.h.

11.83.3.3 osal_task

typedef void osal_task

For task entry point.

Definition at line 68 of file osapi-task.h.

11.83.4 Function Documentation

For task entry point.

11.84 osal/src/os/inc/osapi-timebase.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• struct OS_timebase_prop_t

Time base properties.

Typedefs

typedef uint32(* OS_TimerSync_t) (osal_id_t timer_id)
 Timer sync.

Functions

Create an abstract Time Base resource.

- int32 OS_TimeBaseSet (osal_id_t timebase_id, uint32 start_time, uint32 interval_time)
 - Sets the tick period for simulated time base objects.
- int32 OS_TimeBaseDelete (osal_id_t timebase_id)

Deletes a time base object.

int32 OS_TimeBaseGetIdByName (osal_id_t *timebase_id, const char *timebase_name)

Find the ID of an existing time base resource.

int32 OS_TimeBaseGetInfo (osal_id_t timebase_id, OS_timebase_prop_t *timebase_prop)

Obtain information about a timebase resource.

• int32 OS_TimeBaseGetFreeRun (osal_id_t timebase_id, uint32 *freerun_val)

Read the value of the timebase free run counter.

11.84.1 Detailed Description

Declarations and prototypes for timebase abstraction

11.84.2 Typedef Documentation

```
11.84.2.1 OS_TimerSync_t

typedef uint32(* OS_TimerSync_t) (osal_id_t timer_id)

Timer sync.
```

Definition at line 34 of file osapi-timebase.h.

11.85 osal/src/os/inc/osapi-timer.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_timer_prop_t
 Timer properties.

Typedefs

typedef void(* OS_TimerCallback_t) (osal_id_t timer_id)
 Timer callback.

Functions

• int32 OS_TimerCreate (osal_id_t *timer_id, const char *timer_name, uint32 *clock_accuracy, OS_Timer ← Callback_t callback_ptr)

Create a timer object.

int32 OS_TimerAdd (osal_id_t *timer_id, const char *timer_name, osal_id_t timebase_id, OS_ArgCallback_
 t callback_ptr, void *callback_arg)

Add a timer object based on an existing TimeBase resource.

• int32 OS_TimerSet (osal_id_t timer_id, uint32 start_time, uint32 interval_time)

Configures a periodic or one shot timer.

• int32 OS_TimerDelete (osal_id_t timer_id)

Deletes a timer resource.

int32 OS_TimerGetIdByName (osal_id_t *timer_id, const char *timer_name)

Locate an existing timer resource by name.

• int32 OS_TimerGetInfo (osal_id_t timer_id, OS_timer_prop_t *timer_prop)

Gets information about an existing timer.

```
11.85.1 Detailed Description
```

Declarations and prototypes for timer abstraction (app callbacks)

11.85.2 Typedef Documentation

```
11.85.2.1 OS_TimerCallback_t
```

```
typedef void(* OS_TimerCallback_t) (osal_id_t timer_id)
```

Timer callback.

Definition at line 34 of file osapi-timer.h.

11.86 osal/src/os/inc/osapi-version.h File Reference

```
#include "common_types.h"
```

Macros

- #define OS BUILD NUMBER 103
- #define OS BUILD BASELINE "v6.0.0-rc4"
- #define OS_MAJOR_VERSION 5

Major version number.

• #define OS_MINOR_VERSION 0

Minor version number.

• #define OS REVISION 99

Revision version number. Value of 99 indicates a development version.

• #define OS_MISSION_REV 0xFF

Mission revision.

#define OS STR HELPER(x) #x

Helper function to concatenate strings from integer.

#define OS_STR(x) OS_STR_HELPER(x)

Helper function to concatenate strings from integer.

#define OS_VERSION OS_BUILD_BASELINE "+dev" OS_STR(OS_BUILD_NUMBER)

Development Build Version Number.

#define OS_VERSION_CODENAME "Draco"

Version code name All modular components which are tested/validated together should share the same code name.

• #define OS VERSION STRING

Development Build Version String.

Combines the revision components into a single value.

Functions

- const char * OS_GetVersionString (void)
- const char * OS_GetVersionCodeName (void)
- void OS_GetVersionNumber (uint8 VersionNumbers[4])

Obtain the OSAL numeric version number.

uint32 OS_GetBuildNumber (void)

Obtain the OSAL library numeric build number.

11.86.1 Detailed Description

Provide version identifiers for Operating System Abstraction Layer

Note

OSAL follows the same version semantics as cFS, which in turn is based on the Semantic Versioning 2.0 Specification. For more information, see the documentation provided with cFE.

11.86.2 Macro Definition Documentation

11.86.2.1 OS_BUILD_BASELINE

```
#define OS_BUILD_BASELINE "v6.0.0-rc4"
```

Definition at line 38 of file osapi-version.h.

11.86.2.2 OS_BUILD_NUMBER

```
#define OS_BUILD_NUMBER 103
```

Definition at line 37 of file osapi-version.h.

11.86.2.3 OS_MAJOR_VERSION

```
#define OS_MAJOR_VERSION 5
```

Major version number.

Definition at line 43 of file osapi-version.h.

11.86.2.4 OS_MINOR_VERSION

```
#define OS_MINOR_VERSION 0
```

Minor version number.

Definition at line 44 of file osapi-version.h.

11.86.2.5 OS_MISSION_REV

```
#define OS_MISSION_REV 0xFF
```

Mission revision.

Reserved for mission use to denote patches/customizations as needed. Values 1-254 are reserved for mission use to denote patches/customizations as needed. NOTE: Reserving 0 and 0xFF for cFS open-source development use (pending resolution of nasa/cFS#440)

Definition at line 54 of file osapi-version.h.

11.86.2.6 OS_REVISION

```
#define OS_REVISION 99
```

Revision version number. Value of 99 indicates a development version.

Definition at line 45 of file osapi-version.h.

11.86.2.7 OS_STR

Helper function to concatenate strings from integer.

Definition at line 60 of file osapi-version.h.

11.86.2.8 OS_STR_HELPER

```
#define OS_STR_HELPER(
     x ) #x
```

Helper function to concatenate strings from integer.

Definition at line 59 of file osapi-version.h.

11.86.2.9 OS_VERSION

```
#define OS_VERSION OS_BUILD_BASELINE "+dev" OS_STR(OS_BUILD_NUMBER)
```

Development Build Version Number.

Baseline git tag + Number of commits since baseline.

Definition at line 65 of file osapi-version.h.

11.86.2.10 OS_VERSION_CODENAME

```
#define OS_VERSION_CODENAME "Draco"
```

Version code name All modular components which are tested/validated together should share the same code name.

Definition at line 70 of file osapi-version.h.

11.86.2.11 OS_VERSION_STRING

#define OS_VERSION_STRING

Value:

```
" OSAL Development Build\n"
    " " OS_VERSION " (Codename: " OS_VERSION_CODENAME ")\n" /* Codename for
    current development */ \
    " Latest Official Version: osal v5.0.0" /* For full support please use official release
    version */
```

Development Build Version String.

Reports the current development build's baseline, number, and name. Also includes a note about the latest official version.

Definition at line 76 of file osapi-version.h.

11.86.2.12 OSAL_API_VERSION

```
#define OSAL_API_VERSION ((OS_MAJOR_VERSION * 10000) + (OS_MINOR_VERSION * 100) + OS_REVISION)
```

Combines the revision components into a single value.

Applications can check against this number

e.g. "#if OSAL_API_VERSION >= 40100" would check if some feature added in OSAL 4.1 is present.

Definition at line 86 of file osapi-version.h.

11.86.3 Function Documentation

11.86.3.1 OS_GetBuildNumber()

Obtain the OSAL library numeric build number.

The build number is a monotonically increasing number that (coarsely) reflects the number of commits/changes that have been merged since the epoch release. During development cycles this number should increase after each subsequent merge/modification.

Like other version information, this is a fixed number assigned at compile time.

Returns

The OSAL library build number

11.86.3.2 OS_GetVersionCodeName()

Gets the OSAL version code name

All NASA CFE/CFS components (including CFE framework, OSAL and PSP) that work together will share the same code name.

Returns

OSAL code name. This is a fixed value string and is never NULL.

11.86.3.3 OS_GetVersionNumber()

Obtain the OSAL numeric version number.

This retrieves the numeric OSAL version identifier as an array of 4 uint8 values.

The array of numeric values is in order of precedence: [0] = Major Number [1] = Minor Number [2] = Revision Number [3] = Mission Revision

The "Mission Revision" (last output) also indicates whether this is an official release, a patched release, or a development version. 0 indicates an official release 1-254 local patch level (reserved for mission use) 255 indicates a development build

Parameters

	out	VersionNumbers	A fixed-size array to be filled with the version numbers	
--	-----	----------------	--	--

11.86.3.4 OS_GetVersionString()

Gets the OSAL version/baseline ID as a string

This returns the content of the OS_VERSION macro defined above, and is specifically just the baseline and development build ID (if applicable), without any extra info.

Returns

Basic version identifier. This is a fixed value string and is never NULL.

11.87 osal/src/os/inc/osapi.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <stdarg.h>
#include "common_types.h"
#include "osapi-version.h"
#include "osconfig.h"
#include "osapi-binsem.h"
#include "osapi-clock.h"
#include "osapi-common.h"
#include "osapi-constants.h"
#include "osapi-countsem.h"
#include "osapi-dir.h"
#include "osapi-error.h"
#include "osapi-file.h"
#include "osapi-filesys.h"
#include "osapi-heap.h"
#include "osapi-macros.h"
#include "osapi-idmap.h"
#include "osapi-module.h"
#include "osapi-mutex.h"
#include "osapi-network.h"
#include "osapi-printf.h"
#include "osapi-queue.h"
#include "osapi-select.h"
#include "osapi-shell.h"
#include "osapi-sockets.h"
#include "osapi-task.h"
#include "osapi-timebase.h"
#include "osapi-timer.h"
#include "osapi-bsp.h"
```

11.87.1 Detailed Description

Purpose: Contains functions prototype definitions and variables declarations for the OS Abstraction Layer, Core OS module

11.88 psp/fsw/inc/cfe_psp.h File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_psp_error.h"
```

Macros

- #define CFE PSP PANIC STARTUP 1
- #define CFE_PSP_PANIC_VOLATILE_DISK 2
- #define CFE PSP PANIC MEMORY ALLOC 3
- #define CFE_PSP_PANIC_NONVOL_DISK 4
- #define CFE PSP PANIC STARTUP SEM 5
- #define CFE PSP PANIC CORE APP 6
- #define CFE PSP PANIC GENERAL FAILURE 7
- #define BUFF_SIZE 256
- #define SIZE BYTE 1
- #define SIZE_HALF 2
- #define SIZE_WORD 3
- #define CFE PSP MEM RAM 1
- #define CFE PSP MEM EEPROM 2
- #define CFE_PSP_MEM_ANY 3
- #define CFE PSP MEM INVALID 4
- #define CFE PSP MEM ATTR WRITE 0x01
- #define CFE_PSP_MEM_ATTR_READ 0x02
- #define CFE_PSP_MEM_ATTR_READWRITE 0x03
- #define CFE PSP MEM SIZE BYTE 0x01
- #define CFE PSP MEM SIZE WORD 0x02
- #define CFE_PSP_MEM_SIZE_DWORD 0x04
- #define CFE_PSP_SOFT_TIMEBASE_NAME "cFS-Master"

The name of the software/RTOS timebase for general system timers.

Reset Types

- #define CFE_PSP_RST_TYPE_PROCESSOR 1
- #define CFE_PSP_RST_TYPE_POWERON 2
- #define CFE_PSP_RST_TYPE_MAX 3

Reset Sub-Types

• #define CFE_PSP_RST_SUBTYPE_POWER_CYCLE 1

Reset caused by power having been removed and restored.

• #define CFE_PSP_RST_SUBTYPE_PUSH_BUTTON 2

Reset caused by reset button on the board.

#define CFE PSP RST SUBTYPE HW SPECIAL COMMAND 3

Reset was caused by a reset line having been stimulated by a hardware special command.

#define CFE_PSP_RST_SUBTYPE_HW_WATCHDOG 4

Reset was caused by a watchdog timer expiring.

#define CFE_PSP_RST_SUBTYPE_RESET_COMMAND 5

Reset was caused by cFE ES processing a Reset Command.

#define CFE PSP RST SUBTYPE EXCEPTION 6

Reset was caused by a Processor Exception.

#define CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET 7

Reset was caused in an unknown manner.

#define CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET 8

Reset was caused by a JTAG or BDM connection.

#define CFE PSP RST SUBTYPE BANKSWITCH RESET 9

Reset reverted to a cFE POWERON due to a boot bank switch.

#define CFE PSP RST SUBTYPE MAX 10

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Functions

- void CFE PSP Main (void)
- void CFE PSP GetTime (OS time t *LocalTime)

Sample/Read a monotonic platform clock with normalization.

- void CFE PSP Restart (uint32 resetType)
- uint32 CFE_PSP_GetRestartType (uint32 *restartSubType)
- void CFE PSP FlushCaches (uint32 type, void *address, uint32 size)
- uint32 CFE PSP GetProcessorId (void)
- uint32 CFE_PSP_GetSpacecraftId (void)
- const char * CFE PSP GetProcessorName (void)
- uint32 CFE_PSP_Get_Timer_Tick (void)
- uint32 CFE_PSP_GetTimerTicksPerSecond (void)
- uint32 CFE_PSP_GetTimerLow32Rollover (void)
- void CFE_PSP_Get_Timebase (uint32 *Tbu, uint32 *Tbl)

Sample/Read a monotonic platform clock without normalization.

- uint32 CFE PSP Get Dec (void)
- int32 CFE PSP GetCDSSize (uint32 *SizeOfCDS)
- int32 CFE PSP WriteToCDS (const void *PtrToDataToWrite, uint32 CDSOffset, uint32 NumBytes)
- int32 CFE PSP ReadFromCDS (void *PtrToDataToRead, uint32 CDSOffset, uint32 NumBytes)
- int32 CFE_PSP_GetResetArea (cpuaddr *PtrToResetArea, uint32 *SizeOfResetArea)
- int32 CFE_PSP_GetUserReservedArea (cpuaddr *PtrToUserArea, uint32 *SizeOfUserArea)
- int32 CFE PSP GetVolatileDiskMem (cpuaddr *PtrToVolDisk, uint32 *SizeOfVolDisk)
- int32 CFE PSP GetKernelTextSegmentInfo (cpuaddr *PtrToKernelSegment, uint32 *SizeOfKernelSegment)
- int32 CFE PSP GetCFETextSegmentInfo (cpuaddr *PtrToCFESegment, uint32 *SizeOfCFESegment)
- void CFE PSP WatchdogInit (void)
- void CFE_PSP_WatchdogEnable (void)
- void CFE_PSP_WatchdogDisable (void)
- void CFE_PSP_WatchdogService (void)
- uint32 CFE_PSP_WatchdogGet (void)
- void CFE PSP WatchdogSet (uint32 WatchdogValue)
- void CFE PSP Panic (int32 ErrorCode)

- int32 CFE_PSP_InitSSR (uint32 bus, uint32 device, char *DeviceName)
- int32 CFE PSP Decompress (char *srcFileName, char *dstFileName)
- void CFE PSP AttachExceptions (void)
- void CFE PSP SetDefaultExceptionEnvironment (void)
- · uint32 CFE PSP Exception GetCount (void)
- int32 CFE_PSP_Exception_GetSummary (uint32 *ContextLogId, osal_id_t *TaskId, char *ReasonBuf, uint32 ReasonSize)
- int32 CFE_PSP_Exception_CopyContext (uint32 ContextLogId, void *ContextBuf, uint32 ContextSize)
- int32 CFE PSP PortRead8 (cpuaddr PortAddress, uint8 *ByteValue)
- int32 CFE_PSP_PortWrite8 (cpuaddr PortAddress, uint8 ByteValue)
- int32 CFE_PSP_PortRead16 (cpuaddr PortAddress, uint16 *uint16Value)
- int32 CFE PSP PortWrite16 (cpuaddr PortAddress, uint16 uint16Value)
- int32 CFE_PSP_PortRead32 (cpuaddr PortAddress, uint32 *uint32 Value)
- int32 CFE PSP PortWrite32 (cpuaddr PortAddress, uint32 uint32 Value)
- int32 CFE PSP MemRead8 (cpuaddr MemoryAddress, uint8 *ByteValue)
- int32 CFE PSP MemWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)
- int32 CFE_PSP_MemRead16 (cpuaddr MemoryAddress, uint16 *uint16Value)
- int32 CFE_PSP_MemWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)
- int32 CFE_PSP_MemRead32 (cpuaddr MemoryAddress, uint32 *uint32Value)
- int32 CFE_PSP_MemWrite32 (cpuaddr MemoryAddress, uint32 uint32 Value)
- int32 CFE_PSP_MemCpy (void *dest, const void *src, uint32 n)
- int32 CFE_PSP_MemSet (void *dest, uint8 value, uint32 n)
- int32 CFE_PSP_MemValidateRange (cpuaddr Address, size_t Size, uint32 MemoryType)
- uint32 CFE_PSP_MemRanges (void)
- int32 CFE_PSP_MemRangeSet (uint32 RangeNum, uint32 MemoryType, cpuaddr StartAddr, size_t Size, size_t WordSize, uint32 Attributes)
- int32 CFE_PSP_MemRangeGet (uint32 RangeNum, uint32 *MemoryType, cpuaddr *StartAddr, size_t *Size, size t *WordSize, uint32 *Attributes)
- int32 CFE_PSP_EepromWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)
- int32 CFE PSP EepromWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)
- int32 CFE_PSP_EepromWrite32 (cpuaddr MemoryAddress, uint32 uint32 Value)
- int32 CFE PSP EepromWriteEnable (uint32 Bank)
- int32 CFE_PSP_EepromWriteDisable (uint32 Bank)
- int32 CFE PSP EepromPowerUp (uint32 Bank)
- int32 CFE PSP EepromPowerDown (uint32 Bank)
- const char * CFE PSP GetVersionString (void)

Obtain the PSP version/baseline identifier string.

const char * CFE PSP GetVersionCodeName (void)

Obtain the version code name.

void CFE PSP GetVersionNumber (uint8 VersionNumbers[4])

Obtain the PSP numeric version numbers as uint8 values.

• uint32 CFE PSP GetBuildNumber (void)

Obtain the PSP library numeric build number.

11.88.1 Macro Definition Documentation

11.88.1.1 BUFF_SIZE

#define BUFF_SIZE 256

Definition at line 62 of file cfe_psp.h.

11.88.1.2 CFE_PSP_MEM_ANY

#define CFE_PSP_MEM_ANY 3

Definition at line 72 of file cfe_psp.h.

11.88.1.3 CFE_PSP_MEM_ATTR_READ

#define CFE_PSP_MEM_ATTR_READ 0x02

Definition at line 79 of file cfe_psp.h.

11.88.1.4 CFE_PSP_MEM_ATTR_READWRITE

#define CFE_PSP_MEM_ATTR_READWRITE 0x03

Definition at line 80 of file cfe_psp.h.

11.88.1.5 CFE_PSP_MEM_ATTR_WRITE

#define CFE_PSP_MEM_ATTR_WRITE 0x01

Definition at line 78 of file cfe_psp.h.

11.88.1.6 CFE_PSP_MEM_EEPROM

#define CFE_PSP_MEM_EEPROM 2

Definition at line 71 of file cfe_psp.h.

```
11.88.1.7 CFE_PSP_MEM_INVALID
#define CFE_PSP_MEM_INVALID 4
Definition at line 73 of file cfe_psp.h.
11.88.1.8 CFE_PSP_MEM_RAM
#define CFE_PSP_MEM_RAM 1
Definition at line 70 of file cfe_psp.h.
11.88.1.9 CFE_PSP_MEM_SIZE_BYTE
#define CFE_PSP_MEM_SIZE_BYTE 0x01
Definition at line 85 of file cfe_psp.h.
11.88.1.10 CFE_PSP_MEM_SIZE_DWORD
#define CFE_PSP_MEM_SIZE_DWORD 0x04
Definition at line 87 of file cfe psp.h.
11.88.1.11 CFE_PSP_MEM_SIZE_WORD
#define CFE_PSP_MEM_SIZE_WORD 0x02
Definition at line 86 of file cfe_psp.h.
11.88.1.12 CFE_PSP_PANIC_CORE_APP
```

#define CFE_PSP_PANIC_CORE_APP 6

Definition at line 56 of file cfe_psp.h.

```
11.88.1.13 CFE_PSP_PANIC_GENERAL_FAILURE
```

#define CFE_PSP_PANIC_GENERAL_FAILURE 7

Definition at line 57 of file cfe_psp.h.

11.88.1.14 CFE_PSP_PANIC_MEMORY_ALLOC

#define CFE_PSP_PANIC_MEMORY_ALLOC 3

Definition at line 53 of file cfe_psp.h.

11.88.1.15 CFE_PSP_PANIC_NONVOL_DISK

#define CFE_PSP_PANIC_NONVOL_DISK 4

Definition at line 54 of file cfe_psp.h.

11.88.1.16 CFE_PSP_PANIC_STARTUP

#define CFE_PSP_PANIC_STARTUP 1

Definition at line 51 of file cfe psp.h.

11.88.1.17 CFE_PSP_PANIC_STARTUP_SEM

#define CFE_PSP_PANIC_STARTUP_SEM 5

Definition at line 55 of file cfe_psp.h.

11.88.1.18 CFE_PSP_PANIC_VOLATILE_DISK

#define CFE_PSP_PANIC_VOLATILE_DISK 2

Definition at line 52 of file cfe_psp.h.

11.88.1.19 CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET

```
#define CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET 9
```

Reset reverted to a cFE POWERON due to a boot bank switch.

Definition at line 122 of file cfe_psp.h.

11.88.1.20 CFE_PSP_RST_SUBTYPE_EXCEPTION

```
#define CFE_PSP_RST_SUBTYPE_EXCEPTION 6
```

Reset was caused by a Processor Exception.

Definition at line 116 of file cfe_psp.h.

11.88.1.21 CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND

```
#define CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND 3
```

Reset was caused by a reset line having been stimulated by a hardware special command.

Definition at line 110 of file cfe psp.h.

11.88.1.22 CFE_PSP_RST_SUBTYPE_HW_WATCHDOG

```
#define CFE_PSP_RST_SUBTYPE_HW_WATCHDOG 4
```

Reset was caused by a watchdog timer expiring.

Definition at line 112 of file cfe psp.h.

11.88.1.23 CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET

```
#define CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET 8
```

Reset was caused by a JTAG or BDM connection.

Definition at line 120 of file cfe_psp.h.

11.88.1.24 CFE_PSP_RST_SUBTYPE_MAX

```
#define CFE_PSP_RST_SUBTYPE_MAX 10
```

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 124 of file cfe_psp.h.

11.88.1.25 CFE_PSP_RST_SUBTYPE_POWER_CYCLE

```
#define CFE_PSP_RST_SUBTYPE_POWER_CYCLE 1
```

Reset caused by power having been removed and restored.

Definition at line 106 of file cfe_psp.h.

11.88.1.26 CFE_PSP_RST_SUBTYPE_PUSH_BUTTON

```
#define CFE_PSP_RST_SUBTYPE_PUSH_BUTTON 2
```

Reset caused by reset button on the board.

Definition at line 108 of file cfe psp.h.

11.88.1.27 CFE_PSP_RST_SUBTYPE_RESET_COMMAND

```
#define CFE_PSP_RST_SUBTYPE_RESET_COMMAND 5
```

Reset was caused by cFE ES processing a Reset Command .

Definition at line 114 of file cfe_psp.h.

11.88.1.28 CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET

```
#define CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET 7
```

Reset was caused in an unknown manner.

Definition at line 118 of file cfe_psp.h.

```
11.88.1.29 CFE_PSP_RST_TYPE_MAX
```

```
#define CFE_PSP_RST_TYPE_MAX 3
```

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 96 of file cfe_psp.h.

11.88.1.30 CFE_PSP_RST_TYPE_POWERON

```
#define CFE_PSP_RST_TYPE_POWERON 2
```

All memory has been cleared

Definition at line 95 of file cfe_psp.h.

11.88.1.31 CFE_PSP_RST_TYPE_PROCESSOR

```
#define CFE_PSP_RST_TYPE_PROCESSOR 1
```

Volatile disk, CDS and User Reserved memory may be valid

Definition at line 94 of file cfe_psp.h.

11.88.1.32 CFE_PSP_SOFT_TIMEBASE_NAME

```
#define CFE_PSP_SOFT_TIMEBASE_NAME "cFS-Master"
```

The name of the software/RTOS timebase for general system timers.

This name may be referred to by CFE TIME and/or SCH when setting up its own timers.

Definition at line 132 of file cfe_psp.h.

11.88.1.33 SIZE_BYTE

#define SIZE_BYTE 1

Definition at line 63 of file cfe_psp.h.

```
11.88.1.34 SIZE_HALF
#define SIZE_HALF 2
Definition at line 64 of file cfe_psp.h.
11.88.1.35 SIZE_WORD
#define SIZE_WORD 3
Definition at line 65 of file cfe_psp.h.
11.88.2 Function Documentation
11.88.2.1 CFE_PSP_AttachExceptions()
void CFE_PSP_AttachExceptions (
             void )
11.88.2.2 CFE_PSP_Decompress()
int32 CFE_PSP_Decompress (
             char * srcFileName,
             char * dstFileName )
11.88.2.3 CFE_PSP_EepromPowerDown()
int32 CFE_PSP_EepromPowerDown (
             uint32 Bank )
11.88.2.4 CFE_PSP_EepromPowerUp()
int32 CFE_PSP_EepromPowerUp (
             uint32 Bank )
```

11.88.2.5 CFE_PSP_EepromWrite16()

11.88.2.6 CFE_PSP_EepromWrite32()

11.88.2.7 CFE_PSP_EepromWrite8()

11.88.2.8 CFE_PSP_EepromWriteDisable()

11.88.2.9 CFE_PSP_EepromWriteEnable()

11.88.2.10 CFE_PSP_Exception_CopyContext()

11.88.2.11 CFE_PSP_Exception_GetCount() uint32 CFE_PSP_Exception_GetCount (void) 11.88.2.12 CFE_PSP_Exception_GetSummary() int32 CFE_PSP_Exception_GetSummary (uint32 * ContextLogId, osal_id_t * TaskId, char * ReasonBuf, uint32 ReasonSize) 11.88.2.13 CFE_PSP_FlushCaches() void CFE_PSP_FlushCaches (uint32 type, void * address, uint32 size) 11.88.2.14 CFE_PSP_Get_Dec() uint32 CFE_PSP_Get_Dec (void) 11.88.2.15 CFE_PSP_Get_Timebase() void CFE_PSP_Get_Timebase (uint32 * Tbu, uint32 * Tb1)

Sample/Read a monotonic platform clock without normalization.

This is defined as a free-running, monotonically-increasing tick counter. The epoch is not defined, but typically is the system boot time, and the value increases indefinitely as the system runs. The tick period/rate is also not defined.

Rollover events - where the range of representable values is exceeded - are theoretically possible, but would take many years of continuous uptime to occur (typically hundreds of years, if not thousands). System designers should ensure that the actual tick rate and resulting timebase range is sufficiently large to ensure that rollover is not a concern.

Note

This is a "raw" value from the underlying platform with minimal/no conversions or normalization applied. Neither the epoch nor the resolution of this tick counter is specified, and it may vary from platform to platform. Use the C FE_PSP_GetTime() function to sample the timebase and also convert the units into a normalized/more consistent form.

See also

```
CFE_PSP_GetTime()
```

Parameters

out	Tbu	Buffer to hold the upper 32 bits of a 64-bit tick counter
out	Tbl	Buffer to hold the lower 32 bits of a 64-bit tick counter

Obtain the PSP library numeric build number.

The build number is a monotonically increasing number that (coarsely) reflects the number of commits/changes that have been merged since the epoch release. During development cycles this number should increase after each subsequent merge/modification.

Like other version information, this is a fixed number assigned at compile time.

Returns

The OSAL library build number

```
11.88.2.18 CFE_PSP_GetCDSSize()
```

11.88.2.19 CFE_PSP_GetCFETextSegmentInfo()

11.88.2.20 CFE_PSP_GetKernelTextSegmentInfo() int32 CFE_PSP_GetKernelTextSegmentInfo (cpuaddr * PtrToKernelSegment, uint32 * SizeOfKernelSegment) 11.88.2.21 CFE_PSP_GetProcessorId() uint32 CFE_PSP_GetProcessorId (void) 11.88.2.22 CFE_PSP_GetProcessorName() const char* CFE_PSP_GetProcessorName (void) 11.88.2.23 CFE_PSP_GetResetArea() int32 CFE_PSP_GetResetArea (cpuaddr * PtrToResetArea, uint32 * SizeOfResetArea) 11.88.2.24 CFE_PSP_GetRestartType() uint32 CFE_PSP_GetRestartType (uint32 * restartSubType) 11.88.2.25 CFE_PSP_GetSpacecraftId()

11.88.2.26 CFE_PSP_GetTime()

Sample/Read a monotonic platform clock with normalization.

Outputs an OS_time_t value indicating the time elapsed since an epoch. The epoch is not defined, but typically represents the system boot time. The value increases continuously over time and cannot be reset by software.

This is similar to the CFE_PSP_Get_Timebase(), but additionally it normalizes the output value to an OS_time_t, thereby providing consistent units to the calling application. Any OSAL-provided routine accepts OS_time_t inputs may be used to convert this value into other standardized time units.

Note

This should refer to the same time domain as CFE_PSP_Get_Timebase(), the primary difference being the format and units of the output value.

See also

```
CFE_PSP_Get_Timebase()
```

Parameters

С	ut	LocalTime	Value of PSP tick counter as
			OS_time_t

11.88.2.27 CFE_PSP_GetTimerLow32Rollover()

11.88.2.28 CFE_PSP_GetTimerTicksPerSecond()

11.88.2.29 CFE_PSP_GetUserReservedArea()

11.88.2.30 CFE_PSP_GetVersionCodeName()

Obtain the version code name.

This retrieves the PSP code name. This is a compatibility indicator for the overall NASA CFS ecosystem. All modular components which are intended to interoperate should report the same code name.

Returns

Code name. This is a fixed string and cannot be NULL.

11.88.2.31 CFE_PSP_GetVersionNumber()

Obtain the PSP numeric version numbers as uint8 values.

This retrieves the numeric PSP version identifier as an array of 4 uint8 values.

The array of numeric values is in order of precedence: [0] = Major Number [1] = Minor Number [2] = Revision Number [3] = Mission Revision

The "Mission Revision" (last output) also indicates whether this is an official release, a patched release, or a development version. 0 indicates an official release 1-254 local patch level (reserved for mission use) 255 indicates a development build

Parameters

out	VersionNumbers	A fixed-size array to be filled with the version numbers
-----	----------------	--

11.88.2.32 CFE_PSP_GetVersionString()

Obtain the PSP version/baseline identifier string.

This retrieves the PSP version identifier string without extra info

Returns

Version string. This is a fixed string and cannot be NULL.

```
11.88.2.33 CFE_PSP_GetVolatileDiskMem()
int32 CFE_PSP_GetVolatileDiskMem (
             cpuaddr * PtrToVolDisk,
             uint32 * SizeOfVolDisk )
11.88.2.34 CFE_PSP_InitSSR()
int32 CFE_PSP_InitSSR (
             uint32 bus,
             uint32 device,
             char * DeviceName )
11.88.2.35 CFE_PSP_Main()
void CFE_PSP_Main (
             void )
11.88.2.36 CFE_PSP_MemCpy()
int32 CFE_PSP_MemCpy (
             void * dest,
             const void * src,
             uint32 n)
```

11.88.2.37 CFE_PSP_MemRangeGet()

```
int32 CFE_PSP_MemRangeGet (
             uint32 RangeNum,
             uint32 * MemoryType,
             cpuaddr * StartAddr,
             size_t * Size,
             size_t * WordSize,
             uint32 * Attributes )
```

11.88.2.38 CFE_PSP_MemRanges()

```
uint32 CFE_PSP_MemRanges (
            void )
```

```
11.88.2.39 CFE_PSP_MemRangeSet()
```

11.88.2.40 CFE_PSP_MemRead16()

11.88.2.41 CFE_PSP_MemRead32()

11.88.2.42 CFE_PSP_MemRead8()

11.88.2.43 CFE_PSP_MemSet()

11.88.2.44 CFE_PSP_MemValidateRange()

11.88.2.45 CFE_PSP_MemWrite16() int32 CFE_PSP_MemWrite16 (cpuaddr MemoryAddress, uint16 uint16Value) 11.88.2.46 CFE_PSP_MemWrite32() int32 CFE_PSP_MemWrite32 (cpuaddr MemoryAddress, uint32 uint32Value) 11.88.2.47 CFE_PSP_MemWrite8() int32 CFE_PSP_MemWrite8 (cpuaddr MemoryAddress, uint8 ByteValue) 11.88.2.48 CFE_PSP_Panic() void CFE_PSP_Panic (int32 ErrorCode) 11.88.2.49 CFE_PSP_PortRead16() int32 CFE_PSP_PortRead16 (cpuaddr PortAddress, uint16 * uint16Value)

11.88.2.50 CFE_PSP_PortRead32()

```
11.88.2.51 CFE_PSP_PortRead8()
int32 CFE_PSP_PortRead8 (
             cpuaddr PortAddress,
             uint8 * ByteValue )
11.88.2.52 CFE_PSP_PortWrite16()
int32 CFE_PSP_PortWrite16 (
             cpuaddr PortAddress,
             uint16 uint16Value )
11.88.2.53 CFE_PSP_PortWrite32()
int32 CFE_PSP_PortWrite32 (
             cpuaddr PortAddress,
             uint32 uint32Value )
11.88.2.54 CFE_PSP_PortWrite8()
int32 CFE_PSP_PortWrite8 (
             cpuaddr PortAddress,
             uint8 ByteValue )
11.88.2.55 CFE_PSP_ReadFromCDS()
int32 CFE_PSP_ReadFromCDS (
             void * PtrToDataToRead,
             uint32 CDSOffset,
             uint32 NumBytes )
11.88.2.56 CFE_PSP_Restart()
void CFE_PSP_Restart (
             uint32 resetType )
```

```
11.88.2.57 CFE_PSP_SetDefaultExceptionEnvironment()
void CFE_PSP_SetDefaultExceptionEnvironment (
             void )
11.88.2.58 CFE_PSP_WatchdogDisable()
void CFE_PSP_WatchdogDisable (
             void )
11.88.2.59 CFE_PSP_WatchdogEnable()
void CFE_PSP_WatchdogEnable (
             void )
11.88.2.60 CFE_PSP_WatchdogGet()
uint32 CFE_PSP_WatchdogGet (
             void )
11.88.2.61 CFE_PSP_WatchdogInit()
void CFE_PSP_WatchdogInit (
             void )
11.88.2.62 CFE_PSP_WatchdogService()
void CFE_PSP_WatchdogService (
             void )
11.88.2.63 CFE_PSP_WatchdogSet()
void CFE_PSP_WatchdogSet (
```

uint32 WatchdogValue)

```
11.88.2.64 CFE_PSP_WriteToCDS()
```

11.89 psp/fsw/inc/cfe_psp_error.h File Reference

cFE PSP Error header

```
#include "common_types.h"
```

Macros

- #define CFE_PSP_STATUS_C(X) ((CFE_PSP_Status_t)(X))
 - PSP Status macro for literal.
- #define CFE_PSP_STATUS_STRING_LENGTH 12
 - PSP Status converted to string length limit.
- #define CFE PSP SUCCESS (CFE PSP STATUS C(0))
- #define CFE_PSP_ERROR (CFE_PSP_STATUS_C(-1))
- #define CFE_PSP_INVALID_POINTER (CFE_PSP_STATUS_C(-2))
- #define CFE PSP ERROR ADDRESS MISALIGNED (CFE PSP STATUS C(-3))
- #define CFE PSP ERROR TIMEOUT (CFE PSP STATUS C(-4))
- #define CFE_PSP_INVALID_INT_NUM (CFE_PSP_STATUS_C(-5))
- #define CFE_PSP_INVALID_MEM_ADDR (CFE_PSP_STATUS_C(-21))
- #define CFE_PSP_INVALID_MEM_TYPE (CFE_PSP_STATUS_C(-22))
- #define CFE_PSP_INVALID_MEM_RANGE (CFE_PSP_STATUS_C(-23))
- #define CFE PSP INVALID MEM WORDSIZE (CFE PSP STATUS C(-24))
- #define CFE_PSP_INVALID_MEM_SIZE (CFE_PSP_STATUS_C(-25))
- #define CFE_PSP_INVALID_MEM_ATTR (CFE_PSP_STATUS_C(-26))
- #define CFE_PSP_ERROR_NOT_IMPLEMENTED (CFE_PSP_STATUS_C(-27))
- #define CFE PSP INVALID MODULE NAME (CFE PSP STATUS C(-28))
- #define CFE_PSP_INVALID_MODULE_ID (CFE_PSP_STATUS_C(-29))
- #define CFE PSP NO EXCEPTION DATA (CFE PSP STATUS C(-30))

Typedefs

• typedef int32 CFE PSP Status t

PSP Status type for readability and potentially type safety.

typedef char CFE PSP StatusString t[CFE PSP STATUS STRING LENGTH]

For the CFE_PSP_StatusToString() function, to ensure everyone is making an array of the same length.

```
Functions
```

```
    char * CFE_PSP_StatusToString (CFE_PSP_Status_t status, CFE_PSP_StatusString_t *status_string)

         Convert status to a string.
11.89.1 Detailed Description
cFE PSP Error header
11.89.2 Macro Definition Documentation
11.89.2.1 CFE_PSP_ERROR
#define CFE_PSP_ERROR (CFE_PSP_STATUS_C(-1))
Definition at line 66 of file cfe_psp_error.h.
11.89.2.2 CFE_PSP_ERROR_ADDRESS_MISALIGNED
#define CFE_PSP_ERROR_ADDRESS_MISALIGNED (CFE_PSP_STATUS_C(-3))
Definition at line 68 of file cfe_psp_error.h.
11.89.2.3 CFE_PSP_ERROR_NOT_IMPLEMENTED
#define CFE_PSP_ERROR_NOT_IMPLEMENTED (CFE_PSP_STATUS_C(-27))
Definition at line 77 of file cfe_psp_error.h.
11.89.2.4 CFE_PSP_ERROR_TIMEOUT
#define CFE_PSP_ERROR_TIMEOUT (CFE_PSP_STATUS_C(-4))
Definition at line 69 of file cfe_psp_error.h.
```

```
11.89.2.5 CFE_PSP_INVALID_INT_NUM
#define CFE_PSP_INVALID_INT_NUM (CFE_PSP_STATUS_C(-5))
Definition at line 70 of file cfe psp error.h.
11.89.2.6 CFE_PSP_INVALID_MEM_ADDR
#define CFE_PSP_INVALID_MEM_ADDR (CFE_PSP_STATUS_C(-21))
Definition at line 71 of file cfe_psp_error.h.
11.89.2.7 CFE_PSP_INVALID_MEM_ATTR
#define CFE_PSP_INVALID_MEM_ATTR (CFE_PSP_STATUS_C(-26))
Definition at line 76 of file cfe_psp_error.h.
11.89.2.8 CFE_PSP_INVALID_MEM_RANGE
#define CFE_PSP_INVALID_MEM_RANGE (CFE_PSP_STATUS_C(-23))
Definition at line 73 of file cfe psp error.h.
11.89.2.9 CFE PSP INVALID MEM SIZE
#define CFE_PSP_INVALID_MEM_SIZE (CFE_PSP_STATUS_C(-25))
Definition at line 75 of file cfe_psp_error.h.
11.89.2.10 CFE_PSP_INVALID_MEM_TYPE
#define CFE_PSP_INVALID_MEM_TYPE (CFE_PSP_STATUS_C(-22))
```

Definition at line 72 of file cfe_psp_error.h.

```
11.89.2.11 CFE_PSP_INVALID_MEM_WORDSIZE
#define CFE_PSP_INVALID_MEM_WORDSIZE (CFE_PSP_STATUS_C(-24))
Definition at line 74 of file cfe_psp_error.h.
11.89.2.12 CFE_PSP_INVALID_MODULE_ID
#define CFE_PSP_INVALID_MODULE_ID (CFE_PSP_STATUS_C(-29))
Definition at line 79 of file cfe_psp_error.h.
11.89.2.13 CFE_PSP_INVALID_MODULE_NAME
#define CFE_PSP_INVALID_MODULE_NAME (CFE_PSP_STATUS_C(-28))
Definition at line 78 of file cfe_psp_error.h.
11.89.2.14 CFE_PSP_INVALID_POINTER
#define CFE_PSP_INVALID_POINTER (CFE_PSP_STATUS_C(-2))
Definition at line 67 of file cfe_psp_error.h.
11.89.2.15 CFE_PSP_NO_EXCEPTION_DATA
#define CFE_PSP_NO_EXCEPTION_DATA (CFE_PSP_STATUS_C(-30))
Definition at line 80 of file cfe_psp_error.h.
11.89.2.16 CFE_PSP_STATUS_C
#define CFE_PSP_STATUS_C(
               X ) ((CFE_PSP_Status_t)(X))
```

PSP Status macro for literal.

Definition at line 36 of file cfe psp error.h.

Generated by Doxygen

```
11.89.2.17 CFE_PSP_STATUS_STRING_LENGTH
```

```
#define CFE_PSP_STATUS_STRING_LENGTH 12
```

PSP Status converted to string length limit.

Used for sizing CFE_PSP_StatusString_t intended for use in printing CFE_PSP_Status_t values Sized for Id (LONG ← MIN) including NULL

Definition at line 44 of file cfe psp error.h.

```
11.89.2.18 CFE_PSP_SUCCESS
```

```
#define CFE_PSP_SUCCESS (CFE_PSP_STATUS_C(0))
```

Definition at line 65 of file cfe_psp_error.h.

11.89.3 Typedef Documentation

```
11.89.3.1 CFE_PSP_Status_t
```

```
typedef int32 CFE_PSP_Status_t
```

PSP Status type for readability and potentially type safety.

Definition at line 31 of file cfe_psp_error.h.

```
11.89.3.2 CFE_PSP_StatusString_t
```

```
typedef char CFE_PSP_StatusString_t[CFE_PSP_STATUS_STRING_LENGTH]
```

For the CFE_PSP_StatusToString() function, to ensure everyone is making an array of the same length.

Definition at line 50 of file cfe_psp_error.h.

11.89.4 Function Documentation

11.89.4.1 CFE_PSP_StatusToString()

Convert status to a string.

Parameters

in	status	Status value to convert
out	status_string	Buffer to store status converted to string

Returns

Passed in string pointer

Index

EXTENSION	AppName
common_types.h, 1171	CFE_ES_TaskInfo, 547
	CFE_EVS_AppNameBitMaskCmd_Payload, 551
ARGCHECK	CFE_EVS_AppNameCmd_Payload, 553
osapi-macros.h, 1200	CFE_EVS_AppNameEventIDCmd_Payload, 555
accuracy	CFE_EVS_AppNameEventIDMaskCmd_Payload,
OS_timebase_prop_t, 714	557
OS_timer_prop_t, 716	CFE_EVS_PacketID, 573
ActiveBuffer	CFE_SB_PipeInfoEntry, 601
CFE_TBL_HousekeepingTlm_Payload, 635	CFE_SB_RoutingFileEntry, 607
ActiveBufferAddr	Application
	CFE_ES_AppNameCmd_Payload, 496
CFE_TBL_TblRegPacket_Payload, 652 ActiveTableFlag	CFE_ES_AppReloadCmd_Payload, 497
CFE_TBL_DumpCmd_Payload, 628	CFE_ES_SendMemPoolStatsCmd_Payload, 533
CFE_TBL_ValidateCmd_Payload, 658	CFE_ES_StartAppCmd_Payload, 541
ActualLength	ApplicationID
OS_SockAddr_t, 707	CFE_FS_Header, 584
addr	AtToneDelay
OS_module_prop_t, 703	CFE_TIME_DiagnosticTlm_Payload, 662
AddrData	AtToneLatch
OS_SockAddr_t, 707	CFE_TIME_DiagnosticTIm_Payload, 662
Address	AtToneLeapSeconds
OS_static_symbol_record_t, 710	CFE_TIME_DiagnosticTlm_Payload, 662
AddressesAreValid	CFE_TIME_ToneDataCmd_Payload, 692
CFE_ES_AppInfo, 489	AtToneMET
AlignPtr	CFE_TIME_DiagnosticTlm_Payload, 662
OS_SockAddrData_t, 708	CFE_TIME_ToneDataCmd_Payload, 692
AlignU32	AtToneSTCF
OS_SockAddrData_t, 708	CFE_TIME_DiagnosticTlm_Payload, 662
AppData	CFE_TIME_ToneDataCmd_Payload, 692
CFE_EVS_HousekeepingTlm_Payload, 564	AtToneState
AppDataFilename	CFE_TIME_ToneDataCmd_Payload, 692
CFE_EVS_AppDataCmd_Payload, 549	DOO A dada
AppEnableStatus	BSSAddress
CFE_EVS_AppTImData, 558	CFE_ES_AppInfo, 489
AppEntryPoint	BSSSize
CFE_ES_StartAppCmd_Payload, 541	CFE_ES_AppInfo, 490
AppFileName	BUFF_SIZE
CFE_ES_AppReloadCmd_Payload, 497	cfe_psp.h, 1224
CFE_ES_StartAppCmd_Payload, 541	BUGCHECK
AppID	osapi-macros.h, 1200
CFE_EVS_AppTImData, 558	BUGREPORT
Appld	osapi-macros.h, 1201
CFE_ES_TaskInfo, 547	BitMask
CFE_SB_PipeInfoEntry, 601	CFE EVS AppNameBitMaskCmd Payload, 551
Applnfo	CFE EVS BitMaskCmd Payload, 562
CFE ES OneAppTIm Payload, 525	block_size
AppMessageSentCounter	OS statvfs t, 711
CFE_EVS_AppTImData, 559	BlockSize
AppMessageSquelchedCounter	CFE_ES_BlockStats, 498
· · · · · · · · · · · · · · · · · · ·	
CFE_EVS_AppTImData, 559	BlockStats

CFE_ES_MemPoolStats, 520	CFE_TIME_FLAG_ADDTCL, 342
blocks_free	CFE_TIME_FLAG_CLKSET, 342
OS_statvfs_t, 711	CFE_TIME_FLAG_CMDFLY, 342
BootSource	CFE_TIME_FLAG_FLYING, 342
CFE_ES_HousekeepingTlm_Payload, 509	CFE_TIME_FLAG_GDTONE, 342
bss_address	CFE_TIME_FLAG_REFERR, 343
OS_module_address_t, 701	CFE_TIME_FLAG_SERVER, 343
bss_size	CFE_TIME_FLAG_SIGPRI, 343
OS_module_address_t, 702	CFE_TIME_FLAG_SRCINT, 343
Buffer	CFE_TIME_FLAG_SRVFLY, 343
OS_SockAddrData_t, 708	CFE_TIME_FLAG_UNUSED, 343
build/docs/osconfig-example.h, 717	cFE Critical Data Store APIs, 194
ByteAlign4	CFE_ES_CopyToCDS, 194
CFE_TBL_TblRegPacket_Payload, 652	CFE_ES_GetCDSBlockIDByName, 195
ByteAlignPad1	CFE_ES_GetCDSBlockName, 196
CFE_TBL_HousekeepingTlm_Payload, 635	CFE_ES_RegisterCDS, 196
ByteAlignSpare	CFE_ES_RestoreFromCDS, 198
CFE_ES_CDSRegDumpRec, 499	cFE Entry/Exit APIs, 165
	CFE_ES_Main, 165
CCSDS_ExtendedHeader, 486	CFE_ES_ResetCFE, 166
Subsystem, 486	cFE External Time Source APIs, 332
SystemId, 486	CFE_TIME_ExternalGPS, 332
CCSDS_ExtendedHeader_t	CFE_TIME_ExternalMET, 333
ccsds_hdr.h, 1041	CFE_TIME_ExternalTime, 333
CCSDS_PrimaryHeader, 487	CFE_TIME_ExternalTone, 334
Length, 487	CFE_TIME_RegisterSynchCallback, 335
Sequence, 487	CFE_TIME_UnregisterSynchCallback, 335
Streamld, 487	cFE File Header Management APIs, 227
CCSDS_PrimaryHeader_t	CFE_FS_InitHeader, 227
ccsds_hdr.h, 1041	CFE_FS_ReadHeader, 227
cFE Access Table Content APIs, 307	CFE_FS_SetTimestamp, 228
CFE_TBL_GetAddress, 307	CFE_FS_WriteHeader, 229
CFE_TBL_GetAddresses, 308	cFE File Utility APIs, 232
CFE_TBL_ReleaseAddress, 309	CFE_FS_BackgroundFileDumpIsPending, 232
CFE_TBL_ReleaseAddresses, 310	CFE_FS_BackgroundFileDumpRequest, 233
cFE Application Behavior APIs, 170	CFE_FS_ExtractFilenameFromPath, 233
CFE_ES_ExitApp, 170	CFE_FS_GetDefaultExtension, 234
CFE_ES_IncrementTaskCounter, 171	CFE_FS_GetDefaultMountPoint, 235
CFE_ES_RunLoop, 171	CFE_FS_ParseInputFileName, 235
CFE_ES_WaitForStartupSync, 172	CFE_FS_ParseInputFileNameEx, 236
CFE_ES_WaitForSystemState, 173	cFE Generic Counter APIs, 210
cFE Application Control APIs, 167	CFE_ES_DeleteGenCounter, 210
CFE_ES_DeleteApp, 167	CFE_ES_GetGenCount, 211
CFE_ES_ReloadApp, 168	CFE_ES_GetGenCounterIDByName, 212
CFE_ES_RestartApp, 168	CFE_ES_GetGenCounterName, 212
cFE Child Task APIs, 185	CFE_ES_IncrementGenCounter, 213
CFE_ES_CreateChildTask, 185	CFE_ES_RegisterGenCounter, 215
CFE_ES_DeleteChildTask, 186	CFE_ES_SetGenCount, 216
CFE_ES_ExitChildTask, 187	cFE Generic Message APIs, 238
CFE_ES_GetTaskIDByName, 187	CFE_MSG_Init, 238
CFE_ES_GetTaskName, 188	cFE Get Current Time APIs, 319
cFE Clock State Flag Defines, 341	CFE_TIME_GetMETseconds, 319
CFE_TIME_FLAG_ADD1HZ, 341	CFE_TIME_GetMETsubsecs, 320
CFE_TIME_FLAG_ADDADJ, 341	CFE_TIME_GetMET, 319

CFE_TIME_GetTAI, 320	CFE_MSG_SetEndian, 253
CFE_TIME_GetTime, 321	CFE_MSG_SetPlaybackFlag, 254
CFE_TIME_GetUTC, 322	CFE_MSG_SetSubsystem, 254
cFE Get Table Information APIs, 312	CFE_MSG_SetSystem, 255
CFE_TBL_GetInfo, 312	cFE Message ID APIs, 289
CFE_TBL_GetStatus, 313	CFE_SB_lsValidMsgld, 289
CFE_TBL_NotifyByMessage, 314	CFE_SB_Msgld_Equal, 289
cFE Get Time Information APIs, 323	CFE_SB_MsgldToValue, 290
CFE_TIME_GetClockInfo, 323	CFE_SB_ValueToMsgld, 290
CFE_TIME_GetClockState, 323	cFE Message Id APIs, 262
CFE_TIME_GetLeapSeconds, 324	CFE_MSG_GetMsgld, 262
CFE_TIME_GetSTCF, 324	CFE MSG GetTypeFromMsgld, 262
cFE Information APIs, 175	CFE_MSG_SetMsgld, 263
CFE_ES_GetAppIDByName, 176	cFE Message Primary Header APIs, 239
CFE_ES_GetAppID, 175	CFE_MSG_GetApId, 239
CFE_ES_GetAppInfo, 177	CFE_MSG_GetHasSecondaryHeader, 240
CFE_ES_GetAppName, 178	CFE MSG GetHeaderVersion, 241
CFE ES GetLibIDByName, 178	CFE_MSG_GetNextSequenceCount, 241
CFE_ES_GetLibInfo, 179	CFE_MSG_GetSegmentationFlag, 242
CFE_ES_GetLibName, 180	CFE_MSG_GetSequenceCount, 242
CFE_ES_GetModuleInfo, 181	CFE_MSG_GetSize, 243
CFE_ES_GetResetType, 182	CFE_MSG_GetType, 244
CFE_ES_GetTaskID, 183	CFE_MSG_SetApld, 244
CFE ES GetTaskInfo, 184	CFE MSG SetHasSecondaryHeader, 245
cFE Manage Table Content APIs, 299	CFE_MSG_SetHeaderVersion, 245
CFE_TBL_DumpToBuffer, 299	CFE_MSG_SetSegmentationFlag, 246
CFE_TBL_Load, 300	CFE_MSG_SetSequenceCount, 247
CFE_TBL_Manage, 301	CFE_MSG_SetSize, 247
CFE TBL Modified, 303	CFE_MSG_SetType, 248
CFE_TBL_Update, 304	cFE Message Secondary Header APIs, 256
CFE_TBL_Validate, 305	CFE_MSG_GenerateChecksum, 256
cFE Memory Manager APIs, 199	CFE_MSG_GetFcnCode, 257
CFE_ES_GetMemPoolStats, 199	CFE_MSG_GetMsgTime, 257
CFE_ES_GetPoolBuf, 200	CFE_MSG_SetFcnCode, 258
CFE_ES_GetPoolBufInfo, 201	CFE_MSG_SetMsgTime, 260
CFE_ES_PoolCreate, 202	CFE_MSG_ValidateChecksum, 261
CFE_ES_PoolCreateEx, 203	cFE Message Subscription Control APIs, 272
CFE_ES_PoolCreateNoSem, 204 CFE_ES_PoolDelete, 205	CFE_SB_Subscribe, 272 CFE_SB_SubscribeEx, 273
CFE ES PutPoolBuf, 206	CFE_SB_SubscribeLocal, 274
cFE Message Characteristics APIs, 284	CFE_SB_Unsubscribe, 275
CFE_SB_GetUserData, 284	CFE SB UnsubscribeLocal, 276
	cFE Miscellaneous APIs, 190
CFE_SB_GetUserDataLength, 285 CFE_SB_MessageStringGet, 285	CFE_ES_BackgroundWakeup, 190
CFE_SB_MessageStringSet, 286	CFE_ES_CalculateCRC, 190
	CFE_ES_ProcessAsyncEvent, 192
CFE_SB_SetUserDataLength, 287	
CFE_SB_TimeStampMsg, 288	CFE_ES_WriteToSysLog, 192
cFE Message Extended Header APIs, 249	cFE Miscellaneous Time APIs, 337
CFE_MSG_GetEDSVersion, 249	CFE_TIME_Local1HzISR, 337
CFE_MSG_GetEndian, 250	CFE_TIME_Print, 337
CFE_MSG_GetPlaybackFlag, 250	cFE Performance Monitor APIs, 207
CFE_MSG_GetSubsystem, 251	CFE_ES_PerfLogAdd, 208
CFE_MSG_GetSystem, 252	CFE_ES_PerfLogEntry, 207
CFE_MSG_SetEDSVersion, 252	CFE_ES_PerfLogExit, 207

-FF Dine Management ADIa 2005	OFF FO MUT OFM DELETE EDD 400
cFE Pipe Management APIs, 265	CFE_ES_MUT_SEM_DELETE_ERR, 136
CFE_SB_CreatePipe, 265	CFE_ES_NO_RESOURCE_IDS_AVAILABLE, 136
CFE_SB_DeletePipe, 266	CFE_ES_NOT_IMPLEMENTED, 136
CFE_SB_GetPipeIdByName, 267	CFE_ES_OPERATION_TIMED_OUT, 137
CFE_SB_GetPipeName, 268	CFE_ES_POOL_BLOCK_INVALID, 137
CFE_SB_GetPipeOpts, 268	CFE_ES_QUEUE_DELETE_ERR, 137
CFE_SB_PipeId_ToIndex, 270	CFE_ES_RST_ACCESS_ERR, 137
CFE_SB_SetPipeOpts, 271	CFE_ES_TASK_DELETE_ERR, 138
cFE Registration APIs, 218, 293	CFE_ES_TIMER_DELETE_ERR, 138
CFE_EVS_Register, 218	CFE EVS APP FILTER OVERLOAD, 138
CFE_TBL_Register, 293	CFE_EVS_APP_ILLEGAL_APP_ID, 138
CFE_TBL_Share, 296	CFE_EVS_APP_NOT_REGISTERED, 139
CFE_TBL_Unregister, 297	CFE_EVS_APP_SQUELCHED, 139
cFE Reset Event Filter APIs, 225	CFE_EVS_EVT_NOT_REGISTERED, 139
CFE_EVS_ResetAllFilters, 225	CFE_EVS_FILE_WRITE_ERROR, 139
CFE_EVS_ResetFilter, 225	CFE_EVS_INVALID_PARAMETER, 140
cFE Resource ID APIs, 161	CFE_EVS_NOT_IMPLEMENTED, 140
CFE_ES_AppID_ToIndex, 161	CFE_EVS_RESET_AREA_POINTER, 140
CFE_ES_CounterID_ToIndex, 162	CFE_EVS_UNKNOWN_FILTER, 140
CFE_ES_LibID_ToIndex, 162	CFE_FS_BAD_ARGUMENT, 141
CFE_ES_TaskID_ToIndex, 163	CFE_FS_FNAME_TOO_LONG, 141
cFE Resource ID base values, 339	CFE_FS_INVALID_PATH, 141
cFE Return Code Defines, 123	CFE_FS_NOT_IMPLEMENTED, 141
CFE_ES_APP_CLEANUP_ERR, 129	CFE_SB_BAD_ARGUMENT, 142
CFE_ES_BAD_ARGUMENT, 129	CFE_SB_BUF_ALOC_ERR, 142
CFE_ES_BIN_SEM_DELETE_ERR, 129	CFE_SB_BUFFER_INVALID, 142
CFE_ES_BUFFER_NOT_IN_POOL, 129	CFE_SB_INTERNAL_ERR, 142
CFE_ES_CDS_ACCESS_ERROR, 129	CFE_SB_MAX_DESTS_MET, 143
CFE_ES_CDS_ALREADY_EXISTS, 130	CFE_SB_MAX_MSGS_MET, 143
CFE_ES_CDS_BLOCK_CRC_ERR, 130	CFE_SB_MAX_PIPES_MET, 143
CFE_ES_CDS_INSUFFICIENT_MEMORY, 130	CFE_SB_MSG_TOO_BIG, 143
CFE_ES_CDS_INVALID_NAME, 131	CFE_SB_NO_MESSAGE, 144
CFE_ES_CDS_INVALID_SIZE, 131	CFE_SB_NOT_IMPLEMENTED, 144
CFE_ES_CDS_INVALID, 130	CFE_SB_PIPE_CR_ERR, 144
CFE ES CDS OWNER ACTIVE ERR, 131	CFE SB PIPE RD ERR, 144
CFE_ES_CDS_WRONG_TYPE_ERR, 131	CFE_SB_TIME_OUT, 145
CFE_ES_COUNT_SEM_DELETE_ERR, 132	CFE_SB_WRONG_MSG_TYPE, 145
CFE ES ERR APP CREATE, 132	CFE_STATUS_BAD_COMMAND_CODE, 145
CFE_ES_ERR_APP_REGISTER, 132	CFE_STATUS_EXTERNAL_RESOURCE_FAIL, 145
CFE_ES_ERR_CHILD_TASK_CREATE, 132	CFE STATUS NO COUNTER INCREMENT, 146
	CFE STATUS NOT IMPLEMENTED, 146
CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_T↔	
ASK, 133	CFE_STATUS_REQUEST_ALREADY_PENDING,
CFE_ES_ERR_CHILD_TASK_DELETE, 133	146
CFE_ES_ERR_CHILD_TASK_REGISTER, 133	CFE_STATUS_UNKNOWN_MSG_ID, 146
CFE_ES_ERR_DUPLICATE_NAME, 133	CFE_STATUS_WRONG_MSG_LENGTH, 147
CFE_ES_ERR_LOAD_LIB, 134	CFE_SUCCESS, 147
CFE_ES_ERR_MEM_BLOCK_SIZE, 134	CFE_TBL_BAD_ARGUMENT, 147
CFE_ES_ERR_NAME_NOT_FOUND, 134	CFE_TBL_ERR_ACCESS, 147
CFE_ES_ERR_RESOURCEID_NOT_VALID, 134	CFE_TBL_ERR_BAD_CONTENT_ID, 148
CFE_ES_ERR_SYS_LOG_FULL, 135	CFE_TBL_ERR_BAD_PROCESSOR_ID, 148
CFE_ES_ERR_SYS_LOG_TRUNCATED, 135	CFE_TBL_ERR_BAD_SPACECRAFT_ID, 148
CFE_ES_FILE_CLOSE_ERR, 135	CFE_TBL_ERR_BAD_SUBTYPE_ID, 148
CFE_ES_FILE_IO_ERR, 135	CFE_TBL_ERR_DUMP_ONLY, 149
CFE_ES_LIB_ALREADY_LOADED, 136	CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 149

CFE TBL ERR DUPLICATE NOT OWNED, 149	CFE_TBL_OPT_CRITICAL_MSK, 317
CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 149	CFE_TBL_OPT_CRITICAL, 316
CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 150	CFE_TBL_OPT_DBL_BUFFER, 317
CFE_TBL_ERR_FILE_TOO_LARGE, 150	CFE_TBL_OPT_DEFAULT, 317
CFE_TBL_ERR_FILENAME_TOO_LONG, 150	CFE_TBL_OPT_DUMP_ONLY, 317
CFE_TBL_ERR_HANDLES_FULL, 150	CFE_TBL_OPT_LD_DMP_MSK, 317
CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 151	CFE_TBL_OPT_LOAD_DUMP, 318
CFE_TBL_ERR_INVALID_HANDLE, 151	CFE_TBL_OPT_NOT_CRITICAL, 318
CFE_TBL_ERR_INVALID_NAME, 151	CFE_TBL_OPT_NOT_USR_DEF, 318
CFE_TBL_ERR_INVALID_OPTIONS, 151	CFE_TBL_OPT_SNGL_BUFFER, 318
CFE_TBL_ERR_INVALID_SIZE, 152	CFE_TBL_OPT_USR_DEF_ADDR, 318
CFE_TBL_ERR_LOAD_IN_PROGRESS, 152	CFE_TBL_OPT_USR_DEF_MSK, 318
CFE_TBL_ERR_LOAD_INCOMPLETE, 152	cFE Time Arithmetic APIs, 326
CFE_TBL_ERR_NEVER_LOADED, 153	CFE_TIME_Add, 326
CFE_TBL_ERR_NO_ACCESS, 153	CFE_TIME_Compare, 327
CFE_TBL_ERR_NO_BUFFER_AVAIL, 153	CFE_TIME_Subtract, 328
CFE_TBL_ERR_NO_STD_HEADER, 153	cFE Time Conversion APIs, 329
CFE_TBL_ERR_NO_TBL_HEADER, 154	CFE_TIME_MET2SCTime, 329
CFE_TBL_ERR_PARTIAL_LOAD, 154	CFE_TIME_Micro2SubSecs, 329
CFE_TBL_ERR_REGISTRY_FULL, 154	CFE_TIME_Sub2MicroSecs, 330
CFE_TBL_ERR_SHORT_FILE, 154	cFE Zero Copy APIs, 281
CFE_TBL_ERR_UNREGISTERED, 155	CFE_SB_AllocateMessageBuffer, 281
CFE_TBL_INFO_DUMP_PENDING, 155	CFE_SB_ReleaseMessageBuffer, 282
CFE_TBL_INFO_NO_UPDATE_PENDING, 155	CFE_SB_TransmitBuffer, 282
CFE_TBL_INFO_NO_VALIDATION_PENDING, 155	CFE BIT
CFE_TBL_INFO_RECOVERED_TBL, 156	 cfe_sb.h, 893
CFE_TBL_INFO_TABLE_LOCKED, 156	CFE_BUILD_BASELINE
CFE_TBL_INFO_UPDATE_PENDING, 156	cfe_version.h, 922
CFE_TBL_INFO_UPDATED, 156	CFE_BUILD_NUMBER
CFE_TBL_INFO_VALIDATION_PENDING, 157	cfe_version.h, 922
CFE_TBL_MESSAGE_ERROR, 157	CFE_CLR
CFE_TBL_NOT_IMPLEMENTED, 157	cfe_sb.h, 894
CFE_TBL_WARN_DUPLICATE, 157	CFE_CONFIGID_UNDEFINED
CFE_TBL_WARN_NOT_CRITICAL, 158	cfe_config_api_typedefs.h, 822
CFE TBL WARN PARTIAL LOAD, 158	CFE_CONFIGID_C
CFE_TBL_WARN_SHORT_FILE, 158	cfe_config_api_typedefs.h, 822
CFE_TIME_BAD_ARGUMENT, 158	CFE_Config_Callback_t
CFE_TIME_DAD_ANGOMENT, 136 CFE_TIME_CALLBACK_NOT_REGISTERED, 159	cfe_config_api_typedefs.h, 822
CFE_TIME_INTERNAL_ONLY, 159	CFE_Config_GetIdByName
CFE TIME_INTERNAL_ONET, 159 CFE TIME NOT IMPLEMENTED, 159	cfe_config.h, 817
CFE_TIME_OUT_OF_RANGE, 159	CFE_Config_GetName
CFE_TIME_TOO_MANY_SYNCH_CALLBACKS,	cfe_config.h, 818
160	CFE_Config_GetObjPointer
cFE SB Pipe options, 292	cfe_config.h, 818
CFE_SB_PIPEOPTS_IGNOREMINE, 292	CFE_Config_GetString
cFE Send Event APIs, 220	cfe_config.h, 819
CFE_EVS_SendEvent, 220	CFE_Config_GetValue
CFE_EVS_SendEventWithAppID, 221	cfe_config.h, 819
CFE_EVS_SendTimedEvent, 223	CFE_Config_IterateAll
cFE Send/Receive Message APIs, 278	cfe_config.h, 821
CFE_SB_ReceiveBuffer, 278	CFE_Configld_t
CFE_SB_TransmitMsg, 279	cfe_config_api_typedefs.h, 822
cFE Table Type Defines, 316	CFE_ES_ALL_APPS_EID
CFE TBL OPT BUFFER MSK, 316	cfe es events.h, 927

CFE_ES_APP_CLEANUP_ERR	cfe_es_extern_typedefs.h, 847
cFE Return Code Defines, 129	CFE_ES_AppType
CFE_ES_APP_RESTART	cfe_es_extern_typedefs.h, 853
cfe_es_api_typedefs.h, 839	CFE_ES_AppType_Enum_t
CFE_ES_APP_TLM_MID	cfe_es_extern_typedefs.h, 847
cpu1_msgids.h, 727	CFE_ES_BAD_ARGUMENT
CFE_ES_APPID_UNDEFINED	cFE Return Code Defines, 129
cfe_es_api_typedefs.h, 839	CFE_ES_BIN_SEM_DELETE_ERR
CFE_ES_APPID_C	cFE Return Code Defines, 129
cfe_es_api_typedefs.h, 839	CFE_ES_BOOT_ERR_EID
CFE_ES_AppID_ToIndex	cfe_es_events.h, 927
cFE Resource ID APIs, 161	CFE_ES_BUFFER_NOT_IN_POOL
CFE_ES_Appld_t	cFE Return Code Defines, 129
cfe_es_extern_typedefs.h, 847	CFE_ES_BUILD_INF_EID
CFE_ES_AppInfo, 488	cfe_es_events.h, 928
AddressesAreValid, 489	CFE_ES_BackgroundWakeup
BSSAddress, 489	cFE Miscellaneous APIs, 190
BSSSize, 490	CFE_ES_BlockStats, 497
CodeAddress, 490	BlockSize, 498
CodeSize, 490	NumCreated, 498
DataAddress, 490	NumFree, 498
DataSize, 491	CFE_ES_BlockStats_t
EntryPoint, 491	cfe_es_extern_typedefs.h, 848
ExceptionAction, 491	CFE_ES_CC1_ERR_EID
ExecutionCounter, 491	cfe_es_events.h, 928
FileName, 492	CFE_ES_CDS_ACCESS_ERROR
MainTaskld, 492	cFE Return Code Defines, 129
MainTaskName, 492	CFE_ES_CDS_ALREADY_EXISTS
Name, 492	cFE Return Code Defines, 130
NumOfChildTasks, 493	CFE_ES_CDS_BAD_HANDLE
Priority, 493	cfe_es_api_typedefs.h, 840
Resourceld, 493	CFE_ES_CDS_BLOCK_CRC_ERR
StackSize, 493	cFE Return Code Defines, 130
StartAddress, 494	CFE_ES_CDS_DELETE_ERR_EID
Type, 494	cfe es events.h, 929
CFE_ES_AppInfo_t	CFE_ES_CDS_DELETE_TBL_ERR_EID
cfe_es_extern_typedefs.h, 847	cfe_es_events.h, 929
CFE_ES_AppNameCmd, 494	CFE_ES_CDS_DELETED_INFO_EID
CommandHeader, 495	cfe_es_events.h, 929
Payload, 495	CFE_ES_CDS_DUMP_ERR_EID
CFE_ES_AppNameCmd_Payload, 495	cfe_es_events.h, 930
Application, 496	CFE_ES_CDS_INSUFFICIENT_MEMORY
CFE_ES_AppNameCmd_Payload_t	cFE Return Code Defines, 130
cfe_es_msg.h, 985	CFE_ES_CDS_INVALID_NAME
CFE_ES_AppNameCmd_t	cFE Return Code Defines, 131
cfe_es_msg.h, 985	CFE_ES_CDS_INVALID_SIZE
CFE_ES_AppReloadCmd_Payload, 496	cFE Return Code Defines, 131
AppFileName, 497	CFE_ES_CDS_INVALID
Application, 497	cFE Return Code Defines, 130
CFE_ES_AppReloadCmd_Payload_t	CFE_ES_CDS_NAME_ERR_EID
cfe_es_msg.h, 985	cfe_es_events.h, 930
CFE_ES_AppState	CFE_ES_CDS_OWNER_ACTIVE_EID
cfe_es_extern_typedefs.h, 853	cfe_es_events.h, 930
CFE ES AppState Enum t	CFE ES CDS OWNER ACTIVE ERR

cFE Return Code Defines, 131	cfe es.h, 837
CFE_ES_CDS_REG_DUMP_INF_EID	CFE_ES_DUMP_CDS_REGISTRY_CC
cfe_es_events.h, 931	
	cfe_es_msg.h, 963
CFE_ES_CDS_REGISTER_ERR_EID	CFE_ES_DeleteApp
cfe_es_events.h, 931	cFE Application Control APIs, 167
CFE_ES_CDS_WRONG_TYPE_ERR	CFE_ES_DeleteCDSCmd, 500
cFE Return Code Defines, 131	CommandHeader, 501
CFE_ES_CDSHANDLE_C	Payload, 501
cfe_es_api_typedefs.h, 840	CFE_ES_DeleteCDSCmd_Payload, 501
CFE_ES_CDSHandle_t	CdsName, 502
cfe_es_extern_typedefs.h, 848	CFE_ES_DeleteCDSCmd_Payload_t
CFE_ES_CDSRegDumpRec, 498	cfe_es_msg.h, 985
ByteAlignSpare, 499	CFE_ES_DeleteCDSCmd_t
Handle, 499	cfe_es_msg.h, 985
Name, 499	CFE_ES_DeleteChildTask
Size, 500	cFE Child Task APIs, 186
Table, 500	CFE_ES_DeleteGenCounter
CFE_ES_CDSRegDumpRec_t	cFE Generic Counter APIs, 210
cfe_es_extern_typedefs.h, 848	CFE_ES_DumpCDSRegistryCmd, 502
CFE_ES_CLEAR_ER_LOG_CC	CommandHeader, 503
cfe_es_msg.h, 961	Payload, 503
CFE_ES_CLEAR_SYSLOG_CC	CFE_ES_DumpCDSRegistryCmd_Payload, 503
cfe_es_msg.h, 961	DumpFilename, 504
CFE ES CMD MID	CFE ES DumpCDSRegistryCmd Payload t
cpu1_msgids.h, 727	cfe_es_msg.h, 986
CFE_ES_COUNT_SEM_DELETE_ERR	CFE_ES_DumpCDSRegistryCmd_t
cFE Return Code Defines, 132	cfe_es_msg.h, 986
CFE_ES_COUNTERID_UNDEFINED	CFE_ES_ERLOG1_INF_EID
cfe_es_api_typedefs.h, 840	cfe_es_events.h, 932
CFE_ES_COUNTERID_C	CFE_ES_ERLOG2_EID
cfe_es_api_typedefs.h, 840	cfe_es_events.h, 932
CFE_ES_CREATING_CDS_DUMP_ERR_EID	CFE_ES_ERLOG2_ERR_EID
cfe_es_events.h, 931	cfe_es_events.h, 932
CFE ES CalculateCRC	CFE_ES_ERLOG_PENDING_ERR_EID
cFE Miscellaneous APIs, 190	cfe es events.h, 933
CFE ES ChildTaskMainFuncPtr t	CFE_ES_ERR_APP_CREATE
- -	
cfe_es_api_typedefs.h, 843	cFE Return Code Defines, 132
CFE_ES_ClearERLogCmd_t	CFE_ES_ERR_APP_REGISTER
cfe_es_msg.h, 985	cFE Return Code Defines, 132
CFE_ES_ClearSysLogCmd_t	CFE_ES_ERR_CHILD_TASK_CREATE
cfe_es_msg.h, 985	cFE Return Code Defines, 132
CFE_ES_CopyToCDS	CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK
cFE Critical Data Store APIs, 194	cFE Return Code Defines, 133
CFE_ES_CounterID_ToIndex	CFE_ES_ERR_CHILD_TASK_DELETE
cFE Resource ID APIs, 162	cFE Return Code Defines, 133
CFE_ES_CounterId_t	CFE_ES_ERR_CHILD_TASK_REGISTER
cfe_es_extern_typedefs.h, 848	cFE Return Code Defines, 133
CFE_ES_CreateChildTask	CFE_ES_ERR_DUPLICATE_NAME
cFE Child Task APIs, 185	cFE Return Code Defines, 133
CFE_ES_DBIT	CFE_ES_ERR_LOAD_LIB
cfe_es.h, 837	cFE Return Code Defines, 134
CFE_ES_DELETE_CDS_CC	CFE_ES_ERR_MEM_BLOCK_SIZE
cfe_es_msg.h, 962	cFE Return Code Defines, 134
CFE_ES_DTEST	CFE_ES_ERR_NAME_NOT_FOUND

cFE Return Code Defines, 134	CFE_ES_GetGenCounterIDByName
CFE_ES_ERR_RESOURCEID_NOT_VALID	cFE Generic Counter APIs, 212
cFE Return Code Defines, 134	CFE_ES_GetGenCounterName
CFE_ES_ERR_SYS_LOG_FULL	cFE Generic Counter APIs, 212
cFE Return Code Defines, 135	CFE_ES_GetLibIDByName
CFE_ES_ERR_SYS_LOG_TRUNCATED	cFE Information APIs, 178
cFE Return Code Defines, 135	CFE_ES_GetLibInfo
CFE_ES_ERR_SYSLOGMODE_EID	cFE Information APIs, 179
cfe_es_events.h, 933	CFE_ES_GetLibName
CFE_ES_ERREXIT_APP_ERR_EID	cFE Information APIs, 180
cfe_es_events.h, 933	CFE_ES_GetMemPoolStats
CFE_ES_ERREXIT_APP_INF_EID	cFE Memory Manager APIs, 199
cfe_es_events.h, 934	CFE_ES_GetModuleInfo
CFE_ES_EXIT_APP_ERR_EID	cFE Information APIs, 181
cfe_es_events.h, 934	CFE_ES_GetPoolBuf
CFE_ES_EXIT_APP_INF_EID	cFE Memory Manager APIs, 200
cfe_es_events.h, 935	CFE_ES_GetPoolBufInfo
CFE_ES_ExceptionAction	cFE Memory Manager APIs, 201
cfe_es_extern_typedefs.h, 854	CFE_ES_GetResetType
CFE_ES_ExceptionAction_Enum_t	cFE Information APIs, 182
cfe_es_extern_typedefs.h, 849	CFE_ES_GetTaskIDByName
CFE_ES_ExitApp	cFE Child Task APIs, 187
cFE Application Behavior APIs, 170	CFE_ES_GetTaskID
CFE_ES_ExitChildTask	cFE Information APIs, 183
cFE Child Task APIs, 187	CFE_ES_GetTaskInfo
CFE_ES_FILE_CLOSE_ERR	cFE Information APIs, 184
cFE Return Code Defines, 135	CFE_ES_GetTaskName
CFE_ES_FILE_IO_ERR	cFE Child Task APIs, 188
cFE Return Code Defines, 135	CFE_ES_HK_TLM_MID
CFE_ES_FILEWRITE_ERR_EID	cpu1_msgids.h, 728
cfe_es_events.h, 935	CFE_ES_HousekeepingTlm, 506
CFE_ES_FileNameCmd, 504	Payload, 506
CommandHeader, 504	TelemetryHeader, 506
Payload, 504	CFE_ES_HousekeepingTlm_Payload, 506
CFE_ES_FileNameCmd_Payload, 505	BootSource, 509
FileName, 505	CFECoreChecksum, 509
CFE_ES_FileNameCmd_Payload_t	CFEMajorVersion, 509
cfe_es_msg.h, 986	CFEMinorVersion, 509
CFE_ES_FileNameCmd_t	CFEMissionRevision, 509
cfe_es_msg.h, 986	CFERevision, 510
CFE_ES_GetAppIDByName	CommandCounter, 510
cFE Information APIs, 176	CommandErrorCounter, 510
CFE_ES_GetAppID	ERLogEntries, 510
cFE Information APIs, 175	ERLogIndex, 511
CFE_ES_GetAppInfo	HeapBlocksFree, 511
cFE Information APIs, 177	HeapBytesFree, 511
CFE_ES_GetAppName	HeapMaxBlockSize, 511
cFE Information APIs, 178	MaxProcessorResets, 512
CFE_ES_GetCDSBlockIDByName	OSALMajorVersion, 512
cFE Critical Data Store APIs, 195	OSALMinorVersion, 512
CFE_ES_GetCDSBlockName	OSALMissionRevision, 512
cFE Critical Data Store APIs, 196	OSALRevision, 513
CFE_ES_GetGenCount	PSPMajorVersion, 515
cFE Generic Counter APIs, 211	PSPMinorVersion, 516

PSPMissionRevision, 516	CFE_ES_LogMode
PSPRevision, 516	cfe_es_extern_typedefs.h, 854
PerfDataCount, 513	CFE_ES_LogMode_Enum_t
PerfDataEnd, 513	cfe_es_extern_typedefs.h, 849
PerfDataStart, 513	CFE_ES_MEMADDRESS_C
PerfDataToWrite, 514	cfe_es_extern_typedefs.h, 846
PerfFilterMask, 514	CFE_ES_MEMHANDLE_UNDEFINED
PerfMode, 514	cfe_es_api_typedefs.h, 841
PerfState, 514	CFE_ES_MEMHANDLE_C
PerfTriggerCount, 515	cfe_es_api_typedefs.h, 841
PerfTriggerMask, 515	CFE_ES_MEMOFFSET_C
ProcessorResets, 515	cfe_es_extern_typedefs.h, 846
RegisteredCoreApps, 516	CFE_ES_MEMPOOLBUF_C
RegisteredExternalApps, 517	cfe_es_api_typedefs.h, 841
RegisteredLibs, 517	CFE_ES_MEMSTATS_TLM_MID
RegisteredTasks, 517	cpu1_msgids.h, 728
ResetSubtype, 517	CFE_ES_MID_ERR_EID
ResetType, 518	cfe_es_events.h, 937
SysLogBytesUsed, 518	CFE_ES_MUT_SEM_DELETE_ERR
SysLogEntries, 518	cFE Return Code Defines, 136
SysLogMode, 518	CFE_ES_Main
SysLogSize, 519	cFE Entry/Exit APIs, 165
CFE_ES_HousekeepingTlm_Payload_t	CFE_ES_MemAddress_t
cfe_es_msg.h, 986	cfe_es_extern_typedefs.h, 850
CFE_ES_HousekeepingTlm_t	CFE_ES_MemHandle_t
cfe_es_msg.h, 986	cfe_es_extern_typedefs.h, 850
CFE_ES_INIT_INF_EID	CFE_ES_MemOffset_t
cfe_es_events.h, 935	cfe_es_extern_typedefs.h, 850
CFE ES INITSTATS INF EID	CFE ES MemPoolBuf t
cfe_es_events.h, 936	cfe_es_api_typedefs.h, 843
CFE_ES_INVALID_POOL_HANDLE_ERR_EID	CFE_ES_MemPoolStats, 519
cfe_es_events.h, 936	BlockStats, 520
CFE ES IncrementGenCounter	CheckErrCtr, 520
cFE Generic Counter APIs, 213	NumBlocksRequested, 520
CFE ES IncrementTaskCounter	NumFreeBytes, 521
- -	· · · · · · · · · · · · · · · · · · ·
cFE Application Behavior APIs, 171	PoolSize, 521
CFE_ES_LEN_ERR_EID	CFE_ES_MemPoolStats_t
cfe_es_events.h, 936	cfe_es_extern_typedefs.h, 851
CFE_ES_LIB_ALREADY_LOADED	CFE_ES_MemStatsTlm, 521
cFE Return Code Defines, 136	Payload, 522
CFE_ES_LIBID_UNDEFINED	TelemetryHeader, 522
cfe_es_api_typedefs.h, 840	CFE_ES_MemStatsTlm_t
CFE_ES_LIBID_C	cfe_es_msg.h, 987
cfe_es_api_typedefs.h, 840	CFE_ES_NO_MUTEX
CFE_ES_LibID_ToIndex	cfe_es_api_typedefs.h, 841
cFE Resource ID APIs, 162	CFE_ES_NO_RESOURCE_IDS_AVAILABLE
CFE_ES_LibId_t	cFE Return Code Defines, 136
cfe_es_extern_typedefs.h, 849	CFE_ES_NOOP_CC
CFE_ES_LibraryEntryFuncPtr_t	cfe_es_msg.h, 964
cfe_es_api_typedefs.h, 843	CFE_ES_NOOP_INF_EID
CFE_ES_LogEntryType	cfe_es_events.h, 937
cfe_es_extern_typedefs.h, 854	CFE_ES_NOT_IMPLEMENTED
CFE_ES_LogEntryType_Enum_t	cFE Return Code Defines, 136
cfe_es_extern_typedefs.h, 849	CFE_ES_NoArgsCmd, 522
olo_es_extern_typedels.fl, 043	or L_Lo_Norigaoilla, JZZ

CommandHeader, 523	cfe_es_events.h, 942
CFE_ES_NoArgsCmd_t	CFE_ES_PERF_STOPCMD_ERR2_EID
cfe_es_msg.h, 987	cfe_es_events.h, 942
CFE_ES_NoopCmd_t	CFE_ES_PERF_TRIGMSKCMD_EID
cfe_es_msg.h, 987	cfe_es_events.h, 942
CFE_ES_ONE_APP_EID	CFE_ES_PERF_TRIGMSKERR_EID
cfe_es_events.h, 937	cfe_es_events.h, 943
CFE_ES_ONE_APPID_ERR_EID	CFE_ES_POOL_BLOCK_INVALID
cfe_es_events.h, 938	cFE Return Code Defines, 137
CFE_ES_ONE_ERR_EID	CFE_ES_PerfLogAdd
cfe_es_events.h, 938	cFE Performance Monitor APIs, 208
CFE_ES_OPERATION_TIMED_OUT	CFE_ES_PerfLogEntry
cFE Return Code Defines, 137	cFE Performance Monitor APIs, 207
CFE_ES_OSCREATE_ERR_EID	CFE_ES_PerfLogExit
cfe_es_events.h, 938	cFE Performance Monitor APIs, 207
CFE_ES_OVER_WRITE_SYSLOG_CC	CFE_ES_PoolAlign, 527
cfe_es_msg.h, 965	LongDouble, 527
CFE_ES_OneAppTIm, 523	LongInt, 527
Payload, 524	Ptr, 527
TelemetryHeader, 524	CFE_ES_PoolAlign_t
CFE_ES_OneAppTIm_Payload, 524	cfe_es_api_typedefs.h, 843
Applnfo, 525	CFE_ES_PoolCreate
CFE_ES_OneAppTIm_Payload_t	cFE Memory Manager APIs, 202
cfe_es_msg.h, 987	CFE_ES_PoolCreateEx
CFE_ES_OneAppTIm_t	cFE Memory Manager APIs, 203
cfe_es_msg.h, 987	CFE_ES_PoolCreateNoSem
CFE_ES_OverWriteSysLogCmd, 525	cFE Memory Manager APIs, 204
CommandHeader, 525	CFE_ES_PoolDelete
Payload, 525	cFE Memory Manager APIs, 205
CFE_ES_OverWriteSysLogCmd_Payload, 526	CFE_ES_PoolStatsTlm_Payload, 528
Mode, 526	PoolHandle, 528
CFE_ES_OverWriteSysLogCmd_Payload_t	PoolStats, 528
cfe_es_msg.h, 987	CFE_ES_PoolStatsTlm_Payload_t
CFE_ES_OverWriteSysLogCmd_t	cfe_es_msg.h, 988
cfe_es_msg.h, 988	CFE_ES_ProcessAsyncEvent
CFE_ES_PCR_ERR1_EID	cFE Miscellaneous APIs, 192
cfe_es_events.h, 939	CFE_ES_PutPoolBuf
CFE_ES_PCR_ERR2_EID	cFE Memory Manager APIs, 206
cfe_es_events.h, 939	CFE_ES_QUERY_ALL_CC
CFE_ES_PERF_DATAWRITTEN_EID	cfe_es_msg.h, 966
cfe_es_events.h, 939	CFE_ES_QUERY_ALL_TASKS_CC
CFE_ES_PERF_FILTMSKCMD_EID	cfe_es_msg.h, 967
cfe_es_events.h, 940	CFE_ES_QUERY_ONE_CC
CFE_ES_PERF_FILTMSKERR_EID	cfe_es_msg.h, 968
cfe_es_events.h, 940	CFE_ES_QUEUE_DELETE_ERR
CFE_ES_PERF_LOG_ERR_EID	cFE Return Code Defines, 137
cfe_es_events.h, 940	CFE_ES_QueryAllCmd_t
CFE_ES_PERF_STARTCMD_EID	cfe_es_msg.h, 988
cfe_es_events.h, 941	CFE_ES_QueryAllTasksCmd_t
CFE_ES_PERF_STARTCMD_ERR_EID	cfe_es_msg.h, 988
cfe_es_events.h, 941	CFE_ES_QueryOneCmd_t
CFE_ES_PERF_STARTCMD_TRIG_ERR_EID	cfe_es_msg.h, 988
cfe_es_events.h, 941	CFE_ES_RELOAD_APP_CC
CFE ES PERF STOPCMD EID	cfe es msg.h, 969

CFE_ES_RELOAD_APP_DBG_EID	cfe_es_msg.h, 989
cfe_es_events.h, 943	CFE_ES_RestartApp
CFE_ES_RELOAD_APP_ERR1_EID	cFE Application Control APIs, 168
cfe_es_events.h, 943	CFE_ES_RestartAppCmd_t
CFE_ES_RELOAD_APP_ERR2_EID	cfe_es_msg.h, 989
cfe es events.h, 944	CFE ES RestartCmd, 530
CFE_ES_RELOAD_APP_ERR3_EID	CommandHeader, 530
cfe_es_events.h, 944	Payload, 530
CFE_ES_RELOAD_APP_ERR4_EID	CFE_ES_RestartCmd_Payload, 531
cfe_es_events.h, 944	RestartType, 531
CFE ES RELOAD APP INF EID	CFE ES RestartCmd Payload t
cfe_es_events.h, 945	cfe es msg.h, 989
CFE_ES_RESET_COUNTERS_CC	CFE_ES_RestartCmd_t
cfe_es_msg.h, 970	cfe_es_msg.h, 989
CFE_ES_RESET_INF_EID	CFE_ES_RestoreFromCDS
cfe_es_events.h, 945	cFE Critical Data Store APIs, 198
CFE ES RESET PR COUNT CC	CFE_ES_RunLoop
cfe_es_msg.h, 971	cFE Application Behavior APIs, 171
CFE_ES_RESET_PR_COUNT_EID	CFE_ES_RunStatus
cfe_es_events.h, 945	cfe_es_extern_typedefs.h, 855
CFE_ES_RESTART_APP_CC	CFE_ES_RunStatus_Enum_t
cfe_es_msg.h, 972	cfe_es_extern_typedefs.h, 851
CFE_ES_RESTART_APP_DBG_EID	CFE_ES_SEND_HK_MID
cfe_es_events.h, 946	cpu1_msgids.h, 728
CFE_ES_RESTART_APP_ERR1_EID	CFE_ES_SEND_MEM_POOL_STATS_CC
cfe_es_events.h, 946	cfe_es_msg.h, 974
CFE_ES_RESTART_APP_ERR2_EID	CFE_ES_SET_MAX_PR_COUNT_CC
cfe_es_events.h, 946	cfe_es_msg.h, 975
CFE_ES_RESTART_APP_ERR3_EID	CFE_ES_SET_MAX_PR_COUNT_EID
cfe_es_events.h, 947	cfe_es_events.h, 948
CFE_ES_RESTART_APP_ERR4_EID	CFE_ES_SET_PERF_FILTER_MASK_CC
cfe_es_events.h, 947	cfe_es_msg.h, 976
CFE_ES_RESTART_APP_INF_EID	CFE_ES_SET_PERF_TRIGGER_MASK_CC
cfe_es_events.h, 947	cfe_es_msg.h, 977
CFE_ES_RESTART_CC	CFE_ES_START_APP_CC
cfe_es_msg.h, 973	cfe_es_msg.h, 978
CFE ES RST ACCESS ERR	CFE_ES_START_ERR_EID
cFE Return Code Defines, 137	cfe es events.h, 948
CFE_ES_RegisterCDS	CFE_ES_START_EXC_ACTION_ERR_EID
cFE Critical Data Store APIs, 196	cfe_es_events.h, 948
CFE ES RegisterGenCounter	CFE_ES_START_INF_EID
cFE Generic Counter APIs, 215	cfe_es_events.h, 949
CFE_ES_ReloadApp	CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID
cFE Application Control APIs, 168	cfe_es_events.h, 949
CFE_ES_ReloadAppCmd, 529	CFE ES START INVALID FILENAME ERR EID
CommandHeader, 529	cfe_es_events.h, 949
Payload, 529	CFE_ES_START_NULL_APP_NAME_ERR_EID
CFE_ES_ReloadAppCmd_t	cfe_es_events.h, 950
cfe_es_msg.h, 988	CFE_ES_START_PERF_DATA_CC
CFE_ES_ResetCFE	cfe_es_msg.h, 979
cFE Entry/Exit APIs, 166	CFE_ES_START_PRIORITY_ERR_EID
CFE_ES_ResetCountersCmd_t	cfe_es_events.h, 950
cfe_es_msg.h, 989	CFE_ES_STATIC_POOL_TYPE
CFE_ES_ResetPRCountCmd_t	cfe_es_api_typedefs.h, 841

CFE_ES_STOP_APP_CC	TriggerMask, 539
cfe_es_msg.h, 980	TriggerMaskNum, 539
CFE_ES_STOP_DBG_EID	CFE_ES_SetPerfTrigMaskCmd_Payload_t
cfe_es_events.h, 950	cfe_es_msg.h, 991
CFE_ES_STOP_ERR1_EID	CFE_ES_SetPerfTriggerMaskCmd, 537
cfe_es_events.h, 951	CommandHeader, 538
CFE_ES_STOP_ERR2_EID	Payload, 538
cfe_es_events.h, 951	CFE_ES_SetPerfTriggerMaskCmd_t
CFE_ES_STOP_ERR3_EID	cfe_es_msg.h, 990
cfe_es_events.h, 951	CFE_ES_StackPointer_t
CFE_ES_STOP_INF_EID	cfe_es_api_typedefs.h, 844
cfe_es_events.h, 952	CFE_ES_StartApp, 539
CFE_ES_STOP_PERF_DATA_CC	CommandHeader, 540
cfe_es_msg.h, 981	Payload, 540
CFE_ES_SYSLOG1_INF_EID	CFE_ES_StartAppCmd_Payload, 540
cfe_es_events.h, 952	AppEntryPoint, 541
CFE_ES_SYSLOG2_EID	AppFileName, 541
cfe_es_events.h, 952	Application, 541
CFE_ES_SYSLOG2_ERR_EID	ExceptionAction, 542
cfe_es_events.h, 953	Priority, 542
CFE_ES_SYSLOGMODE_EID	StackSize, 542
cfe_es_events.h, 953	CFE_ES_StartAppCmd_Payload_t
CFE_ES_SendMemPoolStatsCmd, 532	cfe_es_msg.h, 991
CommandHeader, 532	CFE_ES_StartAppCmd_t
Payload, 532	cfe_es_msg.h, 991
CFE_ES_SendMemPoolStatsCmd_Payload, 533	CFE_ES_StartPerfCmd_Payload, 542
Application, 533	TriggerMode, 543
PoolHandle, 533	CFE_ES_StartPerfCmd_Payload_t
CFE_ES_SendMemPoolStatsCmd_Payload_t	cfe_es_msg.h, 991
cfe_es_msg.h, 989	CFE_ES_StartPerfDataCmd, 543
CFE_ES_SendMemPoolStatsCmd_t	CommandHeader, 544
cfe_es_msg.h, 990	Payload, 544
CFE_ES_SetGenCount	CFE_ES_StartPerfDataCmd_t
cFE Generic Counter APIs, 216	cfe_es_msg.h, 991
CFE_ES_SetMaxPRCountCmd, 534	CFE_ES_StatusToString
CommandHeader, 534	cfe_error.h, 833
Payload, 534	CFE_ES_StopAppCmd_t
CFE_ES_SetMaxPRCountCmd_Payload, 535	cfe es msg.h, 991
MaxPRCount, 535	CFE_ES_StopPerfCmd_Payload, 544
CFE_ES_SetMaxPRCountCmd_Payload_t	DataFileName, 545
cfe_es_msg.h, 990	CFE_ES_StopPerfCmd_Payload_t
CFE ES SetMaxPRCountCmd t	cfe_es_msg.h, 992
cfe es msg.h, 990	CFE_ES_StopPerfDataCmd, 545
CFE_ES_SetPerfFilterMaskCmd, 535	CommandHeader, 546
CommandHeader, 536	Payload, 546
Payload, 536	CFE_ES_StopPerfDataCmd_t
CFE_ES_SetPerfFilterMaskCmd_Payload, 536	cfe_es_msg.h, 992
FilterMask, 537	CFE_ES_SystemState
FilterMaskNum, 537	cfe_es_extern_typedefs.h, 855
CFE_ES_SetPerfFilterMaskCmd_Payload_t	CFE_ES_SystemState_Enum_t
cfe_es_msg.h, 990	cfe_es_extern_typedefs.h, 851
CFE_ES_SetPerfFilterMaskCmd_t	CFE_ES_TASK_DELETE_ERR
cfe_es_msg.h, 990	cFE Return Code Defines, 138
CFE ES SetPerfTrigMaskCmd Payload, 538	CFE ES TASK STACK ALLOCATE

cfe_es_api_typedefs.h, 842	CFE ES WaitForSystemState
CFE_ES_TASKID_UNDEFINED	cFE Application Behavior APIs, 173
cfe_es_api_typedefs.h, 842	CFE_ES_WriteERLogCmd_t
CFE_ES_TASKID_C	cfe_es_msg.h, 992
cfe_es_api_typedefs.h, 842	CFE_ES_WriteSysLogCmd_t
CFE ES TASKINFO EID	cfe_es_msg.h, 992
cfe_es_events.h, 953	CFE_ES_WriteToSysLog
CFE_ES_TASKINFO_OSCREATE_ERR_EID	cFE Miscellaneous APIs, 192
cfe_es_events.h, 954	CFE_EVENTS_SERVICE
CFE_ES_TASKINFO_WR_ERR_EID	cfe_error.h, 830
cfe es events.h, 954	CFE EVS ADD EVENT FILTER CC
CFE_ES_TASKINFO_WRHDR_ERR_EID	cfe_evs_msg.h, 1011
cfe_es_events.h, 954	CFE_EVS_ADDFILTER_EID
CFE_ES_TASKWR_ERR_EID	cfe_evs_events.h, 994
cfe_es_events.h, 955	CFE_EVS_APP_FILTER_OVERLOAD
CFE_ES_TEST_LONG_MASK	cFE Return Code Defines, 138
	CFE EVS APP ILLEGAL APP ID
cfe_es.h, 837	
CFE_ES_TIMER_DELETE_ERR	cFE Return Code Defines, 138
cFE Return Code Defines, 138	CFE_EVS_APP_NOT_REGISTERED
CFE_ES_TLM_POOL_STATS_INFO_EID	cFE Return Code Defines, 139
cfe_es_events.h, 955	CFE_EVS_APP_SQUELCHED
CFE_ES_TaskEntryFuncPtr_t	cFE Return Code Defines, 139
cfe_es_api_typedefs.h, 844	CFE_EVS_AddEventFilterCmd_t
CFE_ES_TaskID_ToIndex	cfe_evs_msg.h, 1033
cFE Resource ID APIs, 163	CFE_EVS_AppDataCmd_Payload, 549
CFE_ES_TaskId_t	AppDataFilename, 549
cfe_es_extern_typedefs.h, 852	CFE_EVS_AppDataCmd_Payload_t
CFE_ES_TaskInfo, 546	cfe_evs_msg.h, 1033
Appld, 547	CFE_EVS_AppNameBitMaskCmd, 549
AppName, 547	CommandHeader, 550
ExecutionCounter, 547	Payload, 550
Priority, 547	CFE_EVS_AppNameBitMaskCmd_Payload, 550
Spare, 548	AppName, 551
StackSize, 548	BitMask, 551
Taskld, 548	Spare, 551
TaskName, 548	CFE_EVS_AppNameBitMaskCmd_Payload_t
CFE_ES_TaskInfo_t	cfe_evs_msg.h, 1034
cfe_es_extern_typedefs.h, 852	CFE_EVS_AppNameBitMaskCmd_t
CFE_ES_TaskPriority_Atom_t	cfe_evs_msg.h, 1034
cfe_es_extern_typedefs.h, 852	CFE_EVS_AppNameCmd, 552
CFE_ES_USE_MUTEX	CommandHeader, 552
cfe_es_api_typedefs.h, 842	Payload, 552
CFE_ES_VERSION_INF_EID	CFE_EVS_AppNameCmd_Payload, 553
cfe_es_events.h, 955	AppName, 553
CFE_ES_WRHDR_ERR_EID	CFE_EVS_AppNameCmd_Payload_t
cfe_es_events.h, 956	cfe_evs_msg.h, 1034
CFE ES WRITE CFE HDR ERR EID	CFE_EVS_AppNameCmd_t
cfe_es_events.h, 956	cfe_evs_msg.h, 1034
CFE_ES_WRITE_ER_LOG_CC	CFE_EVS_AppNameEventIDCmd, 554
cfe_es_msg.h, 982	CommandHeader, 554
CFE_ES_WRITE_SYSLOG_CC	Payload, 554
cfe_es_msg.h, 983	CFE_EVS_AppNameEventIDCmd_Payload, 555
CFE_ES_WaitForStartupSync	AppName, 555
cFE Application Behavior APIs, 172	EventID, 555

CFE_EVS_AppNameEventIDCmd_Payload_t	cfe_evs_msg.h, 1015
cfe_evs_msg.h, 1034	CFE_EVS_DISABLE_EVENT_TYPE_CC
CFE_EVS_AppNameEventIDCmd_t	cfe_evs_msg.h, 1016
cfe_evs_msg.h, 1034	CFE_EVS_DISABLE_PORTS_CC
CFE_EVS_AppNameEventIDMaskCmd, 556	cfe_evs_msg.h, 1017
CommandHeader, 556	CFE_EVS_DISAPPENTTYPE_EID
Payload, 556	cfe_evs_events.h, 995
CFE_EVS_AppNameEventIDMaskCmd_Payload, 557	CFE_EVS_DISAPPEVT_EID
AppName, 557	cfe_evs_events.h, 995
EventID, 557	CFE_EVS_DISEVTTYPE_EID
Mask, 557	cfe_evs_events.h, 995
CFE_EVS_AppNameEventIDMaskCmd_Payload_t	CFE_EVS_DISPORT_EID
cfe_evs_msg.h, 1035	cfe_evs_events.h, 996
CFE_EVS_AppNameEventIDMaskCmd_t	CFE_EVS_DeleteEventFilterCmd_t
cfe_evs_msg.h, 1035	cfe_evs_msg.h, 1036
CFE_EVS_AppTImData, 558	CFE_EVS_DisableAppEventTypeCmd_t
AppEnableStatus, 558	cfe_evs_msg.h, 1036
AppID, 558	CFE_EVS_DisableAppEventsCmd_t
AppMessageSentCounter, 559	cfe_evs_msg.h, 1036
AppMessageSquelchedCounter, 559	CFE_EVS_DisableEventTypeCmd_t
CFE_EVS_AppTImData_t	cfe_evs_msg.h, 1036
cfe_evs_msg.h, 1035	CFE_EVS_DisablePortsCmd_t
CFE_EVS_BinFilter, 559	cfe_evs_msg.h, 1036
EventID, 560	CFE_EVS_ENAAPPEVT_EID
Mask, 560	cfe_evs_events.h, 996
CFE_EVS_BinFilter_t	CFE_EVS_ENAAPPEVTTYPE_EID
cfe_evs_api_typedefs.h, 861	cfe_evs_events.h, 996
CFE_EVS_BitMaskCmd, 560	CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
CommandHeader, 561	cfe_evs_msg.h, 1018
Payload, 561	CFE_EVS_ENABLE_APP_EVENTS_CC
CFE_EVS_BitMaskCmd_Payload, 561	cfe_evs_msg.h, 1019
BitMask, 562	CFE_EVS_ENABLE_EVENT_TYPE_CC
Spare, 562	cfe_evs_msg.h, 1020
CFE_EVS_BitMaskCmd_Payload_t	CFE_EVS_ENABLE_PORTS_CC
cfe_evs_msg.h, 1035	cfe_evs_msg.h, 1021
CFE_EVS_BitMaskCmd_t	CFE_EVS_ENAEVTTYPE_EID
cfe_evs_msg.h, 1035	cfe_evs_events.h, 997
CFE_EVS_CLEAR_LOG_CC	CFE_EVS_ENAPORT_EID
cfe_evs_msg.h, 1012	cfe_evs_events.h, 997
CFE_EVS_CMD_MID	CFE_EVS_ERR_APPNOREGS_EID
cpu1_msgids.h, 728	cfe_evs_events.h, 997
CFE_EVS_CRITICAL_BIT	CFE_EVS_ERR_CC_EID
cfe_evs_msg.h, 1013	cfe_evs_events.h, 998
CFE_EVS_ClearLogCmd_t	CFE_EVS_ERR_CRDATFILE_EID
cfe_evs_msg.h, 1035	cfe_evs_events.h, 998
CFE_EVS_DEBUG_BIT	CFE_EVS_ERR_CRLOGFILE_EID
cfe_evs_msg.h, 1013	cfe_evs_events.h, 998
CFE_EVS_DELETE_EVENT_FILTER_CC	CFE_EVS_ERR_EVTIDNOREGS_EID
cfe_evs_msg.h, 1013	cfe_evs_events.h, 999
CFE_EVS_DELFILTER_EID	CFE_EVS_ERR_ILLAPPIDRANGE_EID
cfe_evs_events.h, 994	cfe_evs_events.h, 999
CFE_EVS_DISABLE_APP_EVENT_TYPE_CC	CFE_EVS_ERR_ILLEGALFMTMOD_EID
cfe_evs_msg.h, 1014	cfe_evs_events.h, 999
CFE EVS DISABLE APP EVENTS CC	CFF EVS ERR INVALID BITMASK FID

cfe_evs_events.h, 1000	cfe_evs_api_typedefs.h, 859
CFE_EVS_ERR_LOGMODE_EID	CFE_EVS_FIRST_4_STOP
cfe_evs_events.h, 1000	cfe_evs_api_typedefs.h, 859
CFE_EVS_ERR_MAXREGSFILTER_EID	CFE_EVS_FIRST_64_STOP
cfe_evs_events.h, 1000	cfe_evs_api_typedefs.h, 860
CFE_EVS_ERR_MSGID_EID	CFE_EVS_FIRST_8_STOP
cfe_evs_events.h, 1001	cfe_evs_api_typedefs.h, 860
CFE_EVS_ERR_NOAPPIDFOUND_EID	CFE_EVS_FIRST_ONE_STOP
cfe_evs_events.h, 1001	cfe_evs_api_typedefs.h, 860
CFE_EVS_ERR_UNREGISTERED_EVS_APP	CFE_EVS_FIRST_TWO_STOP
cfe_evs_events.h, 1001	cfe_evs_api_typedefs.h, 860
CFE_EVS_ERR_WRDATFILE_EID	CFE_EVS_HK_TLM_MID
cfe_evs_events.h, 1002	cpu1_msgids.h, 728
CFE_EVS_ERR_WRLOGFILE_EID	CFE_EVS_HousekeepingTlm, 562
cfe_evs_events.h, 1002	Payload, 563
CFE_EVS_ERROR_BIT	TelemetryHeader, 563
cfe_evs_msg.h, 1022	CFE_EVS_HousekeepingTlm_Payload, 563
CFE_EVS_EVERY_FOURTH_ONE	AppData, 564
cfe_evs_api_typedefs.h, 859	CommandCounter, 565
CFE_EVS_EVERY_OTHER_ONE	CommandErrorCounter, 565
cfe_evs_api_typedefs.h, 859	LogEnabled, 565
CFE_EVS_EVERY_OTHER_TWO	LogFullFlag, 565
cfe_evs_api_typedefs.h, 859	LogMode, 566
CFE_EVS_EVT_FILTERED_EID	LogOverflowCounter, 566
cfe_evs_events.h, 1002	MessageFormatMode, 566
CFE_EVS_EVT_NOT_REGISTERED	MessageSendCounter, 566
cFE Return Code Defines, 139	MessageTruncCounter, 567
CFE_EVS_EnableAppEventTypeCmd_t	OutputPort, 567
cfe_evs_msg.h, 1037	Spare1, 567
CFE_EVS_EnableAppEventsCmd_t	Spare2, 567
cfe_evs_msg.h, 1036	Spare3, 568
CFE_EVS_EnableEventTypeCmd_t	UnregisteredAppCounter, 568
cfe_evs_msg.h, 1037	CFE_EVS_HousekeepingTlm_Payload_t
CFE_EVS_EnablePortsCmd_t	cfe_evs_msg.h, 1037
cfe_evs_msg.h, 1037 CFE_EVS_EventFilter	CFE_EVS_HousekeepingTlm_t
cfe_evs_extern_typedefs.h, 863	cfe_evs_msg.h, 1037
CFE EVS EventFilter Enum t	CFE_EVS_INFORMATION_BIT
cfe_evs_extern_typedefs.h, 862	cfe_evs_msg.h, 1023 CFE_EVS_INVALID_PARAMETER
CFE_EVS_EventOutput	cFE Return Code Defines, 140
cfe_evs_extern_typedefs.h, 863	CFE_EVS_LEN_ERR_EID
CFE_EVS_EventOutput_Enum_t	cfe_evs_events.h, 1003
cfe_evs_extern_typedefs.h, 862	CFE EVS LOGMODE EID
CFE_EVS_EventType	cfe_evs_events.h, 1003
cfe_evs_extern_typedefs.h, 865	CFE_EVS_LONG_EVENT_MSG_MID
CFE_EVS_EventType_Enum_t	cpu1_msgids.h, 728
cfe_evs_extern_typedefs.h, 862	CFE_EVS_LogFileCmd_Payload, 568
CFE_EVS_FILE_WRITE_ERROR	LogFilename, 569
cFE Return Code Defines, 139	CFE_EVS_LogFileCmd_Payload_t
CFE_EVS_FILTER_MAX_EID	cfe_evs_msg.h, 1037
cfe_evs_events.h, 1003	CFE_EVS_LogMode
CFE_EVS_FIRST_16_STOP	cfe_evs_extern_typedefs.h, 865
cfe_evs_api_typedefs.h, 859	CFE_EVS_LogMode_Enum_t
CFE EVS FIRST 32 STOP	cfe evs extern typedefs.h, 862
5. L L V O I II (O I OL O I O I	OID OVE CALOTTI LYPOUDISTIT OUL

CFE_EVS_LongEventTlm, 569	CFE_EVS_RESET_FILTER_CC
Payload, 570	cfe_evs_msg.h, 1027
TelemetryHeader, 570	CFE EVS RSTALLFILTER EID
CFE_EVS_LongEventTIm_Payload, 570	cfe_evs_events.h, 1004
Message, 571	CFE EVS RSTCNT EID
PacketID, 571	cfe evs events.h, 1004
Spare1, 571	CFE_EVS_RSTEVTCNT_EID
Spare2, 571	cfe_evs_events.h, 1005
CFE_EVS_LongEventTlm_Payload_t	CFE EVS RSTFILTER EID
cfe_evs_msg.h, 1038	cfe_evs_events.h, 1005
CFE_EVS_LongEventTlm_t	CFE_EVS_Register
cfe_evs_msg.h, 1038	cFE Registration APIs, 218
CFE_EVS_MsgFormat	CFE_EVS_ResetAllFilters
cfe_evs_extern_typedefs.h, 865	cFE Reset Event Filter APIs, 225
CFE_EVS_MsgFormat_Enum_t	CFE_EVS_ResetAllFiltersCmd_t
cfe_evs_extern_typedefs.h, 863	cfe_evs_msg.h, 1038
CFE EVS NO FILTER	CFE_EVS_ResetAppCounterCmd_t
cfe_evs_api_typedefs.h, 860	cfe_evs_msg.h, 1038
CFE_EVS_NOOP_CC	CFE_EVS_ResetCountersCmd_t
cfe_evs_msg.h, 1023	cfe_evs_msg.h, 1039
CFE_EVS_NOOP_EID	CFE_EVS_ResetFilter
	cFE Reset Event Filter APIs, 225
cfe_evs_events.h, 1004	
CFE_EVS_NOT_IMPLEMENTED	CFE_EVS_ResetFilterCmd_t
cFE Return Code Defines, 140	cfe_evs_msg.h, 1039
CFE_EVS_NoArgsCmd, 572	CFE_EVS_SEND_HK_MID
CommandHeader, 572	cpu1_msgids.h, 729
CFE_EVS_NoArgsCmd_t	CFE_EVS_SET_EVENT_FORMAT_MODE_CC
cfe_evs_msg.h, 1038	cfe_evs_msg.h, 1028
CFE_EVS_NoopCmd_t	CFE_EVS_SET_FILTER_CC
cfe_evs_msg.h, 1038	cfe_evs_msg.h, 1029
CFE_EVS_PORT1_BIT	CFE_EVS_SET_LOG_MODE_CC
cfe_evs_msg.h, 1023	cfe_evs_msg.h, 1030
CFE_EVS_PORT2_BIT	CFE_EVS_SETEVTFMTMOD_EID
cfe_evs_msg.h, 1024	cfe_evs_events.h, 1005
CFE_EVS_PORT3_BIT	CFE_EVS_SETFILTERMSK_EID
cfe_evs_msg.h, 1024	cfe_evs_events.h, 1006
CFE_EVS_PORT4_BIT	CFE_EVS_SHORT_EVENT_MSG_MID
cfe_evs_msg.h, 1024	cpu1_msgids.h, 729
CFE_EVS_PacketID_t	CFE_EVS_SQUELCHED_ERR_EID
cfe_evs_msg.h, 1038	cfe_evs_events.h, 1006
CFE_EVS_PacketID, 572	CFE_EVS_STARTUP_EID
AppName, 573	cfe_evs_events.h, 1006
EventID, 573	CFE_EVS_Send
EventType, 573	cfe_evs.h, 856
ProcessorID, 573	CFE_EVS_SendCrit
SpacecraftID, 574	cfe_evs.h, 857
CFE_EVS_RESET_ALL_FILTERS_CC	CFE_EVS_SendDbg
cfe_evs_msg.h, 1024	cfe_evs.h, 857
CFE_EVS_RESET_APP_COUNTER_CC	CFE_EVS_SendErr
cfe_evs_msg.h, 1025	 cfe_evs.h, 857
CFE_EVS_RESET_AREA_POINTER	CFE_EVS_SendEvent
cFE Return Code Defines, 140	cFE Send Event APIs, 220
CFE_EVS_RESET_COUNTERS_CC	CFE_EVS_SendEventWithAppID
cfe evs msg.h, 1026	cFE Send Event APIs, 221

CFE_EVS_SendInfo	cfe_evs_msg.h, 1040
cfe_evs.h, 857	CFE_EXECUTIVE_SERVICE
CFE_EVS_SendTimedEvent	cfe_error.h, 830
cFE Send Event APIs, 223	CFE_FILE_SERVICE
CFE_EVS_SetEventFormatCode_Payload, 574	cfe_error.h, 830
MsgFormat, 575	CFE_FS_BAD_ARGUMENT
Spare, 575	cFE Return Code Defines, 141
CFE_EVS_SetEventFormatMode_Payload_t	CFE_FS_BackgroundFileDumpIsPending
cfe_evs_msg.h, 1039	cFE File Utility APIs, 232
CFE_EVS_SetEventFormatModeCmd, 575	CFE_FS_BackgroundFileDumpRequest
CommandHeader, 576	cFE File Utility APIs, 233
Payload, 576	CFE FS ExtractFilenameFromPath
CFE_EVS_SetEventFormatModeCmd_t	cFE File Utility APIs, 233
cfe_evs_msg.h, 1039	CFE_FS_FILE_CONTENT_ID
CFE_EVS_SetFilterCmd_t	cfe_fs_extern_typedefs.h, 871
cfe_evs_msg.h, 1039	CFE_FS_FNAME_TOO_LONG
CFE_EVS_SetLogMode_Payload, 576	cFE Return Code Defines, 141
LogMode, 577	CFE_FS_FileCategory_t
Spare, 577	cfe_fs_api_typedefs.h, 869
CFE_EVS_SetLogMode_Payload_t	CFE FS FileWriteEvent t
cfe evs msg.h, 1039	cfe_fs_api_typedefs.h, 870
CFE_EVS_SetLogModeCmd, 577	CFE_FS_FileWriteGetData_t
CommandHeader, 578	cfe_fs_api_typedefs.h, 868
Payload, 578	CFE_FS_FileWriteMetaData, 582
CFE_EVS_SetLogModeCmd_t	Description, 582
cfe_evs_msg.h, 1040	FileName, 582
CFE_EVS_ShortEventTlm, 578	FileSubType, 583
Payload, 578	GetData, 583
•	
TelemetryHeader, 579	IsPending, 583
CFE_EVS_ShortEventTlm_Payload, 579	OnEvent, 583
PacketID, 579	CFE_FS_FileWriteMetaData_t
CFE_EVS_ShortEventTIm_Payload_t	cfe_fs_api_typedefs.h, 868
cfe_evs_msg.h, 1040	CFE_FS_FileWriteOnEvent_t
CFE_EVS_ShortEventTlm_t	cfe_fs_api_typedefs.h, 868
cfe_evs_msg.h, 1040	CFE_FS_GetDefaultExtension
CFE_EVS_UNKNOWN_FILTER	cFE File Utility APIs, 234
cFE Return Code Defines, 140	CFE_FS_GetDefaultMountPoint
CFE_EVS_WRDAT_EID	cFE File Utility APIs, 235
cfe_evs_events.h, 1007	CFE_FS_HDR_DESC_MAX_LEN
CFE_EVS_WRITE_APP_DATA_FILE_CC	cfe_fs_extern_typedefs.h, 871
cfe_evs_msg.h, 1031	CFE_FS_Header, 584
CFE_EVS_WRITE_LOG_DATA_FILE_CC	ApplicationID, 584
cfe_evs_msg.h, 1032	ContentType, 584
CFE_EVS_WRLOG_EID	Description, 585
cfe_evs_events.h, 1007	Length, 585
CFE_EVS_WriteAppDataFileCmd, 580	ProcessorID, 585
CommandHeader, 580	SpacecraftID, 585
Payload, 580	SubType, 585
CFE_EVS_WriteAppDataFileCmd_t	TimeSeconds, 586
cfe_evs_msg.h, 1040	TimeSubSeconds, 586
CFE_EVS_WriteLogDataFileCmd, 581	CFE_FS_Header_t
CommandHeader, 581	cfe_fs_extern_typedefs.h, 871
Payload, 581	CFE_FS_INVALID_PATH
CFF_FVS_WriteLogDataFileCmd_t	cFF Return Code Defines, 141

CFE_FS_InitHeader	CFE_MISSION_ES_PERF_MAX_IDS
cFE File Header Management APIs, 227	sample_mission_cfg.h, 796
CFE_FS_NOT_IMPLEMENTED	CFE_MISSION_ES_POOL_MAX_BUCKETS
cFE Return Code Defines, 141	sample_mission_cfg.h, 797
CFE_FS_ParseInputFileName	CFE_MISSION_ES_SEND_HK_MSG
cFE File Utility APIs, 235	sample_mission_cfg.h, 797
CFE_FS_ParseInputFileNameEx	CFE_MISSION_EVS_CMD_MSG
cFE File Utility APIs, 236	sample_mission_cfg.h, 798
CFE_FS_ReadHeader	CFE_MISSION_EVS_HK_TLM_MSG
cFE File Header Management APIs, 227	sample_mission_cfg.h, 798
CFE_FS_SetTimestamp	CFE_MISSION_EVS_LONG_EVENT_MSG_MSG
cFE File Header Management APIs, 228	sample_mission_cfg.h, 798
CFE_FS_SubType	CFE_MISSION_EVS_MAIN_PERF_ID
cfe_fs_extern_typedefs.h, 872	sample_perfids.h, 813
CFE_FS_SubType_Enum_t	CFE_MISSION_EVS_MAX_MESSAGE_LENGTH
cfe_fs_extern_typedefs.h, 871	sample_mission_cfg.h, 798
CFE_FS_WriteHeader	CFE_MISSION_EVS_SEND_HK_MSG
cFE File Header Management APIs, 229	sample_mission_cfg.h, 799
CFE_GENERIC_SERVICE	CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG
cfe_error.h, 830	sample_mission_cfg.h, 799
CFE_MAJOR_VERSION	CFE_MISSION_MAX_API_LEN
cfe_version.h, 922	sample_mission_cfg.h, 799
CFE_MAKE_BIG16	CFE_MISSION_MAX_FILE_LEN
cfe_endian.h, 823	sample_mission_cfg.h, 799
CFE_MAKE_BIG32	CFE_MISSION_MAX_PATH_LEN
cfe_endian.h, 823	sample_mission_cfg.h, 800
CFE_MINOR_VERSION	CFE_MISSION_REV
cfe_version.h, 922	cfe_version.h, 922
CFE_MISSION_ES_APP_TLM_MSG	CFE_MISSION_SB_ALLSUBS_TLM_MSG
sample_mission_cfg.h, 793	sample_mission_cfg.h, 800
CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN	CFE_MISSION_SB_CMD_MSG
sample_mission_cfg.h, 793	sample_mission_cfg.h, 801
CFE_MISSION_ES_CDS_MAX_NAME_LENGTH	CFE_MISSION_SB_HK_TLM_MSG
sample_mission_cfg.h, 794 CFE_MISSION_ES_CMD_MSG	sample_mission_cfg.h, 801 CFE_MISSION_SB_MAIN_PERF_ID
sample_mission_cfg.h, 794	sample_perfids.h, 813
CFE_MISSION_ES_CRC_16	CFE_MISSION_SB_MAX_PIPES
sample_mission_cfg.h, 795	sample_mission_cfg.h, 801
CFE_MISSION_ES_CRC_32	CFE_MISSION_SB_MAX_SB_MSG_SIZE
sample_mission_cfg.h, 795	sample_mission_cfg.h, 801
CFE_MISSION_ES_CRC_8	CFE_MISSION_SB_MSG_LIM_PERF_ID
sample_mission_cfg.h, 795	sample_perfids.h, 813
CFE MISSION ES DEFAULT CRC	CFE_MISSION_SB_ONESUB_TLM_MSG
sample_mission_cfg.h, 795	sample_mission_cfg.h, 802
CFE_MISSION_ES_HK_TLM_MSG	CFE_MISSION_SB_PIPE_OFLOW_PERF_ID
sample mission cfg.h, 795	sample_perfids.h, 814
CFE MISSION ES MAIN PERF ID	CFE_MISSION_SB_SEND_HK_MSG
sample_perfids.h, 813	sample_mission_cfg.h, 802
CFE_MISSION_ES_MAX_APPLICATIONS	CFE_MISSION_SB_STATS_TLM_MSG
sample_mission_cfg.h, 796	sample_mission_cfg.h, 802
CFE_MISSION_ES_MEMSTATS_TLM_MSG	CFE_MISSION_SB_SUB_RPT_CTRL_MSG
sample_mission_cfg.h, 796	sample_mission_cfg.h, 802
CFE_MISSION_ES_PERF_EXIT_BIT	CFE_MISSION_TBL_CMD_MSG
sample_perfids.h, 813	sample_mission_cfg.h, 803

CFE_MISSION_TBL_HK_TLM_MSG	CFE_MISSION_TIME_EPOCH_MINUTE
sample_mission_cfg.h, 803	sample_mission_cfg.h, 809
CFE_MISSION_TBL_MAIN_PERF_ID	CFE_MISSION_TIME_EPOCH_SECOND
sample_perfids.h, 814	sample_mission_cfg.h, 809
CFE_MISSION_TBL_MAX_FULL_NAME_LEN	CFE_MISSION_TIME_EPOCH_YEAR
sample_mission_cfg.h, 803	sample_mission_cfg.h, 809
CFE_MISSION_TBL_MAX_NAME_LENGTH	CFE_MISSION_TIME_FS_FACTOR
sample_mission_cfg.h, 803	sample_mission_cfg.h, 810
CFE_MISSION_TBL_REG_TLM_MSG	CFE MISSION TIME HK TLM MSG
sample_mission_cfg.h, 804	sample_mission_cfg.h, 810
CFE_MISSION_TBL_SEND_HK_MSG	CFE MISSION TIME LOCAL1HZISR PERF ID
sample_mission_cfg.h, 804	sample_perfids.h, 814
CFE_MISSION_TEST_CMD_MSG	CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID
sample_mission_cfg.h, 804	sample_perfids.h, 814
CFE_MISSION_TEST_HK_TLM_MSG	CFE_MISSION_TIME_MAIN_PERF_ID
sample_mission_cfg.h, 804	sample_perfids.h, 814
CFE MISSION TIME 1HZ CMD MSG	CFE_MISSION_TIME_MAX_ELAPSED
sample_mission_cfg.h, 805	sample_mission_cfg.h, 811
CFE_MISSION_TIME_AT_TONE_WAS	CFE_MISSION_TIME_MIN_ELAPSED
sample_mission_cfg.h, 805	sample_mission_cfg.h, 811
CFE_MISSION_TIME_AT_TONE_WILL_BE	CFE_MISSION_TIME_SEND_CMD_MSG
sample_mission_cfg.h, 805	sample_mission_cfg.h, 811
CFE_MISSION_TIME_CFG_DEFAULT_TAI	CFE_MISSION_TIME_SEND_HK_MSG
sample_mission_cfg.h, 805	sample_mission_cfg.h, 811
CFE_MISSION_TIME_CFG_DEFAULT_UTC	CFE_MISSION_TIME_SENDMET_PERF_ID
sample_mission_cfg.h, 806	sample_perfids.h, 815
CFE_MISSION_TIME_CFG_FAKE_TONE	CFE_MISSION_TIME_TONE1HZISR_PERF_ID
sample_mission_cfg.h, 806	sample_perfids.h, 815
CFE_MISSION_TIME_CMD_MSG	CFE_MISSION_TIME_TONE1HZTASK_PERF_ID
sample_mission_cfg.h, 806	sample_perfids.h, 815
CFE_MISSION_TIME_DATA_CMD_MSG	CFE_MISSION_TIME_TONE_CMD_MSG
sample_mission_cfg.h, 807	sample_mission_cfg.h, 812
CFE_MISSION_TIME_DEF_DELAY_SECS	CFE_MSG_ApId_t
sample_mission_cfg.h, 807	cfe_msg_api_typedefs.h, 877
CFE_MISSION_TIME_DEF_DELAY_SUBS	CFE_MSG_BAD_ARGUMENT
sample_mission_cfg.h, 807	cfe_msg_api_typedefs.h, 877
CFE_MISSION_TIME_DEF_LEAPS	CFE_MSG_Checksum_t
sample_mission_cfg.h, 807	cfe_msg_api_typedefs.h, 878
CFE_MISSION_TIME_DEF_MET_SECS	CFE_MSG_CommandHeader_t
sample_mission_cfg.h, 807	cfe_msg_api_typedefs.h, 878
CFE_MISSION_TIME_DEF_MET_SUBS	CFE MSG EDSVersion t
sample mission cfg.h, 808	cfe_msg_api_typedefs.h, 878
CFE_MISSION_TIME_DEF_STCF_SECS	CFE MSG Endian
sample_mission_cfg.h, 808	cfe_msg_api_typedefs.h, 880
CFE_MISSION_TIME_DEF_STCF_SUBS	CFE_MSG_Endian_t
sample_mission_cfg.h, 808	cfe_msg_api_typedefs.h, 878
CFE_MISSION_TIME_DIAG_TLM_MSG	CFE_MSG_FcnCode_t
sample_mission_cfg.h, 808	cfe_msg_api_typedefs.h, 878
CFE_MISSION_TIME_EPOCH_DAY	CFE_MSG_GenerateChecksum
sample_mission_cfg.h, 809	cFE Message Secondary Header APIs, 256
CFE_MISSION_TIME_EPOCH_HOUR	CFE_MSG_GetApId
sample_mission_cfg.h, 809	cFE Message Primary Header APIs, 239
CFE_MISSION_TIME_EPOCH_MICROS	CFE_MSG_GetEDSVersion
sample_mission_cfg.h, 809	cFE Message Extended Header APIs, 249

CFE_MSG_GetEndian	CFE_MSG_SetFcnCode
cFE Message Extended Header APIs, 250	cFE Message Secondary Header APIs, 258
CFE_MSG_GetFcnCode	CFE_MSG_SetHasSecondaryHeader
cFE Message Secondary Header APIs, 257	cFE Message Primary Header APIs, 245
CFE_MSG_GetHasSecondaryHeader	CFE_MSG_SetHeaderVersion
cFE Message Primary Header APIs, 240	cFE Message Primary Header APIs, 245
CFE_MSG_GetHeaderVersion	CFE_MSG_SetMsgld
cFE Message Primary Header APIs, 241	cFE Message Id APIs, 263
CFE_MSG_GetMsgld	CFE_MSG_SetMsgTime
cFE Message Id APIs, 262	cFE Message Secondary Header APIs, 260
CFE_MSG_GetMsgTime	CFE MSG SetPlaybackFlag
cFE Message Secondary Header APIs, 257	cFE Message Extended Header APIs, 254
CFE_MSG_GetNextSequenceCount	CFE_MSG_SetSegmentationFlag
cFE Message Primary Header APIs, 241	cFE Message Primary Header APIs, 246
CFE_MSG_GetPlaybackFlag	CFE_MSG_SetSequenceCount
cFE Message Extended Header APIs, 250	cFE Message Primary Header APIs, 247
CFE_MSG_GetSegmentationFlag	CFE_MSG_SetSize
cFE Message Primary Header APIs, 242	cFE Message Primary Header APIs, 247
CFE_MSG_GetSequenceCount	CFE_MSG_SetSubsystem
cFE Message Primary Header APIs, 242	
CFE_MSG_GetSize	cFE Message Extended Header APIs, 254 CFE_MSG_SetSystem
cFE Message Primary Header APIs, 243	cFE Message Extended Header APIs, 255
	-
CFE_MSG_GetSubsystem	CFE_MSG_SetType
cFE Message Extended Header APIs, 251	cFE Message Primary Header APIs, 248
CFE_MSG_GetSystem	CFE_MSG_Size_t
cFE Message Extended Header APIs, 252	cfe_msg_api_typedefs.h, 880
CFE_MSG_GetType	CFE_MSG_Subsystem_t
cFE Message Primary Header APIs, 244	cfe_msg_api_typedefs.h, 880
CFE_MSG_GetTypeFromMsgld	CFE_MSG_System_t
cFE Message Id APIs, 262	cfe_msg_api_typedefs.h, 880
CFE_MSG_HeaderVersion_t	CFE_MSG_TelemetryHeader_t
cfe_msg_api_typedefs.h, 879	cfe_msg_api_typedefs.h, 880
CFE_MSG_Init	CFE_MSG_Type
cFE Generic Message APIs, 238	cfe_msg_api_typedefs.h, 881
CFE_MSG_Message_t	CFE_MSG_Type_t
cfe_msg_api_typedefs.h, 879	cfe_msg_api_typedefs.h, 880
CFE_MSG_NOT_IMPLEMENTED	CFE_MSG_ValidateChecksum
cfe_msg_api_typedefs.h, 877	cFE Message Secondary Header APIs, 261
CFE_MSG_PlaybackFlag	CFE_MSG_WRONG_MSG_TYPE
cfe_msg_api_typedefs.h, 881	cfe_msg_api_typedefs.h, 877
CFE_MSG_PlaybackFlag_t	CFE_PLATFORM_CMD_MID_BASE_GLOB
cfe_msg_api_typedefs.h, 879	cpu1_msgids.h, 729
CFE_MSG_SegmentationFlag	CFE_PLATFORM_CMD_MID_BASE
cfe_msg_api_typedefs.h, 881	cpu1_msgids.h, 729
CFE_MSG_SegmentationFlag_t	CFE_PLATFORM_CORE_MAX_STARTUP_MSEC
cfe_msg_api_typedefs.h, 879	cpu1_platform_cfg.h, 737
CFE_MSG_SequenceCount_t	CFE_PLATFORM_ENDIAN
cfe_msg_api_typedefs.h, 879	cpu1_platform_cfg.h, 738
CFE_MSG_SetApId	CFE_PLATFORM_ES_APP_KILL_TIMEOUT
cFE Message Primary Header APIs, 244	cpu1_platform_cfg.h, 738
CFE_MSG_SetEDSVersion	CFE_PLATFORM_ES_APP_SCAN_RATE
cFE Message Extended Header APIs, 252	cpu1_platform_cfg.h, 739
CFE_MSG_SetEndian	CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE
cFE Message Extended Header APIs, 253	cpu1 platform cfg.h, 739

CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES cpu1_platform_cfg.h, 746 cpu1 platform cfg.h, 740 CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01 cpu1 platform cfg.h, 747 cpu1_platform_cfg.h, 740 CFE_PLATFORM_ES_ER_LOG_ENTRIES CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02 cpu1 platform cfg.h, 747 cpu1 platform cfg.h, 740 CFE PLATFORM ES ER LOG MAX CONTEXT SIZE CFE PLATFORM ES CDS MEM BLOCK SIZE 03 cpu1 platform cfg.h, 748 cpu1 platform cfg.h, 741 CFE_PLATFORM_ES_MAX_APPLICATIONS CFE PLATFORM ES CDS MEM BLOCK SIZE 04 cpu1_platform_cfg.h, 748 cpu1_platform_cfg.h, 741 CFE PLATFORM ES MAX BLOCK SIZE CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05 cpu1 platform cfg.h, 748 cpu1 platform cfg.h, 741 CFE PLATFORM ES MAX GEN COUNTERS CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06 cpu1_platform_cfg.h, 749 cpu1 platform cfg.h, 741 CFE PLATFORM ES MAX LIBRARIES CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07 cpu1 platform cfg.h, 749 cpu1 platform cfg.h, 741 CFE_PLATFORM_ES_MAX_MEMORY_POOLS CFE PLATFORM ES CDS MEM BLOCK SIZE 08 cpu1 platform cfg.h, 749 cpu1_platform_cfg.h, 741 CFE PLATFORM ES MAX PROCESSOR RESETS CFE PLATFORM ES CDS MEM BLOCK SIZE 09 cpu1 platform cfg.h, 750 cpu1_platform_cfg.h, 742 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10 cpu1_platform_cfg.h, 750 cpu1 platform cfg.h, 742 CFE PLATFORM ES MEM BLOCK SIZE 02 CFE PLATFORM ES CDS MEM BLOCK SIZE 11 cpu1 platform cfg.h, 751 cpu1 platform cfg.h, 742 CFE PLATFORM ES MEM BLOCK SIZE 03 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12 cpu1_platform_cfg.h, 751 cpu1 platform cfg.h, 742 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 CFE PLATFORM ES CDS MEM BLOCK SIZE 13 cpu1 platform cfg.h, 751 cpu1 platform cfg.h, 742 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14 cpu1 platform cfg.h, 751 cpu1_platform_cfg.h, 742 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 CFE PLATFORM ES CDS MEM BLOCK SIZE 15 cpu1 platform cfg.h, 752 cpu1 platform cfg.h, 743 CFE PLATFORM ES MEM BLOCK SIZE 07 CFE PLATFORM ES CDS MEM BLOCK SIZE 16 cpu1_platform_cfg.h, 752 cpu1 platform cfg.h, 743 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 CFE_PLATFORM_ES_CDS_SIZE cpu1 platform cfg.h, 752 cpu1_platform_cfg.h, 743 CFE PLATFORM ES MEM BLOCK SIZE 09 CFE PLATFORM ES DEFAULT APP LOG FILE cpu1_platform_cfg.h, 752 cpu1 platform cfg.h, 743 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_← cpu1 platform cfg.h, 752 **FILE** CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 cpu1_platform_cfg.h, 744 cpu1 platform cfg.h, 752 CFE PLATFORM ES DEFAULT ER LOG FILE CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 cpu1 platform cfg.h, 744 cpu1 platform cfg.h, 753 CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILE ← CFE PLATFORM ES MEM BLOCK SIZE 13 NAME cpu1_platform_cfg.h, 753 cpu1_platform_cfg.h, 744 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14 CFE PLATFORM ES DEFAULT POR SYSLOG MO← cpu1_platform_cfg.h, 753 CFE PLATFORM ES MEM BLOCK SIZE 15 cpu1 platform cfg.h, 745 cpu1_platform_cfg.h, 753 CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE CFE PLATFORM ES MEM BLOCK SIZE 16 cpu1_platform_cfg.h, 745 cpu1_platform_cfg.h, 753 CFE PLATFORM ES DEFAULT STACK SIZE CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN cpu1 platform cfg.h, 746 CFE PLATFORM ES DEFAULT SYSLOG FILE cpu1 platform cfg.h, 753

CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRI← cpu1_platform_cfg.h, 763 NG CFE PLATFORM ES VOLATILE STARTUP FILE cpu1 platform cfg.h, 754 cpu1 platform cfg.h, 764 CFE_PLATFORM_ES_NONVOL_STARTUP_FILE CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC cpu1_platform_cfg.h, 754 cpu1_platform_cfg.h, 764 CFE_PLATFORM_ES_OBJECT_TABLE_SIZE CFE PLATFORM EVS DEFAULT APP DATA FILE cpu1 platform cfg.h, 754 cpu1 platform cfg.h, 765 CFE PLATFORM ES PERF CHILD MS DELAY CFE PLATFORM EVS DEFAULT LOG FILE cpu1 platform cfg.h, 755 cpu1 platform cfg.h, 765 CFE PLATFORM_EVS_DEFAULT_LOG_MODE CFE_PLATFORM_ES_PERF_CHILD_PRIORITY cpu1_platform_cfg.h, 755 cpu1_platform_cfg.h, 765 CFE PLATFORM ES PERF CHILD STACK SIZE CFE PLATFORM EVS DEFAULT MSG FORMAT ~ cpu1 platform cfg.h, 755 MODE CFE PLATFORM ES PERF DATA BUFFER SIZE cpu1 platform cfg.h, 766 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG cpu1 platform cfg.h, 756 CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS cpu1 platform cfg.h, 766 cpu1 platform cfg.h, 756 CFE PLATFORM EVS LOG MAX CFE PLATFORM ES PERF FILTMASK ALL cpu1 platform cfg.h, 766 cpu1 platform cfg.h, 756 CFE PLATFORM EVS MAX APP EVENT BURST CFE_PLATFORM_ES_PERF_FILTMASK_INIT cpu1_platform_cfg.h, 767 cpu1 platform cfg.h, 757 CFE_PLATFORM_EVS_MAX_EVENT_FILTERS CFE PLATFORM ES PERF FILTMASK NONE cpu1 platform cfg.h, 767 cpu1 platform cfg.h, 757 CFE PLATFORM EVS PORT DEFAULT CFE PLATFORM ES PERF TRIGMASK ALL cpu1_platform_cfg.h, 767 cpu1_platform_cfg.h, 757 CFE_PLATFORM_EVS_START_TASK_PRIORITY CFE_PLATFORM_ES_PERF_TRIGMASK_INIT cpu1 platform cfg.h, 768 CFE PLATFORM EVS START TASK STACK SIZE cpu1 platform cfg.h, 758 CFE PLATFORM ES PERF TRIGMASK NONE cpu1 platform cfg.h, 768 CFE PLATFORM_SB_BUF_MEMORY_BYTES cpu1 platform cfg.h, 758 CFE_PLATFORM_ES_POOL_MAX_BUCKETS cpu1_platform_cfg.h, 768 cpu1_platform_cfg.h, 758 CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME CFE PLATFORM ES RAM DISK MOUNT STRING cpu1 platform cfg.h, 769 cpu1 platform cfg.h, 759 CFE PLATFORM SB DEFAULT MSG LIMIT CFE PLATFORM ES RAM DISK NUM SECTORS cpu1 platform cfg.h, 769 CFE PLATFORM SB DEFAULT PIPE FILENAME cpu1 platform cfg.h, 759 cpu1 platform cfg.h, 770 $CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESE \leftarrow$ CFE PLATFORM SB DEFAULT ROUTING FILENA← **RVED** cpu1 platform cfg.h, 759 ME CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE cpu1_platform_cfg.h, 770 cpu1 platform cfg.h, 760 CFE PLATFORM SB FILTER MASK1 CFE_PLATFORM_ES_RESET_AREA_SIZE cpu1_platform_cfg.h, 770 cpu1 platform cfg.h, 760 CFE_PLATFORM_SB_FILTER_MASK2 CFE PLATFORM ES START TASK PRIORITY cpu1 platform cfg.h, 771 cpu1 platform cfg.h, 761 CFE PLATFORM SB FILTER MASK3 CFE PLATFORM ES START TASK STACK SIZE cpu1 platform cfg.h, 771 CFE_PLATFORM_SB_FILTER_MASK4 cpu1_platform_cfg.h, 761 CFE PLATFORM ES STARTUP SCRIPT TIMEOUT← cpu1 platform cfg.h, 771 CFE PLATFORM SB FILTER MASK5 MSEC cpu1 platform cfg.h, 771 cpu1 platform cfg.h, 762 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC CFE_PLATFORM_SB_FILTER_MASK6 cpu1_platform_cfg.h, 762 cpu1_platform_cfg.h, 771 CFE PLATFORM ES SYSTEM LOG SIZE CFE PLATFORM SB FILTER MASK7 cpu1 platform cfg.h, 763 cpu1 platform cfg.h, 771 CFE PLATFORM ES USER RESERVED SIZE CFE PLATFORM SB FILTER MASK8

cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 778
CFE_PLATFORM_SB_FILTERED_EVENT1 cpu1_platform_cfg.h, 772	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 cpu1_platform_cfg.h, 778
CFE_PLATFORM_SB_FILTERED_EVENT2	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16
cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 778
CFE_PLATFORM_SB_FILTERED_EVENT3	CFE_PLATFORM_SB_START_TASK_PRIORITY
cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 778
CFE_PLATFORM_SB_FILTERED_EVENT4	CFE_PLATFORM_SB_START_TASK_STACK_SIZE
cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 778
CFE_PLATFORM_SB_FILTERED_EVENT5	CFE_PLATFORM_TBL_BUF_MEMORY_BYTES
cpu1_platform_cfg.h, 773	cpu1_platform_cfg.h, 779
CFE_PLATFORM_SB_FILTERED_EVENT6	CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE
cpu1_platform_cfg.h, 773	cpu1_platform_cfg.h, 779
CFE_PLATFORM_SB_FILTERED_EVENT7	CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES
cpu1_platform_cfg.h, 773	cpu1_platform_cfg.h, 779
CFE_PLATFORM_SB_FILTERED_EVENT8	CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE
cpu1_platform_cfg.h, 773	cpu1_platform_cfg.h, 780
CFE_PLATFORM_SB_HIGHEST_VALID_MSGID	CFE_PLATFORM_TBL_MAX_NUM_HANDLES
cpu1_platform_cfg.h, 773	cpu1_platform_cfg.h, 780
CFE_PLATFORM_SB_MAX_BLOCK_SIZE	CFE_PLATFORM_TBL_MAX_NUM_TABLES
cpu1_platform_cfg.h, 774	cpu1_platform_cfg.h, 780
CFE_PLATFORM_SB_MAX_DEST_PER_PKT	CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS
cpu1_platform_cfg.h, 774	cpu1_platform_cfg.h, 781
CFE_PLATFORM_SB_MAX_MSG_IDS	CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS
cpu1_platform_cfg.h, 774	cpu1_platform_cfg.h, 781
CFE_PLATFORM_SB_MAX_PIPES	CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE
cpu1_platform_cfg.h, 775	cpu1_platform_cfg.h, 781
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01	CFE_PLATFORM_TBL_START_TASK_PRIORITY
cpu1_platform_cfg.h, 775	cpu1_platform_cfg.h, 782
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02	CFE_PLATFORM_TBL_START_TASK_STACK_SIZE
cpu1_platform_cfg.h, 776	cpu1_platform_cfg.h, 782
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03	CFE_PLATFORM_TBL_U32FROM4CHARS
cpu1_platform_cfg.h, 776	cpu1_platform_cfg.h, 782
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04	CFE_PLATFORM_TBL_VALID_PRID_1
cpu1_platform_cfg.h, 776	cpu1_platform_cfg.h, 783
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05	CFE_PLATFORM_TBL_VALID_PRID_2
cpu1_platform_cfg.h, 776	cpu1_platform_cfg.h, 783
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06	CFE_PLATFORM_TBL_VALID_PRID_3
cpu1_platform_cfg.h, 776 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07	cpu1_platform_cfg.h, 783 CFE_PLATFORM_TBL_VALID_PRID_4
cpu1_platform_cfg.h, 777	cpu1_platform_cfg.h, 783
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08	CFE_PLATFORM_TBL_VALID_PRID_COUNT
cpu1_platform_cfg.h, 777	cpu1_platform_cfg.h, 784
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09	CFE PLATFORM TBL VALID SCID 1
cpu1_platform_cfg.h, 777	cpu1_platform_cfg.h, 784
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10	CFE_PLATFORM_TBL_VALID_SCID_2
cpu1_platform_cfg.h, 777	cpu1_platform_cfg.h, 784
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11	CFE_PLATFORM_TBL_VALID_SCID_COUNT
cpu1_platform_cfg.h, 777	cpu1_platform_cfg.h, 785
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12	CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY
cpu1_platform_cfg.h, 777	cpu1_platform_cfg.h, 785
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13	CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE
cpu1_platform_cfg.h, 778	cpu1_platform_cfg.h, 785
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14	CFE_PLATFORM_TIME_CFG_CLIENT

cpu1_platform_cfg.h, 785	cfe_psp.h, 1231
CFE_PLATFORM_TIME_CFG_LATCH_FLY	CFE_PSP_EepromWrite16
cpu1_platform_cfg.h, 785	cfe_psp.h, 1231
CFE_PLATFORM_TIME_CFG_SERVER	CFE_PSP_EepromWrite32
cpu1_platform_cfg.h, 786	cfe_psp.h, 1232
CFE_PLATFORM_TIME_CFG_SIGNAL	CFE_PSP_EepromWrite8
cpu1_platform_cfg.h, 786	cfe_psp.h, 1232
CFE_PLATFORM_TIME_CFG_SOURCE	CFE_PSP_EepromWriteDisable
cpu1_platform_cfg.h, 786 CFE_PLATFORM_TIME_CFG_SRC_GPS	cfe_psp.h, 1232 CFE_PSP_EepromWriteEnable
cpu1 platform cfg.h, 787	cfe_psp.h, 1232
CFE_PLATFORM_TIME_CFG_SRC_MET	CFE_PSP_Exception_CopyContext
cpu1_platform_cfg.h, 787	cfe_psp.h, 1232
CFE_PLATFORM_TIME_CFG_SRC_TIME	CFE_PSP_Exception_GetCount
cpu1_platform_cfg.h, 787	cfe_psp.h, 1232
CFE_PLATFORM_TIME_CFG_START_FLY	CFE_PSP_Exception_GetSummary
cpu1 platform cfg.h, 788	cfe_psp.h, 1233
CFE_PLATFORM_TIME_CFG_TONE_LIMIT	CFE PSP FlushCaches
cpu1_platform_cfg.h, 788	cfe_psp.h, 1233
CFE_PLATFORM_TIME_CFG_VIRTUAL	CFE PSP Get Dec
cpu1_platform_cfg.h, 788	cfe psp.h, 1233
CFE_PLATFORM_TIME_MAX_DELTA_SECS	CFE_PSP_Get_Timebase
cpu1 platform cfg.h, 789	cfe_psp.h, 1233
CFE PLATFORM TIME MAX DELTA SUBS	CFE_PSP_Get_Timer_Tick
cpu1_platform_cfg.h, 789	
CFE_PLATFORM_TIME_MAX_LOCAL_SECS	CFE_PSP_GetBuildNumber
cpu1_platform_cfg.h, 790	cfe_psp.h, 1234
CFE_PLATFORM_TIME_MAX_LOCAL_SUBS	CFE_PSP_GetCDSSize
cpu1_platform_cfg.h, 790	cfe_psp.h, 1234
CFE_PLATFORM_TIME_START_TASK_PRIORITY	CFE_PSP_GetCFETextSegmentInfo
cpu1_platform_cfg.h, 790	cfe_psp.h, 1234
CFE_PLATFORM_TIME_START_TASK_STACK_SIZE	CFE_PSP_GetKernelTextSegmentInfo
cpu1_platform_cfg.h, 790	cfe_psp.h, 1234
CFE_PLATFORM_TIME_TONE_TASK_PRIORITY	CFE_PSP_GetProcessorId
cpu1_platform_cfg.h, 791	cfe_psp.h, 1235
CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE	CFE_PSP_GetProcessorName
cpu1_platform_cfg.h, 791	cfe_psp.h, 1235
CFE_PLATFORM_TLM_MID_BASE	CFE_PSP_GetResetArea
cpu1_msgids.h, 730	cfe_psp.h, 1235
CFE_PSP_AttachExceptions	CFE_PSP_GetRestartType
cfe_psp.h, 1231	cfe_psp.h, 1235
CFE_PSP_Decompress	CFE_PSP_GetSpacecraftId
cfe_psp.h, 1231	cfe_psp.h, 1235
CFE_PSP_ERROR_ADDRESS_MISALIGNED	CFE_PSP_GetTime
cfe_psp_error.h, 1244	cfe_psp.h, 1235
CFE_PSP_ERROR_NOT_IMPLEMENTED	CFE_PSP_GetTimerLow32Rollover
cfe_psp_error.h, 1244	cfe_psp.h, 1236
CFE_PSP_ERROR_TIMEOUT	CFE_PSP_GetTimerTicksPerSecond
cfe_psp_error.h, 1244 CFE_PSP_ERROR	cfe_psp.h, 1236 CFE_PSP_GetUserReservedArea
cfe_psp_error.h, 1244	cfe_psp.h, 1236
CFE_PSP_EepromPowerDown	CFE_PSP_GetVersionCodeName
cfe_psp.h, 1231	cfe_psp.h, 1236
CFE_PSP_EepromPowerUp	CFE_PSP_GetVersionNumber

cfe_psp.h, 1237	cfe_psp.h, 1238
_ ·	·
CFE_PSP_GetVersionString	CFE_PSP_MemRanges
cfe_psp.h, 1237	cfe_psp.h, 1238
CFE_PSP_GetVolatileDiskMem	CFE_PSP_MemRead16
cfe_psp.h, 1237	cfe_psp.h, 1239
CFE_PSP_INVALID_INT_NUM	CFE_PSP_MemRead32
cfe_psp_error.h, 1244	cfe_psp.h, 1239
CFE_PSP_INVALID_MEM_ADDR	CFE_PSP_MemRead8
cfe_psp_error.h, 1245	cfe_psp.h, 1239
CFE_PSP_INVALID_MEM_ATTR	CFE_PSP_MemSet
cfe_psp_error.h, 1245	cfe_psp.h, 1239
CFE_PSP_INVALID_MEM_RANGE	CFE_PSP_MemValidateRange
cfe_psp_error.h, 1245	cfe_psp.h, 1239
CFE_PSP_INVALID_MEM_SIZE	CFE_PSP_MemWrite16
cfe_psp_error.h, 1245	cfe_psp.h, 1239
CFE_PSP_INVALID_MEM_TYPE	CFE_PSP_MemWrite32
cfe_psp_error.h, 1245	cfe_psp.h, 1240
CFE_PSP_INVALID_MEM_WORDSIZE	CFE_PSP_MemWrite8
cfe_psp_error.h, 1245	cfe_psp.h, 1240
CFE_PSP_INVALID_MODULE_ID	CFE_PSP_NO_EXCEPTION_DATA
cfe_psp_error.h, 1246	cfe_psp_error.h, 1246
CFE_PSP_INVALID_MODULE_NAME	CFE_PSP_PANIC_CORE_APP
cfe_psp_error.h, 1246	cfe_psp.h, 1226
CFE_PSP_INVALID_POINTER	CFE_PSP_PANIC_GENERAL_FAILURE
cfe_psp_error.h, 1246	cfe_psp.h, 1226
CFE_PSP_InitSSR	CFE_PSP_PANIC_MEMORY_ALLOC
cfe_psp.h, 1238	cfe_psp.h, 1227
CFE_PSP_MEM_ANY	CFE_PSP_PANIC_NONVOL_DISK
cfe_psp.h, 1225	cfe_psp.h, 1227
CFE_PSP_MEM_ATTR_READWRITE	CFE_PSP_PANIC_STARTUP_SEM
cfe_psp.h, 1225	cfe_psp.h, 1227
CFE_PSP_MEM_ATTR_READ	CFE_PSP_PANIC_STARTUP
cfe_psp.h, 1225	cfe_psp.h, 1227
CFE_PSP_MEM_ATTR_WRITE	CFE_PSP_PANIC_VOLATILE_DISK
cfe_psp.h, 1225	cfe_psp.h, 1227
CFE_PSP_MEM_EEPROM	CFE_PSP_Panic
cfe_psp.h, 1225	cfe_psp.h, 1240
CFE_PSP_MEM_INVALID	CFE_PSP_PortRead16
cfe_psp.h, 1225	cfe_psp.h, 1240
CFE_PSP_MEM_RAM	CFE_PSP_PortRead32
cfe_psp.h, 1226	ofe_psp.h, 1240
	·
CFE_PSP_MEM_SIZE_BYTE	CFE_PSP_PortRead8
cfe_psp.h, 1226	cfe_psp.h, 1240
CFE_PSP_MEM_SIZE_DWORD	CFE_PSP_PortWrite16
cfe_psp.h, 1226	cfe_psp.h, 1241
CFE_PSP_MEM_SIZE_WORD	CFE_PSP_PortWrite32
cfe_psp.h, 1226	cfe_psp.h, 1241
CFE_PSP_Main	CFE_PSP_PortWrite8
cfe_psp.h, 1238	cfe_psp.h, 1241
CFE_PSP_MemCpy	CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET
cfe_psp.h, 1238	cfe_psp.h, 1227
CFE_PSP_MemRangeGet	CFE_PSP_RST_SUBTYPE_EXCEPTION
cfe_psp.h, 1238	cfe_psp.h, 1228
CFE_PSP_MemRangeSet	CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND

cfe_psp.h, 1228	cfe_psp.h, 1242
CFE_PSP_RST_SUBTYPE_HW_WATCHDOG	CFE_RESOURCEID_MAKE_BASE
cfe_psp.h, 1228	cfe_resourceid_basevalue.h, 1043
CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET	CFE_RESOURCEID_MAX
cfe_psp.h, 1228	cfe_resourceid_basevalue.h, 1043
CFE_PSP_RST_SUBTYPE_MAX	CFE_RESOURCEID_RESERVED
cfe_psp.h, 1228	cfe_resourceid_api_typedefs.h, 891
CFE_PSP_RST_SUBTYPE_POWER_CYCLE	CFE_RESOURCEID_SHIFT
cfe_psp.h, 1229	cfe_resourceid_basevalue.h, 1043
CFE_PSP_RST_SUBTYPE_PUSH_BUTTON	CFE_RESOURCEID_TEST_DEFINED
cfe_psp.h, 1229	cfe_resourceid.h, 884
CFE_PSP_RST_SUBTYPE_RESET_COMMAND	CFE_RESOURCEID_TEST_EQUAL
cfe_psp.h, 1229 CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET	cfe_resourceid.h, 884 CFE_RESOURCEID_TO_ULONG
cfe_psp.h, 1229 CFE_PSP_RST_TYPE_MAX	cfe_resourceid.h, 884 CFE_RESOURCEID_UNDEFINED
cfe_psp.h, 1229 CFE_PSP_RST_TYPE_POWERON	cfe_resourceid_api_typedefs.h, 891
	CFE_REVISION
cfe_psp.h, 1230	cfe_version.h, 922
CFE_PSP_RST_TYPE_PROCESSOR	CFE_ResourceId_Equal
cfe_psp.h, 1230 CFE PSP ReadFromCDS	cfe_resourceid.h, 885
	CFE_ResourceId_FindNext cfe_resourceid.h, 885
cfe_psp.h, 1241 CFE PSP Restart	CFE_ResourceId_FromInteger
	cfe_resourceid_Frommleger
cfe_psp.h, 1241 CFE_PSP_SOFT_TIMEBASE_NAME	CFE_ResourceId_GetBase
cfe_psp.h, 1230	cfe_resourceid.h, 887
CFE_PSP_STATUS_STRING_LENGTH	CFE_ResourceId_GetSerial
	cfe_resourceid.h, 887
cfe_psp_error.h, 1246 CFE_PSP_STATUS_C	CFE_ResourceId_IsDefined
cfe_psp_error.h, 1246	cfe_resourceid.h, 888
CFE_PSP_SUCCESS	CFE_ResourceId_ToIndex
cfe_psp_error.h, 1247	cfe_resourceid.h, 889
CFE_PSP_SetDefaultExceptionEnvironment	CFE_ResourceId_ToInteger
cfe_psp.h, 1241	cfe_resourceid.h, 890
CFE_PSP_Status_t	CFE SB ALLSUBS TLM MID
cfe_psp_error.h, 1247	cpu1_msgids.h, 730
CFE_PSP_StatusString_t	CFE_SB_AllSubscriptionsTlm, 586
cfe_psp_error.h, 1247	Payload, 587
CFE_PSP_StatusToString	TelemetryHeader, 587
cfe_psp_error.h, 1247	CFE_SB_AllSubscriptionsTlm_Payload, 587
CFE_PSP_WatchdogDisable	Entries, 588
cfe psp.h, 1242	Entry, 588
CFE PSP WatchdogEnable	PktSegment, 588
cfe_psp.h, 1242	TotalSegments, 588
CFE_PSP_WatchdogGet	CFE_SB_AllSubscriptionsTlm_Payload_t
cfe psp.h, 1242	cfe sb msg.h, 1081
CFE_PSP_WatchdogInit	CFE SB AllSubscriptionsTlm t
cfe_psp.h, 1242	cfe_sb_msg.h, 1081
CFE_PSP_WatchdogService	CFE_SB_AllocateMessageBuffer
cfe_psp.h, 1242	cFE Zero Copy APIs, 281
CFE_PSP_WatchdogSet	CFE_SB_BAD_ARGUMENT
cfe_psp.h, 1242	cFE Return Code Defines, 142
CFF PSP WriteToCDS	CFF SB BAD CMD CODE FID

cfe_sb_events.h, 1046	cfe_sb_msg.h, 1071
CFE_SB_BAD_MSGID_EID	CFE_SB_ENABLE_SUB_REPORTING_CC
cfe_sb_events.h, 1046	cfe_sb_msg.h, 1072
CFE_SB_BAD_PIPEID_EID	CFE_SB_ENBL_RTE1_EID
cfe_sb_events.h, 1047	cfe_sb_events.h, 1051
CFE_SB_BUF_ALOC_ERR	CFE_SB_ENBL_RTE2_EID
cFE Return Code Defines, 142	cfe_sb_events.h, 1052
CFE_SB_BUFFER_INVALID cFE Return Code Defines, 142	CFE_SB_ENBL_RTE3_EID cfe_sb_events.h, 1052
CFE SB Buffer t	CFE_SB_EnableRouteCmd_t
cfe_sb_api_typedefs.h, 899	cfe_sb_msg.h, 1081
CFE_SB_CMD0_RCVD_EID	CFE SB EnableSubReportingCmd t
cfe_sb_events.h, 1047	cfe_sb_msg.h, 1081
CFE_SB_CMD1_RCVD_EID	CFE_SB_FILEWRITE_ERR_EID
cfe_sb_events.h, 1047	cfe_sb_events.h, 1052
CFE_SB_CMD_MID	CFE_SB_FULL_SUB_PKT_EID
cpu1_msgids.h, 730	cfe_sb_events.h, 1053
CFE_SB_CR_PIPE_BAD_ARG_EID	CFE_SB_GET_BUF_ERR_EID
cfe sb events.h, 1048	cfe_sb_events.h, 1053
CFE SB CR PIPE ERR EID	CFE_SB_GETPIPEIDBYNAME_EID
cfe_sb_events.h, 1048	cfe_sb_events.h, 1053
CFE_SB_CR_PIPE_NAME_TAKEN_EID	CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID
cfe sb events.h, 1048	cfe_sb_events.h, 1054
CFE SB CR PIPE NO FREE EID	CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID
cfe_sb_events.h, 1049	cfe_sb_events.h, 1054
CFE_SB_CreatePipe	CFE_SB_GETPIPENAME_EID
cFE Pipe Management APIs, 265	cfe_sb_events.h, 1054
CFE_SB_DEFAULT_QOS	CFE_SB_GETPIPENAME_ID_ERR_EID
cfe_sb_api_typedefs.h, 896	cfe_sb_events.h, 1055
CFE_SB_DEL_PIPE_ERR1_EID	CFE_SB_GETPIPENAME_NULL_PTR_EID
cfe_sb_events.h, 1049	cfe_sb_events.h, 1055
CFE_SB_DEL_PIPE_ERR2_EID	CFE_SB_GETPIPEOPTS_EID
cfe_sb_events.h, 1049	cfe_sb_events.h, 1055
CFE_SB_DEST_BLK_ERR_EID	CFE_SB_GETPIPEOPTS_ID_ERR_EID
cfe_sb_events.h, 1050	cfe_sb_events.h, 1056
CFE_SB_DISABLE_ROUTE_CC	CFE_SB_GETPIPEOPTS_PTR_ERR_EID
cfe_sb_msg.h, 1070	cfe_sb_events.h, 1056
CFE SB DISABLE SUB REPORTING CC	CFE_SB_GetPipeIdByName
cfe_sb_msg.h, 1070	cFE Pipe Management APIs, 267
CFE_SB_DSBL_RTE1_EID	CFE SB GetPipeName
cfe sb events.h, 1050	cFE Pipe Management APIs, 268
CFE_SB_DSBL_RTE2_EID	CFE SB GetPipeOpts
cfe sb events.h, 1050	cFE Pipe Management APIs, 268
CFE_SB_DSBL_RTE3_EID	CFE_SB_GetUserData
cfe_sb_events.h, 1051	cFE Message Characteristics APIs, 284
CFE_SB_DUP_SUBSCRIP_EID	CFE_SB_GetUserDataLength
cfe_sb_events.h, 1051	cFE Message Characteristics APIs, 285
CFE SB DeletePipe	CFE SB HASHCOLLISION EID
cFE Pipe Management APIs, 266	cfe_sb_events.h, 1056
CFE_SB_DisableRouteCmd_t	CFE_SB_HK_TLM_MID
cfe_sb_msg.h, 1081	cpu1_msgids.h, 730
CFE_SB_DisableSubReportingCmd_t	CFE_SB_HousekeepingTlm, 589
cfe_sb_msg.h, 1081	Payload, 589
CFE_SB_ENABLE_ROUTE_CC	TelemetryHeader, 589

CFE_SB_HousekeepingTlm_Payload, 590	CFE_SB_MSGID_UNWRAP_VALUE
CommandCounter, 591	cfe_sb_api_typedefs.h, 897
CommandErrorCounter, 591	CFE_SB_MSGID_WRAP_VALUE
CreatePipeErrorCounter, 591	cfe_sb_api_typedefs.h, 897
DuplicateSubscriptionsCounter, 591	CFE_SB_MSGID_C
GetPipeIdByNameErrorCounter, 592	cfe_sb_api_typedefs.h, 896
InternalErrorCounter, 592	CFE_SB_MessageStringGet
MemInUse, 592	cFE Message Characteristics APIs, 285
MemPoolHandle, 592	CFE SB MessageStringSet
MsgLimitErrorCounter, 593	cFE Message Characteristics APIs, 286
MsgReceiveErrorCounter, 593	CFE_SB_Msg, 595
MsgSendErrorCounter, 593	LongDouble, 596
NoSubscribersCounter, 593	LongInt, 596
PipeOptsErrorCounter, 594	Msg, 596
PipeOverflowErrorCounter, 594	CFE_SB_Msgld_Atom_t
Spare2Align, 594	cfe_sb_extern_typedefs.h, 901
SubscribeErrorCounter, 594	CFE_SB_Msgld_Equal
UnmarkedMem, 595	cFE Message ID APIs, 289
CFE_SB_HousekeepingTlm_Payload_t	CFE_SB_Msgld_t, 596
cfe_sb_msg.h, 1082	Value, 597
CFE_SB_HousekeepingTlm_t	CFE_SB_MsgldToValue
cfe_sb_msg.h, 1082	cFE Message ID APIs, 290
CFE_SB_INIT_EID	CFE_SB_MsgMapFileEntry, 597
cfe_sb_events.h, 1057	Index, 598
CFE_SB_INTERNAL_ERR	Msgld, 598
cFE Return Code Defines, 142	CFE_SB_MsgMapFileEntry_t
CFE_SB_INVALID_MSG_ID	cfe_sb_msg.h, 1082
cfe_sb_api_typedefs.h, 896	CFE_SB_NO_MESSAGE
CFE_SB_INVALID_PIPE	cFE Return Code Defines, 144
cfe_sb_api_typedefs.h, 896	CFE_SB_NOOP_CC
CFE_SB_lsValidMsgld	cfe_sb_msg.h, 1073
cFE Message ID APIs, 289	CFE_SB_NOT_IMPLEMENTED
CFE_SB_LEN_ERR_EID	cFE Return Code Defines, 144
cfe_sb_events.h, 1057	CFE_SB_NoopCmd_t
CFE_SB_MAX_DESTS_MET_EID	cfe_sb_msg.h, 1082
cfe_sb_events.h, 1057	CFE_SB_ONESUB_TLM_MID
CFE_SB_MAX_DESTS_MET	cpu1_msgids.h, 730
cFE Return Code Defines, 143	CFE_SB_PART_SUB_PKT_EID
CFE_SB_MAX_MSGS_MET_EID	cfe_sb_events.h, 1059
cfe_sb_events.h, 1058	CFE_SB_PEND_FOREVER
CFE_SB_MAX_MSGS_MET	cfe_sb_api_typedefs.h, 898
cFE Return Code Defines, 143	CFE_SB_PIPE_ADDED_EID
CFE_SB_MAX_PIPES_MET_EID	cfe_sb_events.h, 1059
cfe_sb_events.h, 1058	CFE_SB_PIPE_CR_ERR
CFE_SB_MAX_PIPES_MET	cFE Return Code Defines, 144
cFE Return Code Defines, 143	CFE_SB_PIPE_DELETED_EID
CFE_SB_MSG_TOO_BIG_EID	cfe_sb_events.h, 1060
cfe_sb_events.h, 1058	CFE_SB_PIPE_RD_ERR
CFE_SB_MSG_TOO_BIG	cFE Return Code Defines, 144
cFE Return Code Defines, 143	CFE_SB_PIPEID_C
CFE_SB_MSGID_LIM_ERR_EID	cfe_sb_api_typedefs.h, 898
cfe_sb_events.h, 1059	CFE_SB_PIPEOPTS_IGNOREMINE
CFE_SB_MSGID_RESERVED	cFE SB Pipe options, 292
cfe_sb_api_typedefs.h, 897	CFE_SB_POLL

cfe_sb_api_typedefs.h, 898	CommandHeader, 605
CFE_SB_PipeDepthStats, 598	Payload, 605
CurrentQueueDepth, 599	CFE_SB_RouteCmd_Payload, 605
MaxQueueDepth, 599	Msgld, 606
PeakQueueDepth, 599	Pipe, 606
Pipeld, 600	Spare, 606
Spare, 600	CFE_SB_RouteCmd_Payload_t
CFE_SB_PipeDepthStats_t	cfe_sb_msg.h, 1083
cfe_sb_msg.h, 1082	CFE_SB_RouteCmd_t
CFE_SB_Pipeld_ToIndex	cfe_sb_msg.h, 1083
cFE Pipe Management APIs, 270	CFE_SB_RouteId_Atom_t
CFE_SB_Pipeld_t	cfe_sb_extern_typedefs.h, 902
cfe_sb_extern_typedefs.h, 901	CFE_SB_RoutingFileEntry, 607
CFE_SB_PipeInfoEntry, 600	AppName, 607
Appld, 601	MsgCnt, 607
AppName, 601	Msgld, 608
CurrentQueueDepth, 601	Pipeld, 608
MaxQueueDepth, 602	PipeName, 608
Opts, 602	State, 608
PeakQueueDepth, 602	CFE_SB_RoutingFileEntry_t
Pipeld, 602	
PipeName, 602	cfe_sb_msg.h, 1083
•	CFE_SB_SEND_BAD_ARG_EID
SendErrors, 603	cfe_sb_events.h, 1061
Spare, 603	CFE_SB_SEND_HK_MID
CFE_SB_PipeInfoEntry_t	cpu1_msgids.h, 731
cfe_sb_msg.h, 1082	CFE_SB_SEND_INV_MSGID_EID
CFE_SB_Q_FULL_ERR_EID	cfe_sb_events.h, 1062
cfe_sb_events.h, 1060	CFE_SB_SEND_NO_SUBS_EID
CFE_SB_Q_RD_ERR_EID	cfe_sb_events.h, 1062
cfe_sb_events.h, 1060	CFE_SB_SEND_PREV_SUBS_CC
CFE_SB_Q_WR_ERR_EID	cfe_sb_msg.h, 1075
cfe_sb_events.h, 1061	CFE_SB_SEND_SB_STATS_CC
CFE_SB_Qos_t, 603	cfe_sb_msg.h, 1076
Priority, 604	CFE_SB_SETPIPEOPTS_EID
Reliability, 604	cfe_sb_events.h, 1062
CFE_SB_QosPriority	CFE_SB_SETPIPEOPTS_ID_ERR_EID
cfe_sb_extern_typedefs.h, 902	cfe_sb_events.h, 1063
CFE_SB_QosPriority_Enum_t	CFE_SB_SETPIPEOPTS_OWNER_ERR_EID
cfe_sb_extern_typedefs.h, 901	cfe_sb_events.h, 1063
CFE_SB_QosReliability	CFE_SB_SND_RTG_EID
cfe_sb_extern_typedefs.h, 902	cfe_sb_events.h, 1063
CFE_SB_QosReliability_Enum_t	CFE_SB_SND_RTG_ERR1_EID
cfe_sb_extern_typedefs.h, 901	cfe_sb_events.h, 1064
CFE SB RCV BAD ARG EID	CFE_SB_SND_STATS_EID
cfe_sb_events.h, 1061	cfe_sb_events.h, 1064
CFE_SB_RESET_COUNTERS_CC	CFE_SB_STATS_TLM_MID
cfe sb msg.h, 1074	cpu1_msgids.h, 731
CFE SB ReceiveBuffer	CFE SB SUB ARG ERR EID
cFE Send/Receive Message APIs, 278	cfe_sb_events.h, 1064
CFE_SB_ReleaseMessageBuffer	CFE_SB_SUB_ENTRIES_PER_PKT
cFE Zero Copy APIs, 282	cfe_sb_extern_typedefs.h, 900
CFE_SB_ResetCountersCmd_t	CFE_SB_SUB_INV_CALLER_EID
cfe_sb_msg.h, 1083	cfe_sb_events.h, 1065
CFE SB RouteCmd, 604	CFE SB SUB INV PIPE EID
OI L OD HOUGOING, OUT	OIL OD OOD HAY FIFE EID

cfe_sb_events.h, 1065	cfe_sb_msg.h, 1084
CFE_SB_SUB_RPT_CTRL_MID	CFE_SB_SubEntries, 617
cpu1_msgids.h, 731	Msgld, 618
CFE_SB_SUBSCRIPTION_RCVD_EID	Pipe, 618
cfe_sb_events.h, 1065	Qos, 618
CFE_SB_SUBSCRIPTION_REMOVED_EID	CFE_SB_SubEntries_t
cfe_sb_events.h, 1066	cfe_sb_msg.h, 1085
CFE_SB_SUBSCRIPTION_RPT_EID	CFE_SB_Subscribe
cfe_sb_events.h, 1066	cFE Message Subscription Control APIs, 272
CFE_SB_SUBSCRIPTION	CFE_SB_SubscribeEx
cfe_sb_api_typedefs.h, 899	cFE Message Subscription Control APIs, 273
CFE_SB_SendPrevSubsCmd_t	CFE_SB_SubscribeLocal
cfe_sb_msg.h, 1083	cFE Message Subscription Control APIs, 274
CFE_SB_SendSbStatsCmd_t	CFE_SB_TIME_OUT
cfe_sb_msg.h, 1084	cFE Return Code Defines, 145
CFE_SB_SetPipeOpts	CFE_SB_TimeStampMsg
cFE Pipe Management APIs, 271	cFE Message Characteristics APIs, 288
CFE_SB_SetUserDataLength	CFE_SB_TransmitBuffer
cFE Message Characteristics APIs, 287	cFE Zero Copy APIs, 282
CFE_SB_SingleSubscriptionTlm, 609	CFE_SB_TransmitMsg
Payload, 609	cFE Send/Receive Message APIs, 279
TelemetryHeader, 609	CFE_SB_UNSUB_ARG_ERR_EID
CFE_SB_SingleSubscriptionTlm_Payload, 609	cfe_sb_events.h, 1066
Msgld, 610	CFE_SB_UNSUB_INV_CALLER_EID
Pipe, 610	cfe_sb_events.h, 1067
Qos, 610	CFE_SB_UNSUB_INV_PIPE_EID
SubType, 611	cfe_sb_events.h, 1067
CFE_SB_SingleSubscriptionTlm_Payload_t	CFE_SB_UNSUB_NO_SUBS_EID
cfe_sb_msg.h, 1084	cfe_sb_events.h, 1067
CFE_SB_SingleSubscriptionTlm_t	CFE_SB_UNSUBSCRIPTION
cfe_sb_msg.h, 1084	cfe_sb_api_typedefs.h, 899
CFE_SB_StatsTlm, 611	CFE_SB_Unsubscribe
Payload, 611	cFE Message Subscription Control APIs, 275
TelemetryHeader, 612	CFE_SB_UnsubscribeLocal
CFE_SB_StatsTlm_Payload, 612	cFE Message Subscription Control APIs, 276
MaxMemAllowed, 613	CFE_SB_ValueToMsgld
MaxMsgldsAllowed, 613	cFE Message ID APIs, 290
MaxPipeDepthAllowed, 613	CFE_SB_WRITE_MAP_INFO_CC
MaxPipesAllowed, 614	cfe_sb_msg.h, 1077
MaxSubscriptionsAllowed, 614	CFE_SB_WRITE_PIPE_INFO_CC
MemInUse, 614	cfe_sb_msg.h, 1078
MsgldsInUse, 614	CFE_SB_WRITE_ROUTING_INFO_CC
PeakMemInUse, 615	cfe sb msg.h, 1079
PeakMsgldsInUse, 615	CFE SB WRONG MSG TYPE
PeakPipesInUse, 615	cFE Return Code Defines, 145
PeakSBBuffersInUse, 615	CFE_SB_WriteFileInfoCmd, 619
PeakSubscriptionsInUse, 616	CommandHeader, 619
PipeDepthStats, 616	Payload, 619
PipesInUse, 616	CFE_SB_WriteFileInfoCmd_Payload, 620
SBBuffersInUse, 616	Filename, 620
SubscriptionsInUse, 617	CFE_SB_WriteFileInfoCmd_Payload_t
CFE_SB_StatsTlm_Payload_t	cfe_sb_msg.h, 1085
cfe_sb_msg.h, 1084	CFE_SB_WriteFileInfoCmd_t
CFE SB StatsTlm t	cfe sb msg.h, 1085

CFE_SB_WriteMapInfoCmd_t	CFE_TBL_ACTIVATE_CC
cfe_sb_msg.h, 1085	cfe_tbl_msg.h, 1115
CFE_SB_WritePipeInfoCmd_t	CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID
cfe_sb_msg.h, 1085	cfe_tbl_events.h, 1088
CFE_SB_WriteRoutingInfoCmd_t	CFE_TBL_ACTIVATE_ERR_EID
cfe_sb_msg.h, 1085	cfe_tbl_events.h, 1089
CFE_SERVICE_BITMASK	CFE_TBL_ASSUMED_VALID_INF_EID
cfe_error.h, 831	cfe_tbl_events.h, 1089
CFE_SEVERITY_BITMASK	CFE_TBL_AbortLoadCmd, 620
cfe_error.h, 831	CommandHeader, 621
CFE_SEVERITY_ERROR	Payload, 621
cfe error.h, 831	CFE_TBL_AbortLoadCmd_Payload, 621
CFE_SEVERITY_INFO	TableName, 622
cfe_error.h, 831	CFE_TBL_AbortLoadCmd_Payload_t
CFE_SEVERITY_SUCCESS	cfe_tbl_msg.h, 1125
cfe_error.h, 831	CFE_TBL_AbortLoadCmd_t
CFE_SET	cfe_tbl_msg.h, 1125
cfe_sb.h, 894	CFE_TBL_ActivateCmd, 622
CFE_SOFTWARE_BUS_SERVICE	CommandHeader, 623
cfe_error.h, 832	Payload, 623
CFE_SRC_VERSION	CFE_TBL_ActivateCmd_Payload, 623
cfe_version.h, 923	TableName, 624
CFE_STATUS_BAD_COMMAND_CODE	CFE_TBL_ActivateCmd_Payload_t
cFE Return Code Defines, 145	cfe_tbl_msg.h, 1125
CFE_STATUS_EXTERNAL_RESOURCE_FAIL	CFE_TBL_ActivateCmd_t
cFE Return Code Defines, 145	cfe_tbl_msg.h, 1125
CFE_STATUS_NO_COUNTER_INCREMENT	CFE_TBL_BAD_ARGUMENT
cFE Return Code Defines, 146	cFE Return Code Defines, 147
CFE_STATUS_NOT_IMPLEMENTED	CFE_TBL_BAD_TABLE_HANDLE
cFE Return Code Defines, 146	cfe_tbl_api_typedefs.h, 906
CFE_STATUS_REQUEST_ALREADY_PENDING	CFE_TBL_BufferSelect
cFE Return Code Defines, 146	cfe_tbl_extern_typedefs.h, 908
CFE_STATUS_STRING_LENGTH	CFE_TBL_BufferSelect_Enum_t
cfe_error.h, 832	cfe_tbl_extern_typedefs.h, 908
CFE_STATUS_UNKNOWN_MSG_ID	CFE TBL CC1 ERR EID
cFE Return Code Defines, 146	cfe_tbl_events.h, 1089
CFE_STATUS_WRONG_MSG_LENGTH	CFE_TBL_CDS_DELETE_ERR_EID
cFE Return Code Defines, 147	cfe_tbl_events.h, 1090
CFE_STATUS_C	CFE TBL CDS DELETED INFO EID
cfe_error.h, 832	cfe_tbl_events.h, 1090
CFE_STR_HELPER	CFE TBL CDS NOT FOUND ERR EID
cfe_version.h, 923	cfe tbl events.h, 1090
CFE_STR	CFE TBL CDS OWNER ACTIVE ERR EID
cfe_version.h, 923	cfe_tbl_events.h, 1091
CFE_SUCCESS	CFE_TBL_CMD_MID
cFE Return Code Defines, 147	cpu1_msgids.h, 731
CFE_Status_t	CFE_TBL_CREATING_DUMP_FILE_ERR_EID
cfe_error.h, 833	cfe_tbl_events.h, 1091
CFE_StatusString_t	CFE_TBL_CallbackFuncPtr_t
cfe_error.h, 833	cfe_tbl_api_typedefs.h, 906
CFE_TABLE_SERVICE	CFE_TBL_DELETE_CDS_CC
cfe_error.h, 832	cfe_tbl_msg.h, 1116
CFE_TBL_ABORT_LOAD_CC	CFE_TBL_DUMP_CC
cfe_tbl_msg.h, 1114	cfe_tbl_msg.h, 1117

CFE_TBL_DUMP_PENDING_ERR_EID	cFE Return Code Defines, 150
cfe_tbl_events.h, 1091	CFE_TBL_ERR_FILE_TOO_LARGE
CFE TBL DUMP REGISTRY CC	cFE Return Code Defines, 150
cfe_tbl_msg.h, 1118	CFE_TBL_ERR_FILENAME_TOO_LONG
CFE_TBL_DelCDSCmd_Payload, 624	cFE Return Code Defines, 150
TableName, 625	CFE TBL ERR HANDLES FULL
CFE_TBL_DelCDSCmd_Payload_t	cFE Return Code Defines, 150
cfe_tbl_msg.h, 1125	CFE_TBL_ERR_ILLEGAL_SRC_TYPE
CFE_TBL_DeleteCDSCmd, 625	cFE Return Code Defines, 151
CommandHeader, 625	CFE_TBL_ERR_INVALID_HANDLE
Payload, 626	cFE Return Code Defines, 151
CFE_TBL_DeleteCDSCmd_t	CFE_TBL_ERR_INVALID_NAME
cfe_tbl_msg.h, 1125	cFE Return Code Defines, 151
CFE_TBL_DumpCmd, 626	CFE_TBL_ERR_INVALID_OPTIONS
CommandHeader, 626	cFE Return Code Defines, 151
Payload, 627	CFE_TBL_ERR_INVALID_SIZE
CFE_TBL_DumpCmd_Payload, 627	cFE Return Code Defines, 152
ActiveTableFlag, 628	CFE_TBL_ERR_LOAD_IN_PROGRESS
DumpFilename, 628	cFE Return Code Defines, 152
TableName, 628	CFE TBL ERR LOAD INCOMPLETE
CFE TBL DumpCmd Payload t	cFE Return Code Defines, 152
	CFE_TBL_ERR_NEVER_LOADED
cfe_tbl_msg.h, 1126 CFE_TBL_DumpCmd_t	
	cFE Return Code Defines, 153 CFE TBL ERR NO ACCESS
cfe_tbl_msg.h, 1126	
CFE_TBL_DumpRegistryCmd, 628	cFE Return Code Defines, 153
CommandHeader, 629	CFE_TBL_ERR_NO_BUFFER_AVAIL
Payload, 629	cFE Return Code Defines, 153
CFE_TBL_DumpRegistryCmd_Payload, 629	CFE_TBL_ERR_NO_STD_HEADER
DumpFilename, 630	cFE Return Code Defines, 153
CFE_TBL_DumpRegistryCmd_Payload_t	CFE_TBL_ERR_NO_TBL_HEADER
cfe_tbl_msg.h, 1126	cFE Return Code Defines, 154
CFE_TBL_DumpRegistryCmd_t	CFE_TBL_ERR_PARTIAL_LOAD
cfe_tbl_msg.h, 1126	cFE Return Code Defines, 154
CFE_TBL_DumpToBuffer	CFE_TBL_ERR_REGISTRY_FULL
cFE Manage Table Content APIs, 299	cFE Return Code Defines, 154
CFE_TBL_ERR_ACCESS	CFE_TBL_ERR_SHORT_FILE
cFE Return Code Defines, 147	cFE Return Code Defines, 154
CFE_TBL_ERR_BAD_CONTENT_ID	CFE_TBL_ERR_UNREGISTERED
cFE Return Code Defines, 148	cFE Return Code Defines, 155
CFE_TBL_ERR_BAD_PROCESSOR_ID	CFE_TBL_FAIL_HK_SEND_ERR_EID
cFE Return Code Defines, 148	cfe_tbl_events.h, 1092
CFE_TBL_ERR_BAD_SPACECRAFT_ID	CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID
cFE Return Code Defines, 148	cfe_tbl_events.h, 1092
CFE_TBL_ERR_BAD_SUBTYPE_ID	CFE_TBL_FILE_ACCESS_ERR_EID
cFE Return Code Defines, 148	cfe_tbl_events.h, 1092
CFE_TBL_ERR_DUMP_ONLY	CFE_TBL_FILE_INCOMPLETE_ERR_EID
cFE Return Code Defines, 149	cfe_tbl_events.h, 1093
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE	CFE_TBL_FILE_LOADED_INF_EID
cFE Return Code Defines, 149	cfe_tbl_events.h, 1093
CFE_TBL_ERR_DUPLICATE_NOT_OWNED	CFE_TBL_FILE_STD_HDR_ERR_EID
cFE Return Code Defines, 149	cfe_tbl_events.h, 1093
CFE_TBL_ERR_FILE_FOR_WRONG_TABLE	CFE_TBL_FILE_SUBTYPE_ERR_EID
cFE Return Code Defines, 149	cfe_tbl_events.h, 1094
CEE TBL ERR FILE SIZE INCONSISTENT	CFF TBL FILE TBL HDR FRR FID

cfe_tbl_events.h, 1094	NumFreeSharedBufs, 639
CFE_TBL_FILE_TOO_BIG_ERR_EID	NumLoadPending, 639
cfe_tbl_events.h, 1094	NumTables, 639
CFE_TBL_FILE_TYPE_ERR_EID	NumValRequests, 639
cfe_tbl_events.h, 1095	SuccessValCounter, 640
CFE_TBL_FILEDEF	ValidationCounter, 640
cfe_tbl_filedef.h, 910	CFE_TBL_HousekeepingTlm_Payload_t
CFE_TBL_File_Hdr, 630	cfe_tbl_msg.h, 1126
NumBytes, 631	CFE_TBL_HousekeepingTlm_t
Offset, 631	cfe_tbl_msg.h, 1126
Reserved, 631	CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID
TableName, 631	cfe_tbl_events.h, 1095
CFE_TBL_File_Hdr_t	CFE_TBL_IN_REGISTRY_ERR_EID
cfe_tbl_extern_typedefs.h, 908	cfe_tbl_events.h, 1096
CFE_TBL_FileDef, 632	CFE_TBL_INFO_DUMP_PENDING
Description, 632	cFE Return Code Defines, 155
ObjectName, 632	CFE_TBL_INFO_NO_UPDATE_PENDING
ObjectSize, 632	cFE Return Code Defines, 155
TableName, 633	CFE_TBL_INFO_NO_VALIDATION_PENDING
TgtFilename, 633	cFE Return Code Defines, 155
CFE_TBL_FileDef_t	CFE_TBL_INFO_RECOVERED_TBL
cfe_tbl_filedef.h, 910	cFE Return Code Defines, 156
CFE_TBL_GetAddress	CFE_TBL_INFO_TABLE_LOCKED
cFE Access Table Content APIs, 307	cFE Return Code Defines, 156
CFE_TBL_GetAddresses	CFE_TBL_INFO_UPDATE_PENDING
cFE Access Table Content APIs, 308	cFE Return Code Defines, 156
CFE_TBL_GetInfo	CFE_TBL_INFO_UPDATED
cFE Get Table Information APIs, 312	cFE Return Code Defines, 156
CFE_TBL_GetStatus	CFE_TBL_INFO_VALIDATION_PENDING
cFE Get Table Information APIs, 313	cFE Return Code Defines, 157
CFE_TBL_HANDLE_ACCESS_ERR_EID	CFE_TBL_INIT_INF_EID
cfe_tbl_events.h, 1095	cfe_tbl_events.h, 1096
CFE_TBL_HK_TLM_MID	CFE_TBL_INTERNAL_ERROR_ERR_EID
cpu1_msgids.h, 731	cfe_tbl_events.h, 1096
CFE TBL Handle t	CFE_TBL_Info, 640
cfe_tbl_api_typedefs.h, 906	Crc, 641
CFE_TBL_HousekeepingTlm, 633	Critical, 641
Payload, 634	DoubleBuffered, 642
TelemetryHeader, 634	DumpOnly, 642
CFE_TBL_HousekeepingTlm_Payload, 634	FileCreateTimeSecs, 642
ActiveBuffer, 635	FileCreateTimeSubSecs, 642
ByteAlignPad1, 635	LastFileLoaded, 642
CommandCounter, 636	NumUsers, 643
CommandErrorCounter, 636	Size, 643
FailedValCounter, 636	TableLoadedOnce, 643
LastFileDumped, 636	TimeOfLastUpdate, 643
LastFileLoaded, 637	UserDefAddr, 643
LastTableLoaded, 637	CFE TBL Info t
LastUpdateTime, 637	cfe_tbl_api_typedefs.h, 906
LastUpdatedTable, 637	CFE_TBL_LEN_ERR_EID
LastValCrc, 638	cfe_tbl_events.h, 1097
LastValStatus, 638	CFE_TBL_LOAD_ABORT_ERR_EID
LastValTableName, 638	cfe_tbl_events.h, 1097
MemPoolHandle, 638	CFE_TBL_LOAD_ABORT_INF_EID
	5 bc_co/,b_/,bo///

cfe tbl events.h, 1097	CFE_TBL_NOT_CRITICAL_TBL_ERR_EID
CFE_TBL_LOAD_CC	cfe_tbl_events.h, 1103
cfe_tbl_msg.h, 1119	CFE_TBL_NOT_IMPLEMENTED
CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID	cFE Return Code Defines, 157
	CFE_TBL_NOT_IN_CRIT_REG_ERR_EID
cfe_tbl_events.h, 1098	
CFE_TBL_LOAD_FILENAME_LONG_ERR_EID	cfe_tbl_events.h, 1103
cfe_tbl_events.h, 1098	CFE_TBL_NoArgsCmd, 646
CFE_TBL_LOAD_IN_PROGRESS_ERR_EID	CommandHeader, 646
cfe_tbl_events.h, 1098	CFE_TBL_NoArgsCmd_t
CFE_TBL_LOAD_PEND_REQ_INF_EID	cfe_tbl_msg.h, 1127
cfe_tbl_events.h, 1099	CFE_TBL_NoopCmd_t
CFE_TBL_LOAD_SUCCESS_INF_EID	cfe_tbl_msg.h, 1127
cfe_tbl_events.h, 1099	CFE_TBL_NotifyByMessage
CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID	cFE Get Table Information APIs, 314
cfe_tbl_events.h, 1099	CFE_TBL_NotifyCmd, 646
CFE_TBL_LOAD_TYPE_ERR_EID	CommandHeader, 647
cfe_tbl_events.h, 1100	Payload, 647
CFE_TBL_LOAD_VAL_ERR_EID	CFE_TBL_NotifyCmd_Payload, 647
cfe_tbl_events.h, 1100	Parameter, 648
CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID	CFE_TBL_NotifyCmd_Payload_t
cfe_tbl_events.h, 1100	cfe_tbl_msg.h, 1127
CFE_TBL_LOADING_PENDING_ERR_EID	CFE_TBL_NotifyCmd_t
cfe_tbl_events.h, 1101	cfe_tbl_msg.h, 1128
CFE_TBL_Load	CFE_TBL_OPT_BUFFER_MSK
cFE Manage Table Content APIs, 300	cFE Table Type Defines, 316
CFE_TBL_LoadCmd, 644	CFE_TBL_OPT_CRITICAL_MSK
CommandHeader, 644	cFE Table Type Defines, 317
Payload, 644	CFE_TBL_OPT_CRITICAL
CFE_TBL_LoadCmd_Payload, 645	cFE Table Type Defines, 316
LoadFilename, 645	CFE_TBL_OPT_DBL_BUFFER
CFE_TBL_LoadCmd_Payload_t	cFE Table Type Defines, 317
cfe_tbl_msg.h, 1127	CFE_TBL_OPT_DEFAULT
CFE_TBL_LoadCmd_t	cFE Table Type Defines, 317
cfe_tbl_msg.h, 1127	CFE_TBL_OPT_DUMP_ONLY
CFE_TBL_MAX_FULL_NAME_LEN	cFE Table Type Defines, 317
cfe_tbl_api_typedefs.h, 906	CFE TBL OPT LD DMP MSK
CFE TBL MESSAGE ERROR	cFE Table Type Defines, 317
	CFE_TBL_OPT_LOAD_DUMP
cFE Return Code Defines, 157	cFE Table Type Defines, 318
CFE_TBL_MID_ERR_EID	CFE TBL OPT NOT CRITICAL
cfe_tbl_events.h, 1101	
CFE_TBL_Manage	cFE Table Type Defines, 318
cFE Manage Table Content APIs, 301	CFE_TBL_OPT_NOT_USR_DEF
CFE_TBL_Modified	cFE Table Type Defines, 318
cFE Manage Table Content APIs, 303	CFE_TBL_OPT_SNGL_BUFFER
CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID	cFE Table Type Defines, 318
cfe_tbl_events.h, 1101	CFE_TBL_OPT_USR_DEF_ADDR
CFE_TBL_NO_SUCH_TABLE_ERR_EID	cFE Table Type Defines, 318
cfe_tbl_events.h, 1102	CFE_TBL_OPT_USR_DEF_MSK
CFE_TBL_NO_WORK_BUFFERS_ERR_EID	cFE Table Type Defines, 318
cfe_tbl_events.h, 1102	CFE_TBL_OVERWRITE_DUMP_INF_EID
CFE_TBL_NOOP_CC	cfe_tbl_events.h, 1103
cfe_tbl_msg.h, 1120	CFE_TBL_OVERWRITE_REG_DUMP_INF_EID
CFE_TBL_NOOP_INF_EID	cfe_tbl_events.h, 1104
cfe_tbl_events.h. 1102	CFF TBI PARTIAL LOAD FRR FID

cfe_tbl_events.h, 1104	ActiveBufferAddr, 652
CFE_TBL_PROCESSOR_ID_ERR_EID	ByteAlign4, 652
cfe_tbl_events.h, 1104	Crc, 653
CFE_TBL_REG_TLM_MID	Critical, 653
cpu1_msgids.h, 731	DoubleBuffered, 653
CFE_TBL_REGISTER_ERR_EID	DumpOnly, 653
cfe_tbl_events.h, 1105	FileCreateTimeSecs, 654
CFE_TBL_RESET_COUNTERS_CC	FileCreateTimeSubSecs, 654
cfe_tbl_msg.h, 1121	InactiveBufferAddr, 654
CFE_TBL_RESET_INF_EID	LastFileLoaded, 654
cfe_tbl_events.h, 1105	LoadPending, 655
CFE_TBL_Register	Name, 655
cFE Registration APIs, 293	OwnerAppName, 655
CFE_TBL_ReleaseAddress	Size, 655
cFE Access Table Content APIs, 309	TableLoadedOnce, 656
CFE_TBL_ReleaseAddresses	TimeOfLastUpdate, 656
cFE Access Table Content APIs, 310	ValidationFuncPtr, 656
CFE TBL ResetCountersCmd t	CFE_TBL_TblRegPacket_Payload_t
cfe_tbl_msg.h, 1128	cfe_tbl_msg.h, 1128
CFE_TBL_SEND_HK_MID	CFE_TBL_UNREGISTER_ERR_EID
cpu1_msgids.h, 732	cfe_tbl_events.h, 1107
CFE_TBL_SEND_REGISTRY_CC	CFE TBL UNVALIDATED ERR EID
cfe tbl msg.h, 1122	
• ·	cfe_tbl_events.h, 1107
CFE_TBL_SHARE_ERR_EID	CFE_TBL_UPDATE_ERR_EID
cfe_tbl_events.h, 1105	cfe_tbl_events.h, 1108
CFE_TBL_SPACECRAFT_ID_ERR_EID	CFE_TBL_UPDATE_SUCCESS_INF_EID
cfe_tbl_events.h, 1106	cfe_tbl_events.h, 1108
CFE_TBL_SendRegistryCmd, 648	CFE_TBL_Unregister
CommandHeader, 649	cFE Registration APIs, 297
Payload, 649	CFE_TBL_Update
CFE_TBL_SendRegistryCmd_Payload, 649	cFE Manage Table Content APIs, 304
TableName, 650	CFE_TBL_VAL_REQ_MADE_INF_EID
CFE_TBL_SendRegistryCmd_Payload_t	cfe_tbl_events.h, 1108
cfe_tbl_msg.h, 1128	CFE_TBL_VALIDATE_CC
CFE_TBL_SendRegistryCmd_t	cfe_tbl_msg.h, 1123
cfe_tbl_msg.h, 1128	CFE_TBL_VALIDATION_ERR_EID
CFE_TBL_Share	cfe_tbl_events.h, 1109
cFE Registration APIs, 296	CFE_TBL_VALIDATION_INF_EID
CFE_TBL_SrcEnum	cfe_tbl_events.h, 1109
cfe_tbl_api_typedefs.h, 907	CFE_TBL_Validate
CFE_TBL_SrcEnum_t	cFE Manage Table Content APIs, 305
cfe_tbl_api_typedefs.h, 907	CFE_TBL_ValidateCmd, 657
CFE TBL TLM REG CMD INF EID	CommandHeader, 657
cfe tbl events.h, 1106	Payload, 657
CFE_TBL_TOO_MANY_DUMPS_ERR_EID	CFE_TBL_ValidateCmd_Payload, 658
cfe_tbl_events.h, 1106	ActiveTableFlag, 658
CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID	TableName, 658
cfe_tbl_events.h, 1107	CFE_TBL_ValidateCmd_Payload_t
CFE_TBL_TableRegistryTlm, 650	cfe_tbl_msg.h, 1129
Payload, 651	CFE_TBL_ValidateCmd_t
TelemetryHeader, 651	cfe_tbl_msg.h, 1129
CFE_TBL_TableRegistryTlm_t	CFE_TBL_WARN_DUPLICATE
cfe_tbl_msg.h, 1128	cFE Return Code Defines, 157
CFE_TBL_TblRegPacket_Payload, 651	CFE_TBL_WARN_NOT_CRITICAL

cFE Return Code Defines, 158	cfe_time_events.h, 1131
CFE_TBL_WARN_PARTIAL_LOAD	CFE_TIME_CMD_MID
cFE Return Code Defines, 158	cpu1_msgids.h, 732
CFE_TBL_WARN_SHORT_FILE	CFE_TIME_ClockState
cFE Return Code Defines, 158	cfe_time_extern_typedefs.h, 919
CFE_TBL_WRITE_CFE_HDR_ERR_EID	CFE_TIME_ClockState_Enum_t
cfe_tbl_events.h, 1109	cfe_time_extern_typedefs.h, 916
CFE_TBL_WRITE_DUMP_INF_EID	CFE_TIME_Compare
cfe_tbl_events.h, 1110	cFE Time Arithmetic APIs, 327
CFE_TBL_WRITE_REG_DUMP_INF_EID	cfe_time_api_typedefs.h, 914
cfe_tbl_events.h, 1110	CFE_TIME_Compare_t
CFE_TBL_WRITE_TBL_HDR_ERR_EID	cfe_time_api_typedefs.h, 914
cfe_tbl_events.h, 1110	CFE_TIME_Copy
CFE_TBL_WRITE_TBL_IMG_ERR_EID	cfe_time.h, 912
cfe_tbl_events.h, 1111	CFE_TIME_DATA_CMD_MID
CFE_TBL_WRITE_TBL_REG_ERR_EID	cpu1_msgids.h, 732
cfe_tbl_events.h, 1111	CFE_TIME_DELAY_CFG_EID
CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID	cfe_time_events.h, 1132
cfe_tbl_events.h, 1111	CFE_TIME_DELAY_EID
CFE_TEST_CMD_MID	cfe_time_events.h, 1132
cpu1_msgids.h, 732	CFE_TIME_DELAY_ERR_EID
CFE_TEST_HK_TLM_MID	cfe_time_events.h, 1132
cpu1_msgids.h, 732	CFE_TIME_DELTA_CFG_EID
CFE_TIME_1HZ_CFG_EID	cfe_time_events.h, 1133
cfe_time_events.h, 1131	CFE_TIME_DELTA_EID
CFE_TIME_1HZ_CMD_MID	cfe_time_events.h, 1133
cpu1_msgids.h, 732	CFE_TIME_DELTA_ERR_EID
CFE_TIME_1HZ_EID	cfe_time_events.h, 1133
cfe_time_events.h, 1131	CFE TIME DIAG EID
CFE_TIME_1HzCmd_t	cfe_time_events.h, 1134
cfe_time_msg.h, 1163	CFE_TIME_DIAG_TLM_MID
CFE_TIME_ADD_1HZ_ADJUSTMENT_CC	cpu1_msgids.h, 733
cfe_time_msg.h, 1146	CFE_TIME_DiagnosticTlm, 659
CFE TIME ADD ADJUST CC	Payload, 659
cfe time msg.h, 1147	TelemetryHeader, 659
CFE_TIME_ADD_DELAY_CC	CFE_TIME_DiagnosticTlm_Payload, 659
cfe_time_msg.h, 1148	AtToneDelay, 662
CFE_TIME_Add	AtToneLatch, 662
cFE Time Arithmetic APIs, 326	AtToneLeapSeconds, 662
CFE_TIME_Add1HZAdjustmentCmd_t	AtToneMET, 662
cfe time msg.h, 1164	AtToneSTCF, 662
CFE_TIME_AddAdjustCmd_t	ClockFlyState, 663
cfe_time_msg.h, 1164	ClockSetState, 663
CFE_TIME_AddDelayCmd_t	ClockSignal, 663
cfe time msg.h, 1164	ClockSource, 663
CFE_TIME_AdjustDirection	ClockStateAPI, 664
cfe time extern typedefs.h, 918	ClockStateFlags, 664
CFE_TIME_AdjustDirection_Enum_t	CurrentLatch, 664
cfe_time_extern_typedefs.h, 916	CurrentMET, 664
CFE_TIME_BAD_ARGUMENT	CurrentTAI, 665
cFE Return Code Defines, 158	CurrentUTC, 665
CFE_TIME_CALLBACK_NOT_REGISTERED	DataStoreStatus, 665
cFE Return Code Defines, 159	DelayDirection, 665
CFE TIME CC ERR EID	Forced2Fly, 666
J JO L. II. L.D	

LocalIntCounter, 666	CFE_TIME_FLAG_SIGPRI
LocalTaskCounter, 666	cFE Clock State Flag Defines, 343
MaxElapsed, 666	CFE TIME FLAG SRCINT
MaxLocalClock, 667	cFE Clock State Flag Defines, 343
MinElapsed, 667	CFE_TIME_FLAG_SRVFLY
OneHzAdjust, 667	cFE Clock State Flag Defines, 343
OneHzDirection, 667	CFE TIME FLAG UNUSED
OneTimeAdjust, 668	cFE Clock State Flag Defines, 343
OneTimeDirection, 668	CFE_TIME_FLY_OFF_EID
ServerFlyState, 668	cfe_time_events.h, 1134
TimeSinceTone, 668	
	CFE_TIME_FLY_ON_EID
ToneDataCounter, 669	cfe_time_events.h, 1134
ToneDataLatch, 669	CFE_TIME_FakeToneCmd_t
ToneIntCounter, 669	cfe_time_msg.h, 1164
ToneIntErrorCounter, 669	CFE_TIME_FlagBit
ToneMatchCounter, 670	cfe_time_extern_typedefs.h, 919
ToneMatchErrorCounter, 670	CFE_TIME_FlagBit_Enum_t
ToneOverLimit, 670	cfe_time_extern_typedefs.h, 917
ToneSignalCounter, 670	CFE_TIME_FlywheelState
ToneSignalLatch, 671	cfe_time_extern_typedefs.h, 920
ToneTaskCounter, 671	CFE_TIME_FlywheelState_Enum_t
ToneUnderLimit, 671	cfe_time_extern_typedefs.h, 917
VersionCounter, 671	CFE_TIME_GetClockInfo
VirtualMET, 672	cFE Get Time Information APIs, 323
CFE_TIME_DiagnosticTlm_Payload_t	CFE TIME GetClockState
cfe_time_msg.h, 1164	cFE Get Time Information APIs, 323
CFE_TIME_DiagnosticTIm_t	CFE_TIME_GetLeapSeconds
cfe_time_msg.h, 1164	cFE Get Time Information APIs, 324
CFE TIME ExternalGPS	CFE TIME GetMETseconds
cFE External Time Source APIs, 332	cFE Get Current Time APIs, 319
CFE_TIME_ExternalMET	CFE_TIME_GetMETsubsecs
cFE External Time Source APIs, 333	cFE Get Current Time APIs, 320
CFE TIME ExternalTime	CFE TIME GetMET
cFE External Time Source APIs, 333	cFE Get Current Time APIs, 319
CFE TIME ExternalTone	CFE_TIME_GetSTCF
cFE External Time Source APIs, 334	cFE Get Time Information APIs, 324
CFE_TIME_FLAG_ADD1HZ	CFE_TIME_GetTAI
cFE Clock State Flag Defines, 341	cFE Get Current Time APIs, 320
CFE TIME FLAG ADDADJ	CFE TIME GetTime
cFE Clock State Flag Defines, 341	cFE Get Current Time APIs, 321
CFE_TIME_FLAG_ADDTCL	CFE_TIME_GetUTC
cFE Clock State Flag Defines, 342	cFE Get Current Time APIs, 322
CFE_TIME_FLAG_CLKSET	CFE_TIME_HK_TLM_MID
cFE Clock State Flag Defines, 342	cpu1_msgids.h, 733
CFE_TIME_FLAG_CMDFLY	CFE_TIME_HousekeepingTlm, 672
cFE Clock State Flag Defines, 342	Payload, 673
CFE_TIME_FLAG_FLYING	TelemetryHeader, 673
cFE Clock State Flag Defines, 342	CFE_TIME_HousekeepingTlm_Payload, 673
CFE_TIME_FLAG_GDTONE	ClockStateAPI, 674
cFE Clock State Flag Defines, 342	ClockStateFlags, 674
CFE_TIME_FLAG_REFERR	CommandCounter, 674
cFE Clock State Flag Defines, 343	CommandErrorCounter, 675
CFE_TIME_FLAG_SERVER	LeapSeconds, 675
cFE Clock State Flag Defines, 343	Seconds1HzAdj, 675

SecondsDelay, 675	CommandHeader, 679
SecondsMET, 676	Payload, 679
SecondsSTCF, 676	CFE_TIME_OneHzAdjustmentCmd_Payload, 680
Subsecs1HzAdj, 676	Seconds, 680
SubsecsDelay, 676	Subseconds, 680
SubsecsMET, 677	CFE_TIME_OneHzAdjustmentCmd_Payload_t
SubsecsSTCF, 677	cfe_time_msg.h, 1165
CFE_TIME_HousekeepingTlm_Payload_t	CFE_TIME_OneHzAdjustmentCmd_t
cfe_time_msg.h, 1165	cfe_time_msg.h, 1166
CFE_TIME_HousekeepingTlm_t	CFE TIME PRINTED STRING SIZE
cfe_time_msg.h, 1165	cfe_time_api_typedefs.h, 913
CFE_TIME_ID_ERR_EID	CFE TIME Print
cfe_time_events.h, 1135	cFE Miscellaneous Time APIs, 337
CFE_TIME_INIT_EID	CFE_TIME_RESET_COUNTERS_CC
cfe_time_events.h, 1135	cfe_time_msg.h, 1150
CFE_TIME_INTERNAL_ONLY	CFE_TIME_RESET_EID
cFE Return Code Defines, 159	cfe_time_events.h, 1138
CFE_TIME_LEAPS_CFG_EID	CFE TIME RegisterSynchCallback
cfe_time_events.h, 1135	cFE External Time Source APIs, 335
	CFE TIME ResetCountersCmd t
CFE_TIME_LEAPS_EID	
cfe_time_events.h, 1136	cfe_time_msg.h, 1166
CFE_TIME_LEN_ERR_EID	CFE_TIME_SEND_CMD_MID
cfe_time_events.h, 1136	cpu1_msgids.h, 733
CFE_TIME_LeapsCmd_Payload, 677	CFE_TIME_SEND_DIAGNOSTIC_TLM_CC
LeapSeconds, 678	cfe_time_msg.h, 1151
CFE_TIME_LeapsCmd_Payload_t	CFE_TIME_SEND_HK_MID
cfe_time_msg.h, 1165	cpu1_msgids.h, 733
CFE_TIME_Local1HzISR	CFE_TIME_SERVICE
cFE Miscellaneous Time APIs, 337	cfe_error.h, 832
CFE_TIME_MET2SCTime	CFE_TIME_SET_LEAP_SECONDS_CC
cFE Time Conversion APIs, 329	cfe_time_msg.h, 1152
CFE_TIME_MET_CFG_EID	CFE_TIME_SET_MET_CC
cfe_time_events.h, 1136	cfe_time_msg.h, 1153
CFE_TIME_MET_EID	CFE_TIME_SET_SIGNAL_CC
cfe_time_events.h, 1137	cfe_time_msg.h, 1154
CFE_TIME_MET_ERR_EID	CFE_TIME_SET_SOURCE_CC
cfe_time_events.h, 1137	cfe_time_msg.h, 1155
CFE_TIME_Micro2SubSecs	CFE_TIME_SET_STATE_CC
cFE Time Conversion APIs, 329	cfe_time_msg.h, 1156
CFE_TIME_NOOP_CC	CFE_TIME_SET_STCF_CC
cfe_time_msg.h, 1149	cfe_time_msg.h, 1158
CFE_TIME_NOOP_EID	CFE_TIME_SET_TIME_CC
cfe_time_events.h, 1137	cfe_time_msg.h, 1159
CFE_TIME_NOT_IMPLEMENTED	CFE_TIME_SIGNAL_CFG_EID
cFE Return Code Defines, 159	cfe_time_events.h, 1138
CFE_TIME_NoArgsCmd, 678	CFE_TIME_SIGNAL_EID
CommandHeader, 679	cfe_time_events.h, 1138
CFE_TIME_NoArgsCmd_t	CFE_TIME_SIGNAL_ERR_EID
cfe_time_msg.h, 1165	cfe_time_events.h, 1139
CFE_TIME_NoopCmd_t	CFE_TIME_SOURCE_CFG_EID
cfe_time_msg.h, 1165	cfe_time_events.h, 1139
CFE_TIME_OUT_OF_RANGE	CFE_TIME_SOURCE_EID
cFE Return Code Defines, 159	cfe_time_events.h, 1139
CFF TIME OneHzAdiustmentCmd, 679	CFE TIME SOURCE FRR FID

cfe_time_events.h, 1140	TimeSource, 686
CFE_TIME_STATE_EID	CFE_TIME_SourceCmd_Payload_t
cfe_time_events.h, 1140	cfe_time_msg.h, 1167
CFE_TIME_STATE_ERR_EID	CFE_TIME_SourceSelect
cfe_time_events.h, 1140	cfe_time_extern_typedefs.h, 920
CFE_TIME_STCF_CFG_EID	CFE_TIME_SourceSelect_Enum_t
cfe_time_events.h, 1141	cfe_time_extern_typedefs.h, 918
CFE_TIME_STCF_EID	CFE_TIME_StateCmd_Payload, 686
cfe_time_events.h, 1141	ClockState, 687
CFE_TIME_STCF_ERR_EID	CFE_TIME_StateCmd_Payload_t
cfe_time_events.h, 1141	cfe_time_msg.h, 1168
CFE_TIME_SUB_1HZ_ADJUSTMENT_CC	CFE_TIME_Sub1HZAdjustmentCmd_t
cfe_time_msg.h, 1160	cfe_time_msg.h, 1168
CFE_TIME_SUB_ADJUST_CC	CFE_TIME_Sub2MicroSecs
cfe_time_msg.h, 1161	cFE Time Conversion APIs, 330
CFE_TIME_SUB_DELAY_CC	CFE_TIME_SubAdjustCmd_t
cfe_time_msg.h, 1162	cfe_time_msg.h, 1168
CFE_TIME_SendDiagnosticCmd_t	CFE_TIME_SubDelayCmd_t
cfe_time_msg.h, 1166	cfe_time_msg.h, 1168
CFE_TIME_SetLeapSecondsCmd, 681	CFE_TIME_Subtract
CommandHeader, 681	cFE Time Arithmetic APIs, 328
Payload, 681	CFE_TIME_SynchCallbackPtr_t
CFE_TIME_SetLeapSecondsCmd_t	cfe_time_api_typedefs.h, 914
cfe_time_msg.h, 1166	CFE_TIME_SysTime, 687
CFE_TIME_SetMETCmd_t	Seconds, 688
cfe_time_msg.h, 1166	Subseconds, 688
CFE_TIME_SetSTCFCmd_t	CFE_TIME_SysTime_t
cfe_time_msg.h, 1167	cfe_time_extern_typedefs.h, 918
CFE_TIME_SetSignalCmd, 682	CFE_TIME_TIME_CFG_EID
CommandHeader, 682	cfe_time_events.h, 1142
Payload, 682	CFE_TIME_TIME_EID
CFE_TIME_SetSignalCmd_t	cfe_time_events.h, 1142
cfe_time_msg.h, 1166	CFE_TIME_TIME_ERR_EID
CFE_TIME_SetSourceCmd, 683	cfe_time_events.h, 1142
CommandHeader, 683	CFE TIME TONE CMD MID
Payload, 683	cpu1_msgids.h, 733
CFE_TIME_SetSourceCmd_t	CFE_TIME_TOO_MANY_SYNCH_CALLBACKS
cfe time msg.h, 1167	cFE Return Code Defines, 160
CFE_TIME_SetState	CFE_TIME_TimeCmd, 688
cfe_time_extern_typedefs.h, 920	CommandHeader, 689
CFE_TIME_SetState_Enum_t	Payload, 689
cfe_time_extern_typedefs.h, 917	CFE_TIME_TimeCmd_Payload, 689
CFE_TIME_SetStateCmd, 684	MicroSeconds, 689
CommandHeader, 684	Seconds, 690
Payload, 684	CFE_TIME_TimeCmd_Payload_t
CFE_TIME_SetStateCmd_t	cfe_time_msg.h, 1168
cfe_time_msg.h, 1167	CFE_TIME_TimeCmd_t
CFE_TIME_SetTimeCmd_t	cfe_time_msg.h, 1168
cfe_time_msg.h, 1167	CFE_TIME_ToneDataCmd, 690
CFE_TIME_SignalCmd_Payload, 685	CommandHeader, 690
ToneSource, 685	Payload, 691
CFE_TIME_SignalCmd_Payload_t	CFE_TIME_ToneDataCmd_Payload, 691
cfe_time_msg.h, 1167	AtToneLeapSeconds, 692
CFE_TIME_SourceCmd_Payload, 686	AtToneMET, 692
_ :- <u>_</u> , ~ , ~, ~, ~~~~~~~~~~~~~~	· · · · · · · · · · · · · · · · · · ·

AtToneSTCF, 692	ofo/modulos/coro ani/fsw/inc/ofo ave ani tynodofs h 959
AttoneState, 692	cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h, 858 cfe/modules/core_api/fsw/inc/cfe_evs_extern_typedefs.h,
CFE_TIME_ToneDataCmd_Payload_t	861
cfe_time_msg.h, 1169	cfe/modules/core_api/fsw/inc/cfe_fs.h, 866
CFE_TIME_ToneDataCmd_t	cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h, 867
cfe_time_msg.h, 1169	cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h,
CFE_TIME_ToneSignalCmd_t	870
cfe_time_msg.h, 1169	cfe/modules/core_api/fsw/inc/cfe_msg.h, 873
CFE_TIME_ToneSignalSelect	cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h,
cfe_time_extern_typedefs.h, 920	875
CFE_TIME_ToneSignalSelect_Enum_t	cfe/modules/core_api/fsw/inc/cfe_resourceid.h, 883
cfe_time_extern_typedefs.h, 918	cfe/modules/core_api/fsw/inc/cfe_resourceid_api_←
CFE_TIME_UnregisterSynchCallback	typedefs.h, 890
cFE External Time Source APIs, 335	cfe/modules/core_api/fsw/inc/cfe_sb.h, 892
CFE_TST	cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h, 894
cfe_sb.h, 894	cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h,
CFE_VERSION_STRING	899
cfe_version.h, 923	cfe/modules/core_api/fsw/inc/cfe_tbl.h, 903
CFECoreChecksum	cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h, 904
CFE_ES_HousekeepingTlm_Payload, 509	cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h,
CFEMajorVersion	907
CFE_ES_HousekeepingTlm_Payload, 509	cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h, 909
CFEMinorVersion	cfe/modules/core_api/fsw/inc/cfe_time.h, 911
CFE_ES_HousekeepingTlm_Payload, 509	cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h,
CFEMissionRevision	913
CFE_ES_HousekeepingTlm_Payload, 509	cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs. ←
CFERevision	h, 915
	cfe/modules/core_api/fsw/inc/cfe_version.h, 921
CFE_ES_HousekeepingTlm_Payload, 510	
ccsds_hdr.h	cfe/modules/es/fsw/inc/cfe_es_events.h, 924
CCSDS_ExtendedHeader_t, 1041	cfe/modules/es/fsw/inc/cfe_es_msg.h, 957
CCSDS_PrimaryHeader_t, 1041	cfe/modules/evs/fsw/inc/cfe_evs_events.h, 993
CdsName	cfe/modules/evs/fsw/inc/cfe_evs_msg.h, 1008
CFE_ES_DeleteCDSCmd_Payload, 502	cfe/modules/msg/fsw/inc/ccsds_hdr.h, 1040
cfe/docs/src/cfe_api.dox, 816	cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_←
cfe/docs/src/cfe_es.dox, 816	basevalues.h, 1041
cfe/docs/src/cfe_evs.dox, 816	cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.
cfe/docs/src/cfe_frontpage.dox, 816	h, 1042
cfe/docs/src/cfe_glossary.dox, 816	cfe/modules/sb/fsw/inc/cfe_sb_events.h, 1044
cfe/docs/src/cfe_sb.dox, 816	cfe/modules/sb/fsw/inc/cfe_sb_msg.h, 1068
cfe/docs/src/cfe_tbl.dox, 816	cfe/modules/tbl/fsw/inc/cfe_tbl_events.h, 1086
cfe/docs/src/cfe_time.dox, 816	cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h, 1112
cfe/docs/src/cfe_xref.dox, 816	cfe/modules/time/fsw/inc/cfe_time_events.h, 1129
cfe/docs/src/cfs_versions.dox, 816	cfe/modules/time/fsw/inc/cfe_time_msg.h, 1143
cfe/modules/core_api/fsw/inc/cfe.h, 816	cfe_config.h
cfe/modules/core_api/fsw/inc/cfe_config.h, 817	CFE_Config_GetIdByName, 817
cfe/modules/core api/fsw/inc/cfe config api typedefs.h,	CFE Config GetName, 818
821	CFE_Config_GetObjPointer, 818
cfe/modules/core_api/fsw/inc/cfe_endian.h, 823	CFE_Config_GetString, 819
cfe/modules/core_api/fsw/inc/cfe_error.h, 823	CFE_Config_GetValue, 819
cfe/modules/core_api/fsw/inc/cfe_es.h, 834	CFE_Config_IterateAll, 821
cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h, 838	cfe_config_api_typedefs.h
cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h,	CFE_CONFIGID_UNDEFINED, 822
844	CFE_CONFIGID_C, 822
cfe/modules/core_api/fsw/inc/cfe_evs.h, 856	CFE_Config_Callback_t, 822

CFE_Configld_t, 822	CFE ES BOOT ERR EID, 927
cfe_endian.h	CFE_ES_BUILD_INF_EID, 928
CFE_MAKE_BIG16, 823	CFE_ES_CC1_ERR_EID, 928
CFE_MAKE_BIG32, 823	CFE_ES_CDS_DELETE_ERR_EID, 929
cfe_error.h	CFE_ES_CDS_DELETE_TBL_ERR_EID, 929
CFE_ES_StatusToString, 833	CFE_ES_CDS_DELETED_INFO_EID, 929
CFE_EVENTS_SERVICE, 830	CFE_ES_CDS_DUMP_ERR_EID, 930
CFE_EXECUTIVE_SERVICE, 830	CFE_ES_CDS_NAME_ERR_EID, 930
CFE_FILE_SERVICE, 830	CFE_ES_CDS_OWNER_ACTIVE_EID, 930
CFE_GENERIC_SERVICE, 830	CFE_ES_CDS_REG_DUMP_INF_EID, 931
CFE_SERVICE_BITMASK, 831	CFE_ES_CDS_REGISTER_ERR_EID, 931
CFE_SEVERITY_BITMASK, 831	CFE_ES_CREATING_CDS_DUMP_ERR_EID, 931
CFE_SEVERITY_ERROR, 831	CFE_ES_ERLOG1_INF_EID, 932
CFE_SEVERITY_INFO, 831	CFE_ES_ERLOG2_EID, 932
CFE_SEVERITY_SUCCESS, 831	CFE_ES_ERLOG2_ERR_EID, 932
CFE_SOFTWARE_BUS_SERVICE, 832	CFE_ES_ERLOG_PENDING_ERR_EID, 933
CFE_STATUS_STRING_LENGTH, 832	CFE_ES_ERR_SYSLOGMODE_EID, 933
CFE_STATUS_C, 832	CFE_ES_ERREXIT_APP_ERR_EID, 933
CFE_Status_t, 833	CFE_ES_ERREXIT_APP_INF_EID, 934
CFE_StatusString_t, 833	CFE_ES_EXIT_APP_ERR_EID, 934
CFE_TABLE_SERVICE, 832	CFE_ES_EXIT_APP_INF_EID, 935
CFE_TIME_SERVICE, 832	CFE_ES_FILEWRITE_ERR_EID, 935
cfe_es.h	CFE_ES_INIT_INF_EID, 935
CFE_ES_DBIT, 837	CFE_ES_INITSTATS_INF_EID, 936
CFE_ES_DTEST, 837	CFE_ES_INVALID_POOL_HANDLE_ERR_EID, 936
CFE_ES_TEST_LONG_MASK, 837	CFE_ES_LEN_ERR_EID, 936
OS_PRINTF, 837	CFE_ES_MID_ERR_EID, 937
cfe_es_api_typedefs.h	CFE_ES_NOOP_INF_EID, 937
CFE_ES_APP_RESTART, 839	CFE_ES_ONE_APP_EID, 937
CFE_ES_APPID_UNDEFINED, 839	CFE_ES_ONE_APPID_ERR_EID, 938
CFE_ES_APPID_C, 839	CFE_ES_ONE_ERR_EID, 938
CFE_ES_CDS_BAD_HANDLE, 840	CFE_ES_OSCREATE_ERR_EID, 938
CFE_ES_CDSHANDLE_C, 840	CFE ES PCR ERR1 EID, 939
CFE ES COUNTERID UNDEFINED, 840	CFE ES PCR ERR2 EID, 939
CFE_ES_COUNTERID_C, 840	CFE_ES_PERF_DATAWRITTEN_EID, 939
CFE_ES_ChildTaskMainFuncPtr_t, 843	CFE_ES_PERF_FILTMSKCMD_EID, 940
CFE_ES_LIBID_UNDEFINED, 840	CFE_ES_PERF_FILTMSKERR_EID, 940
CFE_ES_LIBID_C, 840	CFE ES PERF LOG ERR EID, 940
CFE_ES_LibraryEntryFuncPtr_t, 843	CFE_ES_PERF_STARTCMD_EID, 941
CFE_ES_MEMHANDLE_UNDEFINED, 841	CFE_ES_PERF_STARTCMD_ERR_EID, 941
CFE ES MEMHANDLE C, 841	CFE_ES_PERF_STARTCMD_TRIG_ERR_EID, 941
CFE ES MEMPOOLBUF C, 841	CFE_ES_PERF_STOPCMD_EID, 942
CFE ES MemPoolBuf t, 843	CFE ES PERF STOPCMD ERR2 EID, 942
CFE_ES_NO_MUTEX, 841	CFE_ES_PERF_TRIGMSKCMD_EID, 942
CFE ES PoolAlign t, 843	CFE_ES_PERF_TRIGMSKERR_EID, 943
CFE_ES_STATIC_POOL_TYPE, 841	
	CFE_ES_RELOAD_APP_DBG_EID, 943
CFE_ES_StackPointer_t, 844	CFE_ES_RELOAD_APP_ERR1_EID, 943
CFE_ES_TASK_STACK_ALLOCATE, 842	CFE_ES_RELOAD_APP_ERR2_EID, 944
CFE_ES_TASKID_UNDEFINED, 842	CFE_ES_RELOAD_APP_ERR3_EID, 944
CFE_ES_TASKID_C, 842	CFE_ES_RELOAD_APP_ERR4_EID, 944
CFE_ES_TaskEntryFuncPtr_t, 844	CFE_ES_RELOAD_APP_INF_EID, 945
CFE_ES_USE_MUTEX, 842	CFE_ES_RESET_INF_EID, 945
cfe_es_events.h	CFE_ES_RESET_PR_COUNT_EID, 945
CFE_ES_ALL_APPS_EID, 927	CFE_ES_RESTART_APP_DBG_EID, 946

	CFE ES RESTART APP ERR1 EID, 946	CFE_ES_MemAddress_t, 850
	CFE ES RESTART APP ERR2 EID, 946	CFE_ES_MemHandle_t, 850
	CFE_ES_RESTART_APP_ERR3_EID, 947	CFE_ES_MemOffset_t, 850
	CFE_ES_RESTART_APP_ERR4_EID, 947	CFE_ES_MemPoolStats_t, 851
	CFE_ES_RESTART_APP_INF_EID, 947	CFE_ES_RunStatus, 855
	CFE_ES_SET_MAX_PR_COUNT_EID, 948	CFE_ES_RunStatus_Enum_t, 851
	CFE_ES_START_ERR_EID, 948	CFE_ES_SystemState, 855
	CFE_ES_START_EXC_ACTION_ERR_EID, 948	CFE_ES_SystemState_Enum_t, 851
	CFE_ES_START_INF_EID, 949	CFE_ES_TaskId_t, 852
	CFE_ES_START_INVALID_ENTRY_POINT_ERR←	CFE_ES_TaskInfo_t, 852
	_EID, 949	CFE_ES_TaskPriority_Atom_t, 852
	CFE_ES_START_INVALID_FILENAME_ERR_EID,	cfe_es_msg.h
	949	CFE_ES_AppNameCmd_Payload_t, 985
	CFE_ES_START_NULL_APP_NAME_ERR_EID,	CFE_ES_AppNameCmd_t, 985
	950	CFE_ES_AppReloadCmd_Payload_t, 985
	CFE_ES_START_PRIORITY_ERR_EID, 950	CFE_ES_CLEAR_ER_LOG_CC, 961
	CFE_ES_STOP_DBG_EID, 950	CFE_ES_CLEAR_SYSLOG_CC, 961
	CFE_ES_STOP_ERR1_EID, 951	CFE_ES_ClearERLogCmd_t, 985
	CFE_ES_STOP_ERR2_EID, 951	CFE_ES_ClearSysLogCmd_t, 985
	CFE_ES_STOP_ERR3_EID, 951	CFE_ES_DELETE_CDS_CC, 962
	CFE_ES_STOP_INF_EID, 952	CFE_ES_DUMP_CDS_REGISTRY_CC, 963
	CFE_ES_SYSLOG1_INF_EID, 952	CFE_ES_DeleteCDSCmd_Payload_t, 985
	CFE_ES_SYSLOG2_EID, 952	CFE_ES_DeleteCDSCmd_t, 985
	CFE_ES_SYSLOG2_ERR_EID, 953	CFE_ES_DumpCDSRegistryCmd_Payload_t, 986
	CFE_ES_SYSLOGMODE_EID, 953	CFE_ES_DumpCDSRegistryCmd_t, 986
	CFE_ES_TASKINFO_EID, 953	CFE_ES_FileNameCmd_Payload_t, 986
	CFE_ES_TASKINFO_OSCREATE_ERR_EID, 954	CFE_ES_FileNameCmd_t, 986
	CFE_ES_TASKINFO_WR_ERR_EID, 954	CFE_ES_HousekeepingTlm_Payload_t, 986
	CFE_ES_TASKINFO_WRHDR_ERR_EID, 954	CFE_ES_HousekeepingTlm_t, 986
	CFE_ES_TASKWR_ERR_EID, 955	CFE_ES_MemStatsTlm_t, 987
	CFE_ES_TLM_POOL_STATS_INFO_EID, 955	CFE_ES_NOOP_CC, 964
	CFE_ES_VERSION_INF_EID, 955	CFE_ES_NoArgsCmd_t, 987
	CFE_ES_WRHDR_ERR_EID, 956	CFE_ES_NoopCmd_t, 987
_	CFE_ES_WRITE_CFE_HDR_ERR_EID, 956	CFE_ES_OVER_WRITE_SYSLOG_CC, 965
cte_	es_extern_typedefs.h	CFE_ES_OneAppTIm_Payload_t, 987
	CFE_ES_Appld_t, 847	CFE_ES_OneAppTlm_t, 987
	CFE_ES_AppInfo_t, 847	CFE_ES_OverWriteSysLogCmd_Payload_t, 987
	CFE_ES_AppState, 853	CFE_ES_OverWriteSysLogCmd_t, 988
	CFE_ES_AppState_Enum_t, 847	CFE_ES_PoolStatsTlm_Payload_t, 988
	CFE_ES_AppType, 853	CFE_ES_QUERY_ALL_CC, 966
	CFE_ES_AppType_Enum_t, 847	CFE_ES_QUERY_ALL_TASKS_CC, 967
	CFE_ES_BlockStats_t, 848	CFE_ES_QUERY_ONE_CC, 968
	CFE_ES_CDSHandle_t, 848	CFE_ES_QueryAllCmd_t, 988
	CFE_ES_CDSRegDumpRec_t, 848	CFE_ES_QueryAllTasksCmd_t, 988
	CFE_ES_CounterId_t, 848	CFE_ES_QueryOneCmd_t, 988
	CFE_ES_ExceptionAction, 854	CFE_ES_RELOAD_APP_CC, 969
	CFE_ES_ExceptionAction_Enum_t, 849	CFE_ES_RESET_COUNTERS_CC, 970
	CFE_ES_LibId_t, 849	CFE_ES_RESET_PR_COUNT_CC, 971
	CFE_ES_LogEntryType, 854	CFE_ES_RESTART_APP_CC, 972
	CFE_ES_LogEntryType_Enum_t, 849	CFE_ES_RESTART_CC, 973
	CFE_ES_LogMode, 854	CFE_ES_ReloadAppCmd_t, 988
	CFE_ES_LogMode_Enum_t, 849	CFE ES ResetCountersCmd t, 989
	CFE_ES_MEMADDRESS_C, 846	CFE_ES_ResetPRCountCmd_t, 989
	CFE_ES_MEMOFFSET_C, 846	CFE_ES_RestartAppCmd_t, 989
		— — II = ==============================

CFE_ES_RestartCmd_Payload_t, 989	CFE_EVS_DISPORT_EID, 996
CFE_ES_RestartCmd_t, 989	CFE_EVS_ENAAPPEVT_EID, 996
CFE_ES_SEND_MEM_POOL_STATS_CC, 974	CFE_EVS_ENAAPPEVTTYPE_EID, 996
CFE_ES_SET_MAX_PR_COUNT_CC, 975	CFE_EVS_ENAEVTTYPE_EID, 997
CFE_ES_SET_PERF_FILTER_MASK_CC, 976	CFE_EVS_ENAPORT_EID, 997
CFE_ES_SET_PERF_TRIGGER_MASK_CC, 977	CFE EVS ERR APPNOREGS EID, 997
CFE_ES_START_APP_CC, 978	CFE_EVS_ERR_CC_EID, 998
CFE_ES_START_PERF_DATA_CC, 979	CFE_EVS_ERR_CRDATFILE_EID, 998
CFE_ES_STOP_APP_CC, 980	CFE_EVS_ERR_CRLOGFILE_EID, 998
CFE_ES_STOP_PERF_DATA_CC, 981	CFE EVS ERR EVTIDNOREGS EID, 999
CFE ES SendMemPoolStatsCmd Payload t, 989	CFE EVS ERR ILLAPPIDRANGE EID, 999
CFE ES SendMemPoolStatsCmd t, 990	CFE_EVS_ERR_ILLEGALFMTMOD_EID, 999
CFE_ES_SetMaxPRCountCmd_Payload_t, 990	CFE_EVS_ERR_INVALID_BITMASK_EID, 1000
CFE_ES_SetMaxPRCountCmd_t, 990	CFE_EVS_ERR_LOGMODE_EID, 1000
CFE_ES_SetPerfFilterMaskCmd_Payload_t, 990	CFE_EVS_ERR_MAXREGSFILTER_EID, 1000
CFE_ES_SetPerfFilterMaskCmd_t, 990	CFE_EVS_ERR_MSGID_EID, 1001
CFE_ES_SetPerfTrigMaskCmd_Payload_t, 991	CFE_EVS_ERR_NOAPPIDFOUND_EID, 1001
CFE_ES_SetPerfTriggerMaskCmd_t, 990	CFE_EVS_ERR_UNREGISTERED_EVS_APP,
CFE_ES_StartAppCmd_Payload_t, 991	1001
CFE_ES_StartAppCmd_t, 991	CFE_EVS_ERR_WRDATFILE_EID, 1002
CFE_ES_StartPerfCmd_Payload_t, 991	CFE_EVS_ERR_WRLOGFILE_EID, 1002
CFE_ES_StartPerfDataCmd_t, 991	CFE_EVS_EVT_FILTERED_EID, 1002
CFE_ES_StopAppCmd_t, 991	CFE_EVS_FILTER_MAX_EID, 1003
CFE_ES_StopPerfCmd_Payload_t, 992	CFE_EVS_LEN_ERR_EID, 1003
CFE_ES_StopPerfDataCmd_t, 992	CFE_EVS_LOGMODE_EID, 1003
CFE_ES_WRITE_ER_LOG_CC, 982	CFE_EVS_NOOP_EID, 1004
CFE_ES_WRITE_SYSLOG_CC, 983	CFE_EVS_RSTALLFILTER_EID, 1004
CFE_ES_WriteERLogCmd_t, 992	CFE_EVS_RSTCNT_EID, 1004
CFE_ES_WriteSysLogCmd_t, 992	CFE_EVS_RSTEVTCNT_EID, 1005
cfe_evs.h	CFE_EVS_RSTFILTER_EID, 1005
CFE_EVS_Send, 856	CFE_EVS_SETEVTFMTMOD_EID, 1005
CFE_EVS_SendCrit, 857	CFE_EVS_SETFILTERMSK_EID, 1006
CFE_EVS_SendDbg, 857	CFE_EVS_SQUELCHED_ERR_EID, 1006
CFE_EVS_SendErr, 857	CFE_EVS_STARTUP_EID, 1006
CFE_EVS_SendInfo, 857	CFE_EVS_WRDAT_EID, 1007
cfe_evs_api_typedefs.h	CFE_EVS_WRLOG_EID, 1007
CFE EVS BinFilter t, 861	cfe_evs_extern_typedefs.h
CFE_EVS_EVERY_FOURTH_ONE, 859	CFE_EVS_EventFilter, 863
CFE_EVS_EVERY_OTHER_ONE, 859	CFE_EVS_EventFilter_Enum_t, 862
CFE EVS EVERY OTHER TWO, 859	CFE_EVS_EventOutput, 863
CFE EVS FIRST 16 STOP, 859	CFE_EVS_EventOutput_Enum_t, 862
CFE_EVS_FIRST_32_STOP, 859	CFE EVS EventType, 865
CFE EVS FIRST 4 STOP, 859	CFE_EVS_EventType_Enum_t, 862
CFE EVS FIRST 64 STOP, 860	CFE EVS LogMode, 865
CFE_EVS_FIRST_8_STOP, 860	CFE EVS LogMode Enum t, 862
CFE_EVS_FIRST_ONE_STOP, 860	CFE EVS MsgFormat, 865
CFE EVS FIRST TWO STOP, 860	CFE_EVS_MsgFormat_Enum_t, 863
CFE EVS NO FILTER, 860	cfe evs msg.h
	0
cfe_evs_events.h	CFE_EVS_ADD_EVENT_FILTER_CC, 1011
CFE_EVS_ADDFILTER_EID, 994	CFE_EVS_AddEventFilterCmd_t, 1033
CFE_EVS_DELFILTER_EID, 994	CFE_EVS_AppDataCmd_Payload_t, 1033
CFE_EVS_DISAPPENTTYPE_EID, 995	CFE_EVS_AppNameBitMaskCmd_Payload_t, 1034
CFE_EVS_DISAPPEVT_EID, 995	CFE_EVS_AppNameBitMaskCmd_t, 1034
CFE_EVS_DISEVTTYPE_EID, 995	CFE_EVS_AppNameCmd_Payload_t, 1034

CFE_EVS_AppNameCmd_t, 1034	CFE EVS ResetFilterCmd t, 1039
CFE_EVS_AppNameEventIDCmd_Payload_t, 1034	CFE_EVS_SET_EVENT_FORMAT_MODE_CC,
CFE_EVS_AppNameEventIDCmd_t, 1034	1028
CFE_EVS_AppNameEventIDMaskCmd_Payload_t,	CFE_EVS_SET_FILTER_CC, 1029
1035	CFE_EVS_SET_LOG_MODE_CC, 1030
CFE_EVS_AppNameEventIDMaskCmd_t, 1035	CFE_EVS_SetEventFormatMode_Payload_t, 1039
CFE_EVS_AppTImData_t, 1035	CFE_EVS_SetEventFormatModeCmd_t, 1039
CFE_EVS_BitMaskCmd_Payload_t, 1035	CFE_EVS_SetFilterCmd_t, 1039
CFE_EVS_BitMaskCmd_t, 1035	CFE_EVS_SetLogMode_Payload_t, 1039
CFE_EVS_CLEAR_LOG_CC, 1012	CFE_EVS_SetLogModeCmd_t, 1040
CFE_EVS_CRITICAL_BIT, 1013	CFE_EVS_ShortEventTlm_Payload_t, 1040
CFE EVS ClearLogCmd t, 1035	CFE EVS ShortEventTIm t, 1040
CFE_EVS_DEBUG_BIT, 1013	CFE_EVS_WRITE_APP_DATA_FILE_CC, 1031
CFE_EVS_DELETE_EVENT_FILTER_CC, 1013	CFE_EVS_WRITE_LOG_DATA_FILE_CC, 1032
CFE_EVS_DISABLE_APP_EVENT_TYPE_CC,	CFE_EVS_WriteAppDataFileCmd_t, 1040
1014	CFE_EVS_WriteLogDataFileCmd_t, 1040
CFE_EVS_DISABLE_APP_EVENTS_CC, 1015	cfe_fs_api_typedefs.h
CFE_EVS_DISABLE_EVENT_TYPE_CC, 1016	CFE_FS_FileCategory_t, 869
CFE_EVS_DISABLE_PORTS_CC, 1017	CFE_FS_FileWriteEvent_t, 870
CFE_EVS_DeleteEventFilterCmd_t, 1036	CFE_FS_FileWriteGetData_t, 868
CFE_EVS_DisableAppEventTypeCmd_t, 1036	CFE FS FileWriteMetaData t, 868
CFE_EVS_DisableAppEventsCmd_t, 1036	CFE_FS_FileWriteOnEvent_t, 868
CFE_EVS_DisableEventTypeCmd_t, 1036	cfe_fs_extern_typedefs.h
CFE_EVS_DisablePortsCmd_t, 1036	CFE_FS_FILE_CONTENT_ID, 871
CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, 1018	CFE_FS_HDR_DESC_MAX_LEN, 871
CFE_EVS_ENABLE_APP_EVENTS_CC, 1019	CFE_FS_Header_t, 871
CFE_EVS_ENABLE_EVENT_TYPE_CC, 1020	CFE_FS_SubType, 872
CFE_EVS_ENABLE_PORTS_CC, 1021	CFE_FS_SubType_Enum_t, 871
CFE_EVS_ERROR_BIT, 1022	cfe_msg_api_typedefs.h
CFE_EVS_EnableAppEventTypeCmd_t, 1037	CFE_MSG_ApId_t, 877
CFE_EVS_EnableAppEventsCmd_t, 1036	CFE_MSG_BAD_ARGUMENT, 877
CFE_EVS_EnableEventTypeCmd_t, 1037	CFE_MSG_Checksum_t, 878
CFE_EVS_EnablePortsCmd_t, 1037	CFE_MSG_CommandHeader_t, 878
CFE_EVS_HousekeepingTlm_Payload_t, 1037	CFE_MSG_EDSVersion_t, 878
CFE_EVS_HousekeepingTlm_t, 1037	CFE_MSG_Endian, 880
CFE_EVS_INFORMATION_BIT, 1023	CFE_MSG_Endian_t, 878
CFE_EVS_LogFileCmd_Payload_t, 1037	CFE_MSG_FcnCode_t, 878
CFE_EVS_LongEventTIm_Payload_t, 1038	CFE MSG HeaderVersion t, 879
CFE EVS LongEventTlm t, 1038	CFE MSG Message t, 879
CFE_EVS_NOOP_CC, 1023	CFE_MSG_NOT_IMPLEMENTED, 877
CFE_EVS_NoArgsCmd_t, 1038	CFE_MSG_PlaybackFlag, 881
CFE_EVS_NoopCmd_t, 1038	CFE MSG PlaybackFlag t, 879
CFE_EVS_PORT1_BIT, 1023	CFE_MSG_SegmentationFlag, 881
CFE_EVS_PORT2_BIT, 1024	CFE_MSG_SegmentationFlag_t, 879
CFE_EVS_PORT3_BIT, 1024	CFE_MSG_SequenceCount_t, 879
CFE_EVS_PORT4_BIT, 1024	CFE_MSG_Size_t, 880
CFE_EVS_PacketID_t, 1038	CFE_MSG_Subsystem_t, 880
CFE_EVS_RESET_ALL_FILTERS_CC, 1024	CFE_MSG_System_t, 880
CFE_EVS_RESET_APP_COUNTER_CC, 1025	CFE_MSG_TelemetryHeader_t, 880
CFE_EVS_RESET_COUNTERS_CC, 1026	CFE_MSG_Type, 881
CFE_EVS_RESET_FILTER_CC, 1027	CFE_MSG_Type_t, 880
CFE EVS ResetAllFiltersCmd t, 1038	
	CFE MSG WRONG MSG TYPE. 877
CFE_EVS_ResetAppCounterCmd_t, 1038	CFE_MSG_WRONG_MSG_TYPE, 877 cfe_psp.h

CFE_PSP_AttachExceptions, 1231	CFE_PSP_MemWrite16, 1239
CFE_PSP_Decompress, 1231	CFE_PSP_MemWrite32, 1240
CFE_PSP_EepromPowerDown, 1231	CFE_PSP_MemWrite8, 1240
CFE_PSP_EepromPowerUp, 1231	CFE_PSP_PANIC_CORE_APP, 1226
CFE_PSP_EepromWrite16, 1231	CFE_PSP_PANIC_GENERAL_FAILURE, 1226
CFE_PSP_EepromWrite32, 1232	CFE PSP PANIC MEMORY ALLOC, 1227
CFE_PSP_EepromWrite8, 1232	CFE_PSP_PANIC_NONVOL_DISK, 1227
CFE_PSP_EepromWriteDisable, 1232	CFE_PSP_PANIC_STARTUP_SEM, 1227
CFE_PSP_EepromWriteEnable, 1232	CFE_PSP_PANIC_STARTUP, 1227
CFE_PSP_Exception_CopyContext, 1232	CFE PSP PANIC VOLATILE DISK, 1227
CFE_PSP_Exception_GetCount, 1232	CFE_PSP_Panic, 1240
CFE PSP Exception GetSummary, 1233	CFE_PSP_PortRead16, 1240
CFE_PSP_FlushCaches, 1233	CFE_PSP_PortRead32, 1240
CFE_PSP_Get_Dec, 1233	CFE_PSP_PortRead8, 1240
CFE_PSP_Get_Timebase, 1233	CFE_PSP_PortWrite16, 1241
CFE_PSP_Get_Timer_Tick, 1234	CFE PSP PortWrite32, 1241
CFE_PSP_GetBuildNumber, 1234	CFE_PSP_PortWrite8, 1241
CFE_PSP_GetCDSSize, 1234	CFE_PSP_RST_SUBTYPE_BANKSWITCH_RES
CFE_PSP_GetCFETextSegmentInfo, 1234	
	ET, 1227
CFE_PSP_GetKernelTextSegmentInfo, 1234	CFE_PSP_RST_SUBTYPE_EXCEPTION, 1228
CFE_PSP_GetProcessorId, 1235	CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COM MAND_1000
CFE_PSP_GetProcessorName, 1235	MAND, 1228
CFE_PSP_GetResetArea, 1235	CFE_PSP_RST_SUBTYPE_HW_WATCHDOG,
CFE_PSP_GetRestartType, 1235	1228
CFE_PSP_GetSpacecraftId, 1235	CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET,
CFE_PSP_GetTime, 1235	1228
CFE_PSP_GetTimerLow32Rollover, 1236	CFE_PSP_RST_SUBTYPE_MAX, 1228
CFE_PSP_GetTimerTicksPerSecond, 1236	CFE_PSP_RST_SUBTYPE_POWER_CYCLE, 1229
CFE_PSP_GetUserReservedArea, 1236	CFE_PSP_RST_SUBTYPE_PUSH_BUTTON, 1229
CFE_PSP_GetVersionCodeName, 1236	CFE_PSP_RST_SUBTYPE_RESET_COMMAND,
CFE_PSP_GetVersionNumber, 1237	1229
CFE_PSP_GetVersionString, 1237	CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET,
CFE_PSP_GetVolatileDiskMem, 1237	1229
CFE_PSP_InitSSR, 1238	CFE_PSP_RST_TYPE_MAX, 1229
CFE_PSP_MEM_ANY, 1225	CFE_PSP_RST_TYPE_POWERON, 1230
CFE_PSP_MEM_ATTR_READWRITE, 1225	CFE_PSP_RST_TYPE_PROCESSOR, 1230
CFE_PSP_MEM_ATTR_READ, 1225	CFE_PSP_ReadFromCDS, 1241
CFE_PSP_MEM_ATTR_WRITE, 1225	CFE_PSP_Restart, 1241
CFE_PSP_MEM_EEPROM, 1225	CFE_PSP_SOFT_TIMEBASE_NAME, 1230
CFE_PSP_MEM_INVALID, 1225	CFE_PSP_SetDefaultExceptionEnvironment, 1241
CFE_PSP_MEM_RAM, 1226	CFE_PSP_WatchdogDisable, 1242
CFE_PSP_MEM_SIZE_BYTE, 1226	CFE_PSP_WatchdogEnable, 1242
CFE PSP MEM SIZE DWORD, 1226	CFE_PSP_WatchdogGet, 1242
CFE PSP MEM SIZE WORD, 1226	CFE_PSP_WatchdogInit, 1242
CFE_PSP_Main, 1238	CFE_PSP_WatchdogService, 1242
CFE_PSP_MemCpy, 1238	CFE_PSP_WatchdogSet, 1242
CFE_PSP_MemRangeGet, 1238	CFE_PSP_WriteToCDS, 1242
CFE_PSP_MemRangeSet, 1238	SIZE BYTE, 1230
CFE_PSP_MemRanges, 1238	SIZE_HALF, 1230
CFE_PSP_MemRead16, 1239	SIZE_WORD, 1231
CFE_PSP_MemRead32, 1239	cfe_psp_error.h
CFE_PSP_MemRead8, 1239	CFE_PSP_ERROR_ADDRESS_MISALIGNED,
CFE_PSP_MemSet, 1239	1244
CFE_PSP_MemValidateRange, 1239	CFE_PSP_ERROR_NOT_IMPLEMENTED, 1244
OI L_I OF_INITIONALITATION, 1239	OFE_FOF_ENDON_INOT_INITLEINIENTED, 1244

CFE_PSP_ERROR_TIMEOUT, 1244	CFE_SB_POLL, 898
CFE_PSP_ERROR, 1244	CFE SB SUBSCRIPTION, 899
CFE_PSP_INVALID_INT_NUM, 1244	CFE_SB_UNSUBSCRIPTION, 899
CFE_PSP_INVALID_MEM_ADDR, 1245	cfe_sb_events.h
CFE_PSP_INVALID_MEM_ATTR, 1245	CFE_SB_BAD_CMD_CODE_EID, 1046
CFE_PSP_INVALID_MEM_RANGE, 1245	CFE SB BAD MSGID EID, 1046
CFE_PSP_INVALID_MEM_SIZE, 1245	CFE_SB_BAD_PIPEID_EID, 1047
CFE_PSP_INVALID_MEM_TYPE, 1245	CFE_SB_CMD0_RCVD_EID, 1047
CFE_PSP_INVALID_MEM_WORDSIZE, 1245	CFE_SB_CMD1_RCVD_EID, 1047
CFE_PSP_INVALID_MODULE_ID, 1246	CFE_SB_CR_PIPE_BAD_ARG_EID, 1048
CFE_PSP_INVALID_MODULE_NAME, 1246	CFE_SB_CR_PIPE_ERR_EID, 1048
CFE PSP INVALID POINTER, 1246	CFE_SB_CR_PIPE_NAME_TAKEN_EID, 1048
CFE_PSP_NO_EXCEPTION_DATA, 1246	CFE_SB_CR_PIPE_NO_FREE_EID, 1049
CFE_PSP_STATUS_STRING_LENGTH, 1246	CFE_SB_DEL_PIPE_ERR1_EID, 1049
CFE_PSP_STATUS_C, 1246	CFE_SB_DEL_PIPE_ERR2_EID, 1049
CFE_PSP_SUCCESS, 1247	
	CFE_SB_DEST_BLK_ERR_EID, 1050 CFE_SB_DSBL_RTE1_EID, 1050
CFE_PSP_Status_t, 1247	
CFE_PSP_StatusString_t, 1247	CFE_SB_DSBL_RTE2_EID, 1050
CFE_PSP_StatusToString, 1247	CFE_SB_DSBL_RTE3_EID, 1051
cfe_resourceid.h	CFE_SB_DUP_SUBSCRIP_EID, 1051
CFE_RESOURCEID_TEST_DEFINED, 884	CFE_SB_ENBL_RTE1_EID, 1051
CFE_RESOURCEID_TEST_EQUAL, 884	CFE_SB_ENBL_RTE2_EID, 1052
CFE_RESOURCEID_TO_ULONG, 884	CFE_SB_ENBL_RTE3_EID, 1052
CFE_ResourceId_Equal, 885	CFE_SB_FILEWRITE_ERR_EID, 1052
CFE_ResourceId_FindNext, 885	CFE_SB_FULL_SUB_PKT_EID, 1053
CFE_ResourceId_FromInteger, 886	CFE_SB_GET_BUF_ERR_EID, 1053
CFE_ResourceId_GetBase, 887	CFE_SB_GETPIPEIDBYNAME_EID, 1053
CFE_ResourceId_GetSerial, 887	CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID,
CFE_ResourceId_IsDefined, 888	1054
CFE_ResourceId_ToIndex, 889	CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID,
CFE_ResourceId_ToInteger, 890	1054
cfe_resourceid_api_typedefs.h	CFE_SB_GETPIPENAME_EID, 1054
CFE_RESOURCEID_RESERVED, 891	CFE_SB_GETPIPENAME_ID_ERR_EID, 1055
CFE_RESOURCEID_UNDEFINED, 891	CFE_SB_GETPIPENAME_NULL_PTR_EID, 1055
cfe_resourceid_basevalue.h	CFE_SB_GETPIPEOPTS_EID, 1055
CFE_RESOURCEID_MAKE_BASE, 1043	CFE_SB_GETPIPEOPTS_ID_ERR_EID, 1056
CFE_RESOURCEID_MAX, 1043	CFE_SB_GETPIPEOPTS_PTR_ERR_EID, 1056
CFE_RESOURCEID_SHIFT, 1043	CFE_SB_HASHCOLLISION_EID, 1056
cfe_sb.h	CFE_SB_INIT_EID, 1057
CFE_BIT, 893	CFE_SB_LEN_ERR_EID, 1057
CFE_CLR, 894	CFE_SB_MAX_DESTS_MET_EID, 1057
CFE_SET, 894	CFE_SB_MAX_MSGS_MET_EID, 1058
CFE_TST, 894	CFE_SB_MAX_PIPES_MET_EID, 1058
cfe_sb_api_typedefs.h	CFE_SB_MSG_TOO_BIG_EID, 1058
CFE_SB_Buffer_t, 899	CFE SB MSGID LIM ERR EID, 1059
CFE_SB_DEFAULT_QOS, 896	CFE_SB_PART_SUB_PKT_EID, 1059
CFE_SB_INVALID_MSG_ID, 896	CFE_SB_PIPE_ADDED_EID, 1059
CFE_SB_INVALID_PIPE, 896	CFE SB PIPE DELETED EID, 1060
CFE_SB_MSGID_RESERVED, 897	CFE_SB_Q_FULL_ERR_EID, 1060
CFE_SB_MSGID_UNWRAP_VALUE, 897	CFE_SB_Q_RD_ERR_EID, 1060
CFE_SB_MSGID_WRAP_VALUE, 897	CFE_SB_Q_WR_ERR_EID, 1061
CFE_SB_MSGID_C, 896	CFE_SB_RCV_BAD_ARG_EID, 1061
CFE_SB_PEND_FOREVER, 898	CFE_SB_SEND_BAD_ARG_EID, 1061
CFE_SB_PEND_FOREVER, 696 CFE_SB_PIPEID_C, 898	CFE_SB_SEND_INV_MSGID_FID_1062
GIE OD IIIEID U. UDU	OLE OD OEIND HAN INCRAILT LITTE

	CFE SB SEND NO SUBS EID, 1062	CFE_SB_SingleSubscriptionTlm_t, 1084
	CFE SB SETPIPEOPTS EID, 1062	CFE_SB_StatsTlm_Payload_t, 1084
	CFE SB SETPIPEOPTS ID ERR EID, 1063	CFE_SB_StatsTIm_t, 1084
	CFE_SB_SETPIPEOPTS_OWNER_ERR_EID, 1063	CFE_SB_SubEntries_t, 1085
	CFE SB SND RTG EID, 1063	CFE SB WRITE MAP INFO CC, 1077
	CFE_SB_SND_RTG_ERR1_EID, 1064	
	CFE_SB_SND_STATS_EID, 1064	CFE_SB_WRITE_PIPE_INFO_CC, 1078
	CFE_SB_SUB_ARG_ERR_EID, 1064	CFE_SB_WRITE_ROUTING_INFO_CC, 1079
	CFE_SB_SUB_INV_CALLER_EID, 1065	CFE_SB_WriteFileInfoCmd_Payload_t, 1085
		CFE_SB_WriteFileInfoCmd_t, 1085
	CFE_SB_SUB_INV_PIPE_EID, 1065	CFE_SB_WriteMapInfoCmd_t, 1085
	CFE_SB_SUBSCRIPTION_RCVD_EID, 1065	CFE_SB_WritePipeInfoCmd_t, 1085
	CFE_SB_SUBSCRIPTION_REMOVED_EID, 1066	CFE_SB_WriteRoutingInfoCmd_t, 1085
	CFE_SB_SUBSCRIPTION_RPT_EID, 1066	cfe_tbl_api_typedefs.h
	CFE_SB_UNSUB_ARG_ERR_EID, 1066	CFE_TBL_BAD_TABLE_HANDLE, 906
	CFE_SB_UNSUB_INV_CALLER_EID, 1067	CFE_TBL_CallbackFuncPtr_t, 906
	CFE_SB_UNSUB_INV_PIPE_EID, 1067	CFE_TBL_Handle_t, 906
	CFE_SB_UNSUB_NO_SUBS_EID, 1067	CFE_TBL_Info_t, 906
cfe_	_sbextern_typedefs.h	CFE_TBL_MAX_FULL_NAME_LEN, 906
	CFE_SB_Msgld_Atom_t, 901	CFE TBL SrcEnum, 907
	CFE_SB_Pipeld_t, 901	CFE TBL SrcEnum t, 907
	CFE_SB_QosPriority, 902	cfe tbl events.h
	CFE_SB_QosPriority_Enum_t, 901	CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID,
	CFE_SB_QosReliability, 902	1088
	CFE_SB_QosReliability_Enum_t, 901	CFE_TBL_ACTIVATE_ERR_EID, 1089
	CFE_SB_RouteId_Atom_t, 902	CFE_TBL_ASSUMED_VALID_INF_EID, 1089
	CFE_SB_SUB_ENTRIES_PER_PKT, 900	CFE_TBL_CC1_ERR_EID, 1089
cfe_	_sb_msg.h	
	CFE_SB_AllSubscriptionsTlm_Payload_t, 1081	CFE_TBL_CDS_DELETE_ERR_EID, 1090
	CFE_SB_AllSubscriptionsTlm_t, 1081	CFE_TBL_CDS_DELETED_INFO_EID, 1090
	CFE_SB_DISABLE_ROUTE_CC, 1070	CFE_TBL_CDS_NOT_FOUND_ERR_EID, 1090
	CFE_SB_DISABLE_SUB_REPORTING_CC, 1070	CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID, 1091
	CFE_SB_DisableRouteCmd_t, 1081	CFE_TBL_CREATING_DUMP_FILE_ERR_EID,
	CFE_SB_DisableSubReportingCmd_t, 1081	1091
	CFE SB ENABLE ROUTE CC, 1071	CFE_TBL_DUMP_PENDING_ERR_EID, 1091
	CFE_SB_ENABLE_SUB_REPORTING_CC, 1072	CFE_TBL_FAIL_HK_SEND_ERR_EID, 1092
	CFE_SB_EnableRouteCmd_t, 1081	CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID, 1092
	CFE SB EnableSubReportingCmd t, 1081	CFE_TBL_FILE_ACCESS_ERR_EID, 1092
	CFE SB HousekeepingTlm Payload t, 1082	CFE_TBL_FILE_INCOMPLETE_ERR_EID, 1093
	CFE_SB_HousekeepingTlm_t, 1082	CFE_TBL_FILE_LOADED_INF_EID, 1093
	CFE_SB_MsgMapFileEntry_t, 1082	CFE_TBL_FILE_STD_HDR_ERR_EID, 1093
	CFE_SB_NOOP_CC, 1073	CFE_TBL_FILE_SUBTYPE_ERR_EID, 1094
	CFE_SB_NoopCmd_t, 1082	CFE_TBL_FILE_TBL_HDR_ERR_EID, 1094
	CFE_SB_PipeDepthStats_t, 1082	CFE_TBL_FILE_TOO_BIG_ERR_EID, 1094
	CFE_SB_PipeInfoEntry_t, 1082	CFE_TBL_FILE_TYPE_ERR_EID, 1095
	CFE_SB_RESET_COUNTERS_CC, 1074	CFE_TBL_HANDLE_ACCESS_ERR_EID, 1095
	CFE_SB_ResetCountersCmd_t, 1083	CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID,
	CFE_SB_RouteCmd_Payload_t, 1083	1095
	CFE SB RouteCmd t, 1083	CFE_TBL_IN_REGISTRY_ERR_EID, 1096
	— — — — ·	CFE_TBL_INIT_INF_EID, 1096
	CFE_SB_RoutingFileEntry_t, 1083	CFE_TBL_INTERNAL_ERROR_ERR_EID, 1096
	CFE_SB_SEND_PREV_SUBS_CC, 1075	
	CFE_SB_SEND_SB_STATS_CC, 1076	CFE_TBL_LEN_ERR_EID, 1097
	CFE_SB_SendPrevSubsCmd_t, 1083	CFE_TBL_LOAD_ABORT_ERR_EID, 1097
	CFE_SB_SendSbStatsCmd_t, 1084	CFE_TBL_LOAD_ABORT_INF_EID, 1097
	CFE SB SingleSubscriptionTlm Payload t, 1084	CFE TBL LOAD EXCEEDS SIZE ERR EID, 1098

CFE_TBL_LOAD_FILENAME_LONG_ERR_EID,	cfe_tbl_msg.h
1098	CFE_TBL_ABORT_LOAD_CC, 1114
CFE_TBL_LOAD_IN_PROGRESS_ERR_EID, 1098	CFE_TBL_ACTIVATE_CC, 1115
CFE_TBL_LOAD_PEND_REQ_INF_EID, 1099	CFE_TBL_AbortLoadCmd_Payload_t, 1125
CFE_TBL_LOAD_SUCCESS_INF_EID, 1099	CFE_TBL_AbortLoadCmd_t, 1125
CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_←	CFE_TBL_ActivateCmd_Payload_t, 1125
EID, 1099	CFE_TBL_ActivateCmd_t, 1125
CFE_TBL_LOAD_TYPE_ERR_EID, 1100	CFE_TBL_DELETE_CDS_CC, 1116
CFE_TBL_LOAD_VAL_ERR_EID, 1100	CFE_TBL_DUMP_CC, 1117
CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID,	CFE_TBL_DUMP_REGISTRY_CC, 1118
1100	CFE_TBL_DelCDSCmd_Payload_t, 1125
CFE_TBL_LOADING_PENDING_ERR_EID, 1101	CFE_TBL_DeleteCDSCmd_t, 1125
CFE_TBL_MID_ERR_EID, 1101	CFE_TBL_DumpCmd_Payload_t, 1126
CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID,	CFE_TBL_DumpCmd_t, 1126
1101	CFE_TBL_DumpRegistryCmd_Payload_t, 1126
CFE_TBL_NO_SUCH_TABLE_ERR_EID, 1102	CFE_TBL_DumpRegistryCmd_t, 1126
CFE_TBL_NO_WORK_BUFFERS_ERR_EID, 1102	CFE_TBL_HousekeepingTlm_Payload_t, 1126
CFE_TBL_NOOP_INF_EID, 1102	CFE_TBL_HousekeepingTIm_t, 1126
CFE TBL NOT CRITICAL TBL ERR EID, 1103	CFE_TBL_LOAD_CC, 1119
CFE_TBL_NOT_IN_CRIT_REG_ERR_EID, 1103	CFE_TBL_LoadCmd_Payload_t, 1127
CFE_TBL_OVERWRITE_DUMP_INF_EID, 1103	CFE_TBL_LoadCmd_t, 1127
CFE_TBL_OVERWRITE_REG_DUMP_INF_EID,	CFE_TBL_NOOP_CC, 1120
1104	CFE TBL NoArgsCmd t, 1127
CFE_TBL_PARTIAL_LOAD_ERR_EID, 1104	·
	CFE_TBL_NoopCmd_t, 1127
CFE_TBL_PROCESSOR_ID_ERR_EID, 1104	CFE_TBL_NotifyCmd_Payload_t, 1127
CFE_TBL_REGISTER_ERR_EID, 1105	CFE_TBL_NotifyCmd_t, 1128
CFE_TBL_RESET_INF_EID, 1105	CFE_TBL_RESET_COUNTERS_CC, 1121
CFE_TBL_SHARE_ERR_EID, 1105	CFE_TBL_ResetCountersCmd_t, 1128
CFE_TBL_SPACECRAFT_ID_ERR_EID, 1106	CFE_TBL_SEND_REGISTRY_CC, 1122
CFE_TBL_TLM_REG_CMD_INF_EID, 1106	CFE_TBL_SendRegistryCmd_Payload_t, 1128
CFE_TBL_TOO_MANY_DUMPS_ERR_EID, 1106	CFE_TBL_SendRegistryCmd_t, 1128
CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID,	CFE_TBL_TableRegistryTlm_t, 1128
1107	CFE_TBL_TblRegPacket_Payload_t, 1128
CFE_TBL_UNREGISTER_ERR_EID, 1107	CFE_TBL_VALIDATE_CC, 1123
CFE_TBL_UNVALIDATED_ERR_EID, 1107	CFE_TBL_ValidateCmd_Payload_t, 1129
CFE_TBL_UPDATE_ERR_EID, 1108	CFE_TBL_ValidateCmd_t, 1129
CFE_TBL_UPDATE_SUCCESS_INF_EID, 1108	cfe_time.h
CFE_TBL_VAL_REQ_MADE_INF_EID, 1108	CFE_TIME_Copy, 912
CFE_TBL_VALIDATION_ERR_EID, 1109	cfe_time_api_typedefs.h
CFE_TBL_VALIDATION_INF_EID, 1109	CFE_TIME_Compare, 914
CFE_TBL_WRITE_CFE_HDR_ERR_EID, 1109	CFE_TIME_Compare_t, 914
CFE_TBL_WRITE_DUMP_INF_EID, 1110	CFE_TIME_PRINTED_STRING_SIZE, 913
CFE_TBL_WRITE_REG_DUMP_INF_EID, 1110	CFE_TIME_SynchCallbackPtr_t, 914
CFE_TBL_WRITE_TBL_HDR_ERR_EID, 1110	cfe_time_events.h
CFE_TBL_WRITE_TBL_IMG_ERR_EID, 1111	CFE_TIME_1HZ_CFG_EID, 1131
CFE_TBL_WRITE_TBL_REG_ERR_EID, 1111	CFE_TIME_1HZ_EID, 1131
CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID, 1111	CFE_TIME_CC_ERR_EID, 1131
cfe_tbl_extern_typedefs.h	CFE_TIME_DELAY_CFG_EID, 1132
CFE_TBL_BufferSelect, 908	CFE_TIME_DELAY_EID, 1132
CFE_TBL_BufferSelect_Enum_t, 908	CFE_TIME_DELAY_ERR_EID, 1132
CFE_TBL_File_Hdr_t, 908	CFE_TIME_DELTA_CFG_EID, 1133
cfe_tbl_filedef.h	CFE_TIME_DELTA_EID, 1133
CFE_TBL_FILEDEF, 910	CFE_TIME_DELTA_ERR_EID, 1133
CFF TBL FileDef t. 910	CFF TIME DIAG FID. 1134

CFE_TIME_FLY_OFF_EID, 1134	CFE_TIME_HousekeepingTlm_t, 1165
CFE_TIME_FLY_ON_EID, 1134	CFE_TIME_LeapsCmd_Payload_t, 1165
CFE_TIME_ID_ERR_EID, 1135	CFE_TIME_NOOP_CC, 1149
CFE_TIME_INIT_EID, 1135	CFE_TIME_NoArgsCmd_t, 1165
CFE_TIME_LEAPS_CFG_EID, 1135	CFE_TIME_NoopCmd_t, 1165
CFE_TIME_LEAPS_EID, 1136	CFE_TIME_OneHzAdjustmentCmd_Payload_t, 1165
CFE_TIME_LEN_ERR_EID, 1136	CFE_TIME_OneHzAdjustmentCmd_t, 1166
CFE_TIME_MET_CFG_EID, 1136	CFE_TIME_RESET_COUNTERS_CC, 1150
CFE_TIME_MET_EID, 1137	CFE_TIME_ResetCountersCmd_t, 1166
CFE_TIME_MET_ERR_EID, 1137	CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1151
CFE_TIME_NOOP_EID, 1137	CFE_TIME_SET_LEAP_SECONDS_CC, 1152
CFE_TIME_RESET_EID, 1138	CFE_TIME_SET_MET_CC, 1153
CFE_TIME_SIGNAL_CFG_EID, 1138	CFE_TIME_SET_SIGNAL_CC, 1154
CFE_TIME_SIGNAL_EID, 1138	CFE_TIME_SET_SOURCE_CC, 1155
CFE_TIME_SIGNAL_ERR_EID, 1139	CFE_TIME_SET_STATE_CC, 1156
CFE_TIME_SOURCE_CFG_EID, 1139	CFE_TIME_SET_STCF_CC, 1158
CFE_TIME_SOURCE_EID, 1139	CFE_TIME_SET_TIME_CC, 1159
CFE_TIME_SOURCE_ERR_EID, 1140	CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, 1160
CFE_TIME_STATE_EID, 1140	CFE_TIME_SUB_ADJUST_CC, 1161
CFE_TIME_STATE_ERR_EID, 1140	CFE_TIME_SUB_DELAY_CC, 1162
CFE_TIME_STCF_CFG_EID, 1141	CFE_TIME_SendDiagnosticCmd_t, 1166
CFE_TIME_STCF_EID, 1141	CFE_TIME_SetLeapSecondsCmd_t, 1166
CFE_TIME_STCF_ERR_EID, 1141	CFE_TIME_SetMETCmd_t, 1166
CFE_TIME_TIME_CFG_EID, 1142	CFE_TIME_SetSTCFCmd_t, 1167
CFE_TIME_TIME_EID, 1142	CFE_TIME_SetSignalCmd_t, 1166
CFE_TIME_TIME_ERR_EID, 1142	CFE_TIME_SetSourceCmd_t, 1167
cfe_time_extern_typedefs.h	CFE_TIME_SetStateCmd_t, 1167
CFE_TIME_AdjustDirection, 918	CFE_TIME_SetTimeCmd_t, 1167
CFE_TIME_AdjustDirection_Enum_t, 916	CFE_TIME_SignalCmd_Payload_t, 1167
CFE_TIME_ClockState, 919	CFE_TIME_SourceCmd_Payload_t, 1167
CFE_TIME_ClockState_Enum_t, 916	CFE_TIME_StateCmd_Payload_t, 1168
CFE_TIME_FlagBit, 919	CFE_TIME_Sub1HZAdjustmentCmd_t, 1168
CFE_TIME_FlagBit_Enum_t, 917	CFE_TIME_SubAdjustCmd_t, 1168
CFE_TIME_FlywheelState, 920	CFE_TIME_SubDelayCmd_t, 1168
CFE_TIME_FlywheelState_Enum_t, 917	CFE_TIME_TimeCmd_Payload_t, 1168
CFE_TIME_SetState, 920	CFE_TIME_TimeCmd_t, 1168
CFE_TIME_SetState_Enum_t, 917	CFE_TIME_ToneDataCmd_Payload_t, 1169
CFE_TIME_SourceSelect, 920	CFE_TIME_ToneDataCmd_t, 1169
CFE_TIME_SourceSelect_Enum_t, 918	CFE_TIME_ToneSignalCmd_t, 1169
CFE_TIME_SysTime_t, 918	cfe_version.h
CFE_TIME_ToneSignalSelect, 920	CFE_BUILD_BASELINE, 922
CFE_TIME_ToneSignalSelect_Enum_t, 918	CFE_BUILD_NUMBER, 922
cfe_time_msg.h	CFE_MAJOR_VERSION, 922
CFE_TIME_1HzCmd_t, 1163	CFE_MINOR_VERSION, 922
CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1146	CFE_MISSION_REV, 922
CFE_TIME_ADD_ADJUST_CC, 1147	CFE_REVISION, 922
CFE_TIME_ADD_DELAY_CC, 1148	CFE_SRC_VERSION, 923
CFE_TIME_Add1HZAdjustmentCmd_t, 1164	CFE_STR_HELPER, 923
CFE_TIME_AddAdjustCmd_t, 1164	CFE_STR, 923
CFE_TIME_AddDelayCmd_t, 1164	CFE_VERSION_STRING, 923
CFE_TIME_DiagnosticTlm_Payload_t, 1164	CheckErrCtr
CFE_TIME_DiagnosticTlm_t, 1164	CFE_ES_MemPoolStats, 520
CFE_TIME_FakeToneCmd_t, 1164	ClockFlyState
CFE TIME HousekeepingTlm Payload t, 1165	CFE TIME DiagnosticTlm Payload, 663

ClockSetState	CFE_EVS_BitMaskCmd, 561
CFE_TIME_DiagnosticTlm_Payload, 663	CFE_EVS_NoArgsCmd, 572
ClockSignal	CFE_EVS_SetEventFormatModeCmd, 576
CFE_TIME_DiagnosticTlm_Payload, 663	CFE_EVS_SetLogModeCmd, 578
ClockSource	CFE_EVS_WriteAppDataFileCmd, 580
CFE_TIME_DiagnosticTlm_Payload, 663	CFE_EVS_WriteLogDataFileCmd, 581
ClockState	CFE_SB_RouteCmd, 605
CFE_TIME_StateCmd_Payload, 687	CFE_SB_WriteFileInfoCmd, 619
ClockStateAPI	CFE_TBL_AbortLoadCmd, 621
CFE_TIME_DiagnosticTlm_Payload, 664	CFE_TBL_ActivateCmd, 623
CFE_TIME_HousekeepingTlm_Payload, 674	CFE_TBL_DeleteCDSCmd, 625
ClockStateFlags	CFE_TBL_DumpCmd, 626
CFE_TIME_DiagnosticTlm_Payload, 664	CFE_TBL_DumpRegistryCmd, 629
CFE_TIME_HousekeepingTlm_Payload, 674	CFE_TBL_LoadCmd, 644
code_address	CFE_TBL_NoArgsCmd, 646
OS_module_address_t, 702	CFE_TBL_NotifyCmd, 647
code_size	CFE_TBL_SendRegistryCmd, 649
OS_module_address_t, 702	CFE_TBL_ValidateCmd, 657
CodeAddress	CFE_TIME_NoArgsCmd, 679
CFE_ES_AppInfo, 490	CFE TIME OneHzAdjustmentCmd, 679
CodeSize	CFE TIME SetLeapSecondsCmd, 681
CFE_ES_AppInfo, 490	CFE_TIME_SetSignalCmd, 682
CommandCounter	CFE_TIME_SetSourceCmd, 683
CFE_ES_HousekeepingTlm_Payload, 510	CFE TIME SetStateCmd, 684
CFE_EVS_HousekeepingTlm_Payload, 565	CFE_TIME_TimeCmd, 689
CFE_SB_HousekeepingTlm_Payload, 591	CFE_TIME_ToneDataCmd, 690
CFE_TBL_HousekeepingTlm_Payload, 636	common_types.h
CFE_TIME_HousekeepingTIm_Payload, 674	_EXTENSION_, 1171
CommandErrorCounter	CompileTimeAssert, 1171, 1176, 1177
CFE_ES_HousekeepingTlm_Payload, 510	cpuaddr, 1172
CFE_EVS_HousekeepingTlm_Payload, 565	cpudiff, 1173
CFE_SB_HousekeepingTlm_Payload, 591	cpusize, 1173
CFE TBL HousekeepingTlm Payload, 636	int16, 1173
CFE_TIME_HousekeepingTIm_Payload, 675	int32, 1173
CommandHeader	int64, 1173
CFE_ES_AppNameCmd, 495	int8, 1173
CFE ES DeleteCDSCmd, 501	intptr, 1174
CFE_ES_DumpCDSRegistryCmd, 503	OS_ArgCallback_t, 1174
CFE ES FileNameCmd, 504	OS PRINTF, 1171
CFE_ES_NoArgsCmd, 523	OS_USED, 1171
CFE_ES_OverWriteSysLogCmd, 525	OSAL_BLOCKCOUNT_C, 1171
CFE_ES_ReloadAppCmd, 529	OSAL_INDEX_C, 1172
CFE ES RestartCmd, 530	OSAL_OBJTYPE_C, 1172
CFE ES SendMemPoolStatsCmd, 532	OSAL_SIZE_C, 1172
CFE_ES_SetMaxPRCountCmd, 534	OSAL_STATUS_C, 1172
CFE_ES_SetPerfFilterMaskCmd, 536	osal_blockcount_t, 1174
CFE ES SetPerfTriggerMaskCmd, 538	osal_id_t, 1174
CFE_ES_StartApp, 540	osal index t, 1174
CFE_ES_StartPerfDataCmd, 544	osal_objtype_t, 1175
CFE_ES_StopPerfDataCmd, 546	osal_status_t, 1175
CFE_EVS_AppNameBitMaskCmd, 550	uint16, 1175
CFE_EVS_AppNameCmd, 552	uint16, 1175 uint32, 1175
CFE_EVS_AppNameEventIDCmd, 554	uint64, 1175
CFE_EVS_AppNameEventIDCma, 554 CFE_EVS_AppNameEventIDMaskCmd, 556	uint84, 1175 uint8, 1176
or E_Evo_ApproameEventibiviaskoma, 330	uiiilo, 1170

CompileTimeAssert	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE↔
common_types.h, 1171, 1176, 1177	_03, 741
ContentType	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE↔
CFE_FS_Header, 584	_04, 741
cpu1_msgids.h, 726	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE↔
CFE_ES_APP_TLM_MID, 727	_05, 741
CFE_ES_CMD_MID, 727	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE↔
CFE_ES_HK_TLM_MID, 728	_06, 741
CFE_ES_MEMSTATS_TLM_MID, 728	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE↔
CFE_ES_SEND_HK_MID, 728	_07, 741
CFE_EVS_CMD_MID, 728	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE ↔
CFE_EVS_HK_TLM_MID, 728	_08, 741
CFE_EVS_LONG_EVENT_MSG_MID, 728	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE ↔
CFE_EVS_SEND_HK_MID, 729	_09, 742
CFE_EVS_SHORT_EVENT_MSG_MID, 729	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE ↔
CFE_PLATFORM_CMD_MID_BASE_GLOB, 729	_10, 742
CFE_PLATFORM_CMD_MID_BASE, 729	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE ↔
CFE_PLATFORM_TLM_MID_BASE, 730	_11,742
CFE_SB_ALLSUBS_TLM_MID, 730	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE ↔
CFE_SB_CMD_MID, 730	_12, 742
CFE_SB_HK_TLM_MID, 730	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE ↔
CFE_SB_ONESUB_TLM_MID, 730	_13, 742 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE↔
CFE_SB_SEND_HK_MID, 731	_14, 742
CFE_SB_STATS_TLM_MID, 731	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE↔
CFE_SB_SUB_RPT_CTRL_MID, 731	_15, 743
CFE_TBL_CMD_MID, 731	_15,745 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE↔
CFE_TBL_HK_TLM_MID, 731	_16, 743
CFE_TBL_REG_TLM_MID, 731	CFE_PLATFORM_ES_CDS_SIZE, 743
CFE_TBL_SEND_HK_MID, 732	CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE,
CFE_TEST_CMD_MID, 732	743
CFE_TEST_HK_TLM_MID, 732	CFE_PLATFORM_ES_DEFAULT_CDS_REG_DU←
CFE_TIME_1HZ_CMD_MID, 732	MP FILE, 744
CFE_TIME_CMD_MID, 732	CFE PLATFORM ES DEFAULT ER LOG FILE,
CFE_TIME_DATA_CMD_MID, 732	744
CFE_TIME_DIAG_TLM_MID, 733	CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_
CFE_TIME_HK_TLM_MID, 733	FILENAME, 744
CFE_TIME_SEND_CMD_MID, 733	CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG←
CFE_TIME_SEND_HK_MID, 733	_MODE, 745
CFE_TIME_TONE_CMD_MID, 733	CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_←
cpu1_platform_cfg.h, 734	MODE, 745
CFE_PLATFORM_CORE_MAX_STARTUP_MSEC,	CFE_PLATFORM_ES_DEFAULT_STACK_SIZE,
737	746
CFE_PLATFORM_ENDIAN, 738	CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE,
CFE_PLATFORM_ES_APP_KILL_TIMEOUT, 738	746
CFE_PLATFORM_ES_APP_SCAN_RATE, 739	CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FI
CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE,	LE, 747
739	CFE_PLATFORM_ES_ER_LOG_ENTRIES, 747
CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES,	${\sf CFE_PLATFORM_ES_ER_LOG_MAX_CONTEX} {\leftarrow}$
740	T_SIZE, 748
$CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE {\leftarrow}$	CFE_PLATFORM_ES_MAX_APPLICATIONS, 748
_01, 740	CFE_PLATFORM_ES_MAX_BLOCK_SIZE, 748
$CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE {\leftarrow}$	CFE_PLATFORM_ES_MAX_GEN_COUNTERS,
02. 740	749

CFE_PLATFORM_ES_MAX_LIBRARIES, 749 CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE, CFE PLATFORM ES MAX MEMORY POOLS. 760 CFE PLATFORM ES RESET AREA SIZE, 760 749 CFE PLATFORM_ES_START_TASK_PRIORITY, CFE PLATFORM ES MAX PROCESSOR RES← ETS, 750 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 750 CFE PLATFORM ES START TASK STACK SI← CFE PLATFORM ES MEM BLOCK SIZE 02, 751 ZE, 761 CFE PLATFORM ES MEM BLOCK SIZE 03, 751 CFE PLATFORM ES STARTUP SCRIPT TIME← CFE PLATFORM ES MEM BLOCK SIZE 04, 751 OUT MSEC, 762 ${\sf CFE_PLATFORM_ES_STARTUP_SYNC_POLL_} {\leftarrow}$ CFE PLATFORM ES MEM BLOCK SIZE 05, 751 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 752 MSEC, 762 CFE PLATFORM ES SYSTEM LOG SIZE, 763 CFE PLATFORM ES MEM BLOCK SIZE 07, 752 CFE PLATFORM ES MEM BLOCK SIZE 08, 752 CFE_PLATFORM_ES_USER_RESERVED_SIZE, CFE PLATFORM ES MEM BLOCK SIZE 09, 752 CFE_PLATFORM_ES_MEM_BLOCK_SIZE 10, 752 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE, CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 752 CFE PLATFORM EVS APP EVENTS PER SEC, CFE PLATFORM ES MEM BLOCK SIZE 12, 753 CFE PLATFORM ES MEM BLOCK SIZE 13, 753 CFE PLATFORM ES MEM BLOCK SIZE 14, 753 CFE PLATFORM EVS DEFAULT APP DATA ← CFE PLATFORM ES MEM BLOCK SIZE 15, 753 FILE, 765 CFE PLATFORM EVS DEFAULT LOG FILE, 765 CFE PLATFORM ES MEM BLOCK SIZE 16, 753 CFE PLATFORM EVS DEFAULT LOG MODE, CFE PLATFORM ES MEMPOOL ALIGN SIZE← 765 MIN, 753 CFE PLATFORM ES NONVOL DISK MOUNT ~ CFE PLATFORM EVS DEFAULT MSG FORM← AT MODE, 766 STRING, 754 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG, CFE PLATFORM ES NONVOL STARTUP FILE, 754 CFE PLATFORM ES OBJECT TABLE SIZE, 754 CFE PLATFORM EVS LOG MAX, 766 CFE PLATFORM EVS MAX APP EVENT BUR← CFE PLATFORM ES PERF CHILD MS DELAY, ST, 767 755 CFE_PLATFORM_EVS_MAX_EVENT_FILTERS, CFE_PLATFORM_ES_PERF_CHILD_PRIORITY, CFE PLATFORM ES PERF CHILD STACK SI← CFE PLATFORM EVS PORT DEFAULT, 767 CFE_PLATFORM_EVS_START_TASK_PRIORITY, ZE, 755 CFE_PLATFORM_ES_PERF_DATA_BUFFER_SI← $CFE_PLATFORM_EVS_START_TASK_STACK_{\leftarrow}$ ZE, 756 SIZE, 768 CFE PLATFORM ES PERF ENTRIES BTWN ← CFE PLATFORM SB BUF MEMORY BYTES, **DLYS.** 756 CFE_PLATFORM_ES_PERF_FILTMASK_ALL, 756 CFE PLATFORM ES PERF FILTMASK INIT, 757 CFE PLATFORM SB DEFAULT MAP FILENA← CFE_PLATFORM_ES_PERF_FILTMASK_NONE, ME, 769 757 CFE PLATFORM SB DEFAULT MSG LIMIT, 769 CFE PLATFORM SB DEFAULT PIPE FILENA← CFE PLATFORM ES PERF TRIGMASK ALL, 757 CFE_PLATFORM_ES_PERF_TRIGMASK_INIT, ME, 770 CFE_PLATFORM_SB_DEFAULT_ROUTING_FIL← **ENAME**, 770 CFE_PLATFORM_ES_PERF_TRIGMASK_NONE, CFE_PLATFORM_SB_FILTER_MASK1, 770 CFE PLATFORM SB FILTER MASK2, 771 CFE PLATFORM ES POOL MAX BUCKETS, 758 CFE PLATFORM SB FILTER MASK3, 771 CFE PLATFORM ES RAM DISK MOUNT STR← CFE PLATFORM SB FILTER MASK4, 771 ING, 759 CFE PLATFORM SB FILTER MASK5, 771 CFE_PLATFORM_ES_RAM_DISK_NUM_SECTO← CFE_PLATFORM_SB_FILTER_MASK6, 771 CFE PLATFORM SB FILTER MASK7, 771 CFE PLATFORM ES RAM DISK PERCENT R←

ESERVED, 759

CFE PLATFORM SB FILTER MASK8, 772

CFE_PLATFORM_SB_FILTERED_EVENT1, 772	CFE_PLATFORM_TBL_U32FROM4CHARS, 782
CFE_PLATFORM_SB_FILTERED_EVENT2, 772	CFE_PLATFORM_TBL_VALID_PRID_1, 783
CFE_PLATFORM_SB_FILTERED_EVENT3, 772	CFE_PLATFORM_TBL_VALID_PRID_2, 783
CFE_PLATFORM_SB_FILTERED_EVENT4, 772	CFE_PLATFORM_TBL_VALID_PRID_3, 783
CFE_PLATFORM_SB_FILTERED_EVENT5, 773	CFE_PLATFORM_TBL_VALID_PRID_4, 783
CFE_PLATFORM_SB_FILTERED_EVENT6, 773	CFE PLATFORM TBL VALID PRID COUNT, 784
CFE_PLATFORM_SB_FILTERED_EVENT7, 773	CFE_PLATFORM_TBL_VALID_SCID_1, 784
CFE_PLATFORM_SB_FILTERED_EVENT8, 773	CFE_PLATFORM_TBL_VALID_SCID_2, 784
CFE_PLATFORM_SB_HIGHEST_VALID_MSGID,	CFE_PLATFORM_TBL_VALID_SCID_COUNT, 785
773	CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY,
CFE_PLATFORM_SB_MAX_BLOCK_SIZE, 774	785
CFE_PLATFORM_SB_MAX_DEST_PER_PKT, 774	CFE_PLATFORM_TIME_1HZ_TASK_STACK_SI↔
CFE_PLATFORM_SB_MAX_MSG_IDS, 774	ZE, 785
CFE_PLATFORM_SB_MAX_PIPES, 775	CFE_PLATFORM_TIME_CFG_CLIENT, 785
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01, 775	CFE_PLATFORM_TIME_CFG_LATCH_FLY, 785
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02, 776	CFE_PLATFORM_TIME_CFG_SERVER, 786
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03, 776	CFE_PLATFORM_TIME_CFG_SIGNAL, 786
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04, 776	CFE_PLATFORM_TIME_CFG_SOURCE, 786
CFE PLATFORM SB MEM BLOCK SIZE 05, 776	CFE_PLATFORM_TIME_CFG_SRC_GPS, 787
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06, 776	CFE_PLATFORM_TIME_CFG_SRC_MET, 787
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07, 777	CFE PLATFORM TIME CFG SRC TIME, 787
CFE PLATFORM SB MEM BLOCK SIZE 08,777	CFE_PLATFORM_TIME_CFG_START_FLY, 788
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06,777 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09,777	CFE_PLATFORM_TIME_CFG_TONE_LIMIT, 788
	CFE_PLATFORM_TIME_CFG_VIRTUAL, 788
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10, 777	CFE_PLATFORM_TIME_OFG_VIRTUAL, 788 CFE_PLATFORM_TIME_MAX_DELTA_SECS, 789
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11, 777	
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12, 777	CFE_PLATFORM_TIME_MAX_LOCAL_0500_700
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13, 778	CFE_PLATFORM_TIME_MAX_LOCAL_SECS, 790
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14, 778	CFE_PLATFORM_TIME_MAX_LOCAL_SUBS, 790
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15, 778	CFE_PLATFORM_TIME_START_TASK_PRIORI
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16, 778	TY, 790
CFE_PLATFORM_SB_START_TASK_PRIORITY,	CFE_PLATFORM_TIME_START_TASK_STACK_
778	SIZE, 790
CFE_PLATFORM_SB_START_TASK_STACK_SI↔	CFE_PLATFORM_TIME_TONE_TASK_PRIORITY,
ZE, 778	791
CFE_PLATFORM_TBL_BUF_MEMORY_BYTES,	CFE_PLATFORM_TIME_TONE_TASK_STACK_←
779	SIZE, 791
CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_←	cpuaddr
FILE, 779	common_types.h, 1172
CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES,	cpudiff
779	common_types.h, 1173
CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE,	cpusize
780	common_types.h, 1173
CFE_PLATFORM_TBL_MAX_NUM_HANDLES, 780	Crc
CFE_PLATFORM_TBL_MAX_NUM_TABLES, 780	CFE_TBL_Info, 641
CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS,	CFE_TBL_TblRegPacket_Payload, 653
781	CreatePipeErrorCounter
CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_←	CFE_SB_HousekeepingTlm_Payload, 591
LOADS, 781	creator
CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE,	OS_bin_sem_prop_t, 693
781	OS_count_sem_prop_t, 694
CFE_PLATFORM_TBL_START_TASK_PRIORITY,	OS_mut_sem_prop_t, 705
782	OS_queue_prop_t, 706
CFE_PLATFORM_TBL_START_TASK_STACK_←	OS_socket_prop_t, 709
SIZE, 782	OS_task_prop_t, 712

OS_timebase_prop_t, 715	CFE_SB_AllSubscriptionsTlm_Payload, 588
OS_timer_prop_t, 716	entry_point
Critical	OS_module_prop_t, 704
CFE_TBL_Info, 641	EntryPoint
CFE_TBL_TblRegPacket_Payload, 653	CFE_ES_AppInfo, 491
CurrentLatch	EventID
CFE_TIME_DiagnosticTlm_Payload, 664	CFE_EVS_AppNameEventIDCmd_Payload, 555
CurrentMET	CFE_EVS_AppNameEventIDMaskCmd_Payload
CFE_TIME_DiagnosticTlm_Payload, 664	557
CurrentQueueDepth	CFE_EVS_BinFilter, 560
CFE_SB_PipeDepthStats, 599	
	CFE_EVS_PacketID, 573
CFE_SB_PipeInfoEntry, 601	EventType
CurrentTAI	CFE_EVS_PacketID, 573
CFE_TIME_DiagnosticTIm_Payload, 665	ExceptionAction
CurrentUTC	CFE_ES_AppInfo, 491
CFE_TIME_DiagnosticTlm_Payload, 665	CFE_ES_StartAppCmd_Payload, 542
	ExecutionCounter
data_address	CFE_ES_AppInfo, 491
OS_module_address_t, 702	CFE ES TaskInfo, 547
data_size	,
OS_module_address_t, 702	FailedValCounter
DataAddress	CFE_TBL_HousekeepingTlm_Payload, 636
CFE_ES_AppInfo, 490	FileCreateTimeSecs
DataFileName	CFE_TBL_Info, 642
CFE_ES_StopPerfCmd_Payload, 545	CFE_TBL_TblRegPacket_Payload, 654
DataSize	FileCreateTimeSubSecs
CFE_ES_AppInfo, 491	
DataStoreStatus	CFE_TBL_Info, 642
CFE_TIME_DiagnosticTlm_Payload, 665	CFE_TBL_TblRegPacket_Payload, 654
DelayDirection	FileModeBits
CFE_TIME_DiagnosticTlm_Payload, 665	os_fstat_t, 699
Description	FileName
CFE_FS_FileWriteMetaData, 582	CFE_ES_AppInfo, 492
CFE_FS_Header, 585	CFE_ES_FileNameCmd_Payload, 505
CFE_TBL_FileDef, 632	CFE_FS_FileWriteMetaData, 582
DoubleBuffered	os_dirent_t, 695
CFE_TBL_Info, 642	FileSize
CFE_TBL_TblRegPacket_Payload, 653	os_fstat_t, 699
	FileSubType
DumpFilename	CFE FS FileWriteMetaData, 583
CFE_ES_DumpCDSRegistryCmd_Payload, 504	FileTime
CFE_TBL_DumpCmd_Payload, 628	os_fstat_t, 699
CFE_TBL_DumpRegistryCmd_Payload, 630	Filename
DumpOnly	CFE_SB_WriteFileInfoCmd_Payload, 620
CFE_TBL_Info, 642	filename
CFE_TBL_TblRegPacket_Payload, 653	OS_module_prop_t, 704
DuplicateSubscriptionsCounter	
CFE_SB_HousekeepingTlm_Payload, 591	FilterMask
	CFE_ES_SetPerfFilterMaskCmd_Payload, 537
ERLogEntries	FilterMaskNum
CFE_ES_HousekeepingTlm_Payload, 510	CFE_ES_SetPerfFilterMaskCmd_Payload, 537
ERLogIndex	flags
CFE_ES_HousekeepingTlm_Payload, 511	OS_module_address_t, 702
Entries	Forced2Fly
CFE_SB_AllSubscriptionsTlm_Payload, 588	CFE_TIME_DiagnosticTIm_Payload, 666
Entry	free blocks

OS_heap_prop_t, 700	LastFileLoaded
free_bytes	CFE_TBL_HousekeepingTlm_Payload, 637
OS_heap_prop_t, 700	CFE TBL Info, 642
FreeFds	CFE_TBL_TblRegPacket_Payload, 654
os fsinfo t, 698	
	LastTableLoaded
FreeVolumes	CFE_TBL_HousekeepingTlm_Payload, 637
os_fsinfo_t, 698	LastUpdateTime
freerun_time	CFE_TBL_HousekeepingTlm_Payload, 637
OS_timebase_prop_t, 715	LastUpdatedTable
	CFE_TBL_HousekeepingTlm_Payload, 637
GetData	LastValCrc
CFE_FS_FileWriteMetaData, 583	
GetPipeIdByNameErrorCounter	CFE_TBL_HousekeepingTlm_Payload, 638
•	LastValStatus
CFE_SB_HousekeepingTlm_Payload, 592	CFE_TBL_HousekeepingTlm_Payload, 638
11	LastValTableName
Handle	CFE_TBL_HousekeepingTlm_Payload, 638
CFE_ES_CDSRegDumpRec, 499	LeapSeconds
HeapBlocksFree	•
CFE_ES_HousekeepingTlm_Payload, 511	CFE_TIME_HousekeepingTlm_Payload, 675
HeapBytesFree	CFE_TIME_LeapsCmd_Payload, 678
CFE_ES_HousekeepingTlm_Payload, 511	Length
HeapMaxBlockSize	CCSDS_PrimaryHeader, 487
·	CFE FS Header, 585
CFE_ES_HousekeepingTlm_Payload, 511	LoadFilename
host_module_id	
OS_module_prop_t, 704	CFE_TBL_LoadCmd_Payload, 645
	LoadPending
InactiveBufferAddr	CFE_TBL_TblRegPacket_Payload, 655
CFE_TBL_TblRegPacket_Payload, 654	LocalIntCounter
Index	CFE_TIME_DiagnosticTlm_Payload, 666
CFE_SB_MsgMapFileEntry, 598	LocalTaskCounter
int16	
	CFE_TIME_DiagnosticTIm_Payload, 666
common_types.h, 1173	LogEnabled
int32	CFE_EVS_HousekeepingTlm_Payload, 565
common_types.h, 1173	LogFilename
int64	CFE_EVS_LogFileCmd_Payload, 569
common_types.h, 1173	LogFullFlag
int8	CFE_EVS_HousekeepingTlm_Payload, 565
common_types.h, 1173	
InternalErrorCounter	LogMode
CFE_SB_HousekeepingTlm_Payload, 592	CFE_EVS_HousekeepingTlm_Payload, 566
	CFE_EVS_SetLogMode_Payload, 577
interval_time	LogOverflowCounter
OS_timer_prop_t, 716	CFE_EVS_HousekeepingTlm_Payload, 566
intptr	LongDouble
common_types.h, 1174	CFE_ES_PoolAlign, 527
IsPending	-
CFE_FS_FileWriteMetaData, 583	CFE_SB_Msg, 596
IsValid	LongInt
OS file prop t, 697	CFE_ES_PoolAlign, 527
OS_IIIe_prop_t, 097	CFE_SB_Msg, 596
LENGTHOLICIE	
LENGTHCHECK	MainTaakld
osapi-macros.h, 1201	MainTaskId
largest_free_block	CFE_ES_AppInfo, 492
OS_heap_prop_t, 701	MainTaskName
LastFileDumped	CFE_ES_AppInfo, 492
CFE TBL HousekeepingTlm Payload, 636	Mask

CFE_EVS_AppNameEventIDMaskCmd_Payload, 557	MsgFormat
	CFE_EVS_SetEventFormatCode_Payload, 575
CFE_EVS_BinFilter, 560	Msgld
MaxElapsed CEE TIME DiagnosticTim Poyland 666	CFE_SB_MsgMapFileEntry, 598
CFE_TIME_DiagnosticTIm_Payload, 666	CFE_SB_RouteCmd_Payload, 606
MaxFds	CFE_SB_RoutingFileEntry, 608
os_fsinfo_t, 698	CFE_SB_SingleSubscriptionTlm_Payload, 610
MaxLocalClock	CFE_SB_SubEntries, 618
CFE_TIME_DiagnosticTlm_Payload, 667	MsgldsInUse
MaxMemAllowed	CFE_SB_StatsTIm_Payload, 614
CFE_SB_StatsTlm_Payload, 613	MsgLimitErrorCounter
MaxMsgldsAllowed	CFE_SB_HousekeepingTlm_Payload, 593
CFE_SB_StatsTlm_Payload, 613	MsgReceiveErrorCounter
MaxPRCount	CFE_SB_HousekeepingTlm_Payload, 593
CFE_ES_SetMaxPRCountCmd_Payload, 535	MsgSendErrorCounter
MaxPipeDepthAllowed	CFE_SB_HousekeepingTlm_Payload, 593
CFE_SB_StatsTIm_Payload, 613	
MaxPipesAllowed	Name
CFE_SB_StatsTlm_Payload, 614	CFE_ES_AppInfo, 492
MaxProcessorResets	CFE_ES_CDSRegDumpRec, 499
CFE_ES_HousekeepingTlm_Payload, 512	CFE_TBL_TblRegPacket_Payload, 655
MaxQueueDepth	OS_static_symbol_record_t, 710
CFE_SB_PipeDepthStats, 599	name
CFE_SB_PipeInfoEntry, 602	OS_bin_sem_prop_t, 693
MaxSubscriptionsAllowed	OS_count_sem_prop_t, 694
CFE_SB_StatsTlm_Payload, 614	OS_module_prop_t, 704
MaxVolumes	OS_mut_sem_prop_t, 705
os_fsinfo_t, 698	OS_queue_prop_t, 706
MemInUse	OS_socket_prop_t, 709
CFE_SB_HousekeepingTlm_Payload, 592	OS_task_prop_t, 712
CFE_SB_StatsTlm_Payload, 614	OS_timebase_prop_t, 715
MemPoolHandle	OS_timer_prop_t, 716
CFE_SB_HousekeepingTlm_Payload, 592	NoSubscribersCounter
CFE_TBL_HousekeepingTlm_Payload, 638	CFE_SB_HousekeepingTlm_Payload, 593
Message	nominal_interval_time
CFE_EVS_LongEventTlm_Payload, 571	OS_timebase_prop_t, 715
MessageFormatMode	NumBlocksRequested
CFE_EVS_HousekeepingTlm_Payload, 566	CFE_ES_MemPoolStats, 520
MessageSendCounter	NumBytes
CFE_EVS_HousekeepingTlm_Payload, 566	CFE_TBL_File_Hdr, 631
MessageTruncCounter	NumCreated
CFE_EVS_HousekeepingTlm_Payload, 567	CFE_ES_BlockStats, 498
MicroSeconds	NumFree
CFE_TIME_TimeCmd_Payload, 689	CFE_ES_BlockStats, 498
MinElapsed	NumFreeBytes
CFE TIME DiagnosticTlm Payload, 667	CFE_ES_MemPoolStats, 521
Mode	NumFreeSharedBufs
CFE ES OverWriteSysLogCmd Payload, 526	CFE TBL HousekeepingTlm Payload, 639
Module	NumLoadPending
OS_static_symbol_record_t, 710	CFE_TBL_HousekeepingTlm_Payload, 639
Msg	NumOfChildTasks
CFE_SB_Msg, 596	CFE_ES_AppInfo, 493
MsgCnt	NumTables
CFE_SB_RoutingFileEntry, 607	CFE TBL HousekeepingTlm Payload, 639
<u>-</u>	5 =

NumUsers	osapi-constants.h, 1184
CFE_TBL_Info, 643	OS_CHK_ONLY
NumValRequests	osapi-filesys.h, 1197
CFE_TBL_HousekeepingTlm_Payload, 639	OS_CloseAllFiles
	OSAL Standard File APIs, 397
OS_API_Init	OS_CloseFileByName
OSAL Core Operation APIs, 364	OSAL Standard File APIs, 397
OS_API_Teardown	OS_ConvertToArrayIndex
OSAL Core Operation APIs, 365	OSAL Object ID Utility APIs, 422
OS_Application_Run	OS_CountSemCreate
OSAL Core Operation APIs, 365	OSAL Counting Semaphore APIs, 368
OS_Application_Startup	OS_CountSemDelete
OSAL Core Operation APIs, 365	OSAL Counting Semaphore APIs, 369
OS_ApplicationExit	OS_CountSemGetIdByName
OSAL Core Operation APIs, 365	OSAL Counting Semaphore APIs, 370
OS_ApplicationShutdown	OS_CountSemGetInfo
OSAL Core Operation APIs, 366	OSAL Counting Semaphore APIs, 370
OS_ArgCallback_t	OS CountSemGive
common_types.h, 1174	OSAL Counting Semaphore APIs, 371
OS_BSP_GetArgC	OS_CountSemTake
OSAL BSP low level access APIs, 351	OSAL Counting Semaphore APIs, 371
OS_BSP_GetArgV	OS_CountSemTimedWait
OSAL BSP low level access APIs, 351	OSAL Counting Semaphore APIs, 373
OS_BSP_GetResourceTypeConfig	OS_DIRENTRY_NAME
OSAL BSP low level access APIs, 351	osapi-dir.h, 1186
	·
OS_BSP_SetExitCode	OS_DeleteAllObjects
OSAL BSP low level access APIs, 351	OSAL Core Operation APIs, 366
OS_BSP_SetResourceTypeConfig	OS_DirectoryClose
OSAL BSP low level access APIs, 351	OSAL Directory APIs, 374
OS_BUFFER_MSG_DEPTH	OS_DirectoryOpen
osconfig-example.h, 718	OSAL Directory APIs, 375
OS_BUFFER_SIZE	OS_DirectoryRead
osconfig-example.h, 718	OSAL Directory APIs, 375
OS_BUILD_BASELINE	OS_DirectoryRewind
osapi-version.h, 1217	OSAL Directory APIs, 376
OS_BUILD_NUMBER	OS_ERR_BAD_ADDRESS
osapi-version.h, 1217	OSAL Return Code Defines, 381
OS_BinSemCreate	OS_ERR_FILE
OSAL Binary Semaphore APIs, 345	OSAL Return Code Defines, 381
OS_BinSemDelete	OS_ERR_INCORRECT_OBJ_STATE
OSAL Binary Semaphore APIs, 346	OSAL Return Code Defines, 381
OS_BinSemFlush	OS_ERR_INCORRECT_OBJ_TYPE
OSAL Binary Semaphore APIs, 346	OSAL Return Code Defines, 382
OS_BinSemGetIdByName	OS_ERR_INVALID_ARGUMENT
OSAL Binary Semaphore APIs, 347	OSAL Return Code Defines, 382
OS_BinSemGetInfo	OS_ERR_INVALID_ID
OSAL Binary Semaphore APIs, 348	OSAL Return Code Defines, 382
OS_BinSemGive	OS_ERR_INVALID_PRIORITY
OSAL Binary Semaphore APIs, 348	OSAL Return Code Defines, 382
OS_BinSemTake	OS_ERR_INVALID_SIZE
OSAL Binary Semaphore APIs, 349	OSAL Return Code Defines, 382
OS_BinSemTimedWait	OS_ERR_NAME_NOT_FOUND
OSAL Binary Semaphore APIs, 349	OSAL Return Code Defines, 383
OS CHECK	OS FRR NAME TAKEN

OSAL Return Code Defines, 383	OSAL Return Code Defines, 386
OS_ERR_NAME_TOO_LONG	OS_FS_ERR_PATH_INVALID
OSAL Return Code Defines, 383	OSAL Return Code Defines, 386
OS_ERR_NO_FREE_IDS	OS_FS_ERR_PATH_TOO_LONG
OSAL Return Code Defines, 383	OSAL Return Code Defines, 386
OS_ERR_NOT_IMPLEMENTED	OS_FS_GetPhysDriveName
OSAL Return Code Defines, 383	OSAL File System Level APIs, 410
OS_ERR_OBJECT_IN_USE	OS_FS_PHYS_NAME_LEN
OSAL Return Code Defines, 384	osconfig-example.h, 719
OS_ERR_OPERATION_NOT_SUPPORTED	OS_FS_VOL_NAME_LEN
OSAL Return Code Defines, 384	osconfig-example.h, 719
OS_ERR_OUTPUT_TOO_LARGE	OS_FdSet, 695
OSAL Return Code Defines, 384	object_ids, 696
OS_ERR_SEM_NOT_FULL OSAL Return Code Defines, 384	OS_FileOpenCheck OSAL Standard File APIs, 399
OS_ERR_STREAM_DISCONNECTED	OSAE Standard File AFIS, 399 OS_FileSysAddFixedMap
OSAL Return Code Defines, 384	OSAL File System Level APIs, 409
OS_ERROR_ADDRESS_MISALIGNED	OS_FileSysStatVolume
OSAL Return Code Defines, 385	OSAL File System Level APIs, 410
OS_ERROR_NAME_LENGTH	OS ForEachObject
osapi-error.h, 1189	OSAL Object ID Utility APIs, 423
OS_ERROR_TIMEOUT	OS_ForEachObjectOfType
OSAL Return Code Defines, 385	OSAL Object ID Utility APIs, 423
OS ERROR	OS GetBuildNumber
OSAL Return Code Defines, 385	osapi-version.h, 1220
OS_Event_t	OS_GetErrorName
osapi-common.h, 1183	OSAL Error Info APIs, 390
OS_EventHandler_t	OS_GetFsInfo
osapi-common.h, 1182	OSAL File System Level APIs, 411
OS FDGetInfo	OS_GetLocalTime
OSAL Standard File APIs, 398	OSAL Real Time Clock APIs, 352
OS_FILESTAT_EXEC	OS_GetResourceName
osapi-file.h, 1192	OSAL Object ID Utility APIs, 424
OS_FILESTAT_ISDIR	OS GetVersionCodeName
osapi-file.h, 1193	osapi-version.h, 1220
OS_FILESTAT_MODE	OS_GetVersionNumber
osapi-file.h, 1193	osapi-version.h, 1220
OS_FILESTAT_READ	OS_GetVersionString
osapi-file.h, 1193	osapi-version.h, 1221
OS_FILESTAT_SIZE	OS_HeapGetInfo
osapi-file.h, 1193	OSAL Heap APIs, 417
OS_FILESTAT_TIME	OS_INVALID_INT_NUM
osapi-file.h, 1193	OSAL Return Code Defines, 386
OS_FILESTAT_WRITE	OS_INVALID_POINTER
osapi-file.h, 1194	OSAL Return Code Defines, 386
OS_FP_ENABLED	OS_INVALID_SEM_VALUE
osapi-task.h, 1212	OSAL Return Code Defines, 387
OS_FS_DEV_NAME_LEN	OS_IdentifyObject
osconfig-example.h, 719	OSAL Object ID Utility APIs, 425
OS_FS_ERR_DEVICE_NOT_FREE	OS_IdleLoop
OSAL Return Code Defines, 385	OSAL Core Operation APIs, 366
OS_FS_ERR_DRIVE_NOT_CREATED	OS_MAJOR_VERSION
OSAL Return Code Defines, 385	osapi-version.h, 1217
OS ES ERR NAME TOO LONG	OS MAX API NAME

osconfig-example.h, 719	OSAL Dynamic Loader and Symbol APIs, 431
OS_MAX_BIN_SEMAPHORES	OS MutSemCreate
osconfig-example.h, 719	OSAL Mutex APIs, 434
OS_MAX_CMD_LEN	OS_MutSemDelete
osconfig-example.h, 720	OSAL Mutex APIs, 435
OS MAX CONSOLES	OS_MutSemGetIdByName
osconfig-example.h, 720	OSAL Mutex APIs, 435
OS_MAX_COUNT_SEMAPHORES	OS_MutSemGetInfo
osconfig-example.h, 720	OSAL Mutex APIs, 436
OS_MAX_FILE_NAME	OS_MutSemGive
osconfig-example.h, 720	OSAL Mutex APIs, 436
OS_MAX_FILE_SYSTEMS	OS_MutSemTake
osconfig-example.h, 721	OSAL Mutex APIs, 437
OS_MAX_LOCAL_PATH_LEN	OS_NetworkGetHostName
osapi-constants.h, 1184	OSAL Network ID APIs, 439
OS_MAX_MODULES	OS_NetworkGetID
osconfig-example.h, 721	OSAL Network ID APIs, 439
OS_MAX_MUTEXES	OS_OBJECT_CREATOR_ANY
osconfig-example.h, 721	osapi-constants.h, 1184
OS_MAX_NUM_OPEN_DIRS	OS_OBJECT_ID_UNDEFINED
osconfig-example.h, 721	osapi-constants.h, 1185
OS_MAX_NUM_OPEN_FILES	OS_OBJECT_INDEX_MASK
osconfig-example.h, 722	osapi-idmap.h, 1199
OS MAX PATH LEN	OS_OBJECT_TYPE_OS_BINSEM
osconfig-example.h, 722	OSAL Object Type Defines, 418
OS_MAX_QUEUES	OS_OBJECT_TYPE_OS_CONSOLE
osconfig-example.h, 722	OSAL Object Type Defines, 418
OS_MAX_SYM_LEN	OS_OBJECT_TYPE_OS_COUNTSEM
osconfig-example.h, 722	OSAL Object Type Defines, 419
OS_MAX_TASK_PRIORITY	OS_OBJECT_TYPE_OS_DIR
osapi-task.h, 1212	OSAL Object Type Defines, 419
OS MAX TASKS	OS_OBJECT_TYPE_OS_FILESYS
osconfig-example.h, 723	OSAL Object Type Defines, 419
OS MAX TIMEBASES	OS_OBJECT_TYPE_OS_MODULE
osconfig-example.h, 723	OSAL Object Type Defines, 419
OS_MAX_TIMERS	OS OBJECT TYPE OS MUTEX
osconfig-example.h, 723	OSAL Object Type Defines, 419
OS_MINOR_VERSION	OS OBJECT TYPE OS QUEUE
osapi-version.h, 1217	OSAL Object Type Defines, 420
OS_MISSION_REV	OS_OBJECT_TYPE_OS_STREAM
osapi-version.h, 1218	OSAL Object Type Defines, 420
OS_MODULE_FILE_EXTENSION	OS_OBJECT_TYPE_OS_TASK
osconfig-example.h, 724	OSAL Object Type Defines, 420
OS_MODULE_FLAG_GLOBAL_SYMBOLS	OS OBJECT TYPE OS TIMEBASE
osapi-module.h, 1202	OSAL Object Type Defines, 420
OS_MODULE_FLAG_LOCAL_SYMBOLS	OS_OBJECT_TYPE_OS_TIMECB
osapi-module.h, 1203	OSAL Object Type Defines, 420
OS_ModuleInfo	OS_OBJECT_TYPE_SHIFT
OSAL Dynamic Loader and Symbol APIs, 429	osapi-idmap.h, 1199
OS_ModuleLoad	OS_OBJECT_TYPE_UNDEFINED
OSAL Dynamic Loader and Symbol APIs, 430	OSAL Object Type Defines, 421
OS_ModuleSymbolLookup	OS_OBJECT_TYPE_USER
OSAL Dynamic Loader and Symbol APIs, 430	OSAL Object Type Defines, 421
OS_ModuleUnload	OS_ObjectIdDefined

OSAL Object ID Utility APIs, 425	OS_SEEK_END
OS_ObjectIdEqual	OSAL Reference Point For Seek Offset Defines, 394
OSAL Object ID Utility APIs, 426	OS_SEEK_SET
OS_ObjectIdFromInteger	OSAL Reference Point For Seek Offset Defines, 394
OSAL Object ID Utility APIs, 426	OS_SEM_EMPTY
OS_ObjectIdToArrayIndex	OSAL Semaphore State Defines, 344
OSAL Object ID Utility APIs, 427	OS_SEM_FAILURE
OS_ObjectIdToInteger	OSAL Return Code Defines, 388
OSAL Object ID Utility APIs, 427	OS_SEM_FULL
OS_OpenCreate	OSAL Semaphore State Defines, 344
OSAL Standard File APIs, 401	OS_SEM_TIMEOUT
OS_PEND	OSAL Return Code Defines, 388
osapi-constants.h, 1185	OS_SHELL_CMD_INPUT_FILE_NAME
OS_PRINTF_CONSOLE_NAME	osconfig-example.h, 724
osconfig-example.h, 724	OS_SOCKADDR_MAX_LEN
OS_PRINTF	osapi-sockets.h, 1209
cfe_es.h, 837	osconfig-example.h, 725
common_types.h, 1171	OS_STATUS_STRING_LENGTH
OS_QUEUE_EMPTY	osapi-error.h, 1189
OSAL Return Code Defines, 387	OS_STR_HELPER
OS_QUEUE_FULL	osapi-version.h, 1218
OSAL Return Code Defines, 387	OS_STR
OS_QUEUE_ID_ERROR	osapi-version.h, 1218
OSAL Return Code Defines, 387	OS_SUCCESS
OS_QUEUE_INVALID_SIZE	OSAL Return Code Defines, 388
OSAL Return Code Defines, 387	OS_SelectFdAdd
OS_QUEUE_MAX_DEPTH	OSAL Select APIs, 448
osconfig-example.h, 724	OS_SelectFdClear
OS_QUEUE_TIMEOUT	OSAL Select APIs, 449
OSAL Return Code Defines, 388	OS_SelectFdlsSet
OS_QueueCreate	OSAL Select APIs, 449
OSAL Message Queue APIs, 443	OS_SelectFdZero
OS_QueueDelete	OSAL Select APIs, 450
OSAL Message Queue APIs, 444	OS_SelectMultiple
OS_QueueGet	OSAL Select APIs, 450
OSAL Message Queue APIs, 445	OS_SelectSingle
OS_QueueGetIdByName	OSAL Select APIs, 451
OSAL Message Queue APIs, 445	OS_SetLocalTime
OS_QueueGetInfo	OSAL Real Time Clock APIs, 353
OSAL Message Queue APIs, 446	OS_ShellOutputToFile
OS_QueuePut	OSAL Shell APIs, 453
OSAL Message Queue APIs, 446	OS_SockAddr_t, 706
OS_READ_ONLY	ActualLength, 707
OSAL File Access Option Defines, 393	AddrData, 707
OS_READ_WRITE	OS_SockAddrData_t, 707
OSAL File Access Option Defines, 393	AlignPtr, 708
OS_REPAIR	AlignU32, 708
osapi-filesys.h, 1197	Buffer, 708
OS_REVISION	OS_SocketAccept
osapi-version.h, 1218	OSAL Socket Management APIs, 458
OS_RegisterEventHandler	OS_SocketAddrFromString
OSAL Core Operation APIs, 367	OSAL Socket Address APIs, 454
OS_SEEK_CUR	OS_SocketAddrGetPort
OSAL Reference Point For Seek Offset Defines 304	OSAL Socket Address APIs 455

OS	SocketAddrInit	OS_TaskFindIdBySystemData
	OSAL Socket Address APIs, 455	OSAL Task APIs, 468
OS_	_SocketAddrSetPort	OS_TaskGetId
	OSAL Socket Address APIs, 456	OSAL Task APIs, 469
OS_	_SocketAddrToString	OS_TaskGetIdByName
	OSAL Socket Address APIs, 457	OSAL Task APIs, 469
OS_	_SocketBind	OS_TaskGetInfo
	OSAL Socket Management APIs, 460	OSAL Task APIs, 470
OS_	_SocketConnect	OS_TaskInstallDeleteHandler
	OSAL Socket Management APIs, 461	OSAL Task APIs, 471
OS_	_SocketDomain_t	OS_TaskSetPriority
	osapi-sockets.h, 1209	OSAL Task APIs, 471
OS_	_SocketGetIdByName	OS_TimeAdd
	OSAL Socket Management APIs, 461	OSAL Real Time Clock APIs, 354
OS	_SocketGetInfo	OS_TimeAssembleFromMicroseconds
	OSAL Socket Management APIs, 462	OSAL Real Time Clock APIs, 354
OS	_SocketOpen	OS_TimeAssembleFromMilliseconds
	OSAL Socket Management APIs, 463	OSAL Real Time Clock APIs, 355
OS	_SocketRecvFrom	OS_TimeAssembleFromNanoseconds
	OSAL Socket Management APIs, 463	OSAL Real Time Clock APIs, 355
OS	_SocketSendTo	OS_TimeAssembleFromSubseconds
	OSAL Socket Management APIs, 464	OSAL Real Time Clock APIs, 356
OS	_SocketShutdown	OS_TimeBaseCreate
	OSAL Socket Management APIs, 465	OSAL Time Base APIs, 473
OS	_SocketShutdownMode_t	OS_TimeBaseDelete
	osapi-sockets.h, 1210	OSAL Time Base APIs, 474
OS	_SocketType_t	OS_TimeBaseGetFreeRun
	osapi-sockets.h, 1210	OSAL Time Base APIs, 475
OS	StatusToInteger	OS_TimeBaseGetIdByName
	OSAL Error Info APIs, 390	OSAL Time Base APIs, 476
os	StatusToString	OS_TimeBaseGetInfo
	OSAL Error Info APIs, 391	OSAL Time Base APIs, 476
os	_StreamState_t	OS_TimeBaseSet
	osapi-select.h, 1206	OSAL Time Base APIs, 477
os	_SymbolLookup	OS_TimeGetFractionalPart
_	OSAL Dynamic Loader and Symbol APIs, 432	OSAL Real Time Clock APIs, 357
os	_SymbolTableDump	OS TimeGetMicrosecondsPart
	OSAL Dynamic Loader and Symbol APIs, 432	OSAL Real Time Clock APIs, 357
os	_TIMER_ERR_INTERNAL	OS_TimeGetMillisecondsPart
_	OSAL Return Code Defines, 388	OSAL Real Time Clock APIs, 358
os	TIMER_ERR_INVALID_ARGS	OS_TimeGetNanosecondsPart
_	OSAL Return Code Defines, 389	OSAL Real Time Clock APIs, 359
os	TIMER ERR TIMER ID	OS TimeGetSubsecondsPart
	OSAL Return Code Defines, 389	OSAL Real Time Clock APIs, 360
os	_TIMER_ERR_UNAVAILABLE	OS_TimeGetTotalMicroseconds
	OSAL Return Code Defines, 389	OSAL Real Time Clock APIs, 360
os	TaskCreate	OS TimeGetTotalMilliseconds
	OSAL Task APIs, 466	OSAL Real Time Clock APIs, 361
os	_TaskDelay	OS_TimeGetTotalNanoseconds
	OSAL Task APIs, 467	OSAL Real Time Clock APIs, 361
os	_TaskDelete	OS_TimeGetTotalSeconds
	OSAL Task APIs, 468	OSAL Real Time Clock APIs, 362
os	_TaskExit	OS_TimeSubtract
	OSAL Task APIs, 468	OSAL Real Time Clock APIs, 363

OS_TimedRead	OS_file_prop_t, 696
OSAL Standard File APIs, 404	IsValid, 697
OS_TimedWrite	Path, 697
OSAL Standard File APIs, 405	User, 697
OS_TimerAdd	OS_heap_prop_t, 700
OSAL Timer APIs, 479	free_blocks, 700
OS_TimerCallback_t	free_bytes, 700
osapi-timer.h, 1216	largest_free_block, 701
OS_TimerCreate	OS_initfs
OSAL Timer APIs, 481	OSAL File System Level APIs, 412
OS_TimerDelete	OS_lseek
OSAL Timer APIs, 482	OSAL Standard File APIs, 399
OS_TimerGetIdByName	OS_mkdir
OSAL Timer APIs, 483	OSAL Directory APIs, 376
OS_TimerGetInfo	OS_mkfs
OSAL Timer APIs, 484	OSAL File System Level APIs, 413
OS_TimerSet	OS_module_address_t, 701
OSAL Timer APIs, 485	bss_address, 701
OS_TimerSync_t	bss_size, 702
osapi-timebase.h, 1215	code_address, 702
OS_TranslatePath	code size, 702
OSAL File System Level APIs, 415	data_address, 702
OS_USED	data size, 702
common_types.h, 1171	flags, 702
OS_UTILITYTASK_PRIORITY	valid, 703
osconfig-example.h, 725	OS_module_prop_t, 703
OS_UTILITYTASK_STACK_SIZE	addr, 703
osconfig-example.h, 725	entry_point, 704
OS_VERSION_CODENAME	filename, 704
osapi-version.h, 1219	host_module_id, 704
OS_VERSION_STRING	name, 704
osapi-version.h, 1219	OS_mount
OS_VERSION	OSAL File System Level APIs, 413
osapi-version.h, 1218	OS_mut_sem_prop_t, 704
OS WRITE ONLY	creator, 705
OSAL File Access Option Defines, 393	name, 705
OS_bin_sem_prop_t, 693	OS_mv
creator, 693	OSAL Standard File APIs, 400
name, 693	OS_printf
value, 693	OSAL Printf APIs, 441
OS_chkfs	OS_printf_disable
OSAL File System Level APIs, 408	OSAL Printf APIs, 441
OS chmod	OS_printf_enable
OSAL Standard File APIs, 395	OSAL Printf APIs, 442
OS_close OSAL Standard File APIs, 396	OS_queue_prop_t, 705
	creator, 706
OS_count_sem_prop_t, 694	name, 706
creator, 694	OSAL Standard File ARIa 402
name, 694	OSAL Standard File APIs, 402
value, 694	OS_remove
OS_cp	OSAL Standard File APIs, 402
OSAL Standard File APIs, 398	OS_rename
OS_file_flag_t	OSAL Standard File APIs, 403
osapi-file.h, 1194	OS_rmdir

OCAL Directory ADIa 277	OCAL Care Operation APIa 264
OSAL Directory APIs, 377	OSAL Core Operation APIs, 364
OS_rmfs	OS_API_Init, 364
OSAL File System Level APIs, 414	OS_API_Teardown, 365
OS_socket_prop_t, 709	OS_Application_Run, 365
creator, 709	OS_Application_Startup, 365
name, 709	OS_ApplicationExit, 365
OS_stat	OS_ApplicationShutdown, 366
OSAL Standard File APIs, 404	OS_DeleteAllObjects, 366
OS_static_symbol_record_t, 710	OS_ldleLoop, 366
Address, 710	OS_RegisterEventHandler, 367
Module, 710	OSAL Counting Semaphore APIs, 368
Name, 710	OS_CountSemCreate, 368
OS_statvfs_t, 711	OS_CountSemDelete, 369
block_size, 711	OS_CountSemGetIdByName, 370
blocks_free, 711	OS_CountSemGetInfo, 370
total_blocks, 711	OS_CountSemGive, 371
OS_task_prop_t, 712	OS_CountSemTake, 371
creator, 712	OS_CountSemTimedWait, 373
name, 712	OSAL Directory APIs, 374
priority, 713	OS DirectoryClose, 374
stack_size, 713	OS_DirectoryOpen, 375
OS_time_t, 713	OS_DirectoryRead, 375
ticks, 714	OS_DirectoryRewind, 376
OS timebase_prop_t, 714	OS mkdir, 376
	OS_rmdir, 377
accuracy, 714	
creator, 715	OSAL Dynamic Loader and Symbol APIs, 429
freerun_time, 715	OS_ModuleInfo, 429
name, 715	OS_ModuleLoad, 430
nominal_interval_time, 715	OS_ModuleSymbolLookup, 430
OS_timer_prop_t, 715	OS_ModuleUnload, 431
accuracy, 716	OS_SymbolLookup, 432
creator, 716	OS_SymbolTableDump, 432
interval_time, 716	OSAL Error Info APIs, 390
name, 716	OS_GetErrorName, 390
start_time, 716	OS_StatusToInteger, 390
OS_unmount	OS_StatusToString, 391
OSAL File System Level APIs, 415	OSAL File Access Option Defines, 393
OS_write	OS_READ_ONLY, 393
OSAL Standard File APIs, 406	OS_READ_WRITE, 393
OSAL BSP low level access APIs, 351	OS_WRITE_ONLY, 393
OS_BSP_GetArgC, 351	OSAL File System Level APIs, 408
OS_BSP_GetArgV, 351	OS FS GetPhysDriveName, 410
OS BSP GetResourceTypeConfig, 351	OS_FileSysAddFixedMap, 409
OS_BSP_SetExitCode, 351	OS_FileSysStatVolume, 410
OS BSP SetResourceTypeConfig, 351	OS_GetFsInfo, 411
OSAL Binary Semaphore APIs, 345	OS_TranslatePath, 415
OS BinSemCreate, 345	OS_chkfs, 408
-	
OS_BinSemDelete, 346	OS_initfs, 412
OS_BinSemFlush, 346	OS_mkfs, 413
OS_BinSemGetIdByName, 347	OS_mount, 413
OS_BinSemGetInfo, 348	OS_rmfs, 414
OS_BinSemGive, 348	OS_unmount, 415
OS_BinSemTake, 349	OSAL Heap APIs, 417
OS_BinSemTimedWait, 349	OS_HeapGetInfo, 417

OSAL Message Queue APIs, 443	OS_TimeAssembleFromSubseconds, 356
OS_QueueCreate, 443	OS TimeGetFractionalPart, 357
OS QueueDelete, 444	OS_TimeGetMicrosecondsPart, 357
OS_QueueGet, 445	OS_TimeGetMillisecondsPart, 358
OS_QueueGetIdByName, 445	OS_TimeGetNanosecondsPart, 359
OS_QueueGetInfo, 446	OS_TimeGetSubsecondsPart, 360
OS_QueuePut, 446	OS_TimeGetTotalMicroseconds, 360
OSAL Mutex APIs, 434	OS_TimeGetTotalMilliseconds, 361
OS_MutSemCreate, 434	OS_TimeGetTotalNanoseconds, 361
OS_MutSemDelete, 435	OS_TimeGetTotalSeconds, 362
OS_MutSemGetIdByName, 435	OS TimeSubtract, 363
OS_MutSemGetInfo, 436	OSAL Reference Point For Seek Offset Defines, 394
OS_MutSemGive, 436	OS_SEEK_CUR, 394
OS_MutSemTake, 437	OS_SEEK_END, 394
OSAL Network ID APIs, 439	OS_SEEK_SET, 394
OS_NetworkGetHostName, 439	OSAL Return Code Defines, 379
OS NetworkGetID, 439	OS_ERR_BAD_ADDRESS, 381
OSAL Object ID Utility APIs, 422	OS ERR FILE, 381
OS_ConvertToArrayIndex, 422	OS_ERR_INCORRECT_OBJ_STATE, 381
OS ForEachObject, 423	OS_ERR_INCORRECT_OBJ_TYPE, 382
OS_ForEachObjectOfType, 423	OS_ERR_INVALID_ARGUMENT, 382
OS GetResourceName, 424	OS_ERR_INVALID_ID, 382
OS_IdentifyObject, 425	OS_ERR_INVALID_PRIORITY, 382
OS_ObjectIdDefined, 425	OS ERR INVALID SIZE, 382
OS_ObjectIdEqual, 426	OS_ERR_NAME_NOT_FOUND, 383
OS_ObjectIdFromInteger, 426	OS_ERR_NAME_TAKEN, 383
OS_ObjectIdToArrayIndex, 427	OS_ERR_NAME_TOO_LONG, 383
OS_ObjectIdToInteger, 427	OS_ERR_NO_FREE_IDS, 383
OSAL Object Type Defines, 418	OS ERR NOT IMPLEMENTED, 383
OS_OBJECT_TYPE_OS_BINSEM, 418	OS_ERR_OBJECT_IN_USE, 384
OS_OBJECT_TYPE_OS_CONSOLE, 418	OS_ERR_OPERATION_NOT_SUPPORTED, 384
OS_OBJECT_TYPE_OS_COUNTSEM, 419	OS_ERR_OUTPUT_TOO_LARGE, 384
OS OBJECT TYPE OS DIR, 419	OS ERR SEM NOT FULL, 384
OS OBJECT TYPE OS FILESYS, 419	OS_ERR_STREAM_DISCONNECTED, 384
OS_OBJECT_TYPE_OS_MODULE, 419	OS_ERROR_ADDRESS_MISALIGNED, 385
OS_OBJECT_TYPE_OS_MUTEX, 419	OS_ERROR_TIMEOUT, 385
OS_OBJECT_TYPE_OS_QUEUE, 420	OS_ERROR, 385
OS_OBJECT_TYPE_OS_STREAM, 420	OS_FS_ERR_DEVICE_NOT_FREE, 385
OS OBJECT TYPE OS TASK, 420	OS FS ERR DRIVE NOT CREATED, 385
OS OBJECT TYPE OS TIMEBASE, 420	OS_FS_ERR_NAME_TOO_LONG, 386
OS OBJECT TYPE OS TIMECB, 420	OS_FS_ERR_PATH_INVALID, 386
OS_OBJECT_TYPE_UNDEFINED, 421	OS FS ERR PATH TOO LONG, 386
OS OBJECT TYPE USER, 421	OS_INVALID_INT_NUM, 386
OSAL Printf APIs, 441	OS_INVALID_POINTER, 386
OS_printf, 441	OS_INVALID_NEM_VALUE, 387
OS_printf_disable, 441	OS_QUEUE_EMPTY, 387
OS printf enable, 442	OS QUEUE FULL, 387
OSAL Real Time Clock APIs, 352	OS_QUEUE_ID_ERROR, 387
OS_GetLocalTime, 352	OS_QUEUE_INVALID_SIZE, 387
OS_SetLocalTime, 353	OS_QUEUE_TIMEOUT, 388
OS_TimeAdd, 354	OS_SEM_FAILURE, 388
OS_TimeAdd, 354 OS_TimeAssembleFromMicroseconds, 354	OS_SEM_TIMEOUT, 388
OS_TimeAssembleFromMilliseconds, 354	OS_SUCCESS, 388
OS_TimeAssembleFromNanoseconds, 355	OS_TIMER_ERR_INTERNAL, 388
	55_11WE1_E111_1141E1114/1E, 000

OS_TIMER_ERR_INVALID_ARGS, 389	OS_TaskFindIdBySystemData, 468
OS_TIMER_ERR_TIMER_ID, 389	OS_TaskGetId, 469
OS_TIMER_ERR_UNAVAILABLE, 389	OS_TaskGetIdByName, 469
OSAL Select APIs, 448	OS_TaskGetInfo, 470
OS_SelectFdAdd, 448	OS_TaskInstallDeleteHandler, 471
OS_SelectFdClear, 449	OS_TaskSetPriority, 471
OS_SelectFdlsSet, 449	OSAL Time Base APIs, 473
OS_SelectFdZero, 450	OS_TimeBaseCreate, 473
OS_SelectMultiple, 450	OS_TimeBaseDelete, 474
OS_SelectSingle, 451	OS_TimeBaseGetFreeRun, 475
OSAL Semaphore State Defines, 344	OS_TimeBaseGetIdByName, 476
OS_SEM_EMPTY, 344	OS TimeBaseGetInfo, 476
OS_SEM_FULL, 344	OS_TimeBaseSet, 477
OSAL Shell APIs, 453	OSAL Timer APIs, 479
OS_ShellOutputToFile, 453	OS_TimerAdd, 479
OSAL Socket Address APIs, 454	OS_TimerCreate, 481
OS_SocketAddrFromString, 454	OS_TimerDelete, 482
OS_SocketAddrGetPort, 455	OS_TimerGetIdByName, 483
OS_SocketAddrInit, 455	OS_TimerGetInfo, 484
OS SocketAddrSetPort, 456	OS TimerSet, 485
OS_SocketAddrToString, 457	OSAL_API_VERSION
OSAL Socket Management APIs, 458	osapi-version.h, 1219
OS_SocketAccept, 458	OSAL BLOCKCOUNT C
OS SocketBind, 460	common_types.h, 1171
OS_SocketConnect, 461	OSAL_INDEX_C
OS_SocketGetIdByName, 461	common_types.h, 1172
OS_SocketGetInfo, 462	OSAL_OBJTYPE_C
OS_SocketOpen, 463	
OS SocketRecvFrom, 463	common_types.h, 1172 OSAL PRIORITY C
	- -
OS_SocketSendTo, 464	osapi-task.h, 1212
OS_SocketShutdown, 465	OSAL_SIZE_C
OSAL Standard File APIs, 395	common_types.h, 1172 OSAL STACKPTR C
OS_CloseAllFiles, 397	
OS_CloseFileByName, 397	osapi-task.h, 1212
OS_FDGetInfo, 398	OSAL_STATUS_C
OS_FileOpenCheck, 399	common_types.h, 1172
OS_OpenCreate, 401	OSAL_TASK_STACK_ALLOCATE
OS_TimedRead, 404	osapi-task.h, 1212
OS_TimedWrite, 405	OSALMajorVersion
OS_chmod, 395	CFE_ES_HousekeepingTlm_Payload, 512
OS_close, 396	OSALMinorVersion
OS_cp, 398	CFE_ES_HousekeepingTlm_Payload, 512
OS_lseek, 399	OSALMissionRevision
OS_mv, 400	CFE_ES_HousekeepingTlm_Payload, 512
OS_read, 402	OSALRevision
OS_remove, 402	CFE_ES_HousekeepingTlm_Payload, 513
OS_rename, 403	object_ids
OS_stat, 404	OS_FdSet, 696
OS_write, 406	ObjectName
OSAL Task APIs, 466	CFE_TBL_FileDef, 632
OS_TaskCreate, 466	ObjectSize
OS_TaskDelay, 467	CFE_TBL_FileDef, 632
OS_TaskDelete, 468	Offset
OS_TaskExit, 468	CFE_TBL_File_Hdr, 631

OnEvent	osal/src/os/inc/osapi-timer.h, 1215
CFE_FS_FileWriteMetaData, 583	osal/src/os/inc/osapi-version.h, 1216
OneHzAdjust	osal/src/os/inc/osapi.h, 1221
CFE_TIME_DiagnosticTlm_Payload, 667	osal_blockcount_t
OneHzDirection	common_types.h, 1174
CFE_TIME_DiagnosticTlm_Payload, 667	osal_id_t
OneTimeAdjust	common_types.h, 1174
CFE_TIME_DiagnosticTlm_Payload, 668	osal_index_t
OneTimeDirection	common_types.h, 1174
CFE_TIME_DiagnosticTlm_Payload, 668	osal_objtype_t
Opts	common_types.h, 1175
CFE SB PipeInfoEntry, 602	osal_priority_t
os_dirent_t, 695	osapi-task.h, 1213
FileName, 695	osal_stackptr_t
os_err_name_t	osapi-task.h, 1213
osapi-error.h, 1190	osal_status_t
os_fsinfo_t, 697	common_types.h, 1175
FreeFds, 698	osal_task
FreeVolumes, 698	osapi-task.h, 1213
MaxFds, 698	osapi-common.h
MaxVolumes, 698	OS Event t, 1183
os fstat t, 699	OS_EventHandler_t, 1182
FileModeBits, 699	osapi-constants.h
FileSize, 699	OS CHECK, 1184
FileTime, 699	OS_MAX_LOCAL_PATH_LEN, 1184
os_status_string_t	OS_OBJECT_CREATOR_ANY, 1184
osapi-error.h, 1190	OS_OBJECT_ID_UNDEFINED, 1185
osal/docs/src/osal_frontpage.dox, 1169	OS_PEND, 1185
osal/docs/src/osal_fs.dox, 1169	osapi-dir.h
osal/docs/src/osal_timer.dox, 1169	OS_DIRENTRY_NAME, 1186
osal/src/os/inc/common_types.h, 1169	osapi-error.h
osal/src/os/inc/osapi-binsem.h, 1177	OS ERROR NAME LENGTH, 1189
osal/src/os/inc/osapi-bsp.h, 1178	OS_STATUS_STRING_LENGTH, 1189
osal/src/os/inc/osapi-clock.h, 1179	os_err_name_t, 1190
osal/src/os/inc/osapi-common.h, 1181	os_status_string_t, 1190
osal/src/os/inc/osapi-constants.h, 1184	osapi-file.h
osal/src/os/inc/osapi-countsem.h, 1185	OS_FILESTAT_EXEC, 1192
osal/src/os/inc/osapi-dir.h, 1186	OS FILESTAT ISDIR, 1193
osal/src/os/inc/osapi-error.h, 1187	OS FILESTAT MODE, 1193
osal/src/os/inc/osapi-file.h, 1190	OS_FILESTAT_READ, 1193
osal/src/os/inc/osapi-filesys.h, 1196	OS FILESTAT SIZE, 1193
osal/src/os/inc/osapi-heap.h, 1197	OS FILESTAT TIME, 1193
osal/src/os/inc/osapi-idmap.h, 1198	OS FILESTAT WRITE, 1194
osal/src/os/inc/osapi-macros.h, 1200	OS_file_flag_t, 1194
osal/src/os/inc/osapi-module.h, 1202	osapi-filesys.h
osal/src/os/inc/osapi-mutex.h, 1203	OS_CHK_ONLY, 1197
osal/src/os/inc/osapi-network.h, 1204	OS_REPAIR, 1197
osal/src/os/inc/osapi-printf.h, 1205	osapi-idmap.h
osal/src/os/inc/osapi-queue.h, 1205	OS_OBJECT_INDEX_MASK, 1199
osal/src/os/inc/osapi-select.h, 1206	OS_OBJECT_TYPE_SHIFT, 1199
osal/src/os/inc/osapi-shell.h, 1207	osapi-macros.h
osal/src/os/inc/osapi-sockets.h, 1207	ARGCHECK, 1200
osal/src/os/inc/osapi-task.h, 1210	BUGCHECK, 1200
osal/src/os/inc/osapi-timebase.h, 1214	BUGREPORT, 1201
· · · · · · · · · · · · · · · · · · ·	= , -

LENGTHCHECK, 1201	OS_MAX_MODULES, 721
osapi-module.h	OS_MAX_MUTEXES, 721
OS_MODULE_FLAG_GLOBAL_SYMBOLS, 1202	OS_MAX_NUM_OPEN_DIRS, 721
OS_MODULE_FLAG_LOCAL_SYMBOLS, 1203	OS_MAX_NUM_OPEN_FILES, 722
osapi-select.h	OS_MAX_PATH_LEN, 722
OS_StreamState_t, 1206	OS MAX QUEUES, 722
osapi-sockets.h	OS MAX SYM LEN, 722
OS_SOCKADDR_MAX_LEN, 1209	OS MAX TASKS, 723
OS SocketDomain t, 1209	OS MAX TIMEBASES, 723
OS_SocketShutdownMode_t, 1210	OS_MAX_TIMERS, 723
OS_SocketType_t, 1210	OS MODULE FILE EXTENSION, 724
osapi-task.h	OS PRINTF CONSOLE NAME, 724
OS_FP_ENABLED, 1212	OS_QUEUE_MAX_DEPTH, 724
OS_MAX_TASK_PRIORITY, 1212	OS_SHELL_CMD_INPUT_FILE_NAME, 724
OSAL PRIORITY C, 1212	OS SOCKADDR MAX LEN, 725
OSAL_STACKPTR_C, 1212	OS UTILITYTASK PRIORITY, 725
OSAL_TASK_STACK_ALLOCATE, 1212	OS_UTILITYTASK_STACK_SIZE, 725
osal_priority_t, 1213	OutputPort
osal_stackptr_t, 1213	CFE EVS HousekeepingTlm Payload, 567
osal_task, 1213	OwnerAppName
osapi-timebase.h	CFE_TBL_TblRegPacket_Payload, 655
OS_TimerSync_t, 1215	Or E_TBE_TBINEgracket_Fayload, 055
	PSPMajorVersion
osapi-timer.h	•
OS_TimerCallback_t, 1216	CFE_ES_HousekeepingTlm_Payload, 515
osapi-version.h	PSPMinorVersion
OS_BUILD_BASELINE, 1217	CFE_ES_HousekeepingTlm_Payload, 516
OS_BUILD_NUMBER, 1217	PSPMissionRevision
OS_GetBuildNumber, 1220	CFE_ES_HousekeepingTlm_Payload, 516
OS_GetVersionCodeName, 1220	PSPRevision
OS_GetVersionNumber, 1220	CFE_ES_HousekeepingTlm_Payload, 516
OS_GetVersionString, 1221	PacketID
OS_MAJOR_VERSION, 1217	CFE_EVS_LongEventTlm_Payload, 571
OS_MINOR_VERSION, 1217	CFE_EVS_ShortEventTlm_Payload, 579
OS_MISSION_REV, 1218	Parameter
OS_REVISION, 1218	CFE_TBL_NotifyCmd_Payload, 648
OS_STR_HELPER, 1218	Path
OS_STR, 1218	OS_file_prop_t, 697
OS_VERSION_CODENAME, 1219	Payload
OS_VERSION_STRING, 1219	CFE_ES_AppNameCmd, 495
OS_VERSION, 1218	CFE_ES_DeleteCDSCmd, 501
OSAL_API_VERSION, 1219	CFE_ES_DumpCDSRegistryCmd, 503
osconfig-example.h	CFE_ES_FileNameCmd, 504
OS_BUFFER_MSG_DEPTH, 718	CFE_ES_HousekeepingTlm, 506
OS_BUFFER_SIZE, 718	CFE_ES_MemStatsTlm, 522
OS_FS_DEV_NAME_LEN, 719	CFE_ES_OneAppTlm, 524
OS_FS_PHYS_NAME_LEN, 719	CFE_ES_OverWriteSysLogCmd, 525
OS_FS_VOL_NAME_LEN, 719	CFE_ES_ReloadAppCmd, 529
OS_MAX_API_NAME, 719	CFE_ES_RestartCmd, 530
OS_MAX_BIN_SEMAPHORES, 719	CFE_ES_SendMemPoolStatsCmd, 532
OS_MAX_CMD_LEN, 720	CFE_ES_SetMaxPRCountCmd, 534
OS_MAX_CONSOLES, 720	CFE_ES_SetPerfFilterMaskCmd, 536
OS_MAX_COUNT_SEMAPHORES, 720	CFE_ES_SetPerfTriggerMaskCmd, 538
OS_MAX_FILE_NAME, 720	CFE_ES_StartApp, 540
OS MAX FILE SYSTEMS, 721	CFE ES StartPerfDataCmd, 544

CFE_ES_StopPerfDataCmd, 546	PerfDataEnd
CFE_EVS_AppNameBitMaskCmd, 550	CFE_ES_HousekeepingTlm_Payload, 513
CFE_EVS_AppNameCmd, 552	PerfDataStart
CFE_EVS_AppNameEventIDCmd, 554	CFE_ES_HousekeepingTlm_Payload, 513
CFE_EVS_AppNameEventIDMaskCmd, 556	PerfDataToWrite
CFE_EVS_BitMaskCmd, 561	CFE_ES_HousekeepingTlm_Payload, 514
CFE_EVS_HousekeepingTlm, 563	PerfFilterMask
CFE_EVS_LongEventTlm, 570	CFE_ES_HousekeepingTlm_Payload, 514
CFE_EVS_SetEventFormatModeCmd, 576	PerfMode
CFE_EVS_SetLogModeCmd, 578	CFE_ES_HousekeepingTlm_Payload, 514
CFE_EVS_ShortEventTlm, 578	PerfState
CFE_EVS_WriteAppDataFileCmd, 580	CFE_ES_HousekeepingTlm_Payload, 514
CFE_EVS_WriteLogDataFileCmd, 581	PerfTriggerCount
CFE_SB_AllSubscriptionsTlm, 587	CFE_ES_HousekeepingTlm_Payload, 515
CFE_SB_HousekeepingTlm, 589	PerfTriggerMask
CFE_SB_RouteCmd, 605	CFE_ES_HousekeepingTlm_Payload, 515
CFE_SB_SingleSubscriptionTlm, 609	Pipe
CFE SB StatsTlm, 611	CFE_SB_RouteCmd_Payload, 606
CFE_SB_WriteFileInfoCmd, 619	CFE_SB_SingleSubscriptionTlm_Payload, 610
CFE_TBL_AbortLoadCmd, 621	CFE_SB_SubEntries, 618
CFE TBL ActivateCmd, 623	PipeDepthStats
CFE_TBL_DeleteCDSCmd, 626	CFE_SB_StatsTlm_Payload, 616
CFE TBL DumpCmd, 627	Pipeld
CFE_TBL_DumpRegistryCmd, 629	CFE_SB_PipeDepthStats, 600
CFE_TBL_HousekeepingTlm, 634	CFE_SB_PipeInfoEntry, 602
CFE_TBL_LoadCmd, 644	CFE_SB_RoutingFileEntry, 608
CFE_TBL_NotifyCmd, 647	PipeName
CFE_TBL_SendRegistryCmd, 649	CFE_SB_PipeInfoEntry, 602
CFE_TBL_TableRegistryTlm, 651	CFE_SB_RoutingFileEntry, 608
CFE_TBL_ValidateCmd, 657	PipeOptsErrorCounter
CFE_TIME_DiagnosticTlm, 659	CFE_SB_HousekeepingTlm_Payload, 594
CFE_TIME_HousekeepingTlm, 673	PipeOverflowErrorCounter
CFE_TIME_nodscheeping rim, 676 CFE_TIME_OneHzAdjustmentCmd, 679	CFE_SB_HousekeepingTlm_Payload, 594
CFE_TIME_SetLeapSecondsCmd, 681	PipesInUse
CFE_TIME_SetSignalCmd, 682	CFE_SB_StatsTlm_Payload, 616
CFE_TIME_SetSourceCmd, 683	PktSegment
CFE TIME SetStateCmd, 684	CFE_SB_AllSubscriptionsTlm_Payload, 588
CFE_TIME_TimeCmd, 689	PoolHandle
CFE_TIME_ToneDataCmd, 691	CFE ES PoolStatsTlm Payload, 528
PeakMemInUse	CFE ES SendMemPoolStatsCmd Payload, 533
CFE_SB_StatsTlm_Payload, 615	PoolSize
·	
PeakMsgldsInUse	CFE_ES_MemPoolStats, 521
CFE_SB_StatsTIm_Payload, 615	PoolStats
PeakPipesInUse	CFE_ES_PoolStatsTlm_Payload, 528
CFE_SB_StatsTlm_Payload, 615	Priority OFF FO Applets 400
PeakQueueDepth	CFE_ES_AppInfo, 493
CFE_SB_PipeDepthStats, 599	CFE_ES_StartAppCmd_Payload, 542
CFE_SB_PipeInfoEntry, 602	CFE_ES_TaskInfo, 547
PeakSBBuffersInUse	CFE_SB_Qos_t, 604
CFE_SB_StatsTIm_Payload, 615	priority 740
PeakSubscriptionsInUse	OS_task_prop_t, 713
CFE_SB_StatsTIm_Payload, 616	ProcessorID
PerfDataCount	CFE_EVS_PacketID, 573
CFE ES HousekeepingTlm Payload, 513	CFE FS Header, 585

D D .	OFF MICCION FO BOOL MAY BUOKETO 707
ProcessorResets	CFE_MISSION_ES_POOL_MAX_BUCKETS, 797
CFE_ES_HousekeepingTlm_Payload, 515	CFE_MISSION_ES_SEND_HK_MSG, 797
psp/fsw/inc/cfe_psp.h, 1222	CFE_MISSION_EVS_CMD_MSG, 798
psp/fsw/inc/cfe_psp_error.h, 1243	CFE_MISSION_EVS_HK_TLM_MSG, 798
Ptr	CFE_MISSION_EVS_LONG_EVENT_MSG_MSG,
CFE_ES_PoolAlign, 527	798
	CFE_MISSION_EVS_MAX_MESSAGE_LENGTH,
Qos	798
CFE_SB_SingleSubscriptionTlm_Payload, 610	CFE_MISSION_EVS_SEND_HK_MSG, 799
CFE_SB_SubEntries, 618	CFE MISSION EVS SHORT EVENT MSG MSG
	799
RegisteredCoreApps	CFE_MISSION_MAX_API_LEN, 799
CFE_ES_HousekeepingTlm_Payload, 516	CFE_MISSION_MAX_FILE_LEN, 799
RegisteredExternalApps	CFE_MISSION_MAX_PATH_LEN, 800
CFE_ES_HousekeepingTlm_Payload, 517	CFE_MISSION_SB_ALLSUBS_TLM_MSG, 800
RegisteredLibs	CFE_MISSION_SB_CMD_MSG, 801
CFE_ES_HousekeepingTlm_Payload, 517	CFE_MISSION_SB_HK_TLM_MSG, 801
RegisteredTasks	CFE MISSION SB MAX PIPES, 801
CFE_ES_HousekeepingTlm_Payload, 517	CFE_MISSION_SB_MAX_SB_MSG_SIZE, 801
Reliability	CFE MISSION SB ONESUB TLM MSG, 802
CFE_SB_Qos_t, 604	CFE_MISSION_SB_SEND_HK_MSG, 802
Reserved	CFE_MISSION_SB_SEND_HK_MSG, 802 CFE_MISSION_SB_STATS_TLM_MSG, 802
CFE_TBL_File_Hdr, 631	
ResetSubtype	CFE_MISSION_SB_SUB_RPT_CTRL_MSG, 802
CFE_ES_HousekeepingTlm_Payload, 517	CFE_MISSION_TBL_CMD_MSG, 803
ResetType	CFE_MISSION_TBL_HK_TLM_MSG, 803
CFE_ES_HousekeepingTlm_Payload, 518	CFE_MISSION_TBL_MAX_FULL_NAME_LEN, 803
Resourceld	CFE_MISSION_TBL_MAX_NAME_LENGTH, 803
CFE_ES_AppInfo, 493	CFE_MISSION_TBL_REG_TLM_MSG, 804
RestartType	CFE_MISSION_TBL_SEND_HK_MSG, 804
CFE_ES_RestartCmd_Payload, 531	CFE_MISSION_TEST_CMD_MSG, 804
	CFE_MISSION_TEST_HK_TLM_MSG, 804
SBBuffersInUse	CFE_MISSION_TIME_1HZ_CMD_MSG, 805
CFE SB StatsTlm Payload, 616	CFE_MISSION_TIME_AT_TONE_WAS, 805
SIZE BYTE	CFE_MISSION_TIME_AT_TONE_WILL_BE, 805
cfe_psp.h, 1230	CFE_MISSION_TIME_CFG_DEFAULT_TAI, 805
SIZE HALF	CFE_MISSION_TIME_CFG_DEFAULT_UTC, 806
cfe_psp.h, 1230	CFE MISSION TIME CFG FAKE TONE, 806
SIZE_WORD	CFE_MISSION_TIME_CMD_MSG, 806
cfe_psp.h, 1231	CFE_MISSION_TIME_DATA_CMD_MSG, 807
sample_mission_cfg.h, 791	CFE_MISSION_TIME_DEF_DELAY_SECS, 807
CFE MISSION ES APP TLM MSG, 793	CFE_MISSION_TIME_DEF_DELAY_SUBS, 807
CFE MISSION ES CDS MAX FULL NAME LEN,	CFE_MISSION_TIME_DEF_LEAPS, 807
793	CFE_MISSION_TIME_DEF_MET_SECS, 807
CFE_MISSION_ES_CDS_MAX_NAME_LENGTH,	CFE_MISSION_TIME_DEF_MET_SUBS, 808
794	CFE_MISSION_TIME_DEF_STCF_SECS, 808
	CFE_MISSION_TIME_DEF_STCF_SUBS, 808
CFE_MISSION_ES_CMD_MSG, 794	CFE MISSION TIME DIAG TLM MSG, 808
CFE_MISSION_ES_CRC_16, 795	
CFE_MISSION_ES_CRC_32, 795	CFE_MISSION_TIME_EPOCH_DAY, 809
CFE_MISSION_ES_CRC_8, 795	CFE_MISSION_TIME_EPOCH_HOUR, 809
CFE_MISSION_ES_DEFAULT_CRC, 795	CFE_MISSION_TIME_EPOCH_MICROS, 809
CFE_MISSION_ES_HK_TLM_MSG, 795	CFE_MISSION_TIME_EPOCH_MINUTE, 809
CFE_MISSION_ES_MAX_APPLICATIONS, 796	CFE_MISSION_TIME_EPOCH_SECOND, 809
CFE_MISSION_ES_MEMSTATS_TLM_MSG, 796	CFE_MISSION_TIME_EPOCH_YEAR, 809
CFE MISSION ES PERF MAX IDS. 796	CFE MISSION TIME FS FACTOR, 810

CEE EVC Catl as Made Dayland E77
CFE_EVS_SetLogMode_Payload, 577
CFE_SB_PipeDepthStats, 600
CFE_SB_PipeInfoEntry, 603
CFE_SB_RouteCmd_Payload, 606
Spare1
CFE_EVS_HousekeepingTlm_Payload, 567
CFE_EVS_LongEventTlm_Payload, 571
Spare2
. CFE_EVS_HousekeepingTlm_Payload, 567
CFE_EVS_LongEventTlm_Payload, 571
Spare2Align
•
CFE_SB_HousekeepingTlm_Payload, 594
Spare3
CFE_EVS_HousekeepingTlm_Payload, 568
stack_size
OS_task_prop_t, 713
StackSize
CFE_ES_AppInfo, 493
CFE_ES_StartAppCmd_Payload, 542
CFE_ES_TaskInfo, 548
start_time
OS_timer_prop_t, 716
StartAddress
CFE_ES_AppInfo, 494
State
CFE_SB_RoutingFileEntry, 608
Streamld
CCSDS_PrimaryHeader, 487
SubType
CFE_FS_Header, 585
CFE_SB_SingleSubscriptionTlm_Payload, 611
SubscribeErrorCounter
CFE_SB_HousekeepingTlm_Payload, 594
SubscriptionsInUse
CFE_SB_StatsTIm_Payload, 617
Subseconds
CFE_TIME_OneHzAdjustmentCmd_Payload, 680
CFE_TIME_SysTime, 688
Subsecs1HzAdj
CFE_TIME_HousekeepingTlm_Payload, 676
SubsecsDelay
CFE_TIME_HousekeepingTlm_Payload, 676
SubsecsMET
CFE TIME HousekeepingTlm Payload, 677
SubsecsSTCF
CFE_TIME_HousekeepingTlm_Payload, 677
Subsystem
CCSDS_ExtendedHeader, 486
CCSDS_ExtendedHeader, 486 SuccessValCounter
SuccessValCounter
SuccessValCounter CFE_TBL_HousekeepingTlm_Payload, 640 SysLogBytesUsed
SuccessValCounter CFE_TBL_HousekeepingTlm_Payload, 640

SysLogMode	CFE_FS_Header, 586
CFE_ES_HousekeepingTlm_Payload, 518	ToneDataCounter
SysLogSize	CFE_TIME_DiagnosticTlm_Payload, 669
CFE_ES_HousekeepingTlm_Payload, 519	ToneDataLatch
SystemId	CFE_TIME_DiagnosticTlm_Payload, 669
CCSDS_ExtendedHeader, 486	ToneIntCounter
	CFE_TIME_DiagnosticTlm_Payload, 669
Table	ToneIntErrorCounter
CFE_ES_CDSRegDumpRec, 500	CFE_TIME_DiagnosticTlm_Payload, 669
TableLoadedOnce	ToneMatchCounter
CFE_TBL_Info, 643	CFE_TIME_DiagnosticTlm_Payload, 670
CFE TBL TblRegPacket Payload, 656	ToneMatchErrorCounter
TableName	CFE_TIME_DiagnosticTlm_Payload, 670
CFE_TBL_AbortLoadCmd_Payload, 622	ToneOverLimit
CFE_TBL_ActivateCmd_Payload, 624	CFE_TIME_DiagnosticTlm_Payload, 670
CFE_TBL_DelCDSCmd_Payload, 625	ToneSignalCounter
CFE_TBL_DumpCmd_Payload, 628	CFE_TIME_DiagnosticTlm_Payload, 670
CFE TBL File Hdr, 631	ToneSignalLatch
CFE_TBL_FileDef, 633	CFE_TIME_DiagnosticTlm_Payload, 671
CFE_TBL_SendRegistryCmd_Payload, 650	ToneSource
CFE_TBL_ValidateCmd_Payload, 658	CFE_TIME_SignalCmd_Payload, 685
Taskid	ToneTaskCounter
CFE_ES_TaskInfo, 548	CFE_TIME_DiagnosticTIm_Payload, 671
TaskName	ToneUnderLimit
CFE_ES_TaskInfo, 548	CFE_TIME_DiagnosticTIm_Payload, 671
TelemetryHeader	total_blocks
CFE_ES_HousekeepingTlm, 506	OS_statvfs_t, 711
CFE_ES_MemStatsTlm, 522	TotalSegments
CFE_ES_OneAppTIm, 524	CFE_SB_AllSubscriptionsTlm_Payload, 588
CFE_EVS_HousekeepingTlm, 563	TriggerMask
CFE_EVS_LongEventTlm, 570	CFE_ES_SetPerfTrigMaskCmd_Payload, 539
CFE_EVS_ShortEventTlm, 579	TriggerMaskNum
CFE_SB_AllSubscriptionsTlm, 587	CFE_ES_SetPerfTrigMaskCmd_Payload, 539
CFE_SB_HousekeepingTlm, 589	TriggerMode
CFE_SB_SingleSubscriptionTlm, 609	CFE_ES_StartPerfCmd_Payload, 543
CFE_SB_StatsTlm, 612	Туре
CFE_TBL_HousekeepingTlm, 634	CFE_ES_AppInfo, 494
CFE_TBL_TableRegistryTlm, 651	
CFE_TIME_DiagnosticTlm, 659	uint16
CFE_TIME_HousekeepingTlm, 673	common_types.h, 1175
TgtFilename	uint32
CFE_TBL_FileDef, 633	common_types.h, 1175
ticks	uint64
OS_time_t, 714	common_types.h, 1175
TimeOfLastUpdate	uint8
CFE_TBL_Info, 643	common_types.h, 1176
CFE_TBL_TblRegPacket_Payload, 656	UnmarkedMem
TimeSeconds	CFE_SB_HousekeepingTlm_Payload, 595
CFE_FS_Header, 586	UnregisteredAppCounter
TimeSinceTone	CFE_EVS_HousekeepingTlm_Payload, 568
CFE_TIME_DiagnosticTlm_Payload, 668	User
TimeSource	OS_file_prop_t, 697
CFE_TIME_SourceCmd_Payload, 686	UserDefAddr
TimeSubSeconds	CFF TBI Info. 643

```
valid
OS_module_address_t, 703
ValidationCounter
CFE_TBL_HousekeepingTlm_Payload, 640
ValidationFuncPtr
CFE_TBL_TblRegPacket_Payload, 656
Value
CFE_SB_Msgld_t, 597
value
OS_bin_sem_prop_t, 693
OS_count_sem_prop_t, 694
VersionCounter
CFE_TIME_DiagnosticTlm_Payload, 671
VirtualMET
CFE_TIME_DiagnosticTlm_Payload, 672
```