njRAT.exe (/sample/fd624aa205517580e83fad7a4ce4d64863e95f62b...

malicious

This report is generated from a file or URL submitted to this webservice on October 28th 2024 18:11:34 (UTC)
Guest System: Windows 11 64 bit, Professional, 10.0 (build 22621),
Falcon Sandbox (https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/) © Hybrid Analysis

Threat Score: 100/100
AV Detection: 65%

Post (/sample/671fd3d5091794b54204efb7/twitter) Link E-Mail

Overview (/sample/fd624aa205517580e83fad7a4ce4d64863e95f62b34ac72647b1974a52822199) Sample (959KiB) Show Sample Content Copy Downloads External Reports Re-analyze

Hash Seen Before (/search?query=context:fd624aa205517580e83fad7a4ce4d64863e95f62b34ac72647b1974a52822199&from_sample=671fd3d5091794b54204efb7&block_redirect=1)

No similar samples (/search?query=similar-to:fd624aa205517580e83fad7a4ce4d64863e95f62b34ac72647b1974a52822199&block_redirect=1) Report False-Positive

Request Report Deletion

Incident Response

Risk Assessment

Spyware
Found a string that may be used as part of an injection method
Fingerprint
Queries process information

MITRE ATT&CK™ Techniques Detection

This report has 95 indicators that were mapped to 53 attack techniques and 9 tactics. View all details

Additional Context

Related Sandbox Artifacts

Associated SHA256s
8a0675001b5bc63d8389fc7ed80b4a7b0f9538c744350f00162533519e106426 (/search?query=context:8a0675001b5bc63d8389fc7ed80b4a7b0f9538c744350f00162533519e106426&block_redirect=1)
cdadc26c09f869e21053ee1a0acf3b2d11df8edd599fe9c377bd4d3ce1c9cda9 (/search?query=context:cdadc26c09f869e21053ee1a0acf3b2d11df8edd599fe9c377bd4d3ce1c9cda9&block_redirect=1)
cd9709bf1c7396f6fe3684b5177fa0890c706ca82e2b98ba58e8d8383632a3c8 (/search?query=context:cd9709bf1c7396f6fe3684b5177fa0890c706ca82e2b98ba58e8d8383632a3c8&block_redirect=1)
b02c56d29447690cdafd8f2f6877d526d1f6efcaae74017719c460d9b3ee38b8 (/search?query=context:b02c56d29447690cdafd8f2f6877d526d1f6efcaae74017719c460d9b3ee38b8&block_redirect=1)
89a1bbe42cde01ddfe531d69dd6ea6575296096010400cb63cbf4999eca52e52 (/search?query=context:89a1bbe42cde01ddfe531d69dd6ea6575296096010400cb63cbf4999eca52e52&block_redirect=1)
f132324acf09c0562a1cad1288bfb4021bd991659126d21ecb9499938bf6acb3 (/search?query=context:f132324acf09c0562a1cad1288bfb4021bd991659126d21ecb9499938bf6acb3&block_redirect=1)
fde583027a692d210e8f1f73667fa0037705128ade8bbfbc9b780f019ead6672 (/search?query=context:fde583027a692d210e8f1f73667fa0037705128ade8bbfbc9b780f019ead6672&block_redirect=1)
a8e4be1b6b4fa1a926fbb58fa6f3f4a4c7b896f462188fa5252a01d355ae6e67c70 (/search?query=context:a8e4be1b6b4fa1a926fbb58fa6f3f4a4c7b896f462188fa5252a01d355ae6e67c70&block_redirect=1)
1534a4c1896df62188fa5252a0d355ae6e67c70 (/search?query=context:1534a4c1896df62188fa5252a0d355ae6e67c70&block_redirect=1)
d3dcb25f9004f6fce3f3d94406ad6845d996cda2f106a203082aed39a84fac4e (/search?query=context:d3dcb25f9004f6fce3f3d94406ad6845d996cda2f106a203082aed39a84fac4e&block_redirect=1)

© 2024 Hybrid Analysis — Terms and Conditions of Use (/terms) — Hybrid Analysis Privacy Notice (/data-protection-policy) — Site Notice (/imprint) — Your Privacy Choices — Contact Us (https://twitter.com/HybridAnalysis)

a1b65f18c7e882b1606a4ef9387d8988e6fd755d7d03214b677ad528a487d73a (/search?query=context:a1b65f18c7e882b1606a4ef9387d8988e6fd755d7d03214b677ad528a487d73a&block_redirect=1)

Indicators

Not all malicious and suspicious indicators are displayed. Get your own cloud service (https://www.falcon-sandbox.com/) or the full version (https://www.crowdstrike.com/endpoint-security-products/falcon-sandbox-malware-analysis/) to view all details.

Malicious Indicators 2

External Systems

Sample detected by CrowdStrike Static Analysis and ML with relatively high confidence

details
CrowdStrike Static Analysis and ML (QuickScan) yielded detection: win/malicious_confidence_100% (W)

source
External System

relevance
10/10

research
Show me all reports matching the same indicator (/search?query=indicatorid%3Aavtest-8)

Pattern Matching

YARA signature match

details
YARA signature "MALWARE_Win_NjRAT" matched file "sample.bin" as "Detects NjRAT / Bladabindi" (Author: ditekSHen)

source
YARA Signature

relevance
9/10

research
Show me all reports matching the same indicator (/search?query=indicatorid%3Ayara-0)

Suspicious Indicators 17

Anti-Detection/Stealthyness

Queries process information

details
"njRAT.exe" queried SystemProcessInformation at 00000000-00009836-00000C13-1837049234 [PID: 9836]
"njRAT.exe" queried SystemProcessInformation at 00000000-00009836-00000C13-1837071151 [PID: 9836]
"njRAT.exe" queried SystemProcessInformation at 00000000-00009836-00000C13-1837337061 [PID: 9836]
"njRAT.exe" queried SystemProcessInformation at 00000000-00009836-00000C13-1837344973 [PID: 9836]
"njRAT.exe" queried SystemProcessInformation at 00000000-00009836-00000C13-1839175635 [PID: 9836]
"njRAT.exe" queried SystemProcessInformation at 00000000-00009836-00000C13-1839182794 [PID: 9836]
"njRAT.exe" queried SystemProcessInformation at 00000000-00009836-00000C13-1839337566 [PID: 9836]
"njRAT.exe" queried SystemProcessInformation at 00000000-00009836-00000C13-1839344649 [PID: 9836]

source
API Call

relevance
4/10

research
Show me all reports matching the same indicator (/search?query=indicatorid%3Aapi-9)

ATT&CK ID

T1057 (Show technique in the MITRE ATT&CK™ matrix)

Environment Awareness

Calls an API typically used to query local/system time as file time

details

"njRAT.exe" called "FileTimeToSystemTime" (UID: 00000000-00009836)

source

API Call

relevance

3/10

research

Show me all reports matching the same indicator (/search?query=indicatorid%3Aapi-223)

ATT&CK ID

T1070.006 (Show technique in the MITRE ATT&CK™ matrix)

Network Related

Contains ability to identify remote systems

details

Found string "cmd.exe /c ping 127.0.0.1 & del "" (Indicator: "cmd.exe /c ping"; File: "njRAT.exe"), Found string "cmd.exe /c ping 127.0.0.1 & del "" (Indicator: "/c ping"; File: "njRAT.exe")
Found string "md.exe /c ping 127.0.0.1 & del "" (Indicator: "/c ping"; Source: "00000000-00009836.00000002.185312.00542000.00000002.mdmp")

source

File/Memory

relevance

1/10

research

Show me all reports matching the same indicator (/search?query=indicatorid%3Astring-417)

ATT&CK ID

T1018 (Show technique in the MITRE ATT&CK™ matrix)

Spyware/Information Retrieval

Calls an API typically used for keylogging

details

"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "1"}
"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "2"}
"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "4"}
"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "5"}
"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "6"}
"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "18"}
"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "17"}
"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "16"}
"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "91"}
"njRAT.exe" called "GetKeyState" with parameters {"nVirtKey": "92"}

source

API Call

relevance

10/10

research

Show me all reports matching the same indicator (/search?query=indicatorid%3Aapi-40)

ATT&CK ID

T1056.001 (Show technique in the MITRE ATT&CK™ matrix)

Found system commands related strings

details

Found string "cmd.exe /c ping 127.0.0.1 & del "" (Indicator: "ping"; File: "njRAT.exe"), Found string "md.exe /c ping 127.0.0.1 & del "" (Indicator: "ping"; Source: "00000000-00009836.00000002.185312.00542000.00000002.mdmp")

source

File/Memory

relevance
3/10
research
Show me all reports matching the same indicator (/search?query=indicatorid%3Astring-126)
ATT&CK ID
T1082 (Show technique in the MITRE ATT&CK™ matrix)

Unusual Characteristics

Contains pe file in dotnet resource

details
njRAT.exe has PE file in resource with name: "njRAT" and filetype: "PE32 executable (GUI) Intel 80386 Mono/.Net assembly, for MS Windows"
njRAT.exe has PE file in resource with name: "njq8" and filetype: "PE32 executable (GUI) Intel 80386 Mono/.Net assembly, for MS Windows"
source
Static Parser
relevance
10/10
research
Show me all reports matching the same indicator (/search?query=indicatorid%3Astatic-109)
ATT&CK ID
T1027 (Show technique in the MITRE ATT&CK™ matrix)

Sample/File contains another embedded binary

details
Found multiple string (Indicator: This program cannot be run in DOS mode) in file /tmp/ec09d62b-a58f-4a4c-b684-6fbac052959e/sample.bin at offset 920972
source
Binary File
relevance
3/10
research
Show me all reports matching the same indicator (/search?query=indicatorid%3Abinary-64)
ATT&CK ID
T1027.009 (Show technique in the MITRE ATT&CK™ matrix)

Hiding 10 Suspicious Indicators

All indicators are available only in the private webservice or standalone version

Informative 89

Anti-Detection/Stealthyness

Contains ability to load content from resource

Contains ability to use Cryptographic classes

Found PE header in memory

Found virtual disk drive like strings

Cryptographic Related

Contains ability to decode base64 data

Contains ability to encrypt/decrypt data using TripleDES

Contains ability to perform encryption (API string)

Contains reference to cryptographic keys

Shows ability to deobfuscate/decode files or information
Shows ability to obfuscate file or information
Environment Awareness
Able to identify virtual environment by using API string
Able to identify virtual environment by using user activity (API string)
Calls an API possibly used to retrieve a handle to the foreground window
Calls an API typically used to determine if process is running under WOW64
Calls an API typically used to get active windows title
Calls an API typically used to get handle of currently active window
Calls an API typically used to get product type
Calls an API typically used to get system version information
Calls an API typically used to retrieve local language
Contains ability to read software policies
Contains ability to retrieve open application windows (API string)
Contains ability to retrieve system language (API string)
Contains ability to retrieve the OS information (API string)
Contains ability to retrieve volume information (API string)
Queries volume information
Reads the active computer name
Reads the cryptographic machine GUID
General
Calls an API typically used to load libraries
Calls an API typically used to retrieve function addresses
Can loads assembly that contains the code that is currently executing [Dotnet]
Contains PDB pathways
Contains ability to create directories (API string)
Contains ability to execute Windows APIs
Contains ability to execute an application (API string)
Contains ability to executes commands or batch file
Contains ability to show a graphical window (API string)
Contains ability to start a process (Dotnet)

Contains registry location strings
Creates mutants
Fails to load modules at runtime
File contains dynamic base/NX flags
Found a reference to a known community page
Loads modules at runtime
Loads the .NET runtime environment
Loads the Bcrypt module DLL
Loads the CLR Loader DLL
Loads the RPC (Remote Procedure Call) module DLL
Matched Compiler/Packer signature (DIE)
Overview of unique CLSIDs touched in registry
PE file contains COM data directory
PE file contains Debug data directory
PE file contains executable sections
PE file contains writable sections
PE file entrypoint instructions
Reads information about supported languages
References Windows filepaths for DLLs (possible dropped files)
Uses 32 bit executable PE
Installation/Persistence
Creates a thread in a self process
Opens registry keys
Queries basic information of the specified process
Queries registry keys
Reads files
Shows ability to use execution guardrails
Touches files
Tries to access non-existent files (executable)
Tries to access non-existent files (non-executable)
Network Related

Contains ability to check internet connectivity
Found potential IP address in binary/memory
Found potential URL in binary/memory
Found potential URLs in memory dumps
JA3 SSL client fingerprint
Making HTTPS connections using secure TLS/SSL version
Possibly tries to communicate over SSL connection (HTTPS)
Pattern Matching
YARA signature match – Embedded PE executable
Spyware/Information Retrieval
Calls an API possibly used to take screenshots
Calls an API typically used for taking snapshot of the specified processes
Calls an API typically used to retrieve information about the current system
Calls an API's typically used for searching a directory for a files
Contains CRYPTO related strings
Contains ability to capture screen (API string)
Contains ability to enumerate process and/or its information (API string)
Contains ability to retrieve information about pressed keystrokes (API string)
Contains ability to retrieve the specified system metric or system configuration setting (API string)
Contains string like password/secret
System Security
Contains ability to access device drivers
Contains ability to modify the user configuration/privilege (API string)
Queries services related registry keys
Unusual Characteristics
Matched Compiler/Packer signature
Reads the windows installation language

File Details

All Details: Off

njRAT.exe

Filename
njRAT.exe
Size
959KiB (982016 bytes)
Type
peexe | assembly | executable
Description
PE32 executable (GUI) Intel 80386 Mono/.Net assembly, for MS Windows
Architecture
WINDOWS
SHA256
fd624aa205517580e83fad7a4ce4d64863e95f62b34ac72647b1974a52822199
Compiler/Packer
Microsoft visual C# v7.0 / Basic .NET
PDB Timestamp
2013-09-27 08:00:20 (UTC)
PDB Pathway
C:\Users\algha_000\AppData\Local\Temporary Projects\EnKSaR.HaCKeR\obj\x86\Release\EnKSaR.HaCKeR.pdb

Resources

Language
NEUTRAL
Icon

Entrypoint Preview

Instructions Count
48
Actions
Show Preview

Version Info

Translation
0x0000 0x04b0
LegalCopyright
Copyright njq8 2013
Assembly Version
0.6.4.0
InternalName
EnKSaR.HaCKeR.exe
FileVersion
0.6.4.0
CompanyName
njq8
LegalTrademarks
njRAT
Comments
njRAT
ProductName
njRAT
ProductVersion
0.6.4.0
FileDescription
njRAT
OriginalFilename
EnKSaR.HaCKeR.exe

Additional Static Data

Entrypoint	0x4ec3de
Entrypoint Section	.text
ImageBase	0x400000
Subsystem	Windows Gui
Image File Characteristics	32BIT_MACHINE, EXECUTABLE_IMAGE
DLL Characteristics	NO_SEH, TERMINAL_SERVER_AWARE, DYNAMIC_BASE, NX_COMPAT
Major OS Version	4
Minor OS Version	0

Classification (TrID)

- 47.4% (.EXE) Generic CIL Executable (.NET, Mono, etc.)
- 20.2% (.EXE) Win32 Executable MS Visual C++ (generic)
- 8.4% (.SCR) Windows screen saver
- 6.8% (.EXE) Win64 Executable (generic)
- 4.2% (.DLL) Win32 Dynamic Link Library (generic)

File Sections

Name
.text
Entropy
5.62636768559
MD5
9887f2df3b1d478bbc8f0faa314587e0

Name
.sdata
Entropy
2.22656451292
MD5
92bcc79295fdbb4f9c2c893de77ea3a5

Name
.rsrc
Entropy
3.3827686455
MD5
53d1620769697a633da9f34a77d0b140

Name
.reloc
Entropy
0.101910425663
MD5
2b44e29d3cdafab6c6b0a826b0a973b2

File Resources

Name
RT_ICON
Type
Device independent bitmap graphic, 64 x 128 x 32, image size 16896
Language
Neutral

Name
RT_GROUP_ICON
Type
data
Language
Neutral

Name
RT_VERSION
Type
data
Language

File Data Directories

Name
IMAGE_DIRECTORY_ENTRY_EXPORT
Virtual Address
0x0

Name
IMAGE_DIRECTORY_ENTRY_IMPORT
Virtual Address
0xec388

Name
IMAGE_DIRECTORY_ENTRY_RESOURCE
Virtual Address
0xf0000

Name

File Imports

mscoree.dll

_CorExeMain

Screenshots


(/file-inline/671fd3d5091794b54204efb7/screenshot/screen_0.png)


(/file-inline/671fd3d5091794b54204efb7/screenshot/screen_1.png)


(/file-inline/671fd3d5091794b54204efb7/screenshot/screen_2.png)


(/file-inline/671fd3d5091794b54204efb7/screenshot/screen_3.png)

Hybrid Analysis

Tip: Click an analysed process below to view more details.

Analysed 1 process in total (System Resource Monitor).

njRAT.exe (PID: 9836) 21/32

Network Analysis

DNS Requests

No relevant DNS requests were made.

Contacted Hosts

No relevant hosts were contacted.

HTTP Traffic

No relevant HTTP requests were made.

Extracted Strings

Search

All Details: Off

Download All Memory Strings (5.7KiB)

All Strings (1934) | Interesting (792) | njRAT.exe (1335) | njRAT.exe:9836 (587) | screen_2.png (12)

#&66wwwwwsa/
$45037699-51f9-4e37-b9b4-00d81aee540e
$bc5d7fc9-797d-4a78-84f4-fb571511b49a
%)&(((++===??||~~~
%WINDIR%\assembly\NativeImages_v4.0.30319_32\Accessibility*
%WINDIR%\assembly\NativeImages_v4.0.30319_32\EnKSaR.HaCKeR*
%WINDIR%\assembly\NativeImages_v4.0.30319_32\Microsoft.V9921e851#*
%WINDIR%\assembly\NativeImages_v4.0.30319_32\mscorlib*
%WINDIR%\assembly\NativeImages_v4.0.30319_32\mscorlib\8d55d7cad944a3f21aeb1db491f3d6de\mscorlib.ni.dll
%WINDIR%\assembly\NativeImages_v4.0.30319_32\System.Configuration*
%WINDIR%\assembly\NativeImages_v4.0.30319_32\System.Configuration\e4e680611f69d26d704e61dd8bfa4ece\System.Configuration.ni.dll
%WINDIR%\assembly\NativeImages_v4.0.30319_32\System.Core*

Extracted Files

No significant files were extracted.

Warnings

Runtime

Community

There are no community comments.

Post Comment as Black

This is an example comment with a #tag ...

Post Comment