

# Watchino

## A demonstration storefront built on Selldone

---

|               |                                                                                                               |
|---------------|---------------------------------------------------------------------------------------------------------------|
| Live          | <a href="https://watchino.selldone.shop">https://watchino.selldone.shop</a>                                   |
| Repository    | <a href="https://github.com/alireza-selldone/2-shop-watchino">github.com/alireza-selldone/2-shop-watchino</a> |
| Selldone shop | Watchino, id 8460                                                                                             |
| Built         | August 2026 · frozen 15 August 2026                                                                           |

---

---

## 1. What this is

Watchino is a fully working online watch shop. It sells nothing — no order is ever placed — but everything on the page is real software reading real data from a real Selldone shop.

It exists to answer one question for a shop owner evaluating the platform: **if I put my products into Selldone, what can my shop actually look like, and what can it do?**

The answer is not a template gallery. It is a single, opinionated, finished shop that happens to be built the way any of theirs could be.

### How to describe it to a customer

This is a real storefront running on Selldone. Every watch, price, photograph, stock level and blog post you see is read live from the shop's own dashboard — nothing is typed into the website. Change a price in Selldone and the site shows the new price on the next load.

The design is not Selldone's. It is one choice among endless others, built for this shop. Your shop would carry the same capabilities behind whatever you want it to look like.

Three things are worth saying out loud when showing it:

- **The catalogue is live.** Open the dashboard beside the site and change something.
  - **Nothing is invented.** Where the shop has no data — customer ratings, for instance — the site says so rather than filling the space.
  - **It is a demonstration.** Sample content is labelled as sample content, on the page, in amber.
-

## 2. The catalogue

---

Queried from live data on 15 August 2026.

|                                            |                                      |
|--------------------------------------------|--------------------------------------|
| Products                                   | 66                                   |
| Categories                                 | 6                                    |
| Makers                                     | 6 strings, 5 real makers             |
| Price range                                | \$1,888.90 — \$153,888.90            |
| Products with variants                     | 37 of 66                             |
| Live variant rows                          | 136                                  |
| Products currently showing a reduced price | 30                                   |
| Blog articles                              | 4, each with an image and a category |

### Collections

| Collection          | Products |
|---------------------|----------|
| Men's Classic       | 12       |
| Heritage & Leather  | 12       |
| Women's Collection  | 11       |
| Haute Horlogerie    | 11       |
| Diamond & Gold      | 10       |
| Sport & Chronograph | 10       |

Every product has a category. None are uncategorised.

The price range spans nearly two orders of magnitude, but 29 of the 66 sit under \$19,000. That is why the shop's price filter uses a **logarithmic** track — a linear one buries 44% of the catalogue in the first eighth of the slider.

---

## 3. What the storefront does

---

**Catalogue and collections.** Names, descriptions, prices, photographs, stock and specifications all come from the shop record. Rename a category in the dashboard and the site follows.

**Variants.** Where a reference comes in more than one finish, the choices shown are the ones set on the product. Selecting one changes the price, the stock and, where the variant carries its own photograph, the image.

**Prices and discounts.** A reduced price shows the old figure struck through — but only while the discount's date window is open. An expired sale stops presenting itself as a sale without anyone touching it.

**Search and filtering.** Filter by collection, maker, price and availability; search the catalogue by name from the header.

**Basket and checkout.** A five-step checkout with contact, shipping, delivery and payment. It runs the real flow up to the point of payment.

**Customer accounts.** Sign-in over OAuth 2.0 with PKCE. The site never sees or stores a password. Signed-in customers see their own order history.

**A blog.** Four articles with categories, cover images and dates, written and published from the dashboard.

**Content pages.** About Us, Terms, Privacy and Contact, each carrying a visible notice that its content is demonstration text.

---

## 4. How it was built

---

Nine phases, from an empty repository to a deployed site.

**1 • Connect.** The Selldone MCP connector is attached to shop 8460. From that point the catalogue is readable and writable from the agent.

**2 • Tidy the catalogue.** The shop had nine overlapping categories, eleven products priced identically, and one reference listed at \$100 whose siblings were above \$90,000. Categories were consolidated to six; prices corrected. **This step comes first for a reason: no design rescues a disordered catalogue.**

**3 • Clone the reference storefront.** A fully static Selldone storefront — HTML, CSS and vanilla JavaScript, no framework, no production Node server.

**4 • Rewire it.** Shop id, handle, domain and OAuth client are meta tags in three `index.html` files. Changing them points the same code at a different shop.

**5 • Create the OAuth client.** A public PKCE client with a redirect URI registered for every domain the storefront will serve from. Matching is exact, including the trailing slash.

**6 • Connect Cloudflare Workers Builds.** Deploys happen on push to `main`. Nothing is published from anyone's laptop.

**7 • Design.** Tokens first, then header and footer, then each page. Screenshot after every step.

- 8 • Content.** Blog posts and categories written into Selldone; the four policy pages generated from templates.
- 9 • Verify, then freeze.** Four automated harnesses plus a manual pass, run against production rather than the preview.

What the shop owner does, and what the agent does

|            |                                                                                                                                           |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Shop owner | Creates the shop, adds products with photographs, sets categories, connects Cloudflare, sets the shop email under <b>Settings → Email</b> |
| Agent      | Everything else — catalogue tidy-up, design, build, content, deploy, verification                                                         |

5. Brand

Palette — “Blued Steel”

Derived from horological instrumentation rather than from a generic luxury template.

| Token   | Hex     | Role                                                                   |
|---------|---------|------------------------------------------------------------------------|
| Ink     | #16191D | Cool graphite. Never pure black                                        |
| Surface | #E9ECEE | Cool dial white. Deliberately not warm cream                           |
| Rule    | #D3D8DC | Hairlines                                                              |
| Accent  | #2F4E8F | The colour steel turns at 290°C when a watchmaker blues a set of hands |
| Brass   | #9A7B43 | Haute Horlogerie section only, nowhere else                            |
| Amber   | #E0A800 | Demonstration notices only. Never shop chrome                          |

## Typography

| Role    | Face        | Why                                                            |
|---------|-------------|----------------------------------------------------------------|
| Display | Bodoni Moda | A Didone. Didone lettering is what is printed on a watch dial  |
| Body    | Archivo     | Neutral grotesque, wide range                                  |
| Data    | Azeret Mono | Prices, references, specifications. Tabular figures throughout |

## Signature element

A vertical chapter-ring rail down the left edge of the viewport, doubling as scroll progress. Section dividers are minute markers rather than plain rules. The page structure literally measures itself.

## Position

**A gallery, not a sales funnel.** No countdown timers, no urgency banners, no “X people are viewing this”, no discount popups, no confetti on the success page. A reduced price is a struck-through figure in muted grey, on the product page only — never a badge on a card in a grid.

---

## 6. What is real and what is local

---

The single most useful table in this document.

| Element                                     | Source                                                                                                |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Products, names, prices, photographs, stock | <b>Live</b> — Selldone                                                                                |
| Categories and their icons                  | <b>Live</b> — Selldone                                                                                |
| Variants, their colours and images          | <b>Live</b> — Selldone                                                                                |
| Discounts and their date windows            | <b>Live</b> — Selldone                                                                                |
| Blog articles, images, categories           | <b>Live</b> — Selldone                                                                                |
| Customer accounts and order history         | <b>Live</b> — Selldone                                                                                |
| Basket and checkout flow                    | <b>Live</b> — Selldone                                                                                |
| Brand name, founding year, cities           | Local — invented for the demonstration                                                                |
| Hero and section copy                       | Local — written for the design                                                                        |
| Customer reviews                            | Local — labelled as samples on the page. The shop's own rating count is zero across all 66 references |
| The salon illustrations                     | Local — SVG line drawings, not photographs                                                            |
| Assurance bar copy                          | Local — fixed in the template for a shop owner to edit                                                |
| Policy page content                         | Local — templates carrying a visible demonstration notice                                             |

## 7. Platform gaps

Twelve limitations were recorded during the build, each with the evidence that established it. These are observations for the people who build Selldone, not complaints. The four that cost the most time:

**Blog articles have no writable publication date.** `schedule_at` is a publish trigger that clears itself; `created_at` is ignored on write. All four articles carry the date they were created and cannot be backdated, so a blog written in one sitting looks like a blog written in one sitting.

**Categories have no portable identifier.** A category returns `id`, `title`, `icon` and `parent_id` — no slug, no handle. Shops get `@handle`; categories get an integer. Any template that routes products into named collections must hardcode one shop's numeric ids. **This is the single biggest obstacle to this repository becoming a reusable template**, and it is why an otherwise correct clone renders an empty collections grid.

**Variants carry a colour hex but no colour name.** An accessible label therefore has to be the hex itself or an invented mapping. This project chose the hex, plus a visible “Finish 2 of 5” ordinal, so that colour is never the only indicator.

**Customer sign-in silently redirects to Selldone until a shop email is set.** Until the owner sets an address under **Settings → Email**, customers are sent to Selldone to register rather than signing in to the shop. Nothing in the interface explains this, so the storefront now says so itself, in amber.

The full list, with reproduction steps for each, is in `GAPS.md`.

---

## 8. What is still open

---

Stated plainly rather than buried.

**Order history has never rendered against a real account.** The request is correctly formed and the empty and error states are honest, but signing in requires a password, which the agent will not enter. Screenshot 15 therefore uses a simulated session — labelled as such.

**The repository cannot yet be pointed at another shop.** An untouched clone serves *this* shop’s catalogue on someone else’s domain, because the shop id falls back to `8460` when the meta tag is absent. Worse, pointing a clone at its own shop renders an empty collections grid. A three-phase fix is scoped and agreed; no code written.

**A duplicate Cloudflare account builds the repository on every push and fails.** Production is unaffected, but the repository’s checks show red. Disconnecting it is a dashboard action.

**Stale variant links on one product.** `images[].variant_id` on reference 709761 points at variants that no longer exist. The storefront matches on image URL instead and renders correctly, but the underlying links are wrong on the Selldone side.

**Two spellings of one maker.** `Bonin` and `Bonin & Co.` are the same maker entered twice. Not merged — that is shop data, and merging it would be the storefront inventing an equivalence the data does not state.

---

## 9. Suggested landing copy

---

Ready to use, or to cut down.

## Short — one line

A real luxury watch storefront, built on Selldone. Every product, price and photograph is live from the shop.

## Medium — a paragraph

Watchino is a working demonstration storefront built on Selldone. Sixty-six watches across six collections, with variants, live pricing, stock, search, filtering, a basket, a five-step checkout, customer accounts and a blog — all read live from a real Selldone shop. Nothing is hard-coded, and nothing is invented: where the shop has no data, the site says so. The design is one choice among endless others; the capabilities behind it are yours whatever you want your shop to look like.

## Feature list

- Live catalogue — 66 references across 6 collections
- Product variants with per-finish pricing, stock and photography
- Discounts that expire on their own date window
- Filter by collection, maker, price and availability
- Catalogue search from the header
- Basket and five-step checkout
- Customer accounts over OAuth 2.0 with PKCE
- Blog with categories, cover images and dates
- About, Terms, Privacy and Contact pages
- Responsive from 360px to 1920px
- Deployed on Cloudflare Workers, published on every push

## What not to claim

The site does not take payments. It does not ship anything. The brand history, the cities and the customer reviews are demonstration content. Saying otherwise in marketing copy would be the one thing this project has consistently refused to do on the page itself.

---

## 10. The documents

---

Nine documents accompany this pack.



|                              |                                                                 |
|------------------------------|-----------------------------------------------------------------|
| 01-STATE.md                  | Live state, leading with everything still open                  |
| 02-GAPS.md                   | Twelve platform limitations with evidence                       |
| 03-DECISIONS.md              | Every judgement call, with reasoning. A record, not a narrative |
| 04-what-this-demonstrates.md | For a non-technical reader                                      |
| 05-SETUP.md                  | Fresh clone to deployed storefront                              |
| 06-PLAYBOOK.md               | Design system, engineering rules, verification suite            |
| 07-SKILL.md                  | The agent skill, with frontmatter                               |
| 08-LIVE-DATA.md              | The queried data block                                          |
| 09-NOTES.md                  | What to change first; what surprised the agent                  |

Three staleness flags were found while assembling this pack and left unfixed because the repository is frozen:

- 04-what-this-demonstrates.md says “sixty-four watches”. The live count is 66.
- The same file describes two alternative designs as existing prototypes. They do not exist in the repository.
- 06-PLAYBOOK.md carries superseded variant-image percentages. The conclusion is unchanged.

---

## 11. One lesson worth carrying forward

---

Seven times during this project, an automated check passed while the thing it checked was broken.

A contrast audit skipped every element with a `background-image` ancestor. A dead-control sweep inferred wiring from class names. A byte-size check would have passed on a fallback page. A find-and-replace silently matched nothing. A screenshot was taken before hydration. A hero-position check shared its arithmetic bug with the code it was testing. A colour allowlist written for an old catalogue quietly discarded the new one’s real data.

Every one was found by looking at the screen.

The rule the project ended with: **a check must be proven to fail against a known bad input before its passing means anything.** Keep the negative control in the run. It is the single most useful thing in this pack.