References to studies included in analyses

Multimorbidity sample	
≥ 2 specific conditions	[1–134]
1 specified condition and ≥ 1 other condition(s)	[135–160]
Inclusive definition of multimorbidity, e.g. ≥ 2 conditions	[161–178]

Adherence measurement	
Pharmacy data	[1–4,7,10,11,13,14,20,21,23,25,29,30,32,33,36,40,45–47,51,54,59,61–64,66–68,70–75,78,81,89,90,92,94,97,98,100–102,108–111,113,117,118,121–123,126,131,132,135–151,161,133,160,164,50]
Self-report	[5,6,8,9,12,15,16,18,19,24,27,28,34,35,38,39,41,47–49,52,53,55,56,58,60,65,68,69,74,76,77,79,80,82,83,85–88,91,93,93,95,96,99,103,104,112,115,119,120,125,128,129,134,137,152–159,162,163,165–169,171,170,172–174,178,176,177,175,43]
Electronic monitoring	[5,9,17,18,22,24,37,43,47,84,105–107,116,119,120,124,127,130,167]
Pill counts	[26,57,114]
Healthcare provider report	[42,44]

Reporting of non-adherence	
Prevalence of non-adherence	[1–4,6,7,9,11–23,25,27–30,32,33,35,36,39–46,48,50–57,59–70,73–75,77,79,82–86,88,91–98,100,101,104,108,110–112,114,115,118,119,121–124,126–131,133,134,136–140,142–148,150–152,154–156,158–160,162,165,170,171,176–178]
Average non-adherence	[5,8,10,24,26,31,34,37,38,47,49,58,71,72,76,78,80,81,89,90,99,102,103,105–107,109,113,116,117,120,125,132,135,141,149,153,157,161,163,164,166,167,169,172,173,175]

Study setting	
Primary care / community / general practice	[6,17,18,26,27,30,32,36,40,41,57–59,63,72,74,77,79,85–88,99,105,107,116,125,129,134,153,155,157,160,162,163,165,168,170–177]
Secondary care / hospital /tertiary care	[8,15,16,19,28,35,37,38,42,44,48,52,53,55,60,65,76,78,80,93,95,103,104,114,115,128,130,137,144,152,154,156,159,166]
Administrative database	[1–4,7,10,11,13,14,20,21,23,25,29,33,45,46,50,51,54,61,62,64,66,67,70,71,73,75,92,94,97,98,100–102,109–111,113,117,118,121–123,126,131–133,135,136,138–143,145–151,161,164,178]
Other / not clearly reported / multiple sources	[152,5,9,12,22,24,31,34,39,43,47,49,167,56,68,69,169,83,84,89–91,96,158,106,108,112,119,120,124,127,81,82]

References

1 Agarwal S, Tang SS, Rosenberg N, *et al.* Does synchronizing initiation of therapy affect adherence to concomitant use of antihypertensive and lipid-lowering therapy? *Am J Ther* 2009;**16**:119–26. doi:10.1097/MJT.0b013e31816b69bc

2 Albrecht JS, Khokhar B, Huang TY, *et al.* Adherence and healthcare utilization among older adults with COPD and depression. *Respir Med* 2017;**129**:53–8. doi:10.1016/j.rmed.2017.06.002

3 Albrecht JS, Yujin P, Hur P, *et al.* Adherence to maintenance medications among older adults with chronic obstructive pulmonary disease. The role of depression. *Ann Am Thorac Soc* 2016;**13**:1497–504. doi:10.1513/AnnalsATS.201602-136OC

4 An J, Nichol MB. Multiple medication adherence and its effect on clinical outcomes among patients with comorbid type 2 diabetes and hypertension. *Med Care* 2013;**51**:879–87.

5 Applebaum AJ, Richardson MA, Brady SM, *et al.* Gender and other psychosocial factors as predictors of adherence to highly active antiretroviral therapy (HAART) in adults with comorbid HIV/AIDS, psychiatric and substance-related disorder. *AIDS Behav* 2009;**13**:60–5. doi:10.1007/s10461-008-9441-x

6 Applebaum AJ, Reilly LC, Gonzalez JS, *et al.* The Impact of neuropsychological functioning on adherence to HAART in HIV-infected substance abuse patients. *AIDS Patient Care STDs* 2009;**23**:455–62.

7 Axon RN, Gebregziabher M, Hunt KJ, *et al.* Comorbid depression is differentially associated with longitudinal medication nonadherence by race/ethnicity in patients with type 2 diabetes. *Medicine* 2016;**95**:e3983. doi:10.1097/MD.0000000000003983

8 Baca-Garcia E, Sher L, Perez-Rodriguez MM, *et al.* Treatment of depressed bipolar patients with alcohol use disorders: plenty of room for improvement. *J Affect Disord* 2009;**115**:262–8. doi:10.1016/j.jad.2008.09.012

9 Badiee J, Riggs PK, Rooney AS, *et al.* Approaches to identifying appropriate medication adherence assessments for HIV infected individuals with comorbid bipolar disorder. *AIDS Patient Care STDS* 2012;**26**:388–94. doi:10.1089/apc.2011.0447

10 Baik SH, Rollman BL, Reynolds III CF, *et al.* The effect of the medicare Part D coverage gaps on medication use among beneficiaries with depression and heart failure. *J Ment Health Policy Econ* 2012;**15**:105–18.

11 Banegas MP, Emerson MA, Adams AS, *et al.* Patterns of medication adherence in a multi-ethnic cohort of prevalent statin users diagnosed with breast, prostate, or colorectal cancer. *J Cancer Surviv* 2018;**12**:794–802. doi:10.1007/s11764-018-0716-6

12 Batchelder AW, Gonzalez JS, Berg KM. Differential medication nonadherence and illness beliefs in co-morbid HIV and type 2 diabetes. *J Behav Med* 2014;**37**:266–75. doi:10.1007/s10865-012-9486-1

13 Bauer AM, Schillinger D, Parker MM, *et al.* Health literacy and antidepressant medication adherence among adults with diabetes: the diabetes study of Northern California (DISTANCE). *J Gen Intern Med* 2013;**28**:1181–7. doi:10.1007/s11606-013-2402-8

14 Benner JS, Chapman RH, Petrilla AA, *et al.* Association between prescription burden and medication adherence in patients initiating antihypertensive and lipid-lowering therapy. *Am J Health Syst Pharm* 2009;**66**:1471–7. doi:10.2146/ajhp080238

15 Berg SK, Rasmussen TB, Thrysoee L, *et al.* Mental health is a risk factor for poor outcomes in cardiac patients: Findings from the national DenHeart survey. *J Psychosom Res* 2018;**112**:66–72. doi:10.1016/j.jpsychores.2018.07.002

16 Bifftu BB, Dachew BA, Tiruneh BT, *et al.* Depression among people with epilepsy in Northwest Ethiopia: a cross-sectional institution based study. *BMC Res Notes* 2015;**8**:585. doi:10.1186/s13104-015-1515-z

17 Blashill AJ, Bedoya CA, Mayer KH, *et al.* Psychosocial syndemics are additively associated with worse ART adherence in HIV-infected individuals. *AIDS Behav* 2015;**19**:981–6. doi:10.1007/s10461-014-0925-6

18 Bogner HR, de Vries HF, O'Donnell AJ, *et al.* Measuring concurrent oral hypoglycemic and antidepressant adherence and clinical outcomes. *Am J Manag Care* 2013;**19**:e85-92.

19 Cabrera-Marroquin R, Contreras-Yáñez I, Alcocer-Castillejos N, *et al.* Major depressive episodes are associated with poor concordance with therapy in rheumatoid arthritis patients: the impact on disease outcomes. *Clin Exp Rheumatol* 2014;**32**:904–13.

20 Calip GS, Boudreau DM, Loggers ET. Changes in adherence to statins and subsequent lipid profiles during and following breast cancer treatment. *Breast Cancer Res Treat* 2013;**138**:225–33. doi:10.1007/s10549-013-2424-2

21 Calip GS, Hubbard RA, Stergachis A, *et al.* Adherence to oral diabetes medications and glycemic control during and following breast cancer treatment. *Pharmacoepidemiol Drug Saf* 2015;**24**:75–85. doi:10.1002/pds.3660

22 Casaletto KB, Kwan S, Montoya JL, *et al.* Predictors of psychotropic medication adherence among HIV+ individuals living with bipolar disorder. *Int J Psychiatry Med* 2016;**51**:69–83. doi:10.1177/0091217415621267

23 Caughey GE, Preiss AK, Vitry AI, *et al.* Does antidepressant medication use affect persistence with diabetes medicines? *Pharmacoepidemiol Drug Saf* 2013;**22**:615–22. doi:10.1002/pds.3424

24 Cha E, Clark PC, Reilly CM, *et al.* Educational needs for improving self-care in heart failure patients with diabetes. *Diabetes Educ* 2012;**38**:673–84. doi:10.1177/0145721712450923

25 Chou YT, Winn AN, Rosenstein DL, *et al.* Assessing disruptions in adherence to antidepressant treatments after breast cancer diagnosis. *Pharmacoepidemiol Drug Saf* 2017;**26**:676–84. doi:10.1002/pds.4198

26 Cruess DG, Kalichman SC, Amaral C, *et al.* Benefits of adherence to psychotropic medications on depressive symptoms and antiretroviral medication adherence among men and women living with HIV/AIDS. *Ann Behav Med* 2012;**43**:189–97. doi:10.1007/s12160-011-9322-9

27 Crowley MJ, Bosworth HB, Coffman CJ, *et al.* Tailored case management for diabetes and hypertension (TEACH-DM) in a community population: study design and baseline sample characteristics. *Contemp Clin Trials* 2013;**36**:298–306. doi:10.1016/j.cct.2013.07.010

28 Crowley MJ, Zullig LL, Shah BR, *et al.* Medication non-adherence after myocardial infarction: an exploration of modifying factors. *J Gen Intern Med* 2015;**30**:83–90. doi:10.1007/s11606-014-3072-x

29 Cziraky MJ, Reddy VS, Luthra R, *et al.* Clinical outcomes and medication adherence in acute coronary syndrome patients with and without type 2 diabetes mellitus: a longitudinal analysis 2006-2011. *J Manag Care Pharm* 2015;**21**:470–7.

30 Davies ML, Johnson MD, Brown JN, *et al.* Predictors of glycaemic control among HIV-positive veterans with diabetes. *Int J STD AIDS* 2015;**26**:262–7. doi:10.1177/0956462414535207

31 Davis EM, Appel LJ, Wang X, *et al.* Limitations of analyses based on achieved blood pressure: lessons from the African American study of kidney disease and hypertension trial. *Hypertension* 2011;**57**:1061–8. doi:10.1161/HYPERTENSIONAHA.111.169367

32 De Leon SF, Pauls L, Arya V, *et al.* Effect of physician participation in a multi-element health information and data exchange program on chronic illness medication adherence. *J Am Board Fam Med* 2015;**28**:742–9. doi:10.3122/jabfm.2015.06.150010

33 Desai PR, Adeyemi AO, Richards KM, *et al.* Adherence to oral diabetes medications among users and nonusers of antipsychotic medication. *Psychiatr Serv* 2014;**65**:215–20. doi:10.1176/appi.ps.201300118

34 Feldman JM, Matte L, Interian A, *et al.* Psychological treatment of comorbid asthma and panic disorder in Latino adults: results from a randomized controlled trial. *Behav Res Ther* 2016;**87**:142–54. doi:10.1016/j.brat.2016.09.007

35 Ferguson C, Inglis SC, Newton PJ, *et al.* Multi-morbidity, frailty and self-care: important considerations in treatment with anticoagulation drugs. Outcomes of the AFASTER study. *Eur J Cardiovasc Nurs* 2017;**16**:113–24. doi:10.1177/1474515116642604

36 Foguet-Boreu Q, Violan C, Lopez Jimenez T, *et al.* Pharmacological control of diabetes and hypertension comorbidity in the elderly: A study of "real world" data. *Prim Care Diabetes* 2017;**11**:348–59. doi:10.1016/j.pcd.2017.03.007

37 Gathright EC, Dolansky MA, Gunstad J, *et al.* The impact of medication nonadherence on the relationship between mortality risk and depression in heart failure. *Health Psychol* 2017;**36**:839–47. doi:10.1037/hea0000529

38 Gaudiano BA, Wenze SJ, Weinstock LM, *et al.* Valued living and its relationship to medication adherence in patients with bipolar and comorbid substance use disorders. *J Nerv Ment Dis* 2017;**205**:178–81. doi:10.1097/NMD.0000000000000533

39 Gaynes BN, O'Donnell J, Nelson E, *et al.* Psychiatric comorbidity in depressed HIV-infected individuals: common and clinically consequential. *Gen Hosp Psychiatry* 2015;**37**:277–82. doi:10.1016/j.genhosppsych.2015.03.021

40 Gentil L, Vasiliadis H-M, Préville M, *et al.* Adherence to oral antihyperglycemic agents among older adults with mental disorders and its effect on health care costs, Quebec, Canada, 2005–2008. *Prev Chronic Dis* 2019;**12**:150412.

41 Gibson DS, Nathan AG, Quinn MT, *et al.* Patient expectations of hypertension and diabetes medication: excessive focus on short-term benefits. *SAGE Open Med* 2018;**6**:1–7. doi:10.1177/2050312118821119

42 Gnanasan S, Ting KN, Wong KT, *et al.* Convergence of tuberculosis and diabetes mellitus: time to individualise pharmaceutical care. *Int J Clin Pharm* 2011;**33**:44–52. doi:10.1007/s11096-010-9452-3

43 Gonzalez JS, Psaros C, Batchelder A, *et al.* Clinician-assessed depression and HAART adherence in HIV-infected individuals in methadone maintenance treatment. *Ann Behav Med* 2011;**42**:120–6. doi:10.1007/s12160-011-9268-y

44 Gundling F, Seidl H, Strassen I, *et al.* Clinical manifestations and treatment options in patients with cirrhosis and diabetes mellitus. *Digestion* 2013;**87**:75–84. doi:10.1159/000343458

45 Gupte-Singh K, Kim G, Barner JC. Impact of comorbid depression on medication adherence and asthma-related healthcare costs in Texas Medicaid patients with asthma. *J Pharm Health Serv Res* 2015;**6**:197–205. doi:10.1111/jphs.12111

46 Han Y. *Medication adherence outcomes in elderly patients with hypertension and chronic kidney disease: a geographical approach*. 2017;**Doctrate Degree**.https://deepblue.lib.umich.edu/handle/2027.42/137046

47 Hansen RA, Dusetzina SB, Song L, *et al.* Depression affects adherence measurement but not the effectiveness of an adherence intervention in heart failure patients. *J Am Pharm Assoc* 2009;**49**:760–8.

48 Hapangama A, Kuruppuarachchi KALA, Pathmeswaran A. Substance use disorders among mentally ill patients in a General Hospital in Sri Lanka: prevalence and correlates. *Ceylon Med J* 2013;**58**:111–5.

49 Hawke LD, Velyvis V, Parikh SV. Bipolar disorder with comorbid anxiety disorders: impact of comorbidity on treatment outcome in cognitive-behavioral therapy and psychoeducation. *Int J Bipolar Disord* 2013;**1**:15.

50 Hussein MA, Chapman RH, Benner JS, *et al.* Does a single-pill antihypertensive/lpid-lowering regimen improve adherence in US managed care enrollees? *Am J Cardiovasc Drugs* 2010;**10**:193–202.

51 Iyengar RN, LeFrancois AL, Henderson RR, *et al.* Medication nonadherence among Medicare beneficiaries with comorbid chronic conditions: influence of pharmacy dispensing channel. *J Manag Care Pharm* 2016;**22**:550–60.

52 James J, Harris YT, Kronish IM, *et al.* Exploratory study of impact of cancer-related posttraumatic stress symptoms on diabetes self-management among cancer survivors. *Psychooncology* 2018;**27**:648–53. doi:10.1002/pon.4568

53 Jaworski F, Dubertret C, Ades J, *et al.* Presence of co-morbid substance use disorder in bipolar patients worsens their social functioning to the level observed in patients with schizophrenia. *Psychiatry Res* 2011;**185**:129–34. doi:10.1016/j.psychres.2010.06.005

54 Jing S, Naliboff A, Kaufman MB, *et al.* Descriptive analysis of mail interventions with physicians and patients to improve adherence with antihypertensive and antidiabetic medications in a mixed-model managed care organization of commercial and Medicare members. *J Manag Care Pharm* 2011;**17**:355–66.

55 Joseph N, Yogananda R, Padman V, *et al.* A study on prescription pattern of antihypertensive agents in chronic renal failure patients and assessment of medication adherence. *Int J Pharm Sci Rev Res* 2017;**45**:72–5.

56 Kacanek D, Jacobson DL, Spiegelman D, *et al.* Incident depression symptoms are associated with poorer HAART adherence: a longitudinal analysis from the Nutrition for Healthy Living (NFHL) study. *J Acquir Immune Defic Syndr* 2010;**53**:266–72. doi:10.1097/QAI.0b013e3181b720e7

57 Kalichman SC, Pellowski J, Kegler C, *et al.* Medication adherence in people dually treated for HIV infection and mental health conditions: test of the medications beliefs framework. *J Behav Med* 2015;**38**:632–41. doi:10.1007/s10865-015-9633-6

58 Katerndahl D, Calmbach WL, Becho J. Effect of comorbid depression on outcomes in diabetes and its relationship to quality of care and patient adherence: A statewide primary care ambulatory research and resources consortium study. *Prim Care Companion CNS Disord* 2012;**14**:PCC.11m01269. doi:10.4088/PCC.11m01269

59 Katon W, Russo J, Lin EH, *et al.* Diabetes and poor disease control: is comorbid depression associated with poor medication adherence or lack of treatment intensification? *Psychosom Med* 2009;**71**:965–72. doi:10.1097/PSY.0b013e3181bd8f55

60 Kebede A, Wabe NT. Medication adherence and its determinants among patients on concomitant tuberculosis and antiretroviral therapy in South West Ethiopia. *N Am J Med Sci* 2012;**4**:67–71. doi:10.4103/1947-2714.93376

61 Kim HK, Park JH, Park JH, *et al.* Differences in adherence to antihypertensive medication regimens according to psychiatric diagnosis: results of a Korean population-based study. *Psychosom Med* 2010;**72**:80–7. doi:10.1097/PSY.0b013e3181c4e3e9

62 Kong MC, Nahata MC, Lacombe VA, *et al.* Association between race, depression, and antiretroviral therapy adherence in a low-income population with HIV infection. *J Gen Intern Med* 2012;**27**:1159–64. doi:10.1007/s11606-012-2043-3

63 Kostev K, Jacob L. Association between depression and persistence with oral antihyperglycemic drugs in type 2 diabetes mellitus patients in Germany. *Psychiatry Res* 2018;**261**:90–3. doi:10.1016/j.psychres.2017.12.058

64 Kreyenbuhl J, Dixon LB, McCarthy JF, *et al.* Does adherence to medications for type 2 diabetes differ between individuals with vs without schizophrenia? *Schizophr Bull* 2010;**36**:428–35. doi:10.1093/schbul/sbn106

65 Kreyenbuhl J, Leith J, Medoff DR, *et al.* A comparison of adherence to hypoglycemic medications between Type 2 diabetes patients with and without serious mental illness. *Psychiatry Res* 2011;**188**:109–14. doi:10.1016/j.psychres.2011.03.013

66 Krivoy A, Balicer RD, Feldman B, *et al.* Adherence to antidepressant therapy and mortality rates in ischaemic heart disease: cohort study. *Br J Psychiatry* 2015;**206**:297–301. doi:10.1192/bjp.bp.114.155820

67 Krivoy A, Stubbs B, Balicer RD, *et al.* Low adherence to antidepressants is associated with increased mortality following stroke: A large nationally representative cohort study. *Eur Neuropsychopharmacol* 2017;**27**:970–6. doi:10.1016/j.euroneuro.2017.08.428

68 Krousel-Wood M, Islam T, Muntner P, *et al.* Association of depression with antihypertensive medication adherence in older adults: Cross-sectional and longitudinal findings from CoSMO. *Ann Behav Med* 2010;**40**:248–57. doi:10.1007/s12160-010-9217-1

69 Kumar V, Encinosa W. Effects of antidepressant treatment on antiretroviral regimen adherence among depressed HIV-infected patients. *Psychiatr Q* 2009;**80**:131–41. doi:10.1007/s11126-009-9100-z

70 Langness J, Cook PF, Gill J, *et al.* Comparison of adherence rates for antiretroviral, blood pressure, or mental health medications for HIV-positive patients at an academic medical center outpatient pharmacy. *J Manag Care Pharm* 2014;**20**:809–14.

71 Lee S, Rothbard AB, Noll E, *et al.* Use of HIV and psychotropic medications among persons with serious mental illness and HIV/AIDS. *Adm Policy Ment Health* 2011;**38**:335–44. doi:10.1007/s10488-010-0320-1

72 Lin EH, Von Korff M, Ciechanowski P, *et al.* Treatment adjustment and medication adherence for complex patients with diabetes, heart disease, and depression: a randomized controlled trial. *Ann Fam Med* 2012;**10**:6–14. doi:10.1370/afm.1343

73 Lo Re V, Teal V, Localio AR, *et al.* Adherence to hepatitis C virus therapy in HIV/hepatitis C-coinfected patients. *AIDS Behav* 2013;**17**:94–103. doi:10.1007/s10461-012-0288-9

74 Long JA, Wang A, Medvedeva EL, *et al.* Glucose control and medication adherence among veterans with diabetes and serious mental illness: does collocation of primary care and mental health care matter? *Diabetes Care* 2014;**37**:2261–7. doi:10.2337/dc13-0051

75 Lunghi C, Zongo A, Moisan J, *et al.* Factors associated with antidiabetic medication non-adherence in patients with incident comorbid depression. *J Diabetes Complications* 2017;**31**:1200–6. doi:10.1016/j.jdiacomp.2017.02.016

76 Magidson JF. *Mediators of the relationship between depression and medication adherence among HIV positive substance users*. 2012;**Doctorate Degree**.

77 Manuel JI, Covell NH, Jackson CT, *et al.* Does assertive community treatment increase medication adherence for people with co-occurring psychotic and substance use disorders? *J Am Psychiatr Nurses Assoc* 2011;**17**:51–6. doi:10.1177/1078390310395586

78 May HT, Sheng X, Catinella AP, *et al.* Antilipidemic adherence post-coronary artery disease diagnosis among those with and without an ICD-9 diagnosis of depression. *J Psychosom Res* 2010;**69**:169–74. doi:10.1016/j.jpsychores.2010.01.026

79 Mellins CA, Havens JF, McDonnell C, *et al.* Adherence to antiretroviral medications and medical care in HIV-infected adults diagnosed with mental and substance abuse disorders. *AIDS Care* 2009;**21**:168–77. doi:10.1080/09540120802001705

80 Miketic JK. *Diabetic coronary heart patients' adherence to cardiac rehabilitation programs*. 2011;**Doctorate Degree**.

81 Monroe AK, Pena JS, Moore RD, *et al.* Randomized controlled trial of a pictorial aid intervention for medication adherence among HIV-positive patients with comorbid diabetes or hypertension. *AIDS Care* 2018;**30**:199–206. doi:10.1080/09540121.2017.1360993

82 Moore DJ, Poquette A, Casaletto KB, *et al.* Individualized texting for adherence building (iTAB): improving antiretroviral dose timing among HIV-infected persons with co-occurring bipolar disorder. *AIDS Behav* 2015;**19**:459–71. doi:10.1007/s10461-014-0971-0

83 Moore DJ, Blackstone K, Woods SP, *et al.* Methamphetamine use and neuropsychiatric factors are associated with antiretroviral non-adherence. *AIDS Care* 2012;**24**:1504–13.

84 Moore DJ, Posada C, Parikh M, *et al.* HIV-infected individuals with co-occurring bipolar disorder evidence poor antiretroviral and psychiatric medication adherence. *AIDS Behav* 2012;**16**:2257–66. doi:10.1007/s10461-011-0072-2

85 Muntner P, Judd SE, Krousel-Wood M, *et al.* Low medication adherence and hypertension control among adults with CKD: data from the REGARDS (Reasons for Geographic and Racial Differences in Stroke) Study. *Am J Kidney Dis* 2010;**56**:447–57. doi:10.1053/j.ajkd.2010.02.348

86 Naidoo P, Peltzer K, Louw J, *et al.* Predictors of tuberculosis (TB) and antiretroviral (ARV) medication non-adherence in public primary care patients in South Africa: a cross sectional study. *BMC Public Health* 2013;**13**:396.

87 Nakimuli-Mpungu E, Musisi S, Wamala K, *et al.* Recruitment and baseline characteristics of participants in the social, emotional, and economic empowerment through knowledge of group support psychotherapy study (SEEK-GSP): cluster randomized controlled trial. *JMIR Res Protoc* 2019;**8**:e11560.

88 Natarajan N, Putnam W, Van Aarsen K, *et al.* Adherence to antihypertensive medications among family practice patients with diabetes mellitus and hypertension. *Can Fam Physician* 2013;**59**:e93–100.

89 Nelson LA, Graham MR, Lindsey CC, *et al.* Adherence to antihyperlipidemic medication and lipid control in diabetic Veterans Affairs patients with psychotic disorders. *Psychosomatics* 2011;**52**:310–8.

90 Nelson LA, Graham MR, Lindsey CC, *et al.* Medication adherence and glycemic control in patients with psychotic disorders in the Veterans Affairs healthcare system. *Pharm Pract* 2011;**9**:57–65.

91 Newville H, Berg KM, Gonzalez JS. The interaction of active substance use, depression, and antiretroviral adherence in methadone maintenance. *Int J Behav Med* 2014;**22**:214–22. doi:10.1007/s12529-014-9429-z

92 Nichol MB, Knight TK, Wu J, *et al.* Transition probabilities and predictors of adherence in a California Medicaid population using antihypertensive and lipid-lowering medications. *Value Health* 2009;**12**:544–50. doi:10.1111/j.1524-4733.2008.00474.x

93 Otenyo S, Maranga A. Factors affecting adherence to anti-hypertensive medication regimen among hemodialysis patients attending a private hospital Mombasa, Kenya. *Int J Pharm Sci Res* 2018;**9**:755–60.

94 Owen-Smith A, Stewart C, Green C, *et al.* Adherence to common cardiovascular medications in patients with schizophrenia vs. patients without psychiatric illness. *Gen Hosp Psychiatry* 2016;**38**:9–14. doi:10.1016/j.genhosppsych.2015.07.010

95 Padman V, Yogananda R, Bharathi D, *et al.* A study on prescription pattern of oral hypoglycemic agents and insulin therapy in chronic renal failure patients and assessment of medication adherence. *Int J Pharm Sci Rev Res* 2017;**45**:68–71.

96 Pantalone DW, Hessler DM, Bankoff SM, *et al.* Psychosocial correlates of HIV-monoinfection and HIV/HCV-coinfection among men who have sex with men. *J Behav Med* 2012;**35**:520–8. doi:10.1007/s10865-011-9381-1

97 Parpouchi M, Moniruzzaman A, Rezansoff SN, *et al.* Characteristics of adherence to methadone maintenance treatment over a 15-year period among homeless adults experiencing mental illness. *Addictive Behaviors Report* 2017;**6**:106–11. doi:10.1016/j.abrep.2017.09.001

98 Patel I, Erickson SR, Caldwell CH, *et al.* Predictors of medication adherence and persistence in Medicaid enrollees with developmental disabilities and type 2 diabetes. *Res Social Adm Pharm* 2016;**12**:592–603. doi:10.1016/j.sapharm.2015.09.008

99 Pence BW, Gaynes BN, Adams JL, *et al.* The effect of antidepressant treatment on HIV and depression outcomes: results from a randomized trial. *AIDS* 2015;**29**:1975–86. doi:10.1097/QAD.0000000000000797

100 Poon I, Lincy SL, Marvella EF, *et al.* Racial/Ethnic disparities in medication use among Veterans with hypertension and dementia: a national cohort study. *Ann Pharmacother* 2009;**43**:185–93.

101 Qian J, Simoni-Wastila L, Rattinger GB, *et al.* Association between depression and maintenance medication adherence among Medicare beneficiaries with chronic obstructive pulmonary disease. *Int J Geriatr Psychiatry* 2014;**29**:49–57. doi:10.1002/gps.3968

102 Rattinger GB, Dutcher SK, Chhabra PT, *et al.* The effect of dementia on medication use and adherence among Medicare beneficiaries with chronic heart failure. *Ann Pharmacother* 2012;**10**:69–80. doi:10.1016/j.amjopharm.2011.11.003

103 Rosenblum A, Matusow H, Fong C, *et al.* Efficacy of dual focus mutual aid for persons with mental illness and substance misuse. *Drug Alcohol Depend* 2014;**135**:78–87. doi:10.1016/j.drugalcdep.2013.11.012

104 Roux P, Fugon L, Winnock M, *et al.* Positive impact of hepatitis C virus (HCV) treatment on antiretroviral treatment adherence in human immunodeficiency virus-HCV coinfected patients: one more argument for expanded access to HCV treatment for injecting drug users. *Addiction* 2012;**107**:152–9. doi:10.1111/j.1360-0443.2011.03608.x

105 Safren SA, Gonzalez JS, Wexler DJ, *et al.* A randomized controlled trial of cognitive behavioral therapy for adherence and depression (CBT-AD) in patients with uncontrolled type 2 diabetes. *Diabetes Care* 2014;**37**:625–33. doi:10.2337/dc13-0816

106 Safren SA, O'Cleirigh CM, Bullis JR, *et al.* Cognitive behavioral therapy for adherence and depression (CBT-AD) in HIV-infected injection drug users: a randomized controlled trial. *J Consult Clin Psychol* 2012;**80**:404–15. doi:10.1037/a0028208

107 Safren SA, O'cleirigh C, Tan JY, *et al.* A randomized controlled trial of cognitive behavioral therapy for adherence and depression (CBT-AD) in HIV-infected individuals. *Health Psychol* 2009;**28**:1–10. doi:10.1037/a0012715

108 Schmitt K, Edie C, Laflam P, *et al.* Adherence to antihypertensive agents and blood pressure control in chronic kidney disease. *Am J Nephrol* 2010;**32**:541–8. doi:10.1159/000321688

109 Shi L, Zhao Y, Fonseca V, *et al.* Healthcare resource utilization, adherence and persistence with antipsychotic therapy among schizophrenia patients with vs. without pre-existing metabolic syndrome. *Curr Med Res Opin* 2010;**26**:2499–506. doi:10.1185/03007995.2010.519278

110 Shin DW, Park JH, Park JH, *et al.* Antihypertensive medication adherence in cancer survivors and its affecting factors: results of a Korean population-based study. *Support Care Cancer* 2010;**19**:211–20. doi:10.1007/s00520-009-0802-4

111 Shoval G, Stubbs B, Balicer RD, *et al.* Low adherence to antidepressants is associated with increased mortality in Parkinson disease patients. *Parkinsonism Relat Disord* 2017;**43**:92–6. doi:10.1016/j.parkreldis.2017.07.032

112 Siika AM, Yiannoutsos CT, Wools-Kaloustian KK, *et al.* Active tuberculosis is associated with worse clinical outcomes in HIV-infected African patients on antiretroviral therapy. *PLoS One* 2013;**8**:e53022. doi:10.1371/journal.pone.0053022

113 Slabbert FN, Harvey BH, Brink CB, *et al.* The impact of HIV/AIDS on compliance with antidepressant treatment in major depressive disorder: A prospective study in a South African private healthcare cohort. *AIDS Res Ther* 2015;**12**:9. doi:10.1186/s12981-015-0050-2

114 Soto A, Avila X, Cordova P, *et al.* Impact of a pharmacotherapy plan to improve adherence for patients with type-2 diabetes and hypertension in a Chilean hospital. *Int J Clin Pharm* 2015;**37**:734–8. doi:10.1007/s11096-015-0131-2

115 Stack R, Bundy C, Elliott R, *et al.* Intentional and unintentional non-adherence in community dwelling people with type 2 diabetes: the effect of varying numbers of medicines. *Br J Diabetes Vasc Dis* 2010;**10**:148–52. doi:10.1177/1474651409357034

116 Stilley CS, Bender CM, Dunbar-Jacob J, *et al.* The impact of cognitive function on medication management: three studies. *Health Psychol* 2010;**29**:50–5. doi:10.1037/a0016940

117 Stuart BC, Davidoff AJ, Erten M Z. Changes in medication management after a diagnosis of cancer among Medicare beneficiaries with diabetes. *J Oncol Pract* 2015;**11**:429–34. doi:10.1200/JOP.2014.003046

118 Taira DA, Seto BK, Davis JW, *et al.* Examining factors associated with nonadherence and identifying providers caring for nonadherent subgroups. *J Pharm Health Serv Res* 2017;**8**:247–53. doi:10.1111/jphs.12193

119 Tang HY, Sayers SL, Weissinger G, *et al.* The role of depression in medication adherence among heart failure patients. *Clin Nurs Res* 2014;**23**:231–44.

120 Thaler NS, Sayegh P, Kim MS, *et al.* Interactive effects of neurocognitive impairment and substance use on antiretroviral non-adherence in HIV disease. *Arch Clin Neuropsychol* 2015;**30**:114–21. doi:10.1093/arclin/acu092

121 Vacek JL, Hunt SL, Shireman T. Hypertension medication use and adherence among adults with developmental disability. *Disabil Health J* 2013;**6**:297–302. doi:10.1016/j.dhjo.2013.02.003

122 Vega C, Becker RV, Mucha L, *et al.* Impact of adherence to antidepressants on healthcare outcomes and costs among patients with type 2 diabetes and comorbid major depressive disorder. *Curr Med Res Opin* 2017;**33**:1879–89. doi:10.1080/03007995.2017.1347092

123 Villar I, Izuel M, Carrizo S, *et al.* Medication adherence and persistence in severe obstructive sleep apnea. *Sleep* 2009;**32**:623–8.

124 Wagner GJ, Goggin K, Remien RH, *et al.* A closer look at depression and its relationship to HIV antiretroviral adherence. *Ann Behav Med* 2011;**42**:352–60. doi:10.1007/s12160-011-9295-8

125 Wakefield BJ, Holman JE, Ray A, *et al.* Outcomes of a home telehealth intervention for patients with diabetes and hypertension. *Telemedicine and e-Health* 2012;**18**:575–9. doi:10.1089/tmj.2011.0237

126 Wei YJ, Simoni-Wastila L, Albrecht JS, *et al.* The association of antidepressant treatment with COPD maintenance medication use and adherence in a comorbid Medicare population: a longitudinal cohort study. *Int J Geriatr Psychiatry* 2018;**33**:e212–20. doi:10.1002/gps.4772

127 Weiss JJ, Konstantinidis I, Boueilh A, *et al.* Illness perceptions, medication beliefs, and adherence to antiretrovirals and medications for comorbidities in adults with HIV infection and hypertension or chronic kidney disease. *J Acquir Immune Defic Syndr* 2016;**73**:403–10. doi:10.1097/QAI.0000000000001075

128 Wenze SJ, Gaudiano BA, Weinstock LM, *et al.* Adjunctive psychosocial intervention following hospital discharge for patients with bipolar disorder and comorbid substance use: a pilot randomized controlled trial. *Psychiatry Res* 2015;**228**:516–25. doi:10.1016/j.psychres.2015.06.005

129 Wroe EB, Hedt-Gauthier BL, Franke MF, *et al.* Depression and patterns of self-reported adherence to antiretroviral therapy in Rwanda. *Int J STD AIDS* 2014;**26**:257–61.

130 Wu JR, Lennie TA, Dekker RL, *et al.* Medication adherence, depressive symptoms, and cardiac event-free survival in patients with heart failure. *J Card Fail* 2013;**19**:317–24. doi:10.1016/j.cardfail.2013.03.010

131 Wu J, Seiber E, Lacombe VA, *et al.* Medical utilization and costs associated with statin adherence in Medicaid enrollees with type 2 diabetes. *Ann Pharmacother* 2011;**45**:342–9.

132 Wu C-H, Balkrishnan R, Bagozzi RP, *et al.* The association of race, comorbid anxiety, and antidepressant adherence among Medicaid enrollees with major depressive disorder. *Res Social Adm Pharm* 2010;**8**:193–205.

133 Yang Y, Thumula V, Pace PF, *et al.* Nonadherence to angiotensin-converting enzyme inhibitors and/or angiotensin II receptor blockers among high-risk patients with diabetes in Medicare Part D programs. *J Am Pharm Assoc* 2010;**50**:527–31.

134 Xue J, Conwell Y, Tang W, *et al.* Treatment adherence as a mediator of blood pressure control in Chinese older adults with depression. *Int J Geriatr Psychiatry* 2019;**34**:432–8. doi:10.1002/gps.5032

135 Basak RS. *Concurrent adherence to multiple chronic disease medications: examining the behavior and issues concerning Its measurement*. 2013;**Doctorate Degree**.

136 Calip GS, Elmore JG, Boudreau DM. Characteristics associated with nonadherence to medications for hypertension, diabetes, and dyslipidemia among breast cancer survivors. *Breast Cancer Res Treat* 2017;**161**:161–72. doi:10.1007/s10549-016-4043-1

137 Cantudo-Cuenca MR, Jiménez-Galán R, Almeida-González CV, *et al.* Concurrent use of comedications reduces adherence to antiretroviral therapy among HIV-infected patients. *J Manag Care Pharm* 2014;**20**:844–50.

138 Dhamane AD, Schwab P, Hopson S, *et al.* Association between adherence to medications for COPD and medications for other chronic conditions in COPD patients. *Int J Chron Obstruct Pulmon Dis* 2017;**12**:115–22. doi:10.2147/COPD.S114802

139 DuChane J, Clark B, Hou J, *et al.* Impact of HIV-specialized pharmacies on adherence to medications for comorbid conditions. *J Am Pharm Assoc* 2014;**54**:493–501.

140 Farley JF, Hansen RA, Yu-Isenberg KS, *et al.* Antipsychotic adherence and its correlation to health outcomes for chronic comorbid conditions. *Prim Care Companion CNS Disord* 2012;**14**:PCC.11m01324. doi:10.4088/PCC.11m01324

141 Grove LR, Olesiuk WJ, Ellis AR, *et al.* Evaluating the potential for primary care to serve as a mental health home for people with schizophrenia. *Gen Hosp Psychiatry* 2017;**47**:14–9. doi:10.1016/j.genhosppsych.2017.03.002

142 Halava H, Korhonen MJ, Huupponen R, *et al.* Lifestyle factors as predictors of nonadherence to statin therapy among patients with and without cardiovascular comorbidities. *CMAJ* 2014;**186**:E449–56.

143 Hansen RA, Hohmann N, Maciejewski ML, *et al.* Continuity of medication management among adults with schizophrenia and comorbid cardiometabolic conditions. *J Am Pharm Assoc* 2018;**9**:13–20. doi:10.1111/jphs.12201

144 Hansen R, Voils C, Farley J, *et al.* Prescriber continuity and medication adherence for complex patients. *Ann Pharmacother* 2014;**49**:293–302.

145 Hansen RA, Maciejewski M, Yu-Isenberg K, *et al.* Adherence to antipsychotics and cardiometabolic medication: association with health care utilization and costs. *Psychiatr Serv* 2012;**63**:920–8. doi:10.1176/appi.ps.201100328

146 Krumme AA, Glynn RJ, Schneeweiss S, *et al.* Medication synchronization programs improve adherence to cardiovascular medications and health care use. *Health Aff* 2018;**37**:125–33. doi:10.1377/hlthaff.2017.0881

147 Neugut AI, Zhong X, Wright JD, *et al.* Nonadherence to medications for chronic conditions and nonadherence to adjuvant hormonal therapy in women with breast cancer. *JAMA Oncol* 2016;**2**:1326–32. doi:10.1001/jamaoncol.2016.1291

148 Pentakota SR. *Impact of chronic comorbid illnesses on diabetes care among veterans with type 2 diabetes mellitus*. 2013;**Doctorate Degree**.

149 Puyat JH, Kazanjian A, Wong H, *et al.* Comorbid chronic general health conditions and depression care: a population-based analysis. *Psychiatr Serv* 2017;**68**:907–15. doi:10.1176/appi.ps.201600309

150 Santorelli ML, Steinberg MB, Hirshfield KM, *et al.* Effects of breast cancer on chronic disease medication adherence among older women. *Pharmacoepidemiol Drug Saf* 2016;**25**:898–907. doi:10.1002/pds.3971

151 Wulaningsih W, Garmo H, Ahlgren J, *et al.* Determinants of non-adherence to adjuvant endocrine treatment in women with breast cancer: the role of comorbidity. *Breast Cancer Res Treat* 2018;**172**:167–77. doi:10.1007/s10549-018-4890-z

152 Daniali SS, Mostafavi Darani F, Tavassoli E, *et al.* The prevalence of depression and its association with self-management behaviors in chronic disease patients. *Iran J Psychiatry* 2018;**13**:e10161. doi:10.5812/ijpbs.10161

153 Druss BG, Zhao L, von Esenwein SA, *et al.* The Health and Recovery Peer (HARP) Program: a peer-led intervention to improve medical self-management for persons with serious mental illness. *Schizophr Res* 2010;**118**:264–70. doi:10.1016/j.schres.2010.01.026

154 Kamal S, Bugnon O, Cavassini M, *et al.* HIV-infected patients' beliefs about their chronic co-treatments in comparison with their combined antiretroviral therapy. *HIV Med* 2018;**19**:49–58. doi:10.1111/hiv.12542

155 Li YT, Wang HH, Liu KQ, *et al.* Medication adherence and blood pressure control among hypertensive patients with coexisting long-term conditions in primary care settings: a cross-sectional analysis. *Medicine* 2016;**95**:e3572. doi:10.1097/MD.0000000000003572

156 Mathew EM, Rajiah K. Assessment of medication adherence in type-2 diabetes patients on poly pharmacy and the effect of patient counseling given to them in a multispecialty hospital. *J Basic Clin Pharm* 2013;**5**:15–8. doi:10.4103/0976-0105.128251

157 McCusker J, Lambert SD, Cole MG, *et al.* Activation and self-efficacy in a randomized trial of a depression self-care intervention. *Health Educ Behav* 2016;**43**:716–25. doi:10.1177/1090198116637601

158 Saadat Z, Nikdoust F, Aerab-Sheibani H, *et al.* Adherence to Antihypertensives in Patients With Comorbid Condition. *Nephrourol Mon* 2015;**7**:e29863. doi:10.5812/numonthly.29863

159 Xia Z, Xiao Z, Ma E, *et al.* Impact of mood disorder on medication adherence in patients with chronic diseases at a Shanghai rural hospital. *Int J Pharmacol* 2015;**11**:518–22.

160 Calderón-Larrañaga A, Diaz E, Poblador-Plou B, *et al.* Non-adherence to antihypertensive medication: The role of mental and physical comorbidity. *Int J Cardiol* 2016;**207**:310–6. doi:10.1016/j.ijcard.2016.01.069

161 Beadles C, Farley J, Ellis A, *et al.* Do medical homes increase medication adherence for persons with multiple chronic conditions? *Med Care* 2015;**53**:168–76. doi:10.1097/MLR.0000000000000292

162 Cicolini G, Comparcini D, Flacco ME, *et al.* Self-reported medication adherence and beliefs among elderly in multi-treatment: a cross-sectional study. *Appl Nurs Res* 2016;**30**:131–6. doi:10.1016/j.apnr.2015.11.011

163 Daniels LM. *Improving medication adherence in patients with multiple chronic conditions: evaluation of a pilot intervention in a rural primary care clinic*. 2015;**Doctorate Degree**.https://thescholarship.ecu.edu/handle/10342/4989

164 Domino ME, Beadles CA, Lichstein JC, *et al.* Heterogeneity in the quality of care for patients with multiple chronic conditions by psychiatric comorbidity. *Med Care* 2014;**52**:S101–9.

165 Eton DT, Ridgeway JL, Linzer M, *et al.* Healthcare provider relational quality is associated with better self-management and less treatment burden in people with multiple chronic conditions. *Patient Prefer Adherence* 2017;**11**:1635–46. doi:10.2147/PPA.S145942

166 Ihle A, Inauen J, Scholz U, *et al.* Prospective and retrospective memory are differentially related to self-rated omission and commission errors in medication adherence in multimorbidity. *Appl Neuropsychol Adult* 2017;**24**:505–11. doi:10.1080/23279095.2016.1209675

167 Inauen J, Bierbauer W, Lüscher J, *et al.* Assessing adherence to multiple medications and in daily life among patients with multimorbidity. *Psychology & Health* 2017;**32**:1233–48. doi:10.1080/08870446.2016.1275632

168 Kenning C, Coventry PA, Gibbons C, *et al.* Does patient experience of multimorbidity predict self-management and health outcomes in a prospective study in primary care? *Fam Pract* 2015;**32**:311–6. doi:10.1093/fampra/cmv002

169 Mira JJ, Navarro I, Botella F, *et al.* A Spanish pillbox app for elderly patients taking multiple medications: randomized controlled trial. *J Med Internet Res* 2014;**16**:e99.

170 Muth C, Harder S, Uhlmann L, *et al.* Pilot study to test the feasibility of a trial design and complex intervention on PRIoritising MUltimedication in Multimorbidity in general practices (PRIMUMpilot). *BMJ Open* 2016;**6**:e011613. doi:10.1136/bmjopen-2016-011613

171 Muth C, Uhlmann L, Haefeli WE, *et al.* Effectiveness of a complex intervention on Prioritising Multimedication in Multimorbidity (PRIMUM) in primary care: results of a pragmatic cluster randomised controlled trial. *BMJ Open* 2018;**8**:e017740. doi:10.1136/bmjopen-2017-017740

172 Reed RL, Roeger L, Howard S, *et al.* A self-management support program for older Australians with multiple chronic conditions: a randomised controlled trial. *Med J Aust* 2018;**208**:69–74. doi:10.5694/mja17.00127

173 Schüz B, Marx C, Wurm S, *et al.* Medication beliefs predict medication adherence in older adults with multiple illnesses. *J Psychosom Res* 2011;**70**:179–87. doi:10.1016/j.jpsychores.2010.07.014

174 Schüz B, Wurm S, Ziegelmhen P, *et al.* Changes in functional health, changes in medication beliefs, and medication adherence. *Health Psychol* 2011;**30**:31–9. doi:10.1037/a0021881

175 Schüz B, Wolff JK, Warner LM, *et al.* Multiple illness perceptions in older adults: Effects on physical functioning and medication adherence. *Psychology & Health* 2013;**29**:442–57. doi:https://doi.org/10.1080/08870446.2013.863884

176 Vatcharavongvan P, Puttawanchai V. Polypharmacy, medication adherence and medication management at home in elderly patients with multiple non-communicable diseases in Thai primary care. *Fam Med Prim Care Rev* 2017;**19**:412–6. doi:10.5114/fmpcr.2017.70818

177 Warner LM, Schüz B, Aiken L, *et al.* Interactive effects of social support and social conflict on medication adherence in multimorbid older adults. *Soc Sci Med* 2013;**87**:23–30. doi:10.1016/j.socscimed.2013.03.012

178 Wong MC, Liu J, Zhou S, *et al.* The association between multimorbidity and poor adherence with cardiovascular medications. *Int J Cardiol* 2014;**177**:477–82. doi:10.1016/j.ijcard.2014.09.103