Supplementary Material

Efficacy and Safety of Antiplatelet Therapies in Symptomatic Peripheral Artery Disease: A Systematic Review and Network Meta-Analysis

Marco De Carlo[1,*], Giovanni Di Minno[2], Tobias Sayre[3], Mir Sohail Fazeli[3,4], Gaye Siliman[3,4] and Claudio Cimminiello[5]

[1]Cardiothoracic and Vascular Department, Azienda Ospedaliero-Universitaria Pisana, Pisa, Italy; [2]Department of Clinical Medicine and Surgery, Federico II University Hospital, Naples, Italy; [3]Doctor Evidence, Santa Monica, CA, USA; [4]Evidinno Outcomes Research Inc., Vancouver, BC, Canada; [5]Research and Study Center of the Italian Society of Angiology and Vascular Pathology (Società Italiana di Angiologia e Patologia Vascolare, SIAPAV), Milan, Italy

Table S1. Study Eligibility Criteria

Table S2. Search Strategies

Table S3. Quality Assessment by Study

Table S4. Efficacy Outcomes reported using Hazard Ratios

Table S5. MACE Binary Data

Table S6. Amputation Binary Data

Table S7. Revascularisation Binary Data

Table S8. Limb Ischaemia Binary Data

Table S9. Safety Outcomes Reported Using Hazard Ratios

Table S10. All-Cause Mortality Binary Data

Table S11. Bleeding Binary Data

Table S12. Fatal Bleeding Binary Data

Table S13. Definition for Bleeding Outcomes

Figure S1. Quality Assessment Results Distribution

Figure S2. Network Meta-Analysis for Major Adverse Cardiac Events Using Binary Data

Figure S3. Network Meta-Analysis for Limb Amputation, Limb Ischaemia, and Peripheral Revascularisation Using Reported Risk Ratio

Figure S4. Network Meta-Analysis for All-Cause Mortality

Figure S5. Network Meta-Analysis for Overall Bleeding

Figure S6. Risk Ratio Estimates of Limb Amputation and All-Cause Mortality of Antiplatelet Therapies Compared to Aspirin.

1875-6212/21 $65.00+.00 **© 2021 Bentham Science Publishers**

Table S1. Study Eligibility Criteria

	Inclusion Criteria
Population	Adults with symptomatic peripheral artery disease (PAD). PAD was defined by symptoms including intermittent claudication, limb ischaemia, or by surgical intervention for PAD
Intervention	Antiplatelet therapy, as monotherapy or dual antiplatelet therapy (DAPT) regimens: • Aspirin • Clopidogrel • Ticagrelor • Ticlopidine • Cilostazol • Vorapaxar • Picotamide
Comparator	Placebo Any of the above antiplatelet therapies: • Monotherapy or DAPT • In combination with anticoagulants (e.g. rivaroxaban, warfarin)
Outcomes	Efficacy/effectiveness outcomes: • Major adverse cardiac events (MACE) • Individual components of major adverse limb events (MALE): acute or chronic limb ischaemia, major or vascular amputation, revascularisation Safety outcomes: • All-cause mortality • Bleeding (including total, major, minor, fatal events)
Study Design	Randomised controlled trials or comparative observational studies

Table S2. Search Strategies

	DATABASE: Medline® via OvidSP **Date searched: January 4, 2019**
#	**Search Strategy**
1	exp Peripheral Arterial Disease/
2	(PAD or PAOD or (peripheral adj2 (arter* or ather* or vascular or occlus* or obstruct* or oblitera*)) or (arter* adj2 (occlus* or obstruct* or oblitera*)) or (ather* adj2 (occlus* or obstruct* or oblitera*)) or (vascular* adj2 (occlus* or obstruct* or oblitera*)) or artery chronic occlusive disease).ti,ab,kw.
3	1 or 2
4	exp aspirin/
5	(aspirin* or ASA or asaa or asae or "2 acetoxybenzo*" or "8-hour bayer" or acetosalicylic acid or (acetyl* adj2 salicyl*) or acetylosalicylic acid or acetylsalicyclic acid or acetylsalicyl* or acetylsalyc* or acidum acetyl?salicylicum or acidum acetylsalicylicum).ti,ab,kw.
6	(clopidogrel or "2 (2 chlorophenyl) 2 (4,5,6,7 tetrahydrothieno[3,2 c]pyridin 5 yl)acetic acid methyl ester" or clopilet or grepid or iscover or "pcr 4099" or "pcr4099" or plavix or "sr 25989" or "sr 25990c" or "sr25989" or "sr25990c" or zopya or zylagren or zyllt).ti,ab,kw.
7	((aspirin adj5 clopidogrel) or (acetylsalicylic acid adj5 clopidogrel) or duocover or duoplavin).ti,ab,kw.
8	(ticagrelor or "3 [7 [2 (3,4 difluorophenyl)cyclopropylamino] 5 propylthio 1,2,3 triazolo[4,5 d]pyrimidin 3 yl] 5 (2 hydroxyethoxy) 1,2 cyclopentanediol" or "3 [7 [2 (3,4 difluorophenyl)cyclopropylamino] 5 propylthio 1,2,3 triazolo[4,5 d]pyrimidin 3 yl] 5 hydroxymethoxy 1,2 cyclopentanediol" or "3 [7 [[2 (3,4 difluorophenyl)cyclopropyl]amino] 5 (propylsulfanyl) 3h 1,2,3 triazolo[4,5 d]pyrimidin 3 yl] 5 (2 hydroxyethoxy)cyclopentane 1,2 diol" or "azd 6140" or "azd6140" or brilinta or brilique or possia).ti,ab,kw.
9	exp ticlopidine/
10	(ticlo* or "5 (2 chlorobenzyl) 4,5,6,7 tetrahydrothieno[3,2 c]pyridine" or "5 (ortho chlorobenzyl) 4,5,6,7 tetrahydrothieno[3,2 c]pyridine" or agulan or anagregal or antigreg or aplaket or cartrilet or cenpidine or clotidone or crodin or declot or desitic or goclid or licodin or nufaclapide or panaldine or siclot or tacron or ticard or ticdine or ticlid or ticlidil or ticuring or tikleen or tiklid or tiklyd or tikol or tilodene or tiodin or tipidin or tipidine or tyklid or viladil).ti,ab,kw.
11	(cilost* or "6 [4 (1 cyclohexyl 1h 5 tetrazolyl)butoxy] 1,2,3,4 tetrahydro 2 quinolinone" or "6 [4 (1 cyclohexyl 1h 5 tetrazolyl)butoxy] 3,4 dihydro 2 quinolinone" or "6 [4 (1 cyclohexyl 1h tetrazol 5 yl)butoxy] 3,4 dihydro 1h quinolin 2 one" or "6 [4 (1 cyclohexyl 1h tetrazol 5 yl)butoxy] 3,4 dihydro 2(1h) quinolinone" or "6 [4 (1 cyclohexyl 1h tetrazol 5 yl)butoxy] 3,4 dihydrocarbostyril" or aggravan or boiser or cilental or cilos or cilosol or cilotal or cilozek or citaz or claudiasil or claudienne or decilosal or dilsatan or ekistol or lozence or noclaud or opc 13013 or pladizol or pletaal or pletal or pletoz or silosta or silstar or soliazon or sollazon or stazol or trastocir or velyn).ti,ab,kw.
12	(vorapaxar or "3a,4,4a,5,6,7,8,8a,9,9a decahydro n [4 [2 [5 (3 fluorophenyl) 2 pyridyl]vinyl] 3 methyl 1 oxo 3h benzo[f]isobenzofuran 7 yl]carbamic acid ethyl ester" or "9 [2 [5 (3 fluorophenyl) 2 pyridinyl]ethenyl] 1 methyl 3 oxododecahydronaphtho[2,3 c]furan 6 ylcarbamic acid ethyl ester" or "ethyl [9 [2 [5 (3 fluorophenyl)pyridin 2 yl]ethen 1 yl] 1 methyl 3 oxododecahydronaphtho[2,3 c]furan 6 yl]carbamate" or "ethyl n [4 [2 [5 (3 fluorophenyl) 2 pyridyl]vinyl] 3 methyl 1 oxo 3a,4,4a,5,6,7,8,8a,9,9a decahydro 3h benzo[f]isobenzofuran 7 yl]carbamate" or sch 530348 or sch530348 or vorapaxar sulfate or vorapaxar sulphate or zontivity).ti,ab,kw.
13	(picotamide or "4 methoxy n,n' bis(3 pyridylmethyl)isophthalamide" or g 137 or g137 or plactidil).ti,ab,kw.
14	or/4-13
15	Randomised Controlled Trials as Topic/
16	randomised controlled trial/
17	Random Allocation/
18	Double Blind Method/
19	Single Blind Method/

20	clinical trial/
21	clinical trial, phase i.pt
22	clinical trial, phase ii.pt
23	clinical trial, phase iii.pt
24	clinical trial, phase iv.pt
25	controlled clinical trial.pt
26	randomised controlled trial.pt
27	multicenter study.pt
28	clinical trial.pt
29	exp Clinical Trials as topic/
30	or/15-29
31	(clinical adj trial$).tw
32	((singl$ or doubl$ or treb$ or tripl$) adj (blind$3 or mask$3)).tw
33	PLACEBOS/
34	placebo$.tw
35	randomly allocated.tw
36	(allocated adj2 random$).tw
37	or/31-36
38	30 or 37
39	Epidemiologic studies/
40	Exp cohort studies/
41	(cohort adj (study or studies)).tw.
42	Cohort analy$.tw.
43	(Follow up adj (study or studies)).tw.
44	(observational adj (study or studies)).tw.
45	Longitudinal.tw.
46	Retrospective.tw.
47	or/39-46
48	38 or 47
49	3 and 14 and 48
50	(exp animal/ or nonhuman/) not exp human/
51	(case study or case report).ti.
52	(catalogs or comment or editorial or essays or guidebooks or handbooks or historical article or interview or journal correspondence or lectures or letter or news or newspaper article or note or posters or short survey).pt.
53	or/50-52
54	49 not 53
55	limit 54 to english language

	Database: EMBASE **Date searched: January 4, 2019** **Embase segment used: 1974 to 2019 January 4**
#	**Searches**
1	exp peripheral occlusive artery disease/
2	(PAD or PAOD or (peripheral adj2 (arter* or ather* or vascular or occlus* or obstruct* or oblitera*)) or (arter* adj2 (occlus* or obstruct* or oblitera*)) or (ather* adj2 (occlus* or obstruct* or oblitera*)) or (vascular* adj2 (occlus* or obstruct* or oblitera*)) or artery chronic occlusive disease).ti,ab,kw.
3	1 or 2
4	exp acetylsalicylic acid/
5	(aspirin* or ASA or asaa or asae or "2 acetoxybenzo*" or "8-hour bayer" or acetosalicylic acid or (acetyl* adj2 salicyl*) or acetylosalicylic acid or acetylsalicyclic acid or acetylsalicyl* or acetylsalyc* or acidum acetyl?salicylicum or acidum acetylsalicylicum).ti,ab,kw,tn.
6	exp clopidogrel/
7	(clopidogrel or "2 (2 chlorophenyl) 2 (4,5,6,7 tetrahydrothieno[3,2 c]pyridin 5 yl)acetic acid methyl ester" or clopilet or grepid or iscover or "pcr 4099" or "pcr4099" or plavix or "sr 25989" or "sr 25990c" or "sr25989" or "sr25990c" or zopya or zylagren or zyllt).ti,ab,kw,tn.
8	exp acetylsalicylic acid plus clopidogrel/
9	((aspirin adj5 clopidogrel) or (acetylsalicylic acid adj5 clopidogrel) or duocover or duoplavin).ti,ab,kw,tn.
10	exp ticagrelor/
11	(ticagrelor or "3 [7 [2 (3,4 difluorophenyl)cyclopropylamino] 5 propylthio 1,2,3 triazolo[4,5 d]pyrimidin 3 yl] 5 (2 hydroxyethoxy) 1,2 cyclopentanediol" or "3 [7 [2 (3,4 difluorophenyl)cyclopropylamino] 5 propylthio 1,2,3 triazolo[4,5 d]pyrimidin 3 yl] 5 hydroxymethoxy 1,2 cyclopentanediol" or "3 [7 [[2 (3,4 difluorophenyl)cyclopropyl]amino] 5 (propylsulfanyl) 3h 1,2,3 triazolo[4,5 d]pyrimidin 3 yl] 5 (2 hydroxyethoxy)cyclopentane 1,2 diol" or "azd 6140" or "azd6140" or brilinta or brilique or possia).ti,ab,kw,tn.
12	exp ticlopidine/
13	(ticlo* or "5 (2 chlorobenzyl) 4,5,6,7 tetrahydrothieno[3,2 c]pyridine" or "5 (ortho chlorobenzyl) 4,5,6,7 tetrahydrothieno[3,2 c]pyridine" or agulan or anagregal or antigreg or aplaket or cartrilet or cenpidine or clotidone or crodin or declot or desitic or goclid or licodin or nufaclapide or panaldine or siclot or tacron or ticard or ticdine or ticlid or ticlidil or ticuring or tikleen or tiklid or tiklyd or tikol or tilodene or tiodin or tipidin or tipidine or tyklid or viladil).ti,ab,kw,tn.
14	exp cilostazol/
15	(cilost* or "6 [4 (1 cyclohexyl 1h 5 tetrazolyl)butoxy] 1,2,3,4 tetrahydro 2 quinolinone" or "6 [4 (1 cyclohexyl 1h 5 tetrazolyl)butoxy] 3,4 dihydro 2 quinolinone" or "6 [4 (1 cyclohexyl 1h tetrazol 5 yl)butoxy] 3,4 dihydro 1h quinolin 2 one" or "6 [4 (1 cyclohexyl 1h tetrazol 5 yl)butoxy] 3,4 dihydro 2(1h) quinolinone" or "6 [4 (1 cyclohexyl 1h tetrazol 5 yl)butoxy] 3,4 dihydrocarbostyril" or aggravan or boiser or cilental or cilos or cilosol or cilotal or cilozek or citaz or claudiasil or claudienne or decilosal or dilsatan or ekistol or lozence or noclaud or opc 13013 or pladizol or pletaal or pletal or pletoz or silosta or silstar or soliazon or sollazon or stazol or trastocir or velyn).ti,ab,kw,tn.
16	exp vorapaxar/
17	(vorapaxar or "3a,4,4a,5,6,7,8,8a,9,9a decahydro n [4 [2 [5 (3 fluorophenyl) 2 pyridyl]vinyl] 3 methyl 1 oxo 3h benzo[f]isobenzofuran 7 yl]carbamic acid ethyl ester" or "9 [2 [5 (3 fluorophenyl) 2 pyridinyl]ethenyl] 1 methyl 3 oxododecahydronaphtho[2,3 c]furan 6 ylcarbamic acid ethyl ester" or "ethyl [9 [2 [5 (3 fluorophenyl)pyridin 2 yl]ethen 1 yl] 1 methyl 3 oxododecahydronaphtho[2,3 c]furan 6 yl]carbamate" or "ethyl n [4 [2 [5 (3 fluorophenyl) 2 pyridyl]vinyl] 3 methyl 1 oxo 3a,4,4a,5,6,7,8,8a,9,9a decahydro 3h benzo[f]isobenzofuran 7 yl]carbamate" or "sch 530348" or "sch530348" or vorapaxar sulfate or vorapaxar sulphate or zontivity).ti,ab,kw,tn.
18	exp picotamide/
19	(picotamide or "4 methoxy n,n' bis(3 pyridylmethyl)isophthalamide" or "g 137" or "g137" or plactidil).ti,ab,kw,tn.

20	or/4-19
21	Clinical Trial/
22	Randomised Controlled Trial/
23	controlled clinical trial/
24	multicenter study/
25	Phase 3 clinical trial/
26	Phase 4 clinical trial/
27	exp RANDOMISATION/
28	Single Blind Procedure/
29	Double Blind Procedure/
30	Crossover Procedure/
31	PLACEBO/
32	randomi?ed controlled trial$.tw.
33	rct.tw.
34	(random$ adj2 allocat$).tw.
35	single blind$.tw.
36	double blind$.tw.
37	((treble or triple) adj blind$).tw.
38	placebo$.tw.
39	Prospective Study/
40	or/21-39
41	Clinical study/
42	Family study/
43	Longitudinal study/
44	Retrospective study/
45	Cohort analysis/
46	(Cohort adj (study or studies)).mp.
47	(follow up adj (study or studies)).tw.
48	(observational adj (study or studies)).tw.
49	(epidemiologic$ adj (study or studies)).tw.
50	or/41-49
51	40 or 50
52	3 and 20 and 51
53	(case study or case report).ti.
54	Editorial.pt.
55	Letter.pt.
56	Note.pt.
57	or/53-56

58	(conference abstract or abstract or abstract report).pt.
59	limit 58 to yr="2017 - Current"
60	58 not 59
61	57 or 60
62	52 and 59
63	(exp animal/ or nonhuman/) not exp human/
64	61 or 63
65	(52 or 62) not 64
66	limit 65 to english language
	Database: Cochrane CENTRAL **Date searched: January 4, 2019**
#	**Searches**
1	exp Peripheral Arterial Disease/
2	(PAD or PAOD or (peripheral adj2 (arter* or ather* or vascular or occlus* or obstruct* or oblitera*)) or (arter* adj2 (occlus* or obstruct* or oblitera*)) or (ather* adj2 (occlus* or obstruct* or oblitera*)) or (vascular* adj2 (occlus* or obstruct* or oblitera*)) or artery chronic occlusive disease).ti,ab,kw.
3	1 or 2
4	exp aspirin/
5	(aspirin* or ASA or asaa or asae or "2 acetoxybenzo*" or "8-hour bayer" or acetosalicylic acid or (acetyl* adj2 salicyl*) or acetylosalicylic acid or acetylsalicyclic acid or acetylsalicyl* or acetylsalyc* or acidum acetyl?salicylicum or acidum acetylsalicylicum).ti,ab,kw.
6	(clopidogrel or "2 (2 chlorophenyl) 2 (4,5,6,7 tetrahydrothieno[3,2 c]pyridin 5 yl)acetic acid methyl ester" or clopilet or grepid or iscover or pcr 4099 or pcr4099 or plavix or sr 25989 or sr 25990c or sr25989 or sr25990c or zopya or zylagren or zyllt).ti,ab,kw.
7	((aspirin adj5 clopidogrel) or (acetylsalicylic acid adj5 clopidogrel) or duocover or duoplavin).ti,ab,kw.
8	(ticagrelor or "3 [7 [2 (3,4 difluorophenyl)cyclopropylamino] 5 propylthio 1,2,3 triazolo[4,5 d]pyrimidin 3 yl] 5 (2 hydroxyethoxy) 1,2 cyclopentanediol" or "3 [7 [2 (3,4 difluorophenyl)cyclopropylamino] 5 propylthio 1,2,3 triazolo[4,5 d]pyrimidin 3 yl] 5 hydroxymethoxy 1,2 cyclopentanediol" or "3 [7 [[2 (3,4 difluorophenyl)cyclopropyl]amino] 5 (propylsulfanyl) 3h 1,2,3 triazolo[4,5 d]pyrimidin 3 yl] 5 (2 hydroxyethoxy)cyclopentane 1,2 diol" or "azd 6140" or "azd6140" or brilinta or brilique or possia).ti,ab,kw.
9	exp ticlopidine/
10	(ticlo* or "5 (2 chlorobenzyl) 4,5,6,7 tetrahydrothieno[3,2 c]pyridine" or "5 (ortho chlorobenzyl) 4,5,6,7 tetrahydrothieno[3,2 c]pyridine" or agulan or anagregal or antigreg or aplaket or cartrilet or cenpidine or clotidone or crodin or declot or desitic or goclid or licodin or nufaclapide or panaldine or siclot or tacron or ticard or ticdine or ticlid or ticlidil or ticuring or tikleen or tiklid or tiklyd or tikol or tilodene or tiodin or tipidin or tipidine or tyklid or viladil).ti,ab,kw.
11	(cilost* or "6 [4 (1 cyclohexyl 1h 5 tetrazolyl)butoxy] 1,2,3,4 tetrahydro 2 quinolinone" or "6 [4 (1 cyclohexyl 1h 5 tetrazolyl)butoxy] 3,4 dihydro 2 quinolinone" or "6 [4 (1 cyclohexyl 1h tetrazol 5 yl)butoxy] 3,4 dihydro 1h quinolin 2 one" or "6 [4 (1 cyclohexyl 1h tetrazol 5 yl)butoxy] 3,4 dihydro 2(1h) quinolinone" or "6 [4 (1 cyclohexyl 1h tetrazol 5 yl)butoxy] 3,4 dihydrocarbostyril" or aggravan or boiser or cilental or cilos or cilosol or cilotal or cilozek or citaz or claudiasil or claudienne or decilosal or dilsatan or ekistol or lozence or noclaud or opc 13013 or pladizol or pletaal or pletal or pletoz or silosta or silstar or soliazon or sollazon or stazol or trastocir or velyn).ti,ab,kw.
12	(vorapaxar or "3a,4,4a,5,6,7,8,8a,9,9a decahydro n [4 [2 [5 (3 fluorophenyl) 2 pyridyl]vinyl] 3 methyl 1 oxo 3h benzo[f]isobenzofuran 7 yl]carbamic acid ethyl ester" or "9 [2 [5 (3 fluorophenyl) 2 pyridinyl]ethenyl] 1 methyl 3 oxododecahydronaphtho[2,3 c]furan 6 ylcarbamic acid ethyl ester" or "ethyl [9 [2 [5 (3 fluorophenyl)pyridin 2 yl]ethen 1 yl] 1 methyl 3 oxododecahydronaphtho[2,3 c]furan 6 yl]carbamate" or "ethyl n [4 [2 [5 (3 fluorophenyl) 2 pyridyl]vinyl] 3 methyl 1 oxo 3a,4,4a,5,6,7,8,8a,9,9a decahydro 3h benzo[f]isobenzofuran 7 yl]carbamate" or sch 530348 or sch530348 or vorapaxar

	sulfate or vorapaxar sulphate or zontivity).ti,ab,kw.
13	(picotamide or "4 methoxy n,n' bis(3 pyridylmethyl)isophthalamide" or g 137 or g137 or plactidil).ti,ab,kw.
14	or/4-13
15	3 and 14
16	limit 15 to english language
17	limit 16 to embase records
18	limit 16 to medline records
19	17 or 18
20	16 not 19

Table S3. Quality Assessment by Study

Acronym	Author (Year)	Interven-tion	Compara-tor	Random sequence generation	Allocation conceal-ment	Blinding of partici-pants and personnel	Blinding of outcome assess-ment	Incomplete outcome data	Selective reporting	Other Bias
CAPRIE	CAPRIE (1996)	Clopidogrel 75	Aspirin	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
COOPER	Shigematsu H (2012)	Clopidogrel 75	Ticlopidine	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
CHA-RISMA	Bhatt DL (2007)	Clopidogrel 75 + Aspirin	Aspirin	Low Risk	Low Risk	Low Risk	Low Risk	High Risk	Unclear	Unclear
CASPAR	Belch JJ (2010)	Clopidogrel 75 + Aspirin	Aspirin	Low Risk	Low Risk	Low Risk	Low Risk	Unclear	Low Risk	Low Risk
MIRROR	Tepe G (2012)	Clopidogrel 75 + Aspirin	Aspirin	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
NA	Money SR (1998)	Cilostazol	Placebo	Unclear	Unclear	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
NA	Beebe HG (1999)	Cilostazol	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
NA	Dawson DL (2000)	Cilostazol	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	High Risk	Low Risk	Low Risk
NA	Strandness DE Jr (2002)	Cilostazol	Placebo	Unclear	Unclear	Low Risk	Low Risk	High Risk	High Risk	Low Risk
CASTLE	Hiatt WR (2008)	Cilostazol	Placebo	Unclear	Unclear	Low Risk	Low Risk	High Risk	Low Risk	Unclear
NA	Brass EP (2012)	Cilostazol	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	High Risk	Low Risk	Low Risk
NA	Soga Y (2009)	Cilostazol + Aspirin	Aspirin	Low Risk	Low Risk	High Risk	High Risk	Low Risk	Low Risk	Low Risk
STOP-IC	Iida O (2013)	Cilostazol + Aspirin	Aspirin	Low Risk	Low Risk	High Risk	Low Risk	High Risk	Low Risk	Unclear
CAB-BAGE	Soga Y (2017)	Cilostazol + Aspirin	Aspirin	Low Risk	Low Risk	High Risk	Low Risk	Low Risk	Low Risk	Low Risk
NA	Castelli P (1986)	Ticlopidine	Placebo	Unclear	Unclear	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
NA	Arcan JC (1988)	Ticlopidine	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Unclear
NA	Balsano F (1989)	Ticlopidine	Placebo	Unclear	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
STIMS	Janzon L (1990)	Ticlopidine	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Unclear	Low Risk
EMATAP	Blanchard J (1994)	Ticlopidine	Placebo	Unclear	Unclear	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
NA	Becquemin JP (1997)	Ticlopidine	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	High Risk	Low Risk	Unclear
ADEP	Balsano F (1993)	Picotamide	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
DAVID	Neri Serneri	Picotamide	Aspirin	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk

Acronym	Author (Year)	Intervention	Comparator	Random sequence generation	Allocation concealment	Blinding of participants and personnel	Blinding of outcome assessment	Incomplete outcome data	Selective reporting	Other Bias
	GG (2004)									
NA	McCollum C (1991)	Dipyridamole + Aspirin	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Unclear
NA	Bergqvis D (1994)	Dipyridamole + Aspirin	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Unclear	Low Risk
EUCLID	Hiatt WR (2017)	Ticagrelor 90	Clopidogrel 75	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
TRA2°P-TIMI 50	Bonaca MP (2013)	Vorapaxar	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	Unclear	Unclear	Unclear
Trials with anticoagulants (given in combination with antiplatelet)										
Veterans Affairs (VA) Cooperative Study #362	Johnson WC (2002)	Warfarin + Aspirin	Aspirin	Low Risk	Low Risk	High Risk	High Risk	Low Risk	Low Risk	Unclear
NA	Monaco M (2012)	Warfarin + Clopidogrel 75	Clopidogrel 75 + Aspirin	High Risk	High Risk	High Risk	High Risk	Low Risk	Low Risk	Low Risk
NA	Li H (2013)	Warfarin + Nadroparin + Clopidogrel 75	Clopidogrel 75	Unclear	Unclear	High Risk	Low Risk	High Risk	Low Risk	Low Risk
NA	Koppensteiner R (2006)	Dalteparin + Aspirin	Aspirin	Low Risk	Low Risk	High Risk	Low Risk	Unclear	High Risk	Low Risk
ePAD	Moll F (2018)	Edoxaban + Aspirin	Clopidogrel 75 + Aspirin	Low Risk	Low Risk	High Risk	Low Risk	Low Risk	High Risk	Unclear
COMPASS	Anand SS (2017)	Rivaroxaban 2.5 + Aspirin	Aspirin	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk	Low Risk
Trials with PAD as post-hoc population										
PEGASUS-TIMI 54	Bonaca MP (2016)	Ticagrelor 60 or 90 + Aspirin	Aspirin	Low Risk	Low Risk	Low Risk	Low Risk	Unclear	Unclear	Unclear
PLATO	Patel MR (2014)	Ticagrelor 90 + Aspirin	Clopidogrel 75 + Aspirin	Low Risk	Low Risk	Low Risk	Low Risk	Unclear	Unclear	Unclear
TRACER	Jones WS (2014)	Vorapaxar	Placebo	Low Risk	Low Risk	Low Risk	Low Risk	Unclear	Unclear	Unclear

Quality of 35 RCTs included in the systematic literature review was evaluated using the Cochrane Collaboration's tool for assessing risk of bias in randomised trials.

Table S4. Efficacy Outcomes reported using Hazard Ratios

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Comparator	Com N	Hazard Ratio (95% CI)
MACE								
CAPRIE	CAPRIE (1996)	MACE	1.91 yr (Mean)	CLOPIDOGREL_75	3223	ASPIRIN	3229	0.78 (95% CI: 0.65 – 0.93)*†
COOPER	Shigematsu H (2012)	MACE	12 wk	CLOPIDOGREL_75	215	TICLOPIDINE	216	0 (p = 0.1539)
CHARISMA	Bhatt DL (2007)	MACE	27.6 mo (Median)	CLOPIDOGREL_75_ASPIRIN	1529	ASPIRIN	1530	0.869 (95% CI: 0.671 – 1.125)*
CASPAR	Belch JJ (2010)	MACE	24 mo	CLOPIDOGREL_75_ASPIRIN	425	ASPIRIN	426	1.09 (95% CI: 0.65 – 1.82)*
EUCLID	Hiatt WR (2017)	MACE	30 mo (Median)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	1.02 (95% CI: 0.92 – 1.13)*
				TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	1.02 (95% CI: 0.87 – 1.19)

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Comparator	Com N	Hazard Ratio (95% CI)
				TICAGRELOR_90 [Revascularisation, History of]	3923	CLOPIDOGREL_75 [Revascularisation, History of]	3952	1.01 (95% CI: 0.88 – 1.15)
EUCLID	Hiatt WR (2017)	MACE	2.5 yr (Average)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	1.02 (95% CI: 0.92 – 1.13)
EUCLID	Berger JS (2018)	MACE	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	1.02 (95% CI: 0.88 – 1.2)
EUCLID	Jones WS (2017)	MACE	30 mo (Median)	TICAGRELOR_90	3923	CLOPIDOGREL_75	3952	1.01 (95% CI: 0.88 – 1.15)
EUCLID	Berger J (2017)	MACE	NR	TICAGRELOR_90	2019	CLOPIDOGREL_75	2013	1.02 (95% CI: 0.87 – 1.19)
TRA2°P-TIMI 50	Bonaca MP (2013)	MACE	36 mo (Median)	VORAPAXAR	1892	PLACEBO	1895	0.94 (95% CI: 0.78 – 1.14)
TRA2°P-TIMI 50	Qamar A (2018)	MACE	2.5 yr (Median)	VORAPAXAR	NA	PLACEBO	NA	0.85 (95% CI: 0.73 – 0.99)
COMPASS	Anand SS (2017)	MACE	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Symptomatic, Lower Extremities]	1409	ASPIRIN [PAD, Symptomatic, Lower Extremities]	1359	0.71 (95% CI: 0.53 – 0.97)
				RIVAROXABAN_2_5_ASPIRIN [PAD, Symptomatic]	2026	ASPIRIN [PAD, Symptomatic]	2039	0.7 (95% CI: 0.54 – 0.9)
PEGASUS-TIMI 54	Bonaca MP (2016)	MACE	3 yr	TICAGRELOR_60_ASPIRIN	368	ASPIRIN	404	0.69 (95% CI: 0.47 – 0.99)
				TICAGRELOR_90_ASPIRIN	371	ASPIRIN	404	0.81 (95% CI: 0.57 – 1.15)
PLATO	Patel MR (2014)	MACE	NR	TICAGRELOR_90_ASPIRIN	566	CLOPIDOGREL_75_ASPIRIN	578	0.846 (95% CI: 0.644 – 1.111)
NA	Armstrong EJ (2015)	MACE	3 yr	Clopidogrel / Ticlopidine / Prasugrel_ASPIRIN	348	ASPIRIN	281	0.65 (95% CI: 0.44 – 0.96)
Amputation								
CASPAR	Belch JJ (2010)	Amputation, Above Ankle	24 mo	CLOPIDOGREL_75_ASPIRIN	425	ASPIRIN	426	0.68 (95% CI: 0.43 – 1.08)
				CLOPIDOGREL_75_ASPIRIN [Bypass, Prosthetic, History of]	128	ASPIRIN [Bypass, Prosthetic, History of]	125	0.48 (95% CI: 0.24 – 0.96)
				CLOPIDOGREL_75_ASPIRIN [Bypass, Venous, History of]	297	ASPIRIN [Bypass, Venous, History of]	301	0.93 (95% CI: 0.5 – 1.72)
EUCLID	Hiatt WR (2017)	Amputation, Major, Peripheral Artery Disease	2.5 yr (Average)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	0.87 (95% CI: 0.67 – 1.14)
		Amputation, Peripheral Artery Disease	2.5 yr (Average)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	0.87 (95% CI: 0.71 – 1.06)
TRA2°P-TIMI 50	Bonaca MP (2016)	Amputation	3 yr	VORAPAXAR	2901	PLACEBO	2944	0.9 (95% CI: 0.57 – 1.43)
		Amputation, Above Knee	2.5 yr (Median)	VORAPAXAR	2901	PLACEBO	2944	0.75 (95% CI: 0.47 – 1.18)
		Amputation, Below Ankle	2.5 yr (Median)	VORAPAXAR	2901	PLACEBO	2944	1.34 (95% CI: 0.3 – 6)
		Amputation, Below Knee	2.5 yr (Median)	VORAPAXAR	2901	PLACEBO	2944	0.84 (95% CI: 0.43 – 1.64)
		Amputation, Transmetatarsal	2.5 yr (Median)	VORAPAXAR	2901	PLACEBO	2944	0.93 (95% CI: 0.42 – 2.03)
COMPASS	Anand SS (2018)	Amputation	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Lower Extremities]	2139	ASPIRIN [PAD, Lower Extremities]	2123	0.52 (95% CI: 0.3 – 0.91)
		Amputation, Vascular	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN	2139	ASPIRIN [PAD, Lower Extremi-	2123	0.42 (95% CI: 0.21 – 0.85)

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Comparator	Com N	Hazard Ratio (95% CI)
				[PAD, Lower Extremities]		ties]		
		Amputation, Vascular, Major	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Lower Extremities]	2139	ASPIRIN [PAD, Lower Extremities]	2123	0.33 (95% CI: 0.12 – 0.92)
TRACER	Jones WS (2014)	Amputation, Lower Extremity	2 yr	VORAPAXAR	468	PLACEBO	468	0.16 (95% CI: 0.02 – 1.49)
NA	Armstrong EJ (2015)	Amputation, Major	3 yr	Clopidogrel / Ticlopidine / Prasugrel_ASPIRIN	348	ASPIRIN	281	0.69 (95% CI: 0.37 – 1.29)
Revascularisation								
EUCLID	Hiatt WR (2017)	Revascularisation, Lower Extremity	30 mo (Median)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	0.95 (95% CI: 0.87 – 1.05)
EUCLID	Hiatt WR (2017)	Revascularisation	2.5 yr (Average)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	0.97 (95% CI: 0.9 – 1.05)
		Revascularisation, Lower Extremity	2.5 yr (Average)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	0.95 (95% CI: 0.87 – 1.05)
EUCLID	Berger JS (2018)	Revascularisation	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	0.95 (95% CI: 0.84 – 1.08)
		Revascularisation, Lower Extremity	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	0.91 (95% CI: 0.78 – 1.07)
EUCLID	Jones WS (2017)	Revascularisation	30 mo (Median)	CLOPIDOGREL_75	3952	TICAGRELOR_90	3923	1 (95% CI: 0.91 – 1.09)
		Revascularisation, Lower Extremity	30 mo (Median)	TICAGRELOR_90	3923	CLOPIDOGREL_75	3952	0.97 (95% CI: 0.87 – 1.07)
TRA2°P-TIMI 50	Bonaca MP (2013)	Revascularisation	36 mo (Median)	VORAPAXAR	1892	PLACEBO	1895	0.88 (95% CI: 0.78 – 0.99)
TRA2°P-TIMI 50	Bonaca MP (2016)	Revascularisation	3 yr	VORAPAXAR	2313	PLACEBO	2364	0.59 (95% CI: 0.48 – 0.74)
PEGASUS-TIMI 54	Bonaca MP (2016)	Revascularisation, Peripheral	3 yr	TICAGRELOR_60_ASPIRIN	368	ASPIRIN	404	0.86 (95% CI: 0.51 – 1.46)
				TICAGRELOR_90_ASPIRIN	371	ASPIRIN	404	0.7 (95% CI: 0.4 – 1.23)
TRACER	Jones WS (2014)	Revascularisation, Peripheral	2 yr	VORAPAXAR	468	PLACEBO	468	0.68 (95% CI: 0.4 – 1.16)
Limb Ischaemia								
EUCLID	Hiatt WR (2017)	Ischaemia, Limb, Acute, Requiring Hospitalisation	30 mo (Median)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	1.03 (95% CI: 0.79 – 1.33)
EUCLID	Hiatt WR (2017)	Ischaemia, Limb, Acute	2.5 yr (Average)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	1.03 (95% CI: 0.79 – 1.33)
EUCLID	Berger JS (2018)	Ischaemia, Limb, Acute	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	1.03 (95% CI: 0.63 – 1.69)
EUCLID	Jones WS (2017)	Ischaemia, Limb, Acute	30 mo (Median)	TICAGRELOR_90	3923	CLOPIDOGREL_75	3952	1.03 (95% CI: 0.78 – 1.36)
EUCLID	Berger J (2017)	Ischaemia, Limb, Acute	NR	TICAGRELOR_90	2019	CLOPIDOGREL_75	2013	1.03 (95% CI: 0.63 – 1.69)
TRA2°P-TIMI 50	Bonaca MP (2013)	Ischaemia, Limb, Acute, Requiring Hospitalisation	36 mo (Median)	VORAPAXAR	1892	PLACEBO	1895	0.58 (95% CI: 0.39 – 0.86)
TRA2°P-TIMI 50	Bonaca MP (2016)	Ischaemia, Limb, Acute	2.5 yr (Median)	VORAPAXAR	1892	PLACEBO	1895	0.58 (95% CI: 0.39 – 0.86)
PEGASUS-	Bonaca MP (2016)	Ischaemia, Limb, Acute	3 yr	TICAGRELOR_60_ASPIRIN	368	ASPIRIN	404	0.53 (95% CI: 0.1 – 2.87)

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Comparator	Com N	Hazard Ratio (95% CI)
TIMI 54								
				TICAGRELOR_90_ASPIRIN	371	ASPIRIN	404	0.81 (95% CI: 0.18 – 3.64)
		Ischaemia, Limb, Acute or Revascularisation, Peripheral, Ischaemia	3 yr	TICAGRELOR_60_ASPIRIN	368	ASPIRIN	404	0.9 (95% CI: 0.51 – 1.6)
				TICAGRELOR_90_ASPIRIN	371	ASPIRIN	404	0.71 (95% CI: 0.39 – 1.31)

* Data used in NMA; † Calculated hazard ratio values were collected from an external source by: Jones WS, Schmit KM, Vemulapalli S, Subherwal S, Patel MR, Hasselblad V, Heidenfelder BL, Chobot MM, Posey R, Wing L. Treatment strategies for patients with peripheral artery disease. Agency for Healthcare Research and Quality Rockville, MD, 2013.

CI = confidence interval; Com = comparator; Int = Intervention; mo = month; MACE = major cardiovascular adverse events; NA = not applicable; NR = not reported; PAD = peripheral artery disease; wk = week; yr = year.

Table S5. MACE Binary Data

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
CAPRIE	CAPRIE (1996)	MACE	1.91 yr (Mean)	CLOPIDOGREL_75	3223	215 (6.7%)*	ASPIRIN	3229	277 (8.6%)*
COOPER	Shigematsu H (2012)	MACE	12 wk	CLOPIDOGREL_75	215	0 (0%)	TICLOPIDINE	216	2 (0.9%)
CHARISMA	Bhatt DL (2007)	MACE	27.6 mo (Median)	CLOPIDOGREL_75_ASPIRIN	1529	116 (7.6%)*	ASPIRIN	1530	133 (8.7%)*
CASPAR	Belch JJ (2010)	MACE	24 mo	CLOPIDOGREL_75_ASPIRIN	425	57 (13.5%)*	ASPIRIN	426	43 (10.2%)*
EUCLID	Hiatt WR (2017)	MACE	30 mo (Median)	TICAGRELOR_90	6930	766 (11.1%)*	CLOPIDOGREL_75	6955	759 (10.9%)*
EUCLID	Berger JS (2018)	MACE	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	316 (15.7%)	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	310 (15.4%)
EUCLID	Jones WS (2017)	MACE	30 mo (Median)	TICAGRELOR_90	3923	447 (11.4%)	CLOPIDOGREL_75	3952	447 (11.3%)
EUCLID	Berger J (2017)	MACE	NR	TICAGRELOR_90	2019	311 (15.4%)	CLOPIDOGREL_75	2013	308 (15.3%)
TRA2°P-TIMI 50	Bonaca MP (2013)	MACE	36 mo (Median)	VORAPAXAR	1892	206 (11.3%)	PLACEBO	1895	218 (11.9%)
TRA2°P-TIMI 50	Qamar A (2018)	MACE	2.5 yr (Median)	VORAPAXAR	NA	0.107	PLACEBO	NA	0.125
Trials with anticoagulants (given in combination with antiplatelet)									
NA	Monaco M (2012)	MACE	30 d	CLOPIDOGREL_75_WARFARIN	173	3 (1.7%)	CLOPIDOGREL_75_ASPIRIN	168	5 (2.9%)
ePAD	Moll F (2018)	MACE	6 mo	EDOXABAN_ASPIRIN	100	3 (3%)	CLOPIDOGREL_75_ASPIRIN	101	1 (1%)
COMPASS	Anand SS (2017)	MACE	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Symptomatic, Lower Extremities]	1409	73 (5.2%)	ASPIRIN [PAD, Symptomatic, Lower Extremities]	1359	98 (7.2%)
				RIVAROXABAN_2_5_ASPIRIN [PAD, Symptomatic]	2026	97 (4.8%)	ASPIRIN [PAD, Symptomatic]	2039	139 (6.8%)
Trials with PAD as post-hoc population									
PEGASUS-TIMI 54	Bonaca MP (2016)	MACE	3 yr	TICAGRELOR_60_ASPIRIN	368	47 (14.1%)	ASPIRIN	404	71 (19.3%)
				TICAGRE-	371	54 (16.3%)	ASPIRIN	404	71

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
				LOR_90_ASPIRIN					(19.3%)
Observational studies									
NA	Armstrong EJ (2015)	MACE	3 yr	Clopidogrel / Ticlopidine / Prasugrel_ASPIRIN	348	50 (14.368%)	ASPIRIN	281	59 (20.996%)

* Data used in NMA; Com = comparator; d = day; Int = Intervention; mo = month; MACE = major cardiovascular adverse events; NA = not applicable; NR = not reported; PAD = peripheral artery disease; wk = week; yr = year

Table S6. Amputation Binary Data

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
CASPAR	Belch JJ (2010)	Amputation, Above Ankle	24 mo	CLOPIDOGREL_75_ASPIRIN	425	31 (7.3%)*	ASPIRIN	426	45 (10.6%)*
				CLOPIDOGREL_75_ASPIRIN [Bypass, Prosthetic, History of]	128	12 (9.4%)	ASPIRIN [Bypass, Prosthetic, History of]	125	24 (19.2%)
				CLOPIDOGREL_75_ASPIRIN [Bypass, Venous, History of]	297	19 (6.4%)	ASPIRIN [Bypass, Venous, History of]	301	21 (7.0%)
MIRROR	Tepe G (2012)	Amputation, Above Ankle	6 mo	CLOPIDOGREL_75_ASPIRIN	35	6 (17.1%)	ASPIRIN	33	6 (18.2%)
		Amputation, Below Knee	6 mo	CLOPIDOGREL_75_ASPIRIN	40	0 (0%)	ASPIRIN	40	1 (2.5%)
NA	Beebe HG (1999)	Amputation	24 wk	CILOSTAZOL_100	175	0 (0%)	PLACEBO	170	1 (0.6%)
				CILOSTAZOL_50	171	0 (0%)	PLACEBO	170	1 (0.6%)
NA	Soga Y (2009)	Amputation, Legs	24 mo	CILOSTAZOL_ASPIRIN	39	0 (0%)	ASPIRIN	39	0 (0%)
STOP-IC	Iida O (2013)	Amputation	12 mo	CILOSTAZOL_ASPIRIN	93	0 (0%)	ASPIRIN	98	2 (2%)
		Amputation, Major	12 mo	CILOSTAZOL_ASPIRIN	93	0 (0%)	ASPIRIN	98	0 (0%)
STOP-IC	Soga Y (2018)	Amputation, Major	3 yr	CILOSTAZOL_ASPIRIN	93	0 (0%)	ASPIRIN	98	0 (0%)
		Amputation, Minor	3 yr	CILOSTAZOL_ASPIRIN	93	0 (0%)	ASPIRIN	98	2 (2.041%)
CABBAGE	Soga Y (2017)	Amputation, Major	3 mo	CILOSTAZOL_ASPIRIN	25	1 (4%)	ASPIRIN	25	1 (4%)
NA	Castelli P (1986)	Amputation, Thigh	180 d	TICLOPIDINE	23	0 (0%)	PLACEBO	23	1 (4.348%)
NA	Balsano F (1989)	Amputation, Limb	21 mo	TICLOPIDINE	76	0 (0%)	PLACEBO	75	0 (0%)
NA	Becquemin JP (1997)	Amputation, Ipsilateral	24 mo	TICLOPIDINE	122	2 (1.6%)*	PLACEBO	121	8 (6.6%)*
ADEP	Balsano F (1993)	Amputation	18 mo	PICOTAMIDE	1150	4 (0.3%)*	PLACEBO	1154	5 (0.4%)*
ADEP	Milani M (1996)	Amputation	18 mo	PICOTAMIDE	230	0 (0%)	PLACEBO	208	2 (1%)
DAVID	Neri Serneri GG (2004)	Amputation	24 mo	PICOTAMIDE	603	4 (0.8%)*	ASPIRIN	606	4 (0.8%)*
NA	Bergqvis D (1994)	Amputation	30 d	DIPYRIDAMOLE_ASPIRIN	108	1 (0.926%)	PLACEBO	115	5 (4.348%)
EUCLID	Hiatt WR (2017)	Amputation, Major, Peripheral Artery Disease	2.5 yr (Average)	TICAGRELOR_90	6930	100 (1.443%)	CLOPIDOGREL_75	6955	116 (1.668%)
		Amputation, Peripheral Artery Disease	2.5 yr (Average)	TICAGRELOR_90	6930	179 (2.583%)	CLOPIDOGREL_75	6955	208 (2.991%)
TRA2°P-TIMI 50	Bonaca MP (2016)	Amputation, Above Knee	2.5 yr (Median)	VORAPAXAR	2901	32 (1.3%)*	PLACEBO	2944	43 (1.6%)*

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
		Amputation, Below Ankle	2.5 yr (Median)	VORAPAXAR	2901	4 (0.2%)	PLACEBO	2944	3 (0.1%)
		Amputation, Below Knee	2.5 yr (Median)	VORAPAXAR	2901	16 (0.6%)	PLACEBO	2944	19 (0.8%)
		Amputation, Transmetatarsal	2.5 yr (Median)	VORAPAXAR	2901	12 (0.4%)	PLACEBO	2944	13 (0.5%)
		Amputation	3 yr	VORAPAXAR	2901	38 (1.3%)	PLACEBO	2944	44 (1.5%)
Trials with anticoagulants (given in combination with antiplatelet)									
Veterans Affairs (VA) Cooperative Study #362	Johnson WC (2002)	Amputation, Major	36.6 mo (Average)	WARFARIN_ASPIRIN [Bypass, Prosthetic, History of]	187	3 (1.604%)	ASPIRIN [Bypass, Prosthetic, History of]	186	6 (3.226%)
			39.3 mo (Average)	WARFARIN_ASPIRIN [Bypass, Venous, History of]	231	14 (6.061%)	ASPIRIN [Bypass, Venous, History of]	227	8 (3.524%)
Veterans Affairs (VA) Cooperative Study #362	Jackson MR (2002)	Amputation, Major	36 mo (Mean)	WARFARIN_ASPIRIN [Bypass, Femoropopliteal, Polytetrafluoroethylene, History of]	18	5 (26%)	ASPIRIN [Bypass, Femoropopliteal, Polytetrafluoroethylene, History of]	47	11 (23%)
NA	Li H (2013)	Amputation	3 mo – 6 mo	CLOPIDOGREL_75_NADROPARIN_WARFARIN	33	1 (3%)	CLOPIDOGREL_75	30	0 (0%)
			6 mo – 12 mo	CLOPIDOGREL_75_NADROPARIN_WARFARIN	33	0 (0%)	CLOPIDOGREL_75	30	0 (0%)
ePAD	Moll F (2018)	Amputation	6 mo	EDOXABAN_ASPIRIN	100	1 (1%)	CLOPIDOGREL_75_ASPIRIN	101	4 (4%)
COMPASS	Anand SS (2018)	Amputation	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Lower Extremities]	2139	19 (0.9%)	ASPIRIN [PAD, Lower Extremities]	2123	36 (1.7%)
		Amputation, Vascular	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Lower Extremities]	2139	11 (0.5%)	ASPIRIN [PAD, Lower Extremities]	2123	26 (1.2%)
		Amputation, Vascular, Major	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Lower Extremities]	2139	5 (0.2%)	ASPIRIN [PAD, Lower Extremities]	2123	15 (0.7%)
Trials with PAD as post-hoc population									
PEGASUS-TIMI 54	Bonaca MP (2016)	Amputation	3 yr	TICAGRELOR_60_ASPIRIN	368	1 (0.272%)	ASPIRIN	404	1 (0.248%)
				TICAGRELOR_90_ASPIRIN	371	0 (0%)	ASPIRIN	404	1 (0.248%)
TRACER	Jones WS (2014)	Amputation, Lower Extremity	2 yr	VORAPAXAR	468	4 (0.9%)	PLACEBO	468	7 (1.5%)
Observational studies									
NA	Armstrong EJ (2015)	Amputation, Major	3 yr	Clopidogrel / Ticlopidine / Prasugrel_ASPIRIN	348	20 (5.747%)	ASPIRIN	281	12 (4.27%)

* Data used in NMA; Com = comparator; d = day; Int = Intervention; mo = month; NA = not applicable; NR = not reported; PAD = peripheral artery disease; wk = week; yr = year

Table S7. Revascularisation Binary Data

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
MIRROR	Tepe G (2012)	Revascularisation, Target Lesion	6 mo	CLOPIDOGREL_75_ASPIRIN	40	2 (5%)	ASPIRIN	40	8 (20%)
MIRROR	Strobl FF (2013)	Revascularisation, Target Lesion	12 mo	CLOPIDOGREL_75_ASPIRIN	36	9 (25%)	ASPIRIN	37	12 (32.4%)
NA	Beebe HG (1999)	Revascularisation, Arterial	24 wk	CILOSTAZOL_100	175	0 (0%)	PLACEBO	170	1 (0.6%)
				CILOSTAZOL_50	171	0 (0%)	PLACEBO	170	1 (0.6%)
NA	Soga Y (2009)	Revascularisation	24 mo	CILOSTAZOL_ASPIRIN	39	1 (2.564%)	ASPIRIN	39	0 (0%)
		Revascularisation, Repeat	24 mo	CILOSTAZOL_ASPIRIN	39	7 (17.949%)	ASPIRIN	39	17 (43.59%)
		Revascularisation, Target Lesion	24 mo	CILOSTAZOL_ASPIRIN	39	5 (12.821%)	ASPIRIN	39	12 (30.769%)
		Revascularisation, Target Vessel	24 mo	CILOSTAZOL_ASPIRIN	39	6 (15.385%)	ASPIRIN	39	14 (35.897%)
STOP-IC	Iida O (2013)	Revascularisation, Target Lesion	12 mo	CILOSTAZOL_ASPIRIN	82	14 (17%)	ASPIRIN	85	34 (40%)
STIMS	Fagher B (1994)	Revascularisation	5.04 yr (Median)	TICLOPIDINE	51	6 (11.765%)*	PLACEBO	50	9 (18%)*
EMATAP	Blanchard J (1994)	Revascularisation	6 mo	TICLOPIDINE	304	1 (0.329%)	PLACEBO	311	8 (2.572%)
EUCLID	Hiatt WR (2017)	Revascularisation, Lower Extremity	30 mo (Median)	TICAGRELOR_90	6930	846 (12.2%)	CLOPIDOGREL_75	6955	892 (12.8%)
EUCLID	Hiatt WR (2017)	Revascularisation	2.5 yr (Average)	TICAGRELOR_90	6930	1211 (17.475%)	CLOPIDOGREL_75	6955	1250 (17.973%)
		Revascularisation, Lower Extremity	2.5 yr (Average)	TICAGRELOR_90	6930	846 (12.208%)	CLOPIDOGREL_75	6955	892 (12.825%)
EUCLID	Berger JS (2018)	Revascularisation	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	465 (23%)	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	487 (24.2%)
		Revascularisation, Coronary	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	201 (10%)	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	196 (9.7%)
		Revascularisation, Lower Extremity	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	284 (14.1%)	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	310 (15.4%)
EUCLID	Jones WS (2017)	Revascularisation	30 mo (Median)	TICAGRELOR_90	3923	906 (23.1%)	CLOPIDOGREL_75	3952	914 (23.1%)
		Revascularisation, Lower Extremity	30 mo (Median)	TICAGRELOR_90	3923	654 (16.7%)	CLOPIDOGREL_75	3952	680 (17.2%)
TRA2°P-TIMI 50	Bonaca MP (2013)	Revascularisation	36 mo (Median)	VORAPAXAR	1892	486 (26.2%)*	PLACEBO	1895	546 (30.3%)*
		Revascularisation, Peripheral	36 mo (Median)	VORAPAXAR	1892	341 (18.4%)	PLACEBO	1895	401 (22.2%)
		Revascularisation, Peripheral, Elective	36 mo (Median)	VORAPAXAR	1892	305 (16.5%)	PLACEBO	1895	352 (19.5%)
		Revascularisation, Peripheral, Urgent	36 mo (Median)	VORAPAXAR	1892	56 (3.1%)	PLACEBO	1895	85 (4.7%)
TRA2°P-TIMI 50	Bonaca MP (2016)	Revascularisation, Surgical	3 yr	VORAPAXAR	2313	104 (4.5%)	PLACEBO	2364	182 (7.7%)
		Revascularisation, Peripheral	2.5 yr (Median)	VORAPAXAR	2901	536 (18.476%)	PLACEBO	2944	646 (21.943%)

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
			3 yr	VORAPAXAR	2313	356 (15.4%)	PLACEBO	2364	456 (19.3%)
		Revascularisation, Peripheral, Claudication	2.5 yr (Median)	VORAPAXAR	2901	313 (11.5%)	PLACEBO	2944	356 (12.092%)
		Revascularisation, Peripheral, Claudication, First	2.5 yr (Median)	VORAPAXAR	2901	258 (9.4%)	PLACEBO	2944	305 (11.6%)
		Revascularisation, Peripheral, First	2.5 yr (Median)	VORAPAXAR	2901	421 (14.512%)	PLACEBO	2944	513 (17.425%)
		Revascularisation, Peripheral, Ischaemia, Limb, Acute	2.5 yr (Median)	VORAPAXAR	2901	67 (2.6%)	PLACEBO	2944	95 (3.5%)
		Revascularisation, Peripheral, Ischaemia, Limb, Acute, First	2.5 yr (Median)	VORAPAXAR	2901	53 (2%)	PLACEBO	2944	72 (2.7%)
		Revascularisation, Peripheral, Ischaemia, Limb, Critical	2.5 yr (Median)	VORAPAXAR	2901	128 (4.8%)	PLACEBO	2944	152 (5.7%)
		Revascularisation, Peripheral, Ischaemia, Limb, Critical, First	2.5 yr (Median)	VORAPAXAR	2901	93 (3.4%)	PLACEBO	2944	110 (4%)
		Revascularisation, Peripheral, Stenosis, Severe, Asymptomatic	2.5 yr (Median)	VORAPAXAR	2901	28 (1%)	PLACEBO	2944	43 (1.6%)
		Revascularisation, Peripheral, Stenosis, Severe, Asymptomatic, First	2.5 yr (Median)	VORAPAXAR	2901	17 (0.6%)	PLACEBO	2944	26 (0.9%)
Trials with anticoagulants (given in combination with antiplatelet)									
ePAD	Moll F (2018)	Revascularisation, Target Lesion	6 mo	EDOXABAN_ASPIRIN	100	11 (11%)	CLOPIDOGREL_75_ASPIRIN	101	10 (9.9%)
Trials with PAD as post-hoc population									
PEGASUS-TIMI 54	Bonaca MP (2016)	Revascularisation, Peripheral	3 yr	TICAGRELOR_60_ASPIRIN	368	25 (6.793%)	ASPIRIN	404	31 (7.673%)
				TICAGRELOR_90_ASPIRIN	371	20 (5.391%)	ASPIRIN	404	31 (7.673%)
		Revascularisation, Peripheral, Ischaemia	3 yr	TICAGRELOR_60_ASPIRIN	368	22 (5.978%)	ASPIRIN	404	26 (6.436%)
				TICAGRELOR_90_ASPIRIN	371	16 (4.313%)	ASPIRIN	404	26 (6.436%)
TRACER	Jones WS (2014)	Revascularisation, Peripheral	2 yr	VORAPAXAR	468	38 (8.1%)	PLACEBO	468	42 (9%)

* Data used in NMA; Com = comparator; Int = Intervention; mo = month; NA = not applicable; PAD = peripheral artery disease; wk = week; yr = year

Table S8. Limb Ischaemia Binary Data

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
NA	Soga Y (2009)	Ischaemia, Limb, Critical	16 mo	CILOSTAZOL_ASPIRIN	39	0 (0%)	ASPIRIN	39	1 (2.6%)
NA	Castelli P (1986)	Ischaemia, Limb, Acute	8 wk – 18 wk	TICLOPIDINE	23	0 (0%)	PLACEBO	23	4 (17.391%)
NA	Becquemin JP (1997)	Ischaemia, Limb	24 mo	TICLOPIDINE	122	16 (13.1%)*	PLACEBO	121	17 (14%)*
EUCLID	Hiatt WR (2017)	Ischaemia, Limb, Acute, Requiring Hospitalisation	30 mo (Median)	TICAGRELOR_90	6930	117 (1.7%)	CLOPIDOGREL_75	6955	115 (1.7%)
EUCLID	Hiatt WR (2017)	Ischaemia, Limb, Acute	2.5 yr (Average)	TICAGRELOR_90	6930	117 (1.688%)	CLOPIDOGREL_75	6955	115 (1.653%)
EUCLID	Berger JS (2018)	Ischaemia, Limb, Acute	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	32 (1.6%)	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	31 (1.5%)
EUCLID	Jones WS (2017)	Ischaemia, Limb, Acute	30 mo (Median)	TICAGRELOR_90	3923	99 (2.5%)	CLOPIDOGREL_75	3952	97 (2.5%)
EUCLID	Berger J (2017)	Ischaemia, Limb, Acute	NR	TICAGRELOR_90	2019	32 (1.6%)	CLOPIDOGREL_75	2013	30 (1.5%)
TRA2°P-TIMI 50	Bonaca MP (2013)	Ischaemia, Limb, Acute, Requiring Hospitalisation	36 mo (Median)	VORAPAXAR	1892	40 (2.3%)	PLACEBO	1895	68 (3.9%)
TRA2°P-TIMI 50	Bonaca MP (2016)	Ischaemia, Limb, Acute	2.5 yr (Median)	VORAPAXAR	1892	56 (2.96%)*	PLACEBO	1895	94 (4.96%)*
Trials with anticoagulants (given in combination with antiplatelet)									
Veterans Affairs (VA) Cooperative Study #362	Jackson MR (2002)	Ischaemia, Limb, Acute, Grade 1	36 mo (Mean)	WARFARIN_ASPIRIN [Bypass, Femoropopliteal, Polytetrafluoroethylene, History of]	18	13 (72.2%)	ASPIRIN [Bypass, Femoropopliteal, Polytetrafluoroethylene, History of]	47	21 (44.7%)
		Ischaemia, Limb, Acute, Grade 2	36 mo (Mean)	WARFARIN_ASPIRIN [Bypass, Femoropopliteal, Polytetrafluoroethylene, History of]	18	5 (27.8%)	ASPIRIN [Bypass, Femoropopliteal, Polytetrafluoroethylene, History of]	47	26 (55.3%)
			39 mo (Mean)	WARFARIN_ASPIRIN [Bypass, Femoropopliteal, History of]	10	2 (20%)	ASPIRIN [Bypass, Femoropopliteal, History of]	23	4 (17.4%)
Trials with PAD as post-hoc population									
PEGASUS-TIMI 54	Bonaca MP (2016)	Ischaemia, Limb, Acute	3 yr	TICAGRELOR_60_ASPIRIN	368	2 (0.543%)	ASPIRIN	404	4 (0.99%)
				TICAGRELOR_90_ASPIRIN	371	3 (0.809%)	ASPIRIN	404	4 (0.99%)
		Ischaemia, Limb, Acute or Revascularisation, Peripheral, Ischaemia	3 yr	TICAGRELOR_60_ASPIRIN	368	22 (5.978%)	ASPIRIN	404	26 (6.436%)
				TICAGRELOR_90_ASPIRIN	371	17 (4.582%)	ASPIRIN	404	26 (6.436%)
TRACER	Jones WS (2014)	Ischaemia, Limb, Acute, Requiring Hospitalisation	2 yr	VORAPAXAR	468	2 (0.4%)	PLACEBO	468	6 (1.3%)

* Data used in NMA; Com = comparator; d = day; Int = Intervention; mo = month; NA = not applicable; NR = not reported; PAD = peripheral artery disease; wk = week; yr = year

Table S9. Safety Outcomes reported using Hazard Ratios

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Comparator	Com N	Hazard Ratio (95% CI)
All-Cause Mortality								
CASPAR	Belch JJ (2010)	Mortality	24 mo	CLOPIDOGREL_75_ASPIRIN	425	ASPIRIN	426	1.44 (95% CI: 0.77 – 2.68)
				CLOPIDOGREL_75_ASPIRIN [Bypass, Prosthetic, History of]	128	ASPIRIN [Bypass, Prosthetic, History of]	125	1.51 (95% CI: 0.42 – 5.33)
				CLOPIDOGREL_75_ASPIRIN [Bypass, Venous, History of]	297	ASPIRIN [Bypass, Venous, History of]	301	1.43 (95% CI: 0.7 – 2.91)
CASTLE	Hiatt WR (2008)	Mortality	537 d (Median)	CILOSTAZOL	717	PLACEBO	718	0.99 (95% CI: 0.52 – 1.88)*
			36 mo	CILOSTAZOL	717	PLACEBO	718	0.94 (95% CI: 0.64 – 1.39)
EUCLID	Hiatt WR (2017)	Mortality	30 mo (Median)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	0.99 (95% CI: 0.89 – 1.11)
EUCLID	Hiatt WR (2017)	Mortality	2.5 yr (Average)	TICAGRELOR_90	6930	CLOPIDOGREL_75	6955	0.99 (95% CI: 0.89 – 1.11)
EUCLID	Berger JS (2018)	Mortality	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	1.11 (95% CI: 0.92 – 1.34)
EUCLID	Jones WS (2017)	Mortality	30 mo (Median)	TICAGRELOR_90	3923	CLOPIDOGREL_75	3952	0.99 (95% CI: 0.86 – 1.15)
TRA2°P-TIMI 50	Bonaca MP (2013)	Mortality	36 mo (Median)	VORAPAXAR	1892	PLACEBO	1895	0.9 (95% CI: 0.73 – 1.1)*
PEGASUS-TIMI 54	Bonaca MP (2016)	Mortality	3 yr	TICAGRELOR_60_ASPIRIN	368	ASPIRIN	404	0.52 (95% CI: 0.32 – 0.84)
				TICAGRELOR_90_ASPIRIN	371	ASPIRIN	404	0.88 (95% CI: 0.58 – 1.32)
PLATO	Patel MR (2014)	Mortality	NR	TICAGRELOR_90_ASPIRIN	566	CLOPIDOGREL_75_ASPIRIN	578	0.737 (95% CI: 0.502 – 1.083)
REAL-FP1000 Registry	Soga Y (2012)	Mortality	25 mo (Mean, SD ± 15)	CILOSTAZOL_CLOPIDOGREL_75_ASPIRIN	281	CLOPIDOGREL_75_ASPIRIN	281	0.7 (95% CI: 0.42 – 1.15)
			5 yr	CILOSTAZOL_CLOPIDOGREL_75_ASPIRIN	17	CLOPIDOGREL_75_ASPIRIN	14	1.05 (95% CI: 0.65 – 1.71)
				CILOSTAZOL_CLOPIDOGREL_75_ASPIRIN	492	CLOPIDOGREL_75_ASPIRIN	369	0.85 (95% CI: 0.58 – 1.23)
NA	Armstrong EJ (2015)	Mortality	3 yr	Clopidogrel / Ticlopidine / Prasugrel_ASPIRIN	348	ASPIRIN	281	0.55 (95% CI: 0.34 – 0.89)
Bleeding								
COOPER	Shigematsu H (2012)	Bleeding	12 wk	CLOPIDOGREL_75	215	TICLOPIDINE	216	1.3 (95% CI: 0.659 – 2.561)*
		Bleeding, Clinically Significant	12 wk	CLOPIDOGREL_75	215	TICLOPIDINE	216	0 (p = 0.3017)
EUCLID	Hiatt WR (2017)	Bleeding, Minor	30 mo (Median)	TICAGRELOR_90	6910	CLOPIDOGREL_75	6932	1.32 (95% CI: 0.96 – 1.83)
		Bleeding, Severe/Major	30 mo (Median)	TICAGRELOR_90	6910	CLOPIDOGREL_75	6932	1.1 (95% CI: 0.84 – 1.43)
				TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	1.06 (95% CI: 0.66 – 1.69)
				TICAGRELOR_90 [Revascularisation, History of]	3923	CLOPIDOGREL_75 [Revascularisation, History of]	3952	1.15 (95% CI: 0.83 – 1.59)

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Comparator	Com N	Hazard Ratio (95% CI)
EUCLID	Hiatt WR (2017)	Bleeding	2.5 yr (Average)	TICAGRELOR_90	6910	CLOPIDOGREL_75	6932	1.17 (95% CI: 0.95 – 1.43)*
		Bleeding, Severe/Major	2.5 yr (Average)	TICAGRELOR_90	6910	CLOPIDOGREL_75	6932	1.1 (95% CI: 0.84 – 1.43)
				TICAGRELOR_90				1.16 (95% CI: 0.95 – 1.41)
EUCLID	Berger JS (2018)	Bleeding, Minor	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	1.49 (95% CI: 0.86 – 2.59)
		Bleeding, Severe/Major	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	1.06 (95% CI: 0.66 – 1.69)
EUCLID	Jones WS (2017)	Bleeding, Minor	30 mo (Median)	TICAGRELOR_90	3923	CLOPIDOGREL_75	3952	1.3 (95% CI: 0.89 – 1.88)
		Bleeding, Severe/Major	30 mo (Median)	TICAGRELOR_90	3911	CLOPIDOGREL_75	3938	1.15 (95% CI: 0.83 – 1.59)
EUCLID	Berger J (2017)	Bleeding, Severe/Major	NR	TICAGRELOR_90	2019	CLOPIDOGREL_75	2013	1.06 (95% CI: 0.66 – 1.69)
TRA2°P-TIMI 50	Bonaca MP (2013)	Bleeding, Moderate to Severe	36 mo (Median)	VORAPAXAR	1892	PLACEBO	1895	1.62 (95% CI: 1.21 – 2.18)
		Bleeding, Severe/Major	36 mo (Median)	VORAPAXAR	1892	PLACEBO	1895	1.41 (95% CI: 0.85 – 2.34)
TRA2°P-TIMI 50	Qamar A (2018)	Bleeding, Severe/Major	2.5 yr (Median)	VORAPAXAR	NA	PLACEBO	NA	1.39 (95% CI: 1.12 – 1.71)
COMPASS	Anand SS (2017)	Bleeding, Major	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Symptomatic, Lower Extremities]	1409	ASPIRIN [PAD, Symptomatic, Lower Extremities]	1359	1.71 (95% CI: 1.06 – 2.77)
				RIVAROXABAN_2_5_ASPIRIN [PAD, Symptomatic]	2026	ASPIRIN [PAD, Symptomatic]	2039	1.55 (95% CI: 1.04 – 2.32)
COMPASS	Anand SS (2018)	Bleeding, Major	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Lower Extremities]	2139	ASPIRIN [PAD, Lower Extremities]	2123	1.61 (95% CI: 1.09 – 2.36)
		Bleeding, Severe	21 mo (Median)	RIVAROXABAN_2_5_ASPIRIN [PAD, Lower Extremities]	2139	ASPIRIN [PAD, Lower Extremities]	2123	1.32 (95% CI: 0.71 – 2.42)
PEGASUS-TIMI 54	Bonaca MP (2016)	Bleeding, Major or Bleeding, Minor	3 yr	TICAGRELOR_60_ASPIRIN	363	ASPIRIN	399	1.36 (95% CI: 0.46 – 4.05)
				TICAGRELOR_90_ASPIRIN	368	ASPIRIN	399	1.57 (95% CI: 0.54 – 4.53)
		Bleeding, Severe/Major	3 yr	TICAGRELOR_60_ASPIRIN	363	ASPIRIN	399	1.18 (95% CI: 0.29 – 4.7)
				TICAGRELOR_90_ASPIRIN	368	ASPIRIN	399	1.46 (95% CI: 0.39 – 5.43)
PLATO	Patel MR (2014)	Bleeding, Life-Threatening, PLATO or Mortality, Bleeding, PLATO	NR	TICAGRELOR_90_ASPIRIN	566	CLOPIDOGREL_75_ASPIRIN	578	0.776 (95% CI: 0.482 – 1.248)
		Bleeding, Major OR Minor, PLATO	NR	TICAGRELOR_90_ASPIRIN	566	CLOPIDOGREL_75_ASPIRIN	578	0.986 (95% CI: 0.756 – 1.287)
		Bleeding, Major,	NR	TICAGRELOR_90_ASPIRIN	566	CLOPIDOGREL_75_A	578	0.807 (95% CI: 0.593 – 1.099)

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Comparator	Com N	Hazard Ratio (95% CI)
		PLATO Criteria				SPIRIN		
		Bleeding, Se-vere/Major	NR	TICAGRE-LOR_90_ASPIRIN	566	CLOPI-DOGREL_75_A SPIRIN	578	0.795 (95% CI: 0.54 – 1.17)
		Bleeding, TIMI	NR	TICAGRE-LOR_90_ASPIRIN	566	CLOPI-DOGREL_75_A SPIRIN	578	0.847 (95% CI: 0.62 – 1.157)
Fatal Bleeding								
EUCLID	Hiatt WR (2017)	Mortality, Bleeding	30 mo (Me-dian)	TICAGRELOR_90	6910	CLOPI-DOGREL_75	6932	0.53 (95% CI: 0.25 – 1.13)
EUCLID	Berger JS (2018)	Mortality, Bleeding	30 mo (Me-dian)	TICAGRELOR_90 [Coro-nary Artery Disease, His-tory of]	2019	CLOPI-DOGREL_75 [Coronary Artery Disease, History of]	2013	0.28 (95% CI: 0.03 – 2.48)
EUCLID	Jones WS (2017)	Mortality, Bleeding	30 mo (Me-dian)	TICAGRELOR_90	3911	CLOPI-DOGREL_75	3938	0.49 (95% CI: 0.17 – 1.4)
TRA2°P-TIMI 50	Bonaca MP (2013)	Mortality, Bleeding	36 mo (Me-dian)	VORAPAXAR	1892	PLACEBO	1895	1.02 (95% CI: 0.36 – 2.9)

* Data used in NMA; CI = confidence interval; Com = comparator; d = day; Int = Intervention; mo = month; NA = not applicable; NR = not reported; PAD = peripheral artery disease; PLATO = Platelet Inhibition and Patient Outcomes; TIMI = Thrombolysis in Myocardial Infarction; wk = week; yr = year

Table S10. All-Cause Mortality Binary Data

Acro-nym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
CASPAR	Belch JJ (2010)	Mortality	24 mo	CLOPI-DOGREL_75_ASPIRIN	425	24 (5.647%)*	ASPIRIN	426	17 (3.991%)*
				CLOPI-DOGREL_75_ASPIRIN [Bypass, Prosthetic, His-tory of]	128	6 (4.688%)	ASPIRIN [By-pass, Prosthetic, History of]	125	4 (3.2%)
				CLOPI-DOGREL_75_ASPIRIN [Bypass, Venous, History of]	297	18 (6.061%)	ASPIRIN [By-pass, Venous, History of]	301	13 (4.319%)
MIRROR	Tepe G (2012)	Mortality	6 mo	CLOPI-DOGREL_75_ASPIRIN	40	0 (0%)	ASPIRIN	40	1 (2.5%)
MIRROR	Strobl FF (2013)	Mortality	12 mo	CLOPI-DOGREL_75_ASPIRIN	36	0 (0%)	ASPIRIN	37	3 (8.108%)
NA	Money SR (1998)	Mortality	16 wk	CILOSTAZOL	119	1 (0.84%)	PLACEBO	120	1 (0.833%)
NA	Beebe HG (1999)	Mortality	24 wk	CILOSTAZOL_100	175	2 (1.1%)	PLACEBO	170	2 (1.2%)
				CILOSTAZOL_50	171	1 (0.6%)	PLACEBO	170	2 (1.2%)
NA	Dawson DL (2000)	Mortality	198 d	CILOSTAZOL	227	2 (0.8%)	PLACEBO	239	1 (0.4%)
NA	Strandness DE Jr (2002)	Mortality	6 mo	CILOSTAZOL_100	133	2 (1.504%)	PLACEBO	129	0 (0%)
				CILOSTAZOL_50	132	0 (0%)	PLACEBO	129	0 (0%)
CASTLE	Hiatt WR (2008)	Mortality	36 mo	CILOSTAZOL	717	49 (6.83%)*	PLACEBO	718	52 (7.24%)*
NA	Brass EP (2012)	Mortality	26 wk	CILOSTAZOL	89	1 (1.1%)	PLACEBO	87	0 (0%)
NA	Soga Y (2009)	Mortality	24 mo	CILOSTAZOL_ASPIRIN	39	1 (2.564%)	ASPIRIN	39	2 (5.128%)
STOP-IC	Iida O (2013)	Mortality	12 mo	CILOSTAZOL_ASPIRIN	93	7 (8%)	ASPIRIN	98	4 (4%)
STOP-IC	Soga Y (2018)	Mortality	3 yr	CILOSTAZOL_ASPIRIN	93	11 (11.828%)	ASPIRIN	98	12 (12.245%)
CAB-BAGE	Soga Y (2017)	Mortality	3 mo	CILOSTAZOL_ASPIRIN	25	0 (0%)	ASPIRIN	25	1 (4%)
NA	Arcan JC (1988)	Mortality	24 wk	TICLOPIDINE	83	1 (1.205%)	PLACEBO	86	1 (1.163%)
NA	Balsano F	Mortality	21 mo	TICLOPIDINE	76	1	PLACEBO	75	3 (4%)*

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
	(1989)					(1.316%)*			
STIMS	Janzon L (1990)	Mortality	5.6 yr (Median)	TICLOPIDINE	346	64 (18.5%)*	PLACEBO	341	89 (26.1%)*
EMATAP	Blanchard J (1994)	Mortality	6 mo	TICLOPIDINE	304	7 (2.303%)	PLACEBO	311	6 (1.929%)
NA	Becquemin JP (1997)	Mortality	24 mo	TICLOPIDINE	122	15 (12.3%)*	PLACEBO	121	13 (10.7%)*
ADEP	Balsano F (1993)	Mortality	18 mo	PICOTAMIDE	1150	20 (1.7%)*	PLACEBO	1154	22 (1.9%)*
ADEP	Milani M (1996)	Mortality	18 mo	PICOTAMIDE	230	3 (1.3%)	PLACEBO	208	6 (2.9%)
DAVID	Neri Serneri GG (2004)	Mortality	24 mo	PICOTAMIDE	603	17 (3%)*	ASPIRIN	606	31 (5.5%)*
NA	McCollum C (1991)	Mortality	35 mo (Mean)	DIPYRIDAMOLE_ASPIRIN	286	40 (13.986%)*	PLACEBO	263	46 (17.49%)*
NA	Bergqvis D (1994)	Mortality	30 d	DIPYRIDAMOLE_ASPIRIN	108	2 (1.852%)	PLACEBO	115	2 (1.739%)
EUCLID	Hiatt WR (2017)	Mortality	30 mo (Median)	TICAGRELOR_90	6930	628 (9.1%)	CLOPIDOGREL_75	6955	635 (9.1%)
EUCLID	Berger JS (2018)	Mortality	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	230 (11.4%)	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	208 (10.3%)
EUCLID	Jones WS (2017)	Mortality	30 mo (Median)	TICAGRELOR_90	3923	359 (9.2%)	CLOPIDOGREL_75	3952	364 (9.2%)
TRA2°P-TIMI 50	Bonaca MP (2013)	Mortality	36 mo (Median)	VORAPAXAR	1892	172 (8.9%)*	PLACEBO	1895	191 (9.9%)*
Trials with anticoagulants (given in combination with antiplatelet)									
Veterans Affairs (VA) Cooperative Study #362	Johnson WC (2002)	Mortality	36.6 mo (Average)	WARFARIN_ASPIRIN [Bypass, Prosthetic, History of]	187	54 (28.877%)	ASPIRIN [Bypass, Prosthetic, History of]	186	39 (20.968%)
			39.3 mo (Average)	WARFARIN_ASPIRIN [Bypass, Venous, History of]	231	79 (34.199%)	ASPIRIN [Bypass, Venous, History of]	227	56 (24.67%)
			NR	WARFARIN_ASPIRIN	418	133 (31.8%)	ASPIRIN	413	95 (23%)
NA	Monaco M (2012)	Mortality	30 d	CLOPIDOGREL_75_WARFARIN	173	2 (1.2%)	CLOPIDOGREL_75_ASPIRIN	168	1 (0.6%)
NA	Li H (2013)	Mortality	3 mo	CLOPIDOGREL_75_NADROPARIN_WARFARIN	33	0 (0%)	CLOPIDOGREL_75	30	1 (3%)
			3 mo – 6 mo	CLOPIDOGREL_75_NADROPARIN_WARFARIN	33	0 (0%)	CLOPIDOGREL_75	30	0 (0%)
			6 mo – 12 mo	CLOPIDOGREL_75_NADROPARIN_WARFARIN	33	0 (0%)	CLOPIDOGREL_75	30	0 (0%)
ePAD	Moll F (2018)	Mortality	6 mo	EDOXABAN_ASPIRIN	100	3 (3%)	CLOPIDOGREL_75_ASPIRIN	101	0 (0%)
Trials with PAD as post-hoc population									
PEGASUS-TIMI 54	Bonaca MP (2016)	Mortality	3 yr	TICAGRELOR_60_ASPIRIN	368	25 (8.2%)	ASPIRIN	404	51 (14%)
				TICAGRELOR_90_ASPIRIN	371	41 (11.7%)	ASPIRIN	404	51 (14%)
Observational studies									
REAL-FP1000 Registry	Soga Y (2012)	Mortality	1 yr	CILOSTAZOL_CLOPIDOGREL_75_ASPIRIN	204	14 (7.1%)	CLOPIDOGREL_75_ASPIRIN	151	12 (8.2%)
			2 yr	CILOSTAZOL_CLOPIDOGREL_75_ASPIRIN	118	16 (13.3%)	CLOPIDOGREL_75_ASPIRIN	88	11 (12.4%)

Acro-nym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
			3 yr	CILOSTA-ZOL_CLOPIDOGREL_75_ASPIRIN	68	14 (20.2%)	CLOPI-DOGREL_75_ASPIRIN	51	8 (15.9%)
			4 yr	CILOSTA-ZOL_CLOPIDOGREL_75_ASPIRIN	33	7 (21.4%)	CLOPI-DOGREL_75_ASPIRIN	28	5 (18.3%)
			5 yr	CILOSTA-ZOL_CLOPIDOGREL_75_ASPIRIN	17	4 (21.4%)	CLOPI-DOGREL_75_ASPIRIN	14	3 (18.3%)
NA	Armstrong EJ (2015)	Mortality	3 yr	Clopidogrel / Ticlopidine / Prasugrel_ASPIRIN	348	29 (8.333%)	ASPIRIN	281	42 (14.947%)

* Data used in NMA; Com = comparator; d = day; Int = Intervention; mo = month; NA = not applicable; NR = not reported; PAD = peripheral artery disease; wk = week; yr = year

Table S11. Bleeding Binary Data

Acro-nym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
COO-PER	Shigematsu H (2012)	Bleeding	12 wk	CLOPIDOGREL_75	215	19 (8.4%)	TICLOPIDINE	216	15 (7%)
		Bleeding, Clinically Significant	12 wk	CLOPIDOGREL_75	215	0 (0%)	TICLOPIDINE	216	1 (0.5%)
CASPAR	Belch JJ (2010)	Bleeding	24 mo	CLOPI-DOGREL_75_ASPIRIN	426	71 (16.7%)*	ASPIRIN	422	30 (7.1%)*
		Bleeding, Minor	24 mo	CLOPI-DOGREL_75_ASPIRIN	426	46 (10.8%)	ASPIRIN	422	21 (5%)
				CLOPI-DOGREL_75_ASPIRIN [Bypass, Prosthetic, History of]	128	11 (8.6%)	ASPIRIN [By-pass, Prosthetic, History of]	125	6 (4.8%)
				CLOPI-DOGREL_75_ASPIRIN [Bypass, Venous, History of]	297	36 (12.1%)	ASPIRIN [By-pass, Venous, History of]	301	16 (5.4%)
		Bleeding, Moderate	24 mo	CLOPI-DOGREL_75_ASPIRIN	426	16 (3.8%)	ASPIRIN	422	4 (0.9%)
				CLOPI-DOGREL_75_ASPIRIN [Bypass, Prosthetic, History of]	128	5 (3.9%)	ASPIRIN [By-pass, Prosthetic, History of]	125	2 (1.6%)
				CLOPI-DOGREL_75_ASPIRIN [Bypass, Venous, History of]	297	11 (3.7%)	ASPIRIN [By-pass, Venous, History of]	301	2 (0.7%)
		Bleeding, Se-vere/Major	24 mo	CLOPI-DOGREL_75_ASPIRIN	426	9 (2.1%)	ASPIRIN	422	5 (1.2%)
				CLOPI-DOGREL_75_ASPIRIN [Bypass, Prosthetic, History of]	128	1 (0.8%)	ASPIRIN [By-pass, Prosthetic, History of]	125	2 (1.6%)
				CLOPI-DOGREL_75_ASPIRIN [Bypass, Venous, History of]	297	8 (2.7%)	ASPIRIN [By-pass, Venous, History of]	301	3 (1%)
MIRROR	Tepe G (2012)	Bleeding	6 mo	CLOPI-DOGREL_75_ASPIRIN	40	1 (2.5%)	ASPIRIN	40	2 (5%)
CASTLE	Hiatt WR (2008)	Bleeding, Se-vere/Major	3.5 yr	CILOSTAZOL	717	18 (2.5%)	PLACEBO	718	22 (3.1%)
NA	Soga Y (2009)	Bleeding, Se-vere/Major	24 mo	CILOSTAZOL_ASPIRIN	39	0 (0%)	ASPIRIN	39	0 (0%)
NA	Castelli P (1986)	Bleeding	180 d	TICLOPIDINE	23	0 (0%)	PLACEBO	23	0 (0%)

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
STIMS	Janzon L (1990)	Bleeding	5.6 yr (Median)	TICLOPIDINE	346	16 (4.624%)	PLACEBO	341	9 (2.639%)
DAVID	Neri Serneri GG (2004)	Bleeding	24 mo	PICOTAMIDE	603	8 (1.3%)*	ASPIRIN	606	12 (2%)*
EUCLID	Hiatt WR (2017)	Bleeding, Minor	30 mo (Median)	TICAGRELOR_90	6910	84 (1.2%)	CLOPIDOGREL_75	6932	67 (1%)
EUCLID	Hiatt WR (2017)	Bleeding	2.5 yr (Average)	TICAGRELOR_90	6910	193 (2.793%)	CLOPIDOGREL_75	6932	175 (2.525%)
		Bleeding, Major, TIMI	2.5 yr (Average)	TICAGRELOR_90	6910	113 (1.635%)	CLOPIDOGREL_75	6932	109 (1.572%)
		Bleeding, Major, PLATO	2.5 yr (Average)	TICAGRELOR_90	6910	206 (2.981%)	CLOPIDOGREL_75	6932	188 (2.712%)
EUCLID	Berger JS (2018)	Bleeding, Minor	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	30 (1.5%)	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	22 (1.1%)
		Bleeding, Severe/Major	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	35 (1.7%)	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	36 (1.8%)
EUCLID	Jones WS (2017)	Bleeding, Minor	30 mo (Median)	TICAGRELOR_90	3923	62 (1.6%)	CLOPIDOGREL_75	3952	51 (1.3%)
		Bleeding, Severe/Major	30 mo (Median)	TICAGRELOR_90	3911	74 (1.9%)	CLOPIDOGREL_75	3938	69 (1.8%)
EUCLID	Berger J (2017)	Bleeding, Severe/Major	NR	TICAGRELOR_90	2019	34 (1.7%)	CLOPIDOGREL_75	2013	36 (1.8%)
TRA2°P-TIMI 50	Bonaca MP (2013)	Bleeding, Moderate to Severe	36 mo (Median)	VORAPAXAR	1892	115 (7.4%)	PLACEBO	1895	73 (4.5%)
		Bleeding, Severe/Major	36 mo (Median)	VORAPAXAR	1892	36 (2.4%)	PLACEBO	1895	26 (1.6%)
TRA2°P-TIMI 50	Qamar A (2018)	Bleeding, Severe/Major	2.5 yr (Median)	VORAPAXAR	NA	0.078	PLACEBO	NA	0.058
Trials with anticoagulants (given in combination with antiplatelet)									
Veterans Affairs (VA) Cooperative Study #362	Johnson WC (2002)	Bleeding, Minor, Haemorrhage	38 mo (Mean) [Total: 0 mo – 72 mo]	WARFARIN_ASPIRIN	418	199 (47.608%)	ASPIRIN	413	112 (27.119%)
		Bleeding, Requiring Treatment	36.6 mo (Average)	WARFARIN_ASPIRIN [Bypass, Prosthetic, History of]	187	24 (12.834%)	ASPIRIN [Bypass, Prosthetic, History of]	186	8 (4.301%)
			39.3 mo (Average)	WARFARIN_ASPIRIN [Bypass, Venous, History of]	231	38 (16.45%)	ASPIRIN [Bypass, Venous, History of]	227	21 (9.251%)
		Bleeding, Severe/Major	36.6 mo (Average)	WARFARIN_ASPIRIN [Bypass, Prosthetic, History of]	187	8 (4.278%)	ASPIRIN [Bypass, Prosthetic, History of]	186	3 (1.613%)
			39.3 mo (Average)	WARFARIN_ASPIRIN [Bypass, Venous, History of]	231	27 (11.688%)	ASPIRIN [Bypass, Venous, History of]	227	12 (5.286%)
			38 mo (Mean) [Total: 0 mo – 72 mo]	WARFARIN_ASPIRIN	418	35 (8.373%)	ASPIRIN	413	15 (3.632%)
NA	Monaco M (2012)	Bleeding	6.39 yr (Mean, SD ± 1.6)	CLOPIDOGREL_75_WARFARIN	161	39 (24.224%)	CLOPIDOGREL_75_ASPIRIN	157	24 (15.287%)
			30 d	CLOPIDOGREL_75_WARFARIN	173	10 (5.8%)	CLOPIDOGREL_75_ASPIRIN	168	11 (6.5%)

Acro-nym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
		Bleeding, Minor	6.39 yr (Mean, SD ± 1.6)	CLOPI-DOGREL_75_WARFARIN	161	15 (9.317%)	CLOPI-DOGREL_75_ASPIRIN	157	13 (8.28%)
NA	Li H (2013)	Bleeding	12 mo	CLOPI-DOGREL_75_NADROPARIN_WARFARIN	29	6 (21%)	CLOPI-DOGREL_75	27	2 (7%)
		Bleeding, Minor	12 mo	CLOPI-DOGREL_75_NADROPARIN_WARFARIN	29	5 (17.2%)	CLOPI-DOGREL_75	27	2 (7.4%)
		Bleeding, Se-vere/Major	12 mo	CLOPI-DOGREL_75_NADROPARIN_WARFARIN	29	1 (3.5%)	CLOPI-DOGREL_75	27	0 (0%)
NA	Koppensteiner R (2006)	Bleeding, Se-vere/Major	12 mo	DALTEPARIN_ASPIRIN	137	0 (0%)	ASPIRIN	138	0 (0%)
ePAD	Moll F (2018)	Bleeding, TIMI	6 mo	EDOXABAN_ASPIRIN	100	5 (5%)	CLOPI-DOGREL_75_ASPIRIN	101	9 (8.9%)
		Bleeding, ISTH	6 mo	EDOXABAN_ASPIRIN	100	30 (30%)	CLOPI-DOGREL_75_ASPIRIN	101	28 (27.7%)
		Bleeding, Major, ISTH	6 mo	EDOXABAN_ASPIRIN	100	1 (1%)	CLOPI-DOGREL_75_ASPIRIN	101	5 (5%)
		Bleeding, Major, TIMI	6 mo	EDOXABAN_ASPIRIN	100	0 (0%)	CLOPI-DOGREL_75_ASPIRIN	101	2 (2%)
		Bleeding, Major or Clinically Significant Non-major, ISTH	6 mo	EDOXABAN_ASPIRIN	100	11 (11%)	CLOPI-DOGREL_75_ASPIRIN	101	8 (7.9%)
COM-PASS	Anand SS (2017)	Bleeding, Major	21 mo (Me-dian)	RIVAROXA-BAN_2_5_ASPIRIN [PAD, Symptomatic, Lower Ex-tremities]	1409	46 (3.3%)	ASPIRIN [PAD, Symptomatic, Lower Extremi-ties]	1359	26 (1.9%)
				RIVAROXA-BAN_2_5_ASPIRIN [PAD, Symptomatic]	2026	60 (3%)	ASPIRIN [PAD, Symptomatic]	2039	39 (1.9%)
COM-PASS	Anand SS (2018)	Bleeding, Major	21 mo (Me-dian)	RIVAROXA-BAN_2_5_ASPIRIN [PAD, Lower Extremities]	2139	68 (3.2%)	ASPIRIN [PAD, Lower Extremi-ties]	2123	42 (2%)
		Bleeding, Severe	21 mo (Me-dian)	RIVAROXA-BAN_2_5_ASPIRIN [PAD, Lower Extremities]	2139	24 (1.1%)	ASPIRIN [PAD, Lower Extremi-ties]	2123	18 (0.8%)
Trials with PAD as post-hoc population									
PEGA-SUS-TIMI 54	Bonaca MP (2016)	Bleeding, Major or Bleeding, Minor	3 yr	TICAGRE-LOR_60_ASPIRIN	363	7 (3.2%)	ASPIRIN	399	6 (2.2%)
				TICAGRE-LOR_90_ASPIRIN	368	8 (3.1%)	ASPIRIN	399	6 (2.2%)
		Bleeding, Se-vere/Major	3 yr	TICAGRE-LOR_60_ASPIRIN	363	4 (1.6%)	ASPIRIN	399	4 (1.6%)
				TICAGRE-LOR_90_ASPIRIN	368	5 (1.8%)	ASPIRIN	399	4 (1.6%)
Observational studies									
NA	Fiotti N (2003)	Bleeding, Minor	13 yr (Me-dian)	TICLOPIDINE	92	6 (6%)	ASPIRIN	131	2 (1.5%)

* Data used in NMA; Com = comparator; d = day; Int = Intervention; ISTH = International Society on Thrombosis and Hemostasis; mo = month; NA = not applicable; NR = not reported; PAD = peripheral artery disease; PLATO = Platelet Inhibition and Patient Outcomes; TIMI = Thrombolysis in Myocardial Infarction; wk = week; yr = year

Table S12. Fatal Bleeding Binary Data

Acronym	First Author (Year)	Outcome	Timepoint	Intervention	Int N	Int n (%)	Comparator	Com N	Com n (%)
CASPAR	Belch JJ (2010)	Mortality, Bleeding	24 mo	CLOPIDOGREL_75_ASPIRIN	426	2 (0.5%)	ASPIRIN	422	1 (0.2%)
EUCLID	Hiatt WR (2017)	Mortality, Bleeding	30 mo (Median)	TICAGRELOR_90	6910	10 (0.1%)	CLOPIDOGREL_75	6932	20 (0.3%)
EUCLID	Berger JS (2018)	Mortality, Bleeding	30 mo (Median)	TICAGRELOR_90 [Coronary Artery Disease, History of]	2019	1 (0%)	CLOPIDOGREL_75 [Coronary Artery Disease, History of]	2013	4 (0.2%)
EUCLID	Jones WS (2017)	Mortality, Bleeding	30 mo (Median)	TICAGRELOR_90	3911	5 (0.1%)	CLOPIDOGREL_75	3938	11 (0.3%)
TRA2°P-TIMI 50	Bonaca MP (2013)	Mortality, Bleeding	36 mo (Median)	VORAPAXAR	1892	7 (0.5%)	PLACEBO	1895	7 (0.4%)
Trials with anticoagulants (given in combination with antiplatelet)									
Veterans Affairs (VA) Cooperative Study #362	Johnson WC (2002)	Mortality, Bleeding	38 mo (Mean) [Total: 0 mo – 72 mo]	WARFARIN_ASPIRIN	418	6 (1.435%)	NR	NR	NR

CI = confidence interval; Com = comparator; Int = Intervention; mo = month; NA = not applicable; NR = not reported

Table S13. Definition for Bleeding Outcomes

Acronym	First Author (Year)	Intervention	Comparator	Outcome	Outcome Definition
COOPER	Shigematsu H (2012)	Clopidogrel 75	Ticlopidine	Bleeding	NR
				Bleeding, Clinically Significant	Clinically significant bleeding refers to non-traumatic haemorrhage that results in death, or requires inpatient hospitalisation or prolongation of existing hospitalisation.
CASPAR	Belch JJ (2010)	Clopidogrel 75 + Aspirin	Aspirin	Bleeding	Classified using GUSTO criteria
				Bleeding, Minor	GUSTO classification definition (mild: no transfusion).
				Bleeding, Moderate	GUSTO classification definition (moderate: transfusion but no haemodynamic compromise).
				Bleeding, Severe/Major	GUSTO classification definition (severe: intracranial haemorrhage, haemodynamic compromise).
MIRROR	Tepe G (2012)	Clopidogrel 75 + Aspirin	Aspirin	Bleeding	NR
CASTLE	Hiatt WR (2008)	Cilostazol	Placebo	Bleeding, Severe/Major	Serious adverse bleeding events were defined as haemorrhages that were fatal, life-threatening, required or prolonged hospitalisation, caused significant disability, or were medically significant in the judgment of the site investigator. || Serious bleeding adverse events were recorded only during treatment and <=14 days of discontinuation of study drug; however, the timing of the serious bleeding event relative to the administration of the concomitant medication of aspirin, clopidogrel, or anticoagulants was not recorded.
NA	Soga Y (2009)	Cilostazol + Aspirin	Aspirin	Bleeding, Severe/Major	Major bleeding was defined as a need for transfusion, surgical intervention, or hypotension requiring inotropic support.
NA	Castelli P (1986)	Ticlopidine	Placebo	Bleeding	NR
STIMS	Janzon L (1990)	Ticlopidine	Placebo	Bleeding	NR
DAVID	Neri Serneri GG (2004)	Picotamide	Aspirin	Bleeding	NR
EUCLID	Hiatt WR (2017) Jones WS (2017) Berger J (2017) Berger JS	Ticagrelor 90	Clopidogrel 75	Bleeding, Minor	Classified using TIMI criteria

Acronym	First Author (Year)	Intervention	Comparator	Outcome	Outcome Definition
	(2018)				
				Bleeding, Severe/Major	Classified using TIMI criteria
				Bleeding	Classified using TIMI criteria
				Bleeding, Major, PLATO	Classified using PLATO criteria
TRA2°P-TIMI 50	Bonaca MP (2013)	Vorapaxar	Placebo	Bleeding, Moderate to Severe	Classified using GUSTO criteria
				Bleeding, Severe/Major	Classified using GUSTO criteria
TRA2°P-TIMI 50	Qamar A (2018)	Vorapaxar	Placebo	Bleeding, Severe/Major	Classified using ISTH criteria
Veterans Affairs (VA) Cooperative Study #362	Johnson WC (2002)	Warfarin + Aspirin	Aspirin	Bleeding, Minor, Haemorrhage	Minor events include epistaxis, easy bruising, and prolonged bleeding.
				Bleeding, Requiring Treatment	NR
				Bleeding, Severe/Major	NR
Veterans Affairs (VA) Cooperative Study #362	Johnson WC (2004)	Warfarin + Aspirin	Aspirin	Bleeding, Severe/Major	A major bleeding event was defined as an intracranial haemorrhage, bleeding that required an operation, if a blood transfusion was administered other than in the perioperative period, or other bleeding events that caused hospitalisation or impairment of bodily function.
NA	Monaco M (2012)	Warfarin + Clopidogrel 75	Clopidogrel 75 + Aspirin	Bleeding	NR
				Bleeding, Minor	All other bleeding, not requiring hospitalisation and/or transfusion, was classified as minor.
NA	Li H (2013)	Warfarin + Nadroparin + Clopidogrel 75	Clopidogrel 75	Bleeding	NR
				Bleeding, Minor	NR
				Bleeding, Severe/Major	Major bleeding was defined as fatal or intracranial bleeding, access site bleeding requiring intervention, >5 cm diameter haematoma, haemoglobin reduction of >4 g/dL, or blood product transfusion.
NA	Koppensteiner R (2006)	Dalteparin + Aspirin	Aspirin	Bleeding, Severe/Major	NR
ePAD	Moll F (2018)	Edoxaban + Aspirin	Clopidogrel 75 + Aspirin	Bleeding, TIMI	Classified using TIMI criteria
				Bleeding, Major, TIMI	Classified using TIMI criteria
				Bleeding, ISTH	Classified using ISTH criteria
				Bleeding, Major, ISTH	Classified using ISTH criteria
				Bleeding, Major or Clinically Significant Non-major, ISTH	Major and clinically relevant nonmajor bleeding. Classified using ISTH criteria and includes major and clinically relevant nonmajor bleeding.
COMPASS	Anand SS (2017)	Rivaroxaban 2.5 + Aspirin	Aspirin	Bleeding, Severe/Major	Composite of four components of prespecified major bleeding events (Fatal bleeding; Non-fatal symptomatic intracranial haemorrhage; Non-fatal, non-intracranial haemorrhage symptomatic bleeding into a critical organ; and Other major bleeding (surgical site bleeding requiring re-operation or bleeding leading to hospitalisation)). Defined using a modification of the ISTH criteria for major bleeding, specifically the composite of bleeding that was fatal, symptomatic bleeding into a critical organ, surgical site requiring reoperation, or requiring hospitalisation (including presentation to an acute care facility without an overnight stay).
COMPASS	Anand SS (2018)	Rivaroxaban 2.5 + Aspirin	Aspirin	Bleeding, Major	NR

Acronym	First Author (Year)	Intervention	Comparator	Outcome	Outcome Definition
				Bleeding, Severe	Bleeding leading to death or symptomatic bleeding into a critical organ or surgical site bleeding requiring re-operation.
PEGASUS-TIMI 54	Bonaca MP (2016)	Ticagrelor 60 or 90 + Aspirin	Aspirin	Bleeding, Major or Bleeding, Minor	Based on TIMI criteria
				Bleeding, Severe/Major	Based on TIMI criteria
PLATO	Patel MR (2014)	Ticagrelor 90 + Aspirin	Clopidogrel 75 + Aspirin	Bleeding, Life-Threatening, PLATO or Mortality, Bleeding, PLATO	Classified using PLATO criteria
				Bleeding, Major OR Minor, PLATO	Classified using PLATO criteria
				Bleeding, Major, PLATO Criteria	Classified using PLATO criteria
				Bleeding, TIMI	Classified using TIMI criteria
				Bleeding, Severe/Major	Classified using TIMI criteria
NA	Fiotti N (2003)	Ticlopidine	Aspirin	Bleeding, Minor	NR

GUSTO = Global Utilisation of Streptokinase and Tissue plasminogen activator for Occluded coronary arteries; ISTH = International Society on Thrombosis and Hemostasis; NA = not applicable; NR = not reported; PLATO = Platelet Inhibition and Patient Outcomes; TIMI = Thrombolysis in Myocardial Infarction

Figure S1. Quality Assessment Results Distribution




Figure S2. Network Meta-Analysis for Major Adverse Cardiac Events using binary data. Hollow circles represent risk ratios; the 95% confidence intervals are denoted by lines. Meta-analysis is performed by fixed effects model.





Figure S3. Network Meta-Analysis for limb amputation, limb ischaemia, and peripheral revascularisation using reported risk ratio. Network diagrams and league tables of the network meta-analysis for limb amputation (a), limb ischaemia (b), and peripheral revascularisation (c). The numbers by the vertices of the network diagram indicate how many trials reported the comparison between the connected nodes. Explanation of the graph as in Figure S3.


a. Limb Amputation



PICOTAMIDE	1.00 (0.28, 3.84)	1.17 (0.27, 4.81)	1.36 (0.35, 5.42)	5.23 (0.76, 54.18)	0.79 (0.19, 3.09)
1.00 (0.26, 3.60)	PLACEBO	1.15 (0.18, 7.75)	1.36 (0.86, 2.13)	5.18 (1.25, 35.13)	0.78 (0.12, 4.91)
0.86 (0.21, 3.73)	0.87 (0.13, 5.65)	CLOPIDOGREL_75_ ASPIRIN	1.20 (0.16, 8.04)	4.62 (0.39, 71.95)	0.68 (0.42, 1.04)
0.73 (0.18, 2.86)	0.74 (0.47, 1.16)	0.83 (0.12, 6.23)	VORAPAXAR	3.85 (0.85, 27.30)	0.57 (0.09, 3.96)
0.19 (0.02, 1.32)	0.19 (0.03, 0.80)	0.22 (0.01, 2.55)	0.26 (0.04, 1.18)	TICLOPIDINE	0.14 (0.01, 1.63)
1.26 (0.32, 5.31)	1.28 (0.20, 8.11)	1.48 (0.96, 2.36)	1.75 (0.25, 11.61)	6.90 (0.61, 100.77)	ASPIRIN

Risk Ratio are reported for each intervention (row) and comparator (column) combination. Green - statistically significant results in favor of main intervention; Red - Statistically significant results in favor of comparator


b. Limb Ischaemia



TICLOPIDINE	1.52 (0.73, 3.06)	0.89 (0.47, 1.68)
0.66 (0.33, 1.36)	VORAPAXAR	0.59 (0.43, 0.80)
1.13 (0.60, 2.14)	1.70 (1.25, 2.33)	PLACEBO

Risk Ratio are reported for each intervention (row) and comparator (column) combination. Green - statistically significant results in favor of main intervention; Red - Statistically significant results in favor of comparator

c. Peripheral revascularisation




VORAPAXAR	1.49 (0.58, 4.38)	0.89 (0.80, 0.99)
0.67 (0.23, 1.72)	TICLOPIDINE	0.60 (0.20, 1.55)
1.12 (1.01, 1.25)	1.68 (0.65, 4.92)	PLACEBO

Risk Ratio are reported for each intervention (row) and comparator (column) combination. Green - statistically significant results in favor of main intervention; Red - Statistically significant results in favor of comparator

Figure S4. Network Meta-Analysis for All-Cause Mortality. Network diagrams and league tables of the network meta-analysis for all-cause mortality using reported hazard ratios (a) and binary data (b). Explanation of the graph as in Figure S3.


a. All-Cause Mortality (hazard ratio analysis)



CILOSTAZOL	1.05 (0.68, 1.61)	0.94 (0.65, 1.38)
0.96 (0.62, 1.47)	VORAPAXAR	0.90 (0.74, 1.10)
1.06 (0.73, 1.55)	1.11 (0.91, 1.36)	PLACEBO

Hazard Ratio are reported for each intervention (row) and comparator (column) combination. Green - statistically significant results in favor of main intervention; Red - Statistically significant results in favor of comparator

b. All-Cause Mortality (binary data analysis)




CLOPIDOGREL_75_ASPIRIN	2.54 (1.10, 5.89)	2.57 (0.90, 7.70)	2.69 (0.88, 8.15)	2.88 (1.00, 8.65)	3.16 (1.02, 10.09)	3.54 (1.22, 10.67)	1.35 (0.73, 2.53)
0.39 (0.17, 0.91)	PICOTAMIDE	1.02 (0.52, 1.92)	1.05 (0.50, 2.19)	1.14 (0.56, 2.21)	1.25 (0.59, 2.63)	1.40 (0.68, 2.79)	0.53 (0.30, 0.94)
0.39 (0.13, 1.11)	0.98 (0.52, 1.92)	PLACEBO	1.04 (0.71, 1.49)	1.11 (0.92, 1.36)	1.22 (0.84, 1.81)	1.37 (1.06, 1.77)	0.52 (0.21, 1.25)
0.37 (0.12, 1.14)	0.96 (0.46, 2.00)	0.97 (0.67, 1.40)	CILOSTAZOL	1.08 (0.70, 1.64)	1.19 (0.70, 2.01)	1.32 (0.84, 2.12)	0.50 (0.20, 1.28)
0.35 (0.12, 1.00)	0.88 (0.45, 1.78)	0.90 (0.74, 1.09)	0.93 (0.61, 1.42)	VORAPAXAR	1.10 (0.72, 1.69)	1.23 (0.89, 1.70)	0.47 (0.19, 1.15)
0.32 (0.10, 0.98)	0.80 (0.38, 1.71)	0.82 (0.55, 1.19)	0.84 (0.50, 1.42)	0.91 (0.59, 1.39)	DIPYRIDAMOLE_ASPIRIN	1.12 (0.71, 1.78)	0.43 (0.16, 1.12)
0.28 (0.09, 0.82)	0.72 (0.36, 1.46)	0.73 (0.56, 0.95)	0.76 (0.47, 1.19)	0.81 (0.59, 1.12)	0.89 (0.56, 1.42)	TICLOPIDINE	0.38 (0.15, 0.93)
0.74 (0.40, 1.37)	1.88 (1.06, 3.38)	1.91 (0.80, 4.68)	1.99 (0.78, 5.12)	2.14 (0.87, 5.35)	2.35 (0.89, 6.21)	2.60 (1.07, 6.59)	ASPIRIN

Risk Ratio are reported for each intervention (row) and comparator (column) combination. Green - statistically significant results in favor of main intervention; Red - Statistically significant results in favor of comparator

Figure S5. Network Meta-Analysis for Overall Bleeding. Network diagrams and league tables of the network meta-analysis for overall bleeding using reported hazard ratios (a) and binary data (b). Explanation of the graph as in Figure S3.


a. Overall bleeding (hazard ratio analysis)



TICAGRELOR_90	1.49 (0.75, 3.05)	1.17 (0.96, 1.44)
0.67 (0.33, 1.33)	TICLOPIDINE	0.78 (0.39, 1.52)
0.85 (0.69, 1.05)	1.29 (0.66, 2.55)	CLOPIDOGREL_75

Hazard Ratio are reported for each intervention (row) and comparator (column) combination. Green - statistically significant results in favor of main intervention; Red - Statistically significant results in favor of comparator

b. Overall bleeding (binary data analysis)



CLOPIDOGREL_75_ASPIRIN	3.78 (1.47, 10.58)	2.29 (1.58, 3.44)
0.26 (0.09, 0.68)	PICOTAMIDE	0.61 (0.24, 1.43)
0.44 (0.29, 0.63)	1.63 (0.70, 4.12)	ASPIRIN

Risk Ratio are reported for each intervention (row) and comparator (column) combination. Green - statistically significant results in favor of main intervention; Red - Statistically significant results in favor of comparator

Figure S6. Risk ratio estimates of limb amputation and all-cause mortality of antiplatelet therapies compared to aspirin. Plot risk ratio estimates of antiplatelet therapies compared to aspirin, according to limb amputation (y-axis) and all-cause mortality (x-axis). The top right corner denotes therapies with the least favourable benefit-harm profile.

