Table 2. HIV and STI Estimates Among Criminal Justice-Involved BMSM and BTW

Reference	Title	Pub. Year[1]	Study Design[2]	Location[2]	Time Period	Demographics[3] and Sample Size	CJI Status[3]	HIV Estimates[3]	STI Estimates[3]	Score
Anderson-Carpenter et al.	Associations between Methamphetamine Use, Housing Status, and Incarceration Rates among Men Who Have Sex with Men and Transgender Women	2017	CS	CA	2010-2014	SGM: MSM, 84.1% (n = 6,243), MTF TG, 15.9% (n = 1,176); Age: 18.5% (1,153/6,243) ≤ 25, 81.5% (5,079/7,405) >25; Race: 12.2% (760/6,243) Black among MSM; 21.0% (246/1,176) Black among TW	Recent incarceration history (past 12 months, jail or prison)	**Recent incarceration (past 12 months) among PLWHA:** 21% among HIV+ BMSM vs. 14% among HIV- BMSM; **Probability of incarceration (past 12 months) by sociodemographic profile**: HIV- non-white TW: <26, 44.75%, >25, 35.2%; HIV+ non-white TW <26, 48.2%, >25, 38.5%; HIV- non-white male: <26, 14.4%, >25, 16.8%; HIV+ non-white male: <26, 22.1%, >25, 25.4%.	N./A	8
Arnold et al.	Identifying social and economic barriers to regular care and treatment for Black men who have sex with men and women (BMSMW) and who are living with HIV: a qualitative study from the Bruthas cohort	2017	CS (RCT baseline data)	CA	2011-2015	SGM: 100% BMSMW%; Mean age: 50; Sample size: 25 (100% PLWHA)	Lifetime incarceration history	**Lifetime incarceration among PLWHA**: 84% (subsample of 25).	N/A	6
Beckwith et al., *CARE+ Corrections and STT Jail data used due to high % of BTW in STT Jail and CARE+ Corrections study, despite lacking results specifically for this group.*	Risk behaviors and HIV care continuum outcomes among criminal justice-involved HIV-infected transgender women and cisgender men: Data from the Seek, Test, Treat, and Retain Harmonization Initiative	2018	CS (baseline data from three studies)	CA; D.C.; IL	2012-16 (LINK LA); 2013-15 (CARE+ Corrections); 2013-16 (STT jail)	SGM: 38% (20/52) BTW (LINK LA), 85% (17/20) BTW, (CARE+ Corrections), 94% (15/16) BTW; Mean age: 35 (SD = 10); Sample size: 52, 20, and 16 transgender women in Link LA, CARE+ Corrections, and STT Jail, respectively (100% PLWHA)	Incarceration history (leaving jail/correctional facilities or recently released); *100% CJI*	No significant difference between TW and cisgender men in ART adherence, viral suppression, or CD4 counts of ≤ 200 across the studies.	N/A	4
Bland et al.	Sentencing risk: history of incarceration and HIV/STD transmission risk behaviours among Black men who have sex with men in Massachusetts	2012	CS	MA	2008	SGM: 100% BMSM; Mean age: 40.0 years (incarceration duration <90 days); 43.3 years (incarceration duration >90 days); Sample size: 197	Lifetime incarceration history (jail or prison); Duration of last incarceration (< or ≥ 90 days)	N/A	**Incarceration duration and lifetime STI history** (compared to those with no CJI)**:** <90 days (n = 55): 38.2% STI prevalence, AOR = 2.90 [1.24, 6.82], p = 0.01; ≥ 90 days (n = 46): 43.5% STI prevalence, AOR = 3.27, [1.31, 8.18], p = 0.01.	9
Brewer et al.	Exploring the relationship between incarceration and HIV among Black men who have sex with men in the United States	2014	LS	MA; GA; CA; NY; D.C.	2009-2011	SGM: BMSM, 98.0%, BTW, 2.0% ; Age: 32.7% (418/1,278) 18-29 years; 67.3% (860/1,278) ≥ 30 years; Sample size: 1,278	Lifetime incarceration history and frequency (as of enrollment; jail or prison); Incident incarceration during 12 months of study follow-up	**Incarceration incidence and HIV incidence association:** No significant association between incident incarceration and HIV acquisition during 6 month follow-up period after controlling for demographics/URAI (aHR 1.69, 95% CI = 0.64–4.44).	N/A	9
Bukowski et al.	Characterizing the HIV Care Continuum and Identifying Barriers and Facilitators to HIV Diagnosis and Viral Suppression among Black Transgender Women in the United States	2018	CS	PA; TX; D.C.; MI; GA; TN	2014-2017	SGM: 100% BTW; Mean age: 30.7 (SD = 10.8); Sample size: 422	Recent incarceration history (past 2 years, jail or prison)	**Recent incarceration (past 2 years) and HIV status among BTW:** 31.5% incarcerated (HIV-, n = 232) vs. 42.3% incarcerated (undiagnosed HIV+ status, n = 111), AOR = 1.92 [1.15, 3.22], remained significant after adjusting for acess to care, 39.7% incarcerated (diagnosed HIV+, n = 70); **Viral suppression and incarceration (past 2 years):** 28.9% incarcerated (suppressed, n = 45) vs. 59.1% incarcerated (unsuppressed, n = 22), AOR = 0.15 [0.03, 0.71].	N/A	5
Chen et al.	Syphilis control among incarcerated men who have sex with men: public health response to an outbreak	2002	CS	CA	2000	SGM: MSM, 92%, TG, 8%; Age: 23% 18-25, 40% 26-35, 30% 36-45, 7% ≥ 46; Race: 35% (150/430) Black; Sample size: 430	Detainees (jail)	N/A	**STI prevalence among Black detainees in MSM unit:** 30% (45/150). STI data was based on syphilis and HIV screening from March-August 2000, with the addition of chlamydia and gonorrhea screening from April-August 2000.	5
Chen et al.	Sexually transmitted diseases surveillance among incarcerated men who have sex with men--An opportunity for HIV prevention	2003	CS	CA	2000-2002	SGM: 100% MSM (MSM unit, no information on gender identity); Age: 17.5% 18-24, 38.7% 25-34, 35.4% 35-44, 7.4% 45-54, 1.0% 55+; Race: 36.8% (767/2,087) Black; Sample size: 2,087	Detainees (jail)	**HIV prevalence among Black detainees in MSM unit:** 11.9% (91/767).	**STI prevalence among Black detainees in MSM unit:** 0.1% (1/767) for early syphilis, 2.9% (22/767) for chlamydia, and 1.6% (12/767) for gonorrhea.	5
Fields et al.	Association of discrimination-related trauma with sexual risk among HIV-positive African American men who have sex with men	2013	CS	CA	2007-2009	SGM: 87.8% BMSM, 12.2% BTW; Mean age: 42.4 (SD = 8.7); Sample size: 131 (100% PLWHA)	Lifetime incarceration history	**Lifetime incarceration among PLWHA**: 28% (37/131).	N/A	5
Gore et al.	Human Immunodeficiency Virus Partner Notification Services Among a Representative Sample of Young Black Men Who Have Sex With Men Demonstrates Limited Service Offering and Potential Benefits of Clinic Involvement	2018	CS (LS baseline data)	IL	2013-2015	SGM: 100% YBMSM; Age: 54.7% <25, 45.3% ≥ 25 (range 16-29); Sample size: 618	Lifetime incarceration history (jail)	**Lifetime incarceration among recently diagnosed PLWHA:** 53.51% (99/185).	N/A	6
Nelson et al.	Efficacy of a Small-Group Intervention for Post-Incarcerated Black Men Who Have Sex with Men and Women (MSMW)	2018	CS (RCT baseline data)	CA	2011-2012	SGM: 100% BMSM; Age: 18% <30, 23% 30-39,37% 40-49, 22% >50; Sample size: 212	Recent incarceration history (past 12 months); *100% CJI*	**HIV prevalence among post-incarcerated BMSM:** 30.7% (self-reported), 60% negative, 9% unknown.	N/A	6
Javanbakht et al.	Sexually transmitted infections and HIV prevalence among incarcerated men who have sex with men, 2000-2005	2009	CS	CA	2000-2005	SGM: (MSM Unit): MSM, 85-92%, TG, 8-15%; Mean age: 35 years; Race: 37% (2,621/7,004) Black; Sample size: 7,004	Detainees (jail)	**HIV prevalence among Black detainees. comparative OR:** 16.3% (258/1,584), OR for testing HIV+ = 1.7 [1.4-2.1] relative to White detainees).	**STI prevalence among detainees and comparative ORs:** 3.4% (54/1,575) of tests for chlamydia from Black detainees in the MSM unit were + (OR = 1.3 [0.8-1.9] relative to tests from White detainees). 1.7% (27/1,560) of tests for gonorrhea from Black detainees were + (OR = 1.0 [0.6-1.8] relative to tests from White detainees). 1.6% (35/2,256) of tests for syphilis from Black detainees were + (OR = 1.5 [0.9-2.6] relative to tests from White detainees).	6
Koblin et al.	Informing the Development of a Mobile Phone HIV Testing Intervention: Intentions to Use Specific HIV Testing Approaches Among Young Black Transgender Women and Men Who Have Sex With Men	2017	CS	Web-based	2014-2015	SGM: YBMSM, 91.7% (n = 155), YBTW 8.3% (n = 14); Mean age: 24.1 (SD = 3.0); Sample size: 169	Lifetime incarceration history (jail, prison, or detention facility)	Intention to test at a clinic or other provider was negatively associated with a lifetime history of incarceration: AOR = 0.37 [0.16, 0.89], p = .008.	N/A	6

Li et al.	Racial pride and condom use in post-incarcerated African-American men who have sex with men and women: Test of a conceptual model for the men in life environments intervention	2018	RCT, Modeling (baseline data alone from RCT used to test model included here)	CA	2011-2012	SGM: 100% BMSM; Mean age: 40.5 years (SD = 10.6); Sample size: 212	Recent incarceration history (past 12 months); *100% CJI*	**HIV prevalence among post-incarcerated BMSM:** 30.7% (self-reported), 69% negative or unknown.	N/A	9
Magnus et al.	Elevated HIV prevalence despite lower rates of sexual risk behaviors among black men in the District of Columbia who have sex with men	2010	Cross-sectional; Secondary analysis of NHBS-MSM2 data	D.C.	2008	SGM: 100% MSM; Age: Among Black participants (n = 178), 36.0% (64/178) 18-24, 36.0% (64/178) 25-34, 19.1% (34/178) 35-44, 9.0% (16/178) 45+; Race: 35.6% (178/500) Black; Sample size: 500	Lifetime incarceration history (jail, prison, or juvenile detention)	**Lifetime incarceration and HIV OR among BMSM** (compared to BMSM with no CJI): OR = 1.34 [0.79, 2.25].	N/A	9
Mimiaga et al.	Health system and personal barriers resulting in decreased utilization of HIV and STD testing services among at-risk Black men who have sex with men in Massachusetts	2009	CS	MA	2008	SGM: 100% BMSM; Mean age: 38.7 (SD = 11.3); Sample size: 197	Incarceration history	**HIV testing (past 2 years) and incarceration history prevalence:** Not tested: 47.9% (23) vs. Tested: 53.6% (52); **Other estimates (HIV testing):** Having an HIV test at jail lowered odds of not having tested for HIV in two years prior to study enrollment (OR = 0.53 [0.13–0.99], p = 0.049); 20% of participants had ever tested for HIV in jail/prison (data by testing location also available for HIV test or STD test in past two years).	**STI testing (past 2 years) and incarceration history prevalence:** Not tested: 51.7% (61/118) vs. Tested: 50.6% (40/79).	9
Nelson et al.	Economic, Legal, and Social Hardships Associated with HIV Risk among Black Men who have Sex with Men in Six US Cities	2016	LS (secondary analysis of HPTN 061)	MA; GA CA; NY; D.C.	2009-2010	SGM: 100% BMSM; Mean age: 37.7 years (SD = 11.5); Sample size: 1,522	Lifetime incarceration history and frequency; Recent arrest history (past 6 months); Recent conviction history (past 6 months, jail or prison)	N/A	**Recent conviction and OR for any STI in past 6 months:** aOR = 3.97 [1.58, 9.94], p < .05.	9
Oster et al.	Understanding disparities in HIV infection between Black and White MSM in the United States	2011	CS (2008 NHBS-MSM2)	USA	2008	SGM: 100% MSM; Median age: 28 years (BMSM), 36 years (White MSM); Race: 38.8% (2270/5855) Black; Sample size: 5,855	Recent incarceration history (past 12 months) of > 1 day	**Recent incarceration (past 12 months) among newly diagnosed Black vs. White MSM:** BMSM: 12% (45/365) vs. White MSM: 7% (10/143), p = 0.08. Incarceration not independently associated with HIV infection.	N/A	*9*
Schneider et al.	Criminal justice involvement history is associated with better HIV care continuum metrics among a population-based sample of young black MSM	2017	CS (LS baseline data from uConnect cohort)	IL	2013-2014	SGM: 100% YBMSM; Age: 71.1% 24 years of age and under at enrollment; Sample size: 618	History, frequency, and duration of CJI; *CJI defined as ever detained, arrested, or spent time in jail, prison, juvenile detention center, or other correctional facility as per supplemental materials*	**CJI and HIV care engagement:** Any CJI history was associated with the overall care continuum (aOR = 2.35 [1.13-4.88] and significantly for variables: Serostatus (aOR = 2.24 [1.28, 3.94], p < 0.01, n =618), Linked to care (aOR = 3.20 [1.10, 9.36], p < 0.05, n = 214), Retained in care (aOR = 3.72 [1.77, 7.84], p < 0.01, n = 214), Adherence to ARV's (aOR = 2.52 [1.30, 4.89], p < 0.01, n = 214). CJI was also associated with viral suppression (aOR = 3.00 [1.15, 7.79], p-value not given, > 0.05; n = 214); Length and frequency of CJI also associated with care continuum metrics. Repeated CJI resulted in worse HIV care engagement, but longer duration stays were associated with better HIV care engagement.	N/A	9
Schenider et al.	At the intersection of criminal justice involvement and sexual orientation: Dynamic networks and health among a population-based sample of young black men who have sex with men	2017	LS	IL	2013-2015	SGM: 100% YBMSM ; Mean age: 22.7 (SD = 3.3); Sample size: 618	History, frequency, and duration of CJI; *CJI defined as ever detained, arrested, or spent time in jail, prison, juvenile detention center, or other correctional facility as per supplemental materials*	**HIV prevalence and CJI history among YBMSM:** 46.0% HIV seropositve (with CJI) vs. 25.5% HIV seropositive (no CJI), p = 0.001.	**Syphilis prevalence and CJI history association among YBMSM:** 35.1% seropositive (with CJI) vs 22.6% seropisitive (no CJI), p = 0.023.	9
Vagenas et al.	HIV-infected men who have sex with men, before and after release from jail: The impact of age and race, results from a multi-site study	2016	LS	USA	2008-2011	Comparative study of the following groups: 18 YBMSM (<30); 55 Older BMSM ; 40 non-black MSM; 461 male non-MSM; Sample size: 574 (100% PLWHA)	Detainees (jail)	**HIV care at baseline among detainees:** 55.6% (10/18), 44.4% (8/18), 16.7% (3/18), and 11.1% (2/18) of YBMSM had access to an HIV provider, any ART adherence, > 95% ART adherence, and viral suppression respectively compared to 87.3% (48/55), 54.5% (30/55), 29.1% (16/55), and 23.6% (13/55) of older BMSM (p < 0.01, p = 0.56, p = 0.31, and p = 0.28). YBMSM were less likely to have access to an HIV provider compared to non-Black MSM and non-MSM (p = 0.02 and 0.04). **HIV care post-release:** (Lower bound vs. multiple imputation) 33.3% (6/18) vs. 83.3% (15/18), 16.6% (3/18) vs. 44.4% (8/18), 11.1% (2/18) vs. 27.7% (5/18), and 16.6% (3/18) vs. 33.3% (6/18) YBMSM had access to an HIV provider, any ART adherence, >95% ART adherence, and viral suppression (<400 copies/mL) respectively 6 months post-release compared to 65.5% (36/55) vs. 85.4% (47/55), 60.0% (33) vs. 72.7% (40), 40.0% (22) vs. 49.1% (27), 40.0% (22) vs. 52.7% (29) of older BMSM (p = 0.87, 0.09, 0.15, and 0.26); **Linkage:** 16.7% (3/18), 33.3% (6/18), and 11.1% (2/18) of YBMSM had immediate linkage in the first quarter (non-imputed), delayed linkage in the second quarter (non-imputed) and continous retention (visits in quarter one and quarter two) respectively compared to 32.7% (18/55), 47.3% (26/55), and 16.4% (9/55) of older BMSM (p = 0.20, 0.34, and 0.69).	N/A	5

[1]Year of publication

[2]City and/or state abbreviation

[3]API, Asian-Pacific Islander; BMSM, Black men who have sex with men; BMSMW, Black men who have sex with men and women; BTW, Black transgender women; CJI, Criminal justice involved; CS, Cross-sectional; EHR, Electronic health record; HS, High school; LS, Longitudinal study; M, Male; MSM, Men who have sex with men; MTF, Male to female; PLWHA, People living with HIV/AIDS; RCT, Randomized controlled trial; SGM, Sexual gender minority; TG, Transgender; TW, Transgender women; YBMSM, Young Black men who have sex with men; YMSM, Young men who have sex with men; YBTW, Young Black transgender women

Table 3. Sexual Behavior, Mental Health, and Substance Use Estimates Among Criminal Justice-Involved BMSM and BTW

Reference	Title	Pub. Year [1]	Study Design[3]	Location[2]	Time Period	Demographics[3] and Sample Size	CJI Status[3]	Sexual Behavior Estimates[3]	Mental Health Estimates[3]	Substance Use Estimates[3]	Score
Anderson-Carpenter et al.	Associations between Methamphetamine Use, Housing Status, and Incarceration Rates among Men Who Have Sex with Men and Transgender Women	2017	CS	CA	2010-2014	SGM: MSM, 84.1% (n = 6,243), MTF TG, 15.9% (n = 1,176); Age: 18.5% (1,153/6,243) ≤ 25, 81.5% (5,079/7,405) >25; Race: 12.2% (760/6,243) Black among MSM; 21.0% (246/1,176) Black among TW	Recent incarceration history (past 12 months, jail or prison)	N/A	N/A	**Recent incarceration (past 12 months) and methamphetamine use OR among BMSM/BTW:** AOR for past 30-Day use was 1.00 (95% CI = [0.84, 1.20] in logistic model, 1.02 (95% CI = [0.80, 1.30] in negative binomial model.	8
Beckwith et al., *CARE+ Corrections and STT Jail data used due to high % of BTW in STT Jail and CARE+ Corrections study, despite lacking results specifically for this group.*	Risk behaviors and HIV care continuum outcomes among criminal justice-involved HIV-infected transgender women and cisgender men: Data from the Seek, Test, Treat, and Retain Harmonization Initiative	2018	CS (baseline data from three studies)	CA; D.C.; IL	2012-16 (LINK LA); 2013-15 (CARE+ Corrections); 2013-16 (STT jail)	SGM: 38% (20/52) BTW (LINK LA), 85% (17/20) BTW, (CARE+ Corrections), 94% (15/16) BTW; Mean age: 35 (SD = 10); Sample size: 52, 20, and 16 transgender women in Link LA, CARE+ Corrections, and STT Jail, respectively (100% PLWHA)	Incarceration history (leaving jail/correctional facilities or recently released); *100% CJI*	**Condomless sex (past 90 days) among TW:** CARE+ Corrections: 78% (14/18), STT Jail: 44% (7/16); **Exchange sex (past 90 days):** Care+ Corrections: 65% (13/20), higher odds than cismen (OR = 3.9 [2.3, 6.6], p > 0.001); **> 1 partner (past 90 days):** STT jail: 67% (10/15), higher odds than cismen (OR = 2.9 [1.6, 5.2], p < 0.001).	N/A	**CARE+ Corrections substance use** (transwomen, alcohol use in past year, 90 days for illicit substances, n = 20): 75% alcohol, 55% binge alcohol, 40% marijuana, 45% crack/cocaine, 5% opioids, 20% stimulants< 25% other substance, 55% multiple (≥ 2) substances, 0% no substances, mean AUDIT-C score = 5.8 (SD = 4.4); **STT Jail substance use** (transwomen, past 180 days, n = 16): 81% alcohol, 69% binge alcohol, 81% marijuana, 56% crack/cocaine, 19% opioids, 31% stimulants, 25% other substance, 88% multiple (≥ 2) substances, 0% no substances, mean AUDIT-C score = 4.0 (SD = 4.1); **Across sites:** transwomen were significantly more likely to report useage of crack/cocaine than cismen	4
Bland et al.	Sentencing risk: history of incarceration and HIV/STD transmission risk behaviours among Black men who have sex with men in Massachusetts	2012	CS	MA	2008	SGM: 100% BMSM; Mean age: 40.0 years (incarceration duration <90 days); 43.3 years (incarceration duration >90 days); Sample size: 197	Lifetime incarceration history (jail or prison); Duration of last incarceration (< or ≥ 90 days)	**Unprotected sex (past 12 months) among those incarcerated < 90 days:** Male partner: 70.9%, AOR = 3.09 [1.34, 7.14], p = 0.008; > 3 male partners: 29.1%, AOR = 2.55 [1.09, 5.97], p = 0.03; Most recent male partner: 56.4%, AOR = 2.32 [1.03-5.19], p = 0.04. **Incarceration of ≥ 90 days (n = 46) and sex with female partner:** 52.2%, AOR = 2.46, [1.01-5.99], p = 0.047.	**Symptoms among those incarcerated > 90 days: Depressive:** 45.7%, AOR = 2.76 [1.22, 6.24], p = 0.01; **PTSD:** 21.7%, AOR = 10.10 [2.44, 41.82], p = 0.001.	**Incarceration of < 90 days associated with (n = 55):** Lifetime IDU history: 12.7%, AOR = 12.14 [1.42, 103.97], p = 0.02, lifetime substance use treatment history: 52.7%, AOR = 3.98 [1.85, 8.56], p = 0.0004; **Incarceration of ≥ 90 days associated with (n = 46):** Lifetime IDU history: AOR = 33.40 [3.94, 282.88], p = 0.001, lifetime substance use treatment history: AOR = 10.83 [4.35, 26.99], p < 0.0001.	9
Brewer et al.	Exploring the relationship between incarceration and HIV among Black men who have sex with men in the United States	2014	LS	MA; GA; CA; NY; D.C.	2009-2011	SGM: BMSM, 98.0%, BTW, 2.0% ; Age: 32.7% (418/1,278) 18-29 years; 67.3% (860/1,278) ≥ 30 years; Sample size: 1,278	Lifetime incarceration history and frequency (as of enrollment; jail or prison); Incident incarceration during study period (baseline - 12 months of study follow-up)	**Age of 1st intercourse (anal or vaginal) and OR for incarceration during study period:** Don't remember: 0.90 (0.55, 1.50), p = 0.70, ≤ 12 years: 1.19 (0.72, 1.97), p = 0.49, 13-16 years: 1.00 (0.63, 1.60), p = 1.00, 17-19 years: 0.78 (0.46, 1.33), p = 0.37.	**CES-D scale score and incarceration during study period**: 0-15: 22% (146/679) incarcerated, ≥ 16: 27% (130/486) incarcerated, AOR = 0.82 [0.57, 1.17], p-value = 0.27.	**Drug use (past 6 months) and incarceration during study period:**17% (62/369) incarcerated (no use) vs. 27% (243/909) incarcerated (used drugs), AOR = 1.24 [0.83, 1.86], p = 0.30; **Drug use and unadjusted OR for incarceration during study by drug type:** Opiates: 1.01 [0.56, 1.82], p = 0.98, Poppers: 0.64 [0.40, 1.02], p = 0.06, Stimulants: 1.54 [1.18, 2.00] , p <.01. Marijuana: 1.54 [1.18, 2.02], p <.01.	9
Brewer et al.	The high prevalence of incarceration history among Black men who have sex with men in the United States: Associations and implications	2014	CS (LS baseline data)	MA; GA; CA; NY; D.C.	2009-2011	SGM: BMSM, 98.0%, BTW, 2.0% ; Age: 60.2% ≥ 35, 39.8% < 35; Sample size: 1,521	Lifetime incarceration history and frequency (jail or prison)	**Lifetime incarceration and URAI (past 6 months) prevalence/OR with male partner:** Never incarcerated: 56% (340/605), AOR = 1.00 (ref.) vs. Incarcerated: 48% (430/902), AOR = 0.89 [0.71, 1.12]); **Lifetime incarceration and prevalence/OR of > 2 male partners (past 6 months):** Never incarcerated: 82% (499/607), AOR = 1.00 (ref.) vs. Incarcerated: 82% (750/914), AOR = 1.13 [0.84, 1.51].	**Lifetime incarceration and depression prevalence/OR (indicated by CES-D >16):** Never incarcerated: 39% (216/557), AOR = 1.00 (ref.) vs. Incarcerated: 46% (377/828), AOR = 1.21 [0.96, 1.54].	**Lifetime incarceration and drug use (past 6 months) prevalence/OR:** Never incarcerated: 61% (370/607), AOR = 1.00 (ref.) vs. Incarcerated: 78% (711/914), AOR = 2.17 [1.69, 2.78]; **Lifetime incarceration and alcohol use (past 6 months) prevalence/OR:** Never incarcerated: 43% (262/604), AOR = 1.00 (ref.) vs. Incarcerated: 50% (453/904), AOR = 1.39 [1.11, 1.75].	9
Hall et al.	Sexual risk behaviors among Black men who have sex with men who also report having sex with transgender partners: Analysis of HIV Prevention Trials Network (HPTN) 061 Study	2017	LS	GA; MA; CA; NY; D.C.	2009-2010	SGM: 100% BMSM; Age: 35% ≤ 30 (community recruited), 18% ≤ 30 (referred); Sample size: 1,449 *(participants who identified as men/were Black cisgender MSM from the total sample of 1,533 in the HPTN 061 study)*	Lifetime incarceration history	**Transgender partners and lifetime incarceration:** No transgender partners: 52.5% (581/1,106) incarcerated vs. ≥ 1 transgender partners: 74.3% (255/343) incarcerated, AOR = 1.86 [1.34, 2.60]; **Lifetime incarceration and prevalence/OR of ≥ 5 partners (past 6 months):** Never incarcerated: 28.7% (167/582) vs. Incarcerated: 31.6% (260/823), AOR = 0.84 [0.63, 1.13]; **Lifetime incarceration and ≥ 6 condomless sex acts prevalence/OR:** Never incarcerated: 25.3% (145/574) vs. Incarcerated: 39.9% (323/810), AOR = 1.11 [0.83, 1.49].	N/A	N/A	9
Harawa et al.	Efficacy of a Small-Group Intervention for Post-Incarcerated Black Men Who Have Sex with Men and Women (MSMW)	2018	CS (RCT baseline data)	CA	2011-2012	SGM: 100% BMSM; Age: 18% <30, 23% 30-39,37% 40-49, 22% >50; Sample size: 212	Recent incarceration history (past 12 months); *100% CJI*	**Sexual identity among CJI BMSM (n = 212):** 71% bisexual, 17% gay/homosexual/SGL, 7% heterosexual, 5% other; **Sexual behaviors (prevalence/frequency/# with female partner, male partner, TG partner, respectively):** Exchange sex (buying/selling): 21%, 30%, N/A. Sex in jail (past 12 months): 2%, 25%, 6%, Total: 33%. Unprotected sex (past 3 months): 92%, 82%, 28%, Total: 100%. Frequency of unprotected sex (past 3 months): 10.4, 16.6, 0.4. Mean # of sex partners (vaginal/anal, past 3 months): 2.8, 2.9, 2.6.	N/A	**Substance use among BMSM (past 30 days):** 67% (PWID excluded from this analysis); 46% were ever in a drug/alcohol treatment program.	6
Jones et al.	Nonsupportive peer norms and incarceration as HIV risk correlates for young black men who have sex with men	2008	CS	NC	2004	SGM: 100% BMSM; Mean age: 23 (SD = 3.1); Sample size: 252	Recent incarceration history (past two months, jail or prison)	**Recent incarceration and unprotected anal sex prevalence (past 2 months) by type:** Insertive: 52.6% (incarcerated) vs. 29.6 (not incarcerated), OR = 2.64 [1.03, 6.78], p < 0.05, Receptive: 52.6% (incarcerated) vs. 33.5% (not incarcerated), OR = 2.21 [0.86, 5.66], Any unprotected: 63.2% (among incarcerated) vs. 43.8% (not incarcerated), OR = 2.20 [0.84, 5.79].	N/A	N/A	5
Li et al.	Racial pride and condom use in post-incarcerated African-American men who have sex with men and women: Test of a conceptual model for the men in life environments intervention	2018	RCT, Modeling (baseline data alone from RCT used to test model included here)	CA	2011-2012	SGM: 100% BMSM; Mean age: 40.5 years (SD = 10.6); Sample size: 212	Recent incarceration history (past 12 months); *100% CJI*	**Condom usage scores with female and male partners, respectively:** Mean self-efficacy: 18.9 (SD = 8.2, scale range: 0–28, Cronbach's = 0.93), 17.9 (SD = 8.3, scale range: 0–28, Cronbach's = 0.91). Mean use intentions: 2.9 (SD = 2.7, scale range: 0–6, Cronbach's = 0.86), 3.0 (SD = 2.6, range: 0–6, Cronbach's = 0.87). **Frequency of sex without condoms (past 3 months**: 16.7 (SD = 29.5) with females (vaginal/anal), 10.4 (SD = 14.4) with males (insertive/receptive).	N/A	N/A	9

Nelson et al.	Economic, Legal, and Social Hardships Associated with HIV Risk among Black Men who have Sex with Men in Six US Cities	2016	LS (secondary analysis of HPTN 061)	MA; GA CA; NY; D.C.	2009-2010	SGM: 100% BMSM; Mean age: 37.7 years (SD = 11.5); Sample size: 1,522	Lifetime incarceration history and frequency; Recent arrest history (past 6 months); Recent conviction history (past 6 months, jail or prison)	**Lifetime incarceration and OR for condomless receptive anal sex:** AOR = 0.73 [0.58, 0.91], p < 0.05; **Recent conviction and OR for ≥ 2 male sex partners (past 6 months):** AOR = 0.56 [0.33, 0.93], p < 0.01; **Recent conviction and OR for any STI (past 6 months):** AOR = 3.97 [1.58, 9.94], p < 0.05; ***Individual city estimates for various risk behaviors by CJI types available in table 2; Cross-city differences:*** *For those with incarceration histories, cross-city differences were found for proportions of condomless receptive anal sex (χ2=12.01, n=902, pG.04) and any STI at 12 months (χ2=15.8, n=522, pG.01). Among those with recent conviction, proportions differed across cities for ≥2 male sexual partners (χ2 = 11.35, n = 167, pG.05) and any STI diagnosis at 12 months (χ2=15.7, n=90, pG.01).*	N/A	N/A	9
Schenider et al.	At the intersection of criminal justice involvement and sexual orientation: Dynamic networks and health among a population-based sample of young black men who have sex with men	2017	LS	IL	2013-2015	SGM: 100% YBMSM ; Mean age: 22.7 (SD = 3.3); Sample size: 618	History, frequency, and duration of CJI; *CJI defined as ever detained, arrested, or spent time in jail, prison, juvenile detention center, or other correctional facility as per supplemental materials*	**CJI history and mean # of sex partners among YBMSM:** With CJI: 5.0 (SD = 7.3) vs. No CJI: 2.9 (SD = 2.9), p = 0.001; **CJI history and sexual identity:** With CJI: 50.8% gay-identified vs. No CJI: 66.1% gay-identified, p = 0.003. Bisexual identity had higher OR (OR = 1.79 [1.24, 2.59]) for ever having been to jail in Wave 1.	**Respondent/network CJI and depression prevalence (based on BSI-18 scores):** Not indepdently associated, although network stability was protective for depression (OR = 0.67 [0.45, 0.99], p < .05).	**Illicit substance use prevalence (past 12 months) and CJI association among YBMSM:** 89.3% (with CJI) vs 64.9% (without CJI), p < 0.0001; **Crack/cocaine use (past 12 months) and CJI:** 5.6% (with CJI) vs. 1.2% (no CJI), p = 0.001.	9
Stein et al.	HIV-positive and in jail: race, risk factors, and prior access to care	2013	CS (LS baseline data)	NY; GA; PA; MA; OH; IL; RI; PA; SC; CT	2008-2011	SGM: 2.1% (17/807) of Black entrants identified as transgender; 22.3% (126/567) of Black male entrants identified as gay or bisexual.; Mean age (among Black entrants): 42.8 (SD = 9.2); Race: M, 70.3% (567) Black, F, 27.5% (240) Black; Sample size: 1,270 (100% PLWHA)	Detainees (jail)	N/A	N/A	**% MSM and non-IDU:** Black entrants: 20.2% (n = 113) vs. Non-Black entrants: 11.9% (n = 34), p = 0.002; **% MSM and IDU:** Black entrants: 2.3% (n = 13) vs. Non-Black entrants: 4.5% (n = 13), p = 0.08.	5
Vagenas et al.	HIV-infected men who have sex with men, before and after release from jail: The impact of age and race, results from a multi-site study	2016	LS	USA	2008-2011	Comparative study of the following groups: 18 YBMSM (<30); 55 Older BMSM ; 40 non-black MSM; 461 male non-MSM; Sample size: 574 (100% PLWHA)	Detainees (jail)	N/A	**Depression symptoms prevalence at baseline:** YBMSM: 50.0% (9/18) vs. Older BMSM: 58.2% (32/55), p = 0.54; **Pyschiatric medication use:** YBMSM: 11.1% (2/18) vs. Older BMSM: 32.7% (18/55), p = 0.09; . No signficant differences between YBMSM and non-MSM/non-Black MSM in these measures.	**Alcohol, cocaine, or heroin use, respectively (30 days prior to incarceration):** YBMSM: 33.3% (6/18), 16.7% (3/18), 0%, vs. Older BMSM: 32.7% (18/55), 58.2% (32/55),14.5% (8/55), p = 0.99, 0.01, and n/a; Non-Black MSM/non-MSM more likely to use cocaine than YBMSM (p = 0.04, 0.02); **High Addiction Severity Prevalence (>0.22 psychiatric, >0.16 drug use, > 0.17 alcohol use, respectively):** YBMSM: 38.9% (7/18), 50.0% (9/18), 50.0% (9/18) vs. Older BMSM: 58.2% (32/55), 58.2% (32/55), 67.3% (36/55), p = 0.18, 0.56, 0.21.	5
Wohl et al.	High-risk behaviors during incarceration in African-American men treated for HIV at three Los Angeles public medical centers	2000	Case-control	CA	1997-1998	SGM: 69% BMSM (cases), 11% BMSM (controls); Age range: 20-49 years; Race: 100% Black; Sample size: 305 cases (PLWHA), 305 controls	Incarceration history (jail, detention center, or prison); *100% CJI*	**Sexual behaviors during incarceration:** *For additional estimates, such as for oral sex, prevalence of sex with guards and of rape, see table 3 within Wohl et al. article;* **OR for anal sex with a man (**controlling for anal sex with a man while not incarcerated): 1.1 [0.6–2.2]; **Frequency of receptive anal sex with a man** (among men reporting oral/anal sex during incarceration)**:** Cases: Sometimes: 29% (10/35), Always: 43% (15/35), Controls: Sometimes: 0%, Always: 18% (3/17); **Condom use frequency during anal sex:** Cases: Never: 91% (32/35), Sometimes: 9% (3/35), Controls: Never: 88% (15/17), Sometimes: 6% (1/17), Always: 6% (1/16); **Prevalence of anal sex with > 1 male partner:** Cases: 69% (24/35), Controls: 47% (8/17); **Prevalence of exchange sex (for drugs, money, or other items):** Cases: 9% (14/140), Controls: 4% (7/181).	N/A	N/A	5

[1]Year of publication

[2]City and/or state abbreviation

[3]API, Asian-Pacific Islander; BMSM, Black men who have sex with men; BMSMW, Black men who have sex with men and women; BTW, Black transgender women; CJI, Criminal justice involved; CS, Cross-sectional; EHR, Electronic health record; HS, High school; LS, Longitudinal study; M, Male; MSM, Men who have sex with men; MTF, Male to female; PLWHA, People living with HIV/AIDS; RCT, Randomized controlled trial; SGM, Sexual gender minority; TG, Transgender; TW, Transgender women; YBMSM, Young Black men who have sex with men; YMSM, Young men who have sex with men; YBTW, Young Black transgender women

Table 4. Social and Structural Estimates among Criminal Justice-Involved BMSM and BTW

Reference	Title	Pub. Year[1]	Study Design[2]	Overlapping Datasets	Location[2]	Time Period	Demographics[3] and Sample Size	CJI Status[3]	Incarceration[3]	Stigma/Discrimination	Education[3]	Employment[3]	Housing[3]	Score
Anderson-Carpenter et al.	Associations between Methamphetamine Use, Housing Status, and Incarceration Rates among Men Who Have Sex with Men and Transgender Women	2017	CS	N/A	CA	2010-2014	SGM: MSM, 84.1% (n = 6,243), MTF TG, 15.9% (n = 1,176); Age: 18.5% (1,153/6,243) ≤ 25, 81.5% (5,079/7,405) >25; Race: 12.2% (760/6,243) Black among MSM; 21.0% (246/1,176) Black among TW	Recent incarceration history (past 12 months, jail or prison)	**Recent incarceration (past 12 months):** Among BTW: 45% (n = 246), Among BMSM: 14% (n = 760); **Comparative OR:** BTW/BMSM more likely to report recent incarceration relative to non-Black participants (AOR = 2.18, p ≤ .001, 95% CI = [1.77, 2.69]), but HIV+ BTW/BMSM did not have greater odds.	N/A	N/A	N/A	N/A	8
Arnold et al.	Identifying social and economic barriers to regular care and treatment for Black men who have sex with men and women (BMSMW) and who are living with HIV: a qualitative study from the Bruthas cohort	2017	CS (RCT baseline data)	N/A	CA	2011-2015	SGM: 100% BMSMW; Mean age: 50; Sample size: 25 (100% PLWHA)	Lifetime incarceration history	**Lifetime incarceration among PLWHA (BMSMW):** 84% (subsample of 25).	N/A	N/A	N/A	N/A	6
Beckwith et al., *CARE+ Corrections and STT Jail data used due to high % of BTW in STT Jail and CARE+ Corrections study, despite lacking results specifically for this group.*	Risk behaviors and HIV care continuum outcomes among criminal justice-involved HIV-infected transgender women and cisgender men: Data from the Seek, Test, Treat, and Retain Harmonization Initiative	2018	CS (baseline data from three studies)	CARE+ Corrections, LINK LA (Beckwith et al. 2018, Cunningham et al.)	CA; D.C.; IL	2012-16 (LINK LA); 2013-15 (CARE+ Corrections); 2013-16 (STT Jail)	SGM: 38% (20/52) BTW (LINK LA), 85% (17/20) BTW, (CARE+ Corrections), 94% (15/16) BTW (STT Jail); Mean age: 35 (SD = 10); Sample size: 52, 20, and 16 transgender women in Link LA, CARE+ Corrections, and STT Jail, respectively (100% PLWHA)	Incarceration history (leaving jail/correctional facilities or recently released); *100% CJI*	***100% CJI***, see demographics.	N/A	**CARE+ Corrections (TW):** <HS: 35% (7/20), HS: 45% (9/20), > HS: 20% (4/20); **STT jail (TW):** 31% (5/16), 38% (6/16), and 31% (5/16), respectively.	N/A	**STT jail (TW)**: 44% homeless (7/16).	4
Beckwith et al., *Data used due to high % of BTW, despite lacking results specifically for this group.*	Gender Differences in HIV Care among Criminal Justice-Involved Persons: Baseline Data from the CARE+ Corrections Study	2017	CS	CARE+ Corrections (Beckwith et al. 2017)	D.C.	2013-2015	SGM: MTF TG, 18%; Gender: M, 58%, F, 24%, TG, 18%; Mean age: 40 (SD = 10.5); Race: 85.5% Black (Among transwomen: 85.0% (17/20) Black); Sample size: 110 (100% PLWHA)	Recent incarceration history (released in past 6 months); Duration of last incarceration; Lifetime incarceration frequency; *100% CJI*	**Duration of last incarceration:** Mean for MTF TW was 8.9 months (SD = 21.4); **Lifetime incarceration frequency:** Mean # for MTF TW: 10.7 (SD = 8.5); **Other:** 20.0% (4/20) of MTF TW were enrolled at the DC DOC.	N/A	N/A	N/A	N/A	5
Bland et al.	Sentencing risk: history of incarceration and HIV/STD transmission risk behaviours among Black men who have sex with men in Massachusetts	2012	CS	See Mimiaga et al.	MA	2008	SGM: 100% BMSM; Mean age: 40.0 years (incarceration duration <90 days); 43.3 years (incarceration duration >90 days); Sample size: 197	Lifetime incarceration history (lifetime; jail or prison); Duration of last incarceration (< or ≥ 90 days)	**Lifetime incarceration among BMSM:** 51% (101/197); **Duration (last incarceration):** 54% (55/101) < 90 days, 46% (46/101) ≥ 90 days.	N/A	N/A	N/A	N/A	9
Brewer et al.	Exploring the relationship between incarceration and HIV among Black men who have sex with men in the United States	2014	LS	HPTN 061 (both Brewer et al., both Hall et al., Nelson et al.)	MA; GA; CA; NY; D.C.	2009-2011	SGM: BMSM, 98.0%, BTW, 2.0% ; Age: 32.7% (418/1,278) 18-29 years; 67.3% (860/1,278) ≥ 30 years; Sample size: 1,278	Lifetime incarceration history and frequency (as of enrollment; jail or prison); Incident incarceration during 12 months of study follow-up	**Lifetime incarceration (at enrollment, primarily BMSM):** 60.8% (777/1278), (unadjusted OR = 3.65 [2.67, 5.00], p <.01, for incarceration during study); **Incarceration incidence during 12-months of study follow-up:** 23.9% (305/1,278); **Overall incarceration incidence** per 100 person-yrs = 35% [31, 38]; **Other:** Inreased reported incarceration frequency at enrollment significantly associated with incarceration during follow-up: For those reporting three or more at enrollment, AOR = 3.13, (2.00, 4.91), p <.01; For two, AOR = 2.63 (1.43, 4.86), p <.01; For one, AOR = 2.49 (1.40, 4.42), p <.01	Incarceration during study follow up was significantly associated with high levels of perceived racism (aOR 1.82; 95% CI = 1.02 – 3.27)	**Education and incident incarceration during study:** Some college/higher: 16% (96/609) incarcerated vs. HS or less: 31% (209/668) incarcerated, AOR = 1.83 [1.27, 2.62], p < .01.	**Empowment and incident incarceration during study:** Employed: 15% (61/408) incarcerated vs. Unemployed: 28% (244/86) incarcerated, AOR = 1.23 [0.82, 1.85], p = 0.33.	**Housing and incident incarceration during study:** Stable housing: 22% (241/1100) incarcerated vs. No stable home: 36% (64/178) incarcerated, AOR = 1.41 [0.90, 2.20], p < 0.13.	9
Brewer et al.	The high prevalence of incarceration history among Black men who have sex with men in the United States: Associations and implications	2014	CS (LS baseline data)	HPTN 061 (both Brewer et al., both Hall et al., Nelson et al.)	MA; GA; CA; NY; D.C.	2009-2011	SGM: BMSM, 98.0%, BTW, 2.0% ; Age: 60.2% ≥ 35, 39.8% < 35; Sample size: 1,521	Lifetime incarceration history and frequency (jail or prison)	**Lifetime incarceration, comparative:** 80.0% (24/30) of BTW vs. 59.7% (890/1491) of BMSM (AOR = 3.26[1.17, 9.13]); **Social support/incarceration:** 22% (127/588) of participants reporting no history of incarceration had low social support based on a 6-item scaled-score qustionnaire (AOR = 1.00, ref); 23% (203/873) of participants reporting history of incarceration had low social support (AOR = 0.89 [0.68, 1.18])	N/A	N/A	N/A	N/A	9
Brown et al.	Racial health disparities in a cohort of 5,135 transgender veterans	2014	CS	N/A	VHA/other databases	Data from 1996-2013	SGM: 100% TG (Among Black TG veterans, gender was 30.2% female, 69.8% male); Mean age: 51.2 (Black veterans); Race: 7.5% (387/5,135) Black; Sample size: 5,135	Incarceration history (based on services noted in EHR)	**OR for incarceration among Black/White TG veterans:** 7% (Black) vs 2% (White), AOR = 2.91 [1.84, 4.62], p < 0.0001)	N/A	N/A	N/A	N/A	4
Bukowski et al.	Characterizing the HIV Care Continuum and Identifying Barriers and Facilitators to HIV Diagnosis and Viral Suppression among Black Transgender Women in the United States	2018	CS	N/A	PA; TX; D.C.; MI; GA; TN	2014-2017	SGM: 100% BTW; Mean age: 30.7 (SD = 10.8); Sample size: 422	Recent incarceration history (past 2 years, jail or prison)	**Recent incarceration (past 2 years) among BTW:** 35.9% (151/422)	N/A	N/A	N/A	N/A	5
Chen et al.	Syphilis control among incarcerated men who have sex with men: public health response to an outbreak	2002	CS	LAC STD Program (Chen et al. 2003, Javanbakht et al.)	CA	2000	SGM: MSM, 92%, TG, 8%; Age: 23% 18-25, 40% 26-35, 30% 36-45, 7% ≥ 46; Race: 35% (150/430) Black; Sample size: 430	Detainees (jail)	***100% CJI***, see demographics.	N/A	N/A	N/A	N/A	5
Chen et al.	Sexually transmitted diseases surveillance among incarcerated men who have sex with men--An opportunity for HIV prevention	2003	CS	LAC STD Program (Chen et al. 2002, Javanbakht et al.)	CA	2000-2002	SGM: 100% MSM (MSM unit, no information on gender identity); Age: 17.5% 18-24, 38.7% 25-34, 35.4% 35-44, 7.4% 45-54, 1.0% 55+; Race: 36.8% (767/2,087) Black; Sample size: 2,087	Detainees (jail)	***100% CJI***, see demographics.		N/A	N/A	N/A	5
Choi et al.	Social network characteristics and HIV risk among African American, Asian/Pacific Islander, and Latino men who have sex with men	2013	CS	Ethnic Minority Men's Health Study (Han et al.)	CA	2008-2009	SGM: 100% MSM; Mean age: 41 (Black), 36 (overall); Race: 33.7% Black; Sample size: 1,196	Lifetime incarceration history	**Lifetime incarceration, comparative:** 41% among BMSM (n = 403), higher than among API or Latino MSM (p < 0.001)		N/A	N/A	N/A	7
Crosby et al.	How do young black men having sex with only women differ from those also having sex with men?	2013	CS		LA; NC	No information	SGM: 10.7% YBMSM; Gender: M, 100%; Mean age: 19.7 years (no significant difference between YBMSM and non-MSM groups, p = 0.56); Race: 100% Black; Sample size: 702	Lifetime incarceration history	**Lifetime incarceration, comparative:** 22.1% among YBMSM, comparatively less than 36.1% among young Black non-MSM (bivariate analysis p-value = 0.02)		N/A	N/A	N/A	6
Crosby et al.	A comparison of HIV-risk behaviors between young black cisgender men who have sex with men and young black transgender women who have sex with men	2018	CS (RCT baseline data)	N/A	Mid-size southern city (no further information)	2012-2015	SGM: 94.7% YBMSM, 5.3% YBTWSM; Mean age: 22.6 (SD = 3.2); Sample size: 609	Lifetime incarceration history	**Lifetime incarceration, comparative:** 46.9% (15/32) among YBTWSM vs. 25.8% (149/577) among YBMSM (Rate ratio = 1.82, p = 0.009); **Frequency (lifetime):** Mean of 1.0 times for YBTWSM compared to 0.62 times for YBMSM (p = 0.14);		N/A	N/A	N/A	6
Cunningham et al.	Effectiveness of a Peer Navigation Intervention to Sustain Viral Suppression Among HIV-Positive Men and Transgender Women Released From Jail: The LINK LA Randomized Clinical Trial	2018	RCT	LINK LA (Beckwith et al. 2018)	CA	2012-2016	SGM: 85% MSM, 15% MTF TG; Mean age: 39.5 (SD = 10.4); Race: 42% (151/356) Black; Sample size: 356 (100% PLWHA)	Detainees (jail), follow-up post-release	***100% CJI (detainees, jail)***, see demographics.		*N/A*	*N/A*	*N/A*	7
Fields et al.	Association of discrimination-related trauma with sexual risk among HIV-positive African American men who have sex with men	2013	CS	N/A	CA	2007-2009	SGM: 87.8% BMSM, 12.2% BTW; Mean age: 42.4 (SD = 8.7); Sample size: 131 (100% PLWHA)	Lifetime incarceration history	**Lifetime incarceration**: 28% (BMSM/BTW combined)		N/A	N/A	N/A	5
Garofalo et al., *Data used due to high % of BTW, despite lacking results specifically for this group.*	Overlooked, misunderstood and at-risk: Exploring the lives and HIV risk of ethnic minority male-to-female transgender youth	2006	CS	N/A	IL	2003	SGM: 100% MTF TG; Median age: 22 years (range, 16-25); Race: 57% Black; Sample size: 51	Incarceration history; Arrest history	**Incarceration (unknown period) among TW:** 37% (19/51), **history of arrest among TW**: (unknown period): 67% (34/51)		N/A	N/A	N/A	6

German et al.	Characteristics of Black Men Who Have Sex With Men in Baltimore, Philadelphia, and Washington, D.C.: Geographic Diversity in Socio-Demographics and HIV Transmission Risk	2017	CS	NHBS-MSM 3 (Neaigus et al.)	MD; PA; D.C.	2011	SGM: 100% BMSM; Age: 23%, 36%, and 18% 18-24 years in D.C., Baltimore, and Philadelphia, respectively; Sample size: 854 (159 in DC, 331 in Philadelphia, 364 in Baltimore)	Lifetime and recent (past 12 months) incarceration history	**Lifetime incarceration:** D.C.: 22.2% among 18-24 year olds and 17.0% among total sample, Baltimore: 36.2% among 18-24 year olds and 49.5% among total sample, Philadelphia: 21.3% among 18-24 year olds and 24.2% among total sample. Calculated aggregate across cities (total sample): 33.6% (287/854). **Comparative results (between geographic locations):** Chi-squared test results for lifetime incarceration across cities: 18-24 year olds, 5.58, p = 0.062; total sample, 73.86, p < 0.001; **Recent incarceration (past 12 months):** 8.3% of 18-24 year olds and 4.4% of total sample in D.C. reported incarceration in past 12 months; 16.9% of 18-24 year olds and 14.8% of total sample in Baltimore reported incarceration in past 12 months; 8.2% of 18-24 year olds and 6.3% of total sample in Philadelphia reported incarceration in past 12 months. **Comparative results (between geographic locations):** Chi-squared test results for past 12 month incarceration across cities: 18-24 year olds, 3.65, p = 0.162; total sample, 20.48, p < 0.001		N/A	N/A	N/A	9
Gore et al.	Human Immunodeficiency Virus Partner Notification Services Among a Representative Sample of Young Black Men Who Have Sex With Men Demonstrates Limited Service Offering and Potential Benefits of Clinic Involvement	2018	CS (LS baseline data)	uConnect (both Schneider et al.)	IL	2013-2015	SGM: 100% YBMSM; Age: 54.7% <25, 45.3% ≥ 25 (range 16-29); Sample size: 618	Lifetime incarceration history (jail)	**Lifetime incarceration among recently diagnosed PLWHA:** 53.51% (99/185)		N/A	N/A	N/A	6
Hall et al.	A comparison of referred sexual partners to their community recruited counterparts in The BROTHERS Project (HPTN 061)	2015	LS	HPTN 061 (both Brewer et al., both Hall et al., Nelson et al.)	GA; MA; CA; NY; D.C.	2009-2010	SGM: 100% BMSM (<5% TG); Age: 35% ≤ 30 (community recruited), 18% ≤ 30 (referred); Sample size: 1,533	Recent incarceration history (past 6 months)	**Recent incarceration (past 6 months), comparative:** 59% (798/1,384) among community-recruited participants vs. 71% (116/169) among referred participants (chi-squared = 8.67; p = 0.003);		N/A	N/A	N/A	9
Hall et al.	Sexual risk behaviors among Black men who have sex with men who also report having sex with transgender partners: Analysis of HIV Prevention Trials Network (HPTN) 061 Study	2017	LS	HPTN 061 (both Brewer et al., both Hall et al., Nelson et al.)	GA; MA; CA; NY; D.C.	2009-2010	SGM: 100% BMSM; Age: 35% ≤ 30 (community recruited), 18% ≤ 30 (referred); Sample size: 1,449 *(participants who identified as men/were Black cisgender MSM from the total sample of 1,533 in the HPTN 061 study)*	Lifetime incarceration history	**Lifetime incarceration among BMSM:** 40.6% (835/1,449)		N/A	N/A	N/A	9
Han et al.	Stress and coping with racism and their role in sexual risk for HIV among African American, Asian/Pacific Islander, and Latino men who have sex with men	2015	CS	Ethnic Minority Men's Health Study (Choi et al.)	CA	2008-2009	SGM: 100% MSM; Mean age: 41 years (Black); Race: 33.7% (403/1,196) Black; Sample size: 1,196	Lifetime incarceration history	**Lifetime incarceration, comparative:** 41% among BMSM vs. 13% among API/35% among Latinos (p < 0.001).		N/A	N/A	N/A	9
Harawa et al.	Sex and condom use in a large jail unit for men who have sex with men (MSM) and male-to-female transgenders	2010	CS	N/A	CA	2007	SGM: (Jail MSM Unit) MSM, 81%, MTF TG 19%; Race: 33% Black; Sample size: 101	Detainees (jail)	***100% CJI,*** see demographics.		N/A	N/A	N/A	6
Harawa et al.	Efficacy of a Culturally Congruent HIV Risk-Reduction Intervention for Behaviorally Bisexual Black Men: Results of a Randomized Trial	2013	RCT	N/A	CA	2007-2011 (enrollment)	SGM: 100% BMSMW; Mean age: 42.8 (SD = 10.2); Sample size: 381	Lifetime incarceration history	**Lifetime incarceration:** Intervention group: 74.2% (n = 196), Control group: 77.8% (n = 185), Calculated combined value: 75.9% (n = 381).	N/A	N/A	N/A	N/A	6
Harawa et al.	Efficacy of a Small-Group Intervention for Post-Incarcerated Black Men Who Have Sex with Men and Women (MSMW)	2018	CS (RCT baseline data)	MILE intervention (Li et al.)	CA	2011-2012	SGM: 100% BMSM; Age: 18% <30, 23% 30-39,37% 40-49, 22% >50; Sample size: 212	Recent incarceration history (past 12 months); *100% CJI*	***100% CJI,* post-incarcerated BMSM; Other :** 36% were on probation/parole. **Cumulative length in prison:** 45% reported a cumulative lifetime in prison of over 3 years; **Length of time since last released from incarceration:** 29% <30 days, 18% 30-90 days, 27% 90-180 days, 26% ≥180 days	N/A	**Among post-incarcerated BMSM:** < HS: 25%, GED/HS diploma/some college: 67%, college graduate: 8%.	**Among post-incarcerated BMSM:** 13% employed part/full time.	**Among post-incarcerated BMSM**: 62% reported housing instability in the past 12 months.	6
Javanbakht et al.	Sexually transmitted infections and HIV prevalence among incarcerated men who have sex with men, 2000-2005	2009	CS	LAC STD Program (both Chen et al.)	CA	2000-2005	SGM: (MSM Unit): MSM, 85-92%, TG, 8-15%; Mean age: 35 years; Race: 37% (2,621/7,004) Black; Sample size: 7,004	Detainees (jail)	***100% CJI*** , see demographics.	N/A	N/A	N/A	N/A	6
Jones et al.	Nonsupportive peer norms and incarceration as HIV risk correlates for young black men who have sex with men	2008	CS		NC	2004	SGM: 100% YBMSM; Mean age: 23 (SD = 3.1); Sample size: 252	Recent incarceration history (past two months, jail or prison)	**Recent incarceration (past 2 months) among YBMSM:** 7.5% (19/252)		N/A	N/A	N/A	5
Koblin et al.	Informing the Development of a Mobile Phone HIV Testing Intervention: Intentions to Use Specific HIV Testing Approaches Among Young Black Transgender Women and Men Who Have Sex With Men	2017	CS	N/A	Web-based	2014-2015	SGM: YBMSM, 91.7% (n = 155), YBTW 8.3% (n = 14); Mean age: 24.1 (SD = 3.0); Sample size: 169	Lifetime incarceration history (jail, prison, or detention facility)	**Lifetime incarceration:** 22.5% (38/169), YBMSM/YBTW combined.		N/A	N/A	N/A	6
Li et al.	Racial pride and condom use in post-incarcerated African-American men who have sex with men and women: Test of a conceptual model for the men in life environments intervention	2018	RCT, Modeling (baseline data alone from RCT used to test model included here)	MILE intervention (Harawa et al. 2018)	CA	2011-2012	SGM: 100% BMSM; Mean age: 40.5 years (SD = 10.6); Sample size: 212	Recent incarceration history (past 12 months); *100% CJI*	***100% CJI,* recently incarcerated BMSM.**		N/A	N/A	**BMSM with recent incarceration:** 62.7% (133/212) reported homelessness in the past 12 months.	9
Lim et al.	History of arrest and associated factors among men who have sex with men	2011	CS	NHBS-MSM 1	GA; MD; MA; IL; CO; FL; TX; CA; NJ; NY; PA; Puerto Rico	2003-2005	SGM: 100% MSM; Median age: 33.0 years; Race: 17.3% (n = 1,739) Black (including non-Hispanic Black only); Sample size: 10,030	Recent arrest history (past 12 months)	**Recent arrest among BMSM**: 12% (209/1,739); **Comparative OR:** BMSM were more likely to report arrest history than white MSM (OR = 1.6 [1.3–2.1]).		N/A	N/A	N/A	9
Magnus et al.	Elevated HIV prevalence despite lower rates of sexual risk behaviors among black men in the District of Columbia who have sex with men	2010	CS	NHBS-MSM 2 (Oster et al.)	D.C.	2008	SGM: 100% MSM; Age: Among Black participants (n = 178), 36.0% (64/178) 18-24, 36.0% (64/178) 25-34, 19.1% (34/178) 35-44, 9.0% (16/178) 45+; Race: 35.6% (178/500) Black; Sample size: 500	Lifetime incarceration history (jail, prison, or juvenile detention)	**Lifetime incarceration among BMSM:** 25.5% (40/178).		N/A	N/A	N/A	9
Millett et al.	Comparisons of disparities and risks of HIV infection in Black and other men who have sex with men in Canada, UK, and USA: A meta-analysis	2012	Meta-analysis	N/A	Meta-analysis of studies in Canada, UK, and USA	Studies from 1981-2011	Meta-analysis with a comparative focus on BMSM and other MSM; Data aggregated across studies to generate summary ORs for outcomes of interest for 106,148 BMSM relative to 581,577 other MSM; 174 US studies.	Lifetime incarceration history	**Comparative OR: A** summary OR of 2.17 (1.49, 3.18) was found using 4 studies of BMSM for odds of incarceration relative to other MSM (p < 0.05).		N/A	N/A	N/A	N/A
Mimiaga et al.	Health system and personal barriers resulting in decreased utilization of HIV and STD testing services among at-risk Black men who have sex with men in Massachusetts	2009	CS	See Bland et al.	MA	2008	SGM: 100% BMSM; Mean age: 38.7 (SD = 11.3); Sample size: 197	Incarceration history	**Incarceration (unknown period) among BMSM:** 51.3% (101/197)		N/A	N/A	N/A	9
Mojola et al.	STD and HIV risk factors among US young adults: Variations by gender, race, ethnicity and sexual orientation	2012	LS	N/A	USA	2001-2002; 2007-2008 (data from two separate waves)	SGM: Among 1,020 Black male respondents (9.2% of total sample of 11,044), 964 (94.5%) were heterosexual, 27 (2.6%) were mixed-oriented , and 29 (2.8%) were gay; Gender: M, 44.4% (n = 5,009); Mean age: 21 (Wave 3, range: 18-28), 29 (Wave 4, range: 24-34); Race: 20.4% (1020/5009) Black among male respondents; Sample size: 11,044	Lifetime incarceration history (jail, prison, juvenile detention center, or other correctional facility)	**Lifetime incarceration:** 2.4% of 29 gay Black male respondents and 18.1% of 27 mixed-oriented Black male respondents reported ever being incarcerated across both waves		N/A	N/A	N/A	7
Neaigus et al.	Multilevel risk factors for greater HIV infection of black men who have sex with men in New York City	2014	CS	NHBS-MSM 3 (German et al.)	NY	2011	SGM: 100% MSM; Median age: 28 years (interquartile range, 22-39 years); Race: 19.5% (81/416) Black; Sample size: 416	Recent incarceration history (past 12 months) of > 24 hours	**Recent incarceration (past 12 months) among BMSM:** 14.8% (12/81) vs. 8.4% (35/416) among the total sample; **Comparative OR:** Black race was associated with higher odds of incarceration (OR = 2.2, [1.1, 4.6], p = 0.03).		N/A	N/A	N/A	9
Nelson et al.	Economic, Legal, and Social Hardships Associated with HIV Risk among Black Men who have Sex with Men in Six US Cities	2016	LS (secondary analysis of HPTN 061)	HPTN 061 (both Brewer et al., both Hall et al., Nelson et al.)	MA; GA CA; NY; D.C.	2009-2010	SGM: 100% BMSM; Mean age: 37.7 years (SD = 11.5); Sample size: 1,522	Lifetime incarceration history and frequency; Recent arrest history (past 6 months); Recent conviction history (past 6 months, jail or prison)	**Lifetime incarceration frequency (overnight)**: In Atlanta (n = 288), Boston (n = 235), LA (n = 279), NYC (n = 306), and SF (n = 195): 3.3, 3.1, 3.6, 2.9, 3.3, and 1.1 were the mean values for lifetime # of overnight incarcerations; **Recent arrest (past 6 months):** 10.0%, 16.6%, 9.6%, 5.7%, 12.2%, and 5.1% respectively (as above) reported recent arrest; **Recent conviction or incarceration in jail/prison (past 6 months):** 12.8%, 17.4%, 9.4%, 9.4%, 13.9%, and 9.4% respectively (as above) reported recent conviction		N/A	N/A	N/A	9

Okafor et al.	Disparities in herpes simplex virus type 2 infection between black and white men who have sex with men in Atlanta, GA	2015	CS (LS baseline data)	N/A	GA	2010-2012	SGM: 100% MSM; Mean age: 25.6 (BMSM, SD = 5.4), 8.1 (White MSM, SD = 6.0); Race: 46.4% (211/455) Black; Sample size: 455	Recent arrest history (past 12 months)	**Recent arrest (past 12 months), comparative:** 12% (26/211) among BMSM vs. 9% (23/244) among White MSM (p = 0.3)		N/A	N/A	N/A	8
Oster et al.	Understanding disparities in HIV infection between Black and White MSM in the United States	2011	CS	NHBS-MSM 2 (Magnus et al.)	USA	2008	SGM: 100% MSM; Median age: 28 years (BMSM), 36 years (White MSM); Race: 38.8% (2270/5855) Black; Sample size: 5,855	Recent incarceration history (past 12 months) of > 1 day	**Recent incarcceration (past 12 months), comparative among recently diagnosed HIV+ MSM:** 12% (45/365) of BMSM vs. 7% (10/143) of white MSM (p = 0.08).		N/A	N/A	N/A	9
Phillips et al.	Interplay of race and criminal justice involvement on sexual behaviors of young men who have sex with men	2018	LS	N/A	IL	2009-2010	SGM: 100% YMSM; Median age: 19.1 (eligibility criteria was 16-20 years); Race: 53.3% (240/450) Black; Sample size: 450	Lifetime incarceration history (jail or juvenile detention); Lifetime arrest history	**Lifetime incarceration among YBMSM, comparative:** 14.2% (34/240), correlated with Black race (chi-squared = 14.7, p < 0.01); **Lifetime arrest, comparative among YBMSM:** 37.5% (90/240), correlated with Black race (chi-squared = 19.9, p < 0.01).		N/A	N/A	N/A	9
Reisner et al.	Racial/ethnic disparities in history of incarceration, experiences of victimization, and associated health indicators among transgender women in the US	2014	CS	N/A	USA	2008-2009	SGM: 100% MTF TG (broadly defined); Age: 18-24 years, 12.4% (479/3878), 25-44 years, 46.0% (1787/3878), 45+ years, 41.6% (1612/3878) (calculated approximately using percentages from incarceration data); Race: 5.1% (198/3,878) Black (calculated approximately using percentages from incarceration data); Sample size: 3,878	Lifetime incarceration history (jail or prison)	**Lifetime incarceration among BTW:** 56.0% (111/198); **Comparative OR:** Compared to non-Hispanic White TW, BTW had a higher relative risk of incarceration (RR = 3.26 [2.24, 4.75], p < 0.0001, logistic regression model inclusive of sociodemographics only; RR = 1.87 [1.21, 2.88], p = 0.01, logistic regression model inclusive of sociodemographics and health-related indicators); **Other Comparative (mistreatment/victimization in jail/prison):** Relative to non-Hispanic white TW, BTW had a higher relative risk for reporting mistreatment/victimization in jail/prison (RR = 2.31 [1.17, 4.55], p = 0.02) but there was no significant difference for being denied healthcare (RR = 1.17 [0.56, 2.47], p = 0.67)		N/A	N/A	N/A	7
Rutledge et al.	What's in an identity label? Correlates of sociodemographics, psychosocial characteristics, and sexual behavior among African American men who have sex with men	2018	CS (RCT baseline data)	N/A	PA	2008-2011	SGM: 100% BMSM; Mean age: 41.6 (SD = 10.72); Sample size: 593	Lifetime incarceration history (jail or prison)	**Lifetime incarceration among BMSM:** 51.8% (307/593).	N/A	N/A	N/A	N/A	6
Schneider et al.	Criminal justice involvement history is associated with better HIV care continuum metrics among a population-based sample of young black MSM	2017	CS (LS baseline data)	uConnect (both Schneider et al, Gore et al.)	IL	2013-2014	SGM: 100% YBMSM; Age: 71.1% 24 years of age and under at enrollment; Sample size: 618	History, frequency, and duration of CJI; *CJI defined as ever detained, arrested, or spent time in jail, prison, juvenile detention center, or other correctional facility as per supplemental materials*	**Lifetime CJI among YBMSM:** 40.8% at enrollment; **Frequency and Duration:** ***A** lso collected but presented in context of HIV care continuum measures. Exact values not given, see figure 1 in article.*	N/A	N/A	N/A	N/A	9
Schenider et al.	At the intersection of criminal justice involvement and sexual orientation: Dynamic networks and health among a population-based sample of young black men who have sex with men	2017	LS	uConnect (both Schneider et al., Gore et al.)	IL	2013-2015	SGM: 100% YBMSM ; Mean age: 22.7 (SD = 3.3); Sample size: 618	History, frequency, and duration of CJI; *CJI defined as ever detained, arrested, or spent time in jail, prison, juvenile detention center, or other correctional facility as per supplemental materials*	**Lifetime CJI among YBMSM:** 46.2% (285/617); **Frequency and Duration:** *Information pesented in figure 2 in article along with CJI by age/sexual orientation and age at first CJI, exact values not given.* **Other:** YBMSM with CJI history were significantly older (mean age: 23.4 years vs. 22.2 for those without CJI, p = 0.0012); Network CJI was additionally found to account for a portion of the association between CJI, housing instability, and substance use.	N/A	**Among YBMSM with CJI (n = 285):** < HS: 10.4%, HS diploma: 37.5%, > HS: 52.1%; No significant difference in YBMSM with/without CJI in having < HS education, p = 0.542.	**Among YBMSM with CJI (n = 285):** Unemployed: 53.4%, Part-time: 24.9%, Full time: 21.8%; No significant difference in YBMSM with/without CJI in unemployment (p = 0.686).	28.9% of YBMSM with CJI reported housing instability in the past 12 months vs. 20.7% of YBMSM without CJI, p = 0.063.	9
Stein et al.	HIV-positive and in jail: race, risk factors, and prior access to care	2013	CS (LS baseline data)	EnhanceLink (Vagenas et al.)	NY; GA; PA; MA; OH; IL; RI; PA; SC; CT	2008-2011	SGM: 2.1% (17/807) of Black entrants identified as transgender; 22.3% (126/567) of Black male entrants identified as gay or bisexual.; Mean age (among Black entrants): 42.8 (SD = 9.2); Race: M, 70.3% (567) Black, F, 27.5% (240) Black; Sample size: 1,270 (100% PLWHA)	Detainees (jail)	***100% CJI* (detainees, jail); Distribution of gender/sexual identity among 1,233 HIV+ detainees:** Black detainees: 22.3% (126/567) male and gay/bisexual, vs. non-Black detainees: 16.2% male and gay/bisexual, p = 0.03. 2.1% (17/807) of Black detainees identified as transgender.	N/A	N/A	N/A	N/A	5
Vagenas et al.	HIV-infected men who have sex with men, before and after release from jail: The impact of age and race, results from a multi-site study	2016	LS	EnhanceLink (Stein et al.)	USA	2008-2011	Comparative study of the following groups: 18 YBMSM (<30); 55 Older BMSM ; 40 non-black MSM; 461 male non-MSM; Sample size: 574 (100% PLWHA)	Detainees (jail)	***100% CJI* (detainees, jail); Mean incarceration duration:** YBMSM; 63.6 days (SD = 87.5) vs. Older BMSM: 89.6 days (SD = 100.9), p = 0.39. Non-Black MSM: 91.6 days (SD = 101.2), non-MSM: 105.1 (SD = 135.2), p < 0.01; **Recidivism at baseline (re-incarcerated during 6-month post-release period following index incarceration):** 16.7% (3/18) of YBMSM vs. 41.8% (23/55) of older BMSM,p = 0.06.	**N/A**	**Among YBMSM vs Older BMSM detainees:** < HS: 38.9% (7/18) vs. 36.4% (20/55), p = 0.89. HS: 22.2% (4/18) vs. 41.8% (23/55), p = 0.15. > HS: 38.9% (7/18) vs. 20.1% (11/55), p = 0.13; YBMSM had a significantly higher rate of > HS education than non-MSM, p = 0.01.	N/A	38.9% (7/18) of YBMSM were homeless at baseline vs. 32.7% (18/55) of older BMSM (p = 0.63)	5
Wheeler et al.	A comparative analysis of sexual risk characteristics of Black men who have sex with men or with men and women	2008	CS	N/A	NY; CA	2005-2006	SGM: 100% BMSM or BMSMW; Age: 15.8% 18-29, 21.8% 30-39, 45.9% 40-49, 16.5% 50+; Sample size: 822 (226 BMSMW, 596 BMSM)	Lifetime arrest history	**Lifetime arrest frequency:** Once: 23.9% of BMSMW, 22.2% of BMSM, and 22.7% of total sample. Twice or more: 57.1% of BMSMW, 33.7% of BMSM, and 40.1% of total sample (p < 0.0001).	N/A	N/A	N/A	N/A	8
Wohl et al.	High-risk behaviors during incarceration in African-American men treated for HIV at three Los Angeles public medical centers	2000	Case-control	N/A	CA	1997-1998	SGM: 69% BMSM (cases), 11% BMSM (controls); Age range: 20-49 years; Race: 100% Black/AA; Sample size: 305 cases (PLWHA), 305 controls	History of incarceration (jail, detention center, prison); 100% CJI	***100% CJI***, see demographics.	N/A	N/A	N/A	N/A	5

[1]Year of publication

[2]City and/or state abbreviation

[3]API, Asian-Pacific Islander; BMSM, Black men who have sex with men; BMSMW, Black men who have sex with men and women; BTW, Black transgender women; CJI, Criminal justice involved; CS, Cross-sectional; EHR, Electronic health record; HS, High school; LS, Longitudinal study; M, Male; MSM, Men who have sex with men; MTF, Male to female; PLWHA, People living with HIV/AIDS; RCT, Randomized controlled trial; SGM, Sexual gender minority; TG, Transgender; TW, Transgender women; YBMSM, Young Black men who have sex with men; YMSM, Young men who have sex with men; YBTW, Young Black transgender women