Supplementary Material

Association of blood amyloid beta-protein 1-42 with post-stroke cognitive impairment: a systematic review and meta-analysis

Supplementary Figures

Supplementary Figure 1. Subgroup (NOS)



Supplementary Figure 2. Subgroup (serum, plasma)



Supplementary Figure 3. Subgroup (MoCA)



Supplementary Tables

Supplementary Table 1. Search Strategy

	MEDLINE(Ovid), until 31 Mar. 2021
1	"amyloid beta-protein (1-42)" [Supplementary Concept]
2	amyloid-beta-42 peptide[Title/Abstract] OR Abeta(1-42)[Title/Abstract] OR beta-amyloid (1-42)[Title/Abstract] OR Abeta42 protein[Title/Abstract]
3	1 or 2
4	"Stroke"[Mesh]
5	Strokes[Title/Abstract] OR Cerebrovascular Acciden*[Title/Abstract] OR CVA* (Cerebrovascular Accident)[Title/Abstract] OR Cerebrovascular Apoplexy[Title/Abstract] OR Apoplexy, Cerebrovascular[Title/Abstract] OR Vascular Acciden*, Brain[Title/Abstract] OR Brain Vascular Acciden*[Title/Abstract] OR Cerebrovascular Strok*[Title/Abstract] OR Strok*, Cerebrovascular[Title/Abstract] OR Apoplexy[Title/Abstract] OR Cerebral Strok*[Title/Abstract] OR Strok*, Cerebral[Title/Abstract] OR Strok*, Acute[Title/Abstract] OR Acute Strok*[Title/Abstract] OR Cerebrovascular Acciden*, Acute[Title/Abstract] OR Acute Cerebrovascular
6	Acciden*[Title/Abstract]
7	"Cerebral Infarction"[Mesh]
	Cerebral Infarctions[Title/Abstract] OR Infarctio*, Cerebral[Title/Abstract] OR Cerebral Infarc*[Title/Abstract] OR Infarc*, Cerebral[Title/Abstract] OR Subcortical Infarctio*[Title/Abstract] OR Infarctio*, Subcortical[Title/Abstract] OR Posterior Choroidal Artery
8	Infarction[Title/Abstract] OR Anterior Choroidal Artery
9	Infarction[Title/Abstract]
	"Cerebral Hemorrhage"[Mesh]
	Hemorrhag*, Cerebrum[Title/Abstract] OR Cerebrum Hemorrhag*[Title/Abstract] OR Cerebral Parenchymal Hemorrhag*[Title/Abstract] OR Hemorrhag*, Cerebral Parenchymal[Title/Abstract] OR Parenchymal Hemorrhag*, Cerebral[Title/Abstract] OR Intracerebral Hemorrhag*[Title/Abstract] OR Hemorrhag*, Intracerebral[Title/Abstract] OR Hemorrhag*,
10	Cerebral[Title/Abstract] OR Cerebral Hemorrhages[Title/Abstract] OR
11	Brain Hemorrhag*, Cerebral[Title/Abstract] OR Cerebral Brain
12	Hemorrhag*[Title/Abstract] OR Hemorrhag*, Cerebral Brain[Title/Abstract]
	4 OR 5 OR 6 OR 7 OR 8 OR 9
	"Cognitive Dysfunction"[Mesh]
	Cognitive Dysfunctions[Title/Abstract] OR Dysfunctio*, Cognitive[Title/Abstract] OR Cognitive Impairmen*[Title/Abstract] OR
13	Impairmen*, Cognitive[Title/Abstract] OR Mild Cognitive
14	Impairmen*[Title/Abstract] OR Cognitive Impairmen*, Mild[Title/Abstract] OR Impairmen*, Mild Cognitive[Title/Abstract] OR

	Cognitive Declin*[Title/Abstract] OR Declin*, Cognitive[Title/Abstract] 11 OR 12 3 AND 10 AND 13
	EMBASE(Ovid), until 31 Mar. 2021
1	'post stroke cognitive impairment'/exp
2	'post stroke dementia'/exp
3	'cerebrovascular accident'/exp
4	'brain infarction'/exp
5	'brain hemorrhage'/exp
6	3 OR 4 OR 5
7	'cognitive defect'/exp
8	'dementia'/exp
9	7 OR 8
10	6 AND 9
11	1 OR 2 OR 10
12	'amyloid beta protein 1 42'/exp
13	11 AND 12
1	**CNKI, until 31 Mar. 2021** SU=(卒中+脑梗死+脑出血)*(认知减退+认知障碍+痴呆)*(淀粉样蛋白1-42)

List of included studies' references

1. Li M, Wang H, Wang MS. The correlation of serum Aβ1-42 concentration and cognitive impairment after ischemic stroke. *Modern Medicine Journal of China.* 2016;18(01):9-12. DOI:10.3969/j.issn.1672-9463.2016.01.003
2. Gu Y, Wang H, Li JM, *et al.* Serum soluble CD40 ligand, beta amyloid 1-42 level diagnostic efficacy of cognitive dysfunction after stroke. *Shandong Medical Journal*. 2017;57(43):49-51. DOI:10.3969/j.issn.1002-266X.2017.43.015
3. Zeng HM. Analysis of the value of serum soluble CD40 ligand (sCD40L) and β-amyloid 1-42 (Aβ1-42) results in the diagnosis of post-stroke cognitive impairment (PSCI). *World Latest Medicine Information*. 2018;18(58):193-194. DOI:10.19613/j.cnki.1671-3141.2018.58.104
4. Liu YY, Liu JJ, Wang DM. Relationship between serum Aβ1-42, hcy and tau protein levels in patients with vascular cognitive impairment after stroke. *Sichuan Medical Journal.* 2018;39(6): DOI:10.16252/j.cnki.issn1004-0501-2018.06.023
5. Chi NF, Chao SP, Huang LK, *et al.* Plasma amyloid beta and tau levels are predictors of post-stroke cognitive impairment: a longitudinal study. *Front Neurol.* 2019;10:715. DOI:10.3389/fneur.2019.00715
6. Mao L, Chen XH, Zhuang JH, *et al.* Relationship between beta-amyloid protein 1-42, thyroid hormone levels and the risk of cognitive impairment after ischemic stroke. *World J Clin Cases.* 2020;8(1):76-87. DOI:10.12998/wjcc.v8.i1.76
7. Zhang HL, Zhang YL, Chen GJ, *et al.* The correlation of serum Aβ1-42, uric acid concentration and transient ischemic attack and minor stroke patients' cognitive impairment. *Chinese Journal of Practical Nervous Disease.* 2020;23(12):1067-1071. DOI:10.12083/sysj.2020.12.244
8. Zhai XY. Relationship between changes of serum VEGF, VILIP1, sCD40L and Aβ1-42 proteins and cognitive impairment in patients with ACI. J Huaihai Med. 2020;38(5):453-456,460. DOI: 10.14126 /j.cnki.1008-7044.2020.05.004