Tick borne relapsing fever – a systematic review and analysis of the literature

S1 Fig

Supporting maps: distribution of competent vector ticks for TBRF *Borrelia* spp.

S1A Fig **Distribution of competent vector ticks for tick borne relapsing fever (TBRF) *Borrelia* in America.**



Am., *Amblyomma*; Ar., *Argas*; C., *Carios*; D., *Dermacentor*; Ha, *Haemaphysialis*; I., *Ixodes*; O., *Ornithodoros*; Rh., *Rhipicephalus*; sp., species (singular); spp., species (plural).

Map created on www.mapchart.net.

S1B Fig **Distribution of competent vector ticks for TBRF *Borrelia* in Africa.**



Am., *Amblyomma*; Ar., *Argas*; C., *Carios*; O., *Ornithodoros*; Rh. *Rhipicephalus*; spp., species (plural).

Map created on www.mapchart.net.

S1C Fig **Distribution of competent vector ticks for TBRF *Borrelia* in Europe.**



Ar., *Argas*; Ha., *Haemaphysalis*; Hy., *Hyalomma*; I., *Ixodes*; O., *Ornithodoros*.

Map created on www.mapchart.net.

S1D Fig **Distribution of competent vector ticks for TBRF *Borrelia* in Asia.**



Am., *Amblyomma*; Ar., *Argas*; D., *Dermacentor*; Ha., *Haemaphysalis*; Hy., *Hyalomma*; I., *Ixodes*; O., *Ornithodoros*; Rh., *Rhipicephalus*; spp., species (plural).

Map created on www.mapchart.net.