Additional file 3: Literature search strategy

PubMed (last searched 5 April 2018)

#1
"Multiple Trauma"[mh] OR multiple trauma*[tw] OR polytrauma*[tw]
#2
"Quality of Life"[mh] or "quality of life"[tw] or "life quality"[tw] OR QoL[tw] OR HRQoL[tw] OR satisf*[tw] OR "self reported health"[tw] OR "Activities of Daily Living"[mh] OR "activities of daily living"[tw] OR "daily living activity"[tw] OR "daily living activities"[tw] OR "activity of daily living"[tw] OR "limitation of activity"[tw] OR "self care"[tw] OR "physical functioning"[tw] OR functional abilit*[tw] OR "functional assessment"[tw] OR "Social Participation"[mh] OR "social participation"[tw] OR social activit*[tw] OR "social functioning"[tw] OR "social interaction"[tw] OR "social isolation"[tw] OR "social integration"[tw] OR "Pain"[mh] OR pain[tw] OR "Depression"[mh] OR "Depressive Disorder"[mh] OR depress*[tw] OR "emotional distress"[tw] OR "Stress, Psychological"[mh] OR stress[tw] OR "Anxiety"[mh] OR anxiet*[tw] OR "Independent Living"[mh] OR "independent living"[tw] OR "community dwelling"[tw] OR "wellbeing"[tw] OR "well being"[tw] OR "Cognition Disorders"[mh] OR cognitive function*[tw] OR "mental health"[tw] OR "cognitive impairment"[tw] OR "Patient Outcome Assessment"[mh] OR "patient reported outcome"[tw] OR "patient reported outcomes"[tw] OR "patient related outcome"[tw] OR "patient related outcomes"[tw] OR "patient centered outcomes"[tw] OR "patient centered outcome"[tw] OR rehabilitation outcome*[tw] OR "Work Capacity Evaluation"[mh] OR "work capacity"[tw] OR "occupational function"[tw] OR "Stress Disorders, Post-Traumatic"[mh] OR PTSD[tw] OR "traumatic stress disorder"[tw] OR "posttraumatic stress disorder"[tw]
#3
#1 AND #2
#4
#3 AND Filters: **Publication date from 2005/01/01 to 2016/12/31; English; German**

UPDATE
#3 AND Filters: **Publication date from 2016/08/01 to 2018/12/31; English; German**

Embase Ovid (<1974 to 2016 August 02>, last searched 3 August 2016)

1. multiple trauma/
2. (multiple trauma* or polytrauma*).tw.
3. or/1-2
4. exp quality of life/
5. (quality of life or life quality or QoL or HRQoL or satisf* or self reported health).tw.
6. daily life activity/
7. ("activities of daily living" or "activity of daily living" or daily living activit* or "limitation of activity" or self care or physical functioning or functional abilit*or functional assessment).tw.
8. social participation/
9. (social participation or social activit* or social functioning or social interaction or social isolation or social integration).tw.
10. pain/
11. pain.tw.
12. exp depression/

13. (depress* or emotional distress).tw.
14. mental stress/
15. stress.tw.
16. anxiety/
17. anxiet*.tw.
18. independent living/
19. (independent living or community dwelling).tw.
20. wellbeing/
21. (wellbeing or well being).tw.
22. cognitive defect/
23. postoperative cognitive dysfunction/
24. (cognitive adj (disorders or function* or impairment)).tw.
25. (mental health).tw.
26. patient satisfaction/
27. (patient adj (outcome assessment or reported outcome* or related outcome* or centered outcome*)).tw.
28. (rehabiliation outcome*).tw.
29. work capacity/
30. (work capacity or occupational function).tw.
31. posttraumatic stress disorder/
32. (PTSD or posttraumatic stress disorder or traumatic stress disorder).tw.
33. or/4-32
34. 3 and 33
35. limit 34 to ((english or german) and yr="2005 - 2016")

CINAHL EBSCO (last searched 5 April 2018)

1. MH "Multiple Trauma"
2. TI (multiple trauma* or polytrauma*)
3. AB (multiple trauma* or polytrauma*)
4. S1 OR S2 OR S3
5. MH ("Quality of Life+" or "Health and Life Quality (Iowa NOC)+" or "Disability Evaluation")
6. TI ("quality of life" or "life quality" or "QoL" or "HRQoL" or satisf* or "self reported health")
7. AB ("quality of life" or "life quality" or "QoL" or "HRQoL" or satisf* or "self reported health")
8. MH "Activities of Daily Living+"
9. MH "Self-Care Deficit (Saba CCC)+"
10. MH "Activities of Daily Living (Saba CCC)"
11. MH "Self-Care (Iowa NOC)+"
12. TI ("activities of daily living" or "daily living activity" or "daily living activities" or "activity of daily living" or "limitation of activity" or "self care" or "physical functioning" or "functional abilit*" or "functional assessment")
13. AB ("activities of daily living" or "daily living activity" or "daily living activities" or "activity of daily living" or "limitation of activity" or "self care" or "physical functioning" or "functional abilit*" or "functional assessment")
14. MH "Social Participation"
15. TI ("social participation" or "social activit*" or "social functioning" or "social interaction" or "social isolation" or "social integration")
16. AB ("social participation" or "social activit*" or "social functioning" or "social interaction" or "social isolation" or "social integration")
17. MH "Pain+"
18. TI pain

19. AB pain
20. MH "Depression+"
21. TI (depress* or "emotional distress")
22. AB (depress* or "emotional distress")
23. MH "Stress, Psychological+"
24. TI stress
25. AB stress
26. MH "Anxiety+"
27. TI anxiet*
28. AB anxiet*
29. MH "Community Living+"
30. TI ("independent living" or "community living" or "community dwelling"or "wellbeing"or "well being")
31. AB ("independent living" or "community living" or "community dwelling"or "wellbeing"or "well being")
32. MH "Cognition Disorders+"
33. TI ("cognitive function*" or "mental health" or "cognitive impairment")
34. AB ("cognitive function*" or "mental health" or "cognitive impairment")
35. MH "Outcomes (Health Care)+"
36. TI ("patient reported outcome*" or "patient related outcome*"or "patient centered outcome*" or "rehabilitation outcome*")
37. AB ("patient reported outcome*" or "patient related outcome*"or "patient centered outcome*" or "rehabilitation outcome*")
38. MH "Work Capacity Evaluation"
39. TI ("work capacity" or "occupational function")
40. AB ("work capacity" or "occupational function")
41. MH "Stress Disorders, Post-Traumatic+"
42. TI (PTSD or "posttraumatic stress disorder" or "traumatic stress disorder")
43. AB (PTSD or "posttraumatic stress disorder" or "traumatic stress disorder")
44. S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43
45. S4 AND S44
46. EM 20050101-20161231
47. S45 AND S46

UPDATE
EM 20160801-20181231

PsycINFO Ovid (last searched 5 April 2018)

1. (multiple trauma* or polytrauma*).tw.
2. "Quality of Life"/
3. "Life Satisfaction"/
4. (quality of life or life quality or QoL or HRQoL or satisf* or self reported health).tw.
5. "Activities of Daily Living"/
6. "Self-Care Skills"/
7. ("activities of daily living" or "activity of daily living" or daily living activit* or "limitation of activity" or self care or physical functioning or functional abilit*or functional assessment).tw.

8. (social participation or social activit* or social functioning or social interaction or social isolation or social integration).tw.
9. Pain/
10. pain.tw.
11. exp Major Depression/
12. (depress* or emotional distress).tw.
13. Psychological Stress/
14. "Stress and Coping Measures"/
15. Coping Behavior/
16. Adjustment Disorders/
17. stress.tw.
18. Anxiety/
19. anxiet*.tw.
20. (independent living or community dwelling).tw.
21. Well Being/
22. (wellbeing or well being).tw.
23. Cognitive Impairment/
24. exp Memory Disorders/
25. Cognitive Ability/
26. (cognitive adj (disorders or function* or impairment)).tw.
27. (mental health).tw.
28. Client Satisfaction/
29. (patient adj (outcome assessment or reported outcome* or related outcome* or centered outcome*)).tw.
30. exp Treatment outcomes/
31. (rehabilitation outcome*).tw.
32. (work capacity or occupational function).tw.
33. Post-Traumatic Stress/
34. Posttraumatic Stress Disorder/
35. (PTSD or posttraumatic stress disorder or traumatic stress disorder).tw.
36. or/2-35
37. 1 and 36
38. limit 37 to yr="2005 -Current"

UPDATE

(201608* or 201609* or 20161* or 2017* or 2018*).up.

Cochrane Central Register of Controlled Trials via Cochrane Register of Studies Online (last searched 5 April 2018)

1. (multiple trauma* or polytrauma*):TI,AB,KY
2. ("quality of life" or "life quality" or QoL or HRQoL or satisf* or "self reported health"):TI,AB,KY
3. ("activities of daily living" or "daily living activity" or "daily living activities" or "activity of daily living" or "limitation of activity" or "self care" or "physical functioning" or "functional abilit*" or "functional assessment"):TI,AB,KY
4. ("social participation" or social activit* or "social functioning" or "social interaction" or "social isolation" or "social integration"):TI,AB,KY
5. (pain):TI,AB,KY
6. (depress* or "emotional distress"):TI,AB,KY
7. (stress):TI,AB,KY
8. (anxiet*):TI,AB,KY

9. ("independent living" or "community dwelling" or "wellbeing" or "well being"):TI,AB,KY
10. ("cognition disorder*" or "cognitive function*" or "mental health" or "cognitive impairment"):TI,AB,KY
11. ("patient reported outcome" or "patient reported outcomes" or "patient related outcome" or "patient related outcomes" or "patient centered outcomes" or "patient centered outcome" or "rehabilitation outcome*"):TI,AB,KY
12. ("work capacity" or "occupational function"):TI,AB,KY
13. (PTSD or "traumatic stress disorder" or "posttraumatic stress disorder"):TI,AB,KY
14. #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11 OR #12 OR #13
15. #1 AND #14

ClinicalTrials.gov (Expert search, last searched 5 April 2018)

Condition: "multiple trauma" OR "multiple traumata" OR polytrauma OR polytraumata

Search terms: "quality of life" OR "life quality" OR QoL OR HRQoL OR satisfaction OR "self reported health" OR "activities of daily living" OR "daily living activity" OR "daily living activities" OR "activity of daily living" OR "limitation of activity" OR "self care" OR "physical functioning" OR "functional ability" OR "functional abilities" OR "functional assessment" OR social OR pain OR depression OR "depressive disorder" OR distress OR stress OR anxiety OR "independent living" OR "community dwelling" OR "wellbeing" OR "well being" OR "cognition disorder" OR "memory disorders" OR "cognition disorders" OR "cognitive function" OR "cognitive functions" OR "cognitive abilities" OR "cognitive ability" OR "mental health" OR "cognitive impairment" OR "patient outcome assessment" OR "patient reported outcome" OR "patient reported outcomes" OR "patient related outcome" OR "patient related outcomes" OR "patient centered outcomes" OR "patient centered outcome" OR rehabilitation OR coping OR adjustment OR "work capacity" OR "occupational function" OR PTSD OR "traumatic stress disorder" OR "posttraumatic stress disorder"

UPDATE

("quality of life" OR "life quality" OR QoL OR HRQoL OR satisfaction OR "self reported health" OR "activities of daily living" OR "daily living activity" OR "daily living activities" OR "activity of daily living" OR "limitation of activity" OR "self care" OR "physical functioning" OR "functional ability" OR "functional abilities" OR "functional assessment" OR social OR pain OR depression OR "depressive disorder" OR distress OR stress OR anxiety OR "independent living" OR "community dwelling" OR "wellbeing" OR "well being" OR "cognition disorder" OR "memory disorders" OR "cognition disorders" OR "cognitive function" OR "cognitive functions" OR "cognitive abilities" OR "cognitive ability" OR "mental health" OR "cognitive impairment" OR "patient outcome assessment" OR "patient reported outcome" OR "patient reported outcomes" OR "patient related outcome" OR "patient related outcomes" OR "patient centered outcomes" OR "patient centered outcome" OR rehabilitation OR coping OR adjustment OR "work capacity" OR "occupational function" OR PTSD OR "traumatic stress disorder" OR "posttraumatic stress disorder") | "multiple trauma" OR "multiple traumata" OR polytrauma OR polytraumata | First posted from 08/03/2016 to 12/31/2018

WHO ICTRP search (Standard search, last searched 5 April 2018)

multiple trauma* OR polytrauma*