Additional file 2

The association between auditory system pathology and Sudden Infant Death Syndrome (SIDS): a systematic review

Katrine Dahl, Mads Andersen, Tine B. Henriksen

Excluded studies with reasons for exclusion

Title	Authors	Reason for exclusion
Is automated auditory brainstem response screening predictive of sudden infant death syndrome?	Brinsmead, T.L; Jardine, L; Thomas, D.	Study design
Neonatal otoacoustic emission screening and sudden infant death syndrome	Chan, R.S.Y.; McPherson, B; Zhang, V.W.	Study design
Inner ear and sudden infant death: Exploring implications for distubances in brainstem functions	Cohen, M.C.; Donn, T; Rivolta, M.; Cacciabue-Rivolta, D; Whitby, E; Rubens, D.	Study design
Brainstem auditory evoked-potentials in near-miss sudden infant death syndrome	Dorfman, L.J.; Gupta, P.R; Guilleminault, C.	Study design
Newborn hearing screen results for infants that died of SIDS in Michigan 2004-2006	Farquhar, L; Jennings, P.	Study design
Sudden infant death syndrome and possible relation to vestibular function	Farrimond, T.	Study design
Otoacoustic emissions does not currently have ability to detect SIDS	Hamill, T.; Lim, G.	Study design
Anatomo-pathologic study of the temporal bone in our 4 cases of sudden infant death	Josset, P.; Lecomte, D.; Omur, M.;	Study design

	Chabolle, F.; Hannoun, L; Chouard, C.H.	
Auditory arousal thresholds of normal and near-miss SIDS infants	Kahn, A.; Picard, E.; Blum, D.	Outcome
Newborn hearing screens and SIDS	Krous, H.; Byard, R.W.	Study design
Histological study of the middle ear in the sudden infant death syndrome	Lecomte, D.; Josset, P.	Study design
Far-field auditory evoked potentials in near-miss sudden infant death syndrome	Luders, H.; Orlowski, J.P.; Dinner, D.S.	Study design
Abnormal brain stem potentials in infants with threatened sudden infant death syndrome	Nodar, R.H.; Lonsdale, D.; Orlowski, J.P.	Patient population
Abnormal brainstem auditory evoked potentials in infants with threatened sudden infant death syndrome	Orlowski, J.P.; Nodar, R.H.; Lonsdale, D.	Patient population
Prediction of apnea in siblings of sudden infant death syndrome victims using brain-stem auditory evoked-potentials	Orlowski, J.P.; Lonsdale, D.; Nodar, R.H.; Hunt; Strauss; Keenan; Rich.	None-extractable
Brainstem auditory evoked potentials in infants at risk of sudden infant death syndrome (SIDS) with and without aminophylline treatment	Reiterer, F.; Litscher, G.; Kurz, R.; Haidmayer, R.; Pfurtscheller, G.	Exposure
Medullary astrogliosis in sudden infant death syndrome varies with sleeping environment: Evidence for different	Spinelli, J.; Byard, R.W.; Van Den	Comparison

mechanisms of death in alone versus co-sleepers?	Heuvel, C.; Collins-Praino, L.E.	
Brain-stem auditory evoked-potentials in sudden infant death syndrome (SIDS), near-miss-for-SIDS, and infant apnea syndromes	Stockard, J.J.; Hecox, K.	Study design
Hearing screening and sudden infant death syndrome	Stokowski, L.A.	Study design
Observations of otoconial membranes from human infants	Wright, C.G.; Hubbard, D.G.	Patient population
Absence of otoconia in a human infant	Wright, C.G.; Hubbard, D.G.; Graham, J.W.	Study design