Supplementary file 3. Study quality assessed using checklists from the Joanna Briggs Institute.[33]

Study type	Quality assessment items													
Author	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	Total
RCT [a]														
Baggett et al.[31]	1	1	1	●|0	●|0	●|0	1	0	1	1	●	1	1	8/13 (62%)
Quasi-Experimental [b]														
Schueller et al.[33]	1	1	0	0	1	1|0	1	0	0|●	—	—	—	—	4/9 (44%)
McInnes et al.[34]	1	1	0|1	0	1	1|0	1	0|1	●	—	—	—	—	5/9 (56%)
Carpenter et al.[32]	1	1	0	0	1	0	1	0|1	●	—	—	—	—	4/9 (44%)
Qualitative [c]														
Bender et al.[35]	●	●	●	●	●	0	0	1|0	●	1	—	—	—	2/10 (20%)
Sheoran et al.[38]	●	●	●	●	●	0	0	1	1|NA	1	—	—	—	3/10 (30%)
Neale et al.[37]	●	●	●	●	●	0	0	1	1	1	—	—	—	3/10 (30%)
Dang et al.[36]	●	●	●	●	●	0	0	0	1	1	—	—	—	2/10 (20%)

Note: C: criterion; RCT: randomized controlled trial.
Legend: 1: yes; 0: no; ●: unclear; NA: not applicable; |: conflicting rater opinion.

[a] RCT criterion 1: Was true randomization used for assignment of participants to treatment groups?; 2: Was allocation to treatment groups concealed?; 3: Were treatment groups similar at the baseline?; 4: Were participants blind to treatment assignment?; 5: Were those delivering treatment blind to treatment assignment?; 6: Were outcomes assessors blind to treatment assignment?; 7: Were treatment groups treated identically other than the intervention of interest?; 8: Was follow up complete and if not, were differences between groups in terms of their follow up adequately described and analyzed?; 9: Were participants analyzed in the groups to which they were randomized?; 10: Were outcomes measured in the same way for treatment groups?; 11: Were outcomes measured in a

reliable way?; 12: Was appropriate statistical analysis used?; 13: Was the trial design appropriate, and any deviations from the standard RCT design (individual randomization, parallel groups) accounted for in the conduct and analysis of the trial?

[b] Quasi-Experimental criterion 1: Is it clear in the study what is the 'cause' and what is the 'effect'?; 2: Were the participants included in any comparisons similar?; 3: Were the participants included in any comparisons receiving similar treatment/care, other than the exposure or intervention of interest?; 4: Was there a control group?; 5: Were there multiple measurements of the outcome both pre and post the intervention/exposure?; 6: Was follow up complete and if not, were differences between groups in terms of their follow up adequately described and analyzed?; 7: Were the outcomes of participants included in any comparisons measured in the same way?; 8: Were outcomes measured in a reliable way?; 9: Was appropriate statistical analysis used?

[c] Qualitative criterion 1: Is there congruity between the stated philosophical perspective and the research methodology?; 2: Is there congruity between the research methodology and the research question or objectives?; 3: Is there congruity between the research methodology and the methods used to collect data?; 4: Is there congruity between the research methodology and the representation and analysis of data?; 5: Is there congruity between the research methodology and the interpretation of results?; 6: Is there a statement locating the researcher culturally or theoretically?; 7: Is the influence of the researcher on the research, and vice- versa, addressed?; 8: Are participants, and their voices, adequately represented?; 9: Is the research ethical according to current criteria or, for recent studies, and is there evidence of ethical approval by an appropriate body?; 10: Do the conclusions drawn in the research report flow from the analysis, or interpretation, of the data?