Search strategy

Cochrane Database of Systematic Review (CDSR) and Cochrane Registry of Controlled Trials (CENTRAL)

ID	Search
#1	MeSH descriptor: [Anticoagulants] explode all trees
#2	Anticoagulation
#3	direct oral anticoagulant
#4	MeSH descriptor: [Factor Xa Inhibitors] explode all trees
#5	novel oral anticoagulant
#6	low molecular weight heparin
#7	MeSH descriptor: [Heparin, Low-Molecular-Weight] explode all trees
#8	warfarin
#9	MeSH descriptor: [Warfarin] explode all trees
#10	{OR #1-#9}
#11	antiplatelet
#12	MeSH descriptor: [Platelet Aggregation Inhibitors] explode all trees
#13	{OR #11-#12}
#14	survival
#15	overall survival
#16	MeSH descriptor: [Survival Rate] explode all trees
#17	MeSH descriptor: [Survival Analysis] explode all trees
#18	MeSH descriptor: [Kaplan-Meier Estimate] explode all trees
#19	ischaemic stroke

#20 MeSH descriptor: [Stroke] explode all trees

#21 cerebral infarct

#22 MeSH descriptor: [Cerebral Infarction] explode all trees

#23 embolism

#24 MeSH descriptor: [Embolism] explode all trees

#25 bleeding

#26 haemorrhage

#27 MeSH descriptor: [Hemorrhage] explode all trees

#28 intracranial bleeding

#29 intracranial haemorrhage

#30 MeSH descriptor: [Intracranial Hemorrhages] explode all trees

#31 gastrointestinal bleeding

#32 gastrointestinal haemorrhage

#33 MeSH descriptor: [Gastrointestinal Hemorrhage] explode all trees

#34 quality of life

#35 MeSH descriptor: [Quality of Life] explode all trees

#36

#37 atrial fibrillation

#38 MeSH descriptor: [Atrial Fibrillation] explode all trees

#39 thyrocardiac disease

#40 thyrotoxic atrial fibrillation

#41 {OR #37-#40}

#42 thyrotoxicosis

#43 MeSH descriptor: [Thyrotoxicosis] explode all trees

#44 hyperthyroidism

#45 MeSH descriptor: [Hyperthyroidism] explode all trees

#46 subclinical hyperthyroidism

#47 {OR #42-#46}

#48 {OR #41-#47}

#49 #10 AND #13 AND #36 AND #48

Embase

Sources Embase, MEDLINE

Query(thyrotoxic AND atrial AND fibrillation OR thyrotoxicosis OR 'hyperthyroidism complications' OR 'subclinical hyperthyroidism'/exp OR 'subclinical hyperthyroidism' OR 'graves disease'/exp OR 'graves disease' OR 'atrial fibrillation'/exp OR 'atrial fibrillation' OR 'heart atrium arrhythmia'/exp OR 'heart atrium arrhythmia') AND ('antithrombocytic agent' OR 'anticoagulant therapy' OR 'blood clotting factor 10a inhibitor' OR 'direct oral anticoagulant' OR 'low molecular weight heparin' OR warfarin OR apixaban OR edoxaban OR dabigatran OR rivaroxaban OR 'acetylsalicylic acid' OR clopidogrel OR ticagrelor OR dalteparin OR enoxaparin OR 'purinergic p2y receptor antagonist') AND ('brain ischemia' OR 'brain infarction' OR 'embolic stroke' OR embolism OR thromboembolism OR 'cardioembolic stroke' OR 'cardioembolic infarction' OR survival OR 'survival rate' OR 'lung embolism' OR 'quality of life' OR bleeding OR 'brain hemorrhage' OR 'gastrointestinal hemorrhage' OR 'kaplan meier method') AND ([adolescent]/lim OR [adult]/lim OR [young adult]/lim OR [middle aged]/lim OR [aged]/lim OR [very elderly]/lim) AND [humans]/lim AND [embase]/lim

Mapped terms n/a

PROSPERO

#1: ((((((((((((((((((Thyrotoxic atrial fibrillation) OR (Thyrotoxicosis)) OR (Hyperthyroidism)) OR (Subclinical hyperthyroidism)) OR (Graves' disease)) OR (Thyroiditis)) OR (Thyroid storm)) OR (Atrial fibrillation)) OR (Arrhythmias)) OR ("atrial fibrillation"[All Fields] OR "atrial fibrillation and flutter"[All Fields] OR "atrial fibrillation and stroke"[All Fields] OR "atrial fibrillation anticoagulation"[All Fields] OR "atrial fibrillation anticoagulation stroke"[All Fields] OR "atrial fibrillation anticoagulation stroke elderly"[All Fields] OR "atrial fibrillation anticoagulation study"[All Fields])) OR ("Atrial fibrillation/drug therapy" [MeSH])) OR ("Atrial fibrillation/etiology" [MeSH])) OR ("Atrial fibrillation/therapy" [MeSH])) OR (Cardiothyreosis)) OR ("Arrhythmias/etiology" [MeSH])) OR ("Arrhythmias/therapy" [MeSH])) OR ("Hyperthyroidism/complications" [MeSH])) OR ("Hyperthyroidism/drug therapy" [MeSH])) OR ("Thyrotoxicosis/complications" [MeSH])) OR ("Thyrotoxicosis/drug therapy" [MeSH])) OR ("Thyroid diseases/complications" [MeSH])

#2: (((((humans[Filter]) AND (adolescent[Filter] OR alladult[Filter] OR youngadult[Filter] OR adult[Filter] OR middleagedaged[Filter] OR middleaged[Filter] OR aged[Filter] OR 80andover[Filter]))) OR ((((((((((((((((((((((((((Aspirin) OR (Antiplatelet therapy)) OR (Warfarin)) OR (Apixaban)) OR (Rivaroxaban)) OR (Anticoagulation)) OR (Anticoagulant)) OR (Direct oral anticoagulation therapy)) OR (Direct oral anticoagulant)) OR (Novel oral anticoagulation therapy)) OR (Novel oral anticoagulant)) OR (Clopidogrel)) OR (Low molecular weight heparin)) OR (Enoxaparin)) OR (Dalteparin)) OR ("Anticoagulants/administration and dosage" [MeSH])) OR ("Anticoagulants/therapeutic use" [MeSH])) OR ("Aspirin/therapeutic use" [MeSH])) OR ("Factor Xa inhibitors/therapeutic use" [MeSH])) OR ("Platelet aggregation inhibitors/therapeutic use" [MeSH])) OR ("Rivaroxaban/therapeutic use" [MeSH])) OR ("Dalteparin/administration and dosage" [MeSH])) OR ("Dalteparin/therapeutic use" [MeSH])) OR ("Purinergic P2Y receptor antagonists/adverse effects" [MeSH])) OR ("Purinergic P2Y receptor antagonists/therapeutic use" [MeSH])) OR ("Ticagrelor/adverse effect" [MeSH])) OR ("Ticagrelor/therapeutic use" [MeSH]) AND ((humans[Filter]) AND (adolescent[Filter] OR alladult[Filter] OR youngadult[Filter] OR adult[Filter] OR middleagedaged[Filter] OR middleaged[Filter] OR aged[Filter] OR 80andover[Filter])))) OR (dabigatran)) OR (edoxaban)

#3: ((((((((((((((((((((((((((((((((((((Ischaemic stroke) OR (Embolic stroke)) OR (Cardioembolic stroke)) OR (Embolism)) OR (Cardioembolism)) OR (Cerebral infarct)) OR (Brain infarct)) OR (Thromboembolism)) OR (Bleeding)) OR (Mortality)) OR (Survival)) OR (Overall survival)) OR ("Embolism/prevention and control" [MeSH])) OR ("Thromboembolism/prevention and control" [MeSH])) OR ("Cerebral infarction/complications" [MeSH])) OR ("Thromboembolism/etiology" [MeSH])) OR ("Cerebrovascular disorders/etiology" [MeSH]))

OR ("Intracranial embolism and thrombosis/complications" [MeSH])) OR ("Pulmonary embolism/complication" [MeSH])) OR ("Stroke/drug therapy" [MeSH])) OR ("Stroke/prevention and control" [MeSH])) OR ("Hemorrhage/chemically induced" [MeSH])) OR ("Quality-adjusted life years" [MeSH])) OR (Quality of life)) OR ("Arterial occlusive diseases/etiology" [MeSH])) OR ("Arterial occlusive diseases/therapy" [MeSH])) OR ("Embolism/etiology" [MeSH])) OR ("Embolism/therapy" [MeSH])) OR ("Brain ischaemia/complications" [MeSH])) OR ("Cerebrovascular disorders/complications" [MeSH])) OR ("Embolism/complications" [MeSH])) OR ("Stroke" [MeSH])) OR ("Thrombophilia/complications" [MeSH])) OR ("Intracranial embolism and thrombosis/pathophysiology" [MeSH])) OR ("Thromboembolism/pathophysiology" [MeSH])) OR ("Kaplan-Meier estimate" [MeSH])) OR (gastrointestinal bleeding)) OR (gastrointestinal haemorrhage)

#4: #1 AND #2 AND #3

PubMed

((("thyrotoxic"[All Fields] OR "thyrotoxicity"[All Fields] OR "thyrotoxics"[All Fields]) AND ("atrial fibrillation"[MeSH Terms] OR ("atrial"[All Fields] AND "fibrillation"[All Fields]) OR "atrial fibrillation"[All Fields])) OR ("thyrotoxicosis"[MeSH Terms] OR "thyrotoxicosis"[All Fields] OR "thyrotoxicoses"[All Fields]) OR ("hyperthyroidal"[All Fields] OR "hyperthyroidic"[All Fields] OR "hyperthyroidism"[MeSH Terms] OR "hyperthyroidism"[All Fields] OR "hyperthyroid"[All Fields] OR "hyperthyroids"[All Fields] OR "hyperthyroidisms"[All Fields]) OR (("subclinic"[All Fields] OR "subclinical"[All Fields] OR "subclinically"[All Fields] OR "subclinicals"[All Fields]) AND ("hyperthyroidal"[All Fields] OR "hyperthyroidic"[All Fields] OR "hyperthyroidism"[MeSH Terms] OR "hyperthyroidism"[All Fields] OR "hyperthyroid"[All Fields] OR "hyperthyroids"[All Fields] OR "hyperthyroidisms"[All Fields])) OR ("graves disease"[MeSH Terms] OR ("graves"[All Fields] AND "disease"[All Fields]) OR "graves disease"[All Fields]) OR ("thyroid gland"[MeSH Terms] OR ("thyroid"[All Fields] AND "gland"[All Fields]) OR "thyroid gland"[All Fields] OR "thyroid"[All Fields] OR "thyroid usp"[MeSH Terms] OR ("thyroid"[All Fields] AND "usp"[All Fields]) OR "thyroid usp"[All Fields] OR "thyroids"[All Fields] OR "thyroid s"[All Fields] OR "thyroidal"[All Fields] OR "thyroideal"[All Fields] OR "thyroidism"[All Fields] OR "thyroiditis"[MeSH Terms] OR "thyroiditis"[All Fields] OR "thyroiditides"[All Fields]) OR ("thyroid crisis"[MeSH Terms] OR ("thyroid"[All Fields] AND "crisis"[All Fields]) OR "thyroid crisis"[All Fields] OR ("thyroid"[All Fields] AND "storm"[All Fields]) OR "thyroid storm"[All Fields]) OR ("atrial fibrillation"[MeSH Terms] OR ("atrial"[All

Fields] AND "fibrillation"[All Fields]) OR "atrial fibrillation"[All Fields]) OR ("arrhythmia s"[All Fields] OR "arrhythmias, cardiac"[MeSH Terms] OR ("arrhythmias"[All Fields] AND "cardiac"[All Fields]) OR "cardiac arrhythmias"[All Fields] OR "arrhythmia"[All Fields] OR "arrhythmias"[All Fields]) OR ("atrial fibrillation"[All Fields] OR "atrial fibrillation and flutter"[All Fields] OR "atrial fibrillation and stroke"[All Fields] OR "atrial fibrillation anticoagulation"[All Fields] OR "atrial fibrillation anticoagulation stroke"[All Fields] OR "atrial fibrillation anticoagulation stroke elderly"[All Fields] OR "atrial fibrillation anticoagulation study"[All Fields]) OR "atrial fibrillation/drug therapy"[MeSH Terms] OR "atrial fibrillation/etiology"[MeSH Terms] OR "atrial fibrillation/therapy"[MeSH Terms] OR "Cardiothyreosis"[All Fields] OR "hyperthyroidism/complications"[MeSH Terms] OR "hyperthyroidism/drug therapy"[MeSH Terms] OR "thyrotoxicosis/complications"[MeSH Terms] OR "thyrotoxicosis/drug therapy"[MeSH Terms] OR "thyroid diseases/complications"[MeSH Terms]) AND ("humans"[MeSH Terms] AND ("adolescent"[MeSH Terms] OR "adult"[MeSH Terms] OR "young adult"[MeSH Terms] OR "adult"[MeSH Terms:noexp] OR ("middle aged"[MeSH Terms] OR "aged"[MeSH Terms]) OR "middle aged"[MeSH Terms] OR "aged"[MeSH Terms] OR "aged, 80 and over"[MeSH Terms])) AND (("aspirin"[MeSH Terms] OR "aspirin"[All Fields] OR "aspirins"[All Fields] OR "aspirin s"[All Fields] OR "aspirine"[All Fields] OR (("antiplatelet"[All Fields] OR "antiplatelets"[All Fields]) AND ("therapeutics"[MeSH Terms] OR "therapeutics"[All Fields] OR "therapies"[All Fields] OR "therapy"[MeSH Subheading] OR "therapy"[All Fields] OR "therapy s"[All Fields] OR "therapys"[All Fields])) OR ("warfarin"[MeSH Terms] OR "warfarin"[All Fields] OR "warfarin s"[All Fields] OR "warfarinization"[All Fields] OR "warfarinized"[All Fields] OR "warfarins"[All Fields]) OR ("apixaban"[Supplementary Concept] OR "apixaban"[All Fields] OR "apixaban s"[All Fields]) OR ("rivaroxaban"[MeSH Terms] OR "rivaroxaban"[All Fields]) OR ("anticoagulants"[Pharmacological Action] OR "anticoagulants"[MeSH Terms] OR "anticoagulants"[All Fields] OR "anticoagulant"[All Fields] OR "anticoagulate"[All Fields] OR "anticoagulated"[All Fields] OR "anticoagulating"[All Fields] OR "anticoagulation"[All Fields] OR "anticoagulations"[All Fields] OR "anticoagulative"[All Fields]) OR ("anticoagulants"[Pharmacological Action] OR "anticoagulants"[MeSH Terms] OR "anticoagulants"[All Fields] OR "anticoagulant"[All Fields] OR "anticoagulate"[All Fields] OR "anticoagulated"[All Fields] OR "anticoagulating"[All Fields] OR "anticoagulation"[All Fields] OR "anticoagulations"[All Fields] OR "anticoagulative"[All Fields]) OR (("direct"[All Fields] OR "directed"[All Fields] OR "directing"[All Fields] OR "direction"[All Fields] OR "directional"[All Fields] OR "directions"[All Fields] OR "directivities"[All Fields] OR "directivity"[All Fields] OR "directs"[All Fields]) AND ("mouth"[MeSH Terms] OR "mouth"[All

Fields] OR "oral"[All Fields]) AND ("anticoagulants"[Pharmacological Action] OR "anticoagulants"[MeSH Terms] OR "anticoagulants"[All Fields] OR "anticoagulant"[All Fields] OR "anticoagulate"[All Fields] OR "anticoagulated"[All Fields] OR "anticoagulating"[All Fields] OR "anticoagulation"[All Fields] OR "anticoagulations"[All Fields] OR "anticoagulative"[All Fields]) AND ("therapeutics"[MeSH Terms] OR "therapeutics"[All Fields] OR "therapies"[All Fields] OR "therapy"[MeSH Subheading] OR "therapy"[All Fields] OR "therapy s"[All Fields] OR "therapys"[All Fields])) OR (("direct"[All Fields] OR "directed"[All Fields] OR "directing"[All Fields] OR "direction"[All Fields] OR "directional"[All Fields] OR "directions"[All Fields] OR "directivities"[All Fields] OR "directivity"[All Fields] OR "directs"[All Fields]) AND ("mouth"[MeSH Terms] OR "mouth"[All Fields] OR "oral"[All Fields]) AND ("anticoagulants"[Pharmacological Action] OR "anticoagulants"[MeSH Terms] OR "anticoagulants"[All Fields] OR "anticoagulant"[All Fields] OR "anticoagulate"[All Fields] OR "anticoagulated"[All Fields] OR "anticoagulating"[All Fields] OR "anticoagulation"[All Fields] OR "anticoagulations"[All Fields] OR "anticoagulative"[All Fields])) OR (("novel"[All Fields] OR "novel s"[All Fields] OR "novels"[All Fields]) AND ("mouth"[MeSH Terms] OR "mouth"[All Fields] OR "oral"[All Fields]) AND ("anticoagulants"[Pharmacological Action] OR "anticoagulants"[MeSH Terms] OR "anticoagulants"[All Fields] OR "anticoagulant"[All Fields] OR "anticoagulate"[All Fields] OR "anticoagulated"[All Fields] OR "anticoagulating"[All Fields] OR "anticoagulation"[All Fields] OR "anticoagulations"[All Fields] OR "anticoagulative"[All Fields]) AND ("therapeutics"[MeSH Terms] OR "therapeutics"[All Fields] OR "therapies"[All Fields] OR "therapy"[MeSH Subheading] OR "therapy"[All Fields] OR "therapy s"[All Fields] OR "therapys"[All Fields])) OR (("novel"[All Fields] OR "novel s"[All Fields] OR "novels"[All Fields]) AND ("mouth"[MeSH Terms] OR "mouth"[All Fields] OR "oral"[All Fields]) AND ("anticoagulants"[Pharmacological Action] OR "anticoagulants"[MeSH Terms] OR "anticoagulants"[All Fields] OR "anticoagulant"[All Fields] OR "anticoagulate"[All Fields] OR "anticoagulated"[All Fields] OR "anticoagulating"[All Fields] OR "anticoagulation"[All Fields] OR "anticoagulations"[All Fields] OR "anticoagulative"[All Fields])) OR ("clopidogrel"[MeSH Terms] OR "clopidogrel"[All Fields] OR "clopidogrel s"[All Fields]) OR ("heparin, low molecular weight"[MeSH Terms] OR ("heparin"[All Fields] AND "low molecular weight"[All Fields]) OR "low-molecular-weight heparin"[All Fields] OR ("low"[All Fields] AND "molecular"[All Fields] AND "weight"[All Fields] AND "heparin"[All Fields]) OR "low molecular weight heparin"[All Fields]) OR ("enoxaparin"[MeSH Terms] OR "enoxaparin"[All Fields] OR "enoxaparine"[All Fields] OR "enoxaparin s"[All Fields] OR "enoxaparins"[All Fields]) OR ("dalteparin"[MeSH Terms] OR

"dalteparin"[All Fields]) OR "anticoagulants/administration and dosage"[MeSH Terms] OR "anticoagulants/therapeutic use"[MeSH Terms] OR "aspirin/therapeutic use"[MeSH Terms] OR "factor xa inhibitors/therapeutic use"[MeSH Terms] OR "platelet aggregation inhibitors/therapeutic use"[MeSH Terms] OR "rivaroxaban/therapeutic use"[MeSH Terms] OR "dalteparin/administration and dosage"[MeSH Terms] OR "dalteparin/therapeutic use"[MeSH Terms] OR "purinergic p2y receptor antagonists/adverse effects"[MeSH Terms] OR "purinergic p2y receptor antagonists/therapeutic use"[MeSH Terms] OR "ticagrelor/therapeutic use"[MeSH Terms]) AND ("humans"[MeSH Terms] AND ("adolescent"[MeSH Terms] OR "adult"[MeSH Terms] OR "young adult"[MeSH Terms] OR "adult"[MeSH Terms:noexp] OR ("middle aged"[MeSH Terms] OR "aged"[MeSH Terms]) OR "middle aged"[MeSH Terms] OR "aged"[MeSH Terms] OR "aged, 80 and over"[MeSH Terms]))) AND ((((("ischaemics"[All Fields] OR "ischemia"[MeSH Terms] OR "ischemia"[All Fields] OR "ischaemic"[All Fields] OR "ischemic"[All Fields] OR "ischemical"[All Fields] OR "ischemically"[All Fields] OR "ischemics"[All Fields] OR "ischemized"[All Fields]) AND ("Stroke"[MeSH Terms] OR "Stroke"[All Fields] OR "strokes"[All Fields] OR "stroke s"[All Fields])) OR (("embol"[All Fields] OR "embolics"[All Fields] OR "embolisations"[All Fields] OR "embolise"[All Fields] OR "embolised"[All Fields] OR "embolising"[All Fields] OR "embolism"[MeSH Terms] OR "embolism"[All Fields] OR "embolic"[All Fields] OR "embolisms"[All Fields] OR "embolization, therapeutic"[MeSH Terms] OR ("embolization"[All Fields] AND "therapeutic"[All Fields]) OR "therapeutic embolization"[All Fields] OR "embolisation"[All Fields] OR "embolization"[All Fields] OR "embolizations"[All Fields] OR "embolize"[All Fields] OR "embolized"[All Fields] OR "embolizes"[All Fields] OR "embolizing"[All Fields]) AND ("Stroke"[MeSH Terms] OR "Stroke"[All Fields] OR "strokes"[All Fields] OR "stroke s"[All Fields])) OR (("cardioembolic"[All Fields] OR "cardioembolism"[All Fields] OR "cardioembolisms"[All Fields]) AND ("Stroke"[MeSH Terms] OR "Stroke"[All Fields] OR "strokes"[All Fields] OR "stroke s"[All Fields])) OR ("embol"[All Fields] OR "embolics"[All Fields] OR "embolisations"[All Fields] OR "embolise"[All Fields] OR "embolised"[All Fields] OR "embolising"[All Fields] OR "embolism"[MeSH Terms] OR "embolism"[All Fields] OR "embolic"[All Fields] OR "embolisms"[All Fields] OR "embolization, therapeutic"[MeSH Terms] OR ("embolization"[All Fields] AND "therapeutic"[All Fields]) OR "therapeutic embolization"[All Fields] OR "embolisation"[All Fields] OR "embolization"[All Fields] OR "embolizations"[All Fields] OR "embolize"[All Fields] OR "embolized"[All Fields] OR "embolizes"[All Fields] OR "embolizing"[All Fields]) OR ("cardioembolic"[All Fields] OR "cardioembolism"[All Fields] OR "cardioembolisms"[All Fields]) OR ("cerebral infarction"[MeSH Terms] OR ("cerebral"[All Fields] AND "infarction"[All Fields]) OR "cerebral

infarction"[All Fields] OR ("cerebral"[All Fields] AND "infarct"[All Fields]) OR "cerebral infarct"[All Fields]) OR ("brain infarction"[MeSH Terms] OR ("brain"[All Fields] AND "infarction"[All Fields]) OR "brain infarction"[All Fields] OR ("brain"[All Fields] AND "infarct"[All Fields]) OR "brain infarct"[All Fields]) OR ("thromboembolic"[All Fields] OR "thromboembolism"[MeSH Terms] OR "thromboembolism"[All Fields] OR "thromboembolisms"[All Fields] OR "thromboembolization"[All Fields]) OR ("bleedings"[All Fields] OR "hemorrhage"[MeSH Terms] OR "hemorrhage"[All Fields] OR "bleed"[All Fields] OR "bleeding"[All Fields] OR "bleeds"[All Fields]) OR ("mortality"[MeSH Terms] OR "mortality"[All Fields] OR "mortalities"[All Fields] OR "mortality"[MeSH Subheading]) OR ("mortality"[MeSH Subheading] OR "mortality"[All Fields] OR "survival"[All Fields] OR "survival"[MeSH Terms] OR "survivability"[All Fields] OR "survivable"[All Fields] OR "survivals"[All Fields] OR "survive"[All Fields] OR "survived"[All Fields] OR "survives"[All Fields] OR "surviving"[All Fields]) OR ("mortality"[MeSH Subheading] OR "mortality"[All Fields] OR "survival"[All Fields] OR "survival"[MeSH Terms] OR "survivability"[All Fields] OR "survivable"[All Fields] OR "survivals"[All Fields] OR "survive"[All Fields] OR "survived"[All Fields] OR "survives"[All Fields] OR "surviving"[All Fields]) OR "embolism/prevention and control"[MeSH Terms] OR "thromboembolism/prevention and control"[MeSH Terms] OR "cerebral infarction/complications"[MeSH Terms] OR "thromboembolism/etiology"[MeSH Terms] OR "cerebrovascular disorders/etiology"[MeSH Terms] OR "intracranial embolism and thrombosis/complications"[MeSH Terms] OR "stroke/drug therapy"[MeSH Terms] OR "stroke/prevention and control"[MeSH Terms] OR "hemorrhage/chemically induced"[MeSH Terms] OR "Quality-adjusted life years"[MeSH Terms] OR ("quality of life"[MeSH Terms] OR ("quality"[All Fields] AND "life"[All Fields]) OR "quality of life"[All Fields]) OR "arterial occlusive diseases/etiology"[MeSH Terms] OR "arterial occlusive diseases/therapy"[MeSH Terms] OR "embolism/etiology"[MeSH Terms] OR "embolism/therapy"[MeSH Terms] OR "cerebrovascular disorders/complications"[MeSH Terms] OR "embolism/complications"[MeSH Terms] OR "Stroke"[MeSH Terms] OR "thrombophilia/complications"[MeSH Terms] OR "Kaplan-Meier estimate"[MeSH Terms] OR ("gastrointestinal hemorrhage"[MeSH Terms] OR ("gastrointestinal"[All Fields] AND "hemorrhage"[All Fields]) OR "gastrointestinal hemorrhage"[All Fields] OR ("gastrointestinal"[All Fields] AND "bleeding"[All Fields]) OR "gastrointestinal bleeding"[All Fields]) OR ("gastrointestinal haemorrhage"[All Fields] OR "gastrointestinal hemorrhage"[MeSH Terms] OR ("gastrointestinal"[All Fields] AND "hemorrhage"[All Fields]) OR "gastrointestinal hemorrhage"[All Fields])) AND ("humans"[MeSH Terms] AND ("adolescent"[MeSH Terms] OR "adult"[MeSH Terms] OR "young adult"[MeSH Terms] OR "adult"[MeSH Terms:noexp] OR

("middle aged"[MeSH Terms] OR "aged"[MeSH Terms]) OR "middle aged"[MeSH Terms] OR "aged"[MeSH Terms] OR "aged, 80 and over"[MeSH Terms])) AND ("humans"[MeSH Terms] AND ("adolescent"[MeSH Terms] OR "adult"[MeSH Terms] OR "young adult"[MeSH Terms] OR "adult"[MeSH Terms:noexp] OR ("middle aged"[MeSH Terms] OR "aged"[MeSH Terms]) OR "middle aged"[MeSH Terms] OR "aged"[MeSH Terms] OR "aged, 80 and over"[MeSH Terms])) - Saved search

Science Citation Index

Set Results Save History / Create Alert Open Saved History Combine Sets AND OR Combine # 9 6,578 #7 NOT #6 Refined by: [excluding] DOCUMENT TYPES: (CASE REPORT OR REFERENCE MATERIAL OR NEWS OR BIOGRAPHY OR REVIEW OR MEETING OR RETRACTED PUBLICATION OR EDITORIAL OR PATENT OR REPORT OR LETTER OR BOOK OR RETRACTION) Databases= WOS, BIOSIS, CCC, KJD, RSCI, SCIELO, ZOOREC Timespan=All years Search language=Auto # 8 13,008 #7 NOT #6 Databases= WOS, BIOSIS, CCC, KJD, RSCI, SCIELO, ZOOREC Timespan=All years Search language=Auto # 7 26,797 #3 AND #2 AND #1 Databases= WOS, BIOSIS, CCC, KJD, RSCI, SCIELO, ZOOREC Timespan=All years Search language=Auto # 6 25,382,719 #5 OR #4 Databases= WOS, BIOSIS, CCC, KJD, RSCI, SCIELO, ZOOREC Timespan=All years Search language=Auto # 5 3,212,684 TS=(child* OR paed*) Databases= WOS, BIOSIS, CCC, KJD, RSCI, SCIELO, ZOOREC Timespan=All years Search language=Auto # 4 23,713,895 TS=animal* Databases= WOS, BIOSIS, CCC, KJD, RSCI, SCIELO, ZOOREC Timespan=All years Search language=Auto # 3 4,061,122
TS=(ischaemic stroke OR cerebrovascular disorder OR stroke OR arterial occlusive disorder OR brain infarct O R cerebral infarct OR brain ischaemia OR embolic stroke OR cardioembolic stroke OR cardioembolism OR thr omboembolism OR intracranial embolism OR intracranial thrombosis OR pulmonary embolism OR thromboph ilia OR bleeding OR haemorrhage OR intracranial haemorrhage OR gastrointestinal haemorrhage OR mortality OR survival) Databases= WOS, BIOSIS, CCC, KJD, RSCI, SCIELO, ZOOREC Timespan=All years Search language=Auto # 2 340,005
TS=(antiplatelet therapy OR purinergic P2Y receptor antagonist OR platelet aggregation inhibitor OR aspirin O R clopidogrel OR ticagrelor OR anticoagulation OR anticoagulant OR warfarin OR novel oral anticoagulant O R direct oral anticoagulant OR factor Xa inhibitors OR rivaroxaban OR apixaban OR edoxaban OR dabigatran OR low molecular weight heparin OR enoxaparin OR dalteparin) Databases= WOS, BIOSIS, CCC, KJD, RSCI, SCIELO, ZOOREC Timespan=All years Search language=Auto # 1 629,084
TS=(thyrotoxic atrial fibrillation OR thyrocardiac disease OR cardiothyreosis OR thyrotoxicosis OR hyperthyro

idism OR subclinical hyperthyroidism OR Graves' disease OR thyroiditis OR thyroid storm OR thyroid disease s OR thyroid disorders OR thyroid OR atrial fibrillation OR arrhythmias) Databases= WOS, BIOSIS, CCC, KJD, RSCI, SCIELO, ZOOREC Timespan=All years Search language=Auto AND OR Combine S

Characteristics of excluded studies

No.	Study	Title	Reason for exclusion
1	de Souza 2012(1)	Atrial fibrillation and hyperthyroidism: Relation between transoesophageal markers of a thrombogenic milieu and clinical risk factors for thromboembolism	Outcomes did not match inclusion criteria (no clinical outcomes reported)
2	Ohba 2011(2)	Concurrent Graves' disease and intracranial arterial stenosis/occlusion: Special considerations regarding the state of thyroid function, etiology, and treatment	Case series
3	Andersson(3)	Hyperthyroidism is associated with increased mortality in elderly patients with newly diagnosed atrial fibrillation	Study population did not match inclusion criteria
4	Bucerius 2008(4)	Subclinical hyperthyroidism seems not to have a significant impact on systemic anticoagulation in patients with coumarin therapy	Outcomes did not match inclusion criteria (reported changes in INR)
5	Kootte 2012(5)	The incidence of venous thromboembolism in patients with overt hyperthyroidism: A retrospective multicentre cohort study	No comparison of interventions
6	Nicolita 2019(6)	Hyperthyroidism And Blood Cells Features In Patients On Anticoagulant Therapy	Outcomes did not match inclusion criteria (no clinical outcomes reported)
7	Chhabra 2013(7)	Thyrotoxic hypercoagulable state with cerebral venous thrombosis and venous infarction masquerading as epilepsia partialis continua	Case report
8	Lania 2020(8)	Thyrotoxicosis in patients with COVID-19: The THYRCOV study	Study population did not match inclusion criteria (COVID-19 patients)
9	Jayme 1994(9)	Subclinical thyroid dysfunction in the elderly	Review article
10	Khattak 2017(10)	Reversible thyrotoxic pulmonary hypertension with heart failure: 2 cases	Case reports

11	Gronich 2019(11)	Cancer Risk After Radioactive Iodine Treatment for Hyperthyroidism: A Cohort Study	Study population and outcomes did not match inclusion criteria (patients receiving radioactive iodine, cancer risk)
12	Lin 2010(12)	Increased risk of pulmonary embolism among patients with hyperthyroidism: a 5-year follow-up study	Study population did not match inclusion criteria (did not include patients with AF)
13	Yuen 1979(13)	EMBOLISM IN THYROTOXIC ATRIAL-FIBRILLATION	Case series of 21 patients with TAF with systemic embolism (anticoagulation was started after the embolic events)
14	Arasar 2020(14)	WHERE CHA2DS2-VASC FAILS: THROMBOEMBOLIC RISK WITH ATRIAL FIBRILLATION IN PREGNANCY	Case report on 1 pregnant lady without thyrotoxicosis
15	Cameron 2008(15)	The burden of atrial fibrillation in unselected acute medical admissions	Study intervention and outcome did not match inclusion criteria
16	Debeij 2014(16)	Major haemorrhage during vitamin K antagonist treatment: The influence of thyroid hormone levels	Study population did not match inclusion criteria (subjects did not have TAF); case-control study
17	Harada 2012(17)	Thyroid storm with multiple organ failure, disseminated intravascular coagulation, and stroke with a normal serum FT3 level	Case report
18	Haynes 1989(18)	Thyrocardiotoxic embolic syndrome	Case report
19	Huber 2018(19)	Characteristics and outcomes of atrial fibrillation in patients with a diagnosis of thyroid disease: An analysis of the Aristotle trial	Abstract of Goldstein 2019
20	Kopecky 1992(20)	Management decisions in Lone atrial fibrillation	Case report
21	Lip 1994(21)	Treatment of atrial fibrillation in a district general hospital	Outcomes did not match inclusion criteria
22	Qiu 2017(22)	Low free triiodothyronine levels predict symptomatic intracranial hemorrhage and worse short-term outcome of	Study population did not match inclusion criteria (subjects did not have AF)

		thrombolysis in patients with acute ischemia stroke	
23	Shiao 2018(23)	Risk of incident non-valvular atrial fibrillation after dialysis-requiring acute kidney injury	Study population, intervention/exposure, and outcome did not match inclusion criteria
24	von Wolff 2016(24)	Recurrent abortion – useful diagnostics and effective therapies	Study population, intervention/exposure, and outcome did not match inclusion criteria
25	Brotons 1997(25)	[Preventive treatment of nonrheumatic atrial fibrillation: from the efficacy of clinical trials to the effectiveness of clinical practice]	Study population did not match inclusion criteria (excluded hyperthyroid patients)
26	Patel 2011(26)	Rivaroxaban versus warfarin in nonvalvular atrial fibrillation	Study population did not match inclusion criteria (excluded hyperthyroid patients)
27	Peacock 2017(27)	Incidence of major bleeding in a real-world population of 57,070 nonvalvular atrial fibrillation patients treated with rivaroxaban	Study population did not match inclusion criteria (abstract of a study that had no data on thyroid status of subjects)
28	Petersen(28)	Warfarin therapy and stroke prevention in patients with nonvalvular atrial fibrillation	Cannot find article
29	Petersen 1989(29)	Placebo-controlled, randomised trial of warfarin and aspirin for prevention of thromboembolic complications in chronic atrial fibrillation. The Copenhagen AFASAK study	Study population did not match inclusion criteria (no data on thyroid status of subjects)
30	Piccardi 2018(30)	Ischemic stroke in patients treated with anticoagulants: Retrospective analysis from hospital-based register	Study population did not match inclusion criteria
31	Preobrazhenskiĭ 2009(31)	[Clopidogrel in the treatment of atrial fibrillation: benefit from addition to aspirin. The results of ACTIVE A trial]	Cannot find article
32	Ridha 2016(32)	Aspirin, not without bleeding risk in the real world: Results of a UK cohort study evaluating the use of antiplatelet therapy for stroke prevention in atrial fibrillation (AF)	Study population did not match inclusion criteria (abstract of a study that had no data on thyroid status of subjects)
33	Riva 2020(33)	[ETNA-AF study: Italian baseline data and comparison with the European population in atrial fibrillation patients treated with edoxaban]	Study population did not match inclusion criteria

34	Rost 2016(34)	Outcomes with Edoxaban Versus Warfarin in Patients with Previous Cerebrovascular Events: Findings from ENGAGE AF-TIMI 48 (Effective Anticoagulation with Factor Xa Next Generation in Atrial Fibrillation-Thrombolysis in Myocardial Infarction 48)	Study population did not match inclusion criteria (subjects with reversible causes of AF were excluded)
35	Ortiz 2018(35)	Effectiveness and safety of direct anticoagulants versus vitamin K antagonists in octogenarians patients with atrial fibrillation in a “real world” nationwide registry	Study population did not match inclusion criteria (abstract of a study that had no data on thyroid status of subjects)
36	Rutherford 2019(36)	Effectiveness and safety of apixaban, dabigatran and warfarin compared to rivaroxaban in non-valvular atrial fibrillation; a Norwegian nationwide cohort study	Study population did not match inclusion criteria (no data on thyroid status of subjects)
37	Zeitouni 2019(37)	Apixaban 2.5 mg twice daily is effective and safe for patients with atrial fibrillation and combinations of advanced age, low body weight, and elevated creatinine: Insights from ARISTOTLE	Abstract of ARISTOTLE study (i.e., same study as Goldstein 2019)
38	Zhou 2018(38)	Comparative effectiveness of edoxaban and warfarin in prevention of stroke and systemic embolism in non-valvular atrial fibrillation using observational healthcare data	Study population did not match inclusion criteria (abstract of a study that had no data on thyroid status of subjects)
39	Gullov 1999(39)	Bleeding during warfarin and aspirin therapy in patients with atrial fibrillation The AFASAK 2 Study	Study population did not match inclusion criteria (no data on thyroid status of subjects)

Table 1. Characteristics of excluded studies.

References

1. Souza MV, Duarte MM, Coeli CM, Vaisman M 2012 Atrial fibrillation and hyperthyroidism: relation between transoesophageal markers of a thrombogenic milieu and clinical risk factors for thromboembolism. Clin Endocrinol (Oxf) **76**:448-453.

2. Ohba S, Nakagawa T, Murakami H 2011 Concurrent Graves' disease and intracranial arterial stenosis/occlusion: special considerations regarding the state of thyroid function, etiology, and treatment. Neurosurg Rev **34**:297-304; discussion 304.

3. Lndahl PAM Hyperthyroidism is associated with increased mortality in elderly patients with newly diagnosed atrial fibrillation. Endocrine Reviews **34**.

4. Bucerius J, Naubereit A, Joe AY, Ezziddin S, Biermann K, Risse J, Palmedo H, Oldenburg J, Biersack HJ 2008 Subclinical hyperthyroidism seems not to have a significant impact on systemic anticoagulation in patients with coumarin therapy. Thromb Haemost **100**:803-809.

5. Kootte RS, Stuijver DJ, Dekkers OM, van Zaane B, Fliers E, Cannegieter SC, Gerdes VE 2012 The incidence of venous thromboembolism in patients with overt hyperthyroidism: a retrospective multicentre cohort study. Thromb Haemost **107**:417-422.

6. R. CNMJCDVIMTMIRMODICON Hyperthyroidism And Blood Cells Features In Patients On Anticoagulant Therapy. Atherosclerosis **287**:e143-e144.

7. Chhabra L, Chaubey VK, Joshi S, Phadke J 2013 Thyrotoxic hypercoagulable state with cerebral venous thrombosis and venous infarction masquerading as epilepsia partialis continua. Neurol India **61**:671-673.

8. Lania A, Sandri MT, Cellini M, Mirani M, Lavezzi E, Mazziotti G 2020 Thyrotoxicosis in patients with COVID-19: the THYRCOV study. Eur J Endocrinol **183**:381-387.

9. Jayme JJ, Ladenson PW 1994 Subclinical thyroid dysfunction in the elderly. Trends Endocrinol Metab **5**:79-86.

10. O'Hare AKEWGMJA Reversible thyrotoxic pulmonary hypertension with heart failure: 2 cases. Irish Journal of Medical Science **185**:S410.

11. Gronich N, Lavi I, Rennert G, Saliba W 2020 Cancer Risk After Radioactive Iodine Treatment for Hyperthyroidism: A Cohort Study. Thyroid **30**:243-250.

12. Lin HC, Yang LY, Kang JH 2010 Increased risk of pulmonary embolism among patients with hyperthyroidism: a 5-year follow-up study. J Thromb Haemost **8**:2176-2181.

13. Yuen RW, Gutteridge DH, Thompson PL, Robinson JS 1979 Embolism in thyrotoxic atrial fibrillation. Med J Aust **1**:630-631.

14. Naksuk KAJEBN WHERE CHA2DS2-VASC FAILS: THROMBOEMBOLIC RISK WITH ATRIAL FIBRILLATION IN PREGNANCY. Journal of the American College of Cardiology **75**:3253.

15. Cameron AC, Jenkins SM, Dunn FG 2008 The burden of atrial fibrillation in unselected acute medical admissions. Scott Med J **53**:42-47.

16. Debeij J, Cannegieter SC, van Zaane B, van Zanten AP, Rosendaal FR, Gerdes VE, Reitsma PH, Dekkers OM 2014 Major Haemorrhage during Vitamin K Antagonist Treatment: The Influence of Thyroid Hormone Levels. Eur Thyroid J **3**:32-37.

17. Harada Y, Akiyama H, Yoshimoto T, Urao Y, Ryuzaki M, Handa M 2012 Thyroid storm with multiple organ failure, disseminated intravascular coagulation, and stroke with a normal serum FT3 level. Intern Med **51**:2379-2383.

18. Haynes JH, 3rd, Kageler WV 1989 Thyrocardiotoxic embolic syndrome. South Med J **82**:1292-1293.

19. S. KHSGDMWRDLJHADVLWCBG Characteristics and outcomes of atrial fibrillation in patients with a diagnosis of thyroid disease: An analysis of the Aristotle trial. Circulation **138**.

20. Kopecky SL 1992 Management decisions in lone atrial fibrillation. Hosp Pract (Off Ed) **27**:135-138, 143, 147-150.

21. Lip GY, Tean KN, Dunn FG 1994 Treatment of atrial fibrillation in a district general hospital. Br Heart J **71**:92-95.

22. Qiu M, Fang M, Liu X 2017 Low free triiodothyronine levels predict symptomatic intracranial hemorrhage and worse short-term outcome of thrombolysis in patients with acute ischemia stroke. Medicine (Baltimore) **96**:e8539.

23. Shiao CC, Kan WC, Wang JJ, Lin YF, Chen L, Chueh E, Huang YT, Chiang WP, Tseng LJ, Wang CH, Wu VC 2018 Risk of Incident Non-Valvular Atrial Fibrillation after Dialysis-Requiring Acute Kidney Injury. J Clin Med **7**.

24. Wolff Mv Recurrent abortion - useful diagnostics and effective therapies. Therapeutische Umschau **73**:363-369.

25. Brotons C, Moral I, Antón JJ, Cobos M, Cucurull E, Gállego C, Ibáñez M, Pérez A, Llussà J, Orozco P, Ventureira S, Samarra M, Sanz J, Permanyer G 1997 [Preventive treatment of nonrheumatic atrial fibrillation: from the efficacy of clinical trials to the effectiveness of clinical practice]. Aten Primaria **20**:367-371.

26. Patel MR, Mahaffey KW, Garg J, Pan G, Singer DE, Hacke W, Breithardt G, Halperin JL, Hankey GJ, Piccini JP, Becker RC, Nessel CC, Paolini JF, Berkowitz SD, Fox KA, Califf RM 2011 Rivaroxaban versus warfarin in nonvalvular atrial fibrillation. N Engl J Med **365**:883-891.

27. Tamayo FPMPZYNSKHS Incidence of major bleeding in a real-world population of 57,070 nonvalvular atrial fibrillation patients treated with rivaroxaban. Arteriosclerosis, Thrombosis, and Vascular Biology **37**.

28. Godtfredsen PPGBJ Warfarin therapy and stroke prevention in patients with nonvalvular atrial fibrillation. Geriatric Medicine Today **9**:19-24.

29. Petersen P, Boysen G, Godtfredsen J, Andersen ED, Andersen B 1989 Placebo-controlled, randomised trial of warfarin and aspirin for prevention of thromboembolic complications in chronic atrial fibrillation. The Copenhagen AFASAK study. Lancet **1**:175-179.

30. Pescini BPRFMLPNF 2018 Ischemic stroke in patients treated with anticoagulants: Retrospective analysis from hospital-based register. European Stroke Journal **3**:469.

31. Preobrazhenskiĭ DV 2009 [Clopidogrel in the treatment of atrial fibrillation: benefit from addition to aspirin. The results of ACTIVE A trial]. Kardiologiia **49**:77.

32. Halcox ERLLCLRDSRJ 2016 Aspirin, not without bleeding risk in the real world: Results of a UK cohort study evaluating the use of antiplatelet therapy for stroke prevention in atrial fibrillation (AF). European Heart Journal **37**:510-511.

33. Riva L, Diemberger I, Di Pasquale G, Attena E, Sangiuolo R, De Caterina R 2020 [ETNA-AF study: Italian baseline data and comparison with the European population in atrial fibrillation patients treated with edoxaban]. G Ital Cardiol (Rome) **21**:141-151.

34. Rost NS, Giugliano RP, Ruff CT, Murphy SA, Crompton AE, Norden AD, Silverman S, Singhal AB, Nicolau JC, SomaRaju B, Mercuri MF, Antman EM, Braunwald E 2016 Outcomes With Edoxaban Versus Warfarin in Patients With Previous Cerebrovascular Events: Findings From ENGAGE AF-TIMI 48 (Effective Anticoagulation With Factor Xa Next Generation in Atrial Fibrillation-Thrombolysis in Myocardial Infarction 48). Stroke **47**:2075-2082.

35. Bertomeu; M. Anguita MROMAE-PPRMFMMM-SIRJMACV 2018 Effectiveness and safety of direct anticoagulants versus vitamin K antagonists in octogenarians patients with atrial fibrillation in a “real world” nationwide registry. European Heart Journal **39**:1309.

36. Halvorsen OCWRCJJWGGSH 2019 Effectiveness and safety of apixaban, dabigatran and warfarin compared to rivaroxaban in non-valvular atrial fibrillation; a Norwegian nationwide cohort study. European Heart Journal **40**:1846.

37. Wallentin; J. H. Alexander MZAGRDLDWCCRDCPGSCBGL 2019 Apixaban 2.5 mg twice daily is effective and safe for patients with atrial fibrillation and combinations of advanced age, low body weight, and elevated creatinine: Insights from ARISTOTLE. European Heart Journal **40**:2956.

38. Alford LZRZPCFFSH 2018 Comparative effectiveness of edoxaban and warfarin in prevention of stroke and systemic embolism in non-valvular atrial fibrillation using observational healthcare data. Value in Health **21**:S56.

39. Gulløv AL, Koefoed BG, Petersen P 1999 Bleeding during warfarin and aspirin therapy in patients with atrial fibrillation: the AFASAK 2 study. Atrial Fibrillation Aspirin and Anticoagulation. Arch Intern Med **159**:1322-1328.