Study	Study Participation	Study Attrition	Prognostic Factor Measurement	Outcome Measurement	Statistical Analysis Reporting	Overall Risk of Bias	Study Design	Abstract
Alfredsson (2016)	high	moderate	low	low	low	moderate	prospective	no
Bureau (2017)	high	moderate	low	low	low	moderate	prospective	no
Bagienski (2017)	moderate	moderate	low	low	low	moderate	prospective	no
Bogdan (2016)	moderate	high	low	low	moderate	moderate	retrospective	no
Capodanno (2014)	moderate	moderate	low	low	low	moderate	prospective	no
Chauhan (2016)	moderate	high	low	low	low	moderate	retrospective	no
Cockburn (2015)	moderate	low	moderate	low	moderate	moderate	prospective	no
Eichler (2017)	high	low	low	low	low	low	prospective	no
Ghatak (2012)	high	high	moderate	low	moderate	high	retrospective	yes
Grossman (2017)	moderate	high	moderate	low	low	moderate	retrospective	no
Green (2012)	moderate	low	low	low	low	low	prospective	no
Green (2015)	moderate	low	low	low	low	low	prospective	no
Huded (2016)	high	high	low	low	low	high	retrospective	no
Kleczynski (2017)	low	low	low	low	low	low	prospective	no
Kobe (2016)	moderate	moderate	low	low	low	moderate	prospective	no
Koifman (2015)	moderate	high	low	low	low	moderate	retrospective	no
Martin (2018)	high	high	low	low	low	high	prospective	no
Maniar (2016)	high	moderate	moderate	low	low	moderate	retrospective	yes
Mok (2016)	high	low	low	low	low	low	retrospective	no
Okoh (2017)	Low	high	moderate	low	low	moderate	prospective	no
Patel (2016)	moderate	high	low	low	low	moderate	retrospective	no
Puls (2014)	moderate	low	low	low	low	low	prospective	no
Rabinovitz (2016)	high	high	moderate	low	low	high	retrospective	no
Rodes-Cabau (2010)	low	low	high	low	low	low	prospective	no
Rodriguez-Pascual (2016)	low	low	low	low	low	low	prospective	no
Rogers (2018)	moderate	moderate	low	low	low	moderate	retrospective	no
Schoenenberger (2018)	high	low	low	low	low	low	prospective	no
Shimura (2017)	low	moderate	low	low	low	low	prospective	no
Steinvil (2018)	moderate	moderate	low	low	low	moderate	prospective	no
Shi (2018)	moderate	high	low	low	low	moderate	prospective	no
Skaar (2018)	low	low	low	low	low	low	prospective	no
Stortecky (2012)	high	moderate	moderate	moderate	high	high	prospective	yes
Traynor (2017)	low	low	moderate	moderate	low	moderate	retrospective	no
Yamamoto (2015)	moderate	low	low	low	low	low	prospective	no
Zajarias (2016)	high	moderate	low	low	low	moderate	prospective	yes
Goudzwaard (2020)	low	moderate	low	low	low	low	prospective	no

Goudzwaard (2020)	low	moderate	low	low	low	low	prospective	no
Welle (2020)	moderate	high	low	moderate	low	moderate	prospective	yes
Patel (2020)	low	low	low	low	low	low	retrospective	no
Mach (2020)	low	high	low	low	low	low	Prospective	no
Drudi (2018)	low	low	low	low	low	low	prospective	no
Kiani (2020)	low	high	moderate	low	low	moderate	prospective	no
Malik (2020)	low	high	low	low	low	low	retrospective	no
Morris (2020)	high	high	low	low	moderate	high	prospective	yes
Sami (2020)	moderate	high	low	low	low	moderate	retrospective	yes
Gharibeh (2020)	high	high	moderate	low	moderate	high	retrospective	yes
Voigtlander (2020)	low	high	low	low	low	low	prospective	no
Kundi (2020)	low	high	low	low	low	low	retrospective	no
Shimura (2020)	low	high	low	low	low	low	prospective	no

Supplementary appendix C. Assessment of quality in individual studies

*Risk of bias was assessed using the Quality in Prognostic Studies tool (QUIPS)
Low risk= studies with four or five low risk domains
High risk=studies with two or more high risk domains
Moderate risk=remaining studies

Reference. Hayden JA, van der Windt DA, Cartwright JL, Côté P, Bombardier C. Assessing bias in studies of prognostic factors. Annals of internal medicine. 2013 Feb 19;158(4):280-6.