


Supplementary File 4. Subgroup, Sensitivity Analyses and Test of Publication Bias for Total Enteroscopy Rate




Supplementary Fig. 1. Forrest plot showing subgroup analysis results of total enteroscopy rates from different continents (Asian vs. Western countries).




Supplementary Fig. 2. Forrest plot showing subgroup analysis results of total enteroscopy rates from studies published in different years (Before 2013 vs. in & after 2013).




Supplementary Fig. 3. Forrest plot showing subgroup analysis results of total enteroscopy rates from studies with different design types (Prospective studies vs. other type studies).



Supplementary Fig. 4. Forrest plot showing subgroup analysis results of total enteroscopy rates from studies with different qualities (High-quality studies vs. other studies).



Supplementary Fig. 5. Forrest plot showing subgroup analysis results of total enteroscopy rates from studies with different sample sizes (small size studies vs. large size studies, which were greater than 100).



Supplementary Fig. 6. Sensitivity analysis for pooled total enteroscopy rate by excluding one study each time.

Test of publication bias for total enteroscopy rates

Begg's Test

```
adj. Kendall's Score (P-Q) =        -18
      Std. Dev. of Score =      20.18 (corrected for ties)
     Number of Studies =          15
                      z   =      -0.89
                Pr > |z| =      0.372
                      z   =       0.84 (continuity corrected)
                Pr > |z| =      0.400 (continuity corrected)
```

Egger's test

Std_Eff	Coef.	Std. Err.	t	P>|t|	[95% Conf. Interval]	
slope	-.3682681	.3729322	-0.99	0.341	-1.173939	.4374029
bias	-1.076761	.8770874	-1.23	0.241	-2.971593	.8180716