


Supplementary File 5. Subgroup, Sensitivity Analyses and Test of Publication Bias for Diagnostic Yield




Supplementary Fig. 1. Forrest plot showing subgroup analysis results of diagnostic yields from different continents (Asian vs. Western countries).




Supplementary Fig. 2. Forrest plot showing subgroup analysis results of diagnostic yields among individual continents




Supplementary Fig. 3. Forrest plot showing subgroup analysis results of diagnostic yields from different continents (North American vs. European countries).




Supplementary Fig. 4. Forrest plot showing subgroup analysis results of diagnostic yields from studies published in different years (Before 2013 vs. in & after 2013).




Supplementary Fig. 5. Forrest plot showing subgroup analysis results of diagnostic yields from studies with different design types (Prospective studies vs. other type studies)



Supplementary Fig. 6. Forrest plot showing subgroup analysis results of diagnostic yields from studies with different quality (High-quality studies vs. other studies)



Supplementary Fig. 7. Forrest plot showing subgroup analysis results of diagnostic yields from studies with different sample sizes (small sized studies vs. large sized studies, which were greater than 100)



Supplementary Fig. 8. Sensitivity analysis for pooled diagnostic yield by excluding one study each time

Test of publication bias for diagnostic yields

Begg's Test

```
adj. Kendall's Score (P-Q) =          45
      Std. Dev. of Score =       67.46
      Number of Studies =          34
                      z  =        0.67
                Pr > |z| =      0.505
                      z  =        0.65 (continuity corrected)
                Pr > |z| =      0.514 (continuity corrected)
```

Egger's test

Std_Eff	Coef.	Std. Err.	t	P>|t|	[95% Conf.	Interval]
slope	.3622628	.1510959	2.40	0.023	.0544906	.670035
bias	.3502883	.6824204	0.51	0.611	-1.039757	1.740333
