Ser.	Author, year	Age at diagnosis of thymolipoma	Gender	AChR-Ab status	Age at diagnosis of MG	MG duration (years)	Symptoms of MG	MG medications
1	Hayashi, 1997 [3]	29 years	Female	Positive	23 years	6	Weakness of the neck muscle and arms.	Ambenonium
2	Cekirdekci, 2002 [10]	25 years	Female					
3	Kilic, 2006 [16]	32 years	Female	Negative	31 years	1	Ptosis, limb weakness and fatigability	Pyridostigmine bromide
4	Huang, 2013 [5]	45 years	Male	Positive	41 years	4	Ptosis, dysphonia, dysphagia, limb weakness	Pyridostigmine, steroid, plasmapheresis
5	Huang, 2013 [5]	64 years	Male	Positive	59 years	5	Ptosis, diplopia, dysphonia, dysphagia, limb weakness	Pyridostigmine, steroid, plasmapheresis
6	Huang, 2013 [5]	42 years	Female	Positive	37 years	5	Ptosis, diplopia, dysphagia, limb weakness	Pyridostigmine, steroid, plasmapheresis
7	Huang, 2013 [5]	33 years	Female	Positive	26 years	7	Ptosis, diplopia, dysphonia, dysphagia, limb weakness	Pyridostigmine
8	Huang, 2013 [5]	55 years	Male	Positive	51 years	4	Ptosis, diplopia, dysphonia, dysphagia, limb weakness	Pyridostigmine, steroid, plasmapheresis
9	Huang, 2013 [5]	38 years	Female	Negative			Ptosis, diplopia	Pyridostigmine
10	Huang, 2013 [5]	41 years	Female	Negative	41 years	1	Dysphonia, limb weakness	Pyridostigmine, steroid, plasmapheresis
11	Huang, 2013 [5]	52 years	Male	Positive	50 years	2	Ptosis, diplopia, dysphonia	Pyridostigmine, steroid
12	Huang, 2013 [5]	60 years	Female	Positive	55 years	5	Ptosis, diplopia, dysphonia, dysphagia, limb weakness	Pyridostigmine, steroid, plasmapheresis
13	Huang, 2013 [5]	34 years	Female	Positive	28 years	6	Ptosis, diplopia, dysphonia, dysphagia, limb weakness	Pyridostigmine, steroid, plasmapheresis
14	Huang, 2013 [5]	58 years	Male	Positive	58 years	1	Diplopia, limb weakness	Pyridostigmine, steroid, plasmapheresis
15	Huang, 2013 [5]	53 years	Female	Negative	48 years	5	Ptosis, diplopia	Pyridostigmine, steroid
16	Toyama, 1995 [17]	48 years	Male	Positive			Ptosis, diplopia, weakness of the neck and jaw muscles	
17	Le Marc'hadour, 1991 [1]	52 years	Male		50 years	2	Ptosis, diplopia, fatigability	Pyridostigmine
18	Ibrahim, 2017 [18]	46 years	Male	Positive			Ptosis, fatigability	
19	Rieker, 2010 [4]	70 years	Female	Positive	70 years	1		
20	Rieker, 2010 [4]	54 years	Male	Positive	54 years	1		
21	Rieker, 2010 [4]	65 years	Male	Positive	65 years	1		
22	Rieker, 2010 [4]	60 years	Male	Positive	60 years	1		
23	Rieker, 2010 [4]	50 years	Female	Positive	35 years	15		
24	Rieker, 2010 [4]	76 years	Female	Positive	76 years	1		
25	Rieker, 2010 [4]	48 years	Female	Negative	41 years	7		Pyridostigmine bromide
26	Santos, 2017 [12]	32 years	Male	Positive	32 years	1	Dysphonia, limb weakness, fatigability	Pyridostigmine
27	Damadoglu, 2007 [7]	30 years	Male					
28	Damadoglu, 2007 [7]	17 years	Female					
29	Damadoglu, 2007 [7]	67 years	Female					
30	Damadoglu, 2007 [7]	16 years	Female					
31	Damadoglu, 2007 [7]	37 years	Male					
32	Otto, 1982 [19]	60 years	Male		56 years	4	Diplopia, ptosis, weakness of the jaw and neck muscles, dysphagia, dysarthria.	Pyridostigmine
33	Mikkelsen, 1983 [20]	62 years	Male		62 years	1	Diplopia, weakness of the jaw and neck muscles, limb weakness, dysarthria, dysphagia.	Pyridostigmine
34	Abu Abeeleh, 2016 [21]	47 years	Male	Positive			General weakness and bilateral double vision of 1-month duration	Pyridostigmine, steroid, azathioprine
35	Othman, 2020 [2]	56 years	Female	Positive	38 years	18	Diplopia, ptosis, general and limb weakness, dysphagia,	Pyridostigmine, steroid, azathioprine
36	Tsukioka T, 2007 [22]	51 years	Female	Positive	48 years	3	General weakness, diplopia and dysphagia.	Pyridostigmine, steroid

AchR-Ab: acetylcholine receptors antibody; MG: myasthenia gravis.

Ser.	Symptoms at thymolipoma diagnosis	Radiology finding	Surgical approach	Tumour size	Tumour weight	Progression of MG
1	Progression of MG symptoms	No definitive findings	Sternotomy thymectomy	15.0 × 6.0 × 5.5 cm	55 g	Gradually improved
2	Asymptomatic	Suspected mediastinal mass	Thymectomy	34 × 18 × 7 cm	1780 g	Gradually improved
3		No definitive findings	Sternotomy thymectomy (extended thymectomy)	10 × 9 × 2 cm	56 g	Gradually improved
4		Suspected mediastinal mass	Sternotomy thymectomy (extended thymectomy)		250 g	No improvement
5		No definitive findings	Sternotomy thymectomy (extended thymectomy)		200 g	Gradually improved
6		Suspected mediastinal mass	Sternotomy thymectomy (extended thymectomy)		60 g	Complete stable remission
7		No definitive findings	Sternotomy thymectomy (extended thymectomy)		100 g	Complete stable remission
8		No definitive findings	Right-sided video-assisted thoracoscopic (extended thymectomy)		90 g	Gradually improved
9		No definitive findings	Right-sided video-assisted thoracoscopic (extended thymectomy)		45 g	Gradually improved
10		No definitive findings	Sternotomy thymectomy (extended thymectomy)		38 g	Complete stable remission
11		No definitive findings	Sternotomy thymectomy (extended thymectomy)		220 g	Gradually improved
12		No definitive findings	Sternotomy thymectomy (extended thymectomy)		205 g	Gradually improved
13		Suspected mediastinal mass	Sternotomy thymectomy (extended thymectomy)		87 g	Gradually improved
14		Suspected mediastinal mass	Sternotomy thymectomy (extended thymectomy)		120 g	Complete stable remission
15		Suspected mediastinal mass	Sternotomy thymectomy (extended thymectomy)		120 g	Complete stable remission
16		Suspected mediastinal mass	Thymectomy (extended thymectomy)	22 × 17 × 3 cm	680 g	Late recurrence
17	Progression of MG symptoms.	Suspected mediastinal mass	Thymectomy	10 × 8 × 3.5 cm	185 g	Gradually improved
18	dyspnoea	Suspected mediastinal mass	Thymectomy			Gradually improved
19		Suspected mediastinal mass	Sternotomy thymectomy	14 × 10 × 3 cm	112	
20		Suspected mediastinal mass	Sternotomy thymectomy	12 × 10 × 2 cm	80	Stable MG
21		Suspected mediastinal mass	Sternotomy thymectomy	13 × 14 × 1.5 cm	170	Stable MG
22		Suspected mediastinal mass	Sternotomy thymectomy	12 × 10 × 2 cm	93	Stable MG
23		Suspected mediastinal mass	Sternotomy thymectomy	3 × 2 × 1.5 cm	65	Stable MG
24		No definitive findings	Thoracotomy thymectomy	12 × 6 × 2 cm	66	Stable MG
25		Suspected mediastinal mass	Sternotomy thymectomy	8.5 × 6.5 × 2 cm	70	Gradually improved
26	Fatigue	No definitive findings	Sternotomy thymectomy			Gradually improved
27	Fatigue	No definitive findings	Sternotomy thymectomy			Gradually improved
28	Fatigue	No definitive findings	Sternotomy thymectomy			Gradually improved
29	Fatigue	No definitive findings	Sternotomy thymectomy			Gradually improved
30	Fatigue	No definitive findings	Sternotomy thymectomy			Gradually improved
31	Fatigue	No definitive findings	Sternotomy thymectomy			Gradually improved
32		Suspected mediastinal mass	Sternotomy thymectomy	13 × 7 × 5 cm, 7 × 5 × 4 cm	93 g	No improvement

Continued

Continued

Ser.	Symptoms at thymolipoma diagnosis	Radiology finding	Surgical approach	Tumour size	Tumour weight	Progression of MG
33	Some degree of respiratory embarrassment.	No definitive findings	Sternotomy thymectomy	7 × 3 × 4 cm; 5 × 1 × 1 cm; 3 × 2 × 1 cm	65 g	No improvement
34		Suspected mediastinal mass	Sternotomy thymectomy	2.8 × 2.3 × 1.9 cm		Stable MG
35	Asymptomatic	No definitive findings	Sternotomy thymectomy (extended thymectomy)	7 × 3 × 1.5 cm , 9 × 3 × 1.8 cm	40 g	Stable MG
36	Progression of MG symptoms.	Suspected mediastinal mass.	Sternotomy thymectomy (extended thymectomy)	19 × 12 × 3 cm		Gradually improved

MG: myasthenia gravis.