SUPPLEMENTAL MATERIAL

Table S1. Search strings.

Pubmed (“Child”[Mesh: NoExp] OR child[tiab] OR child's[tiab] OR children[tiab] OR childhood[tiab] OR children's[tiab] OR kid OR kid's OR girl OR girls OR boy OR boys OR adolescents OR Adolescence OR teen OR teens OR teenager OR teenagers OR youth OR youths OR youngster*[tiab] OR adult child OR minors OR young adults OR young adul* OR emerging adul* OR junior high OR middle-school OR high-school OR juvenile OR juveniles OR “Pediatrics”[Mesh: NoExp] OR Pediatrics[tiab] OR Pediatric[tiab]) AND ("congenital heart"[All Fields] OR "congenital cardiac"[All Fields] OR "heart defects"[All Fields] OR Fallot[All Fields] OR ("transposition"[All Fields] AND "great arteries"[All Fields]) OR ("aortic coarctation"[MeSH Terms] OR ("aortic"[All Fields] AND "coarctation"[All Fields]) OR "aortic coarctation"[All Fields] OR "coarctation"[All Fields]) OR Eisenmenger[All Fields] OR "septal defect"[All Fields] OR "septal-defects"[All Fields] OR "atrial septal defect"[All Fields] OR "ventricular septal defect"[All Fields] OR "congenital aortic stenosis"[All Fields] OR "congenital pulmonary stenosis"[All Fields] OR univentricular[All Fields] OR "single ventricle"[All Fields] OR "hypoplastic left heart"[All Fields] OR "tricuspid atresia"[All Fields] OR "pulmonary atresia"[All Fields] OR "anomalous pulmonary venous"[All Fields] OR "truncus arteriosus"[All Fields] OR "ductus arteriosus"[All Fields] OR Fontan[All Fields] OR "double outlet"[All Fields] OR "double inlet"[All Fields] OR Ebstein[All Fields]OR “anomalous aortic”[All Fields] OR “anomalous coronary”[All Fields] OR “interrupted aortic”[All Fields] OR "congenital aortic valve"[All Fields] OR "congenital pulmonary valve"[All Fields]) AND (continuity of patient care[tiab] OR “continuity of care” OR “continuation of care” OR “discontinuation of care” OR “transition to adult care” OR “Care Continuum” OR “Care Continuity” OR “loss to follow up” OR “loss to follow-up” OR “lost to follow up” OR “lost to follow-up” OR “care gap” OR “care gaps” OR “gaps in care” OR “lapse of care” OR “lapses of care” OR “transfer of care” OR “transition to adult care” OR healthcare transition*[tiab] OR health care transition*[tiab] OR “lifelong care” OR “life long follow-up” OR “lifelong follow-up” OR “transitional care” OR “successful transfer” OR untraceable OR untraceability) AND (english[Language] OR spanish[Language] OR french[Language] OR dutch[Language] OR german[Language] OR swedish[Language])
EMBASE ('child' OR 'child':ti OR 'child':ab OR 'children':ti OR 'children':ab OR 'childhood':ti OR 'childhood':ab OR kid OR girl OR boy OR girls OR boys OR adolescents OR adolescence OR teen OR teens OR teenager OR teenagers OR youth OR youths OR minors OR young NEXT/1 adult OR young adults OR young adulthood OR youngster*:ti OR youngster*:ab OR adult child OR junior high OR 'middle school' OR 'middleschool' OR 'high-school' OR juvenile OR juveniles OR pediatrics OR 'pediatrics'/de OR 'pediatric':ti OR 'pediatric':ab OR 'pediatrics':ti OR 'pediatrics':ab) AND ('congenital heart disease'/exp OR 'congenital heart' OR 'congenital cardiac' OR heart NEAR/1 defect* OR ‘fallot’ OR transposition NEAR/1 “great arteries” OR aort* NEAR/1 coarct* OR eisenmenger OR septal NEAR/2 defect* OR congenit* NEAR/2 stenos* OR aort* AND near AND stenos* OR univentricul* OR 'single ventricle' OR 'hypoplastic left heart' OR (tricuspid OR pulmonar*) NEAR/1 atresia OR 'pulmonary vein malformation'/exp OR (anomalous AND pulmonary NEAR/1 (vein* OR venous)) OR (ductus OR truncus) NEAR/1 arteriosus OR fontan OR double NEAR/1 (inlet* OR outlet*) OR ebstein OR anomalous NEAR/1 (aort* OR coronar*) OR interrupt* NEAR/1 aort* OR congenital NEAR/2 valve*) AND (‘continuity of patient care’ OR ‘continuity of care’ OR ‘continuation of care’ OR ‘discontinuation of care’ OR 'transition to adult care' OR 'patient care' OR ‘care continuum’ OR ‘care continuity’ OR ‘loss to follow up' OR ‘lost to follow up' OR ‘loss to follow-up' OR ‘lost to follow-up' OR ‘care gap’ OR ‘care gaps’ OR ‘lapse of care’ OR ‘lapses of care’ OR ‘lapses in care’ OR ‘transfer of care’ OR 'healthcare transition' OR ‘health care transition’ OR ‘lifelong care’ OR ‘life-long care’ OR ‘lifelong

follow up' OR ‘lifelong follow-up' OR ‘transitional care’ OR ‘successful transfer’ OR untraceable OR untraceability)
AND
([english]/lim OR [spanish]/lim OR [french]/lim OR [dutch]/lim OR [german]/lim OR [swedish]/lim)

CINAHL

(((“Child”[Mesh: NoExp] OR child[tiab] OR child's[tiab] OR children[tiab] OR childhood[tiab] OR children's[tiab] OR kid OR kid's OR girl OR girls OR boy OR boys OR adolescents OR Adolescence OR teen OR teens OR teenager OR teenagers OR youth OR youths OR youngster*[tiab] OR adult child OR minor OR young adults OR young adul* OR emerging adul* OR junior high OR middle-school OR high-school OR juvenile OR juveniles OR “Pediatrics”[Mesh: NoExp] OR Pediatrics[tiab] OR Pediatric[tiab]))
AND
(((MH "Heart Defects, Congenital+") OR 'congenital heart' OR ‘congenital cardiac’ OR (heart N1 defect*) OR Fallot OR (transposition N1 ‘great arteries’) OR (MH "Aortic Coarctation") OR (aort* N1 coarct*) OR eisenmenger OR septal N2 defect* OR (congenit* N2 stenos*) OR (aort* N1 stenos*) OR univentricul* OR ‘single ventricle’ OR ‘hypoplastic left heart’ OR (tricuspid OR pulmonar*) N1 atresia OR (anomalous AND (pulmonary N1 (vein* OR venous))) OR ((ductus OR truncus) N1 arteriosus OR Fontan OR (double N1 (inlet* OR outlet*)) OR Ebstein OR (anomalous N1 (aort* OR coronar*)) OR (interrupt* N1 aort*) OR (congenital N2 valve*)))
AND
((continuity of patient care[tiab] OR “continuity of care” OR “continuation of care” OR “discontinuation of care” OR “transition to adult care” OR “patient care” OR “Care Continuum” OR “Care Continuity” OR “loss to follow up” OR “loss to follow-up” OR “lost to follow up” OR “lost to follow-up” OR “care gap” OR “care gaps” OR “transfer of care” OR healthcare transition*[tiab] OR health care transition*[tiab] OR “lifelong care” OR “life long follow-up” OR “lifelong follow-up” OR “transitional care” OR “successful transfer” OR untraceable OR untraceability))
AND LA
((english OR spanish OR french OR dutch OR german OR swedish))

Web of Science

ALL=(child OR child's OR children OR childhood OR children's OR kid OR kid's OR girl OR girls OR boy OR boys OR adolescents OR Adolescence OR teen OR teens OR teenager OR teenagers OR youth OR youths OR youngster* OR adult child OR minors OR young adults OR young adul* OR emerging adul* OR junior high OR middle-school OR high-school OR juvenile OR juveniles OR Pediatric*)
AND
ALL=("congenital heart" OR "congenital cardiac" OR "heart defects" OR Fallot OR "transposition" AND "great arteries" OR "aortic coarctation" OR "coarctation of the aorta" OR Eisenmenger OR "septal defect" OR "septal-defects" OR "atrial septal defect" OR "ventricular septal defect" OR "congenital aortic stenosis" OR "congenital pulmonary stenosis" OR univentricular OR "single ventricle" OR "hypoplastic left heart" OR "tricuspid atresia" OR "pulmonary atresia" OR "anomalous pulmonary venous" OR "truncus arteriosus" OR "ductus arteriosus" OR Fontan OR "double outlet" OR "double inlet" OR Ebstein OR “anomalous aortic” OR “anomalous coronary” OR “interrupted aortic” OR "congenital aortic valve" OR "congenital pulmonary valve")
AND
ALL=(“continuity of patient care” OR “continuity of care” OR “continuation of care” OR “discontinuation of care” OR “transition to adult care” OR “patient care” OR “Care Continuum” OR “Care Continuity” OR “loss to follow up” OR “loss to follow-up” OR “lost to follow up” OR “lost to follow-up” OR “care gap” OR “care gaps” OR “transfer of care” OR “healthcare transition*” OR “health care transition*” OR “lifelong care” OR “life long follow-up” OR “lifelong follow-up” OR “transitional care” OR “successful transfer” OR untraceable OR untraceability)
AND LANGUAGE: (English OR Dutch OR French OR German OR Spanish OR Swedish)

Table S2. Quality assessment of included studies using the Newcastle-Ottawa Scale (NOS) for cohort studies .

Study	Selection				Comparability	Outcome			Total quality score
	S1	S2	S3	S4	C1	E1	E2	E3	
Reid, 2004	*	NR	*	*	NR	—	*	—	4/6
Yeung, 2009	*	NR	*	*	NR	*	*	*	6/6
Mackie, 2009	*	NR	*	*	NR	*	*	*	6/6
Goossens, 2011	*	NR	*	*	NR	—	*	*	5/6
Norris, 2013	*	NR	*	*	NR	—	*	—	4/6
Gurvitz, 2013	*	NR	*	*	NR	—	*	*	5/6
Goossens, 2015	*	NR	*	*	NR	—	*	—	4/6
Bohun, 2016	*	NR	*	*	NR	*	*	*	6/6
Harbison, 2016	*	NR	*	*	NR	*	*	*	6/6
Goossens, 2018	*	NR	*	*	NR	*	*	*	6/6
Hergenroeder, 2018	*	NR	*	*	NR	*	*	*	6/6
Kollengode, 2018	*	NR	*	*	NR	—	*	—	4/6
Mackie, 2018	*	NR	*	*	NR	*	*	*	6/6
Vaikunth, 2018	*	NR	*	*	NR	*	*	*	6/6
Gaydos, 2020	*	NR	*	*	NR	*	*	*	6/6
Mondal, 2020	*	NR	*	*	NR	*	*	*	6/6
Skogby, 2020	*	NR	*	*	NR	—	*	*	5/6

S1 Representativeness of the exposed cohort; S2 Selection of the non-exposed cohort; S3 Ascertainment of exposure; S4 Outcome not present at start of study; C1 Comparability of cohorts on the basis of the design or analysis; E1 Assessment of outcome, E2 Long enough follow-up for outcome to occur; E3 Adequacy of follow-up; NR=Not relevant.

Figure S1. Funnel plot for the 17 included studies.

