
Gestational diabetes contour-enhanced funnel plot
Standard error
0
.05
.1
.15
-.4
-.2
0
.2
.4
Effect size
1% < p < 5%
5% < p < 10%
p > 10%
Studies
Estimated θIV


Preeclampsia contour-enhanced funnel plot
Standard error
0
.05
.1
.15
-.4
-.2
0
.2
.4
Effect size
1% < p < 5%
5% < p < 10%
p > 10%
Studies
Estimated θIV


Maternal ICU Admission contour-enhanced funnel plot
Standard error
0
.05
.1
.15
-.4
-.2
0
.2
.4
.6
Effect size
1% < p < 5%
5% < p < 10%
p > 10%
Studies
Estimated θIV


Spontaneous vaginal deliver funnel plot
Standard error
0
.05
.1
.15
.2
0
.2
.4
.6
.8
1
Effect size
Pseudo 95% CI
Studies
Estimated θIV


Caesarean section funnel plot
Standard error
0
.05
.1
.15
.2
.25
0
.2
.4
.6
.8
1
Effect size
Pseudo 95% CI
Studies
Estimated θIV


Premature delivery funnel plot
Standard error
0
.05
.1
.15
.2
.25
-.4
-.2
0
.2
.4
.6
Effect size
Pseudo 95% CI
Studies
Estimated θIV


Neonatal weight (in grams) funnel plot
Standard error
0
100
200
300
400
2000
2500
3000
3500
4000
Effect size
Pseudo 95% CI
Studies
Estimated θIV


Neonatal ICU admission funnel plot
Standard error
0
.05
.1
.15
.2
.25
-.5
0
.5
1
Effect size
Pseudo 95% CI
Studies
Estimated θIV


Neonatal Mortality contour-enhanced funnel plot
Standard error
0
.1
.2
.3
.4
.5
-2
-1
0
1
2
Effect size
1% < p < 5%
5% < p < 10%
p > 10%
Studies
Estimated θIV


Stillbirth contour-enhanced funnel plot
Standard error
0
.05
.1
.15
-.4
-.2
0
.2
.4
Effect size
1% < p < 5%
5% < p < 10%
p > 10%
Studies
Estimated θIV


Vertical Transmission contour-enhanced funnel plot
Standard error
0
.1
.2
.3
.4
.5
-2
-1
0
1
2
Effect size
1% < p < 5%
5% < p < 10%
p > 10%
Studies
Estimated θIV