SUPPLEMENTARY DIGITAL MATERIAL 1

Supplementary Table I.—The methodological quality of each study using QATQS.[34-54]

Author and year	Selection Bias	Design	Confounders	Blinding	Data collection	Withdrawals and dropouts	Total
Yu J *et al.* 2019 [34]	2	2	1	1	1	2	1
Hojan K *et al.* 2020 [35]	2	2	1	2	1	3	2
Han E Y *et al.* 2015 [36]	2	2	1	2	1	3	2
Geler-Kulcu D *et al.* 2009 [37]	2	2	1	2	1	3	2
Greenberg E *et al.* 2006 [38]	2	2	1	2	1	3	2
Bilgin S *et al.* 2014 [39]	2	2	1	2	1	2	2
Yoon J *et al.* 2015 [40]	2	1	1	2	1	1	2
Huang M E *et al.* 2000 [41]	2	2	1	2	1	1	1
Mukand J A *et al.* 2001 [42]	2	2	2	2	1	1	1
Huang M E *et al.* 1998 [43]	2	2	1	2	1	2	1
Hansen A *et al.* 2018 [44]	2	2	2	1	1	2	1
Baima J *et al.* 2017 [45]	2	2	2	2	1	1	1
Roberts P S *et al.* 2014 [46]	2	2	2	1	1	2	1
Reilly JM *et al.* 2020 [47]	2	2	1	2	1	2	1
Marciniak CM *et al.* 2001 [48]	2	2	2	2	1	1	1
O'Dell M W *et al.* 1998 [49]	2	2	1	2	1	1	1
Ayotte S L *et al.* 2017 [50]	2	2	1	1	1	1	1
Shahpar S *et al.* 2018 [51]	2	2	2	2	1	1	1
Bartolo M *et al.* 2012 [52]	2	1	2	2	1	1	1

Fu J B *et al.* 2019 [53]	2	2	1	1	1	2	1
Khan F *et al.* 2014 [54]	2	1	1	1	1	1	1

1- strong, 2- moderate, 3- weak.

References

1. Bray F, Ferlay J, Soerjomataram I, Siegel RL, Torre LA, Jemal A. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA Cancer J Clin 2018;68:394–424. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=30207593&dopt=Abstract https://doi.org/10.3322/caac.21492
2. Ostrom QT, Cioffi G, Waite K, Kruchko C, Barnholtz-Sloan JS. CBTRUS Statistical Report: Primary Brain and Other Central Nervous System Tumors Diagnosed in the United States in 2014-2018. Neuro-oncol 2021;23(Suppl 2):iii1–105. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=34608945&dopt=Abstract https://doi.org/10.1093/neuonc/noab200
3. Chatterjee S, Roy R. Brain Tumor Epidemiology: Updates from USA, UK and Australia; 2021.
4. Perkins A, Liu G. Primary Brain Tumors in Adults: diagnosis and Treatment. Am Fam Physician 2016;93:211–7. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=26926614&dopt=Abstract
5. Batash R, Asna N, Schaffer P, Francis N, Schaffer M. Glioblastoma Multiforme, Diagnosis and Treatment; Recent Literature Review. Curr Med Chem 2017;24:3002–9. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28521700&dopt=Abstract
6. Kang JH, Adamson C. Novel chemotherapeutics and other therapies for treating high-grade glioma. Expert Opin Investig Drugs 2015;24:1361–79. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=26289791&dopt=Abstract https://doi.org/10.1517/13543784.2015.1048332
7. Kirshblum S, O'Dell MW, Ho C, Barr K. Rehabilitation of persons with central nervous system tumors. Cancer 2001;92(Suppl):1029–38. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11519030&dopt=Abstract https://doi.org/10.1002/1097-0142(20010815)92:4+<1029::AID-CNCR1416>3.0.CO;2-P
8. Kushner DS, Amidei C. Rehabilitation of motor dysfunction in primary brain tumor patients†. Neurooncol Pract 2015;2:185–91. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31386049&dopt=Abstract https://doi.org/10.1093/nop/npv019
9. Schiff D, Lee EQ, Nayak L, Norden AD, Reardon DA, Wen PY. Medical management of brain tumors and the sequelae of treatment. Neuro-oncol 2015;17:488–504. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=25358508&dopt=Abstract https://doi.org/10.1093/neuonc/nou304
10. Dilalla V, Chaput G, Williams T, Sultanem K. Radiotherapy side effects: integrating a survivorship clinical lens to better serve patients. Curr Oncol 2020;27:107–12. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=32489253&dopt=Abstract https://doi.org/10.3747/co.27.6233
11. Leece R, Xu J, Ostrom QT, Chen Y, Kruchko C, Barnholtz-Sloan JS. Global incidence of malignant brain and other central nervous system tumors by histology, 2003-2007. Neuro-oncol 2017;19:1553–64.

https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28482030&dopt=Abstract https://doi.org/10.1093/neuonc/nox091

12. Louis DN, Perry A, Reifenberger G, von Deimling A, Figarella-Branger D, Cavenee WK, *et al.* The 2016 World Health Organization Classification of Tumors of the Central Nervous System: a summary. Acta Neuropathol 2016;131:803–20. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=27157931&dopt=Abstract https://doi.org/10.1007/s00401-016-1545-1
13. Jung KW, Yoo H, Kong HJ, Won YJ, Park S, Lee SH. Population-based survival data for brain tumors in Korea. J Neurooncol 2012;109:301–7. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=22660961&dopt=Abstract https://doi.org/10.1007/s11060-012-0893-5
14. Idorn M, Thor Straten P. Exercise and cancer: from "healthy" to "therapeutic"? Cancer Immunol Immunother 2017;66:667–71. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28324125&dopt=Abstract https://doi.org/10.1007/s00262-017-1985-z
15. Saotome T, Klein L, Faux S. Cancer rehabilitation: a barometer for survival? Support Care Cancer 2015;23:3033–41. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=25739753&dopt=Abstract https://doi.org/10.1007/s00520-015-2673-1
16. Silver JK, Baima J, Mayer RS. Impairment-driven cancer rehabilitation: an essential component of quality care and survivorship. CA Cancer J Clin 2013;63:295–317. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=23856764&dopt=Abstract https://doi.org/10.3322/caac.21186
17. Olsson Möller U, Beck I, Rydén L, Malmström M. A comprehensive approach to rehabilitation interventions following breast cancer treatment - a systematic review of systematic reviews. BMC Cancer 2019;19:472. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31109309&dopt=Abstract https://doi.org/10.1186/s12885-019-5648-7
18. Testa A, Iannace C, Di Libero L. Strengths of early physical rehabilitation programs in surgical breast cancer patients: results of a randomized controlled study. Eur J Phys Rehabil Med 2014;50:275–84. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=24518147&dopt=Abstract
19. Sweeney FC, Demark-Wahnefried W, Courneya KS, Sami N, Lee K, Tripathy D, *et al.* Aerobic and Resistance Exercise Improves Shoulder Function in Women Who Are Overweight or Obese and Have Breast Cancer: A Randomized Controlled Trial. Phys Ther 2019;99:1334–45. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31309977&dopt=Abstract https://doi.org/10.1093/ptj/pzz096
20. Leclerc AF, Foidart-Dessalle M, Tomasella M, Coucke P, Devos M, Bruyère O, *et al.* Multidisciplinary rehabilitation program after breast cancer: benefits on physical function, anthropometry and quality of life. Eur J Phys Rehabil Med 2017;53:633–42. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28322035&dopt=Abstract https://doi.org/10.23736/S1973-9087.17.04551-8
21. Fu JB, Morishita S, Yadav R. Changing Paradigms in the Rehabilitation of Inpatients with Brain Tumors. Curr Phys Med Rehabil Rep 2018;6:115–20.

https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=29868247&dopt=Abstract https://doi.org/10.1007/s40141-018-0182-0

22. Khan F, Amatya B, Ng L, Drummond K, Galea M. Multidisciplinary rehabilitation after primary brain tumour treatment. Cochrane Database Syst Rev 2015;(8):CD009509. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=26298178&dopt=Abstract https://doi.org/10.1002/14651858.CD009509.pub3

23. Schiff D, Alyahya M. Neurological and Medical Complications in Brain Tumor Patients. Curr Neurol Neurosci Rep 2020;20:33. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=32601979&dopt=Abstract https://doi.org/10.1007/s11910-020-01054-2

24. Madhusoodanan S, Ting MB, Farah T, Ugur U. Psychiatric aspects of brain tumors: A review. World J Psychiatry 2015;5:273–85. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=26425442&dopt=Abstract https://doi.org/10.5498/wjp.v5.i3.273

25. Pace A, Villani V, Parisi C, Di Felice S, Lamaro M, Falcicchio C, *et al.* Rehabilitation pathways in adult brain tumor patients in the first 12 months of disease. A retrospective analysis of services utilization in 719 patients. Support Care Cancer 2016;24:4801–6. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=27422655&dopt=Abstract https://doi.org/10.1007/s00520-016-3333-9

26. Zhao K, Yu C, Gan Z, Huang M, Wu T, Zhao N. Rehabilitation therapy for patients with glioma: A PRISMA-compliant systematic review and meta-analysis. Medicine (Baltimore) 2020;99:e23087. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=33157978&dopt=Abstract https://doi.org/10.1097/MD.0000000000023087

27. Vargo M, Henriksson R, Salander P. Rehabilitation of patients with glioma. Handb Clin Neurol 2016;134:287–304. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=26948361&dopt=Abstract https://doi.org/10.1016/B978-0-12-802997-8.00017-7

28. Thakkar P, Greenwald BD, Patel P. Rehabilitation of Adult Patients with Primary Brain Tumors: A Narrative Review. Brain Sci 2020;10:10. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=32751074&dopt=Abstract https://doi.org/10.3390/brainsci10080492

29. Vargo M. Brain tumor rehabilitation. Am J Phys Med Rehabil 2011;90(Suppl 1):S50–62. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=21765264&dopt=Abstract https://doi.org/10.1097/PHM.0b013e31820be31f

30. Weyer-Jamora C, Brie MS, Luks TL, Smith EM, Braunstein SE, Villanueva-Meyer JE, *et al.* Cognitive impact of lower-grade gliomas and strategies for rehabilitation. Neurooncol Pract 2020;8:117–28. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=33898046&dopt=Abstract https://doi.org/10.1093/nop/npaa072

31. Parsons MW, Dietrich J. Assessment and Management of Cognitive Symptoms in Patients With Brain Tumors. Am Soc Clin Oncol Educ Book 2021;41:e90–9. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=34061562&dopt=Abstract https://doi.org/10.1200/EDBK_320813

32. Moher D, Liberati A, Tetzlaff J, Altman DG; PRISMA Group. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. PLoS Med 2009;6:e1000097.

https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=19621072&dopt=Abstract https://doi.org/10.1371/journal.pmed.1000097

33. Quality Assessment Tool for Quantitative Studies | NCCMT [Internet]; 2021. Available from: https://www.nccmt.ca/knowledge-repositories/search/14 [cited 2021 Nov 18].

34. Yu J, Jung Y, Park J, Kim JM, Suh M, Cho KG, *et al.* Intensive Rehabilitation Therapy Following Brain Tumor Surgery: A Pilot Study of Effectiveness and Long-Term Satisfaction. Ann Rehabil Med 2019;43:129–41. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31072079&dopt=Abstract https://doi.org/10.5535/arm.2019.43.2.129

35. Hojan K, Gerreth K. Can Multidisciplinary Inpatient and Outpatient Rehabilitation Provide Sufficient Prevention of Disability in Patients with a Brain Tumor?-A Case-Series Report of Two Programs and A Prospective, Observational Clinical Trial. Int J Environ Res Public Health 2020;17:17. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=32899993&dopt=Abstract https://doi.org/10.3390/ijerph17186488

36. Han EY, Chun MH, Kim BR, Kim HJ. Functional Improvement After 4-Week Rehabilitation Therapy and Effects of Attention Deficit in Brain Tumor Patients: Comparison With Subacute Stroke Patients. Ann Rehabil Med 2015;39:560–9. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=26361592&dopt=Abstract https://doi.org/10.5535/arm.2015.39.4.560

37. Geler-Kulcu D, Gulsen G, Buyukbaba E, Ozkan D. Functional recovery of patients with brain tumor or acute stroke after rehabilitation: a comparative study. J Clin Neurosci 2009;16:74–8. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=19022673&dopt=Abstract https://doi.org/10.1016/j.jocn.2008.04.014

38. Greenberg E, Treger I, Ring H. Rehabilitation outcomes in patients with brain tumors and acute stroke: comparative study of inpatient rehabilitation. Am J Phys Med Rehabil 2006;85:568–73. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=16788387&dopt=Abstract https://doi.org/10.1097/01.phm.0000223218.38152.53

39. Bilgin S, Kose N, Karakaya J, Mut M. Traumatic brain injury shows better functional recovery than brain tumor: a rehabilitative perspective. Eur J Phys Rehabil Med 2014;50:17–23. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=23558698&dopt=Abstract

40. Yoon J, Chun MH, Lee SJ, Kim BR. Effect of virtual reality-based rehabilitation on upper-extremity function in patients with brain tumor: controlled trial. Am J Phys Med Rehabil 2015;94:449–59. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=25251249&dopt=Abstract https://doi.org/10.1097/PHM.0000000000000192

41. Huang ME, Cifu DX, Keyser-Marcus L. Functional outcomes in patients with brain tumor after inpatient rehabilitation: comparison with traumatic brain injury. Am J Phys Med Rehabil 2000;79:327–35. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10892618&dopt=Abstract https://doi.org/10.1097/00002060-200007000-00003

42. Mukand JA, Blackinton DD, Crincoli MG, Lee JJ, Santos BB. Incidence of neurologic deficits and rehabilitation of patients with brain tumors. Am J Phys Med Rehabil 2001;80:346–50.

https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11327556&dopt=Abstract https://doi.org/10.1097/00002060-200105000-00005

43. Huang ME, Cifu DX, Keyser-Marcus L. Functional outcome after brain tumor and acute stroke: a comparative analysis. Arch Phys Med Rehabil 1998;79:1386–90. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9821898&dopt=Abstract https://doi.org/10.1016/S0003-9993(98)90232-5

44. Hansen A, Søgaard K, Minet LR, Jarden JO. A 12-week interdisciplinary rehabilitation trial in patients with gliomas - a feasibility study. Disabil Rehabil 2018;40:1379–85. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28286968&dopt=Abstract https://doi.org/10.1080/09638288.2017.1295472

45. Baima J, Omer ZB, Varlotto J, Yunus S. Compliance and safety of a novel home exercise program for patients with high-grade brain tumors, a prospective observational study. Support Care Cancer 2017;25:2809–14. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28386786&dopt=Abstract https://doi.org/10.1007/s00520-017-3695-7

46. Roberts PS, Nuño M, Sherman D, Asher A, Wertheimer J, Riggs RV, *et al.* The impact of inpatient rehabilitation on function and survival of newly diagnosed patients with glioblastoma. PM R 2014;6:514–21. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=24384359&dopt=Abstract https://doi.org/10.1016/j.pmrj.2013.12.007

47. Reilly JM, Gundersen AI, Silver JK, Tan CO, Knowlton SE. A Comparison of Functional Outcomes between Patients Admitted to Inpatient Rehabilitation after Initial Diagnosis Versus Recurrence of Glioblastoma Multiforme. PM R 2020;12:975–83. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=32281244&dopt=Abstract https://doi.org/10.1002/pmrj.12379

48. Marciniak CM, Sliwa JA, Heinemann AW, Semik PE. Functional outcomes of persons with brain tumors after inpatient rehabilitation. Arch Phys Med Rehabil 2001;82:457–63. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11295004&dopt=Abstract https://doi.org/10.1053/apmr.2001.21862

49. O'Dell MW, Barr K, Spanier D, Warnick RE. Functional outcome of inpatient rehabilitation in persons with brain tumors. Arch Phys Med Rehabil 1998;79:1530–4. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9862294&dopt=Abstract https://doi.org/10.1016/S0003-9993(98)90414-2

50. Ayotte SL, Harro CC. Effects of an Individualized Aerobic Exercise Program in Individuals With a Brain Tumor Undergoing Inpatient Rehabilitation: A Feasibility Study. Rehabil Oncol 2017;35:163–71. https://doi.org/10.1097/01.REO.0000000000000069

51. Shahpar S, Wong AW, Keeshin S, Eickmeyer SM, Semik P, Kocherginsky M, *et al.* Functional Outcomes of an Interdisciplinary Outpatient Rehabilitation Program for Patients with Malignant Brain Tumors. PM R 2018;10:926–33. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=29550410&dopt=Abstract https://doi.org/10.1016/j.pmrj.2018.03.002

52. Bartolo M, Zucchella C, Pace A, Lanzetta G, Vecchione C, Bartolo M, *et al.* Early rehabilitation after surgery improves functional outcome in inpatients with brain tumours. J Neurooncol 2012;107:537–44.

https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=22124725&dopt=Abstract https://doi.org/10.1007/s11060-011-0772-5

53. Fu JB, Molinares DM, Morishita S, Silver JK, Dibaj SS, Guo Y, *et al.* Retrospective Analysis of Acute Rehabilitation Outcomes of Cancer Inpatients with Leptomeningeal Disease. PM R 2020;12:263–70. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31222952&dopt=Abstract https://doi.org/10.1002/pmrj.12207

54. Khan F, Amatya B, Drummond K, Galea M. Effectiveness of integrated multidisciplinary rehabilitation in primary brain cancer survivors in an Australian community cohort: a controlled clinical trial. J Rehabil Med 2014;46:754–60. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=24940656&dopt=Abstract https://doi.org/10.2340/16501977-1840

55. Gabanelli P. A rehabilitative approach to the patient with brain cancer. Neurol Sci 2005;26(Suppl 1):S51–2. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15883697&dopt=Abstract https://doi.org/10.1007/s10072-005-0408-7

56. Day J, Gillespie DC, Rooney AG, Bulbeck HJ, Zienius K, Boele F, *et al.* Neurocognitive Deficits and Neurocognitive Rehabilitation in Adult Brain Tumors. Curr Treat Options Neurol 2016;18:22. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=27044316&dopt=Abstract https://doi.org/10.1007/s11940-016-0406-5

57. Asher A, Fu JB, Bailey C, Hughes JK. Fatigue among patients with brain tumors. CNS Oncol 2016;5:91–100. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=26987038&dopt=Abstract https://doi.org/10.2217/cns-2015-0008

58. Armocida D, Pesce A, Di Giammarco F, Frati A, Santoro A, Salvati M. Long Term Survival in Patients Suffering from Glio-blastoma Multiforme: A Single-Center Observational Cohort Study. Diagnostics (Basel) 2019;9:9. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31801254&dopt=Abstract https://doi.org/10.3390/diagnostics9040209

59. Louis DN, Perry A, Wesseling P, Brat DJ, Cree IA, Figarella-Branger D, *et al.* The 2021 WHO Classification of Tumors of the Central Nervous System: a summary. Neuro-oncol 2021;23:1231–51. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=34185076&dopt=Abstract https://doi.org/10.1093/neuonc/noab106

60. Belagaje SR. Stroke Rehabilitation. Continuum (Minneap Minn) 2017;23(1, Cerebrovascular Disease):238–53. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28157752&dopt=Abstract https://doi.org/10.1212/CON.0000000000000423

61. Lee SY, Amatya B, Judson R, Truesdale M, Reinhardt JD, Uddin T, *et al.* Clinical practice guidelines for rehabilitation in traumatic brain injury: a critical appraisal. Brain Inj 2019;33:1263–71.

https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31314607&dopt=Abstract https://doi.org/10.1080/02699052.2019.1641747

62. Botulinum Toxin. Elsevier; 2009.

63. Gosman-Hedström G, Svensson E. Parallel reliability of the functional independence measure and the Barthel ADL index. Disabil Rehabil 2000;22:702–15. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11117590&dopt=Abstract https://doi.org/10.1080/09638280050191972

64. Ģiga L, Pētersone A, Čakstiņa S, Bērziņa G. Comparison of content and psychometric properties for assessment tools used for brain tumor patients: a scoping review. Health Qual Life Outcomes 2021;19:234. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=34625062&dopt=Abstract https://doi.org/10.1186/s12955-021-01863-0

65. Péus D, Newcomb N, Hofer S. Appraisal of the Karnofsky Performance Status and proposal of a simple algorithmic system for its evaluation. BMC Med Inform Decis Mak 2013;13:72. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=23870327&dopt=Abstract https://doi.org/10.1186/1472-6947-13-72

66. Downs S, Marquez J, Chiarelli P. The Berg Balance Scale has high intra- and inter-rater reliability but absolute reliability varies across the scale: a systematic review. J Physiother 2013;59:93–9. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=23663794&dopt=Abstract https://doi.org/10.1016/S1836-9553(13)70161-9

67. Blum L, Korner-Bitensky N. Usefulness of the Berg Balance Scale in stroke rehabilitation: a systematic review. Phys Ther 2008;88:559–66. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=18292215&dopt=Abstract https://doi.org/10.2522/ptj.20070205

68. Liljehult MM, Buus L, Liljehult J, Rasmussen BK. Walking ability in patients with glioblastoma: prognostic value of the Berg Balance Scale and the 10 meter walk test. J Neurooncol 2017;135:335–42. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28752499&dopt=Abstract https://doi.org/10.1007/s11060-017-2579-5

69. Victorson D, Barocas J, Song J, Cella D. Reliability across studies from the functional assessment of cancer therapy-general (FACT-G) and its subscales: a reliability generalization. Qual Life Res 2008;17:1137–46. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=18841493&dopt=Abstract https://doi.org/10.1007/s11136-008-9398-2

70. Lien K, Zeng L, Nguyen J, Cramarossa G, Cella D, Chang E, *et al.* FACT-Br for assessment of quality of life in patients receiving treatment for brain metastases: a literature review. Expert Rev Pharmacoecon Outcomes Res 2011;11:701–8. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=22098286&dopt=Abstract https://doi.org/10.1586/erp.11.67

71. Agarwala P, Salzman SH. Six-Minute Walk Test: Clinical Role, Technique, Coding, and Reimbursement. Chest 2020;157:603–11. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31689414&dopt=Abstract https://doi.org/10.1016/j.chest.2019.10.014

72. Schmidt K, Vogt L, Thiel C, Jäger E, Banzer W. Validity of the six-minute walk test in cancer patients. Int J Sports Med 2013;34:631–6.

https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=23444095&dopt=Abstract https://doi.org/10.1055/s-0032-1323746

73. Fabi A, Bhargava R, Fatigoni S, Guglielmo M, Horneber M, Roila F, *et al.*; ESMO Guidelines Committee. Electronic address: clinicalguidelines@esmo.org. Cancer-related fatigue: ESMO Clinical Practice Guidelines for diagnosis and treatment. Ann Oncol 2020;31:713–23. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=32173483&dopt=Abstract https://doi.org/10.1016/j.annonc.2020.02.016

74. Tang V, Rathbone M, Park Dorsay J, Jiang S, Harvey D. Rehabilitation in primary and metastatic brain tumours: impact of functional outcomes on survival. J Neurol 2008;255:820–7. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=18500499&dopt=Abstract https://doi.org/10.1007/s00415-008-0695-z

75. Huang ME, Sliwa JA. Inpatient rehabilitation of patients with cancer: efficacy and treatment considerations. PM R 2011;3:746–57. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=21871419&dopt=Abstract https://doi.org/10.1016/j.pmrj.2011.05.020

76. Greene-Schloesser D, Robbins ME, Peiffer AM, Shaw EG, Wheeler KT, Chan MD. Radiation-induced brain injury: A review. Front Oncol 2012;2:73. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=22833841&dopt=Abstract https://doi.org/10.3389/fonc.2012.00073

77. Lu Lee E, Westcarth L. Neurotoxicity associated with cancer therapy. J Adv Pract Oncol 2012;3:11–21. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=25031923&dopt=Abstract

78. Dropcho EJ. Neurotoxicity of radiation therapy. Neurol Clin 2010;28:217–34. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=19932383&dopt=Abstract https://doi.org/10.1016/j.ncl.2009.09.008

79. Shah V, Kochar P. Brain Cancer: Implication to Disease, Therapeutic Strategies and Tumor Targeted Drug Delivery Approaches. Recent Patents Anticancer Drug Discov 2018;13:70–85. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=29189177&dopt=Abstract

80. Warren KT, Liu L, Liu Y, Strawderman MS, Hussain AH, Ma HM, *et al.* Time to treatment initiation and outcomes in high-grade glioma patients in rehabilitation: a retrospective cohort study. CNS Oncol 2020;9:CNS64. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=33112686&dopt=Abstract https://doi.org/10.2217/cns-2020-0018

81. Mikołajewska E. The value of the NDT-Bobath method in post-stroke gait training. Adv Clin Exp Med 2013;22:261–72. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=23709383&dopt=Abstract

82. Mikołajewska E. Associations between results of post-stroke NDT-Bobath rehabilitation in gait parameters, ADL and hand functions. Adv Clin Exp Med 2013;22:731–8. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=24285459&dopt=Abstract

83. Gunning E, Uszynski MK. Effectiveness of the Proprioceptive Neuromuscular Facilitation Method on Gait Parameters in Patients With Stroke: A Systematic Review. Arch Phys Med Rehabil 2019;100:980–6.

https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=30582917&dopt=Abstract https://doi.org/10.1016/j.apmr.2018.11.020

84. Galvão DA, Newton RU. Review of exercise intervention studies in cancer patients. J Clin Oncol 2005;23:899–909. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15681536&dopt=Abstract https://doi.org/10.1200/JCO.2005.06.085

85. Hilfiker R, Meichtry A, Eicher M, Nilsson Balfe L, Knols RH, Verra ML, *et al.* Exercise and other non-pharmaceutical interventions for cancer-related fatigue in patients during or after cancer treatment: a systematic review incorporating an indirect-comparisons meta-analysis. Br J Sports Med 2018;52:651–8. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28501804&dopt=Abstract https://doi.org/10.1136/bjsports-2016-096422

86. Knols R, Aaronson NK, Uebelhart D, Fransen J, Aufdemkampe G. Physical exercise in cancer patients during and after medical treatment: a systematic review of randomized and controlled clinical trials. J Clin Oncol 2005;23:3830–42. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=15923576&dopt=Abstract https://doi.org/10.1200/JCO.2005.02.148

87. Samuel SR, Maiya AG, Fernandes DJ, Guddattu V, Saxena PU, Kurian JR, *et al.* Effectiveness of exercise-based rehabilitation on functional capacity and quality of life in head and neck cancer patients receiving chemo-radiotherapy. Support Care Cancer 2019;27:3913–20. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=30919154&dopt=Abstract https://doi.org/10.1007/s00520-019-04750-z

88. van Waart H, Stuiver MM, van Harten WH, Geleijn E, Kieffer JM, Buffart LM, *et al.* Effect of Low-Intensity Physical Activity and Moderate- to High-Intensity Physical Exercise During Adjuvant Chemotherapy on Physical Fitness, Fatigue, and Chemotherapy Completion Rates: Results of the PACES Randomized Clinical Trial. J Clin Oncol 2015;33:1918–27. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=25918291&dopt=Abstract https://doi.org/10.1200/JCO.2014.59.1081

89. Campbell KL, Winters-Stone KM, Wiskemann J, May AM, Schwartz AL, Courneya KS, *et al.* Exercise Guidelines for Cancer Survivors: Consensus Statement from International Multidisciplinary Roundtable. Med Sci Sports Exerc 2019;51:2375–90. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31626055&dopt=Abstract https://doi.org/10.1249/MSS.0000000000002116

90. Burgess G, Jensen LE. Occupational therapy for adults with brain tumors in the acute care setting. NeuroRehabilitation 2019;45:151–61. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=31498143&dopt=Abstract https://doi.org/10.3233/NRE-192799

91. Legg LA, Lewis SR, Schofield-Robinson OJ, Drummond A, Langhorne P. Occupational therapy for adults with problems in activities of daily living after stroke. Cochrane Database Syst Rev 2017;7:CD003585. https://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=28721691&dopt=Abstract