Supplemental Table S1. List of excluded articles and reason for exclusion.

Reason for exclusion of the article:

1. Pulp diagnosis not mentioned or inclusion of non-vital teeth.
2. Pain scale other than VAS.
3. Categorical data.
4. Didn't assess post-operative pain after root canal treatment.
5. Multiple dose/non-prophylactic premedication.
6. Pain assessment was not available till 24 hours.
7. Placebo not available.
8. Others.

S. No	Author/Trial No (year)	Reason for exclusion
[1]	Arslan (2011)	1
[2]	Ashraf (2013)	1, 5
[3]	Attar (2008)	1
[4]	Baradaran (2014)	5
[5]	de Almeida (2019)	8
[6]	Dionne (1986)	4, 5
[7]	Doroschak (1999)	5
[8]	Elzaki (2016)	2, 5, 6
[9]	Flath (1987)	1, 5
[10]	Glassman (1989)	5
[11]	Gopikrishna (2003)	1
[12]	Gyanani (2016)	1, 2
[13]	Işik (2014)	1
[14]	Jorge-Araújo (2018)	1, 2
[15]	Joshi (2016)	6
[16]	Jenarthanan (2018)	8
[17]	Kaviani (2011)	4
[18]	Kaufman (1994)	1
[19]	Krasner (1986)	1, 5
[20]	Kérourédan (2017)	2, 5
[21]	Liesinger (1993)	2, 1
[22]	Makkar (2012)	5
[23]	Mangal (2020)	5
[24]	Marshall (1984)	5
[25]	Mehrvarzfar (2008)	2, 3, 5
[26]	Mehrvarzfar (2012)	1, 5
[27]	Menhinck (2004)	5, 6
[28]	Menke (2000)	1, 6
[29]	Metri (2016)	3
[30]	Morse (1990)	1
[31]	Nabi (2018)	2
[32]	Negm (1989)	1, 2, 3, 5
[33]	Nekoofer (2003)	1
[34]	Parirokh 2014	4
[35]	Pochapski	2
[36]	Sethi (2014)	7
[37]	Shantiaee (2012)	1, 5
[38]	Sharma (2015)	3
[39]	Stamos (2019)	1, 5
[40]	Torabinejad (1994)	1, 5
[41]	Vieyra (2018)	1, 2, 3
[42]	Yaveri	5
[43]	NCT02086097	5
[44]	NCT03612323	2
[45]	NCT03745105	2
[46]	NCT02940405	2

References

1. Arslan H, Topcuoglu HS, Aladag H. Effectiveness of tenoxicam and ibuprofen for pain prevention following endodontic therapy in comparison to placebo: a randomized double-blind clinical trial. J Oral Sci 2011; 53: 157-61.
2. Ashraf H, Tannaz N, Ketabi MA. Comparison of the efficacy of prophylactic celecoxib, a Cox-2 inhibitor made in Iran, and placebo for post-endodontic pain reduction: a clinical double-blind study. J Dent Sch 2013; 31: 82-8.
3. Attar S, Bowles WR, Baisden MK, Hodges JS, McClanahan SB. Evaluation of pretreatment analgesia and endodontic treatment for postoperative endodontic pain. J Endod 2008; 34: 652-5.
4. Baradaran M, Hamidi MR, Moghimi Firoozabad MR, Kazemi S, Ashrafpour M, Moghadamnia AA. Alprazolam role in the analgesic effect of ibuprofen on postendodontic pain. Caspian J Intern Med 2014; 5: 196-201.
5. de Almeida TB, Zotelli VLR, Wada RS, Sousa MLR. Comparative analgesia between acupuncture and dipyrone in odontalgia. J Acupunct Meridian Stud 2019; 12: 182-91.
6. Dionne RA. Suppression of dental pain by the preoperative administration of flurbiprofen. Am J Med 1986; 80: 41-9.
7. Doroschak AM, Bowles WR, Hargreaves KM. Evaluation of the combination of flurbiprofen and tramadol for management of endodontic pain. J Endod 1999; 25: 660-3.
8. Elzaki WM, Abubakr NH, Ziada HM, Ibrahim YE. Double-blind randomized placebo-controlled clinical trial of efficiency of nonsteroidal anti-inflammatory drugs in the control of post-endodontic pain. J Endod 2016; 42: 835-42.
9. Flath RK, Hicks ML, Dionne RA, Pelleu GB, Jr. Pain suppression after pulpectomy with preoperative flurbiprofen. J Endod 1987; 13: 339-47.
10. Glassman G, Krasner P, Morse DR, Rankow H, Lang J, Furst M. A prospective randomized double-blind trial on efficacy of dexamethasone for endodontic interappointment pain in teeth with asymptomatic inflamed pulps. Oral Surg Oral Med Oral Pathol 1989; 67: 96-100.
11. Gopikrishna V, Parameswaran A. Effectiveness of prophylactic use of rofecoxib in comparison with ibuprofen

on postendodontic pain. J Endod 2003; 29: 62-4.
12. Gyanani H, Chhabra N, Parmar GR. Comparative assessment of efficacy of two different pretreatment single oral doses of betamethasone on inter-appointment and postoperative discomfort: An in vivo clinical evaluation. J Conserv Dent 2016; 19: 564-8.
13. Işik B, Yaman S, Aktuna S, Turan A. Analgesic Efficacy of prophylactic gabapentin and lornoxicam in preventing postendodontic pain. Pain Med 2014; 15: 2150-5.
14. Jorge-Araujo ACA, Bortoluzzi MC, Baratto-Filho F, Santos FA, Pochapski MT. Effect of premedication with anti-inflammatory drugs on post-endodontic pain: a randomized clinical trial. Braz Dent J 2018; 29: 254-60.
15. Joshi N, Mathew S, George JV, Hegde S, Bhandi S, Madhu KS. Comparative evaluation of the efficacy of two modes of delivery of Piroxicam (Dolonex®) for the management of postendodontic pain: A randomized control trial. J Conserv Dent 2016; 19: 301-5.
16. Jenarthanan S, Subbarao C. Comparative evaluation of the efficacy of diclofenac sodium administered using different delivery routes in the management of endodontic pain: A randomized controlled clinical trial. J Conserv Dent 2018; 21: 297-301.
17. Kaviani N, Khademi A, Ebtehaj I, Mohammadi Z. The effect of orally administered ketamine on requirement for anesthetics and postoperative pain in mandibular molar teeth with irreversible pulpitis. J Oral Sci 2011; 53: 461-5.
18. Kaufman E, Heling I, Rotstein I, Friedman S, Sion A, Moz C, et al. Intraligamentary injection of slow-release methylprednisolone for the prevention of pain after endodontic treatment. Oral Surg Oral Med Oral Pathol 1994; 77: 651-4.
19. Krasner P, Jackson E. Management of posttreatment endodontic pain with oral dexamethasone: A double-blind study. Oral Surg Oral Med Oral Pathol 1986; 62: 187-90.
20. Kérourédan O, Jallon L, Perez P, Germain C, Peli JF, Oriez D, et al. Efficacy of orally administered prednisolone versus partial endodontic treatment on pain reduction in emergency care of acute irreversible pulpitis of mandibular molars: study protocol for a randomized controlled trial. Trials 2017; 18: 141.
21. Liesinger A, Marshall FJ, Marshall JG. Effect of variable doses of dexamethasone on posttreatment endodontic pain. J Endod 1993; 19: 35-9.
22. Dhawan R, Kaler N, Makkar S, Mann N, Pasricha S. Efficacy of ibuprofen and paracetamol and diclofenac sodium and paracetamol combination on postoperative pain following root canal preparation in a randomized placebo-controlled study. Indian J Oral Sci 2012; 3: 19-23.
23. Mangal S, Mathew S, Murthy BVS, Hegde S, Dinesh K, Ramesh P. The efficacy of transdermal and oral diclofenac for post-endodontic pain control: A randomised controlled trial. Indian J Dent Res 2020; 31: 53-6.
24. Marshall JG, Walton RE. The effect of intramuscular injection of steroid on posttreatment endodontic pain. J Endod 1984; 10: 584-8.
25. Mehrvarzfar P, Abbott PV, Saghiri MA, Delvarani A, Asgar K, Lotfi M, et al. Effects of three oral analgesics on postoperative pain following root canal preparation: a controlled clinical trial: Effect of three oral medications on postoperative endodontic pain. Int Endod J 2012; 45: 76-82.
26. Mehrvarzfar P, Shababi B, Sayyad R, Fallahdoost A, Kheradpir K. Effect of supraperiosteal injection of dexamethasone on postoperative pain. Aust Endod J 2008; 34: 25-9.
27. Menhinick KA, Gutmann JL, Regan JD, Taylor SE, Buschang PH. The efficacy of pain control following nonsurgical root canal treatment using ibuprofen or a combination of ibuprofen and acetaminophen in a randomized, double-blind, placebo-controlled study. Int Endod J 2004; 37: 531-41.
28. Menke ER, Jackson CR, Bagby MD, Tracy TS. The effectiveness of prophylactic etodolac on postendodontic pain. J Endod 2000 Dec; 26: 712-5.
29. Metri M, Hegde S, Bhandi S. Effect of pretreatment diclofenac sodium on postendodontic pain: A randomised controlled trial. J Conserv Dent 2016; 19: 7-10.
30. Morse DR, Esposito JV, Furst ML. Comparison of prophylactic and on-demand diflunisal for pain management of patients having one-visit endodontic therapy. Oral Surg Oral Med Oral Pathol 1990; 69: 729-36.

31. Nabi S, Amin K, Masoodi A, Farooq R, Purra AR, Ahangar FA. Effect of preoperative ibuprofen in controlling postendodontic pain with and without low-level laser therapy in single visit endodontics: A randomized clinical study. Indian J Dent Res 2018; 29: 46.
32. Negm MM. Management of endodontic pain with nonsteroidal anti-inflammatory agents: A double-blind, placebo-controlled study. Oral Surg Oral Med Oral Pathol 1989; 67: 88-95.
33. Nekoofar M, Sadeghipanah M, Dehpour A. Evaluation of meloxicam (a cox-2 inhibitor) for management of postoperative endodontic pain: a double-blind placebo-controlled study. J Endod 2003; 29: 634-7.
34. Parirokh M, Ashouri R, Rekabi AR, Nakhaee N, Pardakhti A, Askarifard S, et al. The effect of premedication with ibuprofen and indomethacin on the success of inferior alveolar nerve block for teeth with irreversible pulpitis. J Endod 2010; 36: 1450-4.
35. Pochapski MT, Santos FA, de Andrade ED, Sydney GB. Effect of pretreatment dexamethasone on postendodontic pain. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2009; 108: 790-5.
36. Sethi P, Agarwal M, Chourasia HR, Singh MP. Effect of single dose pretreatment analgesia with three different analgesics on postoperative endodontic pain: A randomized clinical trial. J Conserv Dent 2014; 17: 517-21.
37. Shantiaee Y, Mahjour F, Dianat O. Efficacy comparison of periapical infiltration injection of dexamethasone, morphine and placebo for postoperative endodontic pain. Int Dent J 2012; 62: 74-8.
38. Sharma N, Nikhil V, Gupta S. Effect of preoperative administration of steroid with different routes on post endodontic pain: a randomized placebo controlled clinical trial. Endodontology 2015; 27: 107-12.
39. Stamos A, Drum M, Reader A, Nusstein J, Fowler S, Beck M. An evaluation of ibuprofen versus ibuprofen/ acetaminophen for postoperative endodontic pain in patients with symptomatic irreversible pulpitis and symptomatic apical periodontitis. Anesth Prog 2019; 66: 192-201.
40. Torabinejad M, Cymerman JJ, Frankson M, Lemon RR, Maggio JD, Schilder H. Effectiveness of various medications on postoperative pain following complete instrumentation. J Endod 1994; 20: 345-54.
41. Vieyra JP, Fabian OA. The outcome of preoperative administration of single-dose ketorolac, ibuprofen 400mg and placebo on postoperative pain in teeth with irreversible pulpitis and apical periodontitis. J Dental Sci 2018; 3: 000175
42. Yavari HR, Jafari F, Jamloo H, Hallaj-Nezhadi S, Jafari S. The effect of submucosal injection of corticosteroids on pain perception and quality of life after root canal treatment of teeth with irreversible pulpitis: a randomized clinical trial. J Endod 2019; 45: 477-82.
43. NCT02086097. Effectiveness of dexketoprofen trometamol in the management of postoperative endodontic pain. controlled clinical trial of multiple doses.
44. NCT03612323. Comparative evaluation of the efficacy of intraligamentary injection of 20 milligram (mg) piroxicam versus 4% articaine in management of endodontic pain in patients with symptomatic irreversible pulpitis in mandibular molars.
45. NCT 03745105. Comparative evaluation of the effect of a prophylactic intraligamentary injection of dexamethasone and piroxicam on postoperative pain in teeth with symptomatic irreversible pulpitis: a randomized controlled trial.
46. NCT02940405. Effect of ketorolac premedication on anesthetic efficiency of inferior alveolar nerve block, pre-treatment and post-endodontic pain in teeth with irreversible pulpitis: a randomized controlled double blinded trial.