S1 Fig. Forest plots of all Ag-RDTs.

Caption: TP = true positive; FP = false positive; FN = false negative; TN = true negative; CI = confidence interval

ActiveXpress

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f176.1	120	33	21	66	0	0.61 [0.47, 0.74]	1.00 [0.95, 1.00]

Genedia

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f177.2	108	39	15	53	1	0.72 [0.58, 0.84]	0.98 [0.90, 1.00]
FINDdx, f177.1	391	50	42	296	3	0.54 [0.44, 0.65]	0.99 [0.97, 1.00]



BD Veritor

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Pekosz, a28.1	251	27	1	220	3	0.96 [0.82, 1.00]	0.99 [0.96, 1.00]
Young, a43.1	251	29	9	212	1	0.76 [0.60, 0.89]	1.00 [0.97, 1.00]
Caruana, f34.4	532	47	67	417	1	0.41 [0.32, 0.51]	1.00 [0.99, 1.00]
Schuit, f64.1	2678	149	84	2436	9	0.64 [0.57, 0.70]	1.00 [0.99, 1.00]
Kilic, f71.1	1384	77	39	1253	15	0.66 [0.57, 0.75]	0.99 [0.98, 0.99]
Christensen, f109.1	278	52	8	217	1	0.87 [0.75, 0.94]	1.00 [0.98, 1.00]
Karon, f148.1	347	131	66	150	0	0.66 [0.59, 0.73]	1.00 [0.98, 1.00]

BinaxNow

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Pilarowski, a29.1	878	15	11	852	0	0.58 [0.37, 0.77]	1.00 [1.00, 1.00]
Pollock, f17.1	2308	226	66	2004	12	0.77 [0.72, 0.82]	0.99 [0.99, 1.00]
James, f23.1	2339	86	66	2184	3	0.57 [0.48, 0.65]	1.00 [1.00, 1.00]
Okoye, f51.1	2638	24	21	2593	0	0.53 [0.38, 0.68]	1.00 [1.00, 1.00]
Shaikh, f105.1	199	33	6	146	14	0.85 [0.70, 0.94]	0.91 [0.86, 0.95]
Shah, f133.1	2110	272	62	1769	7	0.81 [0.77, 0.86]	1.00 [0.99, 1.00]
Frediani, f139.5	297	57	20	218	2	0.74 [0.63, 0.83]	0.99 [0.97, 1.00]
Bachmann, f154.3	169	89	20	60	0	0.82 [0.73, 0.88]	1.00 [0.94, 1.00]
Bachmann, f154.6	169	84	8	72	5	0.91 [0.84, 0.96]	0.94 [0.86, 0.98]
Tinker, f156.1	1540	8	32	1500	0	0.20 [0.09, 0.36]	1.00 [1.00, 1.00]
Allan−Blitz, f161.1	18457	1550	1603	15115	189	0.49 [0.47, 0.51]	0.99 [0.99, 0.99]



Bioeasy

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Porte, a31.1	127	77	5	45	0	0.94 [0.86, 0.98]	1.00 [0.92, 1.00]
Weitzel, a41.4	111	68	12	31	0	0.85 [0.75, 0.92]	1.00 [0.89, 1.00]
Parada−Ricart, a58.1	172	19	7	125	21	0.73 [0.52, 0.88]	0.86 [0.79, 0.91]

Rapigen

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Schildgen, a33.1	73	14	28	27	4	0.33 [0.20, 0.50]	0.87 [0.70, 0.96]
Shrestha, a36.1	113	40	7	66	0	0.85 [0.72, 0.94]	1.00 [0.95, 1.00]
Weitzel, a41.1	109	49	30	30	0	0.62 [0.50, 0.73]	1.00 [0.88, 1.00]
FINDdx, a62.1	476	87	30	355	4	0.74 [0.66, 0.82]	0.99 [0.97, 1.00]
FINDdx, a62.2	1239	13	12	1214	0	0.52 [0.31, 0.72]	1.00 [1.00, 1.00]
Shidlovskaya, f61.1	106	44	34	28	0	0.56 [0.45, 0.68]	1.00 [0.88, 1.00]



Bio−Rad

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Blairon, f113.2	199	90	60	49	0	0.60 [0.52, 0.68]	1.00 [0.93, 1.00]

NovaGen

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Blairon, f113.1	199	89	61	42	7	0.59 [0.51, 0.67]	0.86 [0.73, 0.94]



Biotical

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Favresse, f31.1	188	64	32	91	1	0.67 [0.56, 0.76]	0.99 [0.94, 1.00]
Van Honacker, f143.2	98	39	19	40	0	0.67 [0.54, 0.79]	1.00 [0.91, 1.00]

Healgen

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Favresse, f31.3	188	74	22	89	3	0.77 [0.67, 0.85]	0.97 [0.91, 0.99]
Seynaeve, f137.1	100	44	6	50	0	0.88 [0.76, 0.96]	1.00 [0.93, 1.00]

CerTest

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Pérez−García, f52.1	320	91	79	150	0	0.54 [0.46, 0.61]	1.00 [0.98, 1.00]
Koeleman, f103.3	80	22	18	39	1	0.55 [0.38, 0.71]	0.98 [0.87, 1.00]

CareStart

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Pollock, f59.1	1498	135	99	1243	21	0.58 [0.51, 0.64]	0.98 [0.98, 0.99]



Ecotest

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Homza, f87.1	318	81	26	204	7	0.76 [0.66, 0.84]	0.97 [0.93, 0.99]
Homza, f99.1	494	125	39	321	9	0.76 [0.69, 0.82]	0.97 [0.95, 0.99]

ND COVID

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Homza, f87.3	191	54	23	64	50	0.70 [0.59, 0.80]	0.56 [0.47, 0.65]

Encode

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Pickering, f73.5	200	74	26	100	0	0.74 [0.64, 0.82]	1.00 [0.96, 1.00]

Spring

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Pickering, f73.4	200	77	23	98	2	0.77 [0.68, 0.85]	0.98 [0.93, 1.00]

Espline

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Takeda, a50.1	162	50	12	100	0	0.81 [0.69, 0.90]	1.00 [0.96, 1.00]
Sberna, f83.1	136	5	57	74	0	0.08 [0.03, 0.18]	1.00 [0.95, 1.00]
FINDdx, f92.1	723	88	24	611	0	0.79 [0.70, 0.86]	1.00 [0.99, 1.00]

Standard Q nasal

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Lindner, a53.2	179	33	8	136	2	0.80 [0.65, 0.91]	0.99 [0.95, 1.00]
Lindner, f15.2	144	33	7	104	0	0.82 [0.67, 0.93]	1.00 [0.96, 1.00]
Nikolai, f35.1	132	31	5	96	0	0.86 [0.70, 0.95]	1.00 [0.96, 1.00]
Nikolai, f35.2	132	31	5	96	0	0.86 [0.70, 0.95]	1.00 [0.96, 1.00]
Nikolai, f35.4	96	31	3	61	1	0.91 [0.76, 0.98]	0.98 [0.91, 1.00]
Stohr, f45.2	1588	118	74	1392	4	0.62 [0.54, 0.68]	1.00 [0.99, 1.00]
Agarwal, f153.1	467	26	3	436	2	0.90 [0.73, 0.98]	1.00 [0.98, 1.00]
FINDdx, f182.2	214	66	12	135	1	0.85 [0.75, 0.92]	0.99 [0.96, 1.00]





Exdia

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Caruana, f34.3	532	55	59	416	2	0.48 [0.39, 0.58]	1.00 [0.98, 1.00]

Ichroma

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f39.1	232	30	11	191	0	0.73 [0.57, 0.86]	1.00 [0.98, 1.00]

Flowflex LF

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Karon, f148.4	347	153	44	146	4	0.78 [0.71, 0.83]	0.97 [0.93, 0.99]
FINDdx, f175.1	279	58	5	215	1	0.92 [0.82, 0.97]	1.00 [0.97, 1.00]

QuickChaser

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Kurihara, f152.1	1401	62	21	1316	2	0.75 [0.64, 0.84]	1.00 [1.00, 1.00]



Frend

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Orsi, f191.1	110	56	4	50	0	0.93 [0.84, 0.98]	1.00 [0.93, 1.00]

RapidTesta

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Suzuki, f194.2	1127	58	16	1028	25	0.78 [0.67, 0.87]	0.98 [0.96, 0.98]
Suzuki, f194.1	1127	53	21	1045	8	0.72 [0.60, 0.81]	0.99 [0.98, 1.00]





GenBody

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Kim, f186.1	130	27	3	98	2	0.90 [0.74, 0.98]	0.98 [0.93, 1.00]
Kim, f186.2	200	94	6	100	0	0.94 [0.87, 0.98]	1.00 [0.96, 1.00]

NG Biotech

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Fourati, f190.5	634	97	200	332	5	0.33 [0.27, 0.38]	0.98 [0.97, 1.00]



Hotgen

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f178.1	454	94	12	348	0	0.89 [0.81, 0.94]	1.00 [0.99, 1.00]

Sure Status

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f180.1	519	91	9	407	12	0.91 [0.84, 0.96]	0.97 [0.95, 0.98]
FINDdx, f180.2	997	102	28	865	2	0.78 [0.70, 0.85]	1.00 [0.99, 1.00]



Innova

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Houston, f25.1	728	242	38	426	22	0.86 [0.82, 0.90]	0.95 [0.93, 0.97]
Young, f56.1	786	133	81	572	0	0.62 [0.55, 0.69]	1.00 [0.99, 1.00]
Pickering, f73.1	200	89	11	99	1	0.89 [0.81, 0.94]	0.99 [0.95, 1.00]
García−Fiñana, f131.1	5504	28	42	5431	3	0.40 [0.28, 0.52]	1.00 [1.00, 1.00]

CLINITEST

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Torres, f29.1	178	73	18	87	0	0.80 [0.71, 0.88]	1.00 [0.96, 1.00]
Torres, f29.2	92	15	10	67	0	0.60 [0.39, 0.79]	1.00 [0.95, 1.00]
Baro, f33.2	286	52	49	182	3	0.52 [0.41, 0.62]	0.98 [0.95, 1.00]
Merino−Amador, f160.1	450	179	13	256	2	0.93 [0.89, 0.96]	0.99 [0.97, 1.00]



Joysbio

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f40.1	265	31	13	219	2	0.70 [0.55, 0.83]	0.99 [0.97, 1.00]
Homza, f87.2	225	52	38	133	2	0.58 [0.47, 0.68]	0.98 [0.95, 1.00]

Wondfo

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f41.1	328	48	8	272	0	0.86 [0.74, 0.94]	1.00 [0.99, 1.00]



Lituo

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Terpos, f130.1	358	102	12	243	1	0.90 [0.82, 0.94]	1.00 [0.98, 1.00]

Fluorecare

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Lunca, f138.1	47	23	17	7	0	0.58 [0.41, 0.73]	1.00 [0.59, 1.00]



LumiraDx

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Kohmer, f32.4	100	37	37	26	0	0.50 [0.38, 0.62]	1.00 [0.87, 1.00]
Drain, f43.1	257	81	2	168	6	0.98 [0.92, 1.00]	0.97 [0.93, 0.99]
Drain, f43.2	255	39	1	210	5	0.98 [0.87, 1.00]	0.98 [0.95, 0.99]
Krüger, f58.1	761	120	26	611	4	0.82 [0.75, 0.88]	0.99 [0.98, 1.00]
Bianco, f102.1	907	269	29	561	48	0.90 [0.86, 0.93]	0.92 [0.90, 0.94]
Caramello, f108.2	149	84	13	46	6	0.87 [0.78, 0.93]	0.88 [0.77, 0.96]
Blairon, f113.3	198	91	58	49	0	0.61 [0.53, 0.69]	1.00 [0.93, 1.00]
Fernández, f128.1	46	21	3	22	0	0.88 [0.68, 0.97]	1.00 [0.85, 1.00]
Karon, f148.2	347	164	33	150	0	0.83 [0.77, 0.88]	1.00 [0.98, 1.00]
Leli, f151.1	792	114	52	596	30	0.69 [0.61, 0.76]	0.95 [0.93, 0.97]
Cento, f196.1	960	297	50	596	17	0.86 [0.81, 0.89]	0.97 [0.96, 0.98]



Nadal

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Kohmer, f32.3	100	18	56	26	0	0.24 [0.15, 0.36]	1.00 [0.87, 1.00]
FINDdx, f94.1	462	61	8	390	3	0.88 [0.78, 0.95]	0.99 [0.98, 1.00]
Ifko, f169.1	125	20	3	90	12	0.87 [0.66, 0.97]	0.88 [0.80, 0.94]





NowCheck nasal

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f91.1	218	71	8	137	2	0.90 [0.81, 0.96]	0.99 [0.95, 1.00]

Mologic

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f93.1	665	176	18	471	0	0.91 [0.86, 0.94]	1.00 [0.99, 1.00]

OA–LFA

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Bachmann, f154.1	167	75	33	57	2	0.69 [0.60, 0.78]	0.97 [0.88, 1.00]
Bachmann, f154.4	167	75	15	75	2	0.83 [0.74, 0.90]	0.97 [0.91, 1.00]

Afias

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Baccani, f165.3	81	9	15	57	0	0.38 [0.19, 0.59]	1.00 [0.94, 1.00]

Orient Gene

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Nordgren, f117.2	332	124	32	131	45	0.80 [0.72, 0.86]	0.74 [0.67, 0.81]
Van Honacker, f143.3	98	48	10	37	3	0.83 [0.71, 0.91]	0.92 [0.80, 0.98]

AMP

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Leixner, f125.1	392	65	29	297	1	0.69 [0.59, 0.78]	1.00 [0.98, 1.00]



Panbio (nasal)

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, f42.1	281	38	6	235	2	0.86 [0.73, 0.95]	0.99 [0.97, 1.00]

BD Veritor nasal

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Stohr, f45.1	1565	86	90	1387	2	0.49 [0.41, 0.56]	1.00 [1.00, 1.00]



QuickNavi

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Takeuchi, f12.1	1186	91	14	1081	0	0.87 [0.79, 0.92]	1.00 [1.00, 1.00]
Takeuchi, f60.1	862	37	14	811	0	0.72 [0.58, 0.84]	1.00 [1.00, 1.00]

ECODiagnostica

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Filgueiras, f14.1	139	38	17	83	1	0.69 [0.55, 0.81]	0.99 [0.94, 1.00]



R−Biopharm

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Toptan, a55.2	70	16	16	38	0	0.50 [0.32, 0.68]	1.00 [0.91, 1.00]
Toptan, a55.1	67	45	13	9	0	0.78 [0.65, 0.88]	1.00 [0.66, 1.00]
Kohmer, f32.1	100	29	45	25	1	0.39 [0.28, 0.51]	0.96 [0.80, 1.00]

NowCheck

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
FINDdx, a61.1	400	91	11	290	8	0.89 [0.81, 0.94]	0.97 [0.95, 0.99]
FINDdx, f91.2	218	71	8	137	2	0.90 [0.81, 0.96]	0.99 [0.95, 1.00]
Onsongo, f174.1	997	109	43	824	21	0.72 [0.64, 0.79]	0.98 [0.96, 0.98]



Romed

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Koeleman, f103.6	900	220	80	599	1	0.73 [0.68, 0.78]	1.00 [0.99, 1.00]
Koeleman, f103.1	80	29	11	40	0	0.72 [0.56, 0.85]	1.00 [0.91, 1.00]

Indicaid

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Chiu, f107.1	349	64	11	260	14	0.85 [0.75, 0.92]	0.95 [0.92, 0.97]
Chiu, f107.2	349	62	13	264	10	0.83 [0.72, 0.90]	0.96 [0.93, 0.98]
Chiu, f107.3	22994	32	6	22938	18	0.84 [0.69, 0.94]	1.00 [1.00, 1.00]



SGTI−flex

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Shidlovskaya, f61.2	106	41	37	27	1	0.53 [0.41, 0.64]	0.96 [0.82, 1.00]

Sienna

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Bouassa, f67.1	150	90	10	50	0	0.90 [0.82, 0.95]	1.00 [0.93, 1.00]



Sofia

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Beck, a04.1	346	47	14	284	1	0.77 [0.64, 0.87]	1.00 [0.98, 1.00]
Porte, a32.1	64	30	2	31	1	0.94 [0.79, 0.99]	0.97 [0.84, 1.00]
Herrera, a46.1	1172	352	107	707	6	0.77 [0.72, 0.80]	0.99 [0.98, 1.00]
Marti, f46.1	427	31	12	383	1	0.72 [0.56, 0.85]	1.00 [0.99, 1.00]
Jääskeläinen, f50.1	188	119	29	40	0	0.80 [0.73, 0.86]	1.00 [0.91, 1.00]
Brihn, f98.1	2039	98	51	1878	12	0.66 [0.58, 0.73]	0.99 [0.99, 1.00]
Bornemann, f112.1	1391	52	39	1291	9	0.57 [0.46, 0.68]	0.99 [0.99, 1.00]
Harris, f114.1	885	251	54	573	7	0.82 [0.78, 0.86]	0.99 [0.98, 1.00]
Smith, f122.1	2887	180	55	2645	7	0.77 [0.71, 0.82]	1.00 [1.00, 1.00]
Bachmann, f154.2	170	81	29	59	1	0.74 [0.64, 0.82]	0.98 [0.91, 1.00]
Bachmann, f154.5	170	79	13	75	3	0.86 [0.77, 0.92]	0.96 [0.89, 0.99]

Standard Q

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Berger, a05.2	529	170	21	337	1	0.89 [0.84, 0.93]	1.00 [0.98, 1.00]
Cerutti, a08.1	185	75	29	81	0	0.72 [0.62, 0.80]	1.00 [0.96, 1.00]
Gupta, a13.1	330	63	14	252	1	0.82 [0.71, 0.90]	1.00 [0.98, 1.00]
Igl...i, a15.1	970	158	28	780	4	0.85 [0.79, 0.90]	1.00 [0.99, 1.00]
Krüttgen, a16.1	150	53	22	72	3	0.71 [0.59, 0.81]	0.96 [0.89, 0.99]
Krüger, a17.1	1263	36	11	1207	9	0.77 [0.62, 0.88]	0.99 [0.99, 1.00]
Lindner, a21.1	289	29	10	248	2	0.74 [0.58, 0.87]	0.99 [0.97, 1.00]


Lindner, a21.2 289 31 8 249 1 0.80 [0.64, 0.91] 1.00 [0.98, 1.00]
Nalumansi, a27.1 262 63 27 159 13 0.70 [0.59, 0.79] 0.92 [0.87, 0.96]
Schildgen, a33.3 73 37 5 6 25 0.88 [0.74, 0.96] 0.19 [0.07, 0.38]
Schwob, a35.1 333 104 8 221 0 0.93 [0.86, 0.97] 1.00 [0.98, 1.00]
Lindner, a53.1 179 30 11 137 1 0.73 [0.57, 0.86] 0.99 [0.96, 1.00]
Chaimao, a57.1 454 59 1 389 5 0.98 [0.91, 1.00] 0.99 [0.97, 1.00]
FINDdx, a64.1 400 94 12 287 7 0.89 [0.81, 0.94] 0.98 [0.95, 0.99]
Turcato, f09.1 3410 179 44 3157 30 0.80 [0.74, 0.85] 0.99 [0.99, 0.99]
Lindner, f15.1 146 34 6 105 1 0.85 [0.70, 0.94] 0.99 [0.95, 1.00]
Möckel, f19.1 271 67 22 182 0 0.75 [0.65, 0.84] 1.00 [0.98, 1.00]
Möckel, f19.2 202 18 7 176 1 0.72 [0.51, 0.88] 0.99 [0.97, 1.00]
Osterman, f20.2 642 165 91 377 9 0.64 [0.58, 0.70] 0.98 [0.96, 0.99]
Kannian, f26.1 37 15 12 10 0 0.56 [0.35, 0.74] 1.00 [0.69, 1.00]
Favresse, f31.4 188 67 29 92 0 0.70 [0.60, 0.79] 1.00 [0.96, 1.00]
Kohmer, f32.2 100 32 42 26 0 0.43 [0.32, 0.55] 1.00 [0.87, 1.00]
Baro, f33.3 286 44 57 178 7 0.44 [0.34, 0.54] 0.96 [0.92, 0.98]
Caruana, f34.1 532 47 67 417 1 0.41 [0.32, 0.51] 1.00 [0.99, 1.00]
Nikolai, f35.3 96 31 3 62 0 0.91 [0.76, 0.98] 1.00 [0.94, 1.00]
Pena, f36.1 842 51 22 766 3 0.70 [0.58, 0.80] 1.00 [0.99, 1.00]
Ristic, f44.1 120 25 18 77 0 0.58 [0.42, 0.73] 1.00 [0.95, 1.00]
Jääskeläinen, f50.2 198 128 30 40 0 0.81 [0.74, 0.87] 1.00 [0.91, 1.00]
Salvagno, f54.1 321 108 41 171 1 0.72 [0.65, 0.80] 0.99 [0.97, 1.00]
Schuit, f64.2 1596 83 49 1456 8 0.63 [0.54, 0.71] 1.00 [0.99, 1.00]
Kernéis, f69.1 1109 81 5 1013 10 0.94 [0.87, 0.98] 0.99 [0.98, 1.00]
Thell, f81.1 541 171 42 325 3 0.80 [0.74, 0.85] 0.99 [0.97, 1.00]
Homza, f87.4 139 26 16 96 1 0.62 [0.46, 0.76] 0.99 [0.94, 1.00]
Holzner, f97.1 2375 379 172 1816 8 0.69 [0.65, 0.73] 1.00 [0.99, 1.00]
Koeleman, f103.2 80 25 15 35 5 0.62 [0.46, 0.77] 0.88 [0.73, 0.96]
Caramello, f108.1 175 84 29 61 1 0.74 [0.65, 0.82] 0.98 [0.91, 1.00]
Abdul−Mumin, f123.1 193 27 15 123 28 0.64 [0.48, 0.78] 0.81 [0.74, 0.87]
Fernandez−Montero, f126.1 2543 35 14 2486 8 0.71 [0.57, 0.83] 1.00 [0.99, 1.00]
Lee, f136.1 680 109 271 300 0 0.29 [0.24, 0.34] 1.00 [0.99, 1.00]

Dankova, f142.1	1227	14	23	1190	0	0.38 [0.22, 0.55]	1.00 [1.00, 1.00]
Van Honacker, f143.5	98	48	10	40	0	0.83 [0.71, 0.91]	1.00 [0.91, 1.00]
Van Honacker, f143.6	4195	200	169	3814	12	0.54 [0.49, 0.59]	1.00 [1.00, 1.00]
Wertenauer, f150.1	2215	204	134	1872	5	0.60 [0.55, 0.66]	1.00 [0.99, 1.00]
Kim, f155.1	165	58	7	96	4	0.89 [0.79, 0.96]	0.96 [0.90, 0.99]
Osterman, f157.1	409	25	81	303	0	0.24 [0.16, 0.33]	1.00 [0.99, 1.00]
Jegerlehner, f172.1	1462	92	49	1319	2	0.65 [0.57, 0.73]	1.00 [1.00, 1.00]
FINDdx, f181.1	333	59	50	218	6	0.54 [0.44, 0.64]	0.97 [0.94, 0.99]
FINDdx, f181.2	335	71	29	234	1	0.71 [0.61, 0.80]	1.00 [0.98, 1.00]
FINDdx, f182.1	214	66	12	135	1	0.85 [0.75, 0.92]	0.99 [0.96, 1.00]
Korenkov, f187.1	1849	89	101	1657	2	0.47 [0.40, 0.54]	1.00 [1.00, 1.00]
Fourati, f190.2	634	180	117	314	23	0.61 [0.55, 0.66]	0.93 [0.90, 0.96]



Standard F

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Drevinek, a10.2	591	139	84	366	2	0.62 [0.56, 0.69]	1.00 [0.98, 1.00]
Liotti, a22.1	359	49	55	251	4	0.47 [0.37, 0.57]	0.98 [0.96, 1.00]
Porte, a32.2	64	29	3	31	1	0.91 [0.75, 0.98]	0.97 [0.84, 1.00]
FINDdx, a63.1	453	93	27	326	7	0.78 [0.69, 0.85]	0.98 [0.96, 0.99]
FINDdx, a63.2	676	27	12	617	20	0.69 [0.52, 0.83]	0.97 [0.95, 0.98]
Osterman, f20.1	549	115	74	352	8	0.61 [0.54, 0.68]	0.98 [0.96, 0.99]
Pérez...García, f111.2	356	113	57	181	5	0.66 [0.59, 0.74]	0.97 [0.94, 0.99]
Menchinelli, f145.1	2898	137	63	2617	81	0.69 [0.62, 0.75]	0.97 [0.96, 0.98]
Baccani, f165.2	93	10	18	65	0	0.36 [0.19, 0.56]	1.00 [0.94, 1.00]
Kahn, f167.1	3110	57	39	2983	31	0.59 [0.49, 0.69]	0.99 [0.98, 0.99]
Orsi, f191.2	110	52	8	50	0	0.87 [0.75, 0.94]	1.00 [0.93, 1.00]

Coris

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Lambert−Niclot, a18.1	138	47	47	44	0	0.50 [0.40, 0.60]	1.00 [0.92, 1.00]
Scohy, a34.1	148	32	74	42	0	0.30 [0.22, 0.40]	1.00 [0.92, 1.00]
Mertens, a48.1	328	76	56	195	1	0.58 [0.49, 0.66]	1.00 [0.97, 1.00]
Ciotti, f24.1	50	12	27	11	0	0.31 [0.17, 0.48]	1.00 [0.72, 1.00]
Seynaeve, f137.2	100	31	19	50	0	0.62 [0.47, 0.75]	1.00 [0.93, 1.00]
Kanaujia, f162.1	484	136	53	293	2	0.72 [0.65, 0.78]	0.99 [0.98, 1.00]
Fourati, f190.1	634	105	192	337	0	0.35 [0.30, 0.41]	1.00 [0.99, 1.00]



Stark

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Di Domenico, f140.1	433	36	0	382	15	1.00 [0.90, 1.00]	0.96 [0.94, 0.98]

Biosynex

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Van Honacker, f143.1	97	52	6	18	21	0.90 [0.79, 0.96]	0.46 [0.30, 0.63]
Jung, f163.1	308	29	4	271	4	0.88 [0.72, 0.97]	0.98 [0.96, 1.00]
Fourati, f190.6	634	178	119	337	0	0.60 [0.54, 0.66]	1.00 [0.99, 1.00]



SureScreen F

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Pickering, f73.6	200	69	31	98	2	0.69 [0.59, 0.78]	0.98 [0.93, 1.00]

Dräger

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Osmanodja, f79.1	379	62	8	308	1	0.89 [0.79, 0.95]	1.00 [0.98, 1.00]



SureScreen V

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Baro, f33.5	286	29	72	181	4	0.29 [0.20, 0.39]	0.98 [0.95, 0.99]
Pickering, f73.3	200	65	35	100	0	0.65 [0.55, 0.74]	1.00 [0.96, 1.00]

Lepu

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Baro, f33.4	286	46	55	165	20	0.46 [0.36, 0.56]	0.89 [0.84, 0.93]



V−Chek

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Kipritci, f146.1	110	21	13	76	0	0.62 [0.44, 0.78]	1.00 [0.95, 1.00]

Flowflex FIA

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Karon, f148.3	347	174	23	150	0	0.88 [0.83, 0.92]	1.00 [0.98, 1.00]



VIRO AAZ

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Schwob, a35.3	324	116	22	186	0	0.84 [0.77, 0.90]	1.00 [0.98, 1.00]
Cassuto, f149.1	234	31	1	202	0	0.97 [0.84, 1.00]	1.00 [0.98, 1.00]
Fourati, f190.4	634	183	114	337	0	0.62 [0.56, 0.67]	1.00 [0.99, 1.00]

Savant

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Weitzel, a41.3	109	13	65	31	0	0.17 [0.09, 0.27]	1.00 [0.89, 1.00]



VIVADiag

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Homza, f87.5	268	38	53	170	7	0.42 [0.32, 0.53]	0.96 [0.92, 0.98]

ACCUCARE

Author, Study ID	Sample size	TP	FN	TN	FP	Sensitivity [95%CI]	Specificity [95%CI]
Thakur, f88.1	677	29	55	592	1	0.34 [0.24, 0.46]	1.00 [0.99, 1.00]