Database Search Results

Medline Complete

Saturday, April 03, 2021 3:21:53 AM

#	Query	Limiters/Expanders	Last Run Via	Results
S37	S35 AND S36	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	5,532
S36	S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	75,413
S35	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	970,675
S34	TI “screening tool*” OR TI "assessment tool*" OR AB “screening tool*” OR AB "assessment tool*"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database -	50,259

			MEDLINE Complete	
S33	TI “Medication Appropriateness Index” OR AB “Medication Appropriateness Index”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	137
S32	TI "Beers Potentially Inappropriate Medications” OR AB "Beers Potentially Inappropriate Medications”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	4
S31	TI "Beers Criteria" OR AB "Beers Criteria"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	691
S30	TI “STOPP START” OR AB “STOPP START”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	193
S29	TI STOPP-START OR AB STOPP-START	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	193

			Search Database - MEDLINE Complete	
S28	TI STOPP/START OR AB STOPP/START	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	193
S27	TI STOPP OR AB STOPP	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	456
S26	TI “Screening Tool to Alert to Right Treatment” OR AB “Screening Tool to Alert to Right Treatment”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	26
S25	TI “Screening Tool of Older Person’s Prescriptions” OR AB “Screening Tool of Older Person’s Prescriptions”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	52
S24	MH “potentially inappropriate medication list”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases	579

			Search Screen - Advanced Search Database - MEDLINE Complete	
S23	MH “inappropriate prescribing”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	3,611
S22	TI “inappropriate prescription*” OR AB “inappropriate prescription*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	758
S21	TI “inappropriate drug*” OR AB “inappropriate drug*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	649
S20	TI “inappropriate medicine*” OR AB “inappropriate medicine*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	126
S19	TI “inappropriate medication*” OR AB “inappropriate medication*”	Search modes - Boolean/Phrase	Interface - EBSCOhost	1,674

			Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	
S18	TI PPO* OR AB PPO*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	5,187
S17	TI PIM* OR AB PIM*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	15,236
S16	TI “potential prescribing omission*” OR AB “potential prescribing omission*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	72
S15	TI “potentially inappropriate medication*” OR AB “potentially inappropriate medication*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	1,167

S14	TI IADL OR AB IADL	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	3,320
S13	TI ADL OR AB ADL	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	11,950
S12	TI “physical performance” OR AB “physical performance”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	10,040
S11	TI "instrumental activities of daily living" OR AB "instrumental activities of daily living"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	4,189
S10	TI “activities of daily living” OR AB “activities of daily living”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database -	27,644

			MEDLINE Complete	
S9	TI fracture* OR AB fracture*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	266,222
S8	TI fall* OR AB fall*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	212,937
S7	TI "physical outcome*" OR AB "physical outcome*"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	648
S6	TI "function* impairment" OR AB "function* impairment"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	20,173
S5	TI “physical function” OR AB “physical function”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	14,512

			Search Database - MEDLINE Complete	
S4	TI movement OR AB movement	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	322,868
S3	TI "motor function" OR AB "motor function"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	23,513
S2	TI ambulat* OR AB ambulat*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	93,387
S1	MH locomotion	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - MEDLINE Complete	26,277

Cinahl

Saturday, April 03, 2021 3:31:41 AM

#	Query	Limiters/Expanders	Last Run Via	Results
S37	S35 AND S36	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	3,059
S36	S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	32,912
S35	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	254,065
S34	TI “screening tool*” OR TI "assessment tool*" OR AB “screening tool*” OR AB "assessment tool*"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	26,549
S33	TI “Medication Appropriateness Index” OR AB “Medication Appropriateness Index”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases	82

			Search Screen - Advanced Search Database - CINAHL Complete	
S32	TI "Beers Potentially Inappropriate Medications” OR AB "Beers Potentially Inappropriate Medications”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	3
S31	TI "Beers Criteria" OR AB "Beers Criteria"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	446
S30	TI “STOPP START” OR AB “STOPP START”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	100
S29	TI STOPP-START OR AB STOPP-START	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	100
S28	TI STOPP/START OR AB STOPP/START	Search modes - Boolean/Phrase	Interface - EBSCOhost	100

			Research Databases Search Screen - Advanced Search Database - CINAHL Complete	
S27	TI STOPP OR AB STOPP	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	253
S26	TI “Screening Tool to Alert to Right Treatment” OR AB “Screening Tool to Alert to Right Treatment”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	16
S25	TI “Screening Tool of Older Person’s Prescriptions” OR AB “Screening Tool of Older Person’s Prescriptions”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	33
S24	MH “potentially inappropriate medication list”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	767

S23	MH “inappropriate prescribing”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	2,915
S22	TI “inappropriate prescription*” OR AB “inappropriate prescription*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	330
S21	TI “inappropriate drug*” OR AB “inappropriate drug*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	282
S20	TI “inappropriate medicine*” OR AB “inappropriate medicine*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	72
S19	TI “inappropriate medication*” OR AB “inappropriate medication*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database -	1,029

			CINAHL Complete	
S18	TI PPO* OR AB PPO*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	671
S17	TI PIM* OR AB PIM*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	2,391
S16	TI “potential prescribing omission*” OR AB “potential prescribing omission*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	47
S15	TI “potentially inappropriate medication*” OR AB “potentially inappropriate medication*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	745
S14	TI IADL OR AB IADL	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	1,875

			Search Database - CINAHL Complete	
S13	TI ADL OR AB ADL	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	6,266
S12	TI “physical performance” OR AB “physical performance”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	5,042
S11	TI "instrumental activities of daily living" OR AB "instrumental activities of daily living"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	2,618
S10	TI “activities of daily living” OR AB “activities of daily living”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	15,348
S9	TI fracture* OR AB fracture*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases	73,688

			Search Screen - Advanced Search Database - CINAHL Complete	
S8	TI fall* OR AB fall*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	58,804
S7	TI "physical outcome*" OR AB "physical outcome*"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	403
S6	TI "function* impairment" OR AB "function* impairment"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	5,782
S5	TI “physical function” OR AB “physical function”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	8,339
S4	TI movement OR AB movement	Search modes - Boolean/Phrase	Interface - EBSCOhost	63,287

			Research Databases Search Screen - Advanced Search Database - CINAHL Complete	
S3	TI "motor function" OR AB "motor function"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	6,891
S2	TI ambulat* OR AB ambulat*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	31,385
S1	MH locomotion	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - CINAHL Complete	1,999

PsycInfo

Saturday, April 03, 2021 3:37:04 AM

#	Query	Limiters/Expanders	Last Run Via	Results
S37	S35 AND S36	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	1,265
S36	S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	20,144
S35	S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	222,985
S34	TI “screening tool*” OR TI "assessment tool*" OR AB “screening tool*” OR AB "assessment tool*"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	17,619
S33	TI “Medication Appropriateness Index” OR AB “Medication Appropriateness Index”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	19

			Search Database - APA PsycInfo	
S32	TI "Beers Potentially Inappropriate Medications” OR AB "Beers Potentially Inappropriate Medications”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	2
S31	TI "Beers Criteria" OR AB "Beers Criteria"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	117
S30	TI “STOPP START” OR AB “STOPP START”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	25
S29	TI STOPP-START OR AB STOPP-START	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	25
S28	TI STOPP/START OR AB STOPP/START	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	25

S27	TI STOPP OR AB STOPP	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	71
S26	TI “Screening Tool to Alert to Right Treatment” OR AB “Screening Tool to Alert to Right Treatment”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	1
S25	TI “Screening Tool of Older Person’s Prescriptions” OR AB “Screening Tool of Older Person’s Prescriptions”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	14
S24	“potentially inappropriate medication list”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	28
S23	“inappropriate prescribing”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	381
S22	TI “inappropriate prescription*” OR AB “inappropriate prescription*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research	96

			Databases Search Screen - Advanced Search Database - APA PsycInfo	
S21	TI “inappropriate drug*” OR AB “inappropriate drug*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	74
S20	TI “inappropriate medicine*” OR AB “inappropriate medicine*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	15
S19	TI “inappropriate medication*” OR AB “inappropriate medication*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	282
S18	TI PPO* OR AB PPO*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	251
S17	TI PIM* OR AB PIM*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	1,954

			Search Database - APA PsycInfo	
S16	TI “potential prescribing omission*” OR AB “potential prescribing omission*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	5
S15	TI “potentially inappropriate medication*” OR AB “potentially inappropriate medication*”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	171
S14	TI IADL OR AB IADL	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	1,602
S13	TI ADL OR AB ADL	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	3,796
S12	TI “physical performance” OR AB “physical performance”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	1,659

S11	TI "instrumental activities of daily living" OR AB "instrumental activities of daily living"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	2,216
S10	TI “activities of daily living” OR AB “activities of daily living”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	9,541
S9	TI fracture* OR AB fracture*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	4,806
S8	TI fall* OR AB fall*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	51,032
S7	TI "physical outcome*" OR AB "physical outcome*"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	351
S6	TI "function* impairment" OR AB "function* impairment"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research	6,487

			Databases Search Screen - Advanced Search Database - APA PsycInfo	
S5	TI “physical function” OR AB “physical function”	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	2,457
S4	TI movement OR AB movement	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	137,360
S3	TI "motor function" OR AB "motor function"	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	6,290
S2	TI ambulat* OR AB ambulat*	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced Search Database - APA PsycInfo	9,850
S1	locomotion	Search modes - Boolean/Phrase	Interface - EBSCOhost Research Databases Search Screen - Advanced	18,891

			Search Database - APA PsycInfo	

Embase

#1

(locomotion:ab,ti OR ambulation:ab,ti OR 'motor function':ab,ti OR movement:ab,ti OR 'physical function':ab,ti OR 'functional impairment':ab,ti OR 'physical outcomes':ab,ti OR falls:ab,ti OR fractures:ab,ti OR 'activities of daily living':ab,ti OR 'instrumental activities of daily living':ab,ti OR 'physical performance':ab,ti OR adl:ab,ti OR iadl:ab,ti) 726,175

#2

('potentially inappropriate medications':ab,ti OR 'potential prescribing omissions':ab,ti OR pims:ab,ti OR ppos:ab,ti OR 'inappropriate medications':ab,ti OR 'inappropriate medicines':ab,ti OR 'inappropriate drugs':ab,ti OR 'inappropriate prescriptions':ab,ti OR 'inappropriate prescribing':ab,ti OR 'potentially inappropriate medication list':ab,ti OR 'screening tool of older persons prescriptions':ab,ti OR 'screening tool to alert to right treatment':ab,ti OR stopp:ab,ti OR 'stopp/start':ab,ti OR 'stopp start':ab,ti OR 'beers criteria':ab,ti OR 'beers potentially inappropriate medications':ab,ti OR 'medication appropriateness index':ab,ti OR 'screening tool':ab,ti OR 'assessment tool':ab,ti) 62,311

#1 AND #2 **4,447**