Supplementary table 2: Characteristics of included studies (n=74) on metabolic risk factors for NCDs in Ethiopia.

Author	Year of study	Study area	Region of the study	Study setting	Age of participant	Types of metabolic risk factor studied	Response rate (%)	Sample size	Quality score of studies	Number of participants with Outcome	Prevalence (%)
Tesfaye et al [1]	2006	Addis Ababa	Addis Ababa City administration	Community	25–64	Hypertension	88.1	4001	7	981	29.9
Awoke et al [2]	2012	Gondar	Amhara	Community	35+	Hypertension	97.6	679	8	192	28.3
Mengistu et al[3]	2011	Humera	Tigray	Community	18+	Hypertension	100	1183	8	214	18.1
Angaw et al[4]	2014	Addis Ababa	Addis Ababa City administration	Institution	18+	Hypertension	96	655	8	172	27.3
Tadesse et al[5]	2012	Gondar	Amhara	Institution	18+	Hypertension	100	610	8	47	7.7
Demisse et a[6]	2016	Gondar	Amhara	Community	18+	Hypertension	94.8	3227	8	837	27.4
Asresahegn et al[7]	2014	Jigjiga	Somali	Community	25–65	Hypertension	98.9	492	8	138	28.3
Asfaw et al[8]	2014	Hossana	South/SNNPR	Community	25–65	Hypertension	99.8	525	7	157	30
Belachew et al[9]	2018	Bahir Dar	Amhara	Institution	18+	Hypertension	100	308	6	84	27.3
Abebe et al[10]	2015	Addis Ababa	Addis Ababa City	Institution	18+	Hypertension	100	487	7	169	34.7

			administration								
Kiber et al[11]	2018	Debre Markos	Amhara	Community	18+	Hypertension	95.6	477	8	57	12.5
Bonsa et al[12]	2011	Bedele	Oromia	Community	15+	Hypertension	93.8	422	7	67	16.9
Gudina et al[13]	2012	Jimma	Oromia	Institution	15+	Hypertension	100	734	7	97	13.2
Kassa et al[14]	2016	Hawassa	South/SNNPR	Institution	18+	Hypertension	97.25	422	8	43	10.5
Anteneh et al[15]	2014	Bahir Dar	Amhara	Community	30+	Hypertension	99.6	681	8	149	25.1
Roba et al[16]	2017	Dire Dawa	Dire Dawa City council	Community	25-64	Hypertension	96.5	903	8	213	24.4
Helelo et al[17]	2013	Durame	South/SNNPR	Community	31+	Hypertension	96.6	536	7	116	22.4
Abebe et al[18]	2013	Dabat	Amhara	Community	18+	Hypertension	97.3	2200	8	598	27.9
Gebrihet et al[19]	2015	Aksum	Tigray	Community	18+	Hypertension	96	544	8	86	16.5
Bayray et al[20]	2016	Mekelle	Tigray	Institution	18+	Hypertension	99.7	1525	8	243	16
Zekewos et al[21]	2016	Bona District	South/SNNPR	Community	25+	Hypertension	82.1	2401	8	196	21.8
Hassen et al[22]	2017	Kombolcha	Amhara	Community	18+	Hypertension	100	318	8	96	30.8
Negera et al[23]	2017	Illubabor Zone	Oromia	Community	18+	Hypertension	97	668	8	92	14.2
Fikadu et al [24]	2010	Addis Ababa	Addis Ababa City administration	Community	18+	Hypertension	100	1866	8	392	21

Abdissa et al[25]	2010	Addis Ababa	Addis Ababa City administration	Community	18+	Hypertension	100	2716	8	677	25
Bekele et al[26]	2015	Ethiopia	Ethiopia	Community	15-69	Hypertension	95.5	10,260	6	1527	15.6
Tesfaye et al[27]	2015	Bahir Dar	Amhara	Community	18+	Hypertension	95.5	1472	8	160	11.4
Badego et al[28]	2019	Sidama	South/SNNPR	Institution	18+	Hypertension	94.9	575	8	134	24.5
Yadecha et al[29]	2017	Gimbi	Oromia	Community	18+	Hypertension	98.9	476	7	157	33.5
Beall et al[30]	1995	Ambaras	Amhara	Community	18+	Hypertension	100	263	6	8	3
Berhe et al[31]	2016	Yekatit12	Addis Ababa City administration	Institution	25-64	Hypertension	97.9	423	8	106	38.9
Haye et al[32]	2018	Akaki	Addis Ababa City administration	Institution	18+	Hypertension	98.5	407	7	54	14
Chuka et al[33]	2017	Arba Minch	South/SNNPR	Community	25-64	Hypertension	99.4	3368	8	633	18.9
Mulatu et al[34]	2020	Mizan Aman	South/SNNPR	Community	18+	Hypertension	98.6	356	7	62	17.7
Dereje et al[35]	2017	Hossana	South/SNNPR	Community	18+	Hypertension	98.9	634	8	108	17.2

Wachamo et al[36]	2019	Hawela	South/SNNPR	Community	18+	Hypertension	98.2	390	7	47	12.3
Tesfaye et al[37]	2015	Addis Ababa	Addis Ababa City administration	Institution	18+	Impaired glucose tolerance	93.3	1003	8	120	13
Worede et al[38]	2015	Koladiba	Amhara	Community	≥20	Impaired glucose tolerance	100	392	8	47	12
Bantie et al[39]	2018	Bahir Dar	Amhara	Community	18+	Impaired glucose tolerance	100	607	7	70	12.8
Endris et al[40]	2019	Dessie	Amhara	Community	18+	Impaired glucose tolerance	98.2	598	8	92	15.7
Zekewos et al[41]	2016	Bona District	South/SNNPR	Community	15+	Impaired glucose tolerance	91.4	2922	8	69	2.6
Habtewold et al[42]	2015	Debre Birhan	Amhara	Institution	15+	Impaired glucose tolerance	95.3	385	7	26	7.1
Nshisso et al[43]	2010	Addis Ababa	Addis Ababa City administration	Institution	18+	Impaired glucose tolerance	100	2153	7	408	21.6
Aynalem et al[44]	2016	Mizan	South/SNNPR	Community	15+	Impaired glucose tolerance	97.1	414	7	64	15.9
Wakjira et al[45]	2015	Addis Ababa	Addis Ababa City administration	Facility	20+	Impaired glucose tolerance	100	304	7	66	21.7
Zenebe et al[46]	2017	Jimma	Oromia	Community	40+	Impaired glucose tolerance	98.1	269	8	34	12.9

Animaw et al[47]	2015	Bahir Dar	Amhara	Community	18+	Impaired glucose tolerance	95.5	1472	7	48	3.4
Gebreegziabiher et al[48]	2019	Mekelle	Tigray	Community	20+	Impaired glucose tolerance	98.8	325	6	40	12.5
Wolde et al[49]	2019	Gonder	Amhara	Community	18+	Impaired glucose tolerance	96	805	7	72	9.3
Yunka et al[50]	2019	Jimma	Oromia	Community	18+	Impaired glucose tolerance	95.8	955	7	135	14.8
Darebo et al[51]	2015	Hawassa	South/SNNPR	Community	18+	Overweight/ obesity	92.7	565	8	148	28.2
Moges et al[52]	2012	Gondar	Amhara	Community	18+	Overweight/ obesity	100	68	8	13	32.4
Abrha et al[53]	2011	Ethiopia	Ethiopia	Community	15-49	Overweight/ obesity	100	3602	8	534	14.9
Bogale et al[54]	2014	Addis Ababa	Addis Ababa City administration	Institution	18+	Overweight/ obesity	98.87	531	8	141	26.8
Mekonnen et al[55]	2015	Bahir Dar	Amhara	Community	18+	Overweight/ obesity	94.7	1484	8	159	11.3
Dagne et al[56]	2015	Dessie	Amhara	Community	18–64	Overweight/ obesity	93.29	805	8	216	28.7
Janakiraman et al[57]	2018	Gondar	Amhara	Institution	25+	Overweight/ obesity	89	429	8	50	13.1
Amare et al[58]	2005	Gondar	Amhara	Community	18 +	Overweight/ obesity	93	384	6	97	27.2
Yeshaw et al[59]	2019	Ethiopia	Ethiopia	Community	15-49	Overweight/ obesity	100	10 938	8	1058	9.7

Kassie et al[60]	2016	Ethiopia	Ethiopia	Community	15-49	Overweight/ obesity	100	2848	8	425	14.9
Gutema et al[61]	2017	Arba Minch	South/SNNPR	Community	25-64	Overweight/ obesity	99.4	3368	8	361	10.8
Tesfaye et al[62]	2018	Dilla	South/SNNPR	Community	18-64	Overweight/ obesity	95.6	663	8	155	24.4
Yosef et al[63]	2018	Modjo	Oromia	Institution	18-64	Overweight/ obesity	100	400	6	126	56.5
Hailemariam et al[64]	2017	Addis Ababa	Addis Ababa City administration	Community	18-64	Overweight/ obesity	95	512	7	113	24.4
Molla et al[65]	2019	Gonder	Amhara	Community	18+	Overweight/ obesity	91.5	845	7	174	36.6
Gebremariam et al[66]	2016	Mekelle	Tigray	Community	18+	Overweight/ obesity	90.4	1380	6	415	30.1
Solomon et al[67]	2017	Addis Ababa	Addis Ababa City administration	Institution	18+	Metabolic syndrome	100	325	8	66	20.3
Abda et al[68]	2014	Jimma	Oromia	Institution	20+	Metabolic syndrome	100	225	8	59	26
Workalemahu et al[69]	2010	Addis Ababa	Addis Ababa City administration	Institution	18+	Metabolic syndrome	83.24	1843	7	313	17

Tran et al[70]	2010	Addis Ababa	Addis Ababa City administration	Institution	18+	Metabolic syndrome	88.78	2205	6	346	12.5
Kerie et al[71]	2017	Mizan	South/SNNPR	Community	18+	Metabolic syndrome	95.7	558	8	51	9.6
Gebreyes et al[72]	2015	Ethiopia	Ethiopia	Community	15-69	Metabolic syndrome	84.5	8673	8	757	4.8
Moutma et al[73]	2019	Eastern Ethiopia	Oromia	Institution	19-64	Metabolic syndrome	97	1200	8	234	20.1
Mengesha et al[74]	2017	Dire Dawa	Dire Dawa city council	Community	25-64	Metabolic syndrome	96.6	903	7	83	9.5

1. Tesfaye F, Byass P, Wall S. Population based prevalence of high blood pressure among adults in Addis Ababa: uncovering a silent epidemic. *BMC cardiovascular disorders.* 2009;9(1):39.

2. Awoke A, Awoke T, Alemu S, Megabiaw B. Prevalence and associated factors of hypertension among adults in Gondar, Northwest Ethiopia: a community based cross-sectional study. *BMC cardiovascular disorders.* 2012;12(1):113.

3. Mengistu MD. Pattern of blood pressure distribution and prevalence of hypertension and prehypertension among adults in Northern Ethiopia: disclosing the hidden burden. *BMC cardiovascular disorders.* 2014;14(1):33.

4. Angaw K, Dadi AF, Alene KA. Prevalence of hypertension among federal ministry civil servants in Addis Ababa, Ethiopia: a call for a workplace-screening program. *BMC cardiovascular disorders.* 2015;15(1):76.

5. Tadesse T, Alemu H. Hypertension and associated factors among university students in Gondar, Ethiopia: a cross-sectional study. *BMC public health.* 2014;14(1):937.

6. Demisse AG, Greffie ES, Abebe SM, et al. High burden of hypertension across the age groups among residents of Gondar city in Ethiopia: a population based cross sectional study. *BMC Public Health.* 2017;17(1):647.

7. Asresahegn H, Tadesse F, Beyene E. Prevalence and associated factors of hypertension among adults in Ethiopia: a community based cross-sectional study. *BMC research notes.* 2017;10(1):629.

8. Asfaw LS, Ayanto SY, Gurmamo FL. Hypertension and its associated factors in Hosanna town, Southern Ethiopia: community based cross-sectional study. *BMC research notes.* 2018;11(1):306.

9. Belachew A, Tewabe T, Miskir Y, et al. Prevalence and associated factors of hypertension among adult patients in Felege-Hiwot Comprehensive Referral Hospitals, northwest, Ethiopia: a cross-sectional study. *BMC research notes.* 2018;11(1):876.

10. Abebe S, Yallew WW. Prevalence of hypertension among adult outpatient clients in hospitals and its associated factors In Addis Ababa, Ethiopia: a hospital based cross-sectional study. *BMC research notes.* 2019;12(1):87.

11. Kiber M, Wube M, Temesgen H, Woyraw W, Belay YA. Prevalence of hypertension and its associated factors among adults in Debre Markos Town, Northwest Ethiopia: community based cross-sectional study. *BMC research notes.* 2019;12(1):406.

12. Bonsa F, Gudina EK, Hajito KW. Prevalence of hypertension and associated factors in Bedele Town, Southwest Ethiopia. *Ethiopian journal of health sciences.* 2014;24(1):21-26.

13. Gudina EK, Michael Y, Assegid S. Prevalence of hypertension and its risk factors in southwest Ethiopia: a hospital-based cross-sectional survey. *Integrated blood pressure control.* 2013;6:111.

14. Kassa A, Woldesemayat EM. Hypertension and Diabetes Mellitus among Patients at Hawassa University Comprehensive Specialized Hospital, Hawassa, Southern Ethiopia. *International journal of chronic diseases.* 2019;2019.

15. Anteneh ZA, Yalew WA, Abitew DB. Prevalence and correlation of hypertension among adult population in Bahir Dar city, northwest Ethiopia: a community based cross-sectional study. *International journal of general medicine.* 2015;8:175.

16. Roba HS, Beyene AS, Mengesha MM, Ayele BH. Prevalence of hypertension and associated factors in Dire Dawa City, Eastern Ethiopia: A community-based cross-sectional study. *International journal of hypertension.* 2019;2019.

17. Helelo TP, Gelaw YA, Adane AA. Prevalence and associated factors of hypertension among adults in Durame Town, Southern Ethiopia. *PloS one.* 2014;9(11).

18. Abebe SM, Berhane Y, Worku A, Getachew A. Prevalence and associated factors of hypertension: a crossectional community based study in Northwest Ethiopia. *PloS one.* 2015;10(4).

19. Gebrihet TA, Mesgna KH, Gebregiorgis YS, Kahsay AB, Weldehaweria NB, Weldu MG. Awareness, treatment, and control of hypertension is low among adults in Aksum town, northern Ethiopia: a sequential quantitative-qualitative study. *PloS one.* 2017;12(5).

20. Bayray A, Meles KG, Sibhatu Y. Magnitude and risk factors for hypertension among public servants in Tigray, Ethiopia: A cross-sectional study. *PloS one.* 2018;13(10).

21. Zekewos A, Egeno T, Loha E. The magnitude of hypertension and its risk factors in southern Ethiopia: A community based study. *PloS one.* 2019;14(8).

22. Hassen B, Mamo H. Prevalence and associated anthropometric and lifestyle predictors of hypertension among adults in Kombolcha town and suburbs, Northeast Ethiopia: a community-based cross-sectional study. *BMC cardiovascular disorders.* 2019;19(1):241.

23. Negera E, Sileshi T, Hathic R. MAGNITUDE and ASSOCIATED FACTORS OF HYPERTENSION AMONG ADULTS IN ILLUBABORE ZONE OF OROMIA NATIONAL REGIONAL STATE, SOUTH WEST ETHIOPIA, 2016/17. 2018.

24. Fikadu G, Lemma S. Socioeconomic status and hypertension among teachers and bankers in Addis Ababa, Ethiopia. *International journal of hypertension.* 2016;2016.

25. Abdissa SG, Feleke Y, Awol M. Prevalence of hypertension and pre-hypertension in Addis Ababa, Ethiopia: A survey done in recognition of World Hypertension Day, 2014. *Ethiop J Health Dev.* 2015;29(1):22-30.

26. Bekele A, Gelibo T, Amenu K, et al. The hidden magnitude of raised blood pressure and elevated blood glucose in Ethiopia: A call for initiating community based NCDs risk factors screening program. *Ethiopian Journal of Health Development.* 2017;31(1):362-369.

27. Tesfaye TD, Temesgen WA, Kasa AS, Yismaw YS. Prevalence and associated factors of hypertension in Amhara regional state city and its' surrounding rural districts: a community-based cross-sectional study. *African Health Sciences.* 2019;19(3):2580-2590.

28. Badego B, Yoseph A, Astatkie A. Prevalence and risk factors of hypertension among civil servants in Sidama Zone, south Ethiopia. *Plos one.* 2020;15(6):e0234485.

29. Yadecha B, Tekle F, Fetensa G, Habte A, Zeleke B. Prevalence of Hypertension and Its Associated Factors Among Gimbi Town Residents, Ethiopia: A Community-Based Cross-Sectional Study. *Integrated blood pressure control.* 2020;13:171.

30. Beall C, Gebremedhin A, Brittenham G, Decker M, Shamebo M. Blood pressure variation among Ethiopians on the Simien Plateau. *Annals of human biology.* 1997;24(4):333-342.

31. Berhe DA, Yenit MK, Baraki AG. The Burden of Hypertension and Associated Factors Among Adults Visiting the Adult Outpatient Department at Yekatit 12 Hospital Medical College, Addis Ababa, Ethiopia, 2016. *Vascular Health and Risk Management.* 2020;16:545-552.

32. Haye TB, Tolera Agama B. Prevalence of Hypertension and Associated Factors among the Outpatient Department in Akaki Kality Subcity Health Centers, Addis Ababa, Ethiopia. *International Journal of Hypertension.* 2020;2020.

33. Chuka A, Gutema BT, Ayele G, Megersa ND, Melketsedik ZA, Zewdie TH. Prevalence of hypertension and associated factors among adult residents in Arba Minch Health and Demographic Surveillance Site, Southern Ethiopia. *PloS one.* 2020;15(8):e0237333.

34. Tensaykahsay. MKa. Factors Associated With Hypertension among Age Groups of 18 Years and Above In, Southwestern, Ethiopia, 2020: A Community Based Cross-Sectional. Diversity and Equality in Health and Care.(2020) 17(7): 202-208

Study.

35. Dereje N, Earsido A, Temam L, Abebe A. Uncovering the high burden of hypertension and its predictors among adult population in Hosanna town, southern Ethiopia: a community-based cross-sectional study. *BMJ open.* 2020;10(10):e035823.

36. Wachamo D, Geleta D, Woldesemayat EM. Undiagnosed Hypertension and Associated Factors Among Adults in Hawela Tula Sub-City, Hawassa, Southern Ethiopia: A Community-Based Cross-Sectional Study. *Risk Management and Healthcare Policy.* 2020;13:2169.

37. Tesfaye T, Shikur B, Shimels T, Firdu N. Prevalence and factors associated with diabetes mellitus and impaired fasting glucose level among members of federal police commission residing in Addis Ababa, Ethiopia. *BMC endocrine disorders.* 2016;16(1):68.

38. Worede A, Alemu S, Gelaw YA, Abebe M. The prevalence of impaired fasting glucose and undiagnosed diabetes mellitus and associated risk factors among adults living in a rural Koladiba town, northwest Ethiopia. *BMC research notes.* 2017;10(1):251.

39. Bantie GM, Wondaye AA, Arike EB, et al. Prevalence of undiagnosed diabetes mellitus and associated factors among adult residents of Bahir Dar city, northwest Ethiopia: a community-based cross-sectional study. *BMJ open.* 2019;9(10).

40. Endris T, Worede A, Asmelash D. Prevalence of Diabetes Mellitus, Prediabetes and Its Associated Factors in Dessie Town, Northeast Ethiopia: A Community-Based Study. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy.* 2019;12:2799-2809.

41. Zekewos A, Loha E, Egeno T, Wubshet K, Merga Z. Prevalence of Diabetes Mellitus and Associated Factors in Southern Ethiopia: A Community Based Study. *Ethiopian journal of health sciences.* 2018;28(4).

42. Habtewold TD, Tsega WD, Wale BY. Diabetes mellitus in outpatients in Debre Berhan referral hospital, Ethiopia. *Journal of diabetes research.* 2016;2016.

43. Nshisso LD, Reese A, Gelaye B, Lemma S, Berhane Y, Williams MA. Prevalence of hypertension and diabetes among Ethiopian adults. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews.* 2012;6(1):36-41.

44. Aynalem SB, Zeleke AJ. Prevalence of diabetes mellitus and its risk factors among individuals aged 15 years and above in Mizan-Aman town, Southwest Ethiopia, 2016: a cross sectional study. *International journal of endocrinology.* 2018;2018.

45. Wakjira ZN, Beyene Berha A. Screening employees for undiagnosed type 2 diabetes mellitus and evaluation of risk scores in Tikur Anbessa specialized Hospital, Addis Ababa, Ethiopia. *J Diabetes Metab.* 2017;8(10.4172):2155-6156.1000765.

46. Zenebe T, Merga H, Habte E. A community-based cross-sectional study of magnitude of dysglycemia and associated factors in Southwest Ethiopia. *International Journal of Diabetes in Developing Countries.* 2019;39(4):749-755.

47. Animaw W, Seyoum Y. Increasing prevalence of diabetes mellitus in a developing country and its related factors. *PloS one.* 2017;12(11).

48. Gebremedhin Gebreegziabiher TB, Tamiru D. Abnormal Glucose Metabolism and Associated Risk Factors Among Adults in Mekelle City, Ethiopia. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy.* 2020;13:4017.

49. Wolde HF, Derso T, Biks GA, et al. High Hidden Burden of Diabetes Mellitus among Adults Aged 18 Years and Above in Urban Northwest Ethiopia. *Journal of Diabetes Research.* 2020;2020.

50. Yunka TT, Mogas SB, Zawdie B, et al. The Hidden Burden of Diabetes Mellitus in an Urban Community of Southwest Ethiopia. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy.* 2020;13:2925.

51. Darebo T, Mesfin A, Gebremedhin S. Prevalence and factors associated with overweight and obesity among adults in Hawassa city, southern Ethiopia: a community based cross-sectional study. *BMC obesity.* 2019;6(1):8.

52. Moges B, Amare B, Fantahun B, Kassu A. High prevalence of overweight, obesity, and hypertension with increased risk to cardiovascular disorders among adults in northwest Ethiopia: a cross sectional study. *BMC cardiovascular disorders.* 2014;14(1):155.

53. Abrha S, Shiferaw S, Ahmed KY. Overweight and obesity and its socio-demographic correlates among urban Ethiopian women: evidence from the 2011 EDHS. *BMC Public Health.* 2016;16(1):636.

54. Bogale KA, Zewale TA. Determinant factors of overweight/obesity among federal ministry civil servants in Addis Ababa, Ethiopia: a call for sector-wise occupational health program. *BMC research notes.* 2019;12(1):449.

55. Mekonnen T, Animaw W, Seyum Y. Overweight/obesity among adults in North-Western Ethiopia: a community-based cross sectional study. *Archives of Public Health.* 2018;76(1):18.

56. Dagne S, Gelaw YA, Abebe Z, Wassie MM. Factors associated with overweight and obesity among adults in northeast Ethiopia: a cross-sectional study. *Diabetes, metabolic syndrome and obesity: targets and therapy.* 2019;12:391.

57. Janakiraman B, Abebe SM, Chala MB, Demissie SF. Epidemiology of General, Central Obesity and Associated Cardio-Metabolic Risks Among University Employees, Ethiopia: A Cross-Sectional Study. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy.* 2020;13:343.

58. Amare B, Moges B, Moges F, et al. Nutritional status and dietary intake of urban residents in Gondar, Northwest Ethiopia. *BMC public health.* 2012;12(1):752.

59. Yeshaw Y, Kebede SA, Liyew AM, et al. Determinants of overweight/obesity among reproductive age group women in Ethiopia: multilevel analysis of Ethiopian demographic and health survey. *BMJ open.* 2020;10(3):e034963.

60. Kassie AM, Abate BB, Kassaw MW. Education and prevalence of overweight and obesity among reproductive age group women in Ethiopia: analysis of the 2016 Ethiopian demographic and health survey data. *BMC Public Health.* 2020;20(1):1-11.

61. Gutema BT, Chuka A, Kondale M, et al. The Burden of Malnutrition among Adults Residing in Arba Minch Health and Demographic Surveillance Site (HDSS): A WHO STEPS Survey. *Journal of Nutrition and Metabolism.* 2020;2020.

62. Tesfaye TS, Zeleke TM, Alemu W, Argaw D, Bedane TK. Dietary diversity and physical activity as risk factors of abdominal obesity among adults in Dilla town, Ethiopia. *PloS one.* 2020;15(7):e0236671.

63. Yosef T, Bogale B, Destaw A, Weldu A. The burden of overweight and obesity among long-distance truckers in Ethiopia. *Journal of Obesity.* 2020;2020.

64. Hailemariam TW, Ethiopia SS, Alamdo AG, Hailu HE. Emerging Nutritional Problem of Adult Population: Overweight/Obesity and Associated Factors in Addis Ababa City Communities, Ethiopia—A Community-Based Cross-Sectional Study. *Journal of Obesity.* 2020;2020.

65. Molla MD, Wolde HF, Atnafu A. Magnitude of Central Obesity and its Associated Factors Among Adults in Urban Areas of Northwest Ethiopia. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy.* 2020;13:4169.

66. Gebremariam LW, Chiang C, Yatsuya H, et al. Non-communicable disease risk factor profile among public employees in a regional city in northern Ethiopia. *Scientific reports.* 2018;8(1):1-11.

67. Solomon S, Mulugeta W. Disease burden and associated risk factors for metabolic syndrome among adults in Ethiopia. *BMC cardiovascular disorders.* 2019;19(1):236.

68. Abda E, Hamza L, Tessema F, Cheneke W. Metabolic syndrome and associated factors among outpatients of Jimma University Teaching Hospital. *Diabetes, metabolic syndrome and obesity: targets and therapy.* 2016;9:47.

69. Workalemahu T, Gelaye B, Berhane Y, Williams MA. Physical activity and metabolic syndrome among Ethiopian adults. *American journal of hypertension.* 2013;26(4):535-540.

70. Tran A, Gelaye B, Girma B, et al. Prevalence of metabolic syndrome among working adults in Ethiopia. *International journal of hypertension.* 2011;2011.

71. Kerie S, Menberu M, Geneto M. Metabolic syndrome among residents of Mizan-Aman town, South West Ethiopia, 2017: A cross sectional study. *PloS one.* 2019;14(1).

72. Gebreyes YF, Goshu DY, Geletew TK, et al. Prevalence of high bloodpressure, hyperglycemia, dyslipidemia, metabolic syndrome and their determinants in Ethiopia: Evidences from the National NCDs STEPS Survey, 2015. *PloS one.* 2018;13(5).

73. Motuma A, Gobena T, Roba KT, Berhane Y, Worku A. Metabolic Syndrome Among Working Adults in Eastern Ethiopia. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy.* 2020;13:4941.

74. Mengesha MM, Ayele BH, Beyene AS, Roba HS. Clustering of Elevated Blood Pressure, Elevated Blood Glucose, and Abdominal Obesity Among Adults in Dire Dawa: A Community-Based Cross-Sectional Study. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy.* 2020;13:2013.