SUPPLEMENTAL MATERIAL

Table S1. Research strategy.

Search	Query
1	(Acute Coronary Syndromes OR Coronary Syndrome, Acute OR Coronary Syndromes, Acute OR Syndrome, Acute Coronary OR Syndromes, Acute Coronary OR Infarction, Myocardial OR Infarctions, Myocardial OR Myocardial Infarctions OR Cardiovascular Stroke OR Cardiovascular Strokes OR Stroke, Cardiovascular OR Strokes, Cardiovascular OR Heart Attack OR Heart Attacks OR Myocardial Infarct OR Infarct, Myocardial OR Infarcts, Myocardial OR Myocardial Infarcts OR ST Segment Elevation Myocardial Infarction OR ST Elevated Myocardial Infarction OR STEMI OR Non ST Elevated Myocardial Infarction OR NSTEMI OR Non-ST-Elevation Myocardial Infarction OR Infarction, Non-ST-Elevation Myocardial OR Infarctions, Non-ST-Elevation Myocardial OR Myocardial Infarction, Non-ST-Elevation OR Myocardial Infarctions, Non-ST-Elevation OR Non ST Elevation Myocardial Infarction OR Non-ST-Elevation Myocardial Infarctions OR Non ST Elevated Myocardial Infarction OR NSTEMI OR Non-ST-Elevation Myocardial Infarction OR Infarction, Non-ST-Elevation Myocardial OR Infarctions, Non-ST-Elevation Myocardial OR Myocardial Infarction, Non-ST-Elevation OR Myocardial Infarctions, Non-ST-Elevation OR Non ST Elevation Myocardial Infarction OR Non-ST-Elevation Myocardial Infarctions OR Myocardial Infarction, Anterior Wall OR Anterolateral Myocardial Infarction OR Anterolateral Myocardial Infarctions OR Infarction, Anterolateral Myocardial OR Infarctions, Anterolateral Myocardial OR Myocardial Infarction, Anterolateral OR Myocardial Infarctions, Anterolateral OR Anteroseptal Myocardial Infarction OR Anteroseptal Myocardial Infarctions OR Infarction, Anteroseptal Myocardial OR Infarctions, Anteroseptal Myocardial OR Myocardial Infarction, Anteroseptal OR Myocardial Infarctions, Anteroseptal OR Acute Anterior Wall Myocardial Infarction OR Myocardial Infarction, Inferior Wall OR Diaphragmatic Myocardial Infarction OR Diaphragmatic Myocardial Infarctions OR Infarction, Diaphragmatic Myocardial OR Infarctions, Diaphragmatic Myocardial OR Myocardial Infarction, Diaphragmatic OR Myocardial Infarctions, Diaphragmatic OR Inferior Myocardial Infarction OR Infarction, Inferior Myocardial OR Infarctions, Inferior Myocardial OR Inferior Myocardial Infarctions OR Myocardial Infarction, Inferior OR Myocardial Infarctions, Inferior OR Acute Inferior Myocardial Infarction)
2	(Africa South of the Sahara OR Sub-Saharan Africa OR Subsaharan Africa OR Africa, Sub-Saharan OR Africa, Western OR Africa, West OR West Africa OR Western Africa OR Africa, Eastern OR East Africa OR Eastern Africa OR British Indian Ocean Territory OR Africa, Central OR Central Africa OR Africa, Southern OR Southern Africa OR Union of South Africa OR Republic of South Africa)

Research strategy used on PubMed®: (1) AND (2)

Table S2. PRISMA 2020 Checklist.

Section and Topic	Item #	Checklist item	Location where item is reported
TITLE			
Title	1	Identify the report as a systematic review.	Page 1
ABSTRACT			
Abstract	2	See the PRISMA 2020 for Abstracts checklist.	Page 2
INTRODUCTION			
Rationale	3	Describe the rationale for the review in the context of existing knowledge.	Page 3
Objectives	4	Provide an explicit statement of the objective(s) or question(s) the review addresses.	Page 3-4
METHODS			
Eligibility criteria	5	Specify the inclusion and exclusion criteria for the review and how studies were grouped for the syntheses.	Page 4
Information sources	6	Specify all databases, registers, websites, organisations, reference lists and other sources searched or consulted to identify studies. Specify the date when each source was last searched or consulted.	Page 4
Search strategy	7	Present the full search strategies for all databases, registers and websites, including any filters and limits used.	Supplemental Table 1
Selection process	8	Specify the methods used to decide whether a study met the inclusion criteria of the review, including how many reviewers screened each record and each report retrieved, whether they worked independently, and if applicable, details of automation tools used in the process.	Page 4-5
Data collection process	9	Specify the methods used to collect data from reports, including how many reviewers collected data from each report, whether they worked independently, any processes for obtaining or confirming data from study investigators, and if applicable, details of automation tools used in the process.	Page 5
Data items	10a	List and define all outcomes for which data were sought. Specify whether all results that were compatible with each outcome domain in each study were sought (e.g. for all measures, time points, analyses), and if not, the methods used to decide which results to collect.	Page 5-6
	10b	List and define all other variables for which data were sought (e.g. participant and intervention characteristics, funding sources). Describe any assumptions made about any missing or unclear information.	Pages 6, 15
Study risk of bias assessment	11	Specify the methods used to assess risk of bias in the included studies, including details of the tool(s) used, how many reviewers assessed each study and whether they worked independently, and if applicable, details of automation tools used in the process.	Page 6
Effect measures	12	Specify for each outcome the effect measure(s) (e.g. risk ratio, mean difference) used in the synthesis or presentation of results.	Pages 5-6
Synthesis methods	13a	Describe the processes used to decide which studies were eligible for each synthesis (e.g. tabulating the study intervention characteristics and comparing against the planned groups for each synthesis (item #5)).	Page 6, Figure 1
	13b	Describe any methods required to prepare the data for presentation or synthesis, such as handling of missing summary statistics, or data conversions.	Page 5
	13c	Describe any methods used to tabulate or visually display results of individual studies and syntheses.	Page 7 Figure 1
	13d	Describe any methods used to synthesize results and provide a rationale for the choice(s). If meta-analysis was performed, describe the model(s), method(s) to identify the presence and extent of statistical heterogeneity, and software package(s) used.	Page 7 Figure 1
	13e	Describe any methods used to explore possible causes of heterogeneity among study results (e.g. subgroup analysis, meta-regression).	N/A
	13f	Describe any sensitivity analyses conducted to assess robustness of the synthesized results.	N/A

PRISMA 2020 Checklist

Section and Topic	Item #	Checklist item	Location where item is reported
Reporting bias assessment	14	Describe any methods used to assess risk of bias due to missing results in a synthesis (arising from reporting biases).	Page 6
Certainty assessment	15	Describe any methods used to assess certainty (or confidence) in the body of evidence for an outcome.	Page 6
RESULTS			
Study selection	16a	Describe the results of the search and selection process, from the number of records identified in the search to the number of studies included in the review, ideally using a flow diagram.	Page 7 Figure 1
	16b	Cite studies that might appear to meet the inclusion criteria, but which were excluded, and explain why they were excluded.	Figure 1
Study characteristics	17	Cite each included study and present its characteristics.	Page 7
Risk of bias in studies	18	Present assessments of risk of bias for each included study.	Figure 3
Results of individual studies	19	For all outcomes, present, for each study: (a) summary statistics for each group (where appropriate) and (b) an effect estimate and its precision (e.g. confidence/credible interval), ideally using structured tables or plots.	Table 1
Results of syntheses	20a	For each synthesis, briefly summarise the characteristics and risk of bias among contributing studies.	Pages 9-12
	20b	Present results of all statistical syntheses conducted. If meta-analysis was done, present for each the summary estimate and its precision (e.g. confidence/credible interval) and measures of statistical heterogeneity. If comparing groups, describe the direction of the effect.	N/A
	20c	Present results of all investigations of possible causes of heterogeneity among study results.	Pages 9, 11, 12, 13-14
	20d	Present results of all sensitivity analyses conducted to assess the robustness of the synthesized results.	N/A
Reporting biases	21	Present assessments of risk of bias due to missing results (arising from reporting biases) for each synthesis assessed.	N/A
Certainty of evidence	22	Present assessments of certainty (or confidence) in the body of evidence for each outcome assessed.	N/A
DISCUSSION			
Discussion	23a	Provide a general interpretation of the results in the context of other evidence.	Pages 9-12
	23b	Discuss any limitations of the evidence included in the review.	Page 13
	23c	Discuss any limitations of the review processes used.	Page 13
	23d	Discuss implications of the results for practice, policy, and future research.	Pages 13-14
OTHER INFORMATION			
Registration and protocol	24a	Provide registration information for the review, including register name and registration number, or state that the review was not registered.	Page 6
	24b	Indicate where the review protocol can be accessed, or state that a protocol was not prepared.	Page 6
	24c	Describe and explain any amendments to information provided at registration or in the protocol.	N/A
Support	25	Describe sources of financial or non-financial support for the review, and the role of the funders or sponsors in the review.	Page 15
Competing interests	26	Declare any competing interests of review authors.	Page 15



PRISMA 2020 Checklist

Section and Topic	Item #	Checklist item	Location where item is reported
Availability of data, code and other materials	27	Report which of the following are publicly available and where they can be found: template data collection forms; data extracted from included studies; data used for all analyses; analytic code; any other materials used in the review.	Table 1 Supplemental Table 1

From: Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. BMJ 2021;372:n71. doi: 10.1136/bmj.n71

For more information, visit: http://www.prisma-statement.org/

Table S3. Studies on MI patients in sub-Saharan Africa available on MEDLINE based on our research strategy (2010-2020).

Author (year)	Country	Design	Population	Prevalence (%)	Age (years)	Males (%)	Time from symptoms to admission	Fibrinolysis/ Angioplasty	In-hospital mortality (%)	Follow-up mortality (follow-up time)
Ekou (2020) [15]	Côte d'Ivoire	Cross-sectional	166 STEMI	-	54.5	91.6	20 hours	N / Y	1.2	-
Yao (2019) [19]	Côte d'Ivoire	Prospective	329 STEMI	-	57	82.6	20 hours	Y / Y	14.3	10.4 % (39 months)
Chetty (2016) [25]	South Africa	Cross-sectional	122 MI	-	61	65	-	Y / N	1.8 (STEMI)	-
Kimeu (2016) [26]	Kenya	Retrospective	64 MI	-	56.7	87.5		Y / Y	9.4	
Meel (2015) [29]	South Africa	Prospective	100 STEMI	-	52	70	2.3 hours	Y / N	-	-
Moses (2013) [32]	South Africa	Retrospective	76 NSTEMI	-	60.5	21.5	24.21 hours	N / Y	15.8	-
Kolo (2013) [33]	Nigeria	Retrospective	14 MI	0.21	56	92	-	N / N	21.44	
Yameogo (2012) [34]	Burkina-Faso	Cross-sectional	43 STEMI		56.5	88	4.3 days	Y / N	11.6	-
Maurin (2012) [35]	Djibouti	Prospective	35 STEMI	40	52	88.6	23 hours	Y / N	20%	14% (30 days) 20 % (1 year)
Maharaj (2012) [37]	South Africa	Retrospective	161 STEMI	-	54	-	3.2 hours	Y / N	-	-
Ogeng'o (2010) [39]	Kenya	Retrospective	120 MI	-	56.8	66	-	N / Y	5%	-
Bèye (2010) [40]	Mali	Cross-sectional	8 MI	7.3	54.62	100	-	N / N	28.6%	-

STEMI: ST-segment elevation myocardial infarction. NSTEMI: non-ST-segment elevation myocardial infarction. MI: myocardial infarction. Y: yes. N: no.