SUPPLEMENTAL MATERIAL

Table S1. Details of search.

#	Searches
1	sarcoid*.mp.
2	exp Heart Diseases/
3	(cardiomyopath* or myocardiopath*).tw,kf.
4	(cardiac or cardio*).tw,kf,hw.
5	myocardial.tw,kf,hw.
6	heart.tw,kf,hw.
7	or/2-6
8	1 and 7
9	Granuloma/
10	Heart/
11	Myocardium/
12	Myocarditis/
13	or/10-12
14	9 and 13
15	(granuloma* adj3 (myocard* or cardiac or heart)).tw,kf.
16	8 or 14 or 15
17	adrenal cortex hormones/ or exp glucocorticoids/ or exp hydroxycorticosteroids/
18	(adrenal cortex hormone? or adrenal cortical hormone? or adrenocortical hormone? or adrenocorticosteroid? or cortico* or steroid*).tw,kf,rn.
19	glucocortico*.tw,kf,rn.
20	(glycocorticoid* or glycocorticosteroid*).tw,kf,rn.
21	mineralocorticoid*.tw,kf,rn.
22	(beclomet?asone or KGZ1SLC28Z).tw,kf,rn.
23	(betamethasone or 9842X06Q6M or 9IFA5XM7R2).tw,kf,rn.
24	(budesonide or Q3OKS62Q6X).tw,kf,rn.
25	(clobetasol or ADN79D536H).tw,kf,rn.
26	(desoximetasone or 4E07GXB7AU).tw,kf,rn.
27	(dexamethasone or 7S5I7G3JQL or 8LGC0BOA71).tw,kf,rn.

28	(diflucortolone or K253365DXI).tw,kf,rn.
29	(flumethasone or LR3CD8SX89).tw,kf,rn.
30	(fluocinolone Acetonide or 0CD5FD6S2M).tw,kf,rn.
31	(fluocinonide or 2W4A77YPAN).tw,kf,rn.
32	(Fluocortolone or 65VXC1MH0J).tw,kf,rn.
33	(Fluorometholone or SV0CSG527L).tw,kf,rn.
34	(Fluprednisolone or 9H05937G3X).tw,kf,rn.
35	(Flurandrenolone or 8EUL29XUQT).tw,kf,rn.
36	(Fluticasone adj2 salmeterol).tw,kf.
37	(Melengestrol Acetate or 4W5HDS3936).tw,kf,rn.
38	(Methylprednisolone or X4W7ZR7023 or 5GMR90S4KN).tw,kf,rn.
39	(Paramethasone or VFC6ZX3584).tw,kf,rn.
40	(Prednisolone or 9PHQ9Y1OLM).tw,kf,rn.
41	(Prednisone or VB0R961HZT).tw,kf,rn.
42	(Triamcinolone or 1ZK20VI6TY or F446C597KA).tw,kf,rn.
43	hydroxycorticoster*.tw,kf,rn.
44	(aldosterone or 4964P6T9RB).tw,kf,rn.
45	(Hydrocortisone or WI4X0X7BPJ).tw,kf,rn.
46	(Tetrahydrocortisol or 7P2O6MFN8O).tw,kf,rn.
47	(cortodoxone or WDT5SLP0HQ).tw,kf,rn.
48	(Tetrahydrocortisone or 5HF9TM2D15).tw,kf,rn.
49	(Cortisone or V27W9254FZ).tw,kf,rn.
50	(Desoxycorticosterone or 40GP35YQ49 or 6E0A168OB8).tw,kf,rn.
51	Hydroxydesoxycorticosterone.tw,kf,rn.
52	(pregnenolone or 73R90F7MQ8).tw,kf,rn.
53	(Hydroxypregnenolone or 77ME40334S).tw,kf,rn.
54	exp Immunosuppressive Agents/
55	(Immunosuppressive* or immuno suppressive* or immunosuppressant* or immuno suppressant* or immunesuppressant* or immune suppressant* or immunodepressant* or immuno depressant* or

	immunodepressive* or immuno depressive* or immunosuppressor* or immuno suppressor* or immune suppressor* or immunesuppressor*).tw,kf,rn.
56	(Abatacept or 7D0YB67S97).tw,kf,rn.
57	(Antilymphocyte Serum or D7RD81HE4W).tw,kf,rn.
58	(Azaserine or 87299V3Q9W).tw,kf,rn.
59	(Azathioprine or MRK240IY2L).tw,kf,rn.
60	(Busulfan or G1LN9045DK).tw,kf,rn.
61	(Certolizumab Pegol or UMD07X179E).tw,kf,rn.
62	(Cladribine or 47M74X9YT5).tw,kf,rn.
63	(Coformycin or E49510ZL0H).tw,kf,rn.
64	(Cyclophosphamide or 6UXW23996M).tw,kf,rn.
65	(Cyclosporine or 83HN0GTJ6D).tw,kf,rn.
66	Cyclosporins.tw,kf,rn.
67	(Cytarabine or 04079A1RDZ).tw,kf,rn.
68	(Dimethyl Fumarate or FO2303MNI2).tw,kf,rn.
69	(Ellipticines or 117VLW7484).tw,kf,rn.
70	(Etanercept or OP401G7OJC).tw,kf,rn.
71	(Everolimus or 9HW64Q8G6G).tw,kf,rn.
72	(Fingolimod Hydrochloride or G926EC510T).tw,kf,rn.
73	(Fluorouracil or U3P01618RT).tw,kf,rn.
74	(Glatiramer Acetate or 5M691HL4BO).tw,kf,rn.
75	(Gliotoxin or 5L648PH06K).tw,kf,rn.
76	(Mercaptopurine or PKK6MUZ20G).tw,kf,rn.
77	(Methotrexate or YL5FZ2Y5U1).tw,kf,rn.
78	(Muromonab-CD3 or JGA39ICE2V).tw,kf,rn.
79	(Sirolimus or W36ZG6FT64).tw,kf,rn.
80	(Tacrolimus or Y5L2157C4J).tw,kf,rn.
81	(Thalidomide or 4Z8R6ORS6L).tw,kf,rn.
82	(Thioinosine or 46S541971T).tw,kf,rn.

83	(Triamcinolone Acetonide or F446C597KA).tw,kf,rn.
84	antibodies, monoclonal/ or exp antibodies, monoclonal, humanized/ or infliximab/
85	((monoclonal or clonal or hybridoma) adj (antibody or antibodies)).tw,kf.
86	(Adalimumab or FYS6T7F842).tw,kf,rn.
87	(Alemtuzumab or 3A189DH42V).tw,kf,rn.
88	(Bevacizumab or 2S9ZZM9Q9V).tw,kf,rn.
89	(Cetuximab or PQX0D8J21J).tw,kf,rn.
90	(Denosumab or 4EQZ6YO2HI).tw,kf,rn.
91	(Ipilimumab or 6T8C155666).tw,kf,rn.
92	(Natalizumab or 3JB47N2Q2P).tw,kf,rn.
93	(Omalizumab or 2P471X1Z11).tw,kf,rn.
94	(Palivizumab or DQ448MW7KS).tw,kf,rn.
95	(Ranibizumab or ZL1R02VT79).tw,kf,rn.
96	(Trastuzumab or P188ANX8CK).tw,kf,rn.
97	(Ustekinumab or FU77B4U5Z0).tw,kf,rn.
98	(Leflunomide or G162GK9U4W).tw,kf,rn.
99	Mycophenolic Acid/
100	(Mycophenolate or HU9DX48N0T).tw,kf,rn.
101	Tumor Necrosis Factor-alpha/ai [Antagonists & Inhibitors]
102	(Anti TNF or anti tumo?r necrosis factor).tw,kf.
103	((tumo?r necrosis factor or TNF) adj2 (inhibitor? or antagonist? or antibody or antibodies)).tw,kf.
104	tumor necrosis factor antibody.rn.
105	(bleselumab or AS3AZ5R46K).tw,kf,rn.
106	(efizonerimod alfa or 1MH7C2X8KE).tw,kf,rn.
107	(pegilodecakin or 5Z9850I25F).tw,kf,rn.
108	(Selicrelumab or 0O39RGI33V).tw,kf,rn.
109	(Remtolumab or 1V8WRH3RVX).tw,kf,rn.
110	(Tavolixizumab or 4LU9B48U4D).tw,kf,rn.
111	(tibulizumab or 42HQ15W1ZF).tw,kf,rn.

112	(Myeloablative adj (agonist? or agent?)).tw,kf.
113	(Melphalan or Q41OR9510P).tw,kf,rn.
114	(Thiotepa or 905Z5W3GKH).tw,kf,rn.
115	chloroquine/ or hydroxychloroquine/
116	(chloroquine or 886U3H6UFF).tw,kf,rn.
117	(hydroxychloroquine or 4QWG6N8QKH).tw,kf,rn.
118	or/17-117
119	16 and 118
120	animals/ not humans.sh.
121	119 not 120
122	(comment or editorial or interview or news).pt.
123	121 not 122
124	123 use medall
125	sarcoid*.mp.
126	exp Heart Disease/
127	(cardiomyopath* or myocardiopath*).tw,kw.
128	(cardiac or cardio*).tw,kw,hw.
129	myocardial.tw,kw,hw.
130	heart.tw,kw,hw.
131	or/126-130
132	125 and 131
133	Granuloma/
134	Heart/
135	Cardiac Muscle/
136	Myocarditis/
137	or/134-136
138	133 and 137
139	(granuloma* adj3 (myocard* or cardiac or heart)).tw,kw.
140	132 or 138 or 139

141	exp corticosteroid/
142	(adrenal cortex hormone? or adrenal cortical hormone? or adrenocortical hormone? or adrenocorticosteroid? or cortico* or steroid*).tw,kw,rn.
143	glucocortico*.tw,kw,rn.
144	(glycocorticoid* or glycocorticosteroid*).tw,kw,rn.
145	mineralocorticoid*.tw,kw,rn.
146	(beclomet?asone or 4419-39-0).tw,kw,rn.
147	(betamethasone or 378-44-9 or 2152-44-5).tw,kw,rn.
148	(budesonide or 51333-22-3).tw,kw,rn.
149	(clobetasol or 25122-41-2).tw,kw,rn.
150	(desoximetasone or 382-67-2).tw,kw,rn.
151	(dexamethasone or 50-02-2 or 2265-64-7).tw,kw,rn.
152	(diflucortolone or 2607-06-9).tw,kw,rn.
153	(flumethasone or 2135-17-3).tw,kw,rn.
154	(fluocinolone Acetonide or 67-73-2).tw,kw,rn.
155	(fluocinonide or 356-12-7).tw,kw,rn.
156	(Fluocortolone or 152-97-6).tw,kw,rn.
157	(Fluorometholone or 426-13-1).tw,kw,rn.
158	(Fluprednisolone or 53-34-9).tw,kw,rn.
159	(Flurandrenolone or 1524-88-5).tw,kw,rn.
160	(Fluticasone adj2 salmeterol).tw,kw.
161	(Melengestrol Acetate or 2919-66-6).tw,kw,rn.
162	(Methylprednisolone or 83-43-2 or 2921-57-5).tw,kw,rn.
163	(Paramethasone or 53-33-8).tw,kw,rn.
164	(Prednisolone or 50-24-8).tw,kw,rn.
165	(Prednisone or 53-03-2).tw,kw,rn.
166	(Triamcinolone or 124-94-7 or 76-25-5).tw,kw,rn.
167	hydroxycorticoster*.tw,kw,rn.
168	(aldosterone or 52-39-1).tw,kw,rn.

169	(Hydrocortisone or 50-23-7).tw,kw,rn.
170	(Tetrahydrocortisol or 53-02-1).tw,kw,rn.
171	(cortodoxone or 152-58-9).tw,kw,rn.
172	(Tetrahydrocortisone or 53-05-4).tw,kw,rn.
173	(Cortisone or 53-06-5).tw,kw,rn.
174	(Desoxycorticosterone or 64-85-7 or 56-47-3).tw,kw,rn.
175	Hydroxydesoxycorticosterone.tw,kw,rn.
176	(pregnenolone or 145-13-1).tw,kw,rn.
177	(Hydroxypregnenolone or 387-79-1).tw,kw,rn.
178	exp Immunosuppressive Agent/
179	(Immunosuppressive* or immuno suppressive* or immunosuppressant* or immuno suppressant* or immune suppressant* or immune suppressant* or immunodepressant* or immuno depressant* or immunodepressive* or immuno depressive* or immunosuppressor* or immuno suppressor* or immune suppressor* or immunesuppressor*).tw,kw,rn.
180	(Abatacept or 332348-12-6).tw,kw,rn.
181	(Antilymphocyte Serum or 308067-60-9).tw,kw,rn.
182	(Azaserine or 115-02-6).tw,kw,rn.
183	(Azathioprine or 446-86-6).tw,kw,rn.
184	(Busulfan or 55-98-1).tw,kw,rn.
185	(Certolizumab Pegol or 428863-50-7).tw,kw,rn.
186	(Cladribine or 4291-63-8).tw,kw,rn.
187	(Coformycin or 11033-22-0).tw,kw,rn.
188	(Cyclophosphamide or 50-18-0).tw,kw,rn.
189	(Cyclosporine or 59865-13-3).tw,kw,rn.
190	Cyclosporins.tw,kw,rn.
191	(Cytarabine or 147-94-4).tw,kw,rn.
192	(Dimethyl Fumarate or 624-49-7).tw,kw,rn.
193	(Ellipticines or 519-23-3).tw,kw,rn.
194	(Etanercept or 185243-69-0).tw,kw,rn.
195	(Everolimus or 159351-69-6).tw,kw,rn.

196	(Fingolimod Hydrochloride or 162359-56-0).tw,kw,rn.
197	(Fluorouracil or 51-21-8).tw,kw,rn.
198	(Glatiramer Acetate or 147245-92-9).tw,kw,rn.
199	(Gliotoxin or 67-99-2).tw,kw,rn.
200	(Mercaptopurine or 50-44-2).tw,kw,rn.
201	(Methotrexate or 59-05-2).tw,kw,rn.
202	(Muromonab-CD3 or 140608-64-6).tw,kw,rn.
203	(Sirolimus or 53123-88-9).tw,kw,rn.
204	(Tacrolimus or 104987-11-3).tw,kw,rn.
205	(Thalidomide or 50-35-1).tw,kw,rn.
206	(Thioinosine or 574-25-4).tw,kw,rn.
207	(Triamcinolone Acetonide or 76-25-5).tw,kw,rn.
208	exp monoclonal antibody/
209	((monoclonal or clonal or hybridoma) adj (antibody or antibodies)).tw,kw.
210	(Adalimumab or 331731-18-1).tw,kw,rn.
211	(Alemtuzumab or 216503-57-0).tw,kw,rn.
212	(Bevacizumab or 216974-75-3).tw,kw,rn.
213	(Cetuximab or 205923-56-4).tw,kw,rn.
214	(Denosumab or 615258-40-7).tw,kw,rn.
215	(Ipilimumab or 477202-00-9).tw,kw,rn.
216	(Natalizumab or 189261-10-7).tw,kw,rn.
217	(Omalizumab or 242138-07-4).tw,kw,rn.
218	(Palivizumab or 188039-54-5).tw,kw,rn.
219	(Ranibizumab or 347396-82-1).tw,kw,rn.
220	(Trastuzumab or 180288-69-1).tw,kw,rn.
221	(Ustekinumab or 815610-63-0).tw,kw,rn.
222	(Leflunomide or 75706-12-6).tw,kw,rn.
223	(Mycophenolate or 24280-93-1).tw,kw,rn.
224	exp tumor necrosis factor inhibitor/

225	(Anti TNF or anti tumo?r necrosis factor).tw,kw.
226	((tumo?r necrosis factor or TNF) adj2 (inhibitor? or antagonist? or antibody or antibodies)).tw,kw.
227	tumor necrosis factor antibody/
228	tumor necrosis factor antibody.rn.
229	(bleselumab or 1453067-91-8).tw,kw,rn.
230	(efizonerimod alfa or 1635395-27-5).tw,kw,rn.
231	(pegilodecakin or 1966111-35-2).tw,kw,rn.
232	(Selicrelumab or 1622140-49-1).tw,kw,rn.
233	(Remtolumab or 1791410-27-9).tw,kw,rn.
234	(Tavolixizumab or 1635395-25-3).tw,kw,rn.
235	(Tibulizumab or 1849636-24-3).tw,kw,rn.
236	(Myeloablative adj (agonist? or agent?)).tw,kw.
237	(Melphalan or 148-82-3).tw,kw,rn.
238	(Thiotepa or 52-24-4).tw,kw,rn.
239	chloroquine/ or hydroxychloroquine/
240	(chloroquine or 54-05-7).tw,kw,rn.
241	(hydroxychloroquine or 118-42-3).tw,kw,rn.
242	or/141-241
243	140 and 242
244	exp animal/ or exp animal experimentation/ or exp animal model/ or exp animal experiment/ or nonhuman/ or exp vertebrate/
245	exp human/ or exp human experimentation/ or exp human experiment/
246	244 not 245
247	243 not 246
248	editorial.pt.
249	247 not 248
250	249 use emczd
251	sarcoid*.mp.
252	exp Heart Diseases/

253	(cardiomyopath* or myocardiopath*).tw,kw.
254	(cardiac or cardio*).tw,hw.
255	myocardial.tw,hw.
256	heart.tw,hw.
257	or/252-256
258	251 and 257
259	Granuloma/
260	Heart/
261	Myocardium/
262	Myocarditis/
263	or/260-262
264	259 and 263
265	(granuloma* adj3 (myocard* or cardiac or heart)).tw,kw.
266	258 or 264 or 265
267	adrenal cortex hormones/ or exp glucocorticoids/ or exp hydroxycorticosteroids/
268	(adrenal cortex hormone? or adrenal cortical hormone? or adrenocortical hormone? or adrenocorticosteroid? or cortico* or steroid*).tw,kw.
269	glucocortico*.tw,kw.
270	(glycocorticoid* or glycocorticosteroid*).tw,kw.
271	mineralocorticoid*.tw,kw.
272	beclomet?asone.tw,kw.
273	betamethasone.tw,kw.
274	budesonide.tw,kw.
275	clobetasol.tw,kw.
276	desoximetasone.tw,kw.
277	dexamethasone.tw,kw.
278	diflucortolone.tw,kw.
279	flumethasone.tw,kw.
280	fluocinolone acetonide.tw,kw.

281	fluocinonide.tw,kw.
282	Fluocortolone.tw,kw.
283	Fluorometholone.tw,kw.
284	Fluprednisolone.tw,kw.
285	Flurandrenolone.tw,kw.
286	(Fluticasone adj2 salmeterol).tw,kw.
287	Melengestrol Acetate.tw,kw.
288	Methylprednisolone.tw,kw.
289	Paramethasone.tw,kw.
290	Prednisolone.tw,kw.
291	Prednisone.tw,kw.
292	Triamcinolone.tw,kw.
293	hydroxycorticoster*.tw,kw.
294	aldosterone.tw,kw.
295	Hydrocortisone.tw,kw.
296	Tetrahydrocortisol.tw,kw.
297	cortodoxone.tw,kw.
298	Tetrahydrocortisone.tw,kw.
299	Cortisone.tw,kw.
300	Desoxycorticosterone.tw,kw.
301	Hydroxydesoxycorticosterone.tw,kw.
302	pregnenolone.tw,kw.
303	Hydroxypregnenolone.tw,kw.
304	exp Immunosuppressive Agents/
305	(Immunosuppressive* or immuno suppressive* or immunosuppressant* or immuno suppressant* or immunesuppressant* or immune suppressant* or immunodepressant* or immuno depressant* or immunodepressive* or immuno depressive* or immunosuppressor* or immuno suppressor* or immune suppressor* or immunesuppressor*).tw,kw.
306	Abatacept.tw,kw.
307	Antilymphocyte Serum.tw,kw.

308	Azaserine.tw,kw.
309	Azathioprine.tw,kw.
310	Busulfan.tw,kw.
311	Certolizumab Pegol.tw,kw.
312	Cladribine.tw,kw.
313	Coformycin.tw,kw.
314	Cyclophosphamide.tw,kw.
315	Cyclosporine.tw,kw.
316	Cyclosporins.tw,kw.
317	Cytarabine.tw,kw.
318	Dimethyl Fumarate.tw,kw.
319	Ellipticines.tw,kw.
320	Etanercept.tw,kw.
321	Everolimus.tw,kw.
322	Fingolimod Hydrochloride.tw,kw.
323	Fluorouracil.tw,kw.
324	Glatiramer Acetate.tw,kw.
325	Gliotoxin.tw,kw.
326	Mercaptopurine.tw,kw.
327	Methotrexate.tw,kw.
328	Muromonab-CD3.tw,kw.
329	Sirolimus.tw,kw.
330	Tacrolimus.tw,kw.
331	Thalidomide.tw,kw.
332	Thioinosine.tw,kw.
333	Triamcinolone Acetonide.tw,kw.
334	antibodies, monoclonal/ or exp antibodies, monoclonal, humanized/ or infliximab/
335	((monoclonal or clonal or hybridoma) adj (antibody or antibodies)).tw,kw.
336	Adalimumab.tw,kw.

337	Alemtuzumab.tw,kw.
338	Bevacizumab.tw,kw.
339	Cetuximab.tw,kw.
340	Denosumab.tw,kw.
341	Ipilimumab.tw,kw.
342	Natalizumab.tw,kw.
343	Omalizumab.tw,kw.
344	Palivizumab.tw,kw.
345	Ranibizumab.tw,kw.
346	Trastuzumab.tw,kw.
347	Ustekinumab.tw,kw.
348	Leflunomide.tw,kw.
349	Mycophenolic Acid/
350	Mycophenolate.tw,kw.
351	Tumor Necrosis Factor-alpha/ai [Antagonists & Inhibitors]
352	(Anti TNF or anti tumo?r necrosis factor).tw,kw.
353	((tumo?r necrosis factor or TNF) adj2 (inhibitor? or antagonist? or antibody or antibodies)).tw,kw.
354	bleselumab.tw,kw.
355	efizonerimod alfa.tw,kw.
356	pegilodecakin.tw,kw.
357	Selicrelumab.tw,kw.
358	Remtolumab.tw,kw.
359	Tavolixizumab.tw,kw.
360	tibulizumab.tw,kw.
361	(Myeloablative adj (agonist? or agent?)).tw,kw.
362	Melphalan.tw,kw.
363	Thiotepa.tw,kw.
364	chloroquine/ or hydroxychloroquine/
365	chloroquine.tw,kw.

366	hydroxychloroquine.tw,kw.
367	or/267-366
368	266 and 366
369	368 use cctr
370	124 or 250 or 369
371	remove duplicates from 370

Table S2. Corticosteroid and other IST Duration and Dosing Details.

First Author	Corticosteroid and other IST Regimens
Okamoto[11]	Prednisone 30-60 mg daily tapered over 3-6 months
Yazaki[12]	Patients were divided into two cohort: - High dose group (n=30) – received 40 mg daily or more - Low dose group (n = 45) – received 30 mg daily or less A maintenance dose of 5-10 mg daily was continued in majority (72/75) patients
Kato[13]	Prednisone 30-40 mg/day, tapered by 5 mg every 4 weeks until a dose of 4-10 mg/day was reached. Mean period of administration was 75.0±20.5 months.
Chapelon-Abricpe[14]	No uniform protocol Prednisone 0.25-1 mg/kg daily for 6-8 weeks gradually tapered to a maintenance dose of 5-10 mg daily. (8 patients received IV methylprednisolone at 10-15 mg/kg for 3 consecutive days due to severe cardiac or non-cardiac sarcoidosis.) Other Immunosuppressants (n=11): - Cyclophosphamide (8 times with a monthly bolus of 500–700 mg/m2) - Methotrexate (6 times with weekly intramuscular injections of 20–30 mg) - Cyclosporin (3 times with doses between 3-5 mg/kg daily giving a radioimmunologic dosage between 80 and 180 ng/mL)
Chiu[15]	Prednisolone 60 mg every other day for 2 months, which was tapered gradually to the final maintenance dose of 10 mg every other day
Futamatsu[16]	Prednisone of varying dose. Mean initial starting dose of 35.7±14.4 mg/day. Mean maintenance dose of 9.2±7.0 mg/day.
Banba[17]	Prednisone initial dose 20-30 mg per day or 50-60 mg every other day, tapered over a period of 6 to 12 months to a maintenance dose of 5-10 mg/day.
Kudoh[18]	Corticosteroids - Unspecified dosing
Yodogawa[19]	Prednisone 30 mg/day or its equivalent on alternate days, tapered over a period of 6 months to a maintenance dose of 10 mg/day.
Kandolin[20]	Corticosteroids – Unspecified dosing Other immunosuppressants (n=6): azathioprine
Yodogawa[21]	Prednisone 30 mg daily on alternate days, tapered over a period of 6 months to a maintenance dosage of 5-10 mg daily
Nagai[22]	Patients were divided into two cohorts: corticosteroids only or combination therapy (corticosteroids and methotrexate) Corticosteroids: 30-60 mg daily as the initial dose Methotrexate: 6 mg/week
Ise[23]	Prenisolone 60 mg daily on alternate days, dose tapered gradually over 6 months to maintenance dose of 10 mg daily on alternate days
Takaya[24]	Prednisone at an initial dose of 30-40 mg daily
Takaya[25]	Prednisone 30 to 40 mg daily tapered over 6-12 months to a dose of 5-10 mg daily
Kandolin[3]	Prednisone (or equivalent) at initial dose of 30-80 mg daily Other immunosuppressants (unspecified doses): azathioprine (n=50), methotrexate (n=6), mycophenolatemofetil (n=3), cyclosporine (n=2), infliximab (n=1)
Nagai[26]	Mean induction dose 29.5+/- 4.0 mg daily Other immunosuppressants: 2 patients were on another agent – unspecified agent and dose

Orii[27]	Prednisolone 30 mg daily for 4 weeks then over 8 weeks decreased to a maintenance dose of 10 mg daily
Nagai[28]	Patients were divided to two cohorts: Prednisolone continuation group (n=49) and prednisolone discontinuation group (n=21) In all patients prednisolone was started at 30 mg daily and was tapered to a minimum maintenance dose of 10 mg daily. In the discontinuation group, all immunosuppressants had been discontinued over a medial follow up of 9.9 years. Other immunosuppressants: 2 patients were on another agent – unspecified agent and dose
Segawa[29]	Prednisone 30 mg for 4 weeks then stepwise reduction by 5 mg q2weeks to 5-10 mg daily. (5 patients started at 40 mg daily, 1 patient at 10 mg daily)
Padala[30]	Prednisone (or equivalent) initiated at 30-40 daily for at least one month, tapering was individualized based on response to therapy (n=30) Other immunosuppressants: 10 patients were on other agents in combination with corticosteroids – methotrexate, hydroxychloroquine, azathioprine, infliximab, mycophenolate mofetil (dose unspecified)
Ahmadian[31]	No uniform protocol for immunosuppression but usual practice was prednisone 30-40 mg daily followed by taper to 5-10 mg daily after FDG-PET/CT evidence of efficacy.
Yalagudri[32]	Prednisolone 1mg/kg/day (maximum dose 60 mg daily) - or equivalent dose of methylprednisolone – for 8 weeks then tapered over a period of 3-4 months before stopping Other immunosuppressants: All patients in "inflammatory phase" based on FDG-PET were also started on methotrexate 7.5 mg weekly for 2 years (increased up to 20 mg weekly as tolerated)
Kaida[33]	No specified protocol
Muser[34]	All patients received prednisone (mean dose 40 mg +/- 13) 6 patients (30%) also received methotrexate as second-line therapy (mean dose 10 mg +/-3)
Fussner[35]	45% of patients were on corticosteroids. 31.9% of patients were on other immunosuppressive agents with or withot corticosteroids and 23.1 % were not on any immunosuppressants. Other immunosuppressants: mycophenolate, methotrexate, infliximab, hydroxychloroquine, azathioprine, cyclosporine, etanercept, leflunamide, pentoxyfylline, rituximab
Ballul[36]	All patients received corticosteroids at median dose of 60 mg daily [20-100 mg daily] 12 patients (33.3%) received another immunosuppressant with corticosteroids. Azathioprine 2 mg/kg/day Methotrexate 15-20 mg weekly Cyclophosphamide 0.7 mg/m2 every 4 weeks for 24 weeks
Chiba[37]	All patients received corticosteroid monotherapy at initial dose of 30-40 mg daily, tapered by 5 mg q2weeks until dose of 20 mg daily, then tapered to 6-12 months to 5-10 mg daily maintenance dose
Harper[38]	All patients received Infliximab at starting dose of 5mg/kg q4-6 weeks, titrated to 10 mg/kg

	Other immunosuppressants: corticosteroids (89%), methotrexate (69%), leflunamide (25%), azathioprine (3%), hydroxychloroquine (3%)
Rosenthal[39]	Patients were started on prednisone 40-60 mg daily, tapered gradually to a dose of 5 mg daily Methotrexate was started at a dose of 10-15 mg weekly, uptitrated to 20 mg weekly 19 patients (68%) were started on adalimumab if they had persistently active CS or intolerance to methotrexate (adalimumab dose 40 mg SC q2weeks)
Koyanagawa[40]	All patients received corticosteroid therapy. Majority of patients were started on prednisone 30 mg daily, tapered by 5 mg per week
Orii[41]	Prednisolone 30 mg daily for 4 weeks then over 8 weeks decreased to a maintenance dose of 10 mg daily
Medor[42]	Prednisone at 0.5 mg/kg daily to a maximum of 40 mg daily
Gilotra[43]	All 38 patients were started on a TNF alpha inhibitor (30 infliximab, 8 adalimumab) 33 patients also received corticosteroids.