Supplementary file 4: Summary of interventions according to the TIDiER checklist: Interventions to promote integrated management of care

Study ID	**Fairall 2016**		**Prabhakaran 2018**	
Intervention groups	**Intervention**	**Control**	**Intervention**	**Control**
Name of intervention	Primary Care (PC) 101	Usual care in for non-communicable and communicable diseases: Practical Approach to Lung Health and HIV/AIDS in South Africa (PALSA PLUS)	mWellcare	Enhanced usual care
Aim of the intervention	To provide comprehensive care for all symptoms, including NCDs, HIV, TB, mental health conditions, women's health	To provide a user-friendly management tool that integrates and harmonises disease-specific guidelines and presents them in a simple format, aligned with patient presentation in primary health care settings, expanded nurses' scope of practice and prescribing (not covering all NCDs)	To facilitate integrated management of hypertension, diabetes, comorbid depression, and alcohol and tobacco use	Not reported
Physical and informational materials used	PC 101 guideline: a 101-page clinical management tool in form of a ring-bound, colour illustrated booklet Desk pads with key messages for priority conditions to facilitate	Latest version (2011/2012) of PALSA PLUS: clinical management tool	mWellcare system: m-Health-based electronic decision-support system that generates recommendations based on patient profile and risk level, used on Android tablet	Nurses received a tablet to collect baseline data (without the mWellcare system) Visible charts on the management of the conditions

	booking of follow-up appointments		Visible charts on the management of the conditions Pamphlets containing lifestyle advice	Pamphlets containing lifestyle advice
Procedures, activities and processes used in the intervention	Training of facility trainers Educational outreach sessions by facility trainers Expanded prescribing provisions for nurses Letters and SMS reminders of follow-up visits Financial compensation for patients (voucher for local grocery store) for travel costs and time	Training of facility trainers Educational outreach sessions by facility trainers Financial compensation for patients (voucher for local grocery store) for travel costs and time	Training of physicians on current clinical management guidelines and orientation to mWellcare system Training of nurses in management of hypertension, diabetes, depression, and tobacco and alcohol use Onsite supervision and support SMS reminders of follow-up visits and medication adherence	Training of physicians on clinical management guidelines for hypertension and diabetes Training of NCD nurses in management of hypertension and diabetes mellitus
Who provided the intervention	Training of facility trainers: Experienced adult education practitioner with a background in nursing, family physician who lead the expansion of the clinical management tool Educational outreach sessions: Nurse trainers	Training of facility trainers: not reported Educational outreach sessions: Nurse trainers Care: Nurses	Training: Study authors Care: NCD nurses and physicians	Training: Study authors Care: NCD nurses and physicians

	Care: Nurses			
Modes of delivery	Training and educational outreach sessions: face-to-face Care: Using PC 101 to guide management, details not reported	Training and educational outreach sessions: face-to-face Care: Using PALSA PLUS to guide management, details not reported	All training: face-to-face Care: Patient baseline data entered into mWellcare system which generated a decision support recommendation, lifestyle advice and suggested date for follow-up (printout). The recommendation was reviewed by the physician. Any changes to the recommended plan we captured in the mWellcare system. The nurse provided lifestyle advice and pamphlets	All training: face-to-face Care: According to clinical judgement of physician. Nurses provided and explained pamphlets on lifestyle advice
Location of the intervention	In primary healthcare clinics	In primary healthcare clinics	Community Health Centres	Community Health Centres
When and how much the intervention was delivered	Training of facility trainers: 5-days, in May 2011 and quarterly 1-day workshops Educational outreach sessions: Total of 155 educational outreach sessions, 8 sessions lasting 90 minutes at each of the 19 intervention clinics Care: Stable patients are seen by the nurse every 3-6 months	Educational outreach sessions: 90 minute sessions Follow-up sessions every year Distribution of updated tool every year Care: Stable patients are seen by the nurse every 3-6 months	Training for nurses using the mWellcare system: 3 days Onsite supervision: 2 days Care: follow-up visits according to the recommendation provided by the mWellcare system	Not reported Care: follow-up visits according to the discretion of the physician

Tailoring of the intervention	Not reported	Not reported	Not reported	Not reported
Modifications of the intervention	Unexpected co-intervention by the district department of health: "Chronic Disease Season" (3 month campaign), to improve NCD recognition and care, focusing on diabetes and hypertension, at clinic and community-level. In the community, free screening of blood pressure and glucose levels were offered in public spaces such as shopping centres. People with high values were referred to the clinic. Training of 33 community health workers to provide basic education on diet and lifestyle Facilitated group session to resolve tensions between nurses, doctors and pharmacists related to expanded prescribing provisions	Unexpected co-intervention by the district department of health: "Chronic Disease Season" (3 month campaign), to improve NCD recognition and care, focusing on diabetes and hypertension, at clinic and community-level. In the community, free screening of blood pressure and glucose levels were offered in public spaces such as shopping centres. People with high values were referred to the clinic. Training of 33 community health workers to provide basic education on diet and lifestyle	None reported	None reported
Assessment of intervention adherence/fidelity	Nurse trainers were observed during 5-day workshop and quarterly 1-day workshops Two nurse trainers were interviewed and focus group discussions were held in four	Not reported	Monthly visits to all sites by field coordinators who complete a checklist on: intervention delivery, source documents examination, protocol	Monthly visits to all sites by field coordinators who complete a checklist on: intervention delivery, source documents examination, protocol

	intervention clinics in December 2011		adherence and recording of adverse events Site visits by investigators: to monitor enrolment process, intervention delivery and protocol adherence	adherence and recording of adverse events Site visits by investigators: to monitor enrolment process, intervention delivery and protocol adherence
Intervention delivered as planned	Good uptake of nurse trainers, who completed all outreach sessions, and repeated some sessions to ensure that most staff could attend Due to absenteeism and shifts, not all nurses attended all the outreach sessions. In total, 18 nurses attended a median of six training sessions, five pharmacists and four doctors were trained Some variations in the uptake of the PC 101 tool were observed	By 2011, 70% of nurses working in the relevant districts had received training in PALSA PLUS.	Not reported	Not reported