Supplemental Table 4: Quality of Evidence (Guided by GRADE Approach)

#	**Study** (first author, year)	**Study Design**	**Quality of Evidence**	**Study Limitations**
1.	Angerame et al. (2017)	RCT	High	Number/ Calibration of radiographic observers: Two radiographic observers, calibration not documented
2.	Aqrabawi et al. (2006)	P	Very Low	Number/ Calibration of radiographic observers: Single radiographic observer (calibrated); Reporting of outcomes: unspecified number of teeth, extracted after treatment, not included in final analysis
3.	Arya et al. (2017)	P	Low	Reporting of outcomes: 2 "failures" (both in the diabetic treatment group) were excluded from the analysis
4.	Chu et al. (2005)	P	Low	Number/ Calibration of radiographic observers: Single radiographic observer, calibration not documented
5.	Chybowski et al. (2018)	R	Low	NA
6.	Cotton et al. (2008)	R	Low	Reporting of outcomes: Treated teeth (14) were eliminated from the study analysis for various reasons
7.	Craveiro et al. (2015)	R	Very Low	Number/ Calibration of radiographic observers: Single radiographic observer (calibrated); Reexamination rate: under 50%; Reporting of outcomes: 62 teeth, extracted after treatment, not included in final analysis
8.	de Chevigny et al. (2008)	P	Very Low	Number/ Calibration of radiographic observers: Single radiographic observer (calibrated); Reexamination rate: under 50%; Reporting of outcomes: 15 teeth, extracted after treatment, not included in final analysis
9.	de-Figueiredo et al. (2020)	RCT	High	NA
10.	Demirci (2016) et al.	RCT	High	NA
11.	Dorasani et al. (2013)	P	Very Low	Number/ Calibration of radiographic observers: Radiographic observer amount and calibration not documented; Reporting of outcomes: 2 "failures" (before the 12-month examination) were excluded from the analysis
12.	Eyuboglu et al. (2020)	R	Low	NA
13.	Farzaneh et al. (2004)	P	Very Low	Reexamination rate: under 50%; Reporting of outcomes: 31 teeth, extracted after treatment, not included in final analysis
14.	Friedman et al. (2003)	P	Very Low	Reexamination rate: under 50%; Reporting of outcomes: 21 teeth, extracted after treatment, not included in final analysis
15.	Galani et al. (2017)	RCT	High	NA
16.	Gill et al. (2016)	P	Low	Reporting of outcomes: 4 teeth, extracted after treatment, not included in final analysis

17.	Hale et al. (2012)	P	Low	Number/ Calibration of radiographic observers: Calibration of observers not documented
18.	Imura et al. (2007)	R	Low	Number/ Calibration of radiographic observers: Calibration of observers not documented
19.	Kist et al. (2016)	RCT	High	NA
20.	Knight et al. (2020)	P	Low	NA
21.	Kumar et al. (2020)	RCT	High	Number/ Calibration of radiographic observers: Radiographic observer calibration not documented
22.	Llena et al. (2020)	R	Very Low	Number/ Calibration of radiographic observers: Radiographic observer calibration not documented; Reporting of outcomes: If teeth were extracted, they were excluded from the final analysis
23.	Marquis et al. (2006)	P	Very Low	Reexamination rate: under 50%; Reporting of outcomes: 10 teeth, extracted after treatment, not included in final analysis
24.	Molander et al. (2007)	RCT	High	Reporting of outcomes: 4 teeth extracted for "unknown reasons" were excluded from the final analysis and recorded as "lost to follow-up
25.	Ozer et al. (2009)	RCT	High	Number/ Calibration of radiographic observers: Radiographic observer calibration not documented
26.	Paredes-Vieyra et al. (2012)	RCT	High	NA
27.	Penesis et al. (2008)	RCT	High	Reporting of outcomes: 3 "failures" (before the 12-month examination) were excluded from the analysis
28.	Pirani et al. (2015)	R	Low	Reporting of outcomes: 31 teeth, extracted after treatment, not included in final analysis
29.	Prati et al. (2018)	R	Low	NA
30.	Restrepo-Restrepo et al. (2019)	R	Low	NA
31.	Ricucci et al. (2011)	P	Low	Reporting of outcomes: 62 teeth, extracted after treatment, not included in final analysis
32.	Saini et al. (2012)	RCT	High	Reporting of outcomes: 1 "failure" (at 3 months) was excluded from the analysis
33.	Sarin et al. (2016)	R	Low	Number/ Calibration of radiographic observers: Calibration of observers not documented
34.	Sigurdsson et al. (2016)	P	Low	NA
35.	Sigurdsson et al. (2018)	P	Low	NA
36.	Siqueira et al. (2008)	P	Very Low	Reexamination rate: under 50%; Reporting of outcomes: Any tooth extracted before reexamination period because of "reasons not related to the endodontic outcome" was excluded from the study
37.	Tang et al. (2015)	RCT	High	NA
38.	Verma et al. (2019)	RCT	High	Number/ Calibration of radiographic observers: Radiographic observer calibration not documented
39.	Verma et al. (2020)	RCT	High	Number/ Calibration of radiographic observers: Radiographic observer calibration not documented

40.	Wong et al. (2015)	RCT	High	NA
41.	Zavattini et al. (2020)	P	Low	Reporting of outcomes: 2 teeth that underwent retreatment before the 12-month reexamination period were excluded from the final analysis
42.	Zmener et al. (2004)	R	Low	NA

Abbreviations: RCT= randomized control trial; P= prospective cohort study; R= Retrospective cohort study; NA= not applicable