Circulation Reports
Circ Rep 2022; **4:** 109–115
doi:10.1253/circrep.CR-21-0160

Supplementary File

Effects of Door-In to Door-Out Time on Mortality Among ST-Segment Elevation Myocardial Infarction Patients Transferred for Primary Percutaneous Coronary Intervention

— Systematic Review and Meta-Analysis —

Junichi Yamaguchi, MD, PhD; Tetsuya Matoba, MD, PhD; Migaku Kikuchi, MD, PhD; Yuichiro Minami, MD, PhD; Sunao Kojima, MD, PhD; Hiroyuki Hanada, MD, PhD; Toshiaki Mano, MD, PhD; Takahiro Nakashima, MD, PhD; Katsutaka Hashiba, MD, PhD; Takeshi Yamamoto, MD, PhD; Akihito Tanaka, MD, PhD; Kunihiro Matsuo, MD, PhD; Naoki Nakayama, MD, PhD; Osamu Nomura, MD, PhD; Yoshio Tahara, MD, PhD; Hiroshi Nonogi, MD, PhD; for the Japan Resuscitation Council (JRC) Acute Coronary Syndrome (ACS) Task Force and the Guideline Editorial Committee on Behalf of the Japanese Circulation Society (JCS) Emergency and Critical Care Committee

Supplementary Table. Timeliness of Reperfusion

Study (year)	Comparison	No. of Patients	Symptom to FMC (minutes)	FMC to balloon time < 120 minutes (%)	DTB time (minutes)	DTB time ≤ 90 minutes (%)	DTB time ≤ 120 minutes (%)
Wang (2011)	DIDO ≤ 30 minutes	1627	Not available	Not available	85*	60%	91%
	DIDO > 30 minutes	13194	Not available	Not available	127*	13%	43%
Shi (2018)	DIDO ≤ 30 minutes	194	0-60: 84 (43.3%) 61-120: 56 (28.9%) 120-: 54 (27.8%)	78.7%	Not available	Not available	Not available
	DIDO > 30 minutes	722	0-60: 212 (27.5%) 61-120: 268 (34.7%) 120-: 292 (37.8%)	27.4%	Not available	Not available	Not available

DIDO, door-in door out; FMS, first medical contact; DTB, door-to-balloon
* Median

Supplementary Figure 1. Retrieval keywords for article search

Retrieval Keywords:

(stemi or "st segment elevation myocardial infarction" or “st elevation myocardial infarction" or "acute coronary syndrome" or "acute myocardial infarction”) and ("percutaneous transluminal coronary angioplasty" or ptca or "percutaneous coronary intervention” or PCI or "primary percutaneous intervention" or "primary percutaneous coronary intervention") and ("infarct size" or survival or mortality or outcome or electrocardiogr* or stroke or "major bleeding" or TIMI-flow or reinfarction or revascularization) and (transfer or delay or transferred or "door in to door out")

*Timeframe: All published literature up to April 15, 2020.

Supplementary Figure 2. Funnel plot of the studies included in the meta-analysis

