Table S1- Targeted genes and hazard ratios extracted from included articles in prognostic and association evaluation study.

Study ID	Targeted gene	Related functions	Overall Survival	Disease-free survival	Recurrence-free survival	Adjusted Overall Survival	Overall Survival Adjusted for	Disease-free survival Multivariate	Disease-free survival Adjusted for
Meng, X. 2013	MnSoD	Growth, migration, invasion, tumor suppressor	2.91 (1.43-5.78)	3.17 (1.83-5.47)		2.48 (1.21-5.13)	Tumor size (≤5 vs >5 cm), CEA (≤5 vs >5 ng/mL), Histologic grade (I/II vs III)		
Qi, B. 2014	-	Oncogene	2.11 (1.06-4.18)						
Dou, C. 2015	FOXA1	clinical biomarker, cell viability, proliferation	2.26 (1.37-3.71)	2.7 (1.69-4.31)		1.67 (1.01-2.75)	FOXA1, TNM tumor stage, Edmondson grading, tumor size	1.65 (1.01-2.7)	FOXA1, TNM tumor stage, Edmondson grading, tumor size
Li, D. 2015	PXN	Migration, invasion, tumor suppressor	2.16 (1.21-3.85)						
Tu, H. 2015	FOXA1	tumor growth	2.01 (1.16-3.48)	3.55 (1.64-7.65)		2.15 (1.26-3.68)	Serum AFP level, Tumor size, Edmondson-S teiner grading, TNM tumor stage	3.55 (1.64-7.65)	Serum AFP level, Tumor size, Edmondson-S teiner grading, TNM tumor stage
Gu, C. 2017	XIAP	Tumor progression, proliferation, migration, invasion, prognostic predictor	2.07 (0.99-4.34)		2.03 (1.00-4.12)				
Jiang, C. 2017	SOX4	Migration, invasion, tumor suppressor	2.83 (1.17-6.84)	2.73 (1.24-6)					
Lu, Z. 2017	prrx2	prognostic marker, tumor development, vascular invasion, metastasis	2.07 (0.97-4.39)	2.17 (1.09-4.31)		2.91 (1.13-7.58)	Age, Menopausal status, Tumor size, Lymph node status, Histological grade		
Tang, T.T. 2017	SOX4	cell migration, invasion, tumor suppressor	2.34 (1.48-3.70)						
Wu, Z. 2017	-	Oncogene	0.38 (0.18-0.79)						
Zhou, Y. 2017	EN-2	PC progression							
Qu, H. 2018	BMI1	cancer development	2.88 (1.60-5.18)						
Tong, Z. 2018	FOXA1	cell proliferation, migration, invasion, apoptosis, clinical biomarker							
Wang, F. 2018			2.52 (1.34-4.74)						
Chen, J. 2019	CTGF	Tumor encapsulation, vascular invaison	2.13 (1.24-3.67)		1.76 (1.09-2.84)				
Mou, T. 2019	SOX4	Tumor suppressor, invasion, ,LN metastasis	2.59 (1.10-6.08)						
Yue, H. 2019	HIF-1a	Oncogene	0.44 (0.21-0.94)						
Azar, M. 2020	nothing	Tumor suppressor							

Kang, Y. 2020	ELF3	cell proliferation			
Shao, J. 2020	SOX4	potential circulating biomarker, proliferation	4.56 (2.95-7.07)		
Yuan, Z. 2020	FOXA1	tumor suppressor	1.93 (1.14-3.28)		
Zhang, L. 2020	MAP3K3	tumor supressor	4.85 (1.64-14.29)	6.62 (0.82-52.63)	FIGO stage (I-II vs III-IV)

Table S2- Patient properties and sensitivity and specificity extracted from the included articles of the diagnostic evaluation study.

Study ID	Age	Gender (PM/PF| CM/CF)	No. (patient/ control)	Article Reported		Youden Index		Index of Union	
				Sensitivity (%)	Specificity (%)	Sensitivity (%)	Specificity (%)	Sensitivity (%)	Specificity (%)
Miah, S. 2012	71/58	NR	62/50	54.2	64	-	-	-	-
Cote, G. 2014	66.5/ 65.1	24/16| 30/25	40/54	90	83	90	83.33	90	83.33
			25/45	96	100	96	100	96	100
Ramalinga, M. 2015	NR	NR	40/32	-	-	82.5	53.13	70	59.38
Bagheri, A. 2016	51-73/ 48-71	15/2| 15/2	17/17	45	91	47.06	88.24	70.59	64.71
			17/17	46.7	93.3	-	-	-	-
Damavandi, Z. 2016	NR	NR	31	-	-	35.48	93.55	58.06	58.06
Wang, F. 2018	NR	70/10|NR	80/93	68.75	66.67	68.75	66.67	68.75	66.67
Pu, X. 2020	NR	21/15|NR	36/65	-	-	52.78	81.54	66.67	64.62
Shao, J. 2020	61.5/ 58.5	62/48| 63/37	110/100	95.1	78.7	93.64	89	93.64	89

Abbreviations: PM: number of male patients, PF: number of female patients, CM: number of male controls, CF: number of female controls.



Figure S1- Forrest plot of overall survival (OS) in association with low miR-212 expression.



Figure S2- Sensitivity analysis of overall survival (OS) in association with low miR-212 expression using the one-study-removed method.



Figure S3- Begg's funnel plot of studies included in the meta-analysis of overall survival (OS) in association with low miR-212 expression.



Figure S4- Begg's funnel plot of studies included in the meta-analysis of overall survival (OS) in association with low miR-212 expression after omitting studies on pancreatic ductal adenocarcinoma (PDAC).

Overall Survival in Association With MiR-212 Expression Sub-Grouped by Publication Year

Model	Group by Publication year	Study name	Statistics for each study				
			Hazard ratio	Lower limit	Upper limit	Z-Value	p-Value
	<2017	Meng, X. 2013	2.907	1.448	5.835	3.002	0.003
	<2017	Qi, B. 2014	2.106	1.062	4.178	2.132	0.033
	<2017	Dou, C. 2015	2.257	1.373	3.709	3.211	0.001
	<2017	Li, D. 2015	2.156	1.208	3.848	2.601	0.009
	<2017	Tu, H. 2015	2.011	1.162	3.478	2.497	0.013
Fixed	<2017		2.234	1.719	2.904	6.011	0.000
Random	<2017		2.234	1.719	2.904	6.011	0.000
	>2017	Qu, H. 2018	2.876	1.597	5.177	3.521	0.000
	>2017	Wang, F. 2018	2.520	1.340	4.739	2.870	0.004
	>2017	Chen, J. 2019	2.131	1.238	3.670	2.729	0.006
	>2017	Mou, T. 2019	2.590	1.104	6.076	2.187	0.029
	>2017	Yue, H. 2019	0.440	0.207	0.939	-2.124	0.034
	>2017	Shao, J. 2020	4.564	2.945	7.074	6.792	0.000
	>2017	Yuan, Z. 2020	1.929	1.136	3.278	2.430	0.015
	>2017	Zhang, L. 2020	4.854	1.643	14.342	2.858	0.004
Fixed	>2017		2.463	1.986	3.055	8.197	0.000
Random	>2017		2.284	1.433	3.641	3.472	0.001
	2017.00	Gu, C. 2017	2.072	0.989	4.341	1.930	0.054
	2017.00	Jiang, C. 2017	2.831	1.172	6.837	2.313	0.021
	2017.00	Lu, Z. 2017	2.066	0.974	4.383	1.891	0.059
	2017.00	Tang, T.T. 2017	2.342	1.481	3.703	3.639	0.000
	2017.00	Wu, Z. 2017	0.380	0.183	0.792	-2.584	0.010
Fixed	2017.00		1.715	1.277	2.303	3.586	0.000
Random	2017.00		1.611	0.811	3.200	1.361	0.174
Fixed	Overall		2.190	1.895	2.532	10.601	0.000
Random	Overall		2.173	1.749	2.699	7.015	0.000



Figure S5- Forrest plot of overall survival (OS) in association with low miR-212 expression: sub-grouped by publication year.



Figure S6- Forrest plot of overall survival (OS) in association with low miR-212 expression: sub-grouped by sample size.



Figure S7- Forrest plot of overall survival (OS) in association with low miR-212 expression: sub-grouped by cancer type.



Figure S8- Forrest plot of overall survival (OS) in association with low miR-212 expression: sub-grouped by cancer type (PDAC vs. others).

Overall Survival in Association With MiR-212 Expression Sub-Grouped by Stage

Model	Group by Stage	Study name	Hazard ratio	Lower limit	Upper limit	Z-Value	p-Value
	I-IV	Dou, C. 2015	2.257	1.373	3.709	3.211	0.001
	I-IV	Tu, H. 2015	2.011	1.162	3.478	2.497	0.013
	I-IV	Gu, C. 2017	2.072	0.989	4.341	1.930	0.054
	I-IV	Jiang, C. 2017	2.831	1.172	6.837	2.313	0.021
	I-IV	Tang, T.T. 2017	2.342	1.481	3.703	3.639	0.000
	I-IV	Wu, Z. 2017	0.380	0.183	0.792	-2.584	0.010
	I-IV	Wang, F. 2018	2.520	1.340	4.739	2.870	0.004
	I-IV	Mou, T. 2019	2.590	1.104	6.076	2.187	0.029
	I-IV	Yue, H. 2019	0.440	0.207	0.939	-2.124	0.034
	I-IV	Shao, J. 2020	4.564	2.945	7.074	6.792	0.000
	I-IV	Yuan, Z. 2020	1.929	1.136	3.278	2.430	0.015
	I-IV	Zhang, L. 2020	4.854	1.643	14.342	2.858	0.004
Fixed	I-IV		2.121	1.779	2.528	8.383	0.000
Random	I-IV		1.944	1.304	2.898	3.265	0.001
	others	Meng, X. 2013	2.907	1.448	5.835	3.002	0.003
	others	Qi, B. 2014	2.106	1.062	4.178	2.132	0.033
	others	Li, D. 2015	2.156	1.208	3.848	2.601	0.009
	others	Lu, Z. 2017	2.066	0.974	4.383	1.891	0.059
	others	Qu, H. 2018	2.876	1.597	5.177	3.521	0.000
	others	Chen, J. 2019	2.131	1.238	3.670	2.729	0.006
Fixed	others		2.346	1.816	3.031	6.520	0.000
Random	others		2.346	1.816	3.031	6.520	0.000
Fixed	Overall		2.190	1.895	2.532	10.601	0.000
Random	Overall		2.221	1.790	2.755	7.250	0.000



Figure S9- Forrest plot of overall survival (OS) in association with low miR-212 expression: sub-grouped by stage.

Overall Survival in Association With MiR-212 Expression Sub-Grouped by Follow-up Period

Model	Group by Follow-up period	Study name	Hazard ratio	Lower limit	Upper limit	Z-Value	p-Value
	<=60	Dou, C. 2015	2.257	1.373	3.709	3.211	0.001
	<=60	Tu, H. 2015	2.011	1.162	3.478	2.497	0.013
	<=60	Gu, C. 2017	2.072	0.989	4.341	1.930	0.054
	<=60	Jiang, C. 2017	2.831	1.172	6.837	2.313	0.021
	<=60	Tang, T.T. 2017	2.342	1.481	3.703	3.639	0.000
	<=60	Wu, Z. 2017	0.380	0.183	0.792	-2.584	0.010
	<=60	Wang, F. 2018	2.520	1.340	4.739	2.870	0.004
	<=60	Mou, T. 2019	2.590	1.104	6.076	2.187	0.029
	<=60	Yue, H. 2019	0.440	0.207	0.939	-2.124	0.034
	<=60	Shao, J. 2020	4.564	2.945	7.074	6.792	0.000
	<=60	Yuan, Z. 2020	1.929	1.136	3.278	2.430	0.015
Fixed	<=60		2.074	1.735	2.478	8.025	0.000
Random	<=60		1.833	1.214	2.767	2.882	0.004
	>60	Meng, X. 2013	2.907	1.448	5.835	3.002	0.003
	>60	Qi, B. 2014	2.106	1.062	4.178	2.132	0.033
	>60	Li, D. 2015	2.156	1.208	3.848	2.601	0.009
	>60	Lu, Z. 2017	2.066	0.974	4.383	1.891	0.059
	>60	Qu, H. 2018	2.876	1.597	5.177	3.521	0.000
	>60	Chen, J. 2019	2.131	1.238	3.670	2.729	0.006
	>60	Zhang, L. 2020	4.854	1.643	14.342	2.858	0.004
Fixed	>60		2.438	1.900	3.129	7.003	0.000
Random	>60		2.438	1.900	3.129	7.003	0.000
Fixed	Overall		2.190	1.895	2.532	10.601	0.000
Random	Overall		2.258	1.824	2.796	7.483	0.000



Figure S10- Forrest plot of overall survival (OS) in association with low miR-212 expression: sub-grouped by follow-up period.



Figure S11- Forrest plot of overall survival (OS) in association with low miR-212 expression: sub-grouped by cut-off determination method.



Figure S12- Forrest plot of overall survival (OS) in association with low miR-212 expression: sub-grouped by the specimen.



Figure S13- Forrest plot of overall survival (OS) in association with low miR-212 expression: sub-grouped by miR-212 type.



Figure S14- Forrest plot of Adjusted overall survival (OS) in association with low miR-212 expression.

Disease-Free Survival in Association With MiR-212 Expression

Model	Study name	Hazard ratio	Lower limit	Upper limit	Z-Value	p-Value
	Meng, X. 2013	3.166	1.833	5.467	4.135	0.000
	Dou, C. 2015	2.697	1.687	4.314	4.141	0.000
	Tu, H. 2015	3.547	1.644	7.653	3.227	0.001
	Jiang, C. 2017	2.725	1.238	5.999	2.491	0.013
	Lu, Z. 2017	2.167	1.089	4.315	2.201	0.028
Fixed		2.812	2.138	3.700	7.389	0.000
Random		2.812	2.138	3.700	7.389	0.000



Figure S15- Forrest plot of disease-free survival (DFS) in association with low miR-212 expression.

Adjusted Disease-Free Survival in Association With MiR-212 Expression

Model	Study name	Hazard ratio	Lower limit	Upper limit	Z-Value	p-Value
	Dou, C. 2015	1.648	1.008	2.695	1.991	0.046
	Tu, H. 2015	3.547	1.644	7.653	3.227	0.001
Fixed		2.059	1.360	3.115	3.416	0.001
Random		2.278	1.085	4.786	2.175	0.030



Figure S16- Forrest plot of adjusted disease-free survival (DFS) in association with low miR-212 expression.

Recurrence-Free Survival in Association With MiR-212 Expression

Model	Study name	Hazard ratio	Lower limit	Upper limit	Z-Value	p-Value
	Gu, C. 2017	2.033	1.003	4.121	1.967	0.049
	Chen, J. 2019	1.761	1.092	2.840	2.321	0.020
Fixed		1.842	1.240	2.737	3.025	0.002
Random		1.842	1.240	2.737	3.025	0.002



Figure S17- Forrest plot of recurrence-free survival (RFS) in association with low miR-212 expression.

Overall Analysis of Low Mir-212 Expression Association With Gender

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Meng, X. 2013	1.580	0.871	2.867	1.506	0.132
	Dou, C. 2015	2.370	0.922	6.092	1.792	0.073
	Li, D. 2015	0.591	0.229	1.523	-1.089	0.276
	Tu, H. 2015	1.558	0.532	4.567	0.809	0.419
	Jiang, C. 2017	0.605	0.236	1.550	-1.046	0.295
	Tang, T.T. 2017	0.784	0.325	1.895	-0.539	0.590
	Wu, Z. 2017	0.755	0.232	2.457	-0.466	0.641
	Tong, Z. 2018	0.880	0.280	2.764	-0.219	0.827
	Wang, F. 2018	1.588	0.412	6.122	0.672	0.502
	Chen, J. 2019	0.542	0.205	1.432	-1.236	0.217
	Azar, M. 2020	3.333	0.505	22.017	1.250	0.211
	Kang, Y. 2020	0.415	0.079	2.195	-1.034	0.301
	Yuan, Z. 2020	0.661	0.221	1.979	-0.740	0.459
Fixed		1.012	0.766	1.337	0.086	0.931



Figure S18- Forrest plot of low miR-212 expression in association with gender (male vs. female).

Overall Analysis of Low Mir-212 Expression Association With Age

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Meng, X. 2013	0.612	0.340	1.102	-1.636	0.102
	Dou, C. 2015	1.505	0.623	3.639	0.908	0.364
	Li, D. 2015	0.756	0.296	1.931	-0.584	0.559
	Tu, H. 2015	1.114	0.448	2.771	0.232	0.816
	Jiang, C. 2017	0.758	0.302	1.903	-0.590	0.555
	Lu, Z. 2017	0.912	0.435	1.915	-0.243	0.808
	Tang, T.T. 2017	1.159	0.525	2.557	0.364	0.716
	Wu, Z. 2017	0.551	0.148	2.055	-0.887	0.375
	Zhou, Y. 2017	1.333	0.387	4.597	0.456	0.649
	Qu, H. 2018	1.184	0.379	3.699	0.290	0.772
	Tong, Z. 2018	0.857	0.275	2.672	-0.266	0.790
	Wang, F. 2018	0.444	0.182	1.087	-1.777	0.076
	Chen, J. 2019	0.416	0.130	1.327	-1.483	0.138
	Mou, T. 2019	0.844	0.269	2.647	-0.291	0.771
	Azar, M. 2020	0.400	0.081	1.976	-1.124	0.261
	Kang, Y. 2020	0.762	0.179	3.241	-0.368	0.713
	Yuan, Z. 2020	0.770	0.305	1.945	-0.553	0.580
	Zhang, L. 2020	1.500	0.391	5.752	0.591	0.554
Fixed		0.819	0.652	1.028	-1.721	0.085



Figure S19- Forrest plot of low miR-212 expression in association with age (old vs. young).

Overall Analysis of Low Mir-212 Expression Association With Metastasis

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Jiang, C. 2017	11.818	3.837	36.397	4.303	0.000
	Qu, H. 2018	2.212	0.859	5.695	1.645	0.100
	Mou, T. 2019	0.370	0.122	1.127	-1.750	0.080
	Kang, Y. 2020	12.600	1.999	79.436	2.697	0.007
Random		3.110	0.624	15.508	1.384	0.166



Figure S20- Forrest plot of low miR-212 expression in association with metastasis (yes vs. no).



Figure S21- Forrest plot of low miR-212 expression in association with lymphatic metastasis (yes vs. no).



Figure S22- Forrest plot of low miR-212 expression in association with tumor size (large vs. small).



Figure S23- Forrest plot of low miR-212 expression in association with tumor size ([>5 or ≥5] vs. [<5 or ≤5]).



Figure S24- Forrest plot of low miR-212 expression in association with T stage (III-IV vs. I-II).

Overall Analysis of Low MiR-212 Expression Association With TNM Stage

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Dou, C. 2015	2.593	1.074	6.256	2.120	0.034
	Tu, H. 2015	3.703	1.347	10.179	2.537	0.011
	Jiang, C. 2017	3.925	1.377	11.186	2.559	0.011
	Tang, T.T. 2017	3.494	1.490	8.195	2.876	0.004
	Wu, Z. 2017	0.409	0.118	1.421	-1.407	0.159
	Tong, Z. 2018	21.000	2.450	179.984	2.778	0.005
	Wang, F. 2018	3.889	1.533	9.868	2.859	0.004
	Mou, T. 2019	3.284	1.059	10.186	2.059	0.040
	Yue, H. 2019	0.283	0.052	1.533	-1.464	0.143
	Azar, M. 2020	1.714	0.278	10.589	0.580	0.562
	Kang, Y. 2020	6.000	1.125	31.989	2.098	0.036
	Yuan, Z. 2020	3.750	1.486	9.465	2.798	0.005
Random		2.719	1.674	4.415	4.044	0.000



Figure S25- Forrest plot of low miR-212 expression in association with TNM stage (III-IV vs. I-II).

Overall Analysis of Low MiR-212 Expression Association With Differentiation

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Li, D. 2015	0.845	0.333	2.145	-0.354	0.723
	Lu, Z. 2017	1.035	0.505	2.118	0.094	0.925
	Wang, F. 2018	0.588	0.237	1.460	-1.144	0.253
	Azar, M. 2020	5.714	0.446	73.191	1.340	0.180
Fixed		0.894	0.557	1.435	-0.465	0.642



Figure S26- Forrest plot of low miR-212 expression in association with differentiation (others vs. poor).

Overall Analysis of Low MiR-212 Expression Association With Hepatitis B Virus



Figure S27- Forrest plot of low miR-212 expression in association with hepatitis B virus (HBV) (present vs. absent).

Overall Analysis of Low miR-212 Expression Association With Serum AFP Level (High/Low)



Figure S28- Forrest plot of low miR-212 expression in association with serum AFP level (high vs. low).

Overall Analysis of Low MiR-212 Expression Association With Serum AFP Level (Cut-Off=200)



Figure S29- Forrest plot of low miR-212 expression in association with serum AFP level (>200 vs. ≤200).

Overall Analysis of Low MiR-212 Expression Association With Serum AFP Level (Cut-Off=400)



Figure S30- Forrest plot of low miR-212 expression in association with serum AFP level (≥400 vs. <400).

Overall Analysis of Low MiR-212 Expression Association With Number of Tumor Nodules



Figure S31- Forrest plot of low miR-212 expression in association with number of tumor nodules (≥2 vs. 1).

Overall Analysis of Low MiR-212 Expression Association With Cirrhosis

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Dou, C. 2015	0.789	0.349	1.786	-0.569	0.570
	Tu, H. 2015	0.752	0.319	1.770	-0.653	0.514
	Wang, F. 2018	2.385	0.940	6.052	1.830	0.067
	Chen, J. 2019	1.589	0.603	4.186	0.937	0.349
	Yuan, Z. 2020	0.943	0.397	2.243	-0.132	0.895
Fixed		1.111	0.748	1.649	0.522	0.602



Figure S32- Forrest plot of low miR-212 expression in association with cirrhosis (present vs. absent).

Overall Analysis of Low MiR-212 Expression Association With Venous Infltration

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Dou, C. 2015	1.885	0.834	4.259	1.524	0.127
	Tu, H. 2015	1.453	0.621	3.396	0.862	0.389
	Yuan, Z. 2020	2.354	0.999	5.548	1.957	0.050
Fixed		1.859	1.145	3.019	2.506	0.012



Figure S33- Forrest plot of low miR-212 expression in association with venous infiltration (present vs. absent).

Overall Analysis of Low MiR-212 Expression Association With Edmondson-Steiner Grade

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Dou, C. 2015	1.607	0.682	3.787	1.085	0.278
	Tu, H. 2015	2.915	1.201	7.073	2.366	0.018
	Chen, J. 2019	1.158	0.489	2.741	0.333	0.739
	Yuan, Z. 2020	1.818	0.708	4.667	1.243	0.214
Fixed		1.757	1.129	2.735	2.496	0.013



Figure S34- Forrest plot of low miR-212 expression in association with Edmondson-Steiner grade (III-IV vs. I-II).

Overall Analysis of Low MiR-212 Expression Association With Venous Invasion

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Li, D. 2015	1.838	0.668	5.056	1.180	0.238
	Lu, Z. 2017	3.301	1.568	6.950	3.144	0.002
	Chen, J. 2019	4.356	1.732	10.954	3.127	0.002
	Yue, H. 2019	0.208	0.047	0.921	-2.069	0.039
Random		1.772	0.629	4.996	1.082	0.279



Figure S35- Forrest plot of low miR-212 expression in association with venous invasion (positive vs. negative).

Overall Analysis of Low MiR-212 Expression Association With Distant Metastasis

Model	Study name	Odds ratio	Lower limit	Upper limit	Z-Value	p-Value
	Meng, X. 2013	3.273	1.424	7.522	2.792	0.005
	Wu, Z. 2017	0.800	0.184	3.473	-0.298	0.766
	Zhou, Y. 2017	0.110	0.022	0.559	-2.662	0.008
Random		0.726	0.102	5.183	-0.319	0.750



Figure S36- Forrest plot of low miR-212 expression in association with distant metastasis (M1 vs. M0).



Figure S37- Forrest plot of low miR-212 expression in association with histological grade (poor vs. moderate-well).



Figure S38- Diagnostic evaluation of cancer using miR-212 level as determinant based on numbers preferably obtained by Youden Index: Forrest plot of sensitivity (A), specificity (B), positive likelihood ratio (LR) (C), negative LR (D), and diagnostic odds ratio (OR) (E), Deeks' funnel plot (F), receiver operating characteristic (ROC) plane (G) and Summary ROC (SROC) curve (H).



Figure S39- Diagnostic evaluation of cancer using miR-212 level as determinant based on numbers preferably obtained by Index of Union: Forrest plot of sensitivity (A), specificity (B), positive likelihood ratio (LR) (C), negative LR (D), and diagnostic odds ratio (OR) (E), Deeks' funnel plot (F), receiver operating characteristic (ROC) plane (G) and Summary ROC (SROC) curve (H).



Figure S40- Methodological quality graph of studies included in the diagnostic evaluation.



Figure S41- Methodological quality summary of studies included in the diagnostic evaluation.



Figure S42- Fagan's nomogram based on pooled sensitivity and specificity using numbers preferably obtained by Youden Index (A) and Index of Union (B).



Figure S43- Fagan's nomogram based on pooled positive and negative likelihood ratios using numbers preferably obtained by Youden Index (A) and Index of Union (B).