Circulation Reports
Circ Rep 2022; **4:** 187–193
doi:10.1253/circrep.CR-22-0003

Supplementary File

Impact of Prehospital 12-Lead Electrocardiography and Destination Hospital Notification on Mortality in Patients With Chest Pain

— A Systematic Review —

Takahiro Nakashima, MD, PhD; Katsutaka Hashiba, MD; Migaku Kikuchi, MD, PhD; Junichi Yamaguchi, MD, PhD; Sunao Kojima, MD, PhD; Hiroyuki Hanada, MD, PhD; Toshiaki Mano, MD; Takeshi Yamamoto, MD, PhD; Akihito Tanaka, MD, PhD; Kunihiro Matsuo, MD, PhD; Naoki Nakayama, MD, PhD; Osamu Nomura, MD, PhD; Tetsuya Matoba, MD, PhD; Yoshio Tahara, MD, PhD; Hiroshi Nonogi, MD, PhD
for the Japan Resuscitation Council (JRC) Acute Coronary Syndrome (ACS) Task Force and the Guideline Editorial Committee on behalf of the Japanese Circulation Society (JCS) Emergency and Critical Care Committee

SUPPLEMENTARY MATERIAL

TABLE OF CONTENTS

1. Combination of Key Terms and Established a Full Search Strategy **3**

2. Supplemental Tables

Supplementary Table. Median Door to Balloon Time of the Studies Excluded From the Meta-Analysis for the Critical Outcome **4**

3. Supplemental Figures

Supplementary Figure 1. Funnel plot of the studies included in the meta-analysis for the critical outcome **5**

Supplementary Figure 2. Funnel plot of the studies included in the meta-analysis of the important outcome..... **6**

Supplementary Appendix. Combination of Key Terms and Established a Full Search Strategy


("Emergency Medical Services"[Mesh:NoExp] OR "Emergency Medical Service Communication Systems"[Mesh] OR "Emergency Responders"[Mesh] or EMS[TIAB] or EMT[TIAB] or "Ambulances"[Mesh] or ambulance*[TIAB] or "emergency medical service"[TIAB] or "emergency medical services"[TIAB] or "emergency service"[TIAB] or "emergency services"[TIAB] or "emergency technician"[TIAB] or "emergency technicians"[TIAB] or "emergency medical technicians"[TIAB] or "emergency medical technician"[TIAB] or "rescue personnel"[TIAB] or "emergency health service"[TIAB] or "emergency health services"[TIAB] or paramedic[TIAB] or paramedics[TIAB] OR prehospital[TIAB] or pre-hospital[TIAB] or out-of-hospital[TIAB]) AND ("Electrocardiography"[Mesh] or electrocardiograph [TIAB] or electrocardiographs[TIAB] or electrocardiography[TIAB] or electrocardiogram[TIAB] or electrocardiograms[TIAB] or ECG[TIAB] or EKG[TIAB] OR cardioscopes[TIAB] or cardioscope[TIAB]) AND ("Myocardial Infarction"[Mesh] OR "myocardial infarction"[TIAB] OR "ST elevation"[TIAB] OR "ST segment"[TIAB] OR "Acute Coronary Syndrome"[Mesh] OR "Acute Coronary Syndrome"[TIAB] OR "Acute Coronary Syndromes"[TIAB] or "heart attack"[TIAB] or "heart infarct"[TIAB] or "heart infarction"[TIAB])

Supplementary Table. Median Door to Balloon Time of the Studies Excluded From the Meta-Analysis for the Critical Outcome

	Prehospital ECG		Control		
Study or Subgroup	**median**	**IQR**	**median**	**IQR**	**P-value**
Canto, 1997	92	65-133	115	84-164	<0.001
Direcks, 2009	61	46-79	75	58-95	<0.001
Martinoni, 2011	50	30-79	75	49-112	<0.001
Ong, 2012	51	18-129	75	36-146	N/A
Savage, 2014	40	37-44	76	71-81	<0.001
Kawakami, 2016	68	52-83	73	60-89	0.013
Kobayashi, 2016	49	35-62	68	48-90	<0.001


IQR denotes interquartile range

Supplementary Figure 1. Funnel plot of the studies included in the meta-analysis for the critical outcome



OR denotes odds ratio; SE, standard error

Supplementary Figure 2. Funnel plot of the studies included in the meta-analysis of the important outcome



MD denotes mean difference; SE, standard error