Seizure control in patients with epilepsy during COVID-19 pandemic:

A systematic review and meta-analysis

Naoto Kuroda[1,2*], MD; Prasannakumar Kanubhai Gajera[3], MD;

Hongxuyang Yu[4], MD; Takafumi Kubota[5], MD

*Corresponding authors

Supplementary Table 1: Risk of Bias assessment for each article.

Supplementary Table 1: Risk of Bias assessment for each article.

First Author & Year	Study	Q.1	Q.2	Q. 3	Q. 4	Q. 5	Total
Abokalawa 2021	QS	DY	DN	DY	DN	DN	2/5
Aledo-Serrano 2020	QS	PY	DN	DY	DN	DN	2/5
Alkhotani 2020	QS	DY	DN	DY	DY	DN	3/5
Asadi-Pooya 2020	QS	DY	DN	DY	DN	DN	2/5
Assenza 2020	QS	DY	DY	DY	DN	DN	3/5
Cabona 2020	QS	PY	PY	DY	DN	DN	3/5
Conde-Blanco 2021	QS	PN	DN	DY	DN	DN	1/5
Fonseca 2020	QS	DY	DN	DY	DN	DN	2/5
Gul 2021	QS	DY	PN	DY	DN	DN	2/5
Huang 2020	QS	PY	PN	DY	DN	DN	2/5
Lanzone 2020	QS	DY	DN	DY	DN	DN	2/5
Miller 2020	QS	DY	DY	DY	DN	DN	3/5
Millevert 2021	QS	DY	DN	DY	DN	DN	2/5
Mostacci 2020	QS	PY	PN	DY	DN	DN	2/5
Puteikis 2020	QS	DY	PN	DY	DN	DN	2/5
Rathore 2021	QS	DY	PN	DY	DY	DN	3/5
Reilly 2021	QS	PN	PN	DY	DN	DN	1/5
Rosengard 2020	QS	PY	DN	DY	DN	DN	2/5
Salari 2020	QS	PY	DN	DY	DN	DN	2/5
Saleem 2020	QS	PN	DY	DY	DY	DN	3/5
Sanchez-Larsen 2020	QS	PY	PN	DY	DN	DN	2/5
Si 2020	QS	PY	DY	DY	DN	DN	3/5
Trivisano 2020	QS	DY	DN	DN	DN	DN	1/5
Wanigasinghe 2021	QS	DY	DY	DY	DN	DN	3/5

DY: Definitely Yes

PY: Probably Yes

PN: Probably No

DN: Definitely No

QS: questionnaire survey

We calculated the total score by assigning 1 point for DY and PY and 0 points for DN and PN.

The details of questions are as follows [5]:

Q. 1 Is the source population representative of the population of interest?

Q. 2 Is the response rate adequate? (>75% is adequate)

Q. 3 Is there little missing data? (<10% missing date is low risk bias)

Q. 4 Is the survey clinically sensible?

Q. 5 Is there any evidence for the reliability and validity of the survey instrument?