OCD Comorbidity Meta-analysis: Across the Lifespan

Sharma E et al.

26/07/2021

Forest plots for each disorder

Method: Random-effects meta-analysis of proportions with double-arcsine transformation

Suppl Figure 2.1.1 Forest Plot for Any psychiatric comorbidity



Suppl Figure 2.1.2 Funnel Plot for Any psychiatric comorbidity



Egger's Assymetry Test Z= -0.078; p= 0.938. Begg's Test tau = -0.071; p=0.634

Suppl Figure 2.2.1 Forest Plot for Any mood disorder



Suppl Figure 2.2.2 Funnel Plot for Any mood disorder



Egger's Assymetry Test Z= -0.778; p= 0.437. Begg's Test tau = -0.152; p=0.354

Suppl Figure 2.3.1 Forest Plot for Major Depressive Disorder



Suppl Figure 2.3.2 Funnel Plot for Major Depressive Disorder



Egger's Assymetry Test Z= 0.03; p= 0.976. Begg's Test tau = 0; p=1

Suppl Figure 2.4.1 Forest Plot for Dysthymia



Suppl Figure 2.4.2 Funnel Plot for Dysthymia



Egger's Assymetry Test Z= 0.927; p= 0.354. Begg's Test tau = 0.132; p=0.49

Suppl Figure 2.5.1 Forest Plot for Bipolar Disorder



Suppl Figure 2.5.2 Funnel Plot for Bipolar Disorder



Egger's Assymetry Test Z= 0.591; p= 0.554. Begg's Test tau = 0.074; p=0.631

Suppl Figure 2.6.1 Forest Plot for Schizophrenia/Any psychotic disorder



Suppl Figure 2.6.2 Funnel Plot for Schizophrenia/Any psychotic disorder



Egger's Assymetry Test Z= 2.882; p= 0.004. Begg's Test tau = 0.323; p=0.126

Suppl Figure 2.7.1 Forest Plot for Any anxiety disorder



Suppl Figure 2.7.2 Funnel Plot for Any anxiety disorder



Egger's Assymetry Test Z= -0.484; p= 0.628. Begg's Test tau = -0.015; p=0.93

Suppl Figure 2.8.1 Forest Plot for Generalised Anxiety Disorder



Suppl Figure 2.8.2 Funnel Plot for Generalised Anxiety Disorder



Egger's Assymetry Test Z= 0.97; p= 0.332. Begg's Test tau = 0.126; p=0.339

Suppl Figure 2.9.1 Forest Plot for Social Anxiety Disorder



Suppl Figure 2.9.2 Funnel Plot for Social Anxiety Disorder



Egger's Assymetry Test Z= -1.018; p= 0.309. Begg's Test tau = -0.053; p=0.71

Suppl Figure 2.10.1 Forest Plot for Panic Disorder



Suppl Figure 2.10.2 Funnel Plot for Panic Disorder



Egger's Assymetry Test Z= 0.739; p= 0.46. Begg's Test tau = 0.03; p=0.833

Suppl Figure 2.11.1 Forest Plot for Agoraphobia



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Selles 2020	3	243	0.01	[0.00; 0.03]	12.0%
Random effects model		243	0.01	[0.00; 0.03]	12.0%
Heterogeneity: not applicable					
Age_Group = Adult					
dosSantos-Ribeiro 2016	49	1001	0.05	[0.04; 0.06]	15.2%
Viswanath 2012	4	545	0.01	[0.00; 0.02]	14.2%
Hofmeijer-Sevink 2013	10	382	0.03	[0.01; 0.04]	13.3%
Tukel 2004	6	169	0.04	[0.01; 0.07]	10.6%
Yovel 2012	1	127	0.01	[0.00; 0.03]	9.5%
Klein 2020	9	290	0.03	[0.01; 0.05]	12.5%
Pinto 2006	4	293	0.01	[0.00; 0.03]	12.6%
Random effects model		2807	0.02	[0.01; 0.04]	88.0%
Heterogeneity: $I^2 = 80\%$, $\tau^2 = 0.0028$, $p < 0.01$					
Random effects model		**3050**	**0.02**	**[0.01; 0.04]**	**100.0%**
Heterogeneity: $I^2 = 79\%$, $\tau^2 = 0.0026$, $p < 0.01$					

Suppl Figure 2.11.2 Funnel Plot for Agoraphobia



Egger's Assymetry Test Z= 0.551; p= 0.582. Begg's Test tau = 0.167; p=0.612

Suppl Figure 2.12.1 Forest Plot for Simple/Specific Phobia



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Selles 2020	11	243	0.05	[0.02; 0.08]	5.6%
Geller 2000	54	187	0.29	[0.23; 0.36]	5.5%
Geller 2001	28	101	0.28	[0.19; 0.37]	5.3%
Langley 2010	8	209	0.04	[0.02; 0.07]	5.6%
Peris 2017	29	322	0.09	[0.06; 0.12]	5.6%
Random effects model		1062	0.13	[0.05; 0.24]	27.6%
Heterogeneity: $I^2 = 96\%$, $\tau^2 = 0.0259$, $p < 0.01$					
Age_Group = Adult					
Brakoulias 2014	32	154	0.21	[0.15; 0.28]	5.5%
deMathis 2008	86	330	0.26	[0.21; 0.31]	5.6%
dosSantos-Ribeiro 2016	314	1001	0.31	[0.29; 0.34]	5.7%
Delorme 2005	36	161	0.22	[0.16; 0.29]	5.5%
Viswanath 2012	71	545	0.13	[0.10; 0.16]	5.7%
Maina 2008	21	148	0.14	[0.09; 0.20]	5.5%
vanOudheusden 2020	43	419	0.10	[0.08; 0.13]	5.7%
Denys 2004	4	420	0.01	[0.00; 0.02]	5.7%
Tukel 2004	27	169	0.16	[0.11; 0.22]	5.5%
Tukel 2005	13	116	0.11	[0.06; 0.18]	5.4%
Sahmelikoglu Onur 2016	78	146	0.53	[0.45; 0.61]	5.5%
Pinto 2006	53	293	0.18	[0.14; 0.23]	5.6%
Calamari 2008	6	280	0.02	[0.01; 0.04]	5.6%
Random effects model		4182	0.16	[0.10; 0.25]	72.4%
Heterogeneity: $I^2 = 98\%$, $\tau^2 = 0.0338$, $p < 0.01$					
Random effects model		**5244**	**0.15**	**[0.10; 0.22]**	**100.0%**
Heterogeneity: $I^2 = 97\%$, $\tau^2 = 0.0317$, $p < 0.01$					

Suppl Figure 2.12.2 Funnel Plot for Simple/Specific Phobia



Egger's Assymetry Test Z= 1.037; p= 0.3. Begg's Test tau = 0.15; p=0.41

Suppl Figure 2.13.1 Forest Plot for Somatic symptom disorder/Somatoform/Somatization disorder



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Adult					
deMathis 2008	6	330	0.02	[0.01; 0.04]	9.2%
Shavitt 2014	167	1001	0.17	[0.14; 0.19]	9.5%
Ecker 2014	18	170	0.11	[0.06; 0.16]	8.8%
Lennertz 2013	12	232	0.05	[0.03; 0.08]	9.0%
Benatti 2020	1	229	0.00	[0.00; 0.02]	9.0%
vanOudheusden 2020	22	419	0.05	[0.03; 0.08]	9.3%
Denys 2004	16	420	0.04	[0.02; 0.06]	9.3%
vanderVeld 2020	12	400	0.03	[0.02; 0.05]	9.3%
Tukel 2004	2	169	0.01	[0.00; 0.04]	8.8%
Sahmelikoglu Onur 2016	18	146	0.12	[0.07; 0.18]	8.6%
Mancebo 2009	28	323	0.09	[0.06; 0.12]	9.2%
Random effects model		3839	0.05	[0.03; 0.09]	100.0%
Heterogeneity: $I^2 = 95\%$, $\tau^2 = 0.0139$, $p < 0.01$					
Random effects model		**3839**	**0.05**	**[0.03; 0.09]**	**100.0%**
Heterogeneity: $I^2 = 95\%$, $\tau^2 = 0.0139$, $p < 0.01$					

Suppl Figure 2.13.2 Funnel Plot for Somatic symptom disorder/Somatoform/Somatization disorder



Egger's Assymetry Test Z= -0.53; p= 0.596. Begg's Test tau = -0.018; p=1

Suppl Figure 2.14.1 Forest Plot for Hypochondriasis/Illness anxiety disorder



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Adult					
deMathis 2008	9	330	0.03	[0.01; 0.05]	16.2%
Viswanath 2012	4	545	0.01	[0.00; 0.02]	18.4%
Denys 2004	12	420	0.03	[0.01; 0.05]	17.3%
Holm 2019	1	104	0.01	[0.00; 0.04]	9.8%
Tukel 2004	6	169	0.04	[0.01; 0.07]	12.6%
Kwee 2019	7	110	0.06	[0.02; 0.12]	10.1%
Pinto 2006	4	293	0.01	[0.00; 0.03]	15.6%
Random effects model		1971	0.02	[0.01; 0.04]	100.0%
Heterogeneity: $I^2 = 65\%$, $\tau^2 = 0.0018$, $p < 0.01$					
Random effects model		**1971**	**0.02**	**[0.01; 0.04]**	**100.0%**
Heterogeneity: $I^2 = 65\%$, $\tau^2 = 0.0018$, $p < 0.01$					

Suppl Figure 2.14.2 Funnel Plot for Hypochondriasis/Illness anxiety disorder



Egger's Assymetry Test Z= 1.409; p= 0.159. Begg's Test tau = 0.333; p=0.381

Suppl Figure 2.15.1 Forest Plot for Post-traumatic stress disorder (PTSD)



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Langley 2010	1	209	0.00	[0.00; 0.02]	6.7%
Leonard 2014	2	126	0.02	[0.00; 0.05]	6.4%
Random effects model		335	0.01	[0.00; 0.02]	13.1%
Heterogeneity: $I^2 = 1\%$, $\tau^2 = < 0.0001$, $p = 0.31$					
Age_Group = Adult					
deMathis 2008	15	330	0.05	[0.03; 0.07]	6.9%
dosSantos-Ribeiro 2016	190	1001	0.19	[0.17; 0.21]	7.1%
Lennertz 2013	19	232	0.08	[0.05; 0.12]	6.8%
vanOudheusden 2020	19	419	0.05	[0.03; 0.07]	7.0%
Denys 2004	7	420	0.02	[0.01; 0.03]	7.0%
Holm 2019	1	104	0.01	[0.00; 0.04]	6.3%
Lochner 2004	5	110	0.05	[0.01; 0.09]	6.3%
Sahmelikoglu Onur 2016	5	146	0.03	[0.01; 0.07]	6.5%
Yovel 2012	18	127	0.14	[0.09; 0.21]	6.4%
Nota 2020	16	173	0.09	[0.05; 0.14]	6.6%
Klein 2020	8	290	0.03	[0.01; 0.05]	6.9%
Kwee 2019	6	110	0.05	[0.02; 0.11]	6.3%
Ojserkis 2017	21	266	0.08	[0.05; 0.11]	6.8%
Random effects model		3728	0.06	[0.03; 0.10]	86.9%
Heterogeneity: $I^2 = 94\%$, $\tau^2 = 0.0146$, $p < 0.01$					
Random effects model		**4063**	**0.05**	**[0.02; 0.08]**	**100.0%**
Heterogeneity: $I^2 = 94\%$, $\tau^2 = 0.0159$, $p < 0.01$					

Suppl Figure 2.15.2 Funnel Plot for Post-traumatic stress disorder (PTSD)



Egger's Assymetry Test Z= 0.461; p= 0.644. Begg's Test tau = 0.151; p=0.417

Suppl Figure 2.16.1 Forest Plot for Any obsessive compulsive related (spectrum) disorders



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Leonard 2014	3	126	0.02	[0.00; 0.06]	19.5%
Random effects model		126	0.02	[0.00; 0.06]	19.5%
Heterogeneity: not applicable					
Age_Group = Adult					
Velloso 2016	175	548	0.32	[0.28; 0.36]	20.3%
Lennertz 2013	24	232	0.10	[0.07; 0.15]	20.0%
Viswanath 2012	33	545	0.06	[0.04; 0.08]	20.3%
Nota 2020	48	173	0.28	[0.21; 0.35]	19.8%
Random effects model		1498	0.18	[0.06; 0.34]	80.5%
Heterogeneity: $I^2 = 98\%$, $\tau^2 = 0.0363$, $p < 0.01$					
Random effects model		**1624**	**0.14**	**[0.04; 0.28]**	**100.0%**
Heterogeneity: $I^2 = 98\%$, $\tau^2 = 0.0381$, $p < 0.01$					

Suppl Figure 2.16.2 Funnel Plot for Any obsessive compulsive related (spectrum) disorders



Egger's Assymetry Test Z= -0.581; p= 0.561. Begg's Test tau = -0.2; p=0.817

Suppl Figure 2.17.1 Forest Plot for Body dysmorphic disorder



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Leonard 2014	2	126	0.02	[0.00; 0.05]	18.9%
Random effects model		126	0.02	[0.00; 0.05]	18.9%
Heterogeneity: not applicable					
Age_Group = Adult					
Viswanath 2012	3	545	0.01	[0.00; 0.01]	22.3%
Lochner 2004	3	110	0.03	[0.00; 0.07]	18.4%
Yovel 2012	5	127	0.04	[0.01; 0.08]	18.9%
Mancebo 2009	23	323	0.07	[0.05; 0.10]	21.5%
Random effects model		1105	0.03	[0.00; 0.08]	81.1%
Heterogeneity: $I^2 = 91\%$, $\tau^2 = 0.0100$, $p < 0.01$					
Random effects model		**1231**	**0.03**	**[0.01; 0.06]**	**100.0%**
Heterogeneity: $I^2 = 87\%$, $\tau^2 = 0.0080$, $p < 0.01$					

Suppl Figure 2.17.2 Funnel Plot for Body dysmorphic disorder



Egger's Assymetry Test Z= -0.284; p= 0.777. Begg's Test tau = -0.2; p=0.719

Suppl Figure 2.18.1 Forest Plot for Trichotillomania



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Selles 2020	6	243	0.02	[0.01; 0.05]	20.8%
Leonard 2014	1	126	0.01	[0.00; 0.03]	18.6%
Random effects model		369	0.02	[0.01; 0.04]	39.3%
Heterogeneity: $I^2 = 6\%$, $\tau^2 = < 0.0001$, $p = 0.30$					
Age_Group = Adult					
deMathis 2008	26	330	0.08	[0.05; 0.11]	21.5%
Lochner 2004	10	110	0.09	[0.04; 0.15]	18.0%
Grant 2006	4	293	0.01	[0.00; 0.03]	21.2%
Random effects model		733	0.05	[0.01; 0.12]	60.7%
Heterogeneity: $I^2 = 90\%$, $\tau^2 = 0.0102$, $p < 0.01$					
Random effects model		**1102**	**0.04**	**[0.01; 0.07]**	**100.0%**
Heterogeneity: $I^2 = 86\%$, $\tau^2 = 0.0071$, $p < 0.01$					

Suppl Figure 2.18.2 Funnel Plot for Trichotillomania



Egger's Assymetry Test Z= 0.196; p= 0.845. Begg's Test tau = 0; p=1

Suppl Figure 2.19.1 Forest Plot for Any tic disorder



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Jaspers-Fayer 2017	31	136	0.23	[0.16; 0.30]	3.1%
Selles 2020	18	243	0.07	[0.04; 0.11]	3.3%
Nissen 2018	39	317	0.12	[0.09; 0.16]	3.3%
Adam 2019	19	181	0.10	[0.06; 0.15]	3.2%
Ortiz 2016	13	112	0.12	[0.06; 0.18]	3.1%
Boloc 2019	11	101	0.11	[0.05; 0.18]	3.0%
Sevilla-Cermeno 2019	12	193	0.06	[0.03; 0.10]	3.2%
Cervin 2020	33	120	0.28	[0.20; 0.36]	3.1%
Rozenman 2019	19	215	0.09	[0.05; 0.13]	3.3%
Peris 2017	35	322	0.11	[0.08; 0.15]	3.3%
Piacentini 2003	19	151	0.13	[0.08; 0.18]	3.2%
Leonard 2014	11	126	0.09	[0.04; 0.14]	3.1%
Random effects model		2217	0.12	[0.09; 0.15]	38.2%
Heterogeneity: $I^2 = 77\%$, $\tau^2 = 0.0045$, $p < 0.01$					
Age_Group = Adult					
Brakoulias 2014	17	154	0.11	[0.07; 0.17]	3.2%
deMathis 2008	91	330	0.28	[0.23; 0.33]	3.3%
Velloso 2016	148	548	0.27	[0.23; 0.31]	3.4%
Bo 2013	13	241	0.05	[0.03; 0.09]	3.3%
Lennertz 2013	17	232	0.07	[0.04; 0.11]	3.3%
Dell'Osso 2016	67	431	0.16	[0.12; 0.19]	3.4%
Viswanath 2012	21	545	0.04	[0.02; 0.06]	3.4%
Albert 2015	36	483	0.07	[0.05; 0.10]	3.4%
Benatti 2020	12	229	0.05	[0.03; 0.09]	3.3%
Ronchi 1992	16	131	0.12	[0.07; 0.18]	3.1%
Camarena 2007	38	168	0.23	[0.17; 0.29]	3.2%
vanOudheusden 2020	113	419	0.27	[0.23; 0.31]	3.4%
Denys 2006	9	159	0.06	[0.03; 0.10]	3.2%
Katerberg 2010	65	147	0.44	[0.36; 0.52]	3.2%
Lochner 2004	14	110	0.13	[0.07; 0.20]	3.1%
Lochner 2004	28	220	0.13	[0.09; 0.17]	3.3%
Mancebo 2009	49	323	0.15	[0.11; 0.19]	3.3%
Leckman 1994	56	177	0.32	[0.25; 0.39]	3.2%
Karayiorgou 1999	24	103	0.23	[0.16; 0.32]	3.0%
Random effects model		5150	0.15	[0.11; 0.20]	61.8%
Heterogeneity: $I^2 = 96\%$, $\tau^2 = 0.0207$, $p < 0.01$					
Random effects model		**7367**	**0.14**	**[0.11; 0.17]**	**100.0%**
Heterogeneity: $I^2 = 94\%$, $\tau^2 = 0.0159$, $p < 0.01$					

Suppl Figure 2.19.2 Funnel Plot for Any tic disorder



Egger's Assymetry Test Z= 0.658; p= 0.51. Begg's Test tau = 0.118; p=0.362

Suppl Figure 2.20.1 Forest Plot for Any eating disorder



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Nissen 2018	22	317	0.07	[0.04; 0.10]	6.8%
Boloc 2019	9	101	0.09	[0.04; 0.15]	4.6%
Leonard 2014	8	126	0.06	[0.03; 0.11]	5.1%
Random effects model		544	0.07	[0.05; 0.09]	16.4%
Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, $p = 0.73$					
Age_Group = Adult					
deMathis 2008	33	330	0.10	[0.07; 0.13]	6.8%
Shavitt 2014	71	1001	0.07	[0.06; 0.09]	8.0%
Lennertz 2013	14	232	0.06	[0.03; 0.10]	6.3%
Garyfallos 2010	7	146	0.05	[0.02; 0.09]	5.4%
Maina 2008	8	148	0.05	[0.02; 0.10]	5.4%
Albert 2019	10	251	0.04	[0.02; 0.07]	6.4%
Benatti 2020	5	229	0.02	[0.01; 0.05]	6.2%
vanOudheusden 2020	44	419	0.11	[0.08; 0.14]	7.2%
Denys 2004	10	420	0.02	[0.01; 0.04]	7.2%
vanderVeld 2020	13	400	0.03	[0.02; 0.05]	7.1%
Holm 2019	3	104	0.03	[0.00; 0.07]	4.6%
Castle 1995	9	219	0.04	[0.02; 0.07]	6.2%
Pardue 2014	29	310	0.09	[0.06; 0.13]	6.7%
Random effects model		4209	0.05	[0.04; 0.07]	83.6%
Heterogeneity: $I^2 = 80\%$, $\tau^2 = 0.0032$, $p < 0.01$					
Random effects model		**4753**	**0.06**	**[0.04; 0.07]**	**100.0%**
Heterogeneity: $I^2 = 76\%$, $\tau^2 = 0.0027$, $p < 0.01$					

Suppl Figure 2.20.2 Funnel Plot for Any eating disorder



Egger's Assymetry Test Z= 0.404; p= 0.686. Begg's Test tau = 0.015; p=0.968

Suppl Figure 2.21.1 Forest Plot for Anorexia nervosa



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Selles 2020	2	243	0.01	[0.00; 0.02]	11.8%
Ortiz 2016	11	112	0.10	[0.05; 0.16]	9.8%
Geller 2000	1	187	0.01	[0.00; 0.02]	11.2%
Leonard 2014	4	126	0.03	[0.01; 0.07]	10.2%
Random effects model		668	0.03	[0.00; 0.07]	43.0%
Heterogeneity: $I^2 = 85\%$, $\tau^2 = 0.0086$, $p < 0.01$					
Age_Group = Adult					
deMathis 2008	11	330	0.03	[0.02; 0.06]	12.4%
Maina 2008	2	148	0.01	[0.00; 0.04]	10.6%
Ronchi 1992	5	131	0.04	[0.01; 0.08]	10.3%
Lochner 2004	20	220	0.09	[0.06; 0.13]	11.6%
Pinto 2006	9	293	0.03	[0.01; 0.05]	12.2%
Random effects model		1122	0.04	[0.02; 0.06]	57.0%
Heterogeneity: $I^2 = 72\%$, $\tau^2 = 0.0029$, $p < 0.01$					
Random effects model		**1790**	**0.03**	**[0.02; 0.05]**	**100.0%**
Heterogeneity: $I^2 = 79\%$, $\tau^2 = 0.0049$, $p < 0.01$					

Suppl Figure 2.21.2 Funnel Plot for Anorexia nervosa



Egger's Assymetry Test Z= 0.769; p= 0.442. Begg's Test tau = 0.222; p=0.477

Suppl Figure 2.22.1 Forest Plot for Bulimia nervosa



Study	Events	Total	Proportion	95%-CI	Weight
Age_Group = Pediatric					
Ortiz 2016	1	112	0.01	[0.00; 0.04]	9.0%
Random effects model		112	0.01	[0.00; 0.04]	9.0%
Heterogeneity: not applicable					
Age_Group = Adult					
deMathis 2008	9	330	0.03	[0.01; 0.05]	26.4%
Maina 2008	3	148	0.02	[0.00; 0.05]	11.9%
Lochner 2004	10	220	0.05	[0.02; 0.08]	17.6%
Sahmelikoglu Onur 2016	2	146	0.01	[0.00; 0.04]	11.7%
Pinto 2006	9	293	0.03	[0.01; 0.05]	23.4%
Random effects model		1137	0.03	[0.02; 0.04]	91.0%
Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, $p = 0.51$					
Random effects model		**1249**	**0.03**	**[0.02; 0.04]**	**100.0%**
Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, $p = 0.44$					

Suppl Figure 2.22.2 Funnel Plot for Bulimia nervosa



Egger's Assymetry Test Z= -1.73; p= 0.084. Begg's Test tau = -0.429; p=0.239

Suppl Figure 2.23.1 Forest Plot for Any substance use disorder



Suppl Figure 2.23.2 Funnel Plot for Any substance use disorder



Egger's Assymetry Test Z= -0.576; p= 0.565. Begg's Test tau = 0.029; p=0.903

Suppl Figure 2.24.1 Forest Plot for Autism spectrum disorder



Suppl Figure 2.24.2 Funnel Plot for Autism spectrum disorder



Egger's Assymetry Test Z= 0.636; p= 0.525. Begg's Test tau = 0.333; p=0.381

Suppl Figure 2.25.1 Forest Plot for Attention deficit hyperactivity disorder



Suppl Figure 2.25.2 Funnel Plot for Attention deficit hyperactivity disorder



Egger's Assymetry Test Z= 1.025; p= 0.305. Begg's Test tau = 0.188; p=0.263

Suppl Figure 2.26.1 Forest Plot for Oppositional defiant disorder



Suppl Figure 2.26.2 Funnel Plot for Oppositional defiant disorder



Egger's Assymetry Test Z= 0.136; p= 0.892. Begg's Test tau = 0.195; p=0.543

Suppl Figure 2.27.1 Forest Plot for Any personality disorder



Suppl Figure 2.27.2 Funnel Plot for Any personality disorder



Egger's Assymetry Test Z= -0.172; p= 0.864. Begg's Test tau = -0.429; p=0.239

Suppl Figure 2.28.1 Forest Plot for Obsessive compulsive (Anankastic) personality disorder



Suppl Figure 2.28.2 Funnel Plot for Obsessive compulsive (Anankastic) personality disorder



Egger's Assymetry Test Z= 2.353; p= 0.019. Begg's Test tau = 0.462; p=0.039

Suppl Figure 2.29.1 Forest Plot for Schizoid personality disorder



Suppl Figure 2.29.2 Funnel Plot for Schizoid personality disorder



Egger's Assymetry Test Z= 0.675; p= 0.5. Begg's Test tau = 0.327; p=0.262

Suppl Figure 2.30.1 Forest Plot for Schizotypal personality disorder



Suppl Figure 2.30.2 Funnel Plot for Schizotypal personality disorder



Egger's Assymetry Test Z= 1.859; p= 0.063. Begg's Test tau = 0.352; p=0.137

Suppl Figure 2.31.1 Forest Plot for Borderline personality disorder



Suppl Figure 2.31.2 Funnel Plot for Borderline personality disorder



Egger's Assymetry Test Z= 1.536; p= 0.124. Begg's Test tau = 0.457; p=0.092

Suppl Figure 2.32.1 Forest Plot for Histrionic personality disorder



Suppl Figure 2.32.2 Funnel Plot for Histrionic personality disorder



Egger's Assymetry Test Z= 1.579; p= 0.114. Begg's Test tau = 0.488; p=0.129

Suppl Figure 2.33.1 Forest Plot for Antisocial personality disorder



Suppl Figure 2.33.2 Funnel Plot for Antisocial personality disorder



Egger's Assymetry Test Z= 1.613; p= 0.107. Begg's Test tau = 0.407; p=0.167

Suppl Figure 2.34.1 Forest Plot for Narcissistic personality disorder



Suppl Figure 2.34.2 Funnel Plot for Narcissistic personality disorder



Egger's Assymetry Test Z= 2.168; p= 0.03. Begg's Test tau = 0.39; p=0.224

Suppl Figure 2.35.1 Forest Plot for Dependent personality disorder





Suppl Figure 2.35.2 Funnel Plot for Dependent personality disorder



Egger's Assymetry Test Z= 0.632; p= 0.527. Begg's Test tau = 0.182; p=0.533

Suppl Figure 2.36.1 Forest Plot for Anxious-avoidant personality disorder



Suppl Figure 2.36.2 Funnel Plot for Anxious-avoidant personality disorder



Egger's Assymetry Test Z= 0.975; p= 0.33. Begg's Test tau = 0.197; p=0.463