





SE(log[RR])
0
0.05
0.1
0.15
0.2
0.01
0.1
1
10
100
RR


SE(log[OR])
0
0.1
0.2
0.3
0.4
0.5
0.01
0.1
1
10
100
OR


SE(log[RR])
0
0.1
0.2
0.3
0.4
0.5
0.01
0.1
1
10
100
RR


SE(log[RR])
0
0.5
1
1.5
2
0.01
0.1
1
10
100
RR



211x141mm (72 x 72 DPI)



PRISMA 2020for Abstracts Checklist

Section and Topic	Item #	Checklist item	Reported (Yes/No)
TITLE			
Title	1	Identify the report as a systematic review.	YES
BACKGROUND			
Objectives	2	Provide an explicit statement of the main objective(s) or question(s) the review addresses.	YES
METHODS			
Eligibility criteria	3	Specify the inclusion and exclusion criteria for the review.	YES
Information sources	4	Specify the information sources (e.g. databases, registers) used to identify studies and the date when each was last searched.	YES
Risk of bias	5	Specify the methods used to assess risk of bias in the included studies.	YES
Synthesis of results	6	Specify the methods used to present and synthesise results.	YES
RESULTS			
Included studies	7	Give the total number of included studies and participants and summarise relevant characteristics of studies.	YES
Synthesis of results	8	Present results for main outcomes, preferably indicating the number of included studies and participants for each. If meta-analysis was done, report the summary estimate and confidence/credible interval. If comparing groups, indicate the direction of the effect (i.e. which group is favoured).	YES
DISCUSSION			
Limitations of evidence	9	Provide a brief summary of the limitations of the evidence included in the review (e.g. study risk of bias, inconsistency and imprecision).	YES
Interpretation	10	Provide a general interpretation of the results and important implications.	YES
OTHER			
Funding	11	Specify the primary source of funding for the review.	YES
Registration	12	Provide the register name and registration number.	N/A

From: Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. BMJ 2021;372:n71.doi: 10.1136/bmj.n71

For more information, visit:http://www.prisma-statement.org/



PRISMA 2020 Checklist

Section and Topic	Item #	Checklist item	Location where item is reported
TITLE			
Title	1	Identify the report as a systematic review.	Page 1
ABSTRACT			
Abstract	2	See the PRISMA 2020 for Abstracts checklist.	Attached separately
INTRODUCTION			
Rationale	3	Describe the rationale for the review in the context of existing knowledge.	Page 2-3
Objectives	4	Provide an explicit statement of the objective(s) or question(s) the review addresses.	Page 3
METHODS			
Eligibility criteria	5	Specify the inclusion and exclusion criteria for the review and how studies were grouped for the syntheses.	Page 4
Information sources	6	Specify all databases, registers, websites, organisations, reference lists and other sources searched or consulted to identify studies. Specify the date when each source was last searched or consulted.	Page 4
Search strategy	7	Present the full search strategies for all databases, registers and websites, including any filters and limits used.	Page 4
Selection process	8	Specify the methods used to decide whether a study met the inclusion criteria of the review, including how many reviewers screened each record and each report retrieved, whether they worked independently, and if applicable, details of automation tools used in the process.	Page 4
Data collection process	9	Specify the methods used to collect data from reports, including how many reviewers collected data from each report, whether they worked independently, any processes for obtaining or confirming data from study investigators, and if applicable, details of automation tools used in the process.	Page 4
Data items	10a	List and define all outcomes for which data were sought. Specify whether all results that were compatible with each outcome domain in each study were sought (e.g. for all measures, time points, analyses), and if not, the methods used to decide which results to collect.	Page 5
	10b	List and define all other variables for which data were sought (e.g. participant and intervention characteristics, funding sources). Describe any assumptions made about any missing or unclear information.	Page 5
Study risk of bias assessment	11	Specify the methods used to assess risk of bias in the included studies, including details of the tool(s) used, how many reviewers assessed each study and whether they worked independently, and if applicable, details of automation tools used in the process.	Page 4
Effect measures	12	Specify for each outcome the effect measure(s) (e.g. risk ratio, mean difference) used in the synthesis or presentation of results.	Page 5
Synthesis methods	13a	Describe the processes used to decide which studies were eligible for each synthesis (e.g. tabulating the study intervention characteristics and comparing against the planned groups for each synthesis (item #5)).	Done separately not mentioned in manuscript
	13b	Describe any methods required to prepare the data for presentation or synthesis, such as handling of missing summary statistics, or data conversions.	N/A
	13c	Describe any methods used to tabulate or visually display results of individual studies and syntheses.	Tables obtained from GRADE.
	13d	Describe any methods used to synthesize results and provide a rationale for the choice(s). If meta-analysis was performed, describe the	Page 5

For Peer Review

PRISMA 2020 Checklist

Section and Topic	Item #	Checklist item	Location where item is reported
		model(s), method(s) to identify the presence and extent of statistical heterogeneity, and software package(s) used.	
	13e	Describe any methods used to explore possible causes of heterogeneity among study results (e.g. subgroup analysis, meta-regression).	N/A
	13f	Describe any sensitivity analyses conducted to assess robustness of the synthesized results.	
Reporting bias assessment	14	Describe any methods used to assess risk of bias due to missing results in a synthesis (arising from reporting biases).	N/A
Certainty assessment	15	Describe any methods used to assess certainty (or confidence) in the body of evidence for an outcome.	It was not done because the studies were less and were authored from same group.
RESULTS			
Study selection	16a	Describe the results of the search and selection process, from the number of records identified in the search to the number of studies included in the review, ideally using a flow diagram.	Page 5
	16b	Cite studies that might appear to meet the inclusion criteria, but which were excluded, and explain why they were excluded.	Reasons of exclusion mentioned in the results.
Study characteristics	17	Cite each included study and present its characteristics.	Table 1
Risk of bias in studies	18	Present assessments of risk of bias for each included study.	Table 2
Results of individual studies	19	For all outcomes, present, for each study: (a) summary statistics for each group (where appropriate) and (b) an effect estimate and its precision (e.g. confidence/credible interval), ideally using structured tables or plots.	Page 6-7 Forest plots and funnel plots attached for each outcome.
Results of syntheses	20a	For each synthesis, briefly summarise the characteristics and risk of bias among contributing studies.	Its done.
	20b	Present results of all statistical syntheses conducted. If meta-analysis was done, present for each the summary estimate and its precision (e.g. confidence/credible interval) and measures of statistical heterogeneity. If comparing groups, describe the direction of the effect.	Page 7
	20c	Present results of all investigations of possible causes of heterogeneity among study results.	Page 7-8
	20d	Present results of all sensitivity analyses conducted to assess the robustness of the synthesized results.	n/a
Reporting biases	21	Present assessments of risk of bias due to missing results (arising from reporting biases) for each synthesis assessed.	n/a

For Peer Review



PRISMA 2020 Checklist

Section and Topic	Item #	Checklist item	Location where item is reported
Certainty of evidence	22	Present assessments of certainty (or confidence) in the body of evidence for each outcome assessed.	n/a
DISCUSSION			
Discussion	23a	Provide a general interpretation of the results in the context of other evidence.	Page 7-8
	23b	Discuss any limitations of the evidence included in the review.	Page- 9
	23c	Discuss any limitations of the review processes used.	n/a
	23d	Discuss implications of the results for practice, policy, and future research.	Page- 9
OTHER INFORMATION			
Registration and protocol	24a	Provide registration information for the review, including register name and registration number, or state that the review was not registered.	Not registered
	24b	Indicate where the review protocol can be accessed, or state that a protocol was not prepared.	Protocol prepared for internal use only.
	24c	Describe and explain any amendments to information provided at registration or in the protocol.	n/a
Support	25	Describe sources of financial or non-financial support for the review, and the role of the funders or sponsors in the review.	Page 10
Competing interests	26	Declare any competing interests of review authors.	Page 10
Availability of data, code and other materials	27	Report which of the following are publicly available and where they can be found: template data collection forms; data extracted from included studies; data used for all analyses; analytic code; any other materials used in the review.	n/a

From: Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. BMJ 2021;372:n71.doi: 10.1136/bmj.n71

For more information, visit:http://www.prisma-statement.org/

For Peer Review

ClinicalTrials.gov Search Results 08/16/2021

	Title	Status	Study Results	Conditions	Interventions	Locations
1	A Phase I/IIa, Randomized, Double-Blind Study of the Safety and Efficacy of SPN-812 in Adults With ADHD	Completed	No Results Available	•ADHD	•Drug: SPN-812 •Drug: Placebo	•Bradenton, Florida, United States •Libertyville, Illinois, United States •Owensboro, Kentucky, United States •Herndon, Virginia, United States
2	Evaluation of SPN-812 (Viloxazine Extended-release Capsule) Low Dose in Children With ADHD	Completed	Has Results	•ADHD	•Drug: Placebo •Drug: 100mg SPN-812 •Drug: 200mg SPN-812	•Harmonex Neuroscience Research, Dothan, Alabama, United States •Indago Research & Health Center, Inc., Hialeah, Florida, United States •Advanced Clinical Research, Meridian, Idaho, United States •Finger Lakes Clinical Research, Rochester, New York, United States •Houston Clinical Trials, Houston, Texas, United States •Family Psychiatry of the Woodlands, The Woodlands, Texas, United States •Aspen Clinical Research, Orem, Utah, United States
3	Open-label Long-Term Safety and Efficacy of SPN-812 (Viloxazine Extended-release Capsule) in Adults With ADHD	Active, not recruiting	No Results Available	•Attention-Deficit/Hyperactivity Disorder	•Drug: SPN-812	•South California Research LLC, Beverly Hills, California, United States •Collaborative Neuroscience Network, Garden Grove, California, United States •Pharmacology Research Institute, Los Alamitos, California, United States •Pharmacology Research Institute, Newport Beach, California, United States •Artemis Research Institue for Clinical Research, Riverside, California, United States •Artemis Institute for Clinical Research, San Diego, California, United States •Artemis Institute for Clinical Rearch, San Marcos, California, United States •Collaborative Neuroscience Network LLC, Torrance, California, United States •Gulfcoast Research Center, Fort Myers, Florida, United States •Research Centers of America, Hollywood, Florida, United States •and 28 more

	Title	Status	Study Results	Conditions	Interventions	Locations
4	Evaluation of SPN-812 (Viloxazine Extended-release Capsule) High Dose in Children With ADHD	Completed	Has Results	•ADHD	•Drug: Placebo •Drug: 200mg SPN-812 •Drug: 400mg SPN-812	•Alliance for Wellness, Long Beach, California, United States •Innovative Clinical Research, Inc, Lauderhill, Florida, United States •APG Research, LLC, Orlando, Florida, United States •University of South Florida- Dept. of Psychiatry and Neurosciences, Tampa, Florida, United States •Psychiatric Associates, Overland Park, Kansas, United States •Paradigm Research Professionals, Oklahoma City, Oklahoma, United States •Carolina Clinical Trials, Inc., Charleston, South Carolina, United States •BioBehavioral Research of Austin P.C., Austin, Texas, United States •Bayou City Research Corporation, Houston, Texas, United States •Ericksen Research & Development, Clinton, Utah, United States
5	Evaluation of SPN-812 (Viloxazine Extended-release Capsule) Low Dose in Adolescents With ADHD	Completed	Has Results	•ADHD	•Drug: Placebo •Drug: 200mg SPN-812 •Drug: 400mg SPN-812	•Harmonex Neuroscience Research, Dothan, Alabama, United States •Neuropsychiatric Research Center of Orange County, Orange, California, United States •Indago Research & Health Center, Inc., Hialeah, Florida, United States •Clinical Neuroscience Solutions, Inc, Jacksonville, Florida, United States •Miami Clinical Research, Miami, Florida, United States •Advanced Clinical Research, Meridian, Idaho, United States •Icahn School of Medicine at Mount Sinai, New York, New York, United States •Finger Lakes Clinical Research, Rochester, New York, United States •Clinical Neuroscience Solutions, Inc., Memphis, Tennessee, United States •Texas Physicians Medical Research Group, Arlington, Texas, United States •Houston Clinical Trials, Houston, Texas, United States •Family Psychiatry of the Woodlands, The Woodlands, Texas, United States

	Title	Status	Study Results	Conditions	Interventions	Locations
6	Evaluation of SPN-812 (Viloxazine Extended-release Capsule) High Dose in Adolescents With ADHD	Completed	Has Results	•ADHD	•Drug: Placebo •Drug: 400mg SPN-812 •Drug: 600mg SPN-812	•Alliance for Wellness dba Alliance for Research, Long Beach, California, United States •MCB Clinical Research Centers, LLC, Colorado Springs, Colorado, United States •Meridien Research at Florida Clinical Research Center, Bradenton, Florida, United States •Innovative Clinical Research, Inc, Lauderhill, Florida, United States •Miami Clinical Research, Miami, Florida, United States •APG Research, LLC, Orlando, Florida, United States •iResearch Atlanta, Decatur, Georgia, United States •IPS Research, Oklahoma City, Oklahoma, United States •Paradigm Research Professionals, Oklahoma City, Oklahoma, United States •Carolina Clinical Trials, Inc., Charleston, South Carolina, United States •and 4 more
7	Evaluation of SPN-812 in Adults With Attention-Deficit/ Hyperactivity Disorder	Completed	No Results Available	•ADHD	•Drug: Placebo •Drug: 200-600 mg SPN-812	•Collaborative Neuroscience Network, Garden Grove, California, United States •Pharmacology Research Institute, Los Alamitos, California, United States •Pharmacology Research Institute, Newport Beach, California, United States •Artemis Research Institue for Clinical Research, Riverside, California, United States •Artemis Institute for Clinical Research, San Diego, California, United States •Artemis Institute for Clinical Rearch, San Marcos, California, United States •Collaborative Neuroscience Network LLC, Torrance, California, United States •Gulfcoast Research Center, Fort Myers, Florida, United States •Research Centers of America, Hollywood, Florida, United States •Clinical Neuroscience Solutions, Inc, Jacksonville, Florida, United States •and 27 more
8	Evaluation of SPN-812 in Preschool-age Children With ADHD	Not yet recruiting	No Results Available	•Attention-Deficit/Hyperactivity Disorder	•Drug: 100mg SPN-812 •Drug: Placebo	
9	Classroom Study of SPN-812 in Children With ADHD	Withdrawn	No Results Available	•ADHD	•Drug: Placebo •Drug: 200 mg SPN-812	
10	Open-Label Study of SPN-812 Administered With Psychostimulants in Children and Adolescents With ADHD	Recruiting	No Results Available	•Attention-Deficit/Hyperactivity Disorder (ADHD)	•Drug: SPN-812	•Center for Psychiatry and Behavioral Medicine, Las Vegas, Nevada, United States

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services

Cookies

Our site uses cookies to improve your experience. You can find out more about our use of cookies in About Cookies, including instructions on how to turn off cookies if you wish to do so. By continuing to browse this site you agree to us using cookies as described in About Cookies.

I accept

Cochrane Library

Access provided by: **All India Institute of Medical Sciences, Raipur**

Advanced Search

Search

Save search | View saved searches | ? Search help

Did you know you can now select fields from Search manager using the S button (next to the search box)?

Search manager lets you add unlimited search lines, view results per line and access the MeSH browser using the new MeSH button.

Title Abstract Keyword | viloxazine, ADHD

(Word variations have been searched)

+

Search limits | Send to search manager | Run search

Clear all

Filter your results

Cochrane Reviews 0 | Cochrane Protocols 0 | Trials 28 | Editorials 0 | Special Collections 0 | Clinical Answers 0 | More

For COVID-19 related studies, please also see the **Cochrane COVID-19 Study Register**

28 Trials matching **viloxazine, ADHD in Title Abstract Keyword - (Word variations have been searched)**

Cochrane Central Register of Controlled Trials

Issue 8 of 12, August 2021

Authenticate to get access to full CENTRAL content

Unlock the potential of Cochrane Evidence

Order by Relevancy

Results per page 50

1

A Phase I/IIa, Randomized, Double-Blind Study of the Safety and Efficacy of SPN-812 in Adults With ADHD

NCT01107496

https://clinicaltrials.gov/show/NCT01107496, **2010** | added to CENTRAL: 31 May 2018 | 2018 Issue 5

CT.gov

2

Phase 3 randomized, double-blind, placebo-controlled studies evaluating efficacy and safety of extended-release viloxazine for pediatric ADHD

A Nasser, JK Johnson, T Adewole, T Liranso, R Marcus

CNS spectrums, **2019**, 24(1), 177-178 | added to CENTRAL: 30 September 2019 | 2019 Issue 09

Embase

3

9 Phase 3 Randomized, Double-blind, Placebo-Controlled Studies Evaluating Efficacy and Safety of Extended-Release Viloxazine for Pediatric ADHD

A Nasser, JK Johnson, T Adewole, T Liranso, R Marcus

CNS spectrums, **2019**, 24(1), 177-178 | added to CENTRAL: 30 April 2019 | 2019 Issue 04
PubMed Embase

4

A Phase II Double-Blind, Placebo-Controlled, Efficacy and Safety Study of SPN-812 (Extended-Release Viloxazine) in Children With ADHD

JK Johnson, T Liranso, K Saylor, G Tulloch, T Adewole, S Schwabe, A Nasser, RL Findling, JH Newcorn

Journal of attention disorders, **2020**, 24(2), 348-358 | added to CENTRAL: 30 June 2019 | 2019 Issue 06
PubMed Embase

5

Early response to SPN-812 (viloxazine extended-release) can predict efficacy outcome in pediatric subjects with ADHD: a machine learning post-hoc analysis of four randomized clinical trials

Psychiatry research, **2021**, 296 | added to CENTRAL: 30 June 2021 | 2021 Issue 06
PubMed Embase

6

Pharmacokinetics of Coadministered Viloxazine Extended-Release (SPN-812) and Lisdexamfetamine in Healthy Adults

Journal of clinical psychopharmacology, **2021** | added to CENTRAL: 31 May 2021 | 2021 Issue 05
PubMed Embase

7

A Phase III, Randomized, Placebo-controlled Trial to Assess the Efficacy and Safety of Once-daily SPN-812 (Viloxazine Extended-release) in the Treatment of Attention-deficit/Hyperactivity Disorder in School-age Children

A Nasser, T Liranso, T Adewole, N Fry, JT Hull, F Chowdhry, GD Busse, AJ Cutler, NJ Jones, RL Findling, S Schwabe

Clinical therapeutics, **2020**, 42(8), 1452-1466 | added to CENTRAL: 30 September 2020 | 2020 Issue 09
PubMed Embase

8

A double-blind, placebo-controlled, dose-ranging study of extended-release viloxazine (SPN-812 ER) in children with attention-deficit/hyperactivity disorder (ADHD)

JK Johnson, K Saylor, ST Brittain, G Tulloch, T Liranso

Journal of the american academy of child and adolescent psychiatry, **2017**, 56(10), S283-S284 | added to CENTRAL: 31 March 2018 | 2018 Issue 3

Embase

9

5.31 THE EFFICACY AND SAFETY OF SPN-812 (VILOXAZINE EXTENDED-RELEASE) FOR THE TREATMENT OF ADHD IN CHILDREN AND ADOLESCENTS

A Nasser, JT Hull, S Chaturvedi, T Adewole, T Liranso, G Busse, R Jain, S Schwabe

Journal of the American Academy of Child and Adolescent Psychiatry, **2020**, 59(10), S159- | added to CENTRAL: 30 November 2020 | 2020 Issue 11

Embase

10

Phase 3, randomized, double-blind, placebo-controlled study (P301) assessing efficacy and safety of extended-release viloxazine in children with ADHD

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, S Schwabe

CNS spectrums, **2020**, 25(2), 272- | added to CENTRAL: 30 June 2020 | 2020 Issue 06

Embase

11

Phase 3, randomized, double-blind, placebo-controlled study (P303) assessing efficacy and safety of extended-release viloxazine in children with ADHD

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, S Schwabe

CNS spectrums, **2020**, 25(2), 273-274 | added to CENTRAL: 30 June 2020 | 2020 Issue 06

Embase

12

A phase 3, randomized, double-blind, placebo-controlled study (P302): efficacy and safety of extended-release viloxazine in adolescents with ADHD

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, S Schwabe

CNS spectrums, **2020**, 25(2), 272-273 | added to CENTRAL: 30 June 2020 | 2020 Issue 06

Embase

13

113 Phase 3, Randomized, Double-Blind, Placebo-Controlled Study (P303) Assessing Efficacy and Safety of Extended-Release Viloxazine in Children with ADHD

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, S Schwabe

CNS spectrums, **2020**, 25(2), 273-274 | added to CENTRAL: 30 June 2020 | 2020 Issue 06

PubMed Embase

14

112 A Phase 3, Randomized, Double-Blind, Placebo-Controlled Study (P302): efficacy and Safety of Extended-Release Viloxazine in Adolescents with ADHD

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, S Schwabe

CNS spectrums, **2020**, 25(2), 272-273 | added to CENTRAL: 30 June 2020 | 2020 Issue 06

PubMed Embase

15

111 Phase 3, Randomized, Double-Blind, Placebo-Controlled Study (P301) Assessing Efficacy and Safety of Extended-Release Viloxazine in Children with ADHD

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, S Schwabe

CNS spectrums, **2020**, 25(2), 272- | added to CENTRAL: 30 June 2020 | 2020 Issue 06

PubMed Embase

16

A Phase 3 Placebo-Controlled Trial of Once-Daily 400-mg and 600-mg SPN-812 (Viloxazine Extended-Release) in Adolescents with ADHD

A Nasser, T Liranso, T Adewole, N Fry, JT Hull, F Chowdhry, GD Busse, Z Melyan, AJ Cutler, RL Findling, S Schwabe

Psychopharmacology bulletin, **2021**, 51(2), 43-64 | added to CENTRAL: 31 July 2021 | 2021 Issue 07

PubMed Embase

17

Phase 3, randomized, double-blind, placebo-controlled studies evaluating efficacy and safety of extended-release viloxazine (SPN-812) for pediatric ADHD: update on the second adolescent study (p304)

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, R Marcus

Neurotherapeutics, **2019**, 16(3), 915- | added to CENTRAL: 31 July 2020 | 2020 Issue 07
Embase

18

An assessment of QTc effects with SPN-812 (extended-release viloxazine) in healthy adults

CNS spectrums, **2020**, 25(2), 274- | added to CENTRAL: 31 August 2020 | 2020 Issue 08
Embase

19

114 An Assessment of QTc Effects With SPN-812 (Extended-Release Viloxazine) in Healthy Adults

CNS spectrums, **2020**, 25(2), 274- | added to CENTRAL: 31 August 2020 | 2020 Issue 08
PubMed Embase

20

1.70 A PHASE 3, RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY (P301) ASSESSING THE EFFICACY AND SAFETY OF SPN-812 (EXTENDED-RELEASE VILOXAZINE) 100 AND 200MG FOR THE TREATMENT OF ADHD IN CHILDREN

A Nasser, GD Busse, J Hull, F Chowdhry, T Adewole, T Liranso, S Schwabe

Journal of the American Academy of Child and Adolescent Psychiatry, **2019**, 58(10), S169-S170 | added to CENTRAL: 30 November 2019 | 2019 Issue 11
Embase

21

1.71 A PHASE 3, RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY (P302) ASSESSING THE EFFICACY AND SAFETY OF SPN-812 (EXTENDED-RELEASE VILOXAZINE) 200 AND 400MG FOR THE TREATMENT OF ADHD IN ADOLESCENTS

A Nasser, GD Busse, J Hull, F Chowdhry, T Adewole, T Liranso, S Schwabe

Journal of the American Academy of Child and Adolescent Psychiatry, **2019**, 58(10), S170- | added to CENTRAL: 30 November 2019 | 2019 Issue 11
Embase

22

1.72 A PHASE 3, RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY (P303) ASSESSING THE EFFICACY AND SAFETY OF SPN-812 (EXTENDED-RELEASE VILOXAZINE) 200 AND 400 MG FOR THE TREATMENT OF ADHD IN CHILDREN

A Nasser, GD Busse, J Hull, F Chowdhry, T Adewole, T Liranso, S Schwabe

Journal of the American Academy of Child and Adolescent Psychiatry, **2019**, 58(10), S170- | added to CENTRAL: 30 November 2019 | 2019 Issue 11

Embase

23

Extended-release viloxazine (SPN-812) for the treatment of attention-deficit/hyperactivity disorder (ADHD) in adolescents: topline results of a phase 3, randomized, double-blind, placebo-controlled study (p302)

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, R Marcus

Neurotherapeutics, **2019**, 16(3), 914-915 | added to CENTRAL: 31 July 2020 | 2020 Issue 07

Embase

24

Extended-release viloxazine (SPN-812) for the treatment of attention-deficit/hyperactivity disorder (ADHD) in children: topline results of a phase 3, randomized, double-blind, placebo-controlled study (P301)

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, R Marcus

Neurotherapeutics, **2019**, 16(3), 914- | added to CENTRAL: 31 July 2020 | 2020 Issue 07

Embase

25

Extended-release viloxazine (SPN-812) for the treatment of attention-deficit/hyperactivity disorder (ADHD) in children: topline results of a phase 3, randomized, double-blind, placebo-controlled study (p303)

A Nasser, JT Hull, FA Chowdhry, T Adewole, T Liranso, R Marcus

Neurotherapeutics, **2019**, 16(3), 915- | added to CENTRAL: 31 July 2020 | 2020 Issue 07

Embase

26

Translating Attention-Deficit/Hyperactivity Disorder Rating Scale-5 and Weiss Functional Impairment Rating Scale-Parent Effectiveness Scores into Clinical Global Impressions Clinical Significance Levels in Four Randomized Clinical Trials of SPN-812 (Viloxazine Extended-Release) in Children and Adolescents with Attention-Deficit/Hyperactivity Disorder

A Nasser, AR Kosheleff, JT Hull, T Liranso, P Qin, GD Busse, W O'Neal, M Fava, SV Faraone, J Rubin

https://mc.manuscriptcentral.com/jcnsd

Journal of child and adolescent psychopharmacology, **2021** | added to CENTRAL: 31 May 2021 | 2021 Issue 05

PubMed Embase

27

Once-Daily SPN-812 200 and 400 mg in the treatment of ADHD in School-aged Children: a Phase III Randomized, Controlled Trial

A Nasser, T Liranso, T Adewole, N Fry, JT Hull, F Chowdhry, GD Busse, Z Melyan, AJ Cutler, RL Findling, S Schwabe

Clinical therapeutics, **2021** | added to CENTRAL: 31 May 2021 | 2021 Issue 05

PubMed Embase

28

2019 NEI Congress

CNS spectrums, **2020**, 25(2) | added to CENTRAL: 30 June 2020 | 2020 Issue 06

Embase

1: Faison SL, Fry N, Adewole T, Odebo O, Schwabe S, Wang Z, Maletic V, Nasser A. Pharmacokinetics of Coadministered Viloxazine Extended-Release (SPN-812) and Methylphenidate in Healthy Adults. Clin Drug Investig. 2021 Feb;41(2):149-159. doi: 10.1007/s40261-020-00992-6. Epub 2020 Dec 23. PMID: 33368026; PMCID: PMC7886742.

2: Nasser A, Faison SL, Liranso T, Adewole T, Busse GD, Fava M, Kleiman RB, Schwabe S. Evaluation of the Effect of SPN-812 (Viloxazine Extended-Release) on QTc Interval in Healthy Adults. J Clin Psychiatry. 2020 Oct 13;81(6):20m13395. doi: 10.4088/JCP.20m13395. PMID: 33049804.

3: Nasser A, Liranso T, Adewole T, Fry N, Hull JT, Chowdhry F, Busse GD, Cutler AJ, Jones NJ, Findling RL, Schwabe S. A Phase III, Randomized, Placebo-controlled Trial to Assess the Efficacy and Safety of Once-daily SPN-812 (Viloxazine Extended-release) in the Treatment of Attention-deficit/Hyperactivity Disorder in School-age Children. Clin Ther. 2020 Aug;42(8):1452-1466. doi: 10.1016/j.clinthera.2020.05.021. Epub 2020 Jul 25. PMID: 32723670.

4: Johnson JK, Liranso T, Saylor K, Tulloch G, Adewole T, Schwabe S, Nasser A, Findling RL, Newcorn JH. A Phase II Double-Blind, Placebo-Controlled, Efficacy and Safety Study of SPN-812 (Extended-Release Viloxazine) in Children With ADHD. J Atten Disord. 2020 Jan;24(2):348-358. doi: 10.1177/1087054719836159. Epub 2019 Mar 29. PMID: 30924702; PMCID: PMC6939319.

5: Bouchard JM, Strub N, Nil R. Citalopram and viloxazine in the treatment of depression by means of slow drop infusion. A double-blind comparative trial. J Affect Disord. 1997 Oct;46(1):51-8. doi: 10.1016/s0165-0327(97)00078-5. PMID: 9387086.

6: Fritze J, Lanczik M, Sofic E, Struck M, Riederer P. Cholinergic neurotransmission seems not to be involved in depression but possibly in personality. J Psychiatry Neurosci. 1995 Jan;20(1):39-48. PMID: 7865500; PMCID: PMC1188657.

7: Pisani F, Fazio A, Oteri G, Artesi C, Xiao B, Perucca E, Di Perri R. Effects of the antidepressant drug viloxazine on oxcarbazepine and its hydroxylated metabolites in patients with epilepsy. Acta Neurol Scand. 1994 Aug;90(2):130-2. doi: 10.1111/j.1600-0404.1994.tb02692.x. PMID: 7801739.

8: León CA, Vigoya J, Conde S, Campo G, Castrillón E, León A. Comparación del efecto de la amisulprida y la viloxacina en el tratamiento de la distimia [Comparison of the effect of amisulpride and viloxazine in the treatment of dysthymia]. Acta Psiquiatr Psicol Am Lat. 1994 Mar;40(1):41-9. Spanish. PMID: 8053353.

For Peer Review

9: Allain H, Lieury A, Brunet-Bourgin F, Mirabaud C, Trebon P, Le Coz F, Gandon JM. Antidepressants and cognition: comparative effects of moclobemide, viloxazine and maprotiline. Psychopharmacology (Berl). 1992;106 Suppl:S56-61. doi: 10.1007/BF02246237. PMID: 1546142.

10: Mitler MM, Hajdukovic R. Relative efficacy of drugs for the treatment of sleepiness in narcolepsy. Sleep. 1991 Jun;14(3):218-20. doi: 10.1093/sleep/14.3.218. PMID: 1680245; PMCID: PMC2246380.

11: Altamura AC, Mauri MC, Girardi T, Panetta B. Alcoholism and depression: a placebo controlled study with viloxazine. Int J Clin Pharmacol Res. 1990;10(5):293-8. PMID: 2079386.

12: De Leo D. Treatment of adjustment disorders: a comparative evaluation. Psychol Rep. 1989 Feb;64(1):51-4. doi: 10.2466/pr0.1989.64.1.51. PMID: 2648447.

13: Curran HV, Sakulsriprong M, Lader M. Antidepressants and human memory: an investigation of four drugs with different sedative and anticholinergic profiles. Psychopharmacology (Berl). 1988;95(4):520-7. doi: 10.1007/BF00172967. Erratum in: Psychopharmacology (Berl) 1989;97(1):139. PMID: 3212150.

14: Defrance R, Marey C, Kamoun A. Antidepressant and anxiolytic activities of tianeptine: an overview of clinical trials. Clin Neuropharmacol. 1988;11 Suppl 2:S74-82. PMID: 2902922.

15: Yurdakök M, Kinik E, Güvenç H, Bedük Y. Viloxazine versus imipramine in the treatment of enuresis. Turk J Pediatr. 1987 Oct-Dec;29(4):227-30. PMID: 3332732.

16: De Leo D, Magni G. Does viloxazine really improve sex drive? A double-blind controlled study. Br J Psychiatry. 1986 May;148:597-9. doi: 10.1192/bjp.148.5.597. PMID: 3535972.

17: De Leo D. Valutazione dell'influenza della vilxazina nella sfera sessuale. Studio in doppio cieco verso placebo [Evaluation of the effect of viloxazine in the sexual sphere. Double-blind study versus placebo]. Clin Ter. 1985 Nov 30;115(4):253-9. Italian. PMID: 4085181.

18: Kornhuber HH, Lisson G, Rissotto R. Behandlung der schizophrenen Minussymptomatik mit Viloxazin [Treatment of schizophrenia without symptoms with viloxazine]. Dtsch Med Wochenschr. 1985 Apr 26;110(17):698. German. PMID: 3886343.

19: De Leo D, Ceola A, Magni G, Renesto V, Pacchioni A. La viloxazina nel trattamento della depressione dell'anziano. Studio in doppio cieco verso placebo [Viloxazine in the treatment of depression in the aged. Double-blind placebo study]. Minerva Psichiatr. 1984 Apr-Jun;25(2):127-30. Italian. PMID: 6387360.

For Peer Review

20: Attenburrow AA, Stanley TV, Holland RP. Nocturnal enuresis: a study. Practitioner. 1984 Jan;228(1387):99-102. PMID: 6364124.

21: Jungkunz G. Viloxazin. Das therapeutische Wirkungsbild des Antidepressivums Viloxazin (Vivalan ICI) im Urteil des niedergelassenen Nervenarztes [Viloxazine. Aspects of the therapeutic effect of the antidepressive agent viloxazine (Vivalan ICI) in the opinion of practicing neurologists]. MMW Munch Med Wochenschr. 1982 Aug 13;124(32-33):712-4. German. PMID: 6813688.

22: Rüther E. Das Antidepressivum Viloxazin Orientierende Untersuchung unter praxisnahen Bedingungen Einer Multicenter-Studie [The antidepressant viloxazin. A multicenter study under practice conditions]. Fortschr Med. 1982 May 13;100(18):864-70. German. PMID: 6124490.

23: Pöldinger W. Doppelblindvergleich der Antidepressiva Viloxazin und Imipramin [Double blind comparison of the antidepressives viloxazine and imipramine (author's transl)]. Dtsch Med Wochenschr. 1982 Apr 30;107(17):661-5. German. doi: 10.1055/s-2008-1069997. PMID: 7075479.

24: McEvoy JP, Libiger J, Wilson WH, Ban TA, Berney S, Guy W. Viloxazine HCl in the treatment of endogenous depression: a standard (imipramine) controlled clinical study. J Clin Psychiatry. 1982 Mar;43(3):111-2. PMID: 7037758.

25: Sebjanic V, Grombein S. Viloxazine (Vivalan ICI) in depression: results of a field trial of 276 patients in neuropsychiatric practice. Adv Biochem Psychopharmacol. 1982;32:113-20. PMID: 7046360.

26: Guy W, Ban TA, McEvoy JP, Petrie WM, Wilson WH, Schaffer JD. A collaborative study of a new antidepressant, viloxazine, in neurotic and endogenous depressives. Int Pharmacopsychiatry. 1982;17(1):36-42. doi: 10.1159/000468555. PMID: 7045017.

27: Kurland AA, Nagaraju A. Viloxazine and the depressed schizophrenic--methodological issues. J Clin Pharmacol. 1981 Jan;21(1):37-41. doi: 10.1002/j.1552-4604.1981.tb01730.x. PMID: 7012190.

28: McEvoy JP, Sheridan WF, Stewart WR Jr, Ban TA, Wilson WH, Guy W, Schaffer JD. Viloxazine in the treatment of depressive neurosis: a controlled clinical study with doxepin and placebo. Br J Psychiatry. 1980 Nov;137:440-3. doi: 10.1192/bjp.137.5.440. PMID: 7008890.

29: Wilson WH, Freemon FR, Ban TA, Petrie WM, Clinton CL. Acute effects of viloxazine HCl and flurazepam when given alone and in combination on sleep EEG: a double-blind interaction study with normals. Pavlov J Biol Sci. 1980 Apr-Jun;15(2):68-73. doi: 10.1007/BF03003685. PMID: 7003517.

For Peer Review

30: Elwan O. A comparative study of viloxazine and imipramine in the treatment of depressive states. J Int Med Res. 1980;8(1):7-17. doi: 10.1177/030006058000800102. PMID: 7358207.

31: Kabes J, Dostal T, Náhunek K, Svestka J, Molcan J, Caplová T, Hynek K, Faltus F, Holland RP. Multicentre study with viloxazine (Vivalan) in depressed patients. Int Pharmacopsychiatry. 1980;15(4):228-39. doi: 10.1159/000468442. PMID: 7021448.

32: Petrie WM, McEvoy JP, Wilson WH, Ban TA, Guy W. Viloxazine in the treatment of depressive neurosis: a placebo and standard (imipramine) controlled clinical study. Int Pharmacopsychiatry. 1980;15(3):193-6. doi: 10.1159/000468437. PMID: 7016802.

33: Ban TA, McEvoy JP, Wilson WH. Viloxazine: a review of the literature. Int Pharmacopsychiatry. 1980;15(2):118-23. doi: 10.1159/000468422. PMID: 7002831.

34: Von Knorring L. A double-blind trial: vivalan against placebo in depressed elderly patients. J Int Med Res. 1980;8(1):18-21. doi: 10.1177/030006058000800103. PMID: 6987113.

35: Kiloh LG, Bartrop RW, Franklin JA, Neilson MD. A double blind comparative trial of viloxazine and amitriptyline in patients suffering from endogenous depression. Aust N Z J Psychiatry. 1979 Dec;13(4):357-60. doi: 10.3109/00048677909159160. PMID: 395939.

36: Kabes J, Dostal T. Výsledky klinického zkousení viloxazinu (Vivalan ICI). Cást multiklinické studie [Results of the clinical trial with viloxazine (Vivalan ICI). A part of the multicentre study (author's transl)]. Cesk Psychiatr. 1979 Aug;75(4):225-31. Czech. PMID: 393416.

37: Santonastaso P, Maistrello I, Battistin L. Comparison of Vivalan (viloxazine hydrochloride) with imipramine in the treatment of depression. A double-blind study. Acta Psychiatr Scand. 1979 Aug;60(2):137-43. doi: 10.1111/j.1600-0447.1979.tb03580.x. PMID: 388987.

38: Ban TA. Amoxapine and viloxazine: review of the literature with special reference to clinical studies. Psychopharmacol Bull. 1979 Jul;15(3):22-5. PMID: 386404.

39: Müller-Oerlinghausen B, Rüther E. Clinical profile and serum concentration of viloxazine as compared to amitriptyline. Pharmakopsychiatr Neuropsychopharmakol. 1979 Jul;12(4):321-37. doi: 10.1055/s-0028-1094627. PMID: 386390.

For Peer Review

40: Floru L, Tegeler J. Eine vergleichende Untersuchung der beiden Antidepressiva Viloxazin und Imipramin [A comparative study of viloxazine and imipramine (author's transl)]. Pharmakopsychiatr Neuropsychopharmakol. 1979 Jul;12(4):313-20. German. doi: 10.1055/s-0028-1094626. PMID: 386389.

41: Botter PA. A double blind comparison of viloxazine and amitryptyline in involutional and endogenous depression. Acta Psychiatr Belg. 1979 Mar-Apr;79(2):198-209. PMID: 532690.

42: Fontan M, Goudemand M, Pellerin-Millecamps E. Expérimentation clinique de la viloxazine dans les états dépressifs [Clinical trials of viloxazine in depressive states]. Encephale. 1979;5(3):243-9. French. PMID: 385296.

43: Náhunek K, Svestka J, Cesková E, Misurec J. Klinická zkouska s viloxazinem u endogenních depresí [On the position of viloxazin in the group of antidepressants (author's transl)]. Cesk Psychiatr. 1978 Feb;74(1):3-8. Czech. PMID: 352549.

44: Edwards JG. Antidepressants--yes or no? Br Med J. 1978 Jan 14;1(6105):110. doi: 10.1136/bmj.1.6105.110. PMID: 339990; PMCID: PMC1602587.

45: Bente D, Chenchanna P, Scheuler W, Sponagel P. Zur Wirkung des Antidepressivums Viloxazin auf das hirnelektrische Verhalten und die Optimierung des Systems Fahrer-Fahrzeug-Strasse [On the effect of the antidepressant viloxazin on EEG and optimization of the system driver-vehicle-road (author's transl)]. Arzneimittelforschung. 1978;28(8):1308-10. German. PMID: 582393.

46: Busch H, Bente D, Müller-Oerlinghausen B, Renfordt E. Synopsis psychopathologischer, elektroenzephalographischer und pharmakokinetischer Parameter unter einer antidepressiven Therapie mit Viloxazin [Synopsis of psychopathological, electroencephalographical, and pharmacokinetic variables during antidepressive treatment with viloxazine (author's transl)]. Arzneimittelforschung. 1978;28(8):1288-90. German. PMID: 380579.

47: Renfordt E, Busch H. Quantifizierende Beurteilung des psychopathologischen Längsschnittprofils mit Hilfe audiovisueller Aufzeichungen [The use of TV-technique for a quantitative evaluation of the longitudinal psychopathological profile (author's transl)]. Arzneimittelforschung. 1978;28(8):1286-8. German. PMID: 380578.

48: Lennox IG, Asbury JF, Couldrick WG, Beswick KB. Viloxazine and amitriptyline in depressive illness. A double blind controlled trial in general practice. Practitioner. 1978 Jan;220(1315):153-6. PMID: 343090.

49: Brezinová V, Adam K, Chapman K, Oswald I, Thomson J. Viloxazine, sleep, and subjective feelings. Psychopharmacology (Berl). 1977 Dec 19;55(2):121-8. doi:

For Peer Review

10.1007/BF01457846. PMID: 202985.

50: Clayton AB, Harvey PG, Betts TA. The effects of two antidepressants, imipramine and viloxazine, upon driving performance. Psychopharmacology (Berl). 1977 Nov 24;55(1):9-12. doi: 10.1007/BF00432810. PMID: 414266.

51: Edwards JG. Viloxazine: assessment of potential rapid antidepressant action. Br Med J. 1977 Nov 19;2(6098):1327. doi: 10.1136/bmj.2.6098.1327. PMID: 338106; PMCID: PMC1632526.

52: De León O, Kravcio JT, Sánchez C. Ensayo doble ciego con dos antidepresivos [Double-blind trial of 2 antidepressive drugs]. Acta Psiquiatr Psicol Am Lat. 1977 Sep;23(3):215-20. Spanish. PMID: 341650.

53: Pinder RM, Brogden RN, Speight TM, Avery GS. Viloxazine: a review of its pharmacological properties and therapeutic efficacy in depressive illness. Drugs. 1977 Jun;13(6):401-21. doi: 10.2165/00003495-197713060-00001. PMID: 324751.

54: Davies B, Joshua S, Burrows G, Poynton C. A sequential trial of viloxazine (Vivalan) and imipramine in moderately depressed patients. Med J Aust. 1977 Apr 9;1(15):521-2. doi: 10.5694/j.1326-5377.1977.tb130866.x. PMID: 875786.

55: Lomas DM. A comparative study of maprotiline (Ludiomil) and viloxazine in the management of depressed patients in general practice. J Int Med Res. 1977;5 Suppl 4:39-50. PMID: 338401.

56: Habermann W. A review of controlled studies with nomifensine, performed outside the UK. Br J Clin Pharmacol. 1977;4Suppl 2(Suppl 2):237S-241S. doi: 10.1111/j.1365-2125.1977.tb05759.x. PMID: 334230; PMCID: PMC1429098.

57: Moizeszowicz J, Subirá S. Controlled trial of nomifensin (HOE 984) and viloxazine in the treatment of depression in the elderly. J Clin Pharmacol. 1977 Jan;17(1):81-3. doi: 10.1002/j.1552-4604.1977.tb04589.x. PMID: 319120.

58: Edwards JG. Viloxazine: an assessment of its potential rapid antidepressant action and unwanted effects. Curr Med Res Opin. 1977;5(3):226-33. doi: 10.1185/03007997709110170. PMID: 162658.

59: Sedman G. Double-blind trial of sustained-release amitriptyline compared with viloxazine in moderate to severe depressive illness. Curr Med Res Opin. 1977;5(3):217-25. doi: 10.1185/03007997709110169. PMID: 162657.

60: Ghose K, Turner P, Grant IN. The assessment of interactions in man between tyramine and viloxazine hydrochloride, an antidepressant drug. Br J Clin Pharmacol. 1976 Aug;3(4):668-71. doi: 10.1111/j.1365-2125.1976.tb04893.x. PMID:

For Peer Review

22216512; PMCID: PMC1428908.

61: Floru L, Czarny G, Tegeler J. Doppelblindstudie mit dem neuen Antidepressivum Viloxazin im Vergleich zu Imipramin bei 50 stationäen Patientinnen [Doubleblind study with the novel antidepressant viloxazine versus imipramine in 50 in-patients (author's transl)]. Arzneimittelforschung. 1976;26(6):1170-1. German. PMID: 786314.

62: Renfordt E, Busch H, Fähndrich E, Müller-Oerlinghausen B. Untersuchung einer neven antidepressiven Substanz (Vilorazin) mit Hilfe der Zeit-Reihen-Analyse TV-gespeicherter Interviews [Studies on a novel antidepressant (viloxazin) by means of time-series analysis of TV data]. Arzneimittelforschung. 1976;26(6):1114-6. German. PMID: 786309.

63: Viloxazine- a new antidepressive drug. Drug Ther Bull. 1975 May 9;13(10):39-40. PMID: 1092536.

64: Magnus RV. A placebo controlled trial of viloxazine with and without tranquillizers in depressive illness. J Int Med Res. 1975;3(3):207-13. doi: 10.1177/030006057500300311. PMID: 162677.

65: Tsegos IK, Ekdawi MY. A double-blind controlled study of viloxazine and imipramine in depression. Curr Med Res Opin. 1974;2(8):455-60. doi: 10.1185/03007997409115242. PMID: 4614950.

For Peer Review