Supplemental Table 2. Study characteristics of all included studies

Author, Year	Country	Prediabetes Definition	Sample Size	% Female	Mean Age or Age Range (y)	Follow Up (y)	Outcome(s) of interest
Stengard, 1992 [23]	Finland	IGT	716	0.00%	72.4	5	All-cause mortality, CVD mortality
Barzilay, 1999 [24]	USA	IFG (ADA), IGT	4515	58.00%	73	8	CVD events
Saydah, 2001 [25]	USA	IFG (ADA, WHO), IGT	3092	53.90%	48.8	16	All-cause mortality, CVD mortality
Mazza, 2001 [26]	Italy	IGT	3382	61.00%	73.8	14	CVD mortality
Rodriguez, 2002 [27]	USA	IFG (ADA and WHO), IGT	2034	0.00%	71-93 (range)	7	All-cause mortality, CVD mortality
Henry, 2002 [28]	France	IFG (WHO)	63443	0.00%	21-60 (range)	8	All-cause mortality, CVD mortality
Hu, 2003 [29]	Europe (Finland, Sweden, Poland, United Kingdom, Denmark, Netherlands, and Italy)	IFG (WHO), IGT	17579	53.50%	30-89 (range)	8.3	All-cause mortality, CVD mortality
Lu, 2003 [30]	USA	IFG (WHO)	4303	56.10%	56	9	All-cause mortality, CVD mortality
Ma, 2003 [31]	Singapore	IGT, IFG (WHO)	3492	56.90%	18-69 (range)	9	All-cause mortality
Nakanishi, 2004 [32]	Japan	IFG (WHO)	5588	0.00%	47.2	7	CVD events
Wild, 2005 [33]	United Kingdom	IFG (WHO), IGT	1592	49.20%	64.8	12.6	All-cause mortality, CVD mortality
Hiltunen, 2005 [34]	Finland	IGT	379	63.00%	76.3	9.8	All-cause mortality
Kanaya, 2005 [35]	USA	IFG (ADA)	2321	100.00%	65	6.8	CVD mortality, CVD events, Stroke, CHD
Fox, 2005 [36]	USA	IFG (ADA), IGT	2398	53.00%	54	7	CKD
Wang, 2006 [37]	China	IFG (ADA and WHO), IGT	541	49.90%	47.8	5	CHD
Kaarisalo, 2006 [38]	Finland	IGT	1032	51.80%	70	12	Stroke
Tozawa, 2007 [39]	Japan	IFG (WHO)	8151	36.00%	49	5	CKD
Barr, 2007 [40]	Australia	IFG (WHO), IGT	10428	54.80%	51.4	5.2	All-cause mortality, CVD mortality
Rijkelijkhuizen, 2007 [41]	The Netherlands	IFG (ADA and WHO)	1428	54.00%	60.5	6.4	All-cause mortality, CVD mortality
Pankow, 2007 [42]	USA	IGT	6888	41.40%	62.3	6.3	CHD
Nielson, 2007 [43]	USA	IFG (ADA)	28477	6.10%	57.1	8	Stroke
Nigam, 2007 [44]	USA and Canada	IFG (WHO), IGT	13176	23.70%	52.5	14.7	All-cause mortality, CVD mortality, CVD events
Tsai, 2008 [45]	Taiwan	IFG (WHO)	35259	34.20%	52.4	15	All-cause mortality, CVD mortality

Chien, 2008 [46]	Taiwan	IFG (WHO), IGT	2165	56.00%	54.2	10.5	CVD events
Oizumi, 2008 [47]	Japan	IGT	3482	56.00%	57.2	9.7	CVD events, Stroke, CHD
Zhang, 2009 [48]	USA	IGT	4549	59.40%	45-74 (range)	13.4	Stroke
Hyvärinen, 2009 [49]	Finland, Sweden	IFG (WHO), IGT	18360	45.60%	25-90 (range)	12.9	Stroke
Kokubo, 2010 [50]	Japan	IFG (ADA)	5069	54.00%	54.3	11.7	CVD events, Stroke
Skriver, 2010 [51]	Denmark	HbA1c (IEC)	23783	53.60%	54.9	8	All-cause mortality
Watanabe, 2010 [52]	Japan	IGT	34986	66.00%	59	5.8	CKD
Cederberg, 2010 [53]	Finland	IGT, HbA1c (ADA)	553	59.70%	61	10	CVD events
Magliano, 2010 [54]	Mauritius	IFG (WHO), IGT	9091	54.10%	41	15.1	All-cause mortality, CVD mortality
Selvin, 2011 [55]	USA	IFG (ADA), HbA1c (ADA)	9170	57.30%	56.7	14	CKD, Retinopathy
Sui, 2011 [56]	USA	IFG (WHO)	43933	0.00%	44.3	31	CVD mortality, Stroke
Donahue, 2011 [57]	USA	IFG (ADA)	1256	27.70%	55.1	3.5	CVD events
Saito, 2011 [58]	Japan	IFG (ADA), IGT	31192	63.70%	53.3	12.9	CVD mortality, CHD
Tamita, 2012 [59]	Japan	IFG (WHO)	275	22.00%	61.9	5	CVD events
Yeboah, 2012 [60]	USA	IFG (ADA)	7932	51.00%	62	7.5	All-cause mortality, CVD events, CHD, Stroke
Intzilakis, 2012 [61]	Denmark	IFG (ADA)	2373	42.80%	64.4	6.3	CVD events
Madssen, 2012 [62]	Norway	IFG (WHO), IGT	47951	51.60%	60	12	CVD mortality
Laukkanen, 2013 [63]	Finland	IFG (ADA)	2486	0.00%	52.9	20.7	All-cause mortality, CVD mortality
Schöttker, 2013 [64]	Germany	IFG (ADA), HbA1c (ADA)	9451	55.10%	62	7.9	CVD events
Selvin, 2013 [65]	USA	IFG (ADA), HbA1c (ADA)	11077	57.70%	56.7	18	CVD mortality
Deedwania, 2013 [66]	USA	IFG (ADA)	2842	57.00%	73	13	All-cause mortality, CVD mortality, Stroke, Heart Failure
Onat, 2013 [67]	Turkey	IFG (WHO)	2619	51.30%	47.8	7.5	CHD
Kim, 2014 [68]	South Korea	IGT	3376	59.70%	50.3	11	All-cause mortality, CVD mortality
Mainous, 2014 [69]	USA	HbA1c (ADA)	8003	53.10%	≥ 40	12.5	All-cause mortality
Shi, 2015 [70]	China	IFG (ADA)	2849	45.90%	47	10	All-cause mortality, CVD mortality
Bergman, 2015 [71]	Israel	IFG (ADA), IGT	1410	47.80%	53.1	33	All-cause mortality
Qiu, 2015 [72]	China	IFG (ADA), IGT	1419	58.80%	54.2	10.9	CVD events
Rebnord, 2015 [73]	Norway	HbA1c (ADA)	2519	27.00%	62	4.8	All-cause mortality, CVD mortality, CVD events
Eastwood, 2015 [74]	United Kingdom	IFG (WHO), IGT, HbA1c (IEC, ADA)	2477	16.30%	51.6	20	CVD events, CHD, Stroke

Paprott, 2015 [75]	Germany	HbA1c (ADA)	6299	50.80%	45.8	11.6	All-cause mortality
Gordon-Dseagu, 2015 [76]	United Kingdom	HbA1c (ADA)	22106	54.00%	52	7	All-cause mortality, CVD mortality
Kim, 2016 [77]	South Korea	IFG (ADA), HbA1c (ADA)	76434	42.80%	47.5	3.1	All-cause mortality CVD events, Stroke, Heart Disease
Rhee, 2016 [78]	South Korea	IFG (ADA), HbA1c (ADA)	241499	45.40%	39.7	3.8	All-cause mortality, CVD mortality
Parrinello, 2016 [79]	USA	IFG (ADA), HbA1c (ADA)	10373	57.90%	57.1	20	CHD, Stroke, Heart Failure
Khosravi, 2016 [80]	Iran	IFG (ADA), IGT	5398	51.50%	50.8	10	CVD events, Stroke, Heart Disease
Salazar, 2016 [81]	Argentina	IFG (ADA)	664	69.20%	52.5	8	CVD events
Mirbolouk, 2016 [82]	Iran	IFG (ADA), IGT	922	42.30%	69.8	9	CVD mortality
Warren, 2017 [83]	USA	IFG (ADA, WHO), IGT, HbA1c (ADA, IEC)	10844	56.90%	57.2	24	All-cause mortality, CVD events, CKD
Silbernagel, 2011 [84]	Germany	IFG (ADA)	3316	29.40%	61.8	7.5	All-cause mortality, CVD mortality
Ares, 2019 [85]	Spain	IGT, IFG (ADA), HbA1c (ADA)	1,034	54.3	52.1	18	All-cause mortality, CVD mortality
Chattopadhyay, 2019 [86]	United Kingdom	IFG (ADA), IGT	850	29%	63.6	2.8	CVD event
Chen, 2018 [87]	China	IFG (ADA)	587	34%	64.9	7	All-cause mortality, CVD mortality
de Abreu, 2017 [88]	Australia	IFG (ADA)	1167	100%	48.6	10	All-cause mortality
Fang, 2019 [89]	China	IGT	460	0%	72.1	11.2	All-cause mortality, CVD events, CHD, Stroke, Heart Failure
Doi, 2010 [90]	Japan	IFG (WHO), IGT	2421	57%	57.6	14	Stroke, CHD
Fisman, 2001 [91]	Israel	IFG (WHO)	11,853	18%	59.7	7.7	All-cause mortality, CVD mortality
George, 2015 [92]	United Kingdom	IGT	768	29%	65.4	3.9	All-cause mortality, CVD mortality, CVD events, CHD
Hajebrahimi, 2017 [93]	Iran	IFG (ADA), IGT	7249	54%	46.8	11.3	CVD events
Hermanides, 2019 [94]	Netherlands	HbA1c (ADA)	7900	38%	65.8	4.3	All-cause mortality
Hubbard, 2019 [95]	USA	IFG (ADA), HbA1c (ADA)	3313	63%	53.1	11.1	All-cause mortality, CVD events, CHD, Stroke, Heart Failure
Janszky, 2009 [96]	Sweden	IFG (ADA)	1167	30%	59.4	8	All-cause mortality, CVD mortality, Stroke, Heart Disease, Heart Failure
Jiang, 2020 [97]	China	IFG (ADA), IFG (WHO), IGT, HbA1c (ADA), HbA1c (IEC)	17939	73%	65.2	7.8	All-cause mortality, CVD mortality
Khang, 2010 [98]	South Korea	IFG (ADA)	9791	55%	43.2	5.8	CVD, Stroke, Heart Disease
Kim, 2019 [99]	South Korea	IFG (WHO), IGT, HbA1c (ADA)	7728	47.4%	52	9	CKD
Kowall, 2011 [100]	Germany	IFG (WHO), IGT	1,653	48%	64.1	10	All-cause mortality

Liu, 2018 [101]	China	IFG (ADA), IGT, HbA1c (ADA)	4193	28.2%	57.7	6.7	CVD events
Liu, 2007 [102]	China	IFG (ADA)	30,378	47%	46.4	10	CVD events, CHD, Stroke
Lu, 2019 [103]	China	IFG (ADA), IGT, HbA1c (ADA)	193,846	66%	56.6	3.8	All-cause mortality, CVD events
Ma, 2012 [104]	South Korea	IFG (ADA)	16,048	60%	55.7	9	CVD mortality
Michishita, 2017 [105]	Japan	IFG (WHO)	303	0%	52.2	6	CKD
Palmieri, 2006 [106]	Italy	IFG (WHO)	20447	63.6%	50.4	10.4	CHD
Parizadeh, 2019 [107]	Iran	IFG (ADA), IFG (WHO), IGT	6892	50%	46.67	12	All-cause mortality, Stroke, CHD, CKD
Pavlovic, 2019 [108]	Serbia	IFG (ADA), IGT	150	12%	57	2.1	All-cause mortality, CVD mortality
Robich, 2019 [109]	USA	HbA1c (ADA)	5415	23%	N/A	2.6	All-cause mortality
Rutten-Jacobs, 2014 [110]	Netherlands	IFG (ADA)	427	55%	40.3	10.1	CVD events, Stroke
Samaras, 2015 [111]	Australia	IFG (ADA)	945	54%	78.6	2	All-cause mortality, Heart Disease, Stroke
Stacey, 2019 [112]	USA	IFG (ADA), IGT	4355	62%	72.0	6	CHD
Tai, 2004 [113]	Singapore	IFG (ADA)	4723	49%	38.3	8	CHD
Thrainsdottir, 2005 [114]	Iceland	IFG (WHO), IGT	19381	52%	53.9	21.5	All-cause mortality, CHD
Nakagami, 2004 [115]	Japan, USA, Brazil, Fiji, Mauritius	IFG (WHO), IGT	6817	54%	51.4	5.0	All-cause mortality, CVD mortality
Vistisen, 2018 [116]	United Kingdom	IFG, (ADA), IFG (WHO), HbA1c (ADA), IGT, HbA1c (IEC)	5427	28%	61.5	11.5	CVD events
Wang, 2008 [117]	Finland	IFG (ADA), IFG (WHO), IGT	1910	64%	69.0	13.8	Stroke
Welsh, 2020 [118]	United Kingdom	HbA1c (IEC)	357833	56%	56.1	8.9	CVD events
Neves, 2020 [119]	USA	IFG (ADA) HbA1c (ADA)	3701	45.5%	58.2	7.5	All-cause mortality, CVD events, CKD
Kim, 2008 [120]	USA	IFG (ADA), IGT	2993	58%	44.8	10.4	All-cause mortality, CVD mortality
Brunner, 2010 [121]	United Kingdom	IFG (WHO)	6868	30%	49.5	11.3	CHD
Hunt, 2004 [122]	USA	IFG (WHO)	2941	57%	43.4	12.7	All-cause mortality
Farhan, 2019 [123]	USA	IFG (ADA), HbA1c (ADA)	697	23%	58.7	3.0	CVD events
Evans, 2015 [124]	United Kingdom	IFG (WHO), IGT	246884	57%	63.0	6.0	All-cause mortality, CVD mortality
Bjarnason, 2019 [125]	Iceland	IFG (ADA), IGT, HbA1c, ADA	372	24%	65.1	2.9	CVD events
Wang, 2007 [126]	Finland	IGT	1025	49%	65-74 years	13.5	CVD mortality
Ding, 2014 [127]	China	IFG (ADA)	1726	34%	64.0	3.1	All-cause mortality, CVD mortality

McNeill, 2006 [128]	USA	IFG (WHO)	3585	62%	72	11	CHD

Total sample size (after adjusting for overlapping cohorts) = 1,847,523

References

1 Association AD. Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care* 2014;**37**:S81–90. doi:10.2337/dc14-S081

2 World Health Organization, Federation ID. Definition and diagnosis of diabetes mellitus and intermediate hyperglycaemia : report of a WHO/IDF consultation. Geneva: : Geneva : World Health Organization 2006. http://apps.who.int/iris/handle/10665/43588 (accessed 27 Sep 2018).

3 Organization WH, others. Definition and diagnosis of diabetes mellitus and intermediate hyperglycaemia: report of a WH. Published Online First: 2006.http://apps.who.int/iris/handle/10665/43588 (accessed 31 May 2016).

4 Committee* TIE. International Expert Committee Report on the Role of the A1C Assay in the Diagnosis of Diabetes. *Diabetes Care* 2009;**32**:1327–34. doi:10.2337/dc09-9033

5 Type 2 diabetes: prevention in people at high risk | Guidance and guidelines | NICE. https://www.nice.org.uk/guidance/ph38/chapter/Recommendations#risk-assessment (accessed 6 Nov 2018).

6 Abdul-Ghani MA, Tripathy D, DeFronzo RA. Contributions of β-cell dysfunction and insulin resistance to the pathogenesis of impaired glucose tolerance and impaired fasting glucose. *Diabetes care* 2006;**29**:1130–9.

7 Færch K, Vaag A, Holst JJ, *et al.* Impaired fasting glycaemia vs impaired glucose tolerance: similar impairment of pancreatic alpha and beta cell function but differential roles of incretin hormones and insulin action. *Diabetologia* 2008;**51**:853–61. doi:10.1007/s00125-008-0951-x

8 Hayden JA, van der Windt DA, Cartwright JL, *et al.* Assessing Bias in Studies of Prognostic Factors. *Annals of Internal Medicine* 2013;**158**:280. doi:10.7326/0003-4819-158-4-201302190-00009

9 Zhang J, Yu KF. What's the Relative Risk?: A Method of Correcting the Odds Ratio in Cohort Studies of Common Outcomes. *JAMA* 1998;**280**:1690. doi:10.1001/jama.280.19.1690

10 Yang Y, Li W, Zhu H, *et al.* Prognosis of unrecognised myocardial infarction determined by electrocardiography or cardiac magnetic resonance imaging: systematic review and meta-analysis. *BMJ* 2020;**369**. doi:10.1136/bmj.m1184

11 Higgins JPT, Thompson SG. Quantifying heterogeneity in a meta-analysis. *Statistics in Medicine* 2002;**21**:1539–58. doi:10.1002/sim.1186

12 DerSimonian R, Laird N. Meta-analysis in clinical trials. *Controlled Clinical Trials* 1986;**7**:177–88. doi:10.1016/0197-2456(86)90046-2

13 Viechtbauer W, Cheung MW-L. Outlier and influence diagnostics for meta-analysis. *Res Synth Methods* 2010;**1**:112–25. doi:10.1002/jrsm.11

14 Schwarzer G, Schwarzer MG. Package 'meta.' *The R Foundation for Statistical Computing* 2012;**9**.

15 Viechtbauer W. Conducting Meta-Analyses in R with the metafor Package. *Journal of Statistical Software* 2010;**36**:1–48. doi:10.18637/jss.v036.i03

16 Xu T, Liu W, Cai X, *et al.* Risk of Coronary Heart Disease in Different Criterion of Impaired Fasting Glucose. *Medicine (Baltimore)* 2015;**94**. doi:10.1097/MD.0000000000001740

17 Lee M, Saver JL, Hong K-S, *et al.* Effect of pre-diabetes on future risk of stroke: meta-analysis. *BMJ* 2012;**344**:e3564. doi:10.1136/bmj.e3564

18 Huang Y, Cai X, Mai W, *et al.* Association between prediabetes and risk of cardiovascular disease and all cause mortality: systematic review and meta-analysis. *BMJ* 2016;**355**:i5953. doi:10.1136/bmj.i5953

19 Cai X, Zhang Y, Li M, *et al.* Association between prediabetes and risk of all cause mortality and cardiovascular disease: updated meta-analysis. *BMJ* 2020;**370**. doi:10.1136/bmj.m2297

20 Charles MA, Fontbonne A, Thibult N, *et al.* Risk Factors for NIDDM in White Population: Paris Prospective Study. *Diabetes* 1991;**40**:796–9. doi:10.2337/diab.40.7.796

21 Kahn R. Follow-up report on the diagnosis of diabetes mellitus: The expert committee on the diagnosis and classifications of diabetes mellitus*. *Diabetes Care; Alexandria* 2003;**26**:3160–7.

22 Organization WH. Use of glycated haemoglobin (HbA1c) in the diagnosis of diabetes mellitus. Abbreviated report of a WHO consultation 2011. *Geneva: World Health Organization* 2013.

23 Stengård JH, Tuomilehto J, Pekkanen J, *et al.* Diabetes mellitus, impaired glucose tolerance and mortality among elderly men: the Finnish cohorts of the Seven Countries Study. *Diabetologia* 1992;**35**:760–5. doi:10.1007/bf00429097

24 Barzilay JI, Spiekerman CF, Wahl PW, *et al.* Cardiovascular disease in older adults with glucose disorders: comparison of American Diabetes Association criteria for diabetes mellitus with WHO criteria. *Lancet* 1999;**354**:622–5. doi:10.1016/s0140-6736(98)12030-5

25 Saydah SH, Miret M, Sung J, *et al.* Postchallenge hyperglycemia and mortality in a national sample of US adults. *Diabetes care* 2001;**24**:1397–402.

26 Mazza A, Pessina AC, Pavei A, *et al.* Predictors of stroke mortality in elderly people from the general population. The CArdiovascular STudy in the ELderly. *Eur J Epidemiol* 2001;**17**:1097–104. doi:10.1023/a:1021216713504

27 Rodriguez BL, Abbott RD, Fujimoto W, *et al.* The American Diabetes Association and World Health Organization Classifications for Diabetes: Their impact on diabetes prevalence and total and cardiovascular disease mortality in elderly Japanese-American men. *Diabetes Care* 2002;**25**:951–5. doi:10.2337/diacare.25.6.951

28 Henry P, Thomas F, Benetos A, *et al.* Impaired fasting glucose, blood pressure and cardiovascular disease mortality. *Hypertension* 2002;**40**:458–63.

29 Hu G, The DECODE Study Group. Gender difference in all-cause and cardiovascular mortality related to hyperglycaemia and newly-diagnosed diabetes. *Diabetologia* 2003;**46**:608–17. doi:10.1007/s00125-003-1096-6

30 Lu W, Resnick HE, Jain AK, *et al.* Effects of Isolated Post-challenge Hyperglycemia on Mortality in American Indians: The Strong Heart Study. *Annals of Epidemiology* 2003;**13**:182–8. doi:10.1016/S1047-2797(02)00274-0

31 Ma S, Cutter J, Tan CE, *et al.* Associations of Diabetes Mellitus and Ethnicity with Mortality in a Multiethnic Asian Population: Data from the 1992 Singapore National Health Survey. *Am J Epidemiol* 2003;**158**:543–52. doi:10.1093/aje/kwg199

32 Nakanishi N, Takatorige T, Fukuda H, *et al.* Components of the metabolic syndrome as predictors of cardiovascular disease and type 2 diabetes in middle-aged Japanese men. *Diabetes Res Clin Pract* 2004;**64**:59–70. doi:10.1016/j.diabres.2003.10.001

33 Wild SH, Smith FB, Lee AJ, *et al.* Criteria for previously undiagnosed diabetes and risk of mortality: 15-year follow-up of the Edinburgh Artery Study cohort. *Diabet Med* 2005;**22**:490–6. doi:10.1111/j.1464-5491.2004.01433.x

34 Hiltunen L. Ten-year mortality and glucose tolerance status in an elderly Finnish population. *Diabetes Res Clin Pract* 2005;**69**:81–7. doi:10.1016/j.diabres.2004.11.004

35 Kanaya AM, Herrington D, Vittinghoff E, *et al.* Impaired fasting glucose and cardiovascular outcomes in postmenopausal women with coronary artery disease. *Annals of internal medicine* 2005;**142**:813–20.

36 Fox CS, Larson MG, Leip EP, *et al.* Glycemic Status and Development of Kidney Disease: The Framingham Heart Study. *Diabetes Care* 2005;**28**:2436–40. doi:10.2337/diacare.28.10.2436

37 Wang J, Li H, Kinnunen L, *et al.* How well does the metabolic syndrome defined by five definitions predict incident diabetes and incident coronary heart disease in a Chinese population? *Atherosclerosis* 2007;**192**:161–8. doi:10.1016/j.atherosclerosis.2006.04.027

38 Kaarisalo MM, Räihä I, Arve S, *et al.* Impaired glucose tolerance as a risk factor for stroke in a cohort of non-institutionalised people aged 70 years. *Age Ageing* 2006;**35**:592–6. doi:10.1093/ageing/afl094

39 Tozawa M, Iseki C, Tokashiki K, *et al.* Metabolic syndrome and risk of developing chronic kidney disease in Japanese adults. *Hypertension Research* 2007;**30**:937.

40 Barr ELM, Zimmet PZ, Welborn TA, *et al.* Risk of cardiovascular and all-cause mortality in individuals with diabetes mellitus, impaired fasting glucose, and impaired glucose tolerance: the Australian Diabetes, Obesity, and Lifestyle Study (AusDiab). *Circulation* 2007;**116**:151–7. doi:10.1161/CIRCULATIONAHA.106.685628

41 Rijkelijkhuizen JM, Nijpels G, Heine RJ, *et al.* High risk of cardiovascular mortality in individuals with impaired fasting glucose is explained by conversion to diabetes: the Hoorn study. *Diabetes Care* 2007;**30**:332–6.

42 Pankow JS, Kwan DK, Duncan BB, *et al.* Cardiometabolic risk in impaired fasting glucose and impaired glucose tolerance: the Atherosclerosis Risk in Communities Study. *Diabetes Care* 2007;**30**:325–31.

43 Nielson C, Fleming RM. Blood glucose and cerebrovascular disease in nondiabetic patients. *Angiology* 2007;**58**:625–9. doi:10.1177/0003319707303695

44 Nigam A, Bourassa MG, Fortier A, *et al.* Fasting but not postprandial (postmeal) glycemia predicts the risk of death in subjects with coronary artery disease. *Canadian Journal of Cardiology* 2007;**23**:873–8.

45 Tsai SP, Wen CP, Chan HT, *et al.* The effects of pre-disease risk factors within metabolic syndrome on all-cause and cardiovascular disease mortality. *Diabetes research and clinical practice* 2008;**82**:148–56.

46 Chien K-L, Hsu H-C, Su T-C, *et al.* Fasting and postchallenge hyperglycemia and risk of cardiovascular disease in Chinese: the Chin-Shan Community Cardiovascular Cohort study. *American heart journal* 2008;**156**:996–1002.

47 Oizumi T, Daimon M, Jimbu Y, *et al.* Impaired glucose tolerance is a risk factor for stroke in a Japanese sample—the Funagata study. *Metabolism* 2008;**57**:333–8. doi:10.1016/j.metabol.2007.10.007

48 Zhang Y, Galloway JM, Welty TK, *et al.* Incidence and Risk Factors for Stroke in American Indians: The Strong Heart Study. *Circulation* 2008;**118**:1577–84. doi:10.1161/CIRCULATIONAHA.108.772285

49 Hyvarinen M, Tuomilehto J, Mahonen M, *et al.* Hyperglycemia and incidence of ischemic and hemorrhagic stroke-comparison between fasting and 2-hour glucose criteria. *Stroke* 2009;**40**:1633–7.

50 Kokubo Y, Okamura T, Watanabe M, *et al.* The combined impact of blood pressure category and glucose abnormality on the incidence of cardiovascular diseases in a Japanese urban cohort: the Suita Study. *Hypertens Res* 2010;**33**:1238–43. doi:10.1038/hr.2010.174

51 Skriver MV, Borch-Johnsen K, Lauritzen T, *et al.* HbA1c as predictor of all-cause mortality in individuals at high risk of diabetes with normal glucose tolerance, identified by screening: a follow-up study of the Anglo–Danish–Dutch Study of Intensive Treatment in People with Screen-Detected Diabetes in Primary Care (ADDITION), Denmark. *Diabetologia* 2010;**53**:2328–33. doi:10.1007/s00125-010-1867-9

52 Watanabe H, Obata H, Watanabe T, *et al.* Metabolic syndrome and risk of development of chronic kidney disease: the Niigata preventive medicine study. *Diabetes/Metabolism Research and Reviews* 2010;**26**:26–32. doi:10.1002/dmrr.1058

53 Cederberg H, Saukkonen T, Laakso M, *et al.* Postchallenge glucose, A1C, and fasting glucose as predictors of type 2 diabetes and cardiovascular disease: a 10-year prospective cohort study. *Diabetes care* 2010;**33**:2077–83.

54 Magliano DJ, Söderberg S, Zimmet PZ, *et al.* Mortality, all-cause and CVD, over 15 years in multi-ethnic Mauritius: the impact of diabetes and intermediate forms of glucose tolerance. *Diabetes Care* Published Online First: 7 June 2010. doi:10.2337/dc10-0312

55 Selvin E, Ning Y, Steffes MW, *et al.* Glycated Hemoglobin and the Risk of Kidney Disease and Retinopathy in Adults With and Without Diabetes. *Diabetes* 2011;**60**:298–305. doi:10.2337/db10-1198

56 Sui X, Lavie CJ, Hooker SP, *et al.* A Prospective Study of Fasting Plasma Glucose and Risk of Stroke in Asymptomatic Men. *Mayo Clinic Proceedings* 2011;**86**:1042–9. doi:10.4065/mcp.2011.0267

57 Donahue RP, Dorn JM, Stranges S, *et al.* Impaired fasting glucose and recurrent cardiovascular disease among survivors of a first acute myocardial infarction: evidence of a sex difference? The Western New York experience. *Nutrition, Metabolism and Cardiovascular Diseases* 2011;**21**:504–11.

58 Saito I, Kokubo Y, Yamagishi K, *et al.* Diabetes and the risk of coronary heart disease in the general Japanese population: The Japan Public Health Center-based prospective (JPHC) study. *Atherosclerosis* 2011;**216**:187–91. doi:10.1016/j.atherosclerosis.2011.01.021

59 Tamita K, Katayama M, Takagi T, *et al.* Newly diagnosed glucose intolerance and prognosis after acute myocardial infarction: comparison of post-challenge versus fasting glucose concentrations. *Heart* 2012;**98**:848–54. doi:10.1136/heartjnl-2012-301629

60 Yeboah J, Bertoni AG, Herrington DM, *et al.* Impaired fasting glucose and the risk of incident diabetes mellitus and cardiovascular events in an adult population: MESA (Multi-Ethnic Study of Atherosclerosis). *Journal of the American College of Cardiology* 2011;**58**:140–6.

61 Intzilakis T, Mouridsen MR, Almdal TP, *et al.* Impaired fasting glucose in combination with silent myocardial ischaemia is associated with poor prognosis in healthy individuals. *Diabetic Medicine* 2012;**29**:e163–9. doi:10.1111/j.1464-5491.2012.03639.x

62 Madssen E, Vatten L, Nilsen TI, *et al.* Abnormal glucose regulation and gender-specific risk of fatal coronary artery disease in the HUNT 1 study. *Scandinavian Cardiovascular Journal* 2012;**46**:219–25.

63 Laukkanen JA, Mäkikallio TH, Ronkainen K, *et al.* Impaired fasting plasma glucose and type 2 diabetes are related to the risk of out-of-hospital sudden cardiac death and all-cause mortality. *Diabetes care* 2013;**36**:1166–71.

64 Schöttker B, Müller H, Rothenbacher D, *et al.* Fasting plasma glucose and HbA1c in cardiovascular risk prediction: a sex-specific comparison in individuals without diabetes mellitus. *Diabetologia* 2013;**56**:92–100. doi:10.1007/s00125-012-2707-x

65 Selvin E, Rawlings AM, Bergenstal RM, *et al.* No Racial Differences in the Association of Glycated Hemoglobin With Kidney Disease and Cardiovascular Outcomes. *Diabetes Care* 2013;**36**:2995–3001. doi:10.2337/dc12-2715

66 Deedwania P, Patel K, Fonarow GC, *et al.* Prediabetes is not an independent risk factor for incident heart failure, other cardiovascular events or mortality in older adults: findings from a population-based cohort study. *International journal of cardiology* 2013;**168**:3616–22.

67 Onat A, Can G, Çiçek G, *et al.* Fasting, non-fasting glucose and HDL dysfunction in risk of pre-diabetes, diabetes, and coronary disease in non-diabetic adults. *Acta Diabetol* 2013;**50**:519–28. doi:10.1007/s00592-011-0313-x

68 Kim NH, Kim D-J, Park SW, *et al.* Plasma glucose regulation and mortality in Korea: a pooled analysis of three community-based cohort studies. *Diabetes & metabolism journal* 2014;**38**:44–50.

69 Mainous AG, Tanner RJ, Coates TD, *et al.* Prediabetes, elevated iron and all-cause mortality: a cohort study. *BMJ Open* 2014;**4**. doi:10.1136/bmjopen-2014-006491

70 Shi Z, Zhen S, Zimmet PZ, *et al.* Association of impaired fasting glucose, diabetes and dietary patterns with mortality: a 10-year follow-up cohort in Eastern China. *Acta diabetologica* 2016;**53**:799–806.

71 Bergman M, Chetrit A, Roth J, *et al.* Dysglycemia and long-term mortality: observations from the Israel study of glucose intolerance, obesity and hypertension. *Diabetes/metabolism research and reviews* 2015;**31**:368–75.

72 Qiu M, Shen W, Song X, *et al.* Effects of prediabetes mellitus alone or plus hypertension on subsequent occurrence of cardiovascular disease and diabetes mellitus: longitudinal study. *Hypertension* 2015;**65**:525–30.

73 Rebnord EW, Pedersen ER, Strand E, *et al.* Glycated hemoglobin and long-term prognosis in patients with suspected stable angina pectoris without diabetes mellitus: a prospective cohort study. *Atherosclerosis* 2015;**240**:115–20.

74 Eastwood SV, Tillin T, Sattar N, *et al.* Associations between prediabetes, by three different diagnostic criteria, and incident CVD differ in South Asians and Europeans. *Diabetes Care* 2015;**38**:2325–32.

75 Paprott R, Rosario AS, Busch MA, *et al.* Association between hemoglobin A1c and all-cause mortality: results of the mortality follow-up of the German National Health Interview and Examination Survey 1998. *Diabetes Care* 2014;:DC_141787.

76 Gordon-Dseagu VL, Mindell JS, Steptoe A, *et al.* Impaired glucose metabolism among those with and without diagnosed diabetes and mortality: a cohort study using Health Survey for England data. *PLOS one* 2015;**10**:e0119882.

77 Kim H-K, Lee JB, Kim SH, *et al.* Association of prediabetes, defined by fasting glucose, HbA1c only, or combined criteria, with the risk of cardiovascular disease in Koreans. *Journal of Diabetes* 2016;**8**:657–66. doi:10.1111/1753-0407.12343

78 Rhee E-J, Park SE, Chang Y, *et al.* Baseline glycemic status and mortality in 241,499 Korean metropolitan subjects: A Kangbuk Samsung Health Study. *Metabolism* 2016;**65**:68–77. doi:10.1016/j.metabol.2015.10.005

79 Parrinello CM, Sharrett AR, Maruthur NM, *et al.* Racial Differences in and Prognostic Value of Biomarkers of Hyperglycemia. *Diabetes Care* 2016;**39**:589–95. doi:10.2337/dc15-1360

80 Khosravi A, Gharipour M, Nezafati P, *et al.* Pre-hypertension, pre-diabetes or both: which is best at predicting cardiovascular events in the long term? *J Hum Hypertens* 2017;**31**:382–7. doi:10.1038/jhh.2016.42

81 Salazar MR, Carbajal HA, Espeche WG, *et al.* Insulin resistance: The linchpin between prediabetes and cardiovascular disease. *Diabetes and Vascular Disease Research* 2016;**13**:157–63. doi:10.1177/1479164115610057

82 Mirbolouk M, Hajebrahimi MA, Akbarpour S, *et al.* Different glucose tolerance status and incident cardiovascular disease and all-cause mortality among elderly Iranians. *Geriatrics & Gerontology International* 2016;**16**:1263–71. doi:10.1111/ggi.12633

83 Warren B, Pankow JS, Matsushita K, *et al.* Comparative prognostic performance of definitions of prediabetes: a prospective cohort analysis of the Atherosclerosis Risk in Communities (ARIC) study. *The Lancet Diabetes & Endocrinology* 2017;**5**:34–42.

84 Silbernagel G, Grammer TB, Winkelmann BR, *et al.* Glycated hemoglobin predicts all-cause, cardiovascular, and cancer mortality in people without a history of diabetes undergoing coronary angiography. *Diabetes Care* 2011;:DC_102010.

85 Ares J, Valdés S, Botas P, *et al.* Mortality risk in adults according to categories of impaired glucose metabolism after 18 years of follow-up in the North of Spain: The Asturias Study. *PLOS ONE* 2019;**14**:e0211070. doi:10.1371/journal.pone.0211070

86 Chattopadhyay S, George A, John J, *et al.* Pre-diabetes mellitus newly diagnosed after myocardial infarction adversely affects prognosis in patients without known diabetes. *Diabetes and Vascular Disease Research* 2019;**16**:489–97. doi:10.1177/1479164119845561

87 Chen Y-Y, Chen Y, Liang S-M, *et al.* Prognostic Impact of Fasting Plasma Glucose on Mortality and Re-Hospitalization in Patients with Acute Heart Failure: *Chinese Medical Journal* 2018;**131**:2032–40. doi:10.4103/0366-6999.239310

88 de Abreu LLF, Holloway KL, Mohebbi M, *et al.* All-Cause Mortality Risk in Australian Women with Impaired Fasting Glucose and Diabetes. *Journal of Diabetes Research* 2017;**2017**:1–8. doi:10.1155/2017/2042980

89 Fang F, Wang N, Yan S, *et al.* Impaired glucose tolerance predicts all-cause mortality among older men at high risk for cardiovascular disease in China. *Primary Care Diabetes* 2019;**13**:495–504. doi:10.1016/j.pcd.2019.01.004

90 Doi Yasufumi, Ninomiya Toshiharu, Hata Jun, *et al.* Impact of Glucose Tolerance Status on Development of Ischemic Stroke and Coronary Heart Disease in a General Japanese Population. *Stroke* 2010;**41**:203–9. doi:10.1161/STROKEAHA.109.564708

91 Fisman EZ, Motro M, Tenenbaum A, *et al.* Impaired fasting glucose concentrations in nondiabetic patients with ischemic heart disease: a marker for a worse prognosis. *Am Heart J* 2001;**141**:485–90. doi:10.1067/mhj.2001.113219

92 George A, Bhatia RT, Buchanan GL, *et al.* Impaired Glucose Tolerance or Newly Diagnosed Diabetes Mellitus Diagnosed during Admission Adversely Affects Prognosis after Myocardial Infarction: An Observational Study. *PLOS ONE* 2015;**10**:e0142045. doi:10.1371/journal.pone.0142045

93 Hajebrahimi MA, Akbarpour S, Eslami A, *et al.* Different combinations of glucose tolerance and blood pressure status and incident cardiovascular disease and all-cause mortality events. *Journal of human hypertension* 2017;**31**:744–9.

94 Hermanides RS, Kennedy MW, Kedhi E, *et al.* Impact of elevated HbA1c on long-term mortality in patients presenting with acute myocardial infarction in daily clinical practice: insights from a 'real world' prospective registry of the Zwolle Myocardial Infarction Study Group. *European Heart Journal: Acute Cardiovascular Care* 2019;:204887261984992. doi:10.1177/2048872619849921

95 Hubbard D, Colantonio LD, Tanner RM, *et al.* Prediabetes and Risk for Cardiovascular Disease by Hypertension Status in Black Adults: The Jackson Heart Study. *Diabetes Care* 2019;**42**:2322–9. doi:10.2337/dc19-1074

96 Janszky I, Hallqvist J, Ljung R, *et al.* Prognostic role of the glucometabolic status assessed in a metabolically stable phase after a first acute myocardial infarction: the SHEEP study. *Journal of Internal Medicine* 2009;**265**:465–75. doi:10.1111/j.1365-2796.2008.02036.x

97 Jiang CQ, Xu L, Lam TH, *et al.* Glycemic Measures and Risk of Mortality in Older Chinese: The Guangzhou Biobank Cohort Study. *J Clin Endocrinol Metab* 2020;**105**. doi:10.1210/clinem/dgz173

98 Khang Y-H, Cho S-I, Kim H-R. Risks for cardiovascular disease, stroke, ischaemic heart disease, and diabetes mellitus associated with the metabolic syndrome using the new harmonised definition: Findings from nationally representative longitudinal data from an Asian population. *Atherosclerosis* 2010;**213**:579–85. doi:10.1016/j.atherosclerosis.2010.09.009

99 Kim GS, Oh HH, Kim SH, *et al.* Association between prediabetes (defined by HbA1C, fasting plasma glucose, and impaired glucose tolerance) and the development of chronic kidney disease: a 9-year prospective cohort study. *BMC Nephrol* 2019;**20**:130. doi:10.1186/s12882-019-1307-0

100 Kowall B, Rathmann W, Heier M, *et al.* Categories of glucose tolerance and continuous glycemic measures and mortality. *European Journal of Epidemiology* 2011;**26**:637–45. doi:10.1007/s10654-011-9609-y

101 Liu H-H, Cao Y-X, Li S, *et al.* Impacts of Prediabetes Mellitus Alone or Plus Hypertension on the Coronary Severity and Cardiovascular Outcomes. *Hypertension*;**71**:1039–46. doi:10.1161/HYPERTENSIONAHA.118.11063

102 Liu J, Grundy SM, Wang W, *et al.* Ten-year risk of cardiovascular incidence related to diabetes, prediabetes, and the metabolic syndrome. *American Heart Journal* 2007;**153**:552–8. doi:10.1016/j.ahj.2007.01.003

103 Lu J, He J, Li M, *et al.* Predictive value of fasting glucose, postload glucose, and hemoglobin A1c on risk of diabetes and complications in Chinese adults. *Diabetes care* 2019;**42**:1539–48.

104 Ma SH, Park B-Y, Yang JJ, *et al.* Interaction of Body Mass Index and Diabetes as Modifiers of Cardiovascular Mortality in a Cohort Study. *Journal of Preventive Medicine & Public Health* 2012;**45**:394–401. doi:10.3961/jpmph.2012.45.6.394

105 Michishita R, Matsuda T, Kawakami S, *et al.* Hypertension and hyperglycemia and the combination thereof enhances the incidence of chronic kidney disease (CKD) in middle-aged and older males. *Clinical and Experimental Hypertension* 2017;**39**:645–54. doi:10.1080/10641963.2017.1306541

106 Palmieri L, Donfrancesco C, Giampaoli S, *et al.* Favorable cardiovascular risk profile and 10-year coronary heart disease incidence in women and men: results from the Progetto CUORE. *European Journal of Cardiovascular Prevention & Rehabilitation* 2006;**13**:562–70. doi:10.1097/01.hjr.0000221866.27039.4b

107 Parizadeh D, Rahimian N, Akbarpour S, *et al.* Sex-specific clinical outcomes of impaired glucose status: A long follow-up from the Tehran Lipid and Glucose Study. *Eur J Prev Cardiolog* 2019;**26**:1080–91. doi:10.1177/2047487319834396

108 Pavlović A, Polovina M, Ristić A, *et al.* Long-term mortality is increased in patients with undetected prediabetes and type-2 diabetes hospitalized for worsening heart failure and reduced ejection fraction. *Eur J Prev Cardiol* 2019;**26**:72–82. doi:10.1177/2047487318807767

109 Robich MP, Iribarne A, Leavitt BJ, *et al.* Intensity of Glycemic Control Affects Long-Term Survival After Coronary Artery Bypass Graft Surgery. *The Annals of Thoracic Surgery* 2019;**107**:477–84. doi:10.1016/j.athoracsur.2018.07.078

110 Rutten-Jacobs LCA, Keurlings PAJ, Arntz RM, *et al.* High Incidence of Diabetes after Stroke in Young Adults and Risk of Recurrent Vascular Events: The FUTURE Study. *PLoS ONE* 2014;**9**:e87171. doi:10.1371/journal.pone.0087171

111 Samaras K, Crawford J, Lutgers HL, *et al.* Metabolic Burden and Disease and Mortality Risk Associated with Impaired Fasting Glucose in Elderly Adults. *J Am Geriatr Soc* 2015;**63**:1435–42. doi:10.1111/jgs.13482

112 Stacey RB, Zgibor J, Leaverton PE, *et al.* Abnormal Fasting Glucose Increases Risk of Unrecognized Myocardial Infarctions in an Elderly Cohort. *Journal of the American Geriatrics Society* 2019;**67**:43–9. doi:10.1111/jgs.15604

113 Tai ES, Goh SY, Lee JJM, *et al.* Lowering the Criterion for Impaired Fasting Glucose: Impact on disease prevalence and associated risk of diabetes and ischemic heart disease. *Diabetes Care* 2004;**27**:1728–34. doi:10.2337/diacare.27.7.1728

114 Thrainsdottir IS, Aspelund T, Hardarson T, *et al.* Glucose abnormalities and heart failure predict poor prognosis in the population-based Reykjavik Study. *European Journal of Cardiovascular Prevention & Rehabilitation* 2005;**12**:465–71. doi:10.1097/01.hjr.0000173105.91356.4d

115 the DECODA Study Group, Nakagami T. Hyperglycaemia and mortality from all causes and from cardiovascular disease in five populations of Asian origin. *Diabetologia* 2004;**47**:385–94. doi:10.1007/s00125-004-1334-6

116 Vistisen D, Witte DR, Brunner EJ, *et al.* Risk of Cardiovascular Disease and Death in Individuals With Prediabetes Defined by Different Criteria: The Whitehall II Study. *Diabetes Care* 2018;**41**:899–906. doi:10.2337/dc17-2530

117 Wang Jianjun, Ruotsalainen Sanna, Moilanen Leena, *et al.* The Metabolic Syndrome Predicts Incident Stroke. *Stroke* 2008;**39**:1078–83. doi:10.1161/STROKEAHA.107.499830

118 Welsh C, Welsh P, Celis-Morales CA, *et al.* Glycated Hemoglobin, Prediabetes, and the Links to Cardiovascular Disease: Data From UK Biobank. *Diabetes Care* 2020;**43**:440–5. doi:10.2337/dc19-1683

119 Neves JS, Correa S, Baeta Baptista R, *et al.* Association of Prediabetes With CKD Progression and Adverse Cardiovascular Outcomes: An Analysis of the CRIC Study. *J Clin Endocrinol Metab* 2020;**105**. doi:10.1210/clinem/dgaa017

120 Kim NH, Pavkov ME, Looker HC, *et al.* Plasma Glucose Regulation and Mortality in Pima Indians. *Diabetes Care* 2008;**31**:488–92. doi:10.2337/dc07-1850

121 Brunner EJ, Shipley MJ, Marmot MG, *et al.* Do the Joint British Society (JBS2) guidelines on prevention of cardiovascular disease with respect to plasma glucose improve risk stratification in the general population? Prospective cohort study. *Diabetic Medicine* 2010;**27**:550–5. doi:https://doi.org/10.1111/j.1464-5491.2010.02921.x

122 Hunt KJ, Resendez RG, Williams K, *et al.* National Cholesterol Education Program Versus World Health Organization Metabolic Syndrome in Relation to All-Cause and Cardiovascular Mortality in the San Antonio Heart Study. *Circulation* 2004;**110**:1251–7. doi:10.1161/01.CIR.0000140762.04598.F9

123 Farhan S, Redfors B, Maehara A, *et al.* Impact of Pre-Diabetes on Coronary Plaque Composition and Clinical Outcome in Patients With Acute Coronary Syndromes. *JACC: Cardiovascular Imaging* 2019;**12**:733–41. doi:10.1016/j.jcmg.2017.06.023

124 Evans JMM, Eades CE, Leese GP. The risk of total mortality and cardiovascular mortality associated with impaired glucose regulation in Tayside, Scotland, UK: a record-linkage study in 214 094 people. *BMJ Open Diab Res Care* 2015;**3**:e000102. doi:10.1136/bmjdrc-2015-000102

125 Bjarnason TA, Hafthorsson SO, Kristinsdottir LB, *et al.* The prognostic effect of known and newly detected type 2 diabetes in patients with acute coronary syndrome. *European Heart Journal: Acute Cardiovascular Care* 2020;**9**:608–15. doi:10.1177/2048872619849925

126 Wang J, Ruotsalainen S, Moilanen L, *et al.* The metabolic syndrome predicts cardiovascular mortality: a 13-year follow-up study in elderly non-diabetic Finns. *European Heart Journal* 2007;**28**:857–64. doi:10.1093/eurheartj/ehl524

127 Ding D, Qiu J, Li X, *et al.* Hyperglycemia and Mortality Among Patients With Coronary Artery Disease. *Diabetes Care* 2014;**37**:546–54. doi:10.2337/dc13-1387

128 Ann Marie McNeill, Ronit Katz, Cynthia J Girman, *et al.* Metabolic syndrome and cardiovascular disease in older people: The cardiovascular health study. *Journal of the American Geriatrics Society*;**54**:1317–24. doi:10.1111/j.1532-5415.2006.00862.x