Supplementary table 1: Articles found in the literature review, after assessment of eligibility (n = 46).

Authors	Paper name
(Kozlowska et al., 2018)	"Motoring in idle": The default mode and somatomotor networks are overactive in children and adolescents with functional neurological symptoms. NeuroImage Clin. 18, 730–743. https://doi.org/10.1016/j.nicl.2018.02.003
(Khodayari-Rostamabad et al., 2015)	A cortical source localization analysis of resting EEG data after remifentanil infusion. Clin. Neurophysiol. 126, 898–905. https://doi.org/10.1016/j.clinph.2014.08.006
(Brown and Jones, 2008)	A role for midcingulate cortex in the interruptive effects of pain anticipation on attention. Clin. Neurophysiol. 119, 2370–2379. https://doi.org/10.1016/j.clinph.2008.06.014
(Gentile et al., 2020)	A simple pattern of movement is not able to inhibit experimental pain in fm patients and controls: An sloreta study. Brain Sci. 10. https://doi.org/10.3390/brainsci10030190
(Kisler et al., 2017)	Bi-phasic activation of the primary motor cortex by pain and its relation to pain-evoked potentials − an exploratory study. Behav. Brain Res. 328, 209–217. https://doi.org/10.1016/j.bbr.2017.04.006
(De Ridder and Vanneste, 2016)	Burst and tonic spinal cord stimulation: Different and common brain mechanisms. Neuromodulation 19, 47–59. https://doi.org/10.1111/ner.12368
(Kisler et al., 2018)	Can a single pulse transcranial magnetic stimulation targeted to the motor cortex interrupt pain processing? PLoS One 13, 1–13. https://doi.org/10.1371/journal.pone.0195739
(Nishigami et al., 2014)	Central neural mechanisms of interindividual difference in discomfort during sensorimotor incongruence in healthy volunteers: an experimental study. Rheumatology 53, 1194–1199.
(Hansen et al., 2017)	Characterization of cortical source generators based on electroencephalography during tonic pain. J. Pain Res. 10, 1401–1409. https://doi.org/10.2147/JPR.S132909
(Michels et al., 2011)	Correlations between EEG and clinical outcome in chronic neuropathic pain: Surgical effects and treatment resistance. Brain Imaging Behav. 5, 329–348. https://doi.org/10.1007/s11682-011-9135-2
(Wang et al., 2015)	Cortical activities of heat-sensitization responses in suspended moxibustion: an EEG source analysis with sLORETA. Cogn. Neurodyn. 9, 581–588. https://doi.org/10.1007/s11571-015-9349-x
(Joos et al., 2012)	Disentangling depression and distress networks in the tinnitus brain. PLoS One 7, 1–10. https://doi.org/10.1371/journal.pone.0040544
(Clark et al., 2008)	Dissociating nociceptive modulation by the duration of pain anticipation from unpredictability in the timing of pain. Clin. Neurophysiol. 119, 2870–2878. https://doi.org/10.1016/j.clinph.2008.09.022
(Stefanie et al., 2011)	Dysfunctional pain modulation in somatoform pain disorder patients. Eur. Arch. Psychiatry Clin. Neurosci. 261, 267–275. https://doi.org/10.1007/s00406-010-0148-4
(Vecchio et al., 2018)	Effects of external trigeminal nerve stimulation (eTNS) on laser evoked cortical potentials (LEP): A pilot study in migraine patients and controls. Cephalalgia 38, 1245–1256. https://doi.org/10.1177/0333102417728748
(Perchet et al., 2008)	Evoked potentials to nociceptive stimuli delivered by CO2 or Nd:YAP lasers. Clin. Neurophysiol. 119, 2615–2622. https://doi.org/10.1016/j.clinph.2008.06.021
(Prichep et al., 2018)	Exploration of the Pathophysiology of Chronic Pain Using Quantitative EEG Source Localization. Clin. EEG Neurosci. 49, 103–113. https://doi.org/10.1177/1550059417736444
(Prinsloo et al., 2019)	Exploratory Study of Low Resolution Electromagnetic Tomography (LORETA) Real-Time Z-Score Feedback in the Treatment of Pain in Patients with Head and Neck Cancer. Brain Topogr. 32, 283–285. https://doi.org/10.1007/s10548-018-0686-z
(Lai et al., 2016)	Fear of missing out (FOMO) is associated with activation of the right middle temporal gyrus during inclusion social cue. Comput. Human Behav. 61, 516–521. https://doi.org/10.1016/j.chb.2016.03.072

(Shao et al., 2012)	Frequency-domain EEG source analysis for acute tonic cold pain perception. Clin. Neurophysiol. 123, 2042–2049. https://doi.org/10.1016/j.clinph.2012.02.084
(Fardo et al., 2013)	Horizontal body position reduces cortical pain-related processing: Evidence from late ERPs. PLoS One 8, 1–12. https://doi.org/10.1371/journal.pone.0081964
(Ye et al., 2019)	Hyperexcitability of Cortical Oscillations in Patients with Somatoform Pain Disorder: A Resting-State EEG Study. Neural Plast. 2019, 2687150. https://doi.org/10.1155/2019/2687150
(De Pascalis and Scacchia, 2016)	Hypnotizability and placebo analgesia in waking and hypnosis as modulators of auditory startle responses in healthy women: An ERP study. PLoS One 11, 1–28. https://doi.org/10.1371/journal.pone.0159135
(Case et al., 2018)	Increased theta band EEG power in sickle cell disease patients. J. Pain Res. 11, 67–76. https://doi.org/10.2147/JPR.S145581
(Goffaux et al., 2014)	Individual differences in pain sensitivity vary as a function of precuneus reactivity. Brain Topogr. 27, 366–374. https://doi.org/10.1007/s10548-013-0291-0
(Spironelli and Angrilli, 2011)	Influence of body position on cortical pain-related somatosensory processing: An ERP study. PLoS One 6. https://doi.org/10.1371/journal.pone.0024932
(Stancak et al., 2016)	Mapping multidimensional pain experience onto electrophysiological responses to noxious laser heat stimuli. Neuroimage 125, 244–255. https://doi.org/10.1016/j.neuroimage.2015.10.028
(Brown and Jones, 2010)	Meditation experience predicts less negative appraisal of pain: Electrophysiological evidence for the involvement of anticipatory neural responses. Pain 150, 428–438. https://doi.org/10.1016/j.pain.2010.04.017
(Brown et al., 2008)	Modulation of pain ratings by expectation and uncertainty: Behavioral characteristics and anticipatory neural correlates. Pain 135, 240–250. https://doi.org/10.1016/j.pain.2007.05.022
(Katayama et al., 2018)	Neural mechanism of altered limb perceptions caused by temporal sensorimotor incongruence. Front. Behav. Neurosci. 12, 1–12. https://doi.org/10.3389/fnbeh.2018.00282
(Nir et al., 2008)	Neurophysiology of the Cortical Pain Network: Revisiting the Role of S1 in Subjective Pain Perception Via Standardized Low-Resolution Brain Electromagnetic Tomography (sLORETA). J. Pain 9, 1058–1069. https://doi.org/10.1016/j.jpain.2008.06.008
(De Pascalis et al., 2015)	Pain modulation in waking and hypnosis in women: Event-related potentials and sources of cortical activity. PLoS One 10, 1–38. https://doi.org/10.1371/journal.pone.0128474
(Calabrò et al., 2017)	Pain perception in patients with chronic disorders of consciousness: What can limbic system tell us? Clin. Neurophysiol. 128, 454–462. https://doi.org/10.1016/j.clinph.2016.12.011
(Stern et al., 2006)	Persistent EEG overactivation in the cortical pain matrix of neurogenic pain patients. Neuroimage 31, 721–731. https://doi.org/10.1016/j.neuroimage.2005.12.042
(De Pascalis and Scacchia, 2017a)	Personality and placebo analgesia during cold stimulation in women: A Low-Resolution Brain Electromagnetic Tomography (LORETA) analysis of startle ERPs. Pers. Individ. Dif. 118, 64–70. https://doi.org/10.1016/j.paid.2017.02.046
(Boyle et al., 2008)	Selective modulation of nociceptive processing due to noise distraction. Pain 138, 630–640. https://doi.org/10.1016/j.pain.2008.02.020
(Kisler et al., 2016)	Sex dimorphism in a mediatory role of the posterior midcingulate cortex in the association between anxiety and pain sensitivity. Exp. Brain Res. 234, 3119–3131. https://doi.org/10.1007/s00221-016-4710-9
(Moont et al., 2011)	Temporal changes in cortical activation during conditioned pain modulation (CPM), a LORETA study. Pain 152, 1469–1477. https://doi.org/10.1016/j.pain.2011.01.036
(Moont et al., 2012)	Temporal changes in cortical activation during distraction from pain: A comparative LORETA study with conditioned pain modulation. Brain Res. 1435, 105–117. https://doi.org/10.1016/j.brainres.2011.11.056

(De Pascalis and Scacchia, 2017b)	The behavioural approach system and placebo analgesia during cold stimulation in women: A low-resolution brain electromagnetic tomography (LORETA) analysis of startle ERPs. Pers. Individ. Dif. 118, 56–63. https://doi.org/10.1016/j.paid.2017.03.003
(Lelic et al., 2017)	The effects of analgesics on central processing of tonic pain: A cross-over placebo controlled study. Neuropharmacology 123, 455–464. https://doi.org/10.1016/j.neuropharm.2017.06.022
(Navid et al., 2019)	The effects of chiropractic spinal manipulation on central processing of tonic pain - a pilot study using standardized low-resolution brain electromagnetic tomography (sLORETA). Sci. Rep. 9, 6925. https://doi.org/10.1038/s41598-019-42984-3
(Vanneste et al., 2010)	The neural correlates of tinnitus-related distress. Neuroimage 52, 470–480. https://doi.org/10.1016/j.neuroimage.2010.04.029
(Clemens et al., 2008)	Three-dimensional localization of abnormal EEG activity in migraine: A low resolution electromagnetic tomography (LORETA) study of migraine patients in the pain-free interval. Brain Topogr. 21, 36–42. https://doi.org/10.1007/s10548-008-0061-6
(De Tommaso et al., 2013)	Virtual visual effect of hospital waiting room on pain modulation in healthy subjects and patients with chronic migraine. Pain Res. Treat. 2013. https://doi.org/10.1155/2013/515730
(Peng et al., 2015)	Widespread cortical α-ERD accompanying visual oddball target stimuli is frequency but non-modality specific. Behav. Brain Res. 295, 71–77. https://doi.org/10.1016/j.bbr.2015.04.051

For Peer Review

Supplementary table 1: Summary of systematic review for the articles with frequency-domain analysis.

Author	Exploratory study	Design	Setting	Sample size calculation	Effect size	Mean CSD	CSD SD/SE	*Nc*	*Np*
Kozlowska et al., 2018	no	parallel	cross-sectional	no	yes	yes	no		57/57
Khodayari-Rostamabad et al., 2015	yes	crossover	cross-sectional	no	no	no	no	21	
De Ridder and Vanneste, 2016	yes	crossover	cross-sectional	no	yes	no	no	5	
Nishigami et al., 2014	no	crossover	cross-sectional	no	no	no	no	18	
Hansen et al., 2017	no	crossover	cross-sectional	no	no	no	no	31	
Michels et al., 2011	no	parallel	longitudinal	no	no	no	no		23/15
Stefanie et al., 2011	yes	parallel	cross-sectional	no	no	no	no		15/15
Prichep et al., 2018	yes	parallel	cross-sectional	no	yes	yes	yes		77/77
Prinsloo et al., 2019	yes	crossover	longitudinal	no	yes	yes	yes	12	
Shao et al., 2012	no	crossover	cross-sectional	no	no	no	no	26	
Ye et al., 2019	no	parallel	cross-sectional	no	yes	yes	yes		17/17
Case et al., 2018	no	parallel	cross-sectional	no	yes	no	no		20/14
Stern et al., 2006	no	crossover	cross-sectional	no	yes	yes	no	6	
Lelic et al., 2017	no	crossover	longitudinal	no	no	no	no	20	
Navid et al., 2019	yes	crossover	longitudinal	no	no	no	no	15	
Vanneste et al., 2010	no	parallel	cross-sectional	no	no	no	no		27/21
Clemens et al., 2008	yes	parallel	cross-sectional	no	no	no	no		20/17
							Mean N	**17**	**31**
							SD N	**9**	**23**

Nc: sample size for cross-over design. *Np*: sample size for parallel designs. CSD: current source density. SD: standard deviation. SE: standard error.

Supplementary table 3: Summary of systematic review for the articles with time-domain analysis.

Author	Exploratory study	Design	Setting	Sample size calculation	Effect size	Mean CSD	CSD SD/SE	*Nc*	*Np*
Brown and Jones, 2008	no	crossover	cross-sectional	no	no	no	no	24	
Gentile et al., 2020	no	parallel	cross-sectional	no	no	no	no		38/21
Kisler et al., 2017	yes	crossover	cross-sectional	no	no	yes	no	24	
Kisler et al., 2018	yes	parallel	cross-sectional	no	no	yes	no		11/16
Wang et al., 2015	no	parallel	longitudinal	no	no	no	no		12/13
Joos et al., 2012	no	crossover	cross-sectional	no	no	no	no	56	
Clark et al., 2008	no	crossover	cross-sectional	no	yes	yes	yes	12	
Vecchio et al., 2018	no	parallel	cross-sectional	no	no	no	no		17/21
Perchet et al., 2008	no	crossover	cross-sectional	no	no	no	no	11	
Lai et al., 2016	no	crossover	cross-sectional	no	no	no	no	26	
Fardo et al., 2013	no	parallel	cross-sectional	no	no	no	no		14/14
De Pascalis and Scacchia, 2016	no	crossover	longitudinal	no	no	no	no	53	
Goffaux et al., 2014	no	crossover	cross-sectional	no	yes	yes	no	16	
Spironelli and Angrilli, 2011	no	parallel	cross-sectional	no	no	no	no		10/10
Stancak et al., 2016	yes	crossover	cross-sectional	no	no	no	no	16	
Brown and Jones, 2010	no	parallel	cross-sectional	no	yes	yes	yes		12/15
Brown et al., 2008	no	crossover	cross-sectional	no	no	no	no	15	
Katayama et al., 2018	no	crossover	cross-sectional	no	no	no	no	17	
Nir et al., 2008	no	crossover	cross-sectional	no	yes	yes	no	17	
De Pascalis et al., 2015	no	parallel	longitudinal	no	no	yes	no		10/10
Calabrò et al., 2017	no	parallel	longitudinal	no	yes	yes	yes		10/11/10
De Pascalis and Scacchia, 2017a	no	crossover	cross-sectional	no	no	yes	yes	52	
Boyle et al., 2008	no	crossover	cross-sectional	no	no	no	no	18	

Kisler et al., 2016	yes	crossover	cross-sectional	no	no	no	no	26	
Moont et al., 2011	yes	crossover	both	no	no	no	no	30	
Moont et al., 2012	no	crossover	longitudinal	no	no	no	no	51	
De Pascalis and Scacchia, 2017b	no	crossover	cross-sectional	no	yes	yes	no	52	
De Tommaso et al., 2013	no	parallel	longitudinal	no	no	no	no		16/16
Peng et al., 2015	no	crossover	cross-sectional	no	no	no	no	18	
							Mean N	**28**	**15**
							SD N	**16**	**6**

Nc: sample size for cross-over design. *Np*: sample size for parallel designs. CSD: current source density. SD: standard deviation. SE: standard error.

For Peer Review

Supplementary table 4: Summary of quantitative data from the experimental procedure and the Bland-Altman analysis for each condition, at each region of interest (ROI) and frequency band.

Sustained deep-tissue painful stimulation (STDP)

ROI	Frequency band	CSD estimation			Bland-Altman analysis		
		Mean (± SD)	Min	Max	Bias (95% CI)	L-LoA (95% CI)	U-LoA (95% CI)
L-ACC	θ	0.39 (±0.26)	-0.14	0.88	-0.05 (-0.12 – 0.01)	-0.33 (-0.44 – -0.22)	0.23 (0.12 – 0.34)
	α	-0.01 (±0.26)	-0.48	0.52	0.02 (-0.09 – 0.12)	-0.43 (-0.61 – -0.26)	0.47 (0.29 - 0.65)
	γ	0.29 (±0.22)	-0.19	0.74	-0.10 (-0.20 – 0.00)	-0.54 (-0.71 – -0.36)	0.34 (0.17 - 0.51)
L-S1	θ	0.82 (±0.43)	0.06	1.64	-0.07 (-0.18 – 0.03)	-0.51 (-0.68 – -0.34)	0.36 (0.19 – 0.53)
	α	0.34 (±0.26)	-0.06	0.89	-0.15 (-0.25 – -0.04)	-0.59 (-0.76 – -0.04)	0.29 (0.12 – 0.47)
	γ	0.78 (±0.21)	0.15	1.22	-0.11 (-0.20– -0.01)	-0.52 (-0.68 – -0.36)	0.30 (0.14 – 0.57)
R-AI	θ	0.64 (±0.25)	0.20	1.09	-0.07 (-0.15 – 0.01)	-0.42 (-0.56 – -0.28)	0.28 (0.14 – 0.42)
	α	0.47 (±0.27)	-0.06	1.09	0.07 (-0.05 – 0.19)	-0.44 (-0.65 – -0.24)	0.59 (0.39 – 0.80)
	γ	0.57 (±0.34)	-0.09	1.20	-0.21 (-0.34– -0.09)	-0.76 (-0.97 – -0.54)	0.33 (0.12 – 0.55)

Values are expressed as mean ± standard deviation (SD), minimum (Min) and maximum (Max) of the current source density (CSD) estimation ($\log_{10}$ CSD μA/mm^2). Bland-Altman analysis includes bias, lower and upper limits of agreement (L-LoA and U-LoA, respectively) with their 95% confidence intervals (CI). L-ACC: left anterior cingulate cortex. L-S1: left primary somatosensory cortex. R-AI: right anterior insula.

For Peer Review

Sustained deep-tissue non-painful stimulation (STnDP)

ROI	Frequency band	CSD estimation			Bland-Altman analysis		
		Mean (± SD)	Min	Max	Bias (95% CI)	L-LoA (95% CI)	U-LoA (95% CI)
L-ACC	θ	0.23 (±0.27)	-0.21	0.79	-0.06 (-0.15 – 0.02)	-0.42 (-0.57 – -0.28)	0.30 (0.16 – 0.44)
	α	-0.06 (±0.24)	-0.47	0.50	0.02 (-0.08 – -0.13)	-0.42 (-0.60 – -0.24)	0.47 (0.29 - 0.64)
	γ	0.19 (±0.25)	-0.25	0.73	-0.25 (-0.37 – -0.13)	-0.76 (-0.97 – -0.56)	0.27 (0.06 - 0.47)
L-S1	θ	0.62 (±0.47)	0.02	1.82	-0.09 (-0.18 – 0.00)	-0.47 (-0.63 – -0.32)	0.29 (0.14 – 0.44)
	α	0.22 (±0.18)	-0.10	0.74	0.01 (-0.07 - 0.08)	-0.31 (-0.44 – -0.18)	0.33 (0.20 – 0.46)
	γ	0.43 (±0.20)	0.08	0.78	-0.08 (-0.18– 0.02)	-0.52 (-0.69 – -0.34)	0.36 (0.19 – 0.53)
R-AI	θ	0.49 (±0.31)	0.01	1.20	-0.10 (-0.19 – 0.02)	-0.46 (-0.60 – -0.32)	0.25 (0.11 – 0.39)
	α	0.32 (±0.28)	-0.12	0.97	-0.06 (-0.19 – 0.07)	-0.62 (-0.84 – -0.40)	0.50 (0.28 – 0.72)
	γ	0.27 (±0.16)	-0.13	0.60	-0.09 (-0.16– -0.02)	-0.39 (-0.51 – -0.27)	0.21 (0.09 – 0.33)

Values are expressed as mean ± standard deviation (SD), minimum (Min) and maximum (Max) of the current source density (CSD) estimation ($\log_{10}$ CSD μA/mm^2). Bland-Altman analysis includes bias, lower and upper limits of agreement (L-LoA and U-LoA, respectively) with their 95% confidence intervals (CI). L-ACC: left anterior cingulate cortex. L-S1: left primary somatosensory cortex. R-AI: right anterior insula.

For Peer Review

Resting state EEG (REEG)

ROI	Frequency band	CSD estimation			Bland-Altman analysis		
		Mean (± SD)	Min	Max	Bias (95% CI)	L-LoA (95% CI)	U-LoA (95% CI)
L-ACC	θ	0.25 (±0.26)	-0.27	0.79	0.04 (-0.03 – 0.12)	-0.27 (-0.40 – -0.15)	0.36 (0.23 – 0.48)
	α	0.29 (±0.28)	-0.34	0.82	-0.14 (-0.25 – -0.03)	-0.61 (-0.80 – -0.42)	0.32 (0.14 - 0.51)
	γ	0.06 (±0.22)	-0.33	0.64	0.04 (-0.04 – 0.12)	-0.31 (-0.45 – -0.17)	0.39 (0.25 - 0.53)
L-S1	θ	0.18 (±0.34)	-0.47	0.85	0.00 (-0.07 – 0.07)	-0.31 (-0.42 – -0.19)	0.3 (0.18 – 0.42)
	α	0.93 (±0.11)	0.74	1.16	0.00 (-0.04 - 0.03)	-0.15 (-0.21 – -0.09)	0.14 (0.09 – 0.20)
	γ	0.24 (±0.34)	-0.35	0.87	0.06 (.0.07– 0.19)	-0.5 (-0.72 – -0.28)	0.62 (0.39 – 0.84)
R-AI	θ	0.34 (±0.33)	-0.23	1.03	0.05 (-0.05 – 0.16)	-0.41 (-0.59 – -0.22)	0.52 (0.33 – 0.70)
	α	0.51 (±0.36)	-0.20	1.12	-0.08 (-0.22 – 0.05)	-0.67 (-0.90 – -0.44)	0.27 (0.27 – 0.74)
	γ	0.26 (±0.25)	-0.22	0.94	0.00 (-0.11– 0.10)	-0.45 (-0.63 – -0.27)	0.45 (0.27 – 0.63)

Values are expressed as mean ± standard deviation (SD), minimum (Min) and maximum (Max) of the current source density (CSD) estimation ($\log_{10}$ CSD μA/mm^2). Bland-Altman analysis includes bias, lower and upper limits of agreement (L-LoA and U-LoA, respectively) with their 95% confidence intervals (CI). L-ACC: left anterior cingulate cortex. L-S1: left primary somatosensory cortex. R-AI: right anterior insula.

For Peer Review

Supplementary table 5: Log_{10} of current source density (CSD) estimations during sustained deep tissue painful stimulation (SDTP), sustained deep tissue non-painful stimulation (SDTnP) and resting state EEG (REEG), in three regions of interest: left anterior cingulate cortex (L-ACC), left primary somatosensory cortex (L-S1) and right anterior insula (R-AI) at three frequency bands (theta, alpha and gamma)

Session 1

	SDTP								
Subject	**L-ACC**			**L-S1**			**R-AI**		
	θ	**α**	**γ**	**θ**	**α**	**γ**	**θ**	**α**	**γ**
S01	0.67	0.18	0.70	1.32	0.74	0.93	0.96	0.91	1.17
S02	0.26	-0.14	0.51	0.29	0.02	0.81	0.69	0.37	0.72
S03	-0.12	-0.48	0.08	0.38	0.01	0.93	0.51	0.25	0.88
S04	0.28	-0.37	0.17	0.76	0.17	0.62	0.27	-0.06	0.93
S05	0.55	0.09	0.74	1.35	0.83	1.10	0.56	0.39	0.85
S06	0.16	-0.35	0.45	0.54	0.08	1.03	0.44	0.05	0.92
S07	0.32	-0.17	0.54	0.88	0.81	1.22	0.49	0.24	0.32
S08	-0.02	-0.36	0.03	0.31	-0.04	0.91	0.31	0.20	0.57
S09	0.42	-0.06	0.23	1.04	0.58	0.76	0.73	0.42	0.58
S10	0.59	0.04	0.45	1.52	0.58	0.79	0.66	0.30	0.49
S11	0.40	0.12	0.37	0.79	0.39	0.92	0.81	0.44	0.61
S12	0.69	0.03	0.32	0.77	0.30	0.79	0.75	0.23	0.00
S13	0.23	-0.25	0.00	0.61	0.19	0.83	0.24	-0.06	0.41
S14	0.00	-0.32	-0.10	0.55	0.17	0.45	0.78	0.65	0.72
S15	0.94	0.24	0.28	1.45	0.66	0.77	0.94	0.73	0.69
S16	0.52	0.46	0.26	0.61	0.35	0.79	0.70	0.37	0.62
S17	0.40	-0.04	0.35	1.06	0.69	0.93	0.79	0.58	0.70
S18	0.36	0.52	0.18	0.53	0.45	0.76	0.43	0.82	1.20
S19	0.50	0.03	0.38	0.92	0.49	0.87	1.00	0.55	0.78
S20	0.67	0.09	0.43	0.94	0.45	0.76	0.96	0.85	0.22
S21	1.00	0.42	0.73	1.39	0.71	0.58	1.08	0.85	0.75

Subject	SDTnP								
	L-ACC			L-S1			R-AI		
	θ	α	γ	θ	α	γ	θ	α	γ
S01	0.52	0.42	0.73	1.13	0.25	0.47	1.20	0.97	0.18
S02	0.32	-0.10	0.54	0.41	-0.02	0.26	0.76	0.33	0.29
S03	-0.14	-0.36	0.14	0.21	-0.02	0.48	0.31	0.11	0.45
S04	-0.11	-0.43	0.25	0.34	0.06	0.78	0.08	-0.12	0.32
S05	0.60	0.15	0.12	1.32	0.74	0.15	0.60	0.35	0.31
S06	-0.07	-0.47	0.38	0.48	0.15	0.69	0.34	0.03	0.34
S07	0.16	-0.26	0.45	0.47	0.14	0.10	0.37	0.12	0.19
S08	-0.10	-0.28	-0.07	0.11	-0.10	0.38	0.22	0.25	0.22
S09	0.32	-0.12	0.42	0.79	0.46	0.77	0.60	0.28	0.11
S10	0.79	0.14	0.57	1.82	0.43	0.41	0.80	0.28	0.32
S11	0.29	-0.01	0.17	0.58	0.26	0.44	0.57	0.24	0.45
S12	0.17	-0.23	0.31	0.34	0.00	0.30	0.25	-0.01	0.09
S13	0.12	-0.21	0.26	0.34	0.07	0.08	0.19	-0.07	0.26
S14	-0.14	-0.46	0.04	0.29	0.11	0.64	0.42	0.32	0.34
S15	0.49	-0.03	0.37	1.02	0.25	0.55	0.47	0.51	0.42
S16	0.42	0.50	0.21	0.52	0.40	0.44	0.42	0.91	0.09
S17	0.20	-0.14	0.40	0.71	0.34	0.78	0.57	0.48	0.42
S18	0.25	0.25	0.17	1.30	0.29	0.69	0.31	0.56	0.55
S19	0.76	0.27	0.47	1.03	0.56	0.18	1.13	0.72	0.40
S20	0.16	-0.21	0.16	0.41	0.07	0.57	0.79	0.46	0.52
S21	0.39	0.06	0.55	0.39	0.06	0.60	0.94	0.57	0.33

For Peer Review

Subject	REEG								
	L-ACC			L-S1			R-AI		
	θ	α	γ	θ	α	γ	θ	α	γ
S01	0.54	0.57	0.34	0.20	0.79	0.06	1.03	1.02	0.67
S02	0.57	0.38	-0.33	-0.20	0.87	-0.14	0.07	0.59	0.57
S03	0.41	0.37	-0.25	-0.30	0.97	-0.11	-0.23	0.40	-0.22
S04	0.03	0.58	0.18	-0.23	0.94	0.45	0.04	0.03	0.15
S05	-0.14	0.39	0.12	-0.30	0.87	0.07	0.08	0.43	0.31
S06	-0.27	0.14	-0.19	-0.34	0.92	-0.08	-0.05	0.27	-0.04
S07	0.26	0.28	-0.07	0.85	0.86	0.59	0.40	0.22	0.12
S08	0.10	0.23	0.08	0.14	1.13	-0.09	0.00	0.05	-0.18
S09	0.34	0.12	0.08	0.62	0.84	-0.15	0.40	0.41	0.09
S10	0.07	0.43	0.14	0.68	0.93	0.54	-0.04	0.44	0.37
S11	0.03	0.75	-0.25	0.46	0.93	-0.07	-0.10	0.41	-0.07
S12	-0.04	0.19	-0.31	0.31	0.93	-0.15	0.09	0.18	-0.01
S13	0.47	0.20	0.01	0.34	1.03	-0.06	0.61	0.49	0.25
S14	0.25	0.28	-0.01	0.32	1.02	0.46	0.31	0.72	0.07
S15	0.25	0.60	0.06	0.39	0.80	0.75	0.51	0.74	0.43
S16	0.16	0.54	-0.13	0.00	0.96	0.65	0.17	1.12	0.15
S17	0.38	0.05	0.10	0.01	0.74	-0.20	0.68	0.63	0.27
S18	0.47	0.65	0.23	0.35	0.96	0.08	0.79	0.92	0.60
S19	0.54	0.27	0.33	0.03	0.83	0.33	0.98	0.66	0.68
S20	0.30	0.07	-0.02	0.33	1.16	0.64	0.55	1.00	0.23
S21	0.16	0.50	0.64	0.17	1.09	0.83	0.37	0.90	0.94

For Peer Review

Session 2

Subject	SDTP								
	L-ACC			L-S1			R-AI		
	θ	α	γ	θ	α	γ	θ	α	γ
S01	0.60	0.29	0.53	1.11	0.50	1.18	0.79	1.09	1.07
S02	0.03	-0.22	0.22	0.21	0.14	0.77	0.77	0.64	0.79
S03	-0.16	-0.36	0.06	0.38	0.11	0.81	0.31	0.43	0.74
S04	0.25	-0.15	0.52	0.83	0.22	0.41	0.20	0.54	0.55
S05	0.45	0.19	0.17	1.21	0.72	1.06	0.31	0.75	0.71
S06	0.25	-0.35	0.02	0.37	0.11	0.91	0.43	0.71	0.75
S07	0.23	-0.04	0.10	1.05	0.89	0.96	0.45	0.52	0.06
S08	0.13	-0.08	0.26	0.13	0.04	0.80	0.38	0.14	0.74
S09	0.45	0.15	0.21	1.21	0.21	0.48	0.49	0.20	0.15
S10	0.44	0.19	0.67	1.64	0.25	0.86	0.62	0.28	0.87
S11	0.46	-0.28	0.18	1.10	0.17	0.60	0.92	0.28	-0.09
S12	0.67	-0.38	0.20	0.19	0.15	0.92	0.59	0.30	-0.02
S13	0.15	-0.08	0.15	0.06	0.22	0.69	0.43	0.26	0.34
S14	0.04	0.06	-0.19	0.43	0.24	0.74	0.54	0.59	-0.06
S15	0.81	-0.09	0.17	1.35	0.13	0.52	0.71	0.78	0.28
S16	0.26	0.29	0.20	0.55	0.24	0.50	0.57	0.27	0.25
S17	0.37	0.07	0.16	0.79	-0.06	0.69	0.38	0.37	0.61
S18	0.60	0.30	0.13	0.60	0.26	0.81	0.78	0.52	0.83
S19	0.57	0.30	0.30	0.96	0.20	0.76	0.83	0.40	0.73
S20	0.53	-0.04	0.39	0.75	0.22	0.15	1.09	0.80	0.16
S21	0.62	0.25	0.57	1.52	0.59	0.68	1.07	0.76	0.21

For Review

Subject	SDTnP								
	L-ACC			L-S1			R-AI		
	θ	α	γ	θ	α	γ	θ	α	γ
S01	0.67	0.37	0.21	0.78	0.39	0.46	1.11	0.92	0.18
S02	0.05	-0.19	-0.19	0.29	0.17	0.25	0.89	0.58	0.31
S03	-0.15	-0.34	0.17	0.16	0.13	0.14	0.05	0.25	0.31
S04	-0.13	-0.22	0.32	0.21	0.19	0.64	0.11	0.19	0.28
S05	0.30	-0.23	0.06	1.52	0.62	0.46	0.48	0.22	0.28
S06	-0.21	-0.43	-0.25	0.12	0.08	0.45	0.18	0.04	0.25
S07	0.22	-0.06	0.13	0.04	0.24	0.47	0.29	0.12	-0.05
S08	0.12	-0.08	0.22	0.02	-0.03	0.14	0.01	0.12	0.18
S09	0.37	0.14	0.15	0.57	0.20	0.58	0.42	0.20	0.33
S10	0.71	0.17	0.58	1.70	0.35	0.73	0.47	0.27	0.04
S11	0.01	-0.09	-0.24	0.42	0.20	0.23	0.09	-0.01	0.27
S12	-0.14	-0.33	-0.25	0.41	0.16	0.13	0.26	-0.06	-0.13
S13	0.02	-0.14	-0.08	0.27	0.18	0.14	0.39	0.67	0.19
S14	0.08	0.10	0.09	0.24	0.44	0.23	0.19	0.62	0.00
S15	0.14	-0.15	-0.09	0.80	0.11	0.36	0.47	0.12	0.20
S16	0.25	-0.02	-0.12	0.81	0.41	0.33	0.43	0.69	0.13
S17	0.32	0.00	0.05	0.95	0.26	0.47	0.32	0.17	0.27
S18	0.45	0.15	0.03	1.43	0.15	0.50	0.63	0.37	0.29
S19	0.55	0.28	0.46	0.78	0.21	0.41	0.96	0.32	0.35
S20	0.15	-0.01	-0.08	0.40	0.21	0.42	0.61	0.09	0.47
S21	0.36	0.08	0.26	0.17	0.03	0.61	0.84	0.16	0.60

For Peer Review

Subject	REEG								
	L-ACC			L-S1			R-AI		
	θ	α	γ	θ	α	γ	θ	α	γ
S01	0.78	0.49	0.32	0.41	0.74	0.18	0.93	1.12	0.32
S02	0.53	-0.10	-0.10	0.11	0.88	0.31	0.74	0.66	0.30
S03	0.42	0.38	0.02	-0.41	1.09	0.04	-0.04	-0.07	0.21
S04	-0.08	0.67	0.34	-0.16	0.82	0.87	0.13	0.17	0.28
S05	-0.01	-0.22	0.13	-0.44	0.92	-0.15	0.00	-0.20	0.17
S06	-0.26	-0.34	-0.17	-0.47	0.92	-0.16	0.22	0.64	0.35
S07	0.28	-0.02	-0.04	0.71	0.76	0.50	0.43	0.19	0.03
S08	0.33	0.13	0.53	0.42	1.05	0.28	0.44	0.35	0.22
S09	0.54	0.26	0.12	0.55	0.84	0.01	0.53	0.29	0.09
S10	0.39	0.16	0.30	0.67	0.85	0.65	-0.07	0.11	0.18
S11	0.00	0.82	-0.27	0.45	0.98	0.06	0.24	0.04	0.00
S12	0.02	-0.16	-0.23	0.21	0.90	0.16	0.19	0.28	0.11
S13	0.28	0.10	0.20	0.50	1.07	0.54	0.69	0.90	0.32
S14	0.16	0.21	-0.09	0.13	1.00	0.26	0.33	0.74	0.10
S15	0.27	0.77	0.10	0.54	0.81	0.40	0.25	0.19	0.54
S16	-0.10	0.06	-0.23	0.02	0.95	0.73	-0.06	1.09	0.31
S17	0.43	0.08	-0.07	-0.13	0.81	-0.35	0.43	0.17	0.02
S18	0.71	0.41	0.21	0.17	1.10	0.35	0.88	0.64	0.47
S19	0.79	0.50	0.34	0.14	0.94	-0.12	0.86	0.56	0.59
S20	0.14	-0.06	0.04	0.22	1.07	0.37	0.38	1.06	0.14
S21	0.12	0.45	0.19	0.10	1.02	0.66	0.30	0.97	0.60

For Peer Review