A


Study ID Cases Total Prevalence 95% C.I.
Hubei (Adult)
Cao 2020 182 199 91.46 [87.57; 95.34]
Chen 2020 20 31 64.52 [47.67; 81.36]
Chen 2020a 20 20 100.00 [93.48; 100.00]
Chen 2020c 7 9 77.78 [50.62; 100.00]
Chen 2020d 40 89 44.94 [34.61; 55.28]
Chen 2020e 327 534 61.24 [57.10; 65.37]
Chen 2020f 82 99 82.83 [75.40; 90.26]
Chen 2020g 4 17 23.53 [3.37; 43.69]
Chen 2020j 28 30 93.33 [84.41; 100.00]
Chen 2020k 85 123 69.11 [60.94; 77.27]
Chen 2020l 249 274 90.88 [87.47; 94.29]
Chen 2020m 0 5 0.00 [0.00; 22.12]
Chen 2020n 125 236 52.97 [46.60; 59.33]
Cheng 2020 213 655 32.52 [28.93; 36.11]
Cheng 2020b 64 111 57.66 [48.47; 66.85]
Chu 2020 36 54 66.67 [54.09; 79.24]
Cui 2020 25 35 71.43 [56.46; 86.39]
Deng 2020 189 225 84.00 [79.21; 88.79]
Ding 2020 5 5 100.00 [77.88; 100.00]
Du 2020 177 179 98.88 [97.34; 100.00]
Fan 2020 91 101 90.10 [84.27; 95.92]
Han 2020 94 108 87.04 [80.70; 93.37]
Han 2020a 14 17 82.35 [64.23; 100.00]
He 2020 19 31 61.29 [44.14; 78.44]
Hou 2020 12 14 85.71 [67.38; 100.00]
Hu 2020b 271 323 83.90 [79.89; 87.91]
Huang 2020 40 41 97.56 [92.84; 100.00]
Huang 2020c 34 36 94.44 [86.96; 100.00]
Huang 2020d 32 34 94.12 [86.21; 100.00]
Lei 2020 28 29 96.55 [89.91; 100.00]
Li 2020a 119 161 73.91 [67.13; 80.70]
Li 2020d 67 77 87.01 [79.50; 94.52]
Liu 2020c 13 15 86.67 [69.46; 100.00]
Liu 2020e 30 51 58.82 [45.32; 72.33]
Liu 2020f 36 40 90.00 [80.70; 99.30]
Liu 2020g 43 64 67.19 [55.68; 78.69]
Liu 2020h 112 137 81.75 [75.28; 88.22]
Liu 2020k 90 109 82.57 [75.45; 89.69]
Liu 2020l 57 78 73.08 [63.23; 82.92]
Lu 2020 98 123 79.67 [72.56; 86.79]
Lu 2020b 69 91 75.82 [67.03; 84.62]
Luo 2020 319 403 79.16 [75.19; 83.12]
Min 2020 23 30 76.67 [61.53; 91.80]
Mo 2020 126 155 81.29 [75.15; 87.43]
Nie 2020 21 33 63.64 [47.22; 80.05]
Pan 2020 18 21 85.71 [70.75; 100.00]
Qian 2020 65 91 71.43 [62.15; 80.71]
Qin 2020 423 452 93.58 [91.33; 95.84]
Qin 2020a 86 89 96.63 [92.88; 100.00]
Shi 2020 59 81 72.84 [63.15; 82.53]
Shi 2020a 82 101 81.19 [73.57; 88.81]
Shu 2020 284 545 52.11 [47.92; 56.30]
Tang 2020a 72 73 98.63 [95.96; 100.00]
Wang 2020 107 114 93.86 [89.45; 98.27]
Wang 2020a 136 138 98.55 [96.56; 100.00]
Wang 2020e 55 90 61.11 [51.04; 71.18]
Wang 2020f 91 110 82.73 [75.66; 89.79]
Wang 2020g 60 69 86.96 [79.01; 94.90]
Wang 2020i 311 339 91.74 [88.81; 94.67]
Wang 2020j 42 60 70.00 [58.40; 81.60]
Wei 2020 61 100 61.00 [51.44; 70.56]
Wei 2020a 72 84 85.71 [78.23; 93.20]
Xiong 2020 36 42 85.71 [75.13; 96.30]
Xu 2020 28 48 58.33 [44.39; 72.28]
Yang 2020a 51 52 98.08 [94.34; 100.00]
Yao 2020 53 55 96.36 [91.42; 100.00]
Yu 2020 6 7 85.71 [59.79; 100.00]
Yuan 2020a 21 27 77.78 [62.10; 93.46]
Yuanyuan 2020 25 31 80.65 [66.74; 94.55]
Zhang 2020 64 82 78.05 [69.09; 87.01]
Zhang 2020a 64 81 79.01 [70.14; 87.88]
Zhang 2020b 110 120 91.67 [86.72; 96.61]
Zhang 2020f 200 221 90.50 [86.63; 94.36]
Zhang 2020h 31 89 34.83 [24.93; 44.73]
Zhang 2020i 167 212 78.77 [73.27; 84.28]
Zhang 2020j 23 28 82.14 [67.96; 96.33]
Zhang 2020k 259 319 81.19 [76.90; 85.48]
Zhang 2020l 87 95 91.58 [85.99; 97.16]
Zhao 2020a 16 37 43.24 [27.28; 59.21]
Zheng 2020 45 55 81.82 [71.62; 92.01]
Zhong 2020 26 49 53.06 [39.09; 67.03]
Zhou 2020 180 191 94.24 [90.94; 97.54]
Zhou 2020a 54 62 87.10 [78.75; 95.44]
Zhou 2020b 216 254 85.04 [80.65; 89.43]
Zhu 2020a 93 114 81.58 [74.46; 88.70]
Zhu 2020c 9 10 90.00 [71.41; 100.00]
Random effects model 10069 78.44 [75.00; 81.88]
Heterogeneity: I^2 = 97%, τ^2 = 0.0238, χ^2_{85} = 2692.44 (p = 0)
60 70 80 90 100
Prevalence (%)

B

Study ID	Cases	Total	Prevalence	95% C.I.
Hubei (Paediatric)				
Sun 2020	6	8	75.00	[44.99; 100.00]
Wu 2020c	20	74	27.03	[16.91; 37.15]
Xia 2020	12	20	60.00	[38.53; 81.47]
Yu 2020b	14	82	17.07	[8.93; 25.22]
Zheng 2020a	13	25	52.00	[32.42; 71.58]
Random effects model		**209**	**42.82**	**[24.49; 61.15]**

Heterogeneity: I^2 = 87%, τ^2 = 0.0350, χ^2_4 = 30.67 (p < 0.01)



C

Study ID	Cases	Total	Prevalence	95% C.I.
Zhejiang (Adult)				
Ji 2020	32	33	96.97	[91.12; 100.00]
Jin 2020	545	651	83.72	[80.88; 86.55]
Liu 2020d	7	10	70.00	[41.60; 98.40]
Zhang 2020d	13	14	92.86	[79.37; 100.00]
Zhang 2020g	540	645	83.72	[80.87; 86.57]
Zhao 2020h	331	459	72.11	[68.01; 76.22]
Random effects model		**1812**	**84.32**	**[77.64; 91.00]**

Heterogeneity: I^2 = 90%, τ^2 = 0.0051, χ^2_5 = 52.31 (p < 0.01)



D

Study ID	Cases	Total	Prevalence	95% C.I.
Shanghai (Adult)				
Cao 2020a	172	198	86.87	[82.16; 91.57]
Chen 2020b	217	249	87.15	[82.99; 91.31]
Cheng 2020a	8	11	72.73	[46.41; 99.05]
Fan 2020a	104	148	70.27	[62.91; 77.63]
Lu 2020a	220	265	83.02	[78.50; 87.54]
Mao 2020	159	188	84.57	[79.41; 89.74]
Miao 2020	49	62	79.03	[68.90; 89.17]
Song 2020	49	51	96.08	[90.75; 100.00]
Yang 2020	7	7	100.00	[83.23; 100.00]
Yang 2020c	42	44	95.45	[89.30; 100.00]
Random effects model		**1223**	**86.10**	**[81.36; 90.84]**

Heterogeneity: I^2 = 81%, τ^2 = 0.0041, χ^2_9 = 47.74 (p < 0.01)



E

Study ID	Cases	Total	Prevalence	95% C.I.
Jiangsu (Adult)				
Huang 2020b	171	221	77.38	[71.86; 82.89]
Liu 2020o	409	620	65.97	[62.24; 69.70]
Xu 2020b	34	51	66.67	[53.73; 79.60]
Random effects model		**892**	**70.37**	**[61.62; 79.11]**

Heterogeneity: I^2 = 83%, τ^2 = 0.0046, χ^2_2 = 11.46 (p < 0.01)



F

Study ID	Cases	Total	Prevalence	95% C.I.
Chongqing (Adult)				
Hu 2020a	109	164	66.46	[59.24; 73.69]
Li 2020c	72	83	86.75	[79.45; 94.04]
Liao 2020	22	30	73.33	[57.51; 89.16]
Liu 2020a	43	51	84.31	[74.33; 94.29]
Qi 2020	225	267	84.27	[79.90; 88.64]
Wan 2020	120	135	88.89	[83.59; 94.19]
Zhou 2020c	43	62	69.35	[57.88; 80.83]
Random effects model		**792**	**79.87**	**[73.19; 86.54]**

Heterogeneity: I^2 = 82%, τ^2 = 0.0061, χ^2_6 = 32.87 (p < 0.01)



G

Study ID	Cases	Total	Prevalence	95% C.I.
Guangdong (Adult)				
Lei 2020b	16	20	80.00	[62.47; 97.53]
Li 2020f	54	78	69.23	[58.99; 79.47]
Liu 2020b	193	291	66.32	[60.89; 71.75]
To 2020	22	23	95.65	[87.32; 100.00]
Wang 2020d	11	11	100.00	[88.69; 100.00]
Xu 2020g	17	21	80.95	[64.16; 97.75]
Zeng 2020	218	338	64.50	[59.40; 69.60]
Zhu 2020b	6	6	100.00	[80.92; 100.00]
Random effects model		**788**	**81.24**	**[70.38; 92.10]**

Heterogeneity: I^2 = 91%, τ^2 = 0.0207, χ^2_7 = 76.27 (p < 0.01)



H

Study ID	Cases	Total	Prevalence	95% C.I.
Guangdong (Paediatric)				
Feng 2020a	5	15	33.33	[9.48; 57.19]
Tang 2020	11	26	42.31	[23.32; 61.30]
Xu 2020d	7	10	70.00	[41.60; 98.40]
Zhou 2020d	5	9	55.56	[23.09; 88.02]
Random effects model		**60**	**47.92**	**[32.95; 62.88]**

Heterogeneity: I^2 = 30%, τ^2 = 0.0070, χ^2_3 = 4.28 (p = 0.23)



I

Study ID	Cases	Total	Prevalence	95% C.I.
Hunan (Adult)				
Feng 2020	105	141	74.47	[67.27; 81.67]
Qiu 2020a	66	104	63.46	[54.21; 72.72]
Zhao 2020b	36	56	64.29	[51.74; 76.84]
Random effects model		**301**	**68.26**	**[60.46; 76.07]**

Heterogeneity: I^2 = 51%, τ^2 = 0.0024, χ^2_2 = 4.12 (p = 0.13)



J

Study ID	Cases	Total	Prevalence	95% C.I.
Beijing (Adult)				
Chang 2020a	14	16	87.50	[71.30; 100.00]
Li 2020b	34	47	72.34	[59.55; 85.13]
Li 2020e	15	18	83.33	[66.12; 100.00]
Liang 2020	18	21	85.71	[70.75; 100.00]
Yang 2020b	47	55	85.45	[76.14; 94.77]
Yu 2020a	67	76	88.16	[80.89; 95.42]
Random effects model		**233**	**84.89**	**[80.34; 89.44]**

Heterogeneity: I^2 = 0%, τ^2 = 0, χ^2_5 = 4.63 (p = 0.46)



K

Study ID	Cases	Total	Prevalence	95% C.I.
Anhui (Adult)				
Liu 2020i	68	73	93.15	[87.36; 98.95]
Zhao 2020	15	19	78.95	[60.62; 97.28]
Zhao 2020g	71	80	88.75	[81.83; 95.67]
Zhu 2020	27	32	84.38	[71.79; 96.96]
Random effects model		**204**	**89.66**	**[85.09; 94.24]**

Heterogeneity: I^2 = 12%, τ^2 = 0.0003, χ^2_3 = 3.43 (p = 0.33)



L

Study ID	Cases	Total	Prevalence	95% C.I.
Hainan (Adult)				
Liu 2020	41	51	80.39	[69.50; 91.29]
Liu 2020p	44	56	78.57	[67.82; 89.32]
Wu 2020b	72	91	79.12	[70.77; 87.47]
Random effects model		**198**	**79.31**	**[73.67; 84.95]**

Heterogeneity: I^2 = 0%, τ^2 = 0, χ^2_2 = 0.06 (p = 0.97)



M

Study ID	Cases	Total	Prevalence	95% C.I.
Fujian (Adult)				
Wang 2020h	126	165	76.36	[69.88; 82.85]



N

Study ID	Cases	Total	Prevalence	95% C.I.
Hebei (Adult)				
Chen 2020i	36	37	97.30	[92.07; 100.00]
Li 2020e	15	18	83.33	[66.12; 100.00]
Liang 2020	18	21	85.71	[70.75; 100.00]
Yang 2020b	47	55	85.45	[76.14; 94.77]
Random effects model		**131**	**89.73**	**[81.58; 97.88]**

Heterogeneity: I^2 = 59%, τ^2 = 0.0038, χ^2_3 = 7.24 (p = 0.06)



O

Study ID	Cases	Total	Prevalence	95% C.I.
Sichuan (Adult)				
Diao 2020	4	6	66.67	[28.95; 100.00]
Fu 2020	45	52	86.54	[77.26; 95.82]
Li 2020	12	17	70.59	[48.93; 92.25]
Xie 2020	8	9	88.89	[68.36; 100.00]
Random effects model		**84**	**84.02**	**[76.31; 91.73]**

Heterogeneity: I^2 = 0%, τ^2 = 0, χ^2_3 = 2.79 (p = 0.43)



P

Study ID	Cases	Total	Prevalence	95% C.I.
Shandong (Adult)				
Tang 2020a	72	73	98.63	[95.96; 100]



Q



S2 Fig. Prevalence of fever in adult COVID-19 patients from (A) Hubei, (B) Hubei (Paediatric), (C) Zhejiang, (D) Shanghai, (E) Jiangsu, (F) Chongqing, (G) Guangdong, (H) Guangdong (Paediatric), (I) Hunan, (J) Beijing, (K) Anhui, (L) Hainan, (M) Fujian, (N) Hebei, (O) Sichuan, (P) Shandong, and (Q) Shaanxi.