Table S1 Basic characteristics of included studies in the meta-analysis

Study (year)	Country	Study design	Enrollment period	Sample Size (anti-EGFR/Control)		Mean/Median age (range, years) (anti-EGFR/Control)		Treatment Protocol (anti-EGFR/Control)		Outcomes
Lorenzen et al. 2009[11]	Germany	RCT Multicenter	2004.12-2006.12	32	30	61 (40-76)	62 (40-74)	Cetuximab+CT (Cisplatin+5-fluorouracil)	CT (Cisplatin+5-fluorouracil)	OS, PFS, ORR, DCR, Toxicities
Crosby et al. 2013[41]	UK	RCT Multicenter	2008.02-2012.02	129	129	66.9 (44.9-84.1)	66.6 (35.7-81.9)	Cetuximab+CRT (Cisplatin+Capecitabine+RT)	CRT (Cisplatin+Capecitabine+RT)	OS, Toxicities
Chen et al. 2014a[25]	China	RCT Single-institution	2011.07-2012.01	20	20	57.3 (44-73)		Surgery+Cetuximab+CT (Cisplatin+5-fluorouracil）	Surgery+CT (Cisplatin+5-fluorouracil)	OS, PFS, Toxicities
Crosby et al. 2017[40]	UK	RCT Multicenter	2008.02-2012.02	129	129	66.9 (44.9-84.1)	66.6 (35.7-81.9)	Cetuximab+CRT (Cisplatin+Capecitabine+RT)	CRT (Cisplatin+Capecitabine+RT)	OS, PFS, Toxicities
Suntharalingam et al. 2017[15]	USA	RCT Multicenter	2008.06-2013.02	159	169	65 (39-87)	63 (32-85)	Cetuximab+CRT (Cisplatin+Paclitaxel+RT)	CRT (Cisplatin+Paclitaxel+RT)	OS, Toxicities
Lu et al. 2017[37]	China	RCT Single-institution	2013.01-2015.06	40	40	61.2 (45-80)	61.3 (45-80)	Cetuximab+CT (Cisplatin+5-fluorouracil)	CT (Cisplatin+5-fluorouracil)	OS, ORR, DCR, Toxicities
Ruhstaller et al. 2018[14]	Switzerland	RCT Multicenter	2010.05-2016.10	149	151	61 (56-68)	61 (53-68)	Cetuximab+IC (Cisplatin+Docetaxel) +CRT (Cisplatin+Docetaxel+ RT) +Surgery	IC (Cisplatin+Docetaxel) +CRT (Cisplatin+Docetaxel+RT) + Surgery	OS, PFS, Toxicities
Ramos-Suzarte et al. 2012[17]	Cuba	RCT Multicenter	2005.12-2008.12	33	30	58.5	58.9	Nimotuzumab+CRT (Cisplatin+5-fluorouracil+RT)	CRT (Cisplatin+5-fluorouracil+RT)	ORR, DCR, Toxicities
Xu et al. 2013[36]	China	RCT Single-institution	2009.01-2012.12	23	23	63 (40-74)	62 (41-75)	Nimotuzumab+CT (Cisplatin+5-fluorouracil)	CT (Cisplatin+5-fluorouracil)	PFS, ORR, DCR, Toxicities

Table S1 Continued

Study (year)	Country	Study design	Enrollment period	Sample Size (anti-EGFR/Control)		Mean/Median age (range, years) (anti-EGFR/Control)		Treatment Protocol (anti-EGFR/Control)		Outcomes
Shi et al. 2014[35]	China	RCT Single-institution	2009.10-2010.10	32	32	57 (42-68)		Nimotuzumab+RT	RT	OS, ORR, DCR
Sun et al. 2014[26]	China	RCT Single-institution	2008.01-2009.07	21	21	54 (36-78)		Nimotuzumab+CRT (Paclitaxel+Cisplatin+RT)	CRT (Paclitaxel+Cisplatin+RT)	OS, PFS, ORR, DCR, Toxicities
Wu et al. 2014[27]	China	RCT Single-institution	2009.10-2011.09	16	16	55 (38-68)		Nimotuzumab+CRT (Paclitaxel+Cisplatin+RT)	CRT (Paclitaxel+Cisplatin+RT)	ORR
Luo et al. 2015[33]	China	RCT Single-institution	NR	28	27	62 (32-68)	63 (31-69)	Nimotuzumab+CRT (Docetaxel+RT]	CRT (Docetaxel+RT]	OS, ORR, DCR, Toxicities
Chen et al. 2016b[30]	China	RCT Single-institution	2012.01-2013.01	32	32	53.43 (39-68)	54.52 (41-68)	Nimotuzumab+CRT (Nadaplatin+RT]	CRT (Nadaplatin+RT]	OS, ORR, DCR
Fu et al. 2017[29]	China	RCT Single-institution	2013.12-2016.12	40	40	60.55 (31-76)	61.38 (31-75)	Nimotuzumab+CRT (Docetaxel+Cisplatin++RT)	CRT (Docetaxel+Cisplatin++RT)	ORR, DCR
Castro et al. 2018[16]	Brazil	RCT Multicenter	2009.02-2011.08	53	54	60.0 (40-75)	58.5 (36-82)	Nimotuzumab+CRT (Cisplatin+Fluorouracil+RT)	CRT (Cisplatin+Fluorouracil+RT)	OS, Toxicities
Chen et al. 2014b[20]	China	RCT Single-institution	2010.01-2012.01	60	60	58.7 (49-75)		Surgery+Erlotinib+CT (Cisplatin+5-fluorouracil)	Surgery+CT (Cisplatin+5-fluorouracil)	CR, ORR, DCR
Zhang et al. 2014[34]	China	RCT Single-institution	2009.10-2012.10	42	42	59.1 (49-74)	58.4 (47-72)	Erlotinib+RT	RT	CR, ORR, DCR
Ye et al. 2015[32]	China	RCT Single-institution	2011.02-2012.04	37	36	53.8 (NR)	55.2 (NR)	Erlotinib+CRT (Paclitaxel+Cisplatin+RT)	CRT (Paclitaxel+Cisplatin+RT)	OS, DCR

Table S1 Continued

Study (year)	Country	Study design	Enrollment period	Sample Size (anti-EGFR/Control)		Mean/Median age (range, years) (anti-EGFR/Control)		Treatment Protocol (anti-EGFR/Control)		Outcomes
Zhou et al. 2015[38]	China	RCT Single-institution	2009.05-2011.11	40	40	55 (46-70)	54 (45-68)	Erlotinib+RT	CT+RT (Docetaxel+Cisplatin)+RT	OS, ORR, DCR
Chen et al. 2016a[39]	China	RCT Single-institution	2012.11-2014.11	68	68	47.3 (28-76)	47.9 (26-78)	Erlotinib+CRT (Paclitaxel+Cisplatin+RT)	CRT (Paclitaxel+Cisplatin+RT)	OS, ORR
Zhao et al. 2016[31]	China	RCT Single-institution	2013.08-2014.04	38	38	64.5 (61-83)	63.4 (59-81)	Erlotinib+RT	RT	CR, ORR, DCR
Wu et al. 2018[19]	China	RCT Multicenter	2007.12-2015.06	176	176	61 (35-70)	61.5 (40-70)	Erlotinib+CRT (Paclitaxel+Cisplatin+RT)	CRT (Paclitaxel+Cisplatin+RT)	OS, Toxicities
Zeng et al. 2014[21]	China	RCT Single-institution	2018.03-2010.08	26	26	NR (40-80)		Gefitinib+CT (Oxaliplatin+5-fluorouracil)	CT (Oxaliplatin+5-fluorouracil)	ORR, DCR
Dutton et al. 2014[22]	UK	RCT Multicenter	2009.03-2011.11	224	225	64.7 (58.0-70.1)	64.9 (58.2-70.7)	Gefitinib+CRT (NR)	Placebo+CRT (NR)	OS, PFS, Toxicities

RCT randomized controlled trial, NR Not reported, OS Overall survival, PFS Progression-free survival, ORR Objective response rate, DCR Disease control rate, RT Radiotherapy, CRT Chemoradiotherapy, IC Induction chemotherapy, CT Chemotherapy